



```

name: <unnamed>
log: C:\Users\staff-riped2022\Dropbox\Codes and Data for Projects\\School Read
> iness 2023 (SRS6)/Data and Codes\Codebook\TSRS_2021\TSRS2021_child_development_form_
> from_teacher_public.scml
log type: smcl
opened on: 2 Aug 2024, 09:13:44

```

```
1 . codebookr _all,all
```

```

Dataset: */Data and Codes\Data\public data\TSRS_2020_2021_2022_2023_pu
> blic.dta
Last saved: 1 Aug 2024 14:58
DATA HAVE CHANGED SINCE LAST SAVED

```

```

Label: [none]
Number of variables: 147
Number of observations: 12,328
Size: 14,325,136 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

```

.a or RF: The subject explicitly refused to answer the question
when he or she should have.
.b or NA: The subject was never asked the question
for one reason or another. Usually this results
from "skip patterns" that occur.
.c or DK: The subject was unable to answer the question
either because he or she had no opinion or because
the required information was not available.
.d or MI: Items should be filled out but have no data entry found.
This is enumerator's own mistake. The circumstances
can be interviewers failing to ask a question
or forgetting to record a response

```

```

Numeric Missing*: .a String Missing*: RF
                  .b                    NA
                  .c                    DK
                  .d                    MI

```

```
stid Student identification code
```

```

type: string (str12), but longest is str11
unique values: 12,328 missing "": 0/12,328
examples: "31010653113"
           "46010513209"
           "58010133102"
           "81010233114"

```

```
prov_code State identification code
```

```

type: string (str2)
unique values: 25 missing "": 0/12,328

```

```

tabulation:  Freq.  Value
              520  "11"
              413  "12"
              479  "14"
              506  "18"
              485  "30"
              478  "31"
              481  "34"
              494  "35"
              523  "36"
              497  "39"
              496  "46"
              519  "49"
              521  "50"
              499  "55"
              477  "56"
              509  "58"
              509  "65"
              457  "67"
              508  "71"
              461  "80"
              496  "81"
              504  "82"
              557  "83"
              472  "84"
              467  "92"
    
```

genderda **Student sex**

```

      type: numeric (byte)
      label: genderda

      range: [1,3]
      unique values: 2
      units: 1
      missing .: 0/12,328

      tabulation:  Freq.  Numeric  Label
                  6,460      1      Male
                  5,868      3      Female
    
```

scid **School code**

```

      type: string (str10), but longest is str7
      unique values: 926
      missing "": 0/12,328

      examples: "3101065"
               "4601051"
               "5801013"
               "8101023"
    
```

roomid **Room code**

```

      type: string (str10), but longest is str9
      unique values: 1,010
      missing "": 0/12,328

      examples: "310106531"
               "460105132"
               "580101331"
               "810102331"
    
```

weightte **Child's weight according to the teacher**

```

type: numeric (double)
range: [9.4,70] units: .01
unique values: 450 missing .: 586/12,328

mean: 21.4741
std. dev: 5.76468

percentiles:    10%    25%    50%    75%    90%
                16.1    18     20     23     29
    
```

heightte **Child's height according to the teacher**

```

type: numeric (double)
range: [86,157] units: .01
unique values: 139 missing .: 598/12,328

mean: 115.869
std. dev: 5.93135

percentiles:    10%    25%    50%    75%    90%
                109    112    116    120    123
    
```

mcmcte06 **The month the teacher got to know the child**

```

type: numeric (byte)
range: [1,12] units: 1
unique values: 11 missing .: 597/12,328

tabulation:  Freq.  Value
              142    1
               52    2
               15    3
              3,206  5
               65    6
              6,755  7
               164    8
               122    9
               303   10
               296   11
               611   12
               597    .
mean: 6.82158
std. dev: 1.90476

percentiles:    10%    25%    50%    75%    90%
                5      5      7      7      10
    
```

mcmcte30 **The year the teacher got to know the child**

```

type: numeric (int)
range: [2559,2564] units: 1
unique values: 6 missing .: 597/12,328
    
```

```

tabulation:  Freq.  Value
              1  2559
              24  2560
              348  2561
             1,483  2562
             9,675  2563
              200  2564
              597  .
    mean:    2562.82
    std. dev: .501236

percentiles:      10%      25%      50%      75%      90%
                  2562      2563      2563      2563      2563
    
```

mcmcte31 **The month that the child started school**

```

    type:  numeric (byte)
    range: [1,12]
unique values: 12
              units: 1
              missing .: 716/12,328

    tabulation:  Freq.  Value
                  49  1
                  33  2
                   11  3
                    1  4
                 3,808  5
                   72  6
                7,378  7
                   55  8
                   19  9
                   37  10
                   59  11
                   90  12
                   716  .
    mean:    6.371
    std. dev: 1.21505

percentiles:      10%      25%      50%      75%      90%
                  5        5        7        7        7
    
```

mcmcte32 **The year that the child started school**

```

    type:  numeric (int)
    range: [2553,2564]
unique values: 7
              units: 1
              missing .: 732/12,328

    tabulation:  Freq.  Value
                  1  2553
                  15  2559
                   13  2560
                   254  2561
                   310  2562
                10,923  2563
                   80  2564
                   732  .
    mean:    2562.93
    std. dev: .394128

percentiles:      10%      25%      50%      75%      90%
                  2563      2563      2563      2563      2563
    
```

mcmcte07 **What is the child's primary language at school?**

```

type: numeric (byte)
label: mcmcte07

range: [1,3]                units: 1
unique values: 2            missing .. 356/12,328

tabulation: Freq.  Numeric  Label
             11,050      1   Standard Thai
             922         3   Thai Isarn
             356         .
    
```

mcmcte08 **If your answer in mcmcte07 was others, specify further**

```

type: string (str175), but longest is str103

unique values: 107          missing "": 11,406/12,328

warning: variable has embedded blanks
    
```

mcmcte09 **The community in which the child lives in.**

```

type: numeric (byte)
label: mcmcte09

range: [1,5]                units: 1
unique values: 3            missing .. 643/12,328

tabulation: Freq.  Numeric  Label
             4,198      1   In the municipal area
             7,086      3   Outside the municipal area
             401        5   ไม่นาน/ไม่นาน
             643        .
    
```

mcmcte10 **Compared to children around the same age, does the child get sick often?**

```

type: numeric (byte)
label: mcmcte10

range: [1,3]                units: 1
unique values: 2            missing .. 432/12,328

tabulation: Freq.  Numeric  Label
             730         1   Yes
             11,166      3   No
             432         .
    
```

mcmcte11 **Compared to children around the same age, does the child often get fatigued and**

```

type: numeric (byte)
label: mcmcte11

range: [1,3]                units: 1
unique values: 2            missing .. 433/12,328

tabulation: Freq.  Numeric  Label
             378         1   Yes
             11,517      3   No
             433         .
    
```

mcmcte33 **In the past semester, how many days was the child absent?**

type: numeric (**double**)
 range: [0,100] units: 1
 unique values: 84 missing .: 1,423/12,328

tabulation:	Freq.	Value
	3,003	0
	1,129	1
	1,411	2
	1,229	3
	807	4
	758	5
	448	6
	329	7
	284	8
	213	9
	284	10
	138	11
	136	12
	86	13
	60	14
	98	15
	51	16
	34	17
	33	18
	36	19
	48	20
	29	21
	11	22
	13	23
	16	24
	16	25
	9	26
	4	27
	6	28
	10	29
	8	30
	1	31
	5	32
	4	33
	5	34
	2	35
	2	36
	1	37
	2	38
	2	39
	1	40
	1	41
	1	42
	2	43
	1	44
	2	46
	2	47
	1	48
	1	50
	1	55
	1	59
	1	60
	1	65
	1	68
	1	69
	1	70
	2	71
	1	72
	2	73
	3	75
	3	76
	3	77

```

                2  78
                3  79
                1  80
                2  81
                3  82
                6  83
                1  84
                9  85
                9  86
               14  87
               12  88
                5  89
                2  90
                3  91
                1  92
                3  94
                2  95
                5  96
                2  97
                5  98
                1  99
               20 100
    1,423 .
    mean:  4.83393
    std. dev: 10.4025

    percentiles:    10%    25%    50%    75%    90%
                   0      0      2      5     10

```

mcmcte34 **How many days was the school open last semester?**

```

    type: numeric (int)
    range: [.,.]
    unique values: 0
    units: .
    missing ..: 12,328/12,328

    tabulation:  Freq.  Value
                12,328  .
    mean: .
    std. dev: .

    percentiles:    10%    25%    50%    75%    90%
                   .      .      .      .      .

```

mcmcte17 **Number of lead teachers**

```

    type: numeric (byte)
    range: [.,.]
    unique values: 0
    units: .
    missing ..: 12,328/12,328

    tabulation:  Freq.  Value
                12,328  .
    mean: .
    std. dev: .

    percentiles:    10%    25%    50%    75%    90%
                   .      .      .      .      .

```

mcmcte18 **Number of co-teachers**

```

    type: numeric (byte)
    range: [.,.]
    unique values: 0
    units: .
    missing ..: 12,328/12,328

```

```

tabulation:  Freq.  Value
              12,328  .
      mean:      .
      std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

mcmcte19 **Number of interns**

```

      type:  numeric (byte)
      range:  [.,.]
unique values:  0
              units:  .
              missing .:  12,328/12,328

      tabulation:  Freq.  Value
                    12,328  .
      mean:      .
      std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

mcmcte20 **Number of other teachers**

```

      type:  numeric (byte)
      range:  [.,.]
unique values:  0
              units:  .
              missing .:  12,328/12,328

      tabulation:  Freq.  Value
                    12,328  .
      mean:      .
      std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

mcmcte15 **Number of students in the room including the child themselves**

```

      type:  numeric (byte)
      range:  [.,.]
unique values:  0
              units:  .
              missing .:  12,328/12,328

      tabulation:  Freq.  Value
                    12,328  .
      mean:      .
      std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

mcmcte15:
 1. subjected to a carryforward operation

mcmcte20txt **Specify others**

```

      type:  string (str39), but longest is str0
unique values:  0
              missing "":  12,328/12,328
    
```


tabulation: Freq. Value
 12,328 ""

mcmctel6 **Number of teachers in the child's room**

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: 0 missing .. 12,328/12,328

tabulation: Freq. Value
 12,328 .
 mean: .
 std. dev: .

percentiles: 10% 25% 50% 75% 90%

mcmctel6:
 1. subjected to a carryforward operation

mcmctel3 **Is there a propability that the child would need extra attention from teachers?**

type: numeric (**byte**)
 label: **mcmctel3**

range: [1,3] units: 1
 unique values: 2 missing .. 616/12,328

tabulation: Freq. Numeric Label
 712 1 Yes
 11,000 3 No
 616 .

mcmctel4 **If so what are the symptoms of the child?**

type: numeric (**byte**)
 label: **mcmctel4**

range: [1,9] units: 1
 unique values: 5 missing .. 11,623/12,328

tabulation: Freq. Numeric Label
 269 1 Children with ADHD
 37 3 Chronically ill children
 15 5 Children with severe mental or
 social problems
 218 7 LD children (children with
 learning disabilities)
 166 9 Others
 11,623 .

mcmctel4txt **In the case of others, please specify futher**

type: string (**str443**), but longest is str345
 unique values: 116 missing "": 12,172/12,328

warning: variable has embedded and trailing blanks

manote01 **Can the child identify at least three geometric shape? For example circle, squar**

type: numeric (**byte**)
 label: **manote01**
 range: [.,.] units: .
 unique values: 0 missing .: 12,328/12,328
 tabulation: Freq. Numeric Label
 12,328 .

manote02 **Can the child identify at least three colors?**

type: numeric (**byte**)
 label: **manote02**
 range: [.,.] units: .
 unique values: 0 missing .: 12,328/12,328
 tabulation: Freq. Numeric Label
 12,328 .

manote03 **Can the child count from 1 to 10?**

type: numeric (**byte**)
 label: **manote03**
 range: [.,.] units: .
 unique values: 0 missing .: 12,328/12,328
 tabulation: Freq. Numeric Label
 12,328 .

manote04 **Can the child count from 1 to 20?**

type: numeric (**byte**)
 label: **manote04**
 range: [.,.] units: .
 unique values: 0 missing .: 12,328/12,328
 tabulation: Freq. Numeric Label
 12,328 .

manote06 **Is the child aware that adults are taller than kids?**

type: numeric (**byte**)
 label: **manote06**
 range: [.,.] units: .
 unique values: 0 missing .: 12,328/12,328
 tabulation: Freq. Numeric Label
 12,328 .

manote07 **Can the child identify time in terms of morning, afternoon or dusk?**

```

type: numeric (byte)
label: manote07

range: [..]
unique values: 0
units: .
missing ..: 12,328/12,328

tabulation: Freq. Numeric Label
12,328 .
    
```

manote08 Can the child identify time in terms of yesterday, today and tomorrow?

```

type: numeric (byte)
label: manote08

range: [..]
unique values: 0
units: .
missing ..: 12,328/12,328

tabulation: Freq. Numeric Label
12,328 .
    
```

manote09 Is the child aware that an elephant is heavier than a cat?

```

type: numeric (byte)
label: manote09

range: [..]
unique values: 0
units: .
missing ..: 12,328/12,328

tabulation: Freq. Numeric Label
12,328 .
    
```

manote05 Is the child aware that 8 is more than 2?

```

type: numeric (byte)
label: manote05

range: [..]
unique values: 0
units: .
missing ..: 12,328/12,328

tabulation: Freq. Numeric Label
12,328 .
    
```

lirete01 Is the child aware that thai text has to be read from left to right?

```

type: numeric (byte)
label: lirete01

range: [..]
unique values: 0
units: .
missing ..: 12,328/12,328

tabulation: Freq. Numeric Label
12,328 .
    
```

lialte01 Can the child identify at least 3 Thai characters?

```

type: numeric (byte)
label: lialte01

range: [..]
unique values: 0
units: .
missing ..: 12,328/12,328
    
```

tabulation: Freq. Numeric Label
 12,328 .

lialte02 Can the child identify at least 10 Thai characters?

type: numeric (byte)
 label: **lialte02**
 range: [..] units: .
 unique values: 0 missing .: 12,328/12,328
 tabulation: Freq. Numeric Label
 12,328 .

lialte11 Can the child identify at least 3 English characters?

type: numeric (byte)
 label: **lialte11**
 range: [..] units: .
 unique values: 0 missing .: 12,328/12,328
 tabulation: Freq. Numeric Label
 12,328 .

lialte12 Can the child identify at least 10 English characters?

type: numeric (byte)
 label: **lialte12**
 range: [..] units: .
 unique values: 0 missing .: 12,328/12,328
 tabulation: Freq. Numeric Label
 12,328 .

lialte03 Can the child read at least 4 basic words? (If no, skip to question 15)

type: numeric (byte)
 label: **lialte03**
 range: [..] units: .
 unique values: 0 missing .: 12,328/12,328
 tabulation: Freq. Numeric Label
 12,328 .

lialte04 Can the child read basic sentences that consist of 3 words?

type: numeric (byte)
 label: **lialte04**
 range: [..] units: .
 unique values: 0 missing .: 12,328/12,328
 tabulation: Freq. Numeric Label
 12,328 .

lialte05 Can the child write at least 3 Thai characters?

```

        type: numeric (byte)
        label: lialte05

        range: [.,.]
        unique values: 0
        units: .
        missing .. 12,328/12,328

        tabulation: Freq.  Numeric  Label
                   12,328      .
    
```

lialte06 **Can the child write at least 3 English characters?**

```

        type: numeric (byte)
        label: lialte06

        range: [.,.]
        unique values: 0
        units: .
        missing .. 12,328/12,328

        tabulation: Freq.  Numeric  Label
                   12,328      .
    
```

lialte07 **Can the child write their name in Thai?**

```

        type: numeric (byte)
        label: lialte07

        range: [.,.]
        unique values: 0
        units: .
        missing .. 12,328/12,328

        tabulation: Freq.  Numeric  Label
                   12,328      .
    
```

lialte09 **Can the child write basic words in Thai?**

```

        type: numeric (byte)
        label: lialte09

        range: [.,.]
        unique values: 0
        units: .
        missing .. 12,328/12,328

        tabulation: Freq.  Numeric  Label
                   12,328      .
    
```

lialte10 **Can the child write a basic sentence consisting of 3 words?**

```

        type: numeric (byte)
        label: lialte10

        range: [.,.]
        unique values: 0
        units: .
        missing .. 12,328/12,328

        tabulation: Freq.  Numeric  Label
                   12,328      .
    
```

lialte08 **Can the child write their name in English?**

```

        type: numeric (byte)
        label: lialte08

        range: [.,.]
        unique values: 0
        units: .
        missing .. 12,328/12,328
    
```

tabulation: Freq. Numeric Label
 12,328 .

liexte01 Can the child say at least 3 sentences explaining what has happened to them?

type: numeric (byte)
 label: **liexte01**
 range: [..]
 unique values: 0 units: .
 missing :: 12,328/12,328
 tabulation: Freq. Numeric Label
 12,328 .

liexte02 Can the child say sentences expressing their feelings? such as I love Dad or I

type: numeric (byte)
 label: **liexte02**
 range: [..]
 unique values: 0 units: .
 missing :: 12,328/12,328
 tabulation: Freq. Numeric Label
 12,328 .

liexte03 Can the child explain what has happend in their daily lives?

type: numeric (byte)
 label: **liexte03**
 range: [..]
 unique values: 0 units: .
 missing :: 12,328/12,328
 tabulation: Freq. Numeric Label
 12,328 .

liexte04 Does the child frequently ask questions or give comments about subjects of their

type: numeric (byte)
 label: **liexte04**
 range: [..]
 unique values: 0 units: .
 missing :: 12,328/12,328
 tabulation: Freq. Numeric Label
 12,328 .

liexte05 Can the child select words to express the feelings accurately?

type: numeric (byte)
 label: **liexte05**
 range: [0,2]
 unique values: 3 units: 1
 missing :: 429/12,328

```

tabulation:  Freq.  Numeric  Label
              447      0      Never
              4,687    1      Occasionally
              6,765    2      Consistently
              429      .
    
```

sosete01 The child can follow basic rules such as waiting in queue.

```

type:  numeric (byte)
label:  sosete01

range:  [0,2]
unique values:  3

units:  1
missing .:  420/12,328
    
```

```

tabulation:  Freq.  Numeric  Label
              149      0      Never
              3,625    1      Occasionally
              8,134    2      Consistently
              420      .
    
```

sosete02 The child accept mutual agreements and share toys and items when playing with fr

```

type:  numeric (byte)
label:  sosete02

range:  [0,2]
unique values:  3

units:  1
missing .:  436/12,328
    
```

```

tabulation:  Freq.  Numeric  Label
              121      0      Never
              3,865    1      Occasionally
              7,906    2      Consistently
              436      .
    
```

sosete03 The child is able to suppress their desires eventhough they want something.

```

type:  numeric (byte)
label:  sosete03

range:  [0,2]
unique values:  3

units:  1
missing .:  419/12,328
    
```

```

tabulation:  Freq.  Numeric  Label
              289      0      Never
              5,414    1      Occasionally
              6,206    2      Consistently
              419      .
    
```

excote01 The child is eager to learn about new topics and is constantly curious.

```

type:  numeric (byte)
label:  excote01

range:  [0,2]
unique values:  3

units:  1
missing .:  460/12,328
    
```

```

tabulation:  Freq.  Numeric  Label
              97      0      Never
              3,058    1      Occasionally
              8,713    2      Consistently
              460      .
    
```

excote02 The child can switch task at command without having to be forced.

```

type: numeric (byte)
label: excote02

range: [0,2]
unique values: 3
units: 1
missing ..: 429/12,328

tabulation: Freq.  Numeric  Label
              320      0      Never
              4,217    1      Occasionally
              7,362    2      Consistently
              429      .
    
```

mcmcte22 The child can act in a timely manner when they intend to do something.

```

type: numeric (byte)
label: mcmcte22

range: [.,.]
unique values: 0
units: .
missing ..: 12,328/12,328

tabulation: Freq.  Numeric  Label
              12,328 .
    
```

sosute01 The child knows to avoid interacting with strangers.

```

type: numeric (byte)
label: sosute01

range: [.,.]
unique values: 0
units: .
missing ..: 12,328/12,328

tabulation: Freq.  Numeric  Label
              12,328 .
    
```

sosute02 The child demonstrates empathy and compassion towards others.

```

type: numeric (byte)
label: sosute02

range: [.,.]
unique values: 0
units: .
missing ..: 12,328/12,328

tabulation: Freq.  Numeric  Label
              12,328 .
    
```

sosute03 The child is friendly and compassionate towards those that are younger, excludin

```

type: numeric (byte)
label: sosute03

range: [.,.]
unique values: 0
units: .
missing ..: 12,328/12,328

tabulation: Freq.  Numeric  Label
              12,328 .
    
```

sosute04 **The child frequently volunteers to help others such as teachers, parents or frie**

```

type: numeric (byte)
label: sosute04

range: [.,.]
unique values: 0

units: .
missing ..: 12,328/12,328

tabulation: Freq.  Numeric  Label
             12,328      .
    
```

mcmcte23 **The child shows off their work often to demonstrate to others that they are capa**

```

type: numeric (byte)
label: mcmcte23

range: [.,.]
unique values: 0

units: .
missing ..: 12,328/12,328

tabulation: Freq.  Numeric  Label
             12,328      .
    
```

soemte01 **The child uses an extended amount of time to recover from dissapointment.**

```

type: numeric (byte)
label: soemte01

range: [0,2]
unique values: 3

units: 1
missing ..: 567/12,328

tabulation: Freq.  Numeric  Label
             6,775      0  Never
             4,343      1  Occasionally
             643        2  Consistently
             567        .
    
```

excote03 **The child is able to accepnt when there is a change of plans.**

```

type: numeric (byte)
label: excote03

range: [0,2]
unique values: 3

units: 1
missing ..: 503/12,328

tabulation: Freq.  Numeric  Label
             726      0  Never
             3,547     1  Occasionally
             7,552     2  Consistently
             503      .
    
```

mcmcte21 **The child plays with rock and wood to represent people or animals.**

```

type: numeric (byte)
label: mcmcte21

range: [.,.]
unique values: 0

units: .
missing ..: 12,328/12,328
    
```

tabulation: Freq. Numeric Label
 12,328 .

phgmte01 The child is capable of jumping rope (see picture for more information)

type: numeric (byte)
 label: **phgmte01**

range: [..] units: .
 unique values: 0 missing :: 12,328/12,328

tabulation: Freq. Numeric Label
 12,328 .

phgmte02 The child can run in a zig zag pattern for at least 3 meters

type: numeric (byte)
 label: **phgmte02**

range: [..] units: .
 unique values: 0 missing :: 12,328/12,328

tabulation: Freq. Numeric Label
 12,328 .

phgmte03 The child can jump forward on one leg continuously for at least 3 meters

type: numeric (byte)
 label: **phgmte03**

range: [..] units: .
 unique values: 0 missing :: 12,328/12,328

tabulation: Freq. Numeric Label
 12,328 .

phgmte04 The child can run forward continuously for 20 meters and can keep their balance

type: numeric (byte)
 label: **phgmte04**

range: [..] units: .
 unique values: 0 missing :: 12,328/12,328

tabulation: Freq. Numeric Label
 12,328 .

phgmte05 The child can throw a ball to a specific target at a distance of 2 meters

type: numeric (byte)
 label: **phgmte05**

range: [..] units: .
 unique values: 0 missing :: 12,328/12,328

tabulation: Freq. Numeric Label
 12,328 .

sobite01 **The child's emotion changes quickly.**

```

      type: numeric (byte)
      label: sobite01

      range: [.,.]
unique values: 0
      units: .
      missing .. 12,328/12,328

      tabulation: Freq.  Numeric  Label
                  12,328      .
    
```

sobite02 **The child feels or complains about not being loved.**

```

      type: numeric (byte)
      label: sobite02

      range: [.,.]
unique values: 0
      units: .
      missing .. 12,328/12,328

      tabulation: Freq.  Numeric  Label
                  12,328      .
    
```

sobite03 **The child constantly feels uneasy or anxious.**

```

      type: numeric (byte)
      label: sobite03

      range: [.,.]
unique values: 0
      units: .
      missing .. 12,328/12,328

      tabulation: Freq.  Numeric  Label
                  12,328      .
    
```

sobite04 **The child feels worthless or has an inferiority complex.**

```

      type: numeric (byte)
      label: sobite04

      range: [.,.]
unique values: 0
      units: .
      missing .. 12,328/12,328

      tabulation: Freq.  Numeric  Label
                  12,328      .
    
```

sobite05 **The child constantly looks unhappy, sad, or depressed.**

```

      type: numeric (byte)
      label: sobite05

      range: [.,.]
unique values: 0
      units: .
      missing .. 12,328/12,328

      tabulation: Freq.  Numeric  Label
                  12,328      .
    
```

sobite06 **The child is constantly irritated, stressed, or worried.**

```

      type: numeric (byte)
      label: sobite06
    
```

```

        range: [.,.]
unique values: 0
        units: .
missing ..: 12,328/12,328

        tabulation: Freq.  Numeric  Label
                    12,328      .
    
```

sobite07 **The child argues too much.**

```

        type: numeric (byte)
        label: sobite07

        range: [.,.]
unique values: 0
        units: .
missing ..: 12,328/12,328

        tabulation: Freq.  Numeric  Label
                    12,328      .
    
```

sobite08 **The child is stubborn and gets angry easily.**

```

        type: numeric (byte)
        label: sobite08

        range: [.,.]
unique values: 0
        units: .
missing ..: 12,328/12,328

        tabulation: Freq.  Numeric  Label
                    12,328      .
    
```

sobite09 **The child has a violent temper and has difficulty controlling their emotions.**

```

        type: numeric (byte)
        label: sobite09

        range: [.,.]
unique values: 0
        units: .
missing ..: 12,328/12,328

        tabulation: Freq.  Numeric  Label
                    12,328      .
    
```

sobite10 **The child is untrustable and has issues related to lying.**

```

        type: numeric (byte)
        label: sobite10

        range: [.,.]
unique values: 0
        units: .
missing ..: 12,328/12,328

        tabulation: Freq.  Numeric  Label
                    12,328      .
    
```

sobite11 **The child likes to bully others.**

```

        type: numeric (byte)
        label: sobite11

        range: [.,.]
unique values: 0
        units: .
missing ..: 12,328/12,328

        tabulation: Freq.  Numeric  Label
                    12,328      .
    
```

sobitel2 **The child does not feel sad or dissapointed when they have done something wrong.**

```

        type: numeric (byte)
        label:  sobitel2

        range:  [.,.]
unique values:  0
                                units:  .
                                missing .:  12,328/12,328

        tabulation:  Freq.  Numeric  Label
                    12,328      .
    
```

sobitel3 **The child has a habit of destroying things, both their own and others.**

```

        type: numeric (byte)
        label:  sobitel3

        range:  [.,.]
unique values:  0
                                units:  .
                                missing .:  12,328/12,328

        tabulation:  Freq.  Numeric  Label
                    12,328      .
    
```

sobitel4 **The child lacks focus and has difficulty concentrating at one thing for an exten**

```

        type: numeric (byte)
        label:  sobitel4

        range:  [.,.]
unique values:  0
                                units:  .
                                missing .:  12,328/12,328

        tabulation:  Freq.  Numeric  Label
                    12,328      .
    
```

sobitel5 **The child is constantly confused and is absent minded**

```

        type: numeric (byte)
        label:  sobitel5

        range:  [.,.]
unique values:  0
                                units:  .
                                missing .:  12,328/12,328

        tabulation:  Freq.  Numeric  Label
                    12,328      .
    
```

sobitel6 **The child acts irrationally and acts without prior thinking.**

```

        type: numeric (byte)
        label:  sobitel6

        range:  [.,.]
unique values:  0
                                units:  .
                                missing .:  12,328/12,328

        tabulation:  Freq.  Numeric  Label
                    12,328      .
    
```

sobitel7 **The child is constantly obsesed with a matter and has a habit of doing things re**

```

        type: numeric (byte)
        label: sobite17

        range: [.,.]
        unique values: 0
        units: .
        missing ..: 12,328/12,328

        tabulation: Freq.  Numeric  Label
                   12,328      .
    
```

sobite18 **The child is restless and has difficulty sitting at one place for an extended pe**

```

        type: numeric (byte)
        label: sobite18

        range: [.,.]
        unique values: 0
        units: .
        missing ..: 12,328/12,328

        tabulation: Freq.  Numeric  Label
                   12,328      .
    
```

sobite19 **The child is attached to an adult.**

```

        type: numeric (byte)
        label: sobite19

        range: [.,.]
        unique values: 0
        units: .
        missing ..: 12,328/12,328

        tabulation: Freq.  Numeric  Label
                   12,328      .
    
```

sobite20 **The child cries easily**

```

        type: numeric (byte)
        label: sobite20

        range: [.,.]
        unique values: 0
        units: .
        missing ..: 12,328/12,328

        tabulation: Freq.  Numeric  Label
                   12,328      .
    
```

sobite21 **The child begs for attention**

```

        type: numeric (byte)
        label: sobite21

        range: [.,.]
        unique values: 0
        units: .
        missing ..: 12,328/12,328

        tabulation: Freq.  Numeric  Label
                   12,328      .
    
```

sobite22 **The child is over reliant on others for example, they let other do stuff that th**

```

        type: numeric (byte)
        label: sobite22
    
```

```

        range: [.,.]
unique values: 0
        units: .
        missing .: 12,328/12,328

        tabulation: Freq.  Numeric  Label
                   12,328      .
    
```

sobite23 **The child has trouble getting along with other kids.**

```

        type: numeric (byte)
        label: sobite23

        range: [.,.]
unique values: 0
        units: .
        missing .: 12,328/12,328

        tabulation: Freq.  Numeric  Label
                   12,328      .
    
```

sobite24 **The child is not liked among their friends.**

```

        type: numeric (byte)
        label: sobite24

        range: [.,.]
unique values: 0
        units: .
        missing .: 12,328/12,328

        tabulation: Freq.  Numeric  Label
                   12,328      .
    
```

sobite25 **The child is overly independent and does not typically associate with others.**

```

        type: numeric (byte)
        label: sobite25

        range: [.,.]
unique values: 0
        units: .
        missing .: 12,328/12,328

        tabulation: Freq.  Numeric  Label
                   12,328      .
    
```

mcmcte35 **The child is stubborn or disobedient at home.**

```

        type: numeric (byte)
        label: mcmcte35

        range: [.,.]
unique values: 0
        units: .
        missing .: 12,328/12,328

        tabulation: Freq.  Numeric  Label
                   12,328      .
    
```

mcmcte24 **The child is paranoidic at all times and constantly feels like there is a threat**

```

        type: numeric (byte)
        label: mcmcte24

        range: [.,.]
unique values: 0
        units: .
        missing .: 12,328/12,328

        tabulation: Freq.  Numeric  Label
                   12,328      .
    
```

mcmcte25 **The child likes to mingle with groups of mischievous children.**

```

    type: numeric (byte)
    label: mcmcte25

    range: [.,.]
    unique values: 0
    units: .
    missing ..: 12,328/12,328

    tabulation: Freq.  Numeric  Label
                12,328      .

```

mcmcte26 **The child likes to keep secrets to themselves.**

```

    type: numeric (byte)
    label: mcmcte26

    range: [.,.]
    unique values: 0
    units: .
    missing ..: 12,328/12,328

    tabulation: Freq.  Numeric  Label
                12,328      .

```

mcmcte27 **The child has anxiety issues.**

```

    type: numeric (byte)
    label: mcmcte27

    range: [.,.]
    unique values: 0
    units: .
    missing ..: 12,328/12,328

    tabulation: Freq.  Numeric  Label
                12,328      .

```

mcmcte28 **The child is stubborn when at school.**

```

    type: numeric (byte)
    label: mcmcte28

    range: [.,.]
    unique values: 0
    units: .
    missing ..: 12,328/12,328

    tabulation: Freq.  Numeric  Label
                12,328      .

```

mcmcte29 **The child finds it difficult to get along with teachers.**

```

    type: numeric (byte)
    label: mcmcte29

    range: [.,.]
    unique values: 0
    units: .
    missing ..: 12,328/12,328

    tabulation: Freq.  Numeric  Label
                12,328      .

```

scname **school name (unavailable)**

```

    type: string (str301), but longest is str0

```


unique values: 0 missing "": 12,328/12,328

tabulation: Freq. Value
12,328 ""

pbimo1 Children are alert and interested in doing what the teacher assigns them.

type: numeric (byte)
label: **pbimo1**
range: [1,5] units: 1
unique values: 5 missing ..: 385/12,328

tabulation:	Freq.	Numeric	Label
	169	1	Never
	571	2	Rarely
	2,408	3	sometimes
	4,062	4	often
	4,733	5	regularly
	385	.	.

pbimo2 Children show initiative and commitment to learning, such as expressing opinions

type: numeric (byte)
label: **pbimo2**
range: [1,5] units: 1
unique values: 5 missing ..: 376/12,328

tabulation:	Freq.	Numeric	Label
	193	1	Never
	721	2	Rarely
	2,776	3	sometimes
	4,055	4	often
	4,207	5	regularly
	376	.	.

pbimo3 Children are reluctant to do things or give up easily.

type: numeric (byte)
label: **pbimo3**
range: [1,5] units: 1
unique values: 5 missing ..: 397/12,328

tabulation:	Freq.	Numeric	Label
	4,396	1	Never
	2,829	2	Rarely
	2,933	3	sometimes
	1,354	4	often
	419	5	regularly
	397	.	.

pbimo4 Children learn and remember well.

type: numeric (byte)
label: **pbimo4**
range: [1,5] units: 1
unique values: 5 missing ..: 393/12,328

```

tabulation:  Freq.  Numeric  Label
              193      1  Never
              777      2  Rarely
            2,898      3  sometimes
            4,093      4  often
            3,974      5  regularly
              393      .
    
```

pbimo5 **Children complete assigned tasks.**

```

      type: numeric (byte)
      label: pbimo5

      range: [1,5]
unique values: 5
                    units: 1
                    missing .. 372/12,328

      tabulation:  Freq.  Numeric  Label
                   206      1  Never
                   584      2  Rarely
                  1,903      3  sometimes
                  3,498      4  often
                  5,765      5  regularly
                   372      .
    
```

pbimo6 **Children are motivated and eager to learn.**

```

      type: numeric (byte)
      label: pbimo6

      range: [1,5]
unique values: 5
                    units: 1
                    missing .. 377/12,328

      tabulation:  Freq.  Numeric  Label
                   142      1  Never
                   569      2  Rarely
                  2,479      3  sometimes
                  4,300      4  often
                  4,461      5  regularly
                   377      .
    
```

pbimo7 **Children are attentive to their own learning.**

```

      type: numeric (byte)
      label: pbimo7

      range: [1,5]
unique values: 5
                    units: 1
                    missing .. 434/12,328

      tabulation:  Freq.  Numeric  Label
                   169      1  Never
                   658      2  Rarely
                  2,415      3  sometimes
                  4,036      4  often
                  4,616      5  regularly
                   434      .
    
```

pbimo8 **Children have no interest in the subjects they study or what the teacher teaches**

```

      type: numeric (byte)
      label: pbimo8
    
```

range: [1,5] units: 1
 unique values: 5 missing : 410/12,328

tabulation:	Freq.	Numeric	Label
	5,339	1	Never
	2,514	2	Rarely
	1,941	3	sometimes
	1,315	4	often
	809	5	regularly
	410	.	.

pbimo9 Children show leadership

type: numeric (byte)
 label: **pbimo9**

range: [1,5] units: 1
 unique values: 5 missing : 378/12,328

tabulation:	Freq.	Numeric	Label
	465	1	Never
	1,252	2	Rarely
	3,782	3	sometimes
	3,389	4	often
	3,062	5	regularly
	378	.	.

sosete04 When feeling sad or disappointed, children can restrain and control their behavi

type: numeric (byte)
 label: **sosete04**

range: [0,2] units: 1
 unique values: 3 missing : 455/12,328

tabulation:	Freq.	Numeric	Label
	1,144	0	Never
	4,080	1	Sometimes
	6,649	2	Often
	455	.	.

liexte06 Children can express themselves in accordance with their emotions, such as smili

type: numeric (byte)
 label: **liexte06**

range: [0,2] units: 1
 unique values: 3 missing : 429/12,328

tabulation:	Freq.	Numeric	Label
	139	0	Never
	2,767	1	Sometimes
	8,993	2	Often
	429	.	.

soemte02 When playing with friends, children can patiently wait to accept the agreement a

type: numeric (byte)
 label: **soemte02**

range: [0,2] units: 1
 unique values: 3 missing .: 421/12,328

tabulation:	Freq.	Numeric	Label
	144	0	Never
	4,001	1	Sometimes
	7,762	2	Often
	421	.	

sdq01 The child cares about other's feelings.

type: numeric (byte)
 label: **sdq01**

range: [0,2] units: 1
 unique values: 3 missing .: 367/12,328

tabulation:	Freq.	Numeric	Label
	215	0	Not true
	5,206	1	Sometimes true
	6,540	2	Definitely true
	367	.	

sdq02 The child fidgets a lot and has trouble staying still.

type: numeric (byte)
 label: **sdq02**

range: [0,2] units: 1
 unique values: 3 missing .: 369/12,328

tabulation:	Freq.	Numeric	Label
	7,118	0	Not true
	3,772	1	Sometimes true
	1,069	2	Definitely true
	369	.	

sdq03 The child frequently complains about an upset stomach or nausea.

type: numeric (byte)
 label: **sdq03**

range: [0,2] units: 1
 unique values: 3 missing .: 377/12,328

tabulation:	Freq.	Numeric	Label
	10,404	0	Not true
	1,312	1	Sometimes true
	235	2	Definitely true
	377	.	

sdq04 The child is willing to share with others.

type: numeric (byte)
 label: **sdq04**

range: [0,2] units: 1
 unique values: 3 missing .: 373/12,328

```

tabulation:  Freq.  Numeric  Label
              291      0  Not true
              4,082    1  Sometimes true
              7,582    2  Definitely true
              373      .
    
```

sdq05 **The child acts out often and has bad temper.**

```

type: numeric (byte)
label: sdq05

range: [0,2]          units: 1
unique values: 3      missing .. 417/12,328
    
```

```

tabulation:  Freq.  Numeric  Label
              9,505    0  Not true
              1,987    1  Sometimes true
              419      2  Definitely true
              417      .
    
```

sdq06 **The child is overly independent and typically plays alone.**

```

type: numeric (byte)
label: sdq06

range: [0,2]          units: 1
unique values: 3      missing .. 378/12,328
    
```

```

tabulation:  Freq.  Numeric  Label
              9,714    0  Not true
              1,791    1  Sometimes true
              445      2  Definitely true
              378      .
    
```

sdq07 **The child follows instructions given by adults.**

```

type: numeric (byte)
label: sdq07

range: [0,2]          units: 1
unique values: 3      missing .. 371/12,328
    
```

```

tabulation:  Freq.  Numeric  Label
              7,639    0  Not true
              4,009    1  Sometimes true
              309      2  Definitely true
              371      .
    
```

sdq08 **The child is anxious constantly and about multiple aspects of life.**

```

type: numeric (byte)
label: sdq08

range: [0,2]          units: 1
unique values: 3      missing .. 401/12,328
    
```

```

tabulation:  Freq.  Numeric  Label
              9,100    0  Not true
              2,512    1  Sometimes true
              315      2  Definitely true
              401      .
    
```

sdq09 **The child helps people who are feeling unwell, ill or sick.**

```

type: numeric (byte)
label: sdq09

range: [0,2]
unique values: 3
units: 1
missing .. 397/12,328

tabulation: Freq.  Numeric  Label
              800      0  Not true
              5,464    1  Sometimes true
              5,667    2  Definitely true
              397      .
    
```

sdq10 **The child does not remain still.**

```

type: numeric (byte)
label: sdq10

range: [0,2]
unique values: 3
units: 1
missing .. 379/12,328

tabulation: Freq.  Numeric  Label
              8,043    0  Not true
              3,090    1  Sometimes true
              816      2  Definitely true
              379      .
    
```

sdq11 **The child has at least one best friend.**

```

type: numeric (byte)
label: sdq11

range: [0,2]
unique values: 3
units: 1
missing .. 387/12,328

tabulation: Freq.  Numeric  Label
              7,912    0  Not true
              2,417    1  Sometimes true
              1,612    2  Definitely true
              387      .
    
```

sdq12 **The child has a habit of being violent and bullying other kids.**

```

type: numeric (byte)
label: sdq12

range: [0,2]
unique values: 3
units: 1
missing .. 377/12,328

tabulation: Freq.  Numeric  Label
              8,489    0  Not true
              2,885    1  Sometimes true
              577      2  Definitely true
              377      .
    
```

sdq13 **The child is constantly unhappy and sad.**

```

type: numeric (byte)
label: sdq13
    
```

range: [0,2] units: 1
 unique values: 3 missing .: 436/12,328

tabulation:	Freq.	Numeric	Label
	10,349	0	Not true
	1,252	1	Sometimes true
	291	2	Definitely true
	436	.	.

sdq14 The child is generally like by other kids.

type: numeric (byte)
 label: **sdq14**

range: [0,2] units: 1
 unique values: 3 missing .: 387/12,328

tabulation:	Freq.	Numeric	Label
	6,446	0	Not true
	4,430	1	Sometimes true
	1,065	2	Definitely true
	387	.	.

sdq15 The child is easily distracted and cannot concentrate.

type: numeric (byte)
 label: **sdq15**

range: [0,2] units: 1
 unique values: 3 missing .: 385/12,328

tabulation:	Freq.	Numeric	Label
	7,269	0	Not true
	3,807	1	Sometimes true
	867	2	Definitely true
	385	.	.

sdq16 The child has trouble with anxiety when in an unfamiliar location and easily loo

type: numeric (byte)
 label: **sdq16**

range: [0,2] units: 1
 unique values: 3 missing .: 409/12,328

tabulation:	Freq.	Numeric	Label
	7,419	0	Not true
	3,997	1	Sometimes true
	503	2	Definitely true
	409	.	.

sdq17 The child is kind to younger kids.

type: numeric (byte)
 label: **sdq17**

range: [0,2] units: 1
 unique values: 3 missing .: 386/12,328

```

tabulation: Freq.  Numeric  Label
             581      0  Not true
             4,689    1  Sometimes true
             6,672    2  Definitely true
             386      .
    
```

sdq18 **The child is constantly lying.**

```

type: numeric (byte)
label: sdq18

range: [0,2]          units: 1
unique values: 3      missing .. 415/12,328
    
```

```

tabulation: Freq.  Numeric  Label
             9,609    0  Not true
             1,983    1  Sometimes true
             321      2  Definitely true
             415      .
    
```

sdq19 **The child is bullied by other kids.**

```

type: numeric (byte)
label: sdq19

range: [0,2]          units: 1
unique values: 3      missing .. 426/12,328
    
```

```

tabulation: Freq.  Numeric  Label
             9,020    0  Not true
             2,559    1  Sometimes true
             323      2  Definitely true
             426      .
    
```

sdq20 **The child typically volunteer to help others.**

```

type: numeric (byte)
label: sdq20

range: [0,2]          units: 1
unique values: 3      missing .. 386/12,328
    
```

```

tabulation: Freq.  Numeric  Label
             565      0  Not true
             4,835    1  Sometimes true
             6,542    2  Definitely true
             386      .
    
```

sdq21 **The child thinks rationally before acting.**

```

type: numeric (byte)
label: sdq21

range: [0,2]          units: 1
unique values: 3      missing .. 381/12,328
    
```

```

tabulation: Freq.  Numeric  Label
             4,234    0  Not true
             6,916    1  Sometimes true
             797      2  Definitely true
             381      .
    
```

sdq22 The child has a habit of stealing from the house, the school or other places.

```

type: numeric (byte)
label: sdq22

range: [0,2]                units: 1
unique values: 3            missing .. 377/12,328

tabulation: Freq.  Numeric  Label
             10,987    0     Not true
              802     1     Sometimes true
              162     2     Definitely true
              377     .
    
```

sdq23 The child gets along with adults better than kids of their own age.

```

type: numeric (byte)
label: sdq23

range: [0,2]                units: 1
unique values: 3            missing .. 385/12,328

tabulation: Freq.  Numeric  Label
             3,271    0     Not true
             6,611    1     Sometimes true
             2,061    2     Definitely true
             385     .
    
```

sdq24 The child is anxious about a lot of aspects and is easily scared.

```

type: numeric (byte)
label: sdq24

range: [0,2]                units: 1
unique values: 3            missing .. 384/12,328

tabulation: Freq.  Numeric  Label
             9,418    0     Not true
             2,265    1     Sometimes true
             261     2     Definitely true
             384     .
    
```

sdq25 The child has constant concentration when working.

```

type: numeric (byte)
label: sdq25

range: [0,2]                units: 1
unique values: 3            missing .. 376/12,328

tabulation: Freq.  Numeric  Label
             7,244    0     Not true
             4,201    1     Sometimes true
             507     2     Definitely true
             376     .
    
```

tsrs_survey tsrs survey

```

type: string (str4)
unique values: 1            missing "": 0/12,328
    
```

tabulation: Freq. Value
 12,328 "srs4"

year_survey **year_survey**

type: numeric (**int**)

range: [2021,2021] units: 1
 unique values: 1 missing .: 0/12,328

tabulation: Freq. Value
 12,328 2021

mean: 2021
 std. dev: 0

percentiles:	10%	25%	50%	75%	90%
	2021	2021	2021	2021	2021

year_academic **year_academic**

type: numeric (**float**)

range: [2020,2020] units: 1
 unique values: 1 missing .: 0/12,328

tabulation: Freq. Value
 12,328 2020

mean: 2020
 std. dev: 0

percentiles:	10%	25%	50%	75%	90%
	2020	2020	2020	2020	2020

2 . log close
 name: <unnamed>
 log: C:\Users\staff-ripped2022\Dropbox\Codes and Data for Projects\\School Read
 > iness 2023 (SRS6)/Data and Codes\Codebook\TSRS_2021\TSRS2021_child_development_form_
 > from_teacher_public.scml
 log type: smcl
 closed on: 2 Aug 2024, 09:15:28
