



```

name: <unnamed>
log: C:\Users\staff-riped2022\Dropbox\Codes and Data for Projects\\School Read
> iness 2023 (SRS6)/Data and Codes\Codebook\TSRS_2022\TSRS2022_child_development_form_
> from_teacher_public.scml
log type: smcl
opened on: 2 Aug 2024, 10:18:21

```

```
1 . codebookr _all,all
```

```

Dataset: */Data and Codes\Data\public data\TSRS_2020_2021_2022_2023_pu
> blic.dta
Last saved: 1 Aug 2024 14:58
DATA HAVE CHANGED SINCE LAST SAVED

```

```

Label: [none]
Number of variables: 147
Number of observations: 11,673
Size: 13,564,026 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

```

.a or RF: The subject explicitly refused to answer the question
when he or she should have.
.b or NA: The subject was never asked the question
for one reason or another. Usually this results
from "skip patterns" that occur.
.c or DK: The subject was unable to answer the question
either because he or she had no opinion or because
the required information was not available.
.d or MI: Items should be filled out but have no data entry found.
This is enumerator's own mistake. The circumstances
can be interviewers failing to ask a question
or forgetting to record a response

```

```

Numeric Missing*: .a String Missing*: RF
                  .b NA
                  .c DK
                  .d MI

```

```
stid Student identification code
```

```

type: string (str12), but longest is str11
unique values: 11,673 missing "": 0/11,673
examples: "25020309108"
          "43010443125"
          "60110323109"
          "70070413120"

```

```
prov_code State identification code
```

```

type: string (str2)
unique values: 32 missing "": 0/11,673

```

```

tabulation:  Freq.  Value
              318  "15"
              100  "17"
              484  "19"
              446  "20"
              234  "21"
              338  "22"
              304  "23"
              446  "25"
              316  "26"
              402  "27"
              444  "33"
              390  "38"
              387  "42"
              428  "43"
              346  "44"
              445  "47"
              386  "48"
              412  "53"
              470  "60"
              399  "61"
              409  "62"
              370  "63"
              403  "64"
              388  "66"
              353  "70"
              392  "72"
              121  "73"
              360  "75"
              328  "76"
              306  "77"
              446  "85"
              302  "86"
    
```

genderda **Student sex**

```

      type: numeric (byte)
      label: genderda
      range: [1,3]
      unique values: 2
      units: 1
      missing .: 0/11,673

      tabulation:  Freq.  Numeric  Label
                   5,968      1  Male
                   5,705      3  Female
    
```

scid **School code**

```

      type: string (str10), but longest is str7
      unique values: 1,046
      missing "": 0/11,673
      examples: "2502030"
                "4301044"
                "6011032"
                "7007041"
    
```

roomid **Room code**

```

      type: string (str10), but longest is str9
      unique values: 1,122
      missing "": 0/11,673
    
```

examples: "250203091"
 "430104431"
 "601103231"
 "700704131"

weightte **Child's weight according to the teacher**

type: numeric (**double**)

range: [10,76.9] units: .01
 unique values: 437 missing .: 1/11,673

mean: 22.2148
 std. dev: 6.2093

percentiles:	10%	25%	50%	75%	90%
	16.8	18.2	20.3	24	30

heightte **Child's height according to the teacher**

type: numeric (**double**)

range: [91,165] units: .01
 unique values: 142 missing .: 1/11,673

mean: 115.994
 std. dev: 6.11804

percentiles:	10%	25%	50%	75%	90%
	109	112	116	120	124

mcmcte06 **The month the teacher got to know the child**

type: numeric (**byte**)

range: [.,.] units: .
 unique values: 0 missing .: 11,673/11,673

tabulation:	Freq.	Value			
	11,673	.			
mean:	.				
std. dev:	.				

percentiles:	10%	25%	50%	75%	90%

mcmcte30 **The year the teacher got to know the child**

type: numeric (**int**)

range: [2558,2565] units: 1
 unique values: 7 missing .: 540/11,673

```

tabulation:  Freq.  Value
              6  2558
              21  2560
              19  2561
             317  2562
            2,247  2563
            8,147  2564
             376  2565
             540  .
    mean:    2563.76
    std. dev: .597026

percentiles:    10%    25%    50%    75%    90%
                2563    2564    2564    2564    2564
    
```

mcmcte31 **The month that the child started school**

```

    type:  numeric (byte)
    range:  [.,.]
    unique values:  0
                                units:  .
                                missing .:  11,673/11,673

    tabulation:  Freq.  Value
                  11,673  .
    mean:       .
    std. dev:   .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

mcmcte32 **The year that the child started school**

```

    type:  numeric (int)
    range:  [2560,2565]
    unique values:  6
                                units:  1
                                missing .:  548/11,673

    tabulation:  Freq.  Value
                  15  2560
                  16  2561
                   50  2562
                  487  2563
                10,469  2564
                   88  2565
                   548  .
    mean:    2563.95
    std. dev: .318138

percentiles:    10%    25%    50%    75%    90%
                2564    2564    2564    2564    2564
    
```

mcmcte07 **What is the child's primary language at school?**

```

    type:  numeric (byte)
    label:  mcmcte07
    range:  [1,3]
    unique values:  2
                                units:  1
                                missing .:  327/11,673

    tabulation:  Freq.  Numeric  Label
                  10,934    1  Standard Thai
                   412     3  Thai Isarn
                   327     .
    
```

mcmcte08

If your answer in mcmcte07 was others, specify further

```

type: string (str175)
unique values: 53 missing "": 11,261/11,673
tabulation: Freq. Value
11,261 ""
1 "กะเหรี่ยง"
1 "ห้องใต้"
33 "พม่า"
2 "พม่า, ภาษาไทยกลาง"
1 "พม่า, ไทยกลาง"

1 "พม่าป็นี่"
21 "ภาษากะเหรี่ยง"
43 "ภาษาถิ่น"
8 "ภาษาถิ่น (อีสาน)"
40 "ภาษาถิ่น, ภาษาไทยกลาง"
3 "ภาษาถิ่นอีสาน"
6 "ภาษาถิ่นอีสาน, ภาษาไทยกลาง"
1 "ภาษาถิ่นเหนือ"
4 "ภาษาใต้"
9 "ภาษาท้องถิ่น"
6 "ภาษาท้องถิ่น ภาษาเหนือ"
1 "ภาษาท้องถิ่น ภาษาไทยกลาง"
1 "ภาษาท้องถิ่น, ภาษาไทยกลาง"
2 "ภาษาท้องถิ่น ภาษาเหนือ"
1 "ภาษาท้องถิ่นอีสาน"
1 "ภาษาท้องถิ่นใต้"
12 "ภาษาพม่า"
1 "ภาษาม้ง, ภาษาไทยกลาง"
5 "ภาษาม้ง"
7 "ภาษาม้ง, ภาษาไทยกลาง"
48 "ภาษาอีสาน"
1 "ภาษาอีสาน, ภาษาไทยกลาง"
22 "ภาษาอีสาน, ภาษาไทยกลาง"
1 "ภาษาเขมร, ภาษาไทยกลาง"
1 "ภาษาไทย, ภาษาไทยกลาง"
1 "ภาษาไทย, ภาษาไทยกลาง"
4 "ภาษาไทยกลาง, ภาษาท้องถิ่น"
2 "ภาษาไทยกลาง, ภาษาพม่า"
5 "ภาษาไทยกลาง, ภาษาไทย"
4 "ภาษาไทยกลาง, ภาษาอีสาน"
2 "ภาษาไทยกลาง, ภาษาไทยอีสาน"
4 "ภาษาไทยกลาง, ภาษาไทยใต้"
1 "ภาษาไทยกลาง, อีสาน"
3 "ภาษาไทยท้องถิ่น"
15 "ภาษาไทยอีสาน"
8 "ภาษาไทยใต้"
1 "ภาษาไทยใต้, ภาษาไทยกลาง"
1 "มอญ, ภาษาไทยกลาง"
3 "ม้ง"
1 "ลาว"
17 "อีสาน"
6 "อีสาน, ภาษาไทยกลาง"
5 "เขมร"
12 "ไทย, อีสาน"
2 "ไทย/เขมร"
16 "ไทยอีสาน"

```

warning: variable has embedded blanks

mcmcte09

The community in which the child lives in.

```

type: numeric (byte)
label: mcmcte09

range: [1,5]
unique values: 3
units: 1
missing .. 472/11,673

tabulation: Freq. Numeric Label
3,175 1 In the municipal area
7,603 3 Outside the municipal area
423 5 ไม่นormal/ไม่วางใจ
472 .
    
```

mcmcte10 Compared to children around the same age, does the child get sick often?

```

type: numeric (byte)
label: mcmcte10

range: [1,3]
unique values: 2
units: 1
missing .. 333/11,673

tabulation: Freq. Numeric Label
526 1 Yes
10,814 3 No
333 .
    
```

mcmcte11 Compared to children around the same age, does the child often get fatigued and

```

type: numeric (byte)
label: mcmcte11

range: [1,3]
unique values: 2
units: 1
missing .. 343/11,673

tabulation: Freq. Numeric Label
280 1 Yes
11,050 3 No
343 .
    
```

mcmcte33 In the past semester, how many days was the child absent?

```

type: numeric (double)

range: [0,197]
unique values: 56
units: .1
missing .. 3,396/11,673

tabulation: Freq. Value
4,940 0
528 1
3 1.5
638 2
4 2.5
574 3
2 3.5
307 4
4 4.5
442 5
138 6
122 7
98 8
38 9
163 10
18 11
35 12
20 13
8 14
    
```

```

37 15
 5 16
 6 17
12 18
 6 19
20 20
 1 21
 5 22
 3 23
 3 24
 5 25
 1 26
 4 27
 1 28
 4 30
 2 31
 1 32
 1 33
 1 34
 1 35
 1 37
 1 77
14 80
 1 84
 1 86
 2 89
 2 90
 3 93
 1 96
 1 97
 2 98
 2 99
36 100
 1 180
 2 190
 4 195
 2 197
3,396 .
mean: 2.74683
std. dev: 10.8865

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        3        6

```

mcmcte34 **How many days was the school open last semester?**

```

type: numeric (int)
range: [.,.]
unique values: 0
units: .
missing .: 11,673/11,673

tabulation: Freq. Value
11,673 .
mean: .
std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .

```

mcmcte17 **Number of lead teachers**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 11,673/11,673

```

```

tabulation:  Freq.  Value
              11,673  .
      mean:      .
      std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

mcmcte18 **Number of co-teachers**

```

      type:  numeric (byte)

      range:  [.,.]
unique values:  0
              units:  .
              missing .:  11,673/11,673

      tabulation:  Freq.  Value
                    11,673  .
      mean:      .
      std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

mcmcte19 **Number of interns**

```

      type:  numeric (byte)

      range:  [.,.]
unique values:  0
              units:  .
              missing .:  11,673/11,673

      tabulation:  Freq.  Value
                    11,673  .
      mean:      .
      std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

mcmcte20 **Number of other teachers**

```

      type:  numeric (byte)

      range:  [.,.]
unique values:  0
              units:  .
              missing .:  11,673/11,673

      tabulation:  Freq.  Value
                    11,673  .
      mean:      .
      std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

mcmcte15 **Number of students in the room including the child themselves**

```

      type:  numeric (byte)

      range:  [.,.]
unique values:  0
              units:  .
              missing .:  11,673/11,673
    
```


tabulation:	Freq.	Numeric	Label
	200	1	Children with ADHD
	17	3	Chronically ill children
	10	5	Children with severe mental or social problems
	203	7	LD children (children with learning disabilities)
	102	9	Others
	11,141	.	

mcmctel4txt In the case of others, please specify further

type: string (str443)

unique values: 73 missing "": 11,577/11,673

tabulation:	Freq.	Value
	11,577	"
	2	"1,5"
	19	"1,7"
	1	"1,9"
	1	"1,3,7,9 เป็นคาวน'ซินโครม"
	1	"1. เค็ด ก ก ท' เป็ด น โรค ส"
	1	"1. เค็ด ก ท' เป็ด น โรค ส มา"
	1	"3,7"
	1	"จาวไม'แจ็งแรง"
	1	"จากการสัมภาษณ์ผู้ปกครองเด็กไม่เคยได้ไป จึงทำให้เด็กไม่มีความพร้อมในการจับดินสอ
	1	"ชอบร้องกรี๊ด"
	1	"ชอบเล่นคนเดียว"
	1	"ช,กชน ไม'ค'อชชช'น'ิง"
	1	"คาวน'ซินโครม"
	2	"คาวน'ซินโครม"
	1	"ด้านภาษา"
	1	"กระบวนกรคิด"
	1	"ทางอารมณ์"
	1	"บกพร่องทางด้านภาษา"
	1	"บกพร่องทางร่างกาย"
	1	"บกพร่องทางสติปัญญา"
	1	"บกพร่องทางหู (ไม่ได้ยินคำคำสั่งประสาทหูเทียมที่ติดตั้ง แต่เด็กยังไม่สามารถตั้งคำถามกับเราได้"
	1	"ปัญหาด้านการพูด"
	1	"พฤติกรรมและอารมณ์"
	3	"พัฒนาการช้า"
	1	"พัฒนาการช้า, ไม่พูด"
	1	"พัฒนาการช้ากว่าปกติ"
	1	"พัฒนาการไม่'เป็ด น ไป ตาม ว"
	1	"พิการซ้อน"
	1	"พูดไม่'ค'อชชช'ค"
	1	"พูดไม่'ชัด"
	1	"มีปัญหการมอง"
	1	"มีปัญหาด้านร่างกาย"
	1	"มีปัญหาด้านการพูดพูดไม่'ชัดออกเสียงไม่'ชัด แต่ไม่'ถึงขั้น LD"

```

1 " ยากจน พ่อแม่หย่าร้าง
    1 " ยากจน ครอบครัวหย่าร้าง "
1 " ร่างกาย
1 " สันไถ่สั้น ทำให้พูดหรือออกเสียงไม่ชัด "
1 " เกิดซ้ำ "
    1 " เกิดตลอดเวลา "
นี่เองปู่ต้องกินยากับหมอที่รพ. เพื่อควบคุม
    1 " เด็กที่มีปัญหาการปรับตัวและรับคิดชอบการ
        มา รร. "
1 " เด็กกตัญญู "
1 " เด็กกตัญญู เป็นสมาชิก "
1 " เด็กกตัญญู (
    1 " เด็กกตัญญู ไม่ค่อยพูด "
1 " เด็กมีปัญหาทางสภาพจิตใจไม่รุนแรง, เด็ก
    1 " เด็กมีปัญหาทางสภาพจิตใจไม่รุนแรง, เด็ก
        LD บกพร่องด้านการเรียนรู้ "
1 " เด็กยังไม่สามารถพูดเป็นประโยคยาวๆได้แต่
    1 " เด็กยังไม่สามารถพูดเป็นประโยคยาวๆได้แต่
        พังคำสั้นและปฏิบัติตามคำสั่งที่ไม่ซับซ้อน
        1 " เด็กยากจน "
1 " เด็กอยู่โรงเรียนไม่พูดกับเพื่อนเลย
    1 " เด็กอยู่โรงเรียนไม่พูดกับเพื่อนเลย
        กับครูพูดบ้าง "
1 " เด็กไม่พูดหรือสื่อสาร ขอบเล่นคนเดียว "
    1 " เด็กไม่พูดหรือสื่อสาร ขอบเล่นคนเดียว "
1 " เป็นโรคธาตุซึ่มีขี้เลื่อยทุกเดือน "
    1 " เป็นโรคธาตุซึ่มีขี้เลื่อยทุกเดือน "
        1 " เรียนรู้อ่าน "
        1 " เรียนรู้อ่านบ้าง "
        1 " โรคปากแหว่งเพดานโหว่ง "
        1 " โรคสมาธิสั้น, เด็ก LD
            ( เด็กบกพร่องทาง
1 " ไม่ค่อยมีความกระตือรือร้นในการเรียนหม่
    1 " ไม่ค่อยมีความกระตือรือร้นในการเรียนหม่
        อลอลมาก "
1 " ไม่สามารถทราบได้ชัดเจนเนื่องจากผู้ปกครอง
    1 " ไม่สามารถทราบได้ชัดเจนเนื่องจากผู้ปกครอง
        ขอบพบคุณครูหลายรายไปประกอบอาชีพที่อื่น
1 " ไม่สามารถทราบได้แต่พัฒนาการช้ากว่าเพื่อน
    1 " ไม่สามารถทราบได้แต่พัฒนาการช้ากว่าเพื่อน
        ประกอบกับการศึกษาที่เด็กมาเรียนในห้อง
        เรียนน้อยกว่าเพื่อน
        ตั้งแต่เปิดเรียนถึงมาได้เรียนที่ห้องเรี
        1 " ไม่แน่ใจด้านไหนแต่เด็กไม่สามารถเรียนรู้ได้
            * เลข ( ไม่ได้รับการตรวจ ) "

```

warning: variable has embedded and trailing blanks

manote01

Can the child identify at least three geometric shape? For example circle, squar

```

type: numeric (byte)
label: manote01
range: [.,.]
unique values: 0
units: .
missing.: 11,673/11,673

```

tabulation: Freq. Numeric Label
 11,673 .

manote02 **Can the child identify at least three colors?**

type: numeric (byte)
 label: **manote02**
 range: [..]
 unique values: 0 units: .
 missing .: 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

manote03 **Can the child count from 1 to 10?**

type: numeric (byte)
 label: **manote03**
 range: [..]
 unique values: 0 units: .
 missing .: 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

manote04 **Can the child count from 1 to 20?**

type: numeric (byte)
 label: **manote04**
 range: [..]
 unique values: 0 units: .
 missing .: 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

manote06 **Is the child aware that adults are taller than kids?**

type: numeric (byte)
 label: **manote06**
 range: [..]
 unique values: 0 units: .
 missing .: 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

manote07 **Can the child identify time in terms of morning, afternoon or dusk?**

type: numeric (byte)
 label: **manote07**
 range: [..]
 unique values: 0 units: .
 missing .: 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

manote08 **Can the child identify time in terms of yesterday, today and tomorrow?**

```

type: numeric (byte)
label: manote08

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

manote09 **Is the child aware that an elephant is heavier than a cat?**

```

type: numeric (byte)
label: manote09

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

manote05 **Is the child aware that 8 is more than 2?**

```

type: numeric (byte)
label: manote05

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

lirete01 **Is the child aware that thai text has to be read from left to right?**

```

type: numeric (byte)
label: lirete01

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

lialte01 **Can the child identify at least 3 Thai characters?**

```

type: numeric (byte)
label: lialte01

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

lialte02 **Can the child identify at least 10 Thai characters?**

```

type: numeric (byte)
label: lialte02

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

```

tabulation: Freq. Numeric Label
 11,673 .

lialte11 Can the child identify at least 3 English characters?

type: numeric (byte)
 label: **lialte11**
 range: [..] units: .
 unique values: 0 missing .: 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

lialte12 Can the child identify at least 10 English characters?

type: numeric (byte)
 label: **lialte12**
 range: [..] units: .
 unique values: 0 missing .: 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

lialte03 Can the child read at least 4 basic words? (If no, skip to question 15)

type: numeric (byte)
 label: **lialte03**
 range: [..] units: .
 unique values: 0 missing .: 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

lialte04 Can the child read basic sentences that consist of 3 words?

type: numeric (byte)
 label: **lialte04**
 range: [..] units: .
 unique values: 0 missing .: 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

lialte05 Can the child write at least 3 Thai characters?

type: numeric (byte)
 label: **lialte05**
 range: [..] units: .
 unique values: 0 missing .: 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

lialte06 Can the child write at least 3 English characters?

```

type: numeric (byte)
label: lialte06

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

lialte07 Can the child write their name in Thai?

```

type: numeric (byte)
label: lialte07

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

lialte09 Can the child write basic words in Thai?

```

type: numeric (byte)
label: lialte09

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

lialte10 Can the child write a basic sentence consisting of 3 words?

```

type: numeric (byte)
label: lialte10

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

lialte08 Can the child write their name in English?

```

type: numeric (byte)
label: lialte08

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

liexte01 Can the child say at least 3 sentences explaining what has happened to them?

```

type: numeric (byte)
label: liexte01

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

```

tabulation: Freq. Numeric Label
 11,673 .

liexte02

Can the child say sentences expressing their feelings? such as I love Dad or I

type: numeric (byte)
 label: **liexte02**
 range: [..] units: .
 unique values: 0 missing .. 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

liexte03

Can the child explain what has happend in their daily lives?

type: numeric (byte)
 label: **liexte03**
 range: [..] units: .
 unique values: 0 missing .. 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

liexte04

Does the child frequently ask questions or give comments about subjects of their

type: numeric (byte)
 label: **liexte04**
 range: [..] units: .
 unique values: 0 missing .. 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

liexte05

Can the child select words to express the feelings accurately?

type: numeric (byte)
 label: **liexte05**
 range: [0,2] units: 1
 unique values: 3 missing .. 344/11,673
 tabulation: Freq. Numeric Label
 364 0 Never
 4,136 1 Occasionally
 6,829 2 Consistently
 344 .

sosete01

The child can follow basic rules such as waiting in queue.

type: numeric (byte)
 label: **sosete01**
 range: [0,2] units: 1
 unique values: 3 missing .. 425/11,673


```

tabulation:  Freq.  Numeric  Label
              166      0      Never
              2,990    1      Occasionally
              8,092    2      Consistently
              425      .
    
```

sosete02

The child accept mutual agreements and share toys and items when playing with fr

```

type:  numeric (byte)
label:  sosete02

range:  [0,2]          units:  1
unique values:  3      missing .:  356/11,673
    
```

```

tabulation:  Freq.  Numeric  Label
              176      0      Never
              3,165    1      Occasionally
              7,976    2      Consistently
              356      .
    
```

sosete03 The child is able to suppress their desires eventhough they want something.

```

type:  numeric (byte)
label:  sosete03

range:  [0,2]          units:  1
unique values:  3      missing .:  321/11,673
    
```

```

tabulation:  Freq.  Numeric  Label
              273      0      Never
              4,824    1      Occasionally
              6,255    2      Consistently
              321      .
    
```

excote01 The child is eager to learn about new topics and is constantly curious.

```

type:  numeric (byte)
label:  excote01

range:  [0,2]          units:  1
unique values:  3      missing .:  426/11,673
    
```

```

tabulation:  Freq.  Numeric  Label
              137      0      Never
              2,754    1      Occasionally
              8,356    2      Consistently
              426      .
    
```

excote02 The child can switch task at command without having to be forced.

```

type:  numeric (byte)
label:  excote02

range:  [0,2]          units:  1
unique values:  3      missing .:  348/11,673
    
```

```

tabulation:  Freq.  Numeric  Label
              300      0      Never
              3,454    1      Occasionally
              7,571    2      Consistently
              348      .
    
```

mcmcte22 The child can act in a timely manner when they intend to do something.

```

      type: numeric (byte)
      label: mcmcte22

      range: [..]
unique values: 0
      units: .
      missing ..: 11,673/11,673

      tabulation: Freq.  Numeric  Label
                  11,673      .
    
```

sosute01 The child knows to avoid interacting with strangers.

```

      type: numeric (byte)
      label: sosute01

      range: [..]
unique values: 0
      units: .
      missing ..: 11,673/11,673

      tabulation: Freq.  Numeric  Label
                  11,673      .
    
```

sosute02 The child demonstrates empathy and compassion towards others.

```

      type: numeric (byte)
      label: sosute02

      range: [..]
unique values: 0
      units: .
      missing ..: 11,673/11,673

      tabulation: Freq.  Numeric  Label
                  11,673      .
    
```

sosute03 The child is friendly and compassionate towards those that are younger, excludin

```

      type: numeric (byte)
      label: sosute03

      range: [..]
unique values: 0
      units: .
      missing ..: 11,673/11,673

      tabulation: Freq.  Numeric  Label
                  11,673      .
    
```

sosute04 The child frequently volunteers to help others such as teachers, parents or frie

```

      type: numeric (byte)
      label: sosute04

      range: [..]
unique values: 0
      units: .
      missing ..: 11,673/11,673

      tabulation: Freq.  Numeric  Label
                  11,673      .
    
```

mcmcte23 The child shows off their work often to demonstrate to others that they are capa

```

type: numeric (byte)
label: mcmcte23

range: [.,.]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq.  Numeric  Label
11,673      .

```

soemte01 The child uses an extended amount of time to recover from dissapointment.

```

type: numeric (byte)
label: soemte01

range: [0,2]
unique values: 3
units: 1
missing ..: 343/11,673

tabulation: Freq.  Numeric  Label
6,622      0  Never
4,056      1  Occasionally
652        2  Consistently
343        .

```

excote03 The child is able to accepnt when there is a change of plans.

```

type: numeric (byte)
label: excote03

range: [0,2]
unique values: 3
units: 1
missing ..: 369/11,673

tabulation: Freq.  Numeric  Label
732        0  Never
3,034      1  Occasionally
7,538      2  Consistently
369        .

```

mcmcte21 The child plays with rock and wood to represent people or animals.

```

type: numeric (byte)
label: mcmcte21

range: [.,.]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq.  Numeric  Label
11,673      .

```

phgmte01 The child is capable of jumping rope (see picture for more information)

```

type: numeric (byte)
label: phgmte01

range: [.,.]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq.  Numeric  Label
11,673      .

```

phgmte02 The child can run in a zig zag pattern for at least 3 meters

```

        type: numeric (byte)
        label: phgmte02

        range: [...]
        unique values: 0
        units: .
        missing : 11,673/11,673

        tabulation: Freq.  Numeric  Label
                   11,673      .
    
```

phgmte03 The child can jump forward on one leg continuously for at least 3 meters

```

        type: numeric (byte)
        label: phgmte03

        range: [...]
        unique values: 0
        units: .
        missing : 11,673/11,673

        tabulation: Freq.  Numeric  Label
                   11,673      .
    
```

phgmte04 The child can run forward continuously for 20 meters and can keep their balance

```

        type: numeric (byte)
        label: phgmte04

        range: [...]
        unique values: 0
        units: .
        missing : 11,673/11,673

        tabulation: Freq.  Numeric  Label
                   11,673      .
    
```

phgmte05 The child can throw a ball to a specific target at a distance of 2 meters

```

        type: numeric (byte)
        label: phgmte05

        range: [...]
        unique values: 0
        units: .
        missing : 11,673/11,673

        tabulation: Freq.  Numeric  Label
                   11,673      .
    
```

sobite01 The child's emotion changes quickly.

```

        type: numeric (byte)
        label: sobite01

        range: [...]
        unique values: 0
        units: .
        missing : 11,673/11,673

        tabulation: Freq.  Numeric  Label
                   11,673      .
    
```

sobite02 The child feels or complains about not being loved.

```

        type: numeric (byte)
        label: sobite02

        range: [...]
        unique values: 0
        units: .
        missing : 11,673/11,673
    
```

tabulation: Freq. Numeric Label
 11,673 .

sobite03 **The child constantly feels uneasy or anxious.**

type: numeric (byte)
 label: **sobite03**
 range: [..] units: .
 unique values: 0 missing .: 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

sobite04 **The child feels worthless or has an inferiority complex.**

type: numeric (byte)
 label: **sobite04**
 range: [..] units: .
 unique values: 0 missing .: 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

sobite05 **The child constantly looks unhappy, sad, or depressed.**

type: numeric (byte)
 label: **sobite05**
 range: [..] units: .
 unique values: 0 missing .: 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

sobite06 **The child is constantly irritated, stressed, or worried.**

type: numeric (byte)
 label: **sobite06**
 range: [..] units: .
 unique values: 0 missing .: 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

sobite07 **The child argues too much.**

type: numeric (byte)
 label: **sobite07**
 range: [..] units: .
 unique values: 0 missing .: 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

sobite08 **The child is stubborn and gets angry easily.**

```

type: numeric (byte)
label: sobite08

range: [...] units: .
unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

sobite09 The child has a violent temper and has difficulty controlling their emotions.

```

type: numeric (byte)
label: sobite09

range: [...] units: .
unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

sobite10 The child is untrustable and has issues related to lying.

```

type: numeric (byte)
label: sobite10

range: [...] units: .
unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

sobite11 The child likes to bully others.

```

type: numeric (byte)
label: sobite11

range: [...] units: .
unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

sobite12 The child does not feel sad or dissapointed when they have done something wrong.

```

type: numeric (byte)
label: sobite12

range: [...] units: .
unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

sobite13 The child has a habit of destroying things, both their own and others.

```

type: numeric (byte)
label: sobite13

range: [...] units: .
unique values: 0 missing .: 11,673/11,673

```

tabulation: Freq. Numeric Label
 11,673 .

sobitel4

The child lacks focus and has difficulty concentrating at one thing for an exten

type: numeric (byte)
 label: **sobitel4**
 range: [..]
 unique values: 0 units: .
 missing : 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

sobitel5

The child is constantly confused and is absent minded

type: numeric (byte)
 label: **sobitel5**
 range: [..]
 unique values: 0 units: .
 missing : 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

sobitel6

The child acts irrationally and acts without prior thinking.

type: numeric (byte)
 label: **sobitel6**
 range: [..]
 unique values: 0 units: .
 missing : 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

sobitel7

The child is constantly obsessed with a matter and has a habit of doing things re

type: numeric (byte)
 label: **sobitel7**
 range: [..]
 unique values: 0 units: .
 missing : 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

sobitel8

The child is restless and has difficulty sitting at one place for an extended pe

type: numeric (byte)
 label: **sobitel8**
 range: [..]
 unique values: 0 units: .
 missing : 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

sobite19 **The child is attached to an adult.**

```

      type: numeric (byte)
      label: sobite19

      range: [.,.]
unique values: 0
      units: .
missing ..: 11,673/11,673

      tabulation: Freq.  Numeric  Label
                  11,673      .
    
```

sobite20 **The child cries easily**

```

      type: numeric (byte)
      label: sobite20

      range: [.,.]
unique values: 0
      units: .
missing ..: 11,673/11,673

      tabulation: Freq.  Numeric  Label
                  11,673      .
    
```

sobite21 **The child begs for attention**

```

      type: numeric (byte)
      label: sobite21

      range: [.,.]
unique values: 0
      units: .
missing ..: 11,673/11,673

      tabulation: Freq.  Numeric  Label
                  11,673      .
    
```

sobite22 **The child is over reliant on others for example, they let other do stuff that th**

```

      type: numeric (byte)
      label: sobite22

      range: [.,.]
unique values: 0
      units: .
missing ..: 11,673/11,673

      tabulation: Freq.  Numeric  Label
                  11,673      .
    
```

sobite23 **The child has trouble getting along with other kids.**

```

      type: numeric (byte)
      label: sobite23

      range: [.,.]
unique values: 0
      units: .
missing ..: 11,673/11,673

      tabulation: Freq.  Numeric  Label
                  11,673      .
    
```

sobite24 **The child is not liked among their friends.**

```

type: numeric (byte)
label: sobite24

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

sobite25 The child is overly independent and does not typically associate with others.

```

type: numeric (byte)
label: sobite25

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

mcmcte35 The child is stubborn or disobedient at home.

```

type: numeric (byte)
label: mcmcte35

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

mcmcte24 The child is paranoidic at all times and constantly feels like there is a threat

```

type: numeric (byte)
label: mcmcte24

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

mcmcte25 The child likes to mingle with groups of mischievous children.

```

type: numeric (byte)
label: mcmcte25

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

mcmcte26 The child likes to keep secrets to themselves.

```

type: numeric (byte)
label: mcmcte26

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

```

tabulation: Freq. Numeric Label
 11,673 .

mcmcte27 **The child has anxiety issues.**

type: numeric (byte)
 label: **mcmcte27**
 range: [.,.] units: .
 unique values: 0 missing .: 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

mcmcte28 **The child is stubborn when at school.**

type: numeric (byte)
 label: **mcmcte28**
 range: [.,.] units: .
 unique values: 0 missing .: 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

mcmcte29 **The child finds it difficult to get along with teachers.**

type: numeric (byte)
 label: **mcmcte29**
 range: [.,.] units: .
 unique values: 0 missing .: 11,673/11,673
 tabulation: Freq. Numeric Label
 11,673 .

scname **school name (unavailable)**

type: string (str301), but longest is str0
 unique values: 0 missing "": 11,673/11,673
 tabulation: Freq. Value
 11,673 ""

pbimol **Children are alert and interested in doing what the teacher assigns them.**

type: numeric (byte)
 label: **pbimol**
 range: [1,5] units: 1
 unique values: 5 missing .: 310/11,673
 tabulation: Freq. Numeric Label
 166 1 Never
 429 2 Rarely
 2,021 3 sometimes
 3,542 4 often
 5,205 5 regularly
 310 .

pbimo2

Children show initiative and commitment to learning, such as expressing opinions

```

type: numeric (byte)
label: pbimo2

range: [1,5]                units: 1
unique values: 5            missing .: 319/11,673

tabulation: Freq.  Numeric  Label
              200      1  Never
              576      2  Rarely
             2,235     3  sometimes
             3,748     4  often
             4,595     5  regularly
              319      .
    
```

pbimo3

Children are reluctant to do things or give up easily.

```

type: numeric (byte)
label: pbimo3

range: [1,5]                units: 1
unique values: 5            missing .: 342/11,673

tabulation: Freq.  Numeric  Label
              4,304     1  Never
              2,662     2  Rarely
              2,694     3  sometimes
              1,228     4  often
              443       5  regularly
              342      .
    
```

pbimo4

Children learn and remember well.

```

type: numeric (byte)
label: pbimo4

range: [1,5]                units: 1
unique values: 5            missing .: 327/11,673

tabulation: Freq.  Numeric  Label
              159      1  Never
              666      2  Rarely
             2,379     3  sometimes
             3,785     4  often
             4,357     5  regularly
              327      .
    
```

pbimo5

Children complete assigned tasks.

```

type: numeric (byte)
label: pbimo5

range: [1,5]                units: 1
unique values: 5            missing .: 339/11,673
    
```

```

tabulation:  Freq.  Numeric  Label
              130      1  Never
              521      2  Rarely
            1,507      3  sometimes
            3,137      4  often
            6,039      5  regularly
              339      .
    
```

pbimo6 **Children are motivated and eager to learn.**

```

      type: numeric (byte)
      label: pbimo6

      range: [1,5]
unique values: 5
                    units: 1
                    missing .. 322/11,673

      tabulation:  Freq.  Numeric  Label
                   102      1  Never
                   485      2  Rarely
                  1,996      3  sometimes
                  3,962      4  often
                  4,806      5  regularly
                   322      .
    
```

pbimo7 **Children are attentive to their own learning.**

```

      type: numeric (byte)
      label: pbimo7

      range: [1,5]
unique values: 5
                    units: 1
                    missing .. 341/11,673

      tabulation:  Freq.  Numeric  Label
                   129      1  Never
                   500      2  Rarely
                  1,967      3  sometimes
                  3,693      4  often
                  5,043      5  regularly
                   341      .
    
```

pbimo8 **Children have no interest in the subjects they study or what the teacher teaches**

```

      type: numeric (byte)
      label: pbimo8

      range: [1,5]
unique values: 5
                    units: 1
                    missing .. 341/11,673

      tabulation:  Freq.  Numeric  Label
                   5,216      1  Never
                   2,443      2  Rarely
                   1,680      3  sometimes
                   1,169      4  often
                     824      5  regularly
                   341      .
    
```

pbimo9 **Children show leadership**

```

      type: numeric (byte)
      label: pbimo9
    
```

range: [1,5] units: 1
 unique values: 5 missing .. 314/11,673

tabulation:	Freq.	Numeric	Label
	485	1	Never
	1,078	2	Rarely
	3,472	3	sometimes
	3,170	4	often
	3,154	5	regularly
	314	.	.

sosete04

When feeling sad or disappointed, children can restrain and control their behavi

type: numeric (byte)
 label: sosete04

range: [0,2] units: 1
 unique values: 3 missing .. 340/11,673

tabulation:	Freq.	Numeric	Label
	1,065	0	Never
	3,519	1	Sometimes
	6,749	2	Often
	340	.	.

liexte06

Children can express themselves in accordance with their emotions, such as smili

type: numeric (byte)
 label: liexte06

range: [0,2] units: 1
 unique values: 3 missing .. 336/11,673

tabulation:	Freq.	Numeric	Label
	168	0	Never
	2,456	1	Sometimes
	8,713	2	Often
	336	.	.

soemte02

When playing with friends, children can patiently wait to accept the agreement a

type: numeric (byte)
 label: soemte02

range: [0,2] units: 1
 unique values: 3 missing .. 329/11,673

tabulation:	Freq.	Numeric	Label
	158	0	Never
	3,418	1	Sometimes
	7,768	2	Often
	329	.	.

sdq01

The child cares about other's feelings.

type: numeric (byte)
 label: sdq01

range: [0,2] units: 1
 unique values: 3 missing .. 356/11,673

```

tabulation: Freq.  Numeric  Label
              209      0  Not true
              4,524    1  Sometimes true
              6,584    2  Definitely true
              356      .
    
```

sdq02 The child fidgets a lot and has trouble staying still.

```

type: numeric (byte)
label: sdq02

range: [0,2]                units: 1
unique values: 3            missing .. 361/11,673
    
```

```

tabulation: Freq.  Numeric  Label
              6,995    0  Not true
              3,486    1  Sometimes true
              831      2  Definitely true
              361      .
    
```

sdq03 The child frequently complains about an upset stomach or nausea.

```

type: numeric (byte)
label: sdq03

range: [0,2]                units: 1
unique values: 3            missing .. 369/11,673
    
```

```

tabulation: Freq.  Numeric  Label
             10,077    0  Not true
             1,050    1  Sometimes true
             177      2  Definitely true
             369      .
    
```

sdq04 The child is willing to share with others.

```

type: numeric (byte)
label: sdq04

range: [0,2]                units: 1
unique values: 3            missing .. 359/11,673
    
```

```

tabulation: Freq.  Numeric  Label
              326      0  Not true
              3,667    1  Sometimes true
              7,321    2  Definitely true
              359      .
    
```

sdq05 The child acts out often and has bad temper.

```

type: numeric (byte)
label: sdq05

range: [0,2]                units: 1
unique values: 3            missing .. 366/11,673
    
```

```

tabulation: Freq.  Numeric  Label
             9,355    0  Not true
             1,632    1  Sometimes true
             320      2  Definitely true
             366      .
    
```

sdq06 The child is overly independent and typically plays alone.

```

type: numeric (byte)
label: sdq06

range: [0,2]          units: 1
unique values: 3      missing .. 354/11,673

tabulation: Freq.  Numeric  Label
             9,168    0      Not true
             1,719    1      Sometimes true
             432     2      Definitely true
             354     .
    
```

sdq07 The child follows instructions given by adults.

```

type: numeric (byte)
label: sdq07

range: [0,2]          units: 1
unique values: 3      missing .. 364/11,673

tabulation: Freq.  Numeric  Label
             313     0      Not true
             3,486   1      Sometimes true
             7,510   2      Definitely true
             364     .
    
```

sdq08 The child is anxious constantly and about multiple aspects of life.

```

type: numeric (byte)
label: sdq08

range: [0,2]          units: 1
unique values: 3      missing .. 364/11,673

tabulation: Freq.  Numeric  Label
             8,551    0      Not true
             2,422    1      Sometimes true
             336     2      Definitely true
             364     .
    
```

sdq09 The child helps people who are feeling unwell, ill or sick.

```

type: numeric (byte)
label: sdq09

range: [0,2]          units: 1
unique values: 3      missing .. 367/11,673

tabulation: Freq.  Numeric  Label
             737     0      Not true
             5,489    1      Sometimes true
             5,080    2      Definitely true
             367     .
    
```

sdq10 The child does not remain still.

```

type: numeric (byte)
label: sdq10
    
```

```

    range: [0,2]                units: 1
unique values: 3                missing .: 354/11,673

  tabulation: Freq.  Numeric  Label
              7,955    0      Not true
              2,735    1      Sometimes true
              629     2      Definitely true
              354     .

```

sdq11 **The child has at least one best friend.**

```

    type: numeric (byte)
    label: sdq11

    range: [0,2]                units: 1
unique values: 3                missing .: 360/11,673

  tabulation: Freq.  Numeric  Label
              1,369    0      Not true
              2,199    1      Sometimes true
              7,745    2      Definitely true
              360     .

```

sdq12 **The child has a habit of being violent and bullying other kids.**

```

    type: numeric (byte)
    label: sdq12

    range: [0,2]                units: 1
unique values: 3                missing .: 357/11,673

  tabulation: Freq.  Numeric  Label
              8,873    0      Not true
              2,035    1      Sometimes true
              408     2      Definitely true
              357     .

```

sdq13 **The child is constantly unhappy and sad.**

```

    type: numeric (byte)
    label: sdq13

    range: [0,2]                units: 1
unique values: 3                missing .: 366/11,673

  tabulation: Freq.  Numeric  Label
              9,988    0      Not true
              1,026    1      Sometimes true
              293     2      Definitely true
              366     .

```

sdq14 **The child is generally like by other kids.**

```

    type: numeric (byte)
    label: sdq14

    range: [0,2]                units: 1
unique values: 3                missing .: 379/11,673

```



```

tabulation: Freq.  Numeric  Label
             809      0  Not true
             3,923    1  Sometimes true
             6,562    2  Definitely true
             379      .
    
```

sdq15 The child is easily distracted and cannot concentrate.

```

type: numeric (byte)
label: sdq15

range: [0,2]          units: 1
unique values: 3      missing .. 373/11,673
    
```

```

tabulation: Freq.  Numeric  Label
             7,405    0  Not true
             3,247    1  Sometimes true
             648      2  Definitely true
             373      .
    
```

sdq16 The child has trouble with anxiety when in an unfamiliar location and easily loo

```

type: numeric (byte)
label: sdq16

range: [0,2]          units: 1
unique values: 3      missing .. 367/11,673
    
```

```

tabulation: Freq.  Numeric  Label
             7,168    0  Not true
             3,726    1  Sometimes true
             412      2  Definitely true
             367      .
    
```

sdq17 The child is kind to younger kids.

```

type: numeric (byte)
label: sdq17

range: [0,2]          units: 1
unique values: 3      missing .. 365/11,673
    
```

```

tabulation: Freq.  Numeric  Label
             580      0  Not true
             4,196    1  Sometimes true
             6,532    2  Definitely true
             365      .
    
```

sdq18 The child is constantly lying.

```

type: numeric (byte)
label: sdq18

range: [0,2]          units: 1
unique values: 3      missing .. 362/11,673
    
```

```

tabulation: Freq.  Numeric  Label
             9,704    0  Not true
             1,413    1  Sometimes true
             194      2  Definitely true
             362      .
    
```

sdq19 **The child is bullied by other kids.**

```

type: numeric (byte)
label: sdq19

range: [0,2]
unique values: 3

units: 1
missing .. 399/11,673

tabulation: Freq.  Numeric  Label
              9,155    0  Not true
              1,874    1  Sometimes true
              245      2  Definitely true
              399      .
    
```

sdq20 **The child typically volunteer to help others.**

```

type: numeric (byte)
label: sdq20

range: [0,2]
unique values: 3

units: 1
missing .. 366/11,673

tabulation: Freq.  Numeric  Label
              576      0  Not true
              4,831    1  Sometimes true
              5,900    2  Definitely true
              366      .
    
```

sdq21 **The child thinks rationally before acting.**

```

type: numeric (byte)
label: sdq21

range: [0,2]
unique values: 3

units: 1
missing .. 375/11,673

tabulation: Freq.  Numeric  Label
              690      0  Not true
              6,337    1  Sometimes true
              4,271    2  Definitely true
              375      .
    
```

sdq22 **The child has a habit of stealing from the house, the school or other places.**

```

type: numeric (byte)
label: sdq22

range: [0,2]
unique values: 3

units: 1
missing .. 353/11,673

tabulation: Freq.  Numeric  Label
              10,655   0  Not true
              541      1  Sometimes true
              124      2  Definitely true
              353      .
    
```

sdq23 **The child gets along will adults better than kids of their own age.**

```

type: numeric (byte)
label: sdq23
    
```

```

range: [0,2] units: 1
unique values: 3 missing .: 369/11,673

tabulation: Freq. Numeric Label
3,024 0 Not true
6,155 1 Sometimes true
2,125 2 Definitely true
369 .
    
```

sdq24 **The child is anxious about a lot of aspects and is easily scared.**

```

type: numeric (byte)
label: sdq24

range: [0,2] units: 1
unique values: 3 missing .: 384/11,673

tabulation: Freq. Numeric Label
8,970 0 Not true
2,075 1 Sometimes true
244 2 Definitely true
384 .
    
```

sdq25 **The child has constant concentration when working.**

```

type: numeric (byte)
label: sdq25

range: [0,2] units: 1
unique values: 3 missing .: 359/11,673

tabulation: Freq. Numeric Label
518 0 Not true
3,700 1 Sometimes true
7,096 2 Definitely true
359 .
    
```

tsrs_survey **tsrs survey**

```

type: string (str4)
unique values: 1 missing "": 0/11,673

tabulation: Freq. Value
11,673 "srs5"
    
```

year_survey **year survey**

```

type: numeric (int)
range: [2022,2022] units: 1
unique values: 1 missing .: 0/11,673

tabulation: Freq. Value
11,673 2022
mean: 2022
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
2022 2022 2022 2022 2022
    
```

year_academic **year academic**

```

type: numeric (float)
range: [2021,2021]           units: 1
unique values: 1             missing .: 0/11,673

tabulation: Freq. Value
             11,673 2021
mean:       2021
std. dev:   0

percentiles:    10%    25%    50%    75%    90%
                2021    2021    2021    2021    2021
    
```

```

2 . log close
   name: <unnamed>
   log:  C:\Users\staff-ripped2022\Dropbox\Codes and Data for Projects\\School Read
> iness 2023 (SRS6)/Data and Codes\Codebook\TSRS_2022\TSRS2022_child_development_form_
> from_teacher_public.scml
   log type: smcl
   closed on: 2 Aug 2024, 10:20:04
    
```
