



```

name: <unnamed>
log: C:\Users\staff-riped2022\Dropbox\Codes and Data for Projects\\School Read
> iness 2023 (SRS6)/Data and Codes\Codebook\TSRS_2022\TSRS2022_classroom_observation_f
> orm_public.scml
log type: smcl
opened on: 2 Aug 2024, 10:03:03

```

```
1 . codebookr _all,all
```

```

Dataset: */Data and Codes\Data\public data\TSRS_2020_2021_2022_2023_pu
> blic.dta
Last saved: 1 Aug 2024 14:58
DATA HAVE CHANGED SINCE LAST SAVED

```

```

Label: [none]
Number of variables: 456
Number of observations: 11,673
Size: 321,462,747 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

```

.a or RF: The subject explicitly refused to answer the question
when he or she should have.
.b or NA: The subject was never asked the question
for one reason or another. Usually this results
from "skip patterns" that occur.
.c or DK: The subject was unable to answer the question
either because he or she had no opinion or because
the required information was not available.
.d or MI: Items should be filled out but have no data entry found.
This is enumerator's own mistake. The circumstances
can be interviewers failing to ask a question
or forgetting to record a response

```

```

Numeric Missing*: .a String Missing*: RF
                  .b NA
                  .c DK
                  .d MI

```

---

```
stid Student identification code
```

---

```

type: string (str12), but longest is str11
unique values: 11,673 missing "": 0/11,673
examples: "25020309108"
          "43010443125"
          "60110323109"
          "70070413120"

```

---

```
prov_code State identification code
```

---

```

type: string (str2)
unique values: 32 missing "": 0/11,673

```

```

tabulation:  Freq.  Value
              318  "15"
              100  "17"
              484  "19"
              446  "20"
              234  "21"
              338  "22"
              304  "23"
              446  "25"
              316  "26"
              402  "27"
              444  "33"
              390  "38"
              387  "42"
              428  "43"
              346  "44"
              445  "47"
              386  "48"
              412  "53"
              470  "60"
              399  "61"
              409  "62"
              370  "63"
              403  "64"
              388  "66"
              353  "70"
              392  "72"
              121  "73"
              360  "75"
              328  "76"
              306  "77"
              446  "85"
              302  "86"
    
```

---

**roomid** **Room code**

---

```

type: string (str10), but longest is str9
unique values: 1,122           missing "": 0/11,673
examples: "250203091"
          "430104431"
          "601103231"
          "700704131"
    
```

---

**scid** **School code**

---

```

type: string (str10), but longest is str7
unique values: 1,046           missing "": 0/11,673
examples: "2502030"
          "4301044"
          "6011032"
          "7007041"
    
```

---

**level** **room id**

---

```

type: string (str18), but longest is str2
unique values: 12             missing "": 0/11,673
    
```

```

tabulation: Freq. Value
             7,392 "31"
             739  "32"
             200  "33"
             108  "34"
              19  "35"
              36  "36"
              15  "37"
              15  "38"
            2,989 "91"
             111  "92"
              21  "93"
              28  "94"
    
```

---

<b>roomlabcl</b>	<b>Grade level of observation</b>
------------------	-----------------------------------

---

```

type: string (str87), but longest is str50
unique values: 77          missing "": 0/11,673
    
```

```

tabulation: Freq. Value
             27  "๐.3/1"
             30  "๐.3/2"
            261  "3"
             76  "3/1"
             37  "3/2"
             13  "3/2 ห้อง A"
             14  "3/3"
              9  "ห้อง ๐.3"
              3  "ห้อง๐.2,๐.3"
             47  "ห้อง๐.3"
              6  "ห้องเรียนรวม"
             15  "๐ 3.2"
             15  "๐ 3.3"
             13  "๐,3"
             13  "๐."
              5  "๐. 2-3"
             27  "๐.1"
             14  "๐.1 - ๐.3"
              9  "๐.1,2,3"
              6  "๐.1-3"
              4  "๐.1-๐.2-๐.3"
             80  "๐.1-๐.3"
              7  "๐.1.๐.2-๐.3"
             10  "๐.1/1"
             34  "๐.2 - ๐.3"
              8  "๐.2 - ๐.3 "
              6  "๐.2 -๐.3"
             41  "๐.2,3"
             56  "๐.2-3"
            551  "๐.2-๐.3"
             15  "๐.2/3"
             15  "๐.2/5"
            4,480 "๐.3"
              15  "๐.3 ห้อง 1"
              14  "๐.3 ห้อง 2"
            511  "๐.3/1"
             15  "๐.3/1-๐.3/2"
            393  "๐.3/2"
            127  "๐.3/3"
             99  "๐.3/4"
              4  "๐.3/5"
             15  "๐.3/6"
             15  "๐.3/7"
             15  "๐.3/8"
            174  "๐3"
             45  "๐3/1"
             45  "๐3/2"
             15  "๐3/3"
            250  "อนุบาล"
    
```

```

3 "อนุบาล 1"
10 "อนุบาล 1 - 3"
14 "อนุบาล 2-3"
1,433 "อนุบาล 3"
267 "อนุบาล 3 "
15 "อนุบาล 3 ห้อง 1"
15 "อนุบาล 3 ห้อง 2"
15 "อนุบาล 3-1"
89 "อนุบาล 3/1"
99 "อนุบาล 3/2"
9 "อนุบาล 3/3"
12 "อนุบาล 3/6"
15 "อนุบาล1/1"
13 "อนุบาล1/4"
139 "อนุบาล2-3"
1,386 "อนุบาล3"
79 "อนุบาล3/1"
94 "อนุบาล3/2"
13 "อนุบาล3/3"
145 "อนุบาลปีที่ 3"
14 "อนุบาลปีที่ 3 ห้อง 2"
13 "อนุบาลปีที่ 3 ห้อง 3"
12 "อนุบาลปีที่ 3/1"
33 "อนุบาลปีที่ 3/2"
9 "อนุบาลปีที่ 3/4"
7 "อนุบาลรวม"
7 "อนุบาล3"
14 "อนุบาล3"

```

warning: variable has leading, embedded, and trailing blanks

---

mcmcc107

Total number of students

---

```

type: numeric (byte)
range: [0,75]
unique values: 41
units: 1
missing .: 244/11,673

```

```

tabulation: Freq. Value
18 0
7 4
110 5
153 6
174 7
231 8
425 9
353 10
453 11
471 12
455 13
528 14
564 15
568 16
638 17
527 18
542 19
506 20
645 21
676 22
345 23
386 24
330 25
435 26
247 27
228 28
225 29
200 30
188 31
155 32
97 33

```

```

                107 34
                119 35
                 87 36
                 75 37
                 26 38
                 20 39
                 55 40
                 30 41
                 15 52
                 15 75
                244 .
    mean:      19.2242
    std. dev:  7.89428

    percentiles:      10%      25%      50%      75%      90%
                       10       14       19       24       30

```

**mcmcc107cnt** **The number of students at the observation date**

```

    type: numeric (byte)
    range: [.,.]
    unique values: 0
    units: .
    missing .. 11,673/11,673

    tabulation: Freq. Value
                 11,673 .
    mean:      .
    std. dev:  .

    percentiles:      10%      25%      50%      75%      90%
                       .       .       .       .       .

```

**mcmcc101** **Total number of lead teachers**

```

    type: numeric (int)
    range: [0,10]
    unique values: 6
    units: 1
    missing .. 244/11,673

    tabulation: Freq. Value
                 5 0
                 11,150 1
                 208 2
                 29 3
                 15 4
                 22 10
                 244 .
    mean:      1.0441
    std. dev:  .441124

    percentiles:      10%      25%      50%      75%      90%
                       1       1       1       1       1

```

**mcmcc102** **Total number of co-teachers**

```

    type: numeric (byte)
    range: [0,2]
    unique values: 3
    units: 1
    missing .. 244/11,673

```

```

tabulation:  Freq.  Value
              11,257  0
              147    1
              25     2
              244    .
    mean:    .017237
    std. dev: .146002

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

---

**mcmcc103** **Total number of interns**

---

```

type:  numeric (byte)

range:  [0,2]          units:  1
unique values:  3      missing .:  244/11,673

tabulation:  Freq.  Value
              11,022  0
              381    1
              26     2
              244    .
    mean:    .037886
    std. dev: .202495

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

---

**mcmcc104txt** **Others, please specify**

---

```

type:  string (str169), but longest is str89

unique values:  4      missing "":  11,636/11,673

tabulation:  Freq.  Value
              11,636  ""
              12     "Teacherต่างชาติประจำห้องเรียน "
              15     "Teacherต่างชาติประจำห้องเรียน English
Program"
              5      "ครู, ธุรการ ( มาช'วชค. แลเค'ก )
              5      "ครูอนุบาล 2"

warning:  variable has embedded and trailing blanks
    
```

---

**mcmcc104** **Total number of others**

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  244/11,673

tabulation:  Freq.  Value
              11,392  0
              37     1
              244    .
    mean:    .003237
    std. dev: .056808

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

---

**mcmcc105** **Total number of teachers**

---

```

type: numeric (int)
range: [1,10] units: 1
unique values: 5 missing .: 244/11,673

tabulation: Freq. Value
            10,604 1
             663 2
             110 3
              30 4
               22 10
               244 .
mean: 1.10246
std. dev: .515342

percentiles: 10% 25% 50% 75% 90%
              1 1 1 1 1
    
```

**mcmcc105cnt At the observation date, how many teachers were at work?**

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Value
            11,673 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

**mcmcc106 At this grade level, are there specific teachers assigned to each subjects?**

```

type: numeric (byte)
label: mcmcc106
range: [1,3] units: 1
unique values: 2 missing .: 279/11,673

tabulation: Freq. Numeric Label
            1,791 1 Yes
            9,603 3 No
             279 .
    
```

**mcmcc116 Are there sufficient tables and chair for all kids?**

```

type: numeric (byte)
label: mcmcc116
range: [1,3] units: 1
unique values: 2 missing .: 244/11,673

tabulation: Freq. Numeric Label
            6,606 1 Yes
            4,823 3 No
             244 .
    
```

**sclecl01 Is the classroom physically divided into multiple sections such a a reading sect**

```

        type: numeric (byte)
        label: sclecl01

        range: [.,.]
        unique values: 0
        units: .
        missing ..: 11,673/11,673

        tabulation: Freq.  Numeric  Label
                   11,673      .
    
```

**sclecl01num** **If so, how many sections are there in total?**

```

        type: numeric (byte)

        range: [.,.]
        unique values: 0
        units: .
        missing ..: 11,673/11,673

        tabulation: Freq.  Value
                   11,673  .
        mean:      .
        std. dev:  .

        percentiles: 10%    25%    50%    75%    90%
                   .      .      .      .      .
    
```

**sclecl01txt** **If so, what are the sections?**

```

        type: string (str696), but longest is str0
        unique values: 0
        missing "": 11,673/11,673

        tabulation: Freq.  Value
                   11,673  ""
    
```

**sclecl02** **Is the arrangement of materials in each sector orgernized?**

```

        type: numeric (byte)
        label: sclecl02

        range: [.,.]
        unique values: 0
        units: .
        missing ..: 11,673/11,673

        tabulation: Freq.  Numeric  Label
                   11,673      .
    
```

**sclecl03** **Is the materials in each sector in good shape?**

```

        type: numeric (byte)
        label: sclecl03

        range: [.,.]
        unique values: 0
        units: .
        missing ..: 11,673/11,673

        tabulation: Freq.  Numeric  Label
                   11,673      .
    
```

**sclecl04** **Are there sufficient materials in each sectors for the students?**

```

        type: numeric (byte)
        label: sclecl04
    
```



range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

---

**scpec112 Is the environment inside the classroom clean and organized?**

---

type: numeric (byte)  
 label: **scpec112**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 244/11,673  
 tabulation: Freq. Numeric Label  
 10,757 1 Yes  
 672 3 No  
 244 .

---

**scpec101 Have children do handwriting or use worksheets for children in the classroom.**

---

type: numeric (byte)  
 label: **scpec101**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 244/11,673  
 tabulation: Freq. Numeric Label  
 9,924 1 Yes  
 1,505 3 No  
 244 .

---

**mcmcc122 Is there a security camera within the classroom?**

---

type: numeric (byte)  
 label: **mcmcc122**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 244/11,673  
 tabulation: Freq. Numeric Label  
 360 1 Yes  
 11,069 3 No  
 244 .

---

**mcmcc118t1 During the period of observation, were there any activity in the classroom? (fir**

---

type: numeric (byte)  
 label: **mcmcc118t1**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 244/11,673  
 tabulation: Freq. Numeric Label  
 9,462 1 Yes  
 1,967 3 No  
 244 .

---

**mcmcc119t1 Time in which the activty was done (first observation)**

---

type: string (str8)  
 unique values: 129 missing "": 2,225/11,673

---

**mcmcc120t1** **Activity name (first observation)**

---

type: string (str635), but longest is str417  
 unique values: 669 missing "": 2,225/11,673  
 warning: variable has embedded and trailing blanks

---

**mcmcc121t1** **Reason for having no activity**

---

type: numeric (byte)  
 label: mcmcc121t1  
 range: [1,9] units: 1  
 unique values: 4 missing .: 9,728/11,673

tabulation:	Freq.	Numeric	Label
	86	1	Teacher rejects request for observation
	44	3	The room is utilized for examination
	799	5	Teacher is absent
	1,016	9	Others
	9,728	.	

---

**mcmcc121t1txt** **In the case of others, please specify further**

---

type: string (str585), but longest is str298  
 unique values: 78 missing "": 10,901/11,673

tabulation:	Freq.	Value
	10,901	" "
	8	"ครูทำงานสรุปแบบประเมินพัฒนาการเด็ก"
	9	"ครูนิพนร.มาให้ เพื่อเก็บข้อมูลพัฒนาการ ช'ว ง น' อ น , บ า ล ช' ง ร"
	4	"ครูนิคเด็กมาศึกษากิจกรรมงานบ้นชิตน้อย"
	9	"ครูประจำชั้นมีธุระด่วนต้องพาไปโรงพยา บาล"
	5	"ครูประจำชั้นมีเวรทำอาหารกลางวันให้เด็ก เลอ ไม' ม' การเร' ย น การ สอน "
	15	"ครูประจำชั้นลา"
	5	"ค
	9	"ครูพาเด็กไปทาน
	10	"ครูเอาเ
	18	
	12	"ครูให้เด็กนั่งรอเรียกเพื่อเข้าทดสอบพัฒนา การเด็ก"
	7	"ครูให้เด็กนั่งรอเวลาที่มาทดสอบและครูก นั่งทำงานที่โต๊ะไม่ได้ทำการเรียนการสอน"
	2	"ครูให้เด็กเล่นของเล่นรอเวลาไปทานข้าวพร าะ เลิกเท' ยง"
	5	"ครูไปประชุมห้องพอ."
	5	"ครูไม่สอน"

- 3 "ครูไม่สะดวกให้สังเกตการเรียนการสอน"
- 12 "คุณครูไม่มีกิจกรรมหรือการเรียนการสอน  
เนื่องจากรอเด็กที่ทำการทดสอบจึงให้เด็กวาด  
ภาพระบายสีรอ" 14 "หัดนอน, ระบายสี, เปิดเรียนแล้ว  
ครูนัดเด็กให้มาทดสอบ"
- 9 "ทานข้าว"
- 8 "นักเรียนทยอยกลับบ้านหลังทดสอบเสร็จ"
- 11 "นักเรียนเรียนแบบonline"
- 9 "ประชุมคณะครู"
- 11 "ฝนตกเด็กมาน้อยครูให้นักเรียนเล่นตามอัธยาศัย"
- 15 "พานักเรียนไปทดสอบ"
- 3 "มีนักวิจัยไปเก็บข้อมูลครูเลขมาขอการทดสอบข้อ  
ดูแลเด็กแทน" 5 "รอหัด, ปกติรอจนมารับบก  
15 "วันนี้ อนุบาล 3 สอบ" คนที่ มา คื่อ มารับบงานไปทำ"  
5 "สังเกตห้องเรียนครู"  
เด็กนอนกลางวัน"
- 7 "สังเกตห้องไม่ทันเพราะร.ร. ที่นัดไว้ยกเลิก  
จึงได้เดินทางข้ามอำเภอมาเลยเวลาเรียนขอ  
งเด็ก" 10 "อ. 3 สอบเสร็จแล้ว  
วันนี้มาโรงเรียนเพื่อซ้อมรับประกาศนียบัตร  
ร อนุบาลปีที่ 3"
- 30 "อนุบาล 3 จัดการสอบ"
- 15 "อนุบาล 3 มีการจัดการทดสอบจึงไม่มีกิจกรรมในวันนี้"
- 6 "อนุบาล 3 สอบ"
- 15 "อนุบาล 3 สอบ"
- 8 "เด็กปิดเทอมแล้ว"
- 22 "เด็กปิดเทอมแล้ว ครูนัดเด็กมาให้ทดสอบ" 8 "เด็กปิดเทอมแล้ว"
- 8 "เด็กปิดเทอมแล้วแต่ครูนัดเด็กมารับบกับผ  
ลังาน" 5 "เด็กปิดเรียน  
แต่ครูนัดเด็กมาให้ทดสอบจึงไม่มีการเรียนก  
การสอน" 15 "เด็กมานั่งรอเข้าทดสอบ"
- 3 "เด็กมาเรียนแค่ 1 คน" 9 "เด็กอนุบาล 3 ไม่ได้มาเรียน  
ครู เลข นัดให้เด็กมาทดสอบ"  
39 "เด็กอนุบาล 3 ปิดเทอมแล้ว แต่ครูเร  
10 "เด็กเตรียมตัวไปทานข้าว"
- 6 "เด็กเรียนออนไลน์ ครูนัดเด็กมาให้ทดสอบ" 6 "เด็กไปทานอาหารกลางวัน"
- 3 "เด็กไม่มา"
- 11 "เด็กๆเรียนออนไลน์  
ในวันที่สิ้นภาคเด็กมารับใบงานที่ร."
- 22 "เด็กๆไม่มีการเรียนการ  
ว้นที่"
- 7 "เนื่องจากคิวเน็ตพี. 6 อยู่ใกล้ห้องคุณ"
- 30 "เนื่องจากนักเรียนทำกิจกรรมซ้อมรับ  
ใบประกาศนียบ  
3 "เนื้"  
จึงไม่มีารเรียนการสอน"
- 13 "เพราะครูนัดนักเรียนมาทดสอบโดยเฉพาะ"
- 7 "เพราะครูนัดเด็กนักเรียนมาทดสอบโดยเฉพาะ"
- 7 "โรงเรียนจัดการเรียนการสอนแบบออนไลน์"
- 6 "โรงเรียนปิด"
- 5 "โรงเรียนปิด"

- 15 "โรงเรียนปิ่นเกล้าเรียนมารับเงินค่าอาหารกลางวัน" 23 "โรงเรียนปิ่นเกล้า" 10 "โรงเรียนปิ่นเกล้าแล้วครูให้นักเด็กมาทดสอบใหม่"
  - 7 "โรงเรียนปิ่นเกล้าครูให้นักเด็กมาให้ทดสอบ"
  - 15 "โรงเรียนปิ่นเกล้าในวันที่ไม่ไปทดสอบมาเฉพาะเด็กที่ครูนำมาให้ทำการทดสอบเท่านั้น"
  - 13 "โรงเรียนปิ่นเกล้าช่วยสถานการณ์โควิดในพื้นที่ระบาคมีเด็กในโรงเรียนเสาชิงช้า"
  - 6 "ไปสังเกตไม่ทันเด็กทำกิจกรรม เด็กเล็ก 11.00 น."
  - 7 "ไม่มีการเรียนการสอนเนื่องจากครูทดสอบพัฒนาการเด็ก"
- แต่มีกิจกรรมทดสอบพัฒนาการเด็กนอกห้องเรียน"

รร. ปิ่นเกล้า เนื่องจากเด็กขอ. 3 มารอทดสอบพัฒนาการ"

warning: variable has embedded and trailing blanks

spec102t1

Are the students doing exercises or worksheets without any activities incorporat

type: numeric (byte)  
 label: spec102t1  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

spec102t1txt

Reason for not observing

type: string (str151), but longest is str0  
 unique values: 0 missing "": 11,673/11,673  
 tabulation: Freq. Value  
 11,673 ""

spec103t1

Is lecturing and not doing activities with the students the teacher's main metho

type: numeric (byte)  
 label: spec103t1  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

spec104t1

Does the teacher turn on the TV or video for the students to watch?

```

        type: numeric (byte)
        label: scpec104t1

        range: [..]
        unique values: 0
        units: .
        missing ..: 11,673/11,673

        tabulation: Freq.  Numeric  Label
                   11,673      .
    
```

**scpec105t1** **Is the teacher's attention directed towards other sectors of work rather than te**

```

        type: numeric (byte)
        label: scpec105t1

        range: [..]
        unique values: 0
        units: .
        missing ..: 11,673/11,673

        tabulation: Freq.  Numeric  Label
                   11,673      .
    
```

**scpec106t1** **Does the teacher assign group activities, where all students have approximately**

```

        type: numeric (byte)
        label: scpec106t1

        range: [..]
        unique values: 0
        units: .
        missing ..: 11,673/11,673

        tabulation: Freq.  Numeric  Label
                   11,673      .
    
```

**scpec107t1** **Is there negative language incorporated in the teacher's speech?**

```

        type: numeric (byte)
        label: scpec107t1

        range: [..]
        unique values: 0
        units: .
        missing ..: 11,673/11,673

        tabulation: Freq.  Numeric  Label
                   11,673      .
    
```

**scpec108t1** **Physical punishment such as hitting**

```

        type: numeric (byte)
        label: scpec108t1

        range: [..]
        unique values: 0
        units: .
        missing ..: 11,673/11,673

        tabulation: Freq.  Numeric  Label
                   11,673      .
    
```

**scpec109t1** **Verbal reprimand rebuke**

```

        type: numeric (byte)
        label: scpec109t1
    
```

```

range: [.,.]
unique values: 0
units: .
missing .: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

**scpec110t1** **Seperation of students from the rest of class**

```

type: numeric (byte)
label: scpec110t1

range: [.,.]
unique values: 0
units: .
missing .: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

**scpec111t1** **Making student behave correctly**

```

type: numeric (byte)
label: scpec111t1

range: [.,.]
unique values: 0
units: .
missing .: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

**scpec112t1** **Are there any additional punishment excuted by teachers that are not listed above**

```

type: numeric (byte)
label: scpec112t1

range: [.,.]
unique values: 0
units: .
missing .: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

**scpec112t1txt** **If yes, specify what method was used**

```

type: string (str187), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
11,673 ""

```

**mcmcc118t2** **During the period of observation, were there any activity in the classroom? (sec**

```

type: numeric (byte)
label: mcmcc118t2

range: [1,3]
unique values: 2
units: 1
missing .: 2,031/11,673

```

```

tabulation: Freq.  Numeric  Label
            8,446      1  Yes
            1,196      3  No
            2,031      .
    
```

---

**mcmcc119t2** **Time in which the activity was done (second observation)**

---

```

type: string (str8)
unique values: 129
missing "": 3,227/11,673
    
```

---

**mcmcc120t2** **Activity name (second observation)**

---

```

type: string (str590), but longest is str353
unique values: 590
missing "": 3,227/11,673

warning: variable has embedded and trailing blanks
    
```

---

**scpec102t2** **Are the students doing exercises or worksheets without any activities incorporat**

---

```

type: numeric (byte)
label: scpec102t2

range: [1,3]
unique values: 2
units: 1
missing .: 2,396/11,673

tabulation: Freq.  Numeric  Label
            6,501      1  Yes
            2,776      3  No
            2,396      .
    
```

---

**scpec102t2txt** **Reason for not observing**

---

```

type: string (str132), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq.  Value
            11,673  ""
    
```

---

**scpec103t2** **Is lecturing and not doing activities with the students the teacher's main metho**

---

```

type: numeric (byte)
label: scpec103t2

range: [1,3]
unique values: 2
units: 1
missing .: 2,396/11,673

tabulation: Freq.  Numeric  Label
            3,058      1  Yes
            6,219      3  No
            2,396      .
    
```

---

**scpec104t2** **Does the teacher turn on the TV or video for the students to watch?**

---

```

type: numeric (byte)
label: spec104t2

range: [1,3]
unique values: 2
units: 1
missing .. 2,396/11,673

tabulation: Freq.  Numeric  Label
             2,701    1      Yes
             6,576    3      No
             2,396    .
    
```

**spec105t2** Is the teacher's attention directed towards other sectors of work rather than te

```

type: numeric (byte)
label: spec105t2

range: [1,3]
unique values: 2
units: 1
missing .. 2,396/11,673

tabulation: Freq.  Numeric  Label
             1,104    1      Yes
             8,173    3      No
             2,396    .
    
```

**spec106t2** Does the teacher assign group activities, where all students have approximately

```

type: numeric (byte)
label: spec106t2

range: [1,3]
unique values: 2
units: 1
missing .. 2,396/11,673

tabulation: Freq.  Numeric  Label
             4,529    1      Yes
             4,748    3      No
             2,396    .
    
```

**spec107t2** Is there negative language incorporated in the teacher's speech?

```

type: numeric (byte)
label: spec107t2

range: [1,3]
unique values: 2
units: 1
missing .. 2,396/11,673

tabulation: Freq.  Numeric  Label
             340     1      Yes
             8,937    3      No
             2,396    .
    
```

**spec108t2** Physical punishment such as hitting

```

type: numeric (byte)
label: spec108t2

range: [1,3]
unique values: 2
units: 1
missing .. 2,410/11,673
    
```



```

tabulation:  Freq.  Numeric  Label
              79      1      Yes
            9,184    3      No
            2,410    .
    
```

**scpec109t2** **Verbal reprimand rebuke**

```

type:  numeric (byte)
label:  scpec109t2

range:  [1,3]
unique values:  2

units:  1
missing .:  2,396/11,673

tabulation:  Freq.  Numeric  Label
              2,952    1      Yes
              6,325    3      No
              2,396    .
    
```

**scpec110t2** **Seperation of students from the rest of class**

```

type:  numeric (byte)
label:  scpec110t2

range:  [1,3]
unique values:  2

units:  1
missing .:  2,396/11,673

tabulation:  Freq.  Numeric  Label
              44      1      Yes
            9,233    3      No
            2,396    .
    
```

**scpec111t2** **Making student behave correctly**

```

type:  numeric (byte)
label:  scpec111t2

range:  [1,3]
unique values:  2

units:  1
missing .:  2,396/11,673

tabulation:  Freq.  Numeric  Label
              6,402    1      Yes
              2,875    3      No
              2,396    .
    
```

**scpec112t2** **Are there any additional punishment excuted by teachers that are not listed abov**

```

type:  numeric (byte)
label:  scpec112t2

range:  [1,3]
unique values:  2

units:  1
missing .:  2,396/11,673

tabulation:  Freq.  Numeric  Label
              4      1      Yes
            9,273    3      No
            2,396    .
    
```

**scpec112t2txt** **If yes, specify what method was used**

```

type:  string (str262), but longest is str48
    
```

unique values: 1 missing "": 11,669/11,673

tabulation: Freq. Value  
 11,669 ""

4 "ไม่เห็นผลกับเด็ก"

**sctrcl02t1**

**Are the students doing exercises or worksheets without any activities incorporat**

type: numeric (byte)  
 label: **sctrcl02t1**

range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

**sctrcl02t1txt**

**Reason for not observing**

type: string (str130), but longest is str0

unique values: 0 missing "": 11,673/11,673

tabulation: Freq. Value  
 11,673 ""

**sctrcl03t1**

**Is lecturing and not doing activities with the students the teacher's main metho**

type: numeric (byte)  
 label: **sctrcl03t1**

range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

**sctrcl04t1**

**Does the teacher turn on the TV or video for the students to watch?**

type: numeric (byte)  
 label: **sctrcl04t1**

range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

**sctrcl05t1**

**Is the teacher's attention directed towards other sectors of work rather than te**

type: numeric (byte)  
 label: **sctrcl05t1**

range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl06t1** Does the teacher assign group activities, where all students have approximately

---

type: numeric (byte)  
 label: **sctrcl06t1**  
 range: [..]  
 unique values: 0 units: .  
 missing :: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl07t1** Is there negative language incorporated in the teacher's speech?

---

type: numeric (byte)  
 label: **sctrcl07t1**  
 range: [..]  
 unique values: 0 units: .  
 missing :: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl08t1** Physical punishment such as hitting

---

type: numeric (byte)  
 label: **sctrcl08t1**  
 range: [..]  
 unique values: 0 units: .  
 missing :: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl09t1** Verbal reprimand rebuke

---

type: numeric (byte)  
 label: **sctrcl09t1**  
 range: [..]  
 unique values: 0 units: .  
 missing :: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl10t1** Seperation of students from the rest of class

---

type: numeric (byte)  
 label: **sctrcl10t1**  
 range: [..]  
 unique values: 0 units: .  
 missing :: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl11t1** Making student behave correctly

---

```

type: numeric (byte)
label: sctrcl11t1

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

**sctrcl12t1**

**Are there any additional punishment excuted by teachers that are not listed abov**

```

type: numeric (byte)
label: sctrcl12t1

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

**sctrcl12t1txt**

**If yes, specify what method was used**

```

type: string (str98), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
11,673 ""

```

**sctrcl02t2**

**Are the students doing exercises or worksheets without any activities incorporat**

```

type: numeric (byte)
label: sctrcl02t2

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .

```

**sctrcl02t2txt**

**Reason for not observing**

```

type: string (str126), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
11,673 ""

```

**sctrcl03t2**

**Is lecturing and not doing activities with the students the teacher's main metho**

```

type: numeric (byte)
label: sctrcl03t2

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

```

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl04t2 Does the teacher turn on the TV or video for the students to watch?**

---

type: numeric (byte)  
 label: **sctrcl04t2**

range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl05t2 Is the teacher's attention directed towards other sectors of work rather than te**

---

type: numeric (byte)  
 label: **sctrcl05t2**

range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl06t2 Does the teacher assign group activities, where all students have approximately**

---

type: numeric (byte)  
 label: **sctrcl06t2**

range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl07t2 Is there negative language incorporated in the teacher's speech?**

---

type: numeric (byte)  
 label: **sctrcl07t2**

range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl08t2 Physical punishment such as hitting**

---

type: numeric (byte)  
 label: **sctrcl08t2**

range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl09t2** **Verbal reprimand rebuke**

---

```

type: numeric (byte)
label: sctrcl09t2

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq.  Numeric  Label
             11,673      .
    
```

---

**sctrcl10t2** **Seperation of students from the rest of class**

---

```

type: numeric (byte)
label: sctrcl10t2

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq.  Numeric  Label
             11,673      .
    
```

---

**sctrcl11t2** **Making student behave correctly**

---

```

type: numeric (byte)
label: sctrcl11t2

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq.  Numeric  Label
             11,673      .
    
```

---

**sctrcl12t2** **Are there any additional punishment excuted by teachers that are not listed above**

---

```

type: numeric (byte)
label: sctrcl12t2

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq.  Numeric  Label
             11,673      .
    
```

---

**sctrcl12t2txt** **If yes, specify what method was used**

---

```

type: string (str135), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq.  Value
             11,673  ""
    
```

---

**spec113p1** **One panoramic classroom image (Standing and taking photos from the corner of the**

---

```

type: numeric (byte)
label: spec113p1
    
```

```

        range: [1,3]                units: 1
unique values: 2                    missing .: 2,400/11,673

    tabulation: Freq.  Numeric  Label
                9,222    1     Yes
                 51     3     No
                2,400    .
    
```

**scpec113p2**

**Pictures of the classroom on all 4 sides (front, back, left and right) showing t**

```

        type: numeric (byte)
        label: scpec113p2

        range: [1,3]                units: 1
unique values: 2                    missing .: 2,396/11,673

    tabulation: Freq.  Numeric  Label
                9,220    1     Yes
                 57     3     No
                2,396    .
    
```

**scpec113p3**

**Pictures of teachers executing activities with the students as a whole from both**

```

        type: numeric (byte)
        label: scpec113p3

        range: [1,3]                units: 1
unique values: 2                    missing .: 2,396/11,673

    tabulation: Freq.  Numeric  Label
                9,060    1     Yes
                 217    3     No
                2,396    .
    
```

**scpec113p4**

**Pictures of students doing the activity as a whole from both observations.**

```

        type: numeric (byte)
        label: scpec113p4

        range: [1,3]                units: 1
unique values: 2                    missing .: 2,396/11,673

    tabulation: Freq.  Numeric  Label
                9,053    1     Yes
                 224    3     No
                2,396    .
    
```

**roomid\_p01**

**Room code**

```

        type: string (str10), but longest is str9
unique values: 964                    missing "": 1,022/11,673
    
```

**roomno\_p01**

**Room number**

```

        type: numeric (byte)
    
```

range: [41,82] units: 1  
 unique values: 7 missing .: 1,022/11,673

tabulation: Freq. Value  
 7,753 41  
 772 42  
 180 43  
 87 44  
 10 45  
 1,687 81  
 162 82  
 1,022 .  
 mean: 48.0937  
 std. dev: 15.1301

percentiles: 10% 25% 50% 75% 90%  
 41 41 41 42 81

---

roomlabcl\_p01 Grade level of observation

---

type: string (str87), but longest is str61

unique values: 36 missing "": 1,022/11,673

tabulation: Freq. Value  
 1,022 ""  
 289 "1"  
 24 "1/1"  
 49 "1/2"  
 1 4 "รพ๑นประด๑นศ๑ษาป๑ท๑ 1 / 1 "  
 30 "ป.1.3"  
 15 "ป."  
 6 "ป./1"  
 6,949 "ป.1"  
 3 "ป.1 / ป.3"  
 13 "ป.1,2"  
 28 "ป.1-2"  
 12 "ป.1-2-3"  
 120 "ป.1-ป.2"  
 19 "ป.1-ป.3"  
 5 "ป.1.-ป.2"  
 959 "ป.1/1"  
 637 "ป.1/2"  
 90 "ป.1/3"  
 60 "ป.1/4"  
 10 "ป.1/5"  
 15 "ป.1๗"  
 19 "ป.3/2"  
 178 "ป1"  
 46 "ป1-2"  
 85 "ป1/2"  
 60 "ป1/3"  
 4 "ประด๑น1"  
 5 3 7 "ประด๑นศ๑ษาป๑ท๑ 1 "  
 1 3 8 "ประด๑นศ๑ษาป๑ท๑ 1 "  
 4 2 "ประด๑นศ๑ษาป๑ท๑ 1 / 1 "  
 8 4 "ประด๑นศ๑ษาป๑ท๑ 1 / 2 "  
 2 7 "ประด๑นศ๑ษาป๑ท๑ 1 / 4 "  
 1 4 "ประด๑นศ๑ษาป๑ท๑ 1 "  
 47 "ห๑องป.1"  
 4 "ห๑องป1 ป.2"  
 19 "๑.3"

warning: variable has embedded and trailing blanks

---

mcmcc107\_p01 Total number of students

---



```

type: numeric (byte)
range: [0,46]
unique values: 45
units: 1
missing .: 1,022/11,673

```

```

tabulation: Freq. Value
             48  0
              8  1
             24  2
             57  3
            139  4
            176  5
            229  6
            209  7
            283  8
            373  9
            434 10
            590 11
            418 12
            401 13
            420 14
            546 15
            361 16
            395 17
            473 18
            538 19
            562 20
            364 21
            343 22
            429 23
            340 24
            374 25
            191 26
            296 27
            319 28
            105 29
            146 30
            221 31
            184 32
            102 33
            106 34
             15 35
              8 36
            126 37
             75 38
             28 39
             87 40
             28 42
             30 43
             35 45
             15 46
             1,022 .
mean:      18.4899
std. dev:  8.61523

```

```

percentiles:      10%      25%      50%      75%      90%
                  8        12        18        24        30

```

---

**mcmcc107cnt\_p01** **The number of students at the observation date**

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 11,673/11,673

```

```

tabulation: Freq. Value
             11,673 .
mean:      .
std. dev:  .

```

percentiles:           10%           25%           50%           75%           90%  
                                   .                   .                   .                   .                   .

---

**mcmcc101\_p01** **Total number of lead teachers**

---

```

type: numeric (int)
range: [0,11]
unique values: 5
units: 1
missing ..: 1,022/11,673

tabulation: Freq. Value
              31  0
            10,321  1
              259  2
               10  9
               30 11
            1,022  .
mean: 1.05708
std. dev: .604777

percentiles:           10%           25%           50%           75%           90%
                   1           1           1           1           1
    
```

---

**mcmcc102\_p01** **Total number of co-teachers**

---

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing ..: 1,022/11,673

tabulation: Freq. Value
              10,610  0
               41  1
            1,022  .
mean: .003849
std. dev: .061927

percentiles:           10%           25%           50%           75%           90%
                   0           0           0           0           0
    
```

---

**mcmcc103\_p01** **Total number of interns**

---

```

type: numeric (byte)
range: [0,2]
unique values: 3
units: 1
missing ..: 1,022/11,673

tabulation: Freq. Value
              10,561  0
               60  1
               30  2
            1,022  .
mean: .011267
std. dev: .129516

percentiles:           10%           25%           50%           75%           90%
                   0           0           0           0           0
    
```

---

**mcmcc104txt\_p01** **Others**

---

```

type: string (str169), but longest is str33
unique values: 1
missing "": 11,667/11,673
    
```

```

tabulation: Freq. Value
            11,667 "" 6 "ไม่แน่นอน"
    
```

---

**mcmcc104\_p01** **Total number of others**

---

```

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 1,022/11,673

tabulation: Freq. Value
            10,645 0
              6 1
            1,022 .
mean: .000563
std. dev: .023729

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

---

**mcmcc105\_p01** **Total number of teachers**

---

```

type: numeric (int)
range: [1,11] units: 1
unique values: 5 missing .: 1,047/11,673

tabulation: Freq. Value
            10,196 1
              360 2
               30 3
               10 9
               30 11
            1,047 .
mean: 1.07529
std. dev: .618139

percentiles: 10% 25% 50% 75% 90%
              1 1 1 1 1
    
```

---

**mcmcc105cnt\_p01** **At the observation date, how many teachers were at work?**

---

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Value
            11,673 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

---

**mcmcc106\_p01** **At this grade level, are there specific teachers assigned to each subjects?**

---

```

type: numeric (byte)
label: mcmcc106_p01
    
```

```

range: [1,3] units: 1
unique values: 2 missing ..: 1,037/11,673

tabulation: Freq. Numeric Label
             6,454      1 Yes
             4,182      3 No
             1,037      .
    
```

**mcmcc116\_p01** **Are there sufficient tables and chair for all kids?**

```

type: numeric (byte)
label: mcmcc116_p01

range: [1,3] units: 1
unique values: 2 missing ..: 1,027/11,673

tabulation: Freq. Numeric Label
             10,376      1 Yes
              270       3 No
             1,027      .
    
```

**sclecl01\_p01** **Is the classroom physically divided into multiple sections such a a reading sect**

```

type: numeric (byte)
label: sclecl01_p01

range: [.,.] units: .
unique values: 0 missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
             11,673      .
    
```

**sclecl01num\_p01** **If so, how many sections are there in total?**

```

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing ..: 11,673/11,673

tabulation: Freq. Value
             11,673 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

**sclecl01txt\_p01** **If so, what are the sections?**

```

type: string (str696), but longest is str0
unique values: 0 missing "": 11,673/11,673

tabulation: Freq. Value
             11,673 ""
    
```

**sclecl02\_p01** **Is the arrangement of materials in each sector orgernized?**

```

type: numeric (byte)
label: sclecl02_p01
    
```

range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**sclecl03\_p01 Is the materials in each sector in good shape?**

type: numeric (byte)  
 label: **sclecl03\_p01**  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**sclecl04\_p01 Are there sufficient materials in each sectors for the students?**

type: numeric (byte)  
 label: **sclecl04\_p01**  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**scpec112\_p01 Is the environment inside the classroom clean and organized?**

type: numeric (byte)  
 label: **scpec112\_p01**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 1,027/11,673  
 tabulation: Freq. Numeric Label  
 9,819 1 Yes  
 827 3 No  
 1,027 .

**scpec101\_p01 Have children do handwriting or use worksheets for children in the classroom.**

type: numeric (byte)  
 label: **scpec101\_p01**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 1,027/11,673  
 tabulation: Freq. Numeric Label  
 9,593 1 Yes  
 1,053 3 No  
 1,027 .

**mcmcc122\_p01 Is there a security camera within the classroom?**

type: numeric (byte)  
 label: **mcmcc122\_p01**

range: [1,3] units: 1  
 unique values: 2 missing .: 1,034/11,673

tabulation:	Freq.	Numeric	Label
	304	1	Yes
	10,335	3	No
	1,034	.	

**mcmcc118t1\_p01** During the period of observation, were there any activity in the classroom? (fir

type: numeric (byte)  
 label: mcmcc118t1\_p01

range: [1,3] units: 1  
 unique values: 2 missing .: 1,029/11,673

tabulation:	Freq.	Numeric	Label
	8,962	1	Yes
	1,682	3	No
	1,029	.	

**mcmcc119t1\_p01** Time in which the activity was done (first observation)

type: string (str8)  
 unique values: 156 missing "": 2,704/11,673

**mcmcc120t1\_p01** Activity name (first observation)

type: string (str635), but longest is str493  
 unique values: 595 missing "": 2,742/11,673

warning: variable has leading, embedded, and trailing blanks

**mcmcc121t1\_p01** Reason for having no activity

type: numeric (byte)  
 label: mcmcc121t1\_p01

range: [1,9] units: 1  
 unique values: 4 missing .: 9,991/11,673

tabulation:	Freq.	Numeric	Label
	124	1	Teacher rejects request for observation
	76	3	The room is utilized for examination
	1,478	5	Teacher is absent
	4	9	Others
	9,991	.	

**mcmcc121t1txt\_p01** Others

type: string (str585)  
 unique values: 122 missing "": 10,227/11,673

warning: variable has embedded and trailing blanks

**scpec102t1\_p01**  
**Are the students doing exercises or worksheets without any activities incorporat**

```

type: numeric (byte)
label: scpec102t1_p01

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
            11,673 .
    
```

**scpec102t1txt\_p01** **Reason for not observing**

```

type: string (str151), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
            11,673 ""
    
```

**scpec103t1\_p01**  
**Is lecturing and not doing activities with the students the teacher's main metho**

```

type: numeric (byte)
label: scpec103t1_p01

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
            11,673 .
    
```

**scpec104t1\_p01** **Does the teacher turn on the TV or video for the students to watch?**

```

type: numeric (byte)
label: scpec104t1_p01

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
            11,673 .
    
```

**scpec105t1\_p01**  
**Is the teacher's attention directed towards other sectors of work rather than te**

```

type: numeric (byte)
label: scpec105t1_p01

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
            11,673 .
    
```

---

**scpec106t1\_p01** Does the teacher assign group activities, where all students have approximately

---

type: numeric (byte)  
 label: **scpec106t1\_p01**  
 range: [..]  
 unique values: 0 units: .  
 missing :: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

---

**scpec107t1\_p01** Is there negative language incorporated in the teacher's speech?

---

type: numeric (byte)  
 label: **scpec107t1\_p01**  
 range: [..]  
 unique values: 0 units: .  
 missing :: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

---

**scpec108t1\_p01** Physical punishment such as hitting

---

type: numeric (byte)  
 label: **scpec108t1\_p01**  
 range: [..]  
 unique values: 0 units: .  
 missing :: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

---

**scpec109t1\_p01** Verbal reprimand rebuke

---

type: numeric (byte)  
 label: **scpec109t1\_p01**  
 range: [..]  
 unique values: 0 units: .  
 missing :: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

---

**scpec110t1\_p01** Seperation of students from the rest of class

---

type: numeric (byte)  
 label: **scpec110t1\_p01**  
 range: [..]  
 unique values: 0 units: .  
 missing :: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

---

**scpec111t1\_p01** Making student behave correctly

---



```

type: numeric (byte)
label: scpec11t1_p01

range: [.,.]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**scpec112t1\_p01**  
**Are there any additional punishment excuted by teachers that are not listed above**

```

type: numeric (byte)
label: scpec112t1_p01

range: [.,.]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**scpec112t1txt\_p01** **If yes, specify what method was used**

```

type: string (str187), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
11,673 ""
    
```

**mcmcc118t2\_p01**  
**During the period of observation, were there any activity in the classroom? (second observation)**

```

type: numeric (byte)
label: mcmcc118t2_p01

range: [1,3]
unique values: 2
units: 1
missing ..: 2,704/11,673

tabulation: Freq. Numeric Label
8,231 1 Yes
738 3 No
2,704 .
    
```

**mcmcc119t2\_p01** **Time in which the activty was done (second observation)**

```

type: string (str8)
unique values: 158
missing "": 3,442/11,673
    
```

**mcmcc120t2\_p01** **Activity name (second observation)**

```

type: string (str590), but longest is str392
unique values: 567
missing "": 3,452/11,673

warning: variable has embedded and trailing blanks
    
```

**scpec102t2\_p01**

**Are the students doing exercises or worksheets without any activities incorporat**

```

type: numeric (byte)
label: scpec102t2_p01

range: [1,3]
unique values: 2

units: 1
missing .: 2,780/11,673

tabulation: Freq.  Numeric  Label
              7,280      1  Yes
              1,613      3  No
              2,780      .
    
```

**scpec102t2txt\_p01**

**Reason for not observing**

```

type: string (str132), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq.  Value
              11,673  ""
    
```

**scpec103t2\_p01**

**Is lecturing and not doing activities with the students the teacher's main metho**

```

type: numeric (byte)
label: scpec103t2_p01

range: [1,3]
unique values: 2

units: 1
missing .: 2,780/11,673

tabulation: Freq.  Numeric  Label
              3,306      1  Yes
              5,587      3  No
              2,780      .
    
```

**scpec104t2\_p01**

**Does the teacher turn on the TV or video for the students to watch?**

```

type: numeric (byte)
label: scpec104t2_p01

range: [1,3]
unique values: 2

units: 1
missing .: 2,780/11,673

tabulation: Freq.  Numeric  Label
              2,342      1  Yes
              6,551      3  No
              2,780      .
    
```

**scpec105t2\_p01**

**Is the teacher's attention directed towards other sectors of work rather than te**

```

type: numeric (byte)
label: scpec105t2_p01

range: [1,3]
unique values: 2

units: 1
missing .: 2,780/11,673
    
```

```

tabulation:  Freq.  Numeric  Label
              575      1  Yes
              8,318    3  No
              2,780    .
    
```

**scpec106t2\_p01** Does the teacher assign group activities, where all students have approximately

```

type: numeric (byte)
label: scpec106t2_p01

range: [1,3]          units: 1
unique values: 2      missing .: 2,780/11,673

tabulation:  Freq.  Numeric  Label
              2,867    1  Yes
              6,026    3  No
              2,780    .
    
```

**scpec107t2\_p01** Is there negative language incorporated in the teacher's speech?

```

type: numeric (byte)
label: scpec107t2_p01

range: [1,3]          units: 1
unique values: 2      missing .: 2,780/11,673

tabulation:  Freq.  Numeric  Label
              296     1  Yes
              8,597    3  No
              2,780    .
    
```

**scpec108t2\_p01** Physical punishment such as hitting

```

type: numeric (byte)
label: scpec108t2_p01

range: [1,3]          units: 1
unique values: 2      missing .: 2,785/11,673

tabulation:  Freq.  Numeric  Label
              71     1  Yes
              8,817    3  No
              2,785    .
    
```

**scpec109t2\_p01** Verbal reprimand rebuke

```

type: numeric (byte)
label: scpec109t2_p01

range: [1,3]          units: 1
unique values: 2      missing .: 2,780/11,673

tabulation:  Freq.  Numeric  Label
              2,481    1  Yes
              6,412    3  No
              2,780    .
    
```

**scpec110t2\_p01** Separation of students from the rest of class

```

type: numeric (byte)
label: scpec110t2_p01

range: [1,3]
unique values: 2
units: 1
missing ..: 2,780/11,673

tabulation: Freq. Numeric Label
              19      1 Yes
              8,874    3 No
              2,780    .
    
```

**scpec111t2\_p01** **Making student behave correctly**

```

type: numeric (byte)
label: scpec111t2_p01

range: [1,3]
unique values: 2
units: 1
missing ..: 2,780/11,673

tabulation: Freq. Numeric Label
              5,809    1 Yes
              3,084    3 No
              2,780    .
    
```

**scpec112t2\_p01**  
**Are there any additional punishment excuted by teachers that are not listed abov**

```

type: numeric (byte)
label: scpec112t2_p01

range: [1,3]
unique values: 2
units: 1
missing ..: 2,780/11,673

tabulation: Freq. Numeric Label
              61      1 Yes
              8,832    3 No
              2,780    .
    
```

**scpec112t2txt\_p01** **If yes, specify what method was used**

```

type: string (str262)
unique values: 4
missing "": 11,612/11,673

tabulation: Freq. Value
              11,612 ""
              9  "นร.เขียนตัวหนังสือผิด ครูใช้ไม้ตีเคาะ
                 พาดลงไป โทษมือเด็กที่กำลังเขียนอยู่
                 เสร็จขังคะคอกนร. "
              7  "ให้ทำความสะอาด"
              30  "ให้ทำสมาธิ"
              15  "ให้รคนจำค่นไม' อ.พ'น"

warning: variable has embedded and trailing blanks
    
```

**sctrcl02t1\_p01**  
**Are the students doing exercises or worksheets without any activities incorporat**

```

type: numeric (byte)
label: sctrcl02t1_p01

range: [.,.]
unique values: 0
units: .
missing ..: 11,673/11,673
    
```

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl02t1txt\_p01 Reason for not observing**

---

type: string (**str130**), but longest is str0  
 unique values: 0 missing "": 11,673/11,673  
 tabulation: Freq. Value  
 11,673 ""

---

**sctrcl03t1\_p01 Is lecturing and not doing activities with the students the teacher's main metho**

---

type: numeric (**byte**)  
 label: **sctrcl03t1\_p01**  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl04t1\_p01 Does the teacher turn on the TV or video for the students to watch?**

---

type: numeric (**byte**)  
 label: **sctrcl04t1\_p01**  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl05t1\_p01 Is the teacher's attention directed towards other sectors of work rather than te**

---

type: numeric (**byte**)  
 label: **sctrcl05t1\_p01**  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl06t1\_p01 Does the teacher assign group activities, where all students have approximately**

---

type: numeric (**byte**)  
 label: **sctrcl06t1\_p01**  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl07t1\_p01**                    **Is there negative language incorporated in the teacher's speech?**

---

```

type: numeric (byte)
label: sctrcl07t1_p01

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq.  Numeric  Label
             11,673      .
    
```

---

**sctrcl08t1\_p01**                    **Physical punishment such as hitting**

---

```

type: numeric (byte)
label: sctrcl08t1_p01

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq.  Numeric  Label
             11,673      .
    
```

---

**sctrcl09t1\_p01**                    **Verbal reprimand rebuke**

---

```

type: numeric (byte)
label: sctrcl09t1_p01

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq.  Numeric  Label
             11,673      .
    
```

---

**sctrcl10t1\_p01**                    **Seperation of students from the rest of class**

---

```

type: numeric (byte)
label: sctrcl10t1_p01

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq.  Numeric  Label
             11,673      .
    
```

---

**sctrcl11t1\_p01**                    **Making student behave correctly**

---

```

type: numeric (byte)
label: sctrcl11t1_p01

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq.  Numeric  Label
             11,673      .
    
```

---

**sctrcl12t1\_p01**  
**Are there any additional punishment excuted by teachers that are not listed abov**

---

```

type: numeric (byte)
label: sctrcl12t1_p01

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**sctrcl12t1txt\_p01** If yes, specify what method was used

```

type: string (str98), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
11,673 ""
    
```

**sctrcl02t2\_p01**  
**Are the students doing exercises or worksheets without any activities incorporat**

```

type: numeric (byte)
label: sctrcl02t2_p01

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**sctrcl02t2txt\_p01** Reason for not observing

```

type: string (str126), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
11,673 ""
    
```

**sctrcl03t2\_p01**  
**Is lecturing and not doing activities with the students the teacher's main metho**

```

type: numeric (byte)
label: sctrcl03t2_p01

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**sctrcl04t2\_p01** Does the teacher turn on the TV or video for the students to watch?

```

type: numeric (byte)
label: sctrcl04t2_p01

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

---

**sctrcl05t2\_p01** **Is the teacher's attention directed towards other sectors of work rather than te**

---

type: numeric (**byte**)  
 label: **sctrcl05t2\_p01**  
 range: [...]  
 unique values: 0  
 units: .  
 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
           11,673 .

---

**sctrcl06t2\_p01** **Does the teacher assign group activities, where all students have approximately**

---

type: numeric (**byte**)  
 label: **sctrcl06t2\_p01**  
 range: [...]  
 unique values: 0  
 units: .  
 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
           11,673 .

---

**sctrcl07t2\_p01** **Is there negative language incorporated in the teacher's speech?**

---

type: numeric (**byte**)  
 label: **sctrcl07t2\_p01**  
 range: [...]  
 unique values: 0  
 units: .  
 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
           11,673 .

---

**sctrcl08t2\_p01** **Physical punishment such as hitting**

---

type: numeric (**byte**)  
 label: **sctrcl08t2\_p01**  
 range: [...]  
 unique values: 0  
 units: .  
 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
           11,673 .

---

**sctrcl09t2\_p01** **Verbal reprimand rebuke**

---

type: numeric (**byte**)  
 label: **sctrcl09t2\_p01**  
 range: [...]  
 unique values: 0  
 units: .  
 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
           11,673 .

---

**sctrcl10t2\_p01** **Seperation of students from the rest of class**

---



```

type: numeric (byte)
label: sctrcl10t2_p01

range: [.,.]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
            11,673 .
    
```

**sctrcl11t2\_p01** **Making student behave correctly**

```

type: numeric (byte)
label: sctrcl11t2_p01

range: [.,.]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
            11,673 .
    
```

**sctrcl12t2\_p01**  
**Are there any additional punishment excuted by teachers that are not listed abov**

```

type: numeric (byte)
label: sctrcl12t2_p01

range: [.,.]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
            11,673 .
    
```

**sctrcl12t2txt\_p01** **If yes, specify what method was used**

```

type: string (str135), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
            11,673 ""
    
```

**mcmcc123\_p01**  
**Where there any traces or evidence of teachers allowing the students to watch te**

```

type: numeric (byte)
label: mcmcc123_p01

range: [1,3]
unique values: 2
units: 1
missing ..: 1,048/11,673

tabulation: Freq. Numeric Label
            6,724 1 Yes
            3,901 3 No
            1,048 .
    
```

**scpec113p1\_p01**  
**One panoramic classroom image (Standing and taking photos from the corner of the**

```

type: numeric (byte)
label: scpec113p1_p01
    
```

```

range: [1,3] units: 1
unique values: 2 missing .: 2,780/11,673

tabulation: Freq. Numeric Label
            8,825 1 Yes
             68 3 No
            2,780 .
    
```

**scpec113p2\_p01**  
**Pictures of the classroom on all 4 sides (front, back, left and right) showing t**

```

type: numeric (byte)
label: scpec113p2_p01

range: [1,3] units: 1
unique values: 2 missing .: 2,780/11,673

tabulation: Freq. Numeric Label
            8,823 1 Yes
             70 3 No
            2,780 .
    
```

**scpec113p3\_p01**  
**Pictures of teachers executing activities with the students as a whole from both**

```

type: numeric (byte)
label: scpec113p3_p01

range: [1,3] units: 1
unique values: 2 missing .: 2,780/11,673

tabulation: Freq. Numeric Label
            8,758 1 Yes
             135 3 No
            2,780 .
    
```

**scpec113p4\_p01**  
**Pictures of students doing the activity as a whole from both observations.**

```

type: numeric (byte)
label: scpec113p4_p01

range: [1,3] units: 1
unique values: 2 missing .: 2,780/11,673

tabulation: Freq. Numeric Label
            8,757 1 Yes
             136 3 No
            2,780 .
    
```

**st\_num\_p01** **Number of students**

```

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Value
            11,673 .
mean: .
std. dev: .
    
```

percentiles: 10% 25% 50% 75% 90%  
 . . . . .

---

**te\_num\_p01** **Number of teachers**

---

type: numeric (**byte**)

range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Value  
 11,673 .

mean: .  
 std. dev: .

percentiles: 10% 25% 50% 75% 90%  
 . . . . .

---

**note\_p01** **Interviewer's notes**

---

type: string (**str1768**), but longest is str868

unique values: 237 missing "": 9,108/11,673

warning: variable has leading, embedded, and trailing blanks

---

**roomid\_p02** **Room code**

---

type: string (**str10**), but longest is str9

unique values: 28 missing "": 11,321/11,673

tabulation: Freq. Value  
 11,321 ""  
 11 "170301041"  
 30 "330704542"  
 12 "470107943"  
 15 "471601542"  
 8 "640100741"  
 9 "640101741"  
 10 "640502941"  
 7 "640503141"  
 15 "640503841"  
 15 "640504141"  
 10 "640700281"  
 4 "640700641"  
 4 "640700781"  
 15 "640702441"  
 11 "640800841"  
 30 "640801242"  
 7 "640900341"  
 9 "640900641"  
 15 "640901341"  
 15 "640901441"  
 15 "640901741"  
 15 "700103841"  
 15 "700601541"  
 13 "730600841"  
 4 "730700241"  
 11 "730700341"  
 13 "730700441"  
 14 "860203041"

---

**roomno\_p02** **Room number**

---

```

type: numeric (byte)
range: [41,81] units: 1
unique values: 4 missing .: 11,321/11,673

tabulation: Freq. Value
              251 41
              75 42
              12 43
              14 81
            11,321 .
mean: 42.8722
std. dev: 7.78801

percentiles: 10% 25% 50% 75% 90%
              41 41 41 42 42
    
```

---

**roomlabcl\_p02** **Grade level of observation**

---

```

type: string (str87), but longest is str49
unique values: 7 missing "": 11,321/11,673

tabulation: Freq. Value
            11,321 ""
              81 "ป.1"
              15 "ป.1/1"
              45 "ป.1/2"
              12 "ป.1/3"
              46 "ประถมศึกษาปีที่ 1"
             123 "ประถมศึกษาปีที่ 1 "
              30 "ประถมศึกษาปีที่ 1/2"

warning: variable has embedded and trailing blanks
    
```

---

**mcmcc107\_p02** **Total number of students**

---

```

type: numeric (byte)
range: [3,34] units: 1
unique values: 20 missing .: 11,321/11,673

tabulation: Freq. Value
              10 3
              15 5
               9 6
               4 7
              18 8
              15 10
              30 11
              15 13
               4 14
              10 16
              20 17
              15 18
              15 19
              28 20
              45 22
              15 23
              14 26
              27 28
              13 30
              30 34
            11,321 .
    
```

mean: 18.5852  
 std. dev: 8.53073  
 percentiles: 10% 25% 50% 75% 90%  
                   7 11 19 23 30

**mcmcc107cnt\_p02** **The number of students at the observation date**

type: numeric (**byte**)  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Value  
                   11,673 .  
 mean: .  
 std. dev: .  
 percentiles: 10% 25% 50% 75% 90%  
                   . . . . .

**mcmcc101\_p02** **Total number of lead teachers**

type: numeric (**int**)  
 range: [1,2] units: 1  
 unique values: 2 missing .: 11,321/11,673  
 tabulation: Freq. Value  
                   339 1  
                   13 2  
                   11,321 .  
 mean: 1.03693  
 std. dev: .188863  
 percentiles: 10% 25% 50% 75% 90%  
                   1 1 1 1 1

**mcmcc102\_p02** **Total number of co-teachers**

type: numeric (**byte**)  
 range: [0,0] units: 1  
 unique values: 1 missing .: 11,321/11,673  
 tabulation: Freq. Value  
                   352 0  
                   11,321 .  
 mean: 0  
 std. dev: 0  
 percentiles: 10% 25% 50% 75% 90%  
                   0 0 0 0 0

**mcmcc103\_p02** **Total number of interns**

type: numeric (**byte**)  
 range: [0,0] units: 1  
 unique values: 1 missing .: 11,321/11,673

```

tabulation:  Freq.  Value
              352    0
            11,321  .
      mean:    0
    std. dev:  0

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

---

**mcmcc104txt\_p02** **Others**

---

```

type:  string (str169), but longest is str0
unique values:  0          missing "":  11,673/11,673

tabulation:  Freq.  Value
              11,673  ""
    
```

---

**mcmcc104\_p02** **Total number of others**

---

```

type:  numeric (byte)
range:  [0,0]          units:  1
unique values:  1      missing .:  11,321/11,673

tabulation:  Freq.  Value
              352    0
            11,321  .
      mean:    0
    std. dev:  0

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

---

**mcmcc105\_p02** **Total number of teachers**

---

```

type:  numeric (int)
range:  [1,2]          units:  1
unique values:  2      missing .:  11,321/11,673

tabulation:  Freq.  Value
              339    1
               13    2
            11,321  .
      mean:    1.03693
    std. dev:  .188863

percentiles:  10%    25%    50%    75%    90%
              1      1      1      1      1
    
```

---

**mcmcc105cnt\_p02** **At the observation date, how many teachers were at work?**

---

```

type:  numeric (byte)
range:  [.,.]          units:  .
unique values:  0      missing .:  11,673/11,673

tabulation:  Freq.  Value
              11,673  .
      mean:    .
    std. dev:  .
    
```



unique values: 0 missing "": 11,673/11,673  
 tabulation: Freq. Value  
 11,673 ""

**sclecl02\_p02 Is the arrangement of materials in each sector orgernized?**

type: numeric (byte)  
 label: **sclecl02\_p02**  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**sclecl03\_p02 Is the materials in each sector in good shape?**

type: numeric (byte)  
 label: **sclecl03\_p02**  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**sclecl04\_p02 Are there sufficient materials in each sectors for the students?**

type: numeric (byte)  
 label: **sclecl04\_p02**  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**scpec112\_p02 Is the environment inside the classroom clean and organized?**

type: numeric (byte)  
 label: **scpec112\_p02**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 11,321/11,673  
 tabulation: Freq. Numeric Label  
 298 1 Yes  
 54 3 No  
 11,321 .

**scpec101\_p02 Have children do handwriting or use worksheets for children in the classroom.**

type: numeric (byte)  
 label: **scpec101\_p02**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 11,321/11,673



```

tabulation:  Freq.  Numeric  Label
              326      1  Yes
              26      3  No
            11,321      .
    
```

---

**mcmcc122\_p02** **Is there a security camera within the classroom?**

---

```

type:  numeric (byte)
label:  mcmcc122_p02

range:  [3,3]                units:  1
unique values:  1            missing .:  11,321/11,673

tabulation:  Freq.  Numeric  Label
              352      3  No
            11,321      .
    
```

---

**mcmcc118t1\_p02** **During the period of observation, were there any activity in the classroom? (fir**

---

```

type:  numeric (byte)
label:  mcmcc118t1_p02

range:  [1,3]                units:  1
unique values:  2            missing .:  11,321/11,673

tabulation:  Freq.  Numeric  Label
              286      1  Yes
              66      3  No
            11,321      .
    
```

---

**mcmcc119t1\_p02** **Time in which the activty was done (first observation)**

---

```

type:  string (str8)

unique values:  17            missing "":  11,387/11,673

tabulation:  Freq.  Value
            11,387  ""
              15  "08:42:00"
              14  "08:50:00"
               9  "08:51:00"
              15  "08:52:00"
              34  "08:58:00"
              23  "08:59:00"
              39  "09:00:00"
               7  "09:01:00"
               9  "09:02:00"
              15  "09:04:00"
              15  "09:09:00"
               4  "09:28:00"
              14  "09:37:00"
              30  "09:43:00"
              15  "09:50:00"
              15  "10:07:00"
              13  "10:40:00"
    
```

---

**mcmcc120t1\_p02** **Activity name (first observation)**

---

```

type:  string (str635), but longest is str223

unique values:  22            missing "":  11,387/11,673
    
```

tabulation: Freq. Value  
11,387 ""

13 "ครูพาเด็กอ่านสะกดคำภาษาไทยตามหนังสือเรียน"

15 "คัดไทยตามคำบอกของครู"

10 "ตัวสะกด เช่น พลา สด"

4 "ทำใบงานลำดับญาติพี่น้อง"

15 "ฝึกคัดหรือตัวเอง"

30 "ฝึกอ่านภาษาไทยอังกฤษตามครู"

7 "เขียนตามคำบอกของครู"

15 "เขียนบันทึกการอ่าน"

4 "เรียน dltv คณิตศาสตร์ 25"

เปลี่ยน

13 "เรียนคณิต"

15 "เรียนประวัติศาสตร์"

9 "เรียนภาษาอังกฤษ"

เป็น ซ. เช่น คำว่า

ทราย, จริง, สรรพ, กลาน, พริก"

4 "เรียนวิชาคณิตศาสตร์"

8 "เร"

15 "เร" ย น

warning: variable has embedded blanks

mcmcc121t1\_p02

Reason for having no activity

type: numeric (byte)  
label: mcmcc121t1\_p02

range: [5,5] units: 1  
unique values: 1 missing.: 11,607/11,673

tabulation: Freq. Numeric Label  
66 5 Teacher is absent  
11,607 .

mcmcc121t1txt\_p02

Others

type: string (str585), but longest is str358

unique values: 6 missing "": 11,607/11,673

tabulation: Freq. Value  
11,607 ""

โควิด-19"

10 "วัน น"

11 "ห้องเรียน ป. 1  
มีเด็กในชั้นเป็นโควิด-19  
เลยสั่งให้หยุดเรียน  
เรียนออนไลน์ที่บ้านแทน"

พร้อมกันที่ กระดาษ "

12 "โรงเรียนปิดเทอม"

warning: variable has embedded and trailing blanks

---

**scpec102t1\_p02**

**Are the students doing exercises or worksheets without any activities incorporat**

---

```

type: numeric (byte)
label: scpec102t1_p02

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
            11,673 .
    
```

---

**scpec102t1txt\_p02**

**Reason for not observing**

---

```

type: string (str151), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
            11,673 ""
    
```

---

**scpec103t1\_p02**

**Is lecturing and not doing activities with the students the teacher's main metho**

---

```

type: numeric (byte)
label: scpec103t1_p02

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
            11,673 .
    
```

---

**scpec104t1\_p02**

**Does the teacher turn on the TV or video for the students to watch?**

---

```

type: numeric (byte)
label: scpec104t1_p02

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
            11,673 .
    
```

---

**scpec105t1\_p02**

**Is the teacher's attention directed towards other sectors of work rather than te**

---

```

type: numeric (byte)
label: scpec105t1_p02

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
            11,673 .
    
```

---

**scpec106t1\_p02** Does the teacher assign group activities, where all students have approximately

---

```

type: numeric (byte)
label: scpec106t1_p02

range: [...]
unique values: 0
units: .
missing .: 11,673/11,673

tabulation: Freq. Numeric Label
            11,673 .
    
```

---

**scpec107t1\_p02** Is there negative language incorporated in the teacher's speech?

---

```

type: numeric (byte)
label: scpec107t1_p02

range: [...]
unique values: 0
units: .
missing .: 11,673/11,673

tabulation: Freq. Numeric Label
            11,673 .
    
```

---

**scpec108t1\_p02** Physical punishment such as hitting

---

```

type: numeric (byte)
label: scpec108t1_p02

range: [...]
unique values: 0
units: .
missing .: 11,673/11,673

tabulation: Freq. Numeric Label
            11,673 .
    
```

---

**scpec109t1\_p02** Verbal reprimand rebuke

---

```

type: numeric (byte)
label: scpec109t1_p02

range: [...]
unique values: 0
units: .
missing .: 11,673/11,673

tabulation: Freq. Numeric Label
            11,673 .
    
```

---

**scpec110t1\_p02** Seperation of students from the rest of class

---

```

type: numeric (byte)
label: scpec110t1_p02

range: [...]
unique values: 0
units: .
missing .: 11,673/11,673

tabulation: Freq. Numeric Label
            11,673 .
    
```

---

**scpec111t1\_p02** Making student behave correctly

---

```

type: numeric (byte)
label: scpec11t1_p02

range: [.,.]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**scpec112t1\_p02**

**Are there any additional punishment excuted by teachers that are not listed above**

```

type: numeric (byte)
label: scpec112t1_p02

range: [.,.]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**scpec112t1txt\_p02**

**If yes, specify what method was used**

```

type: string (str187), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
11,673 ""
    
```

**mcmcc118t2\_p02**

**During the period of observation, were there any activity in the classroom? (sec**

```

type: numeric (byte)
label: mcmcc118t2_p02

range: [1,3]
unique values: 2
units: 1
missing ..: 11,380/11,673

tabulation: Freq. Numeric Label
277 1 Yes
16 3 No
11,380 .
    
```

**mcmcc119t2\_p02**

**Time in which the activty was done (second observation)**

```

type: string (str8)
unique values: 19
missing "": 11,396/11,673

tabulation: Freq. Value
11,396 ""
4 "09:50:00"
4 "09:51:00"
15 "09:53:00"
7 "09:59:00"
30 "10:00:00"
9 "10:03:00"
23 "10:10:00"
30 "10:16:00"
15 "10:19:00"
15 "10:20:00"
10 "10:22:00"
30 "10:33:00"
    
```

```

15 "10:36:00"
 4 "10:53:00"
14 "11:04:00"
13 "11:05:00"
13 "11:34:00"
11 "12:50:00"
15 "14:03:00"

```

---

mcmcc120t2\_p02 Activity name (second observation)

---

```

type: string (str590), but longest is str205
unique values: 21 missing "": 11,396/11,673

```

```

tabulation: Freq. Value
11,396 ""

```

```

              7 " การผันอักษรตามวรรณยุกต์
11 "ครูสอนการสะกด พจนานุกรม
           และให้เด็กเขียนตามคำบ
              1 3
13 "ทานอาหารกลางวัน"
15 "ทำใบงานภาษาไทย"
              1 4 "ฝึกทบทวนคำศัพท์และข้อ
              1 5 "ภาษาไทยจากท
             หมายปากับลูกแกะ"
10 "อักษรกลางมี 9 ตัว คือ ก จ ด ต ฉ ฎ ฏ บ ป
   อ"
              4 "เรียน dltv แต่งประโยค จากภาพวาด"
8 "เรียนคณิตศาสตร์ เลข 2 หลัก 79+20="
              9 "เรียนคำควบกล้ำ (ร, ล, ว) ตามทว
              3 0 "เรียนพระพ, ทรศานา พ
15 "เรียนภาษาไทย"
              3 0 "เรี
15 "เรียนรู้เรื่อง คำที่สะกดด้วยมาตราต่างๆ"
              4 "เรียนวิชาภาษาไทย
              15 "เรียนวิทยาศาสตร์
   วัตถุประสงค์ก่อนที่แต่ละคนได้รับจึงมีความ
   แตกต่างกัน"
              4 "เรียนเรื่อง
              1 5 "เรี
15 "แต่งประโยคภาษาไทย"

```

warning: variable has embedded and trailing blanks

---

spec102t2\_p02 Are the students doing exercises or worksheets without any activities incorporat

---

```

type: numeric (byte)
label: spec102t2_p02
range: [1,3] units: 1
unique values: 2 missing .: 11,396/11,673

```

```

tabulation: Freq. Numeric Label
              240 1 Yes
              37 3 No
11,396 .

```

---

spec102t2txt\_p02 Reason for not observing

---

```

type: string (str132), but longest is str0

```

unique values: 0 missing "": 11,673/11,673

tabulation: Freq. Value  
 11,673 ""

**scpec103t2\_p02**  
**Is lecturing and not doing activities with the students the teacher's main metho**

type: numeric (byte)  
 label: **scpec103t2\_p02**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 11,396/11,673

tabulation: Freq. Numeric Label  
 164 1 Yes  
 113 3 No  
 11,396 .

**scpec104t2\_p02** Does the teacher turn on the TV or video for the students to watch?

type: numeric (byte)  
 label: **scpec104t2\_p02**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 11,396/11,673

tabulation: Freq. Numeric Label  
 66 1 Yes  
 211 3 No  
 11,396 .

**scpec105t2\_p02**  
**Is the teacher's attention directed towards other sectors of work rather than te**

type: numeric (byte)  
 label: **scpec105t2\_p02**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 11,396/11,673

tabulation: Freq. Numeric Label  
 32 1 Yes  
 245 3 No  
 11,396 .

**scpec106t2\_p02**  
**Does the teacher assign group activities, where all students have approximately**

type: numeric (byte)  
 label: **scpec106t2\_p02**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 11,396/11,673

tabulation: Freq. Numeric Label  
 176 1 Yes  
 101 3 No  
 11,396 .

**scpec107t2\_p02** Is there negative language incorporated in the teacher's speech?

```

type: numeric (byte)
label: scpec107t2_p02

range: [3,3]
unique values: 1
units: 1
missing .. 11,396/11,673

tabulation: Freq.   Numeric   Label
              277         3     No
              11,396        .
    
```

**scpec108t2\_p02** **Physical punishment such as hitting**

```

type: numeric (byte)
label: scpec108t2_p02

range: [3,3]
unique values: 1
units: 1
missing .. 11,396/11,673

tabulation: Freq.   Numeric   Label
              277         3     No
              11,396        .
    
```

**scpec109t2\_p02** **Verbal reprimand rebuke**

```

type: numeric (byte)
label: scpec109t2_p02

range: [1,3]
unique values: 2
units: 1
missing .. 11,396/11,673

tabulation: Freq.   Numeric   Label
              54         1     Yes
              223         3     No
              11,396        .
    
```

**scpec110t2\_p02** **Seperation of students from the rest of class**

```

type: numeric (byte)
label: scpec110t2_p02

range: [3,3]
unique values: 1
units: 1
missing .. 11,396/11,673

tabulation: Freq.   Numeric   Label
              277         3     No
              11,396        .
    
```

**scpec111t2\_p02** **Making student behave correctly**

```

type: numeric (byte)
label: scpec111t2_p02

range: [1,3]
unique values: 2
units: 1
missing .. 11,396/11,673

tabulation: Freq.   Numeric   Label
              69         1     Yes
              208         3     No
              11,396        .
    
```



**scpec112t2\_p02**

**Are there any additional punishment excuted by teachers that are not listed above**

```

type: numeric (byte)
label: scpec112t2_p02

range: [3,3]
unique values: 1
units: 1
missing .: 11,396/11,673

tabulation: Freq. Numeric Label
             277      3 No
             11,396      .
    
```

**scpec112t2txt\_p02**

**If yes, specify what method was used**

```

type: string (str262), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
             11,673 ""
    
```

**sctrcl02t1\_p02**

**Are the students doing exercises or worksheets without any activities incorporat**

```

type: numeric (byte)
label: sctrcl02t1_p02

range: [.,.]
unique values: 0
units: .
missing .: 11,673/11,673

tabulation: Freq. Numeric Label
             11,673      .
    
```

**sctrcl02t1txt\_p02**

**Reason for not observing**

```

type: string (str130), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
             11,673 ""
    
```

**sctrcl03t1\_p02**

**Is lecturing and not doing activities with the students the teacher's main metho**

```

type: numeric (byte)
label: sctrcl03t1_p02

range: [.,.]
unique values: 0
units: .
missing .: 11,673/11,673

tabulation: Freq. Numeric Label
             11,673      .
    
```

**sctrcl04t1\_p02**

**Does the teacher turn on the TV or video for the students to watch?**

```

type: numeric (byte)
label: sctrcl04t1_p02
    
```

range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**sctrcl05t1\_p02**  
**Is the teacher's attention directed towards other sectors of work rather than te**

type: numeric (byte)  
 label: **sctrcl05t1\_p02**  
 range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**sctrcl06t1\_p02**  
**Does the teacher assign group activities, where all students have approximately**

type: numeric (byte)  
 label: **sctrcl06t1\_p02**  
 range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**sctrcl07t1\_p02** **Is there negative language incorporated in the teacher's speech?**

type: numeric (byte)  
 label: **sctrcl07t1\_p02**  
 range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**sctrcl08t1\_p02** **Physical punishment such as hitting**

type: numeric (byte)  
 label: **sctrcl08t1\_p02**  
 range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**sctrcl09t1\_p02** **Verbal reprimand rebuke**

type: numeric (byte)  
 label: **sctrcl09t1\_p02**  
 range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl10t1\_p02** **Seperation of students from the rest of class**

---

type: numeric (byte)  
 label: **sctrcl10t1\_p02**

range: [..]  
 unique values: 0 units: .  
 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl11t1\_p02** **Making student behave correctly**

---

type: numeric (byte)  
 label: **sctrcl11t1\_p02**

range: [..]  
 unique values: 0 units: .  
 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl12t1\_p02**  
**Are there any additional punishment excuted by teachers that are not listed abov**

---

type: numeric (byte)  
 label: **sctrcl12t1\_p02**

range: [..]  
 unique values: 0 units: .  
 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl12t1txt\_p02** **If yes, specify what method was used**

---

type: string (str98), but longest is str0

unique values: 0 missing "": 11,673/11,673

tabulation: Freq. Value  
 11,673 ""

---

**sctrcl02t2\_p02**  
**Are the students doing exercises or worksheets without any activities incorporat**

---

type: numeric (byte)  
 label: **sctrcl02t2\_p02**

range: [..]  
 unique values: 0 units: .  
 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl02t2txt\_p02** **Reason for not observing**

---

```

type: string (str126), but longest is str0
unique values: 0 missing "": 11,673/11,673
tabulation: Freq. Value
            11,673 ""

```

**sctrcl03t2\_p02**  
**Is lecturing and not doing activities with the students the teacher's main metho**

```

type: numeric (byte)
label: sctrcl03t2_p02
range: [..] units: .
unique values: 0 missing .: 11,673/11,673
tabulation: Freq. Numeric Label
            11,673 .

```

**sctrcl04t2\_p02** **Does the teacher turn on the TV or video for the students to watch?**

```

type: numeric (byte)
label: sctrcl04t2_p02
range: [..] units: .
unique values: 0 missing .: 11,673/11,673
tabulation: Freq. Numeric Label
            11,673 .

```

**sctrcl05t2\_p02**  
**Is the teacher's attention directed towards other sectors of work rather than te**

```

type: numeric (byte)
label: sctrcl05t2_p02
range: [..] units: .
unique values: 0 missing .: 11,673/11,673
tabulation: Freq. Numeric Label
            11,673 .

```

**sctrcl06t2\_p02**  
**Does the teacher assign group activities, where all students have approximately**

```

type: numeric (byte)
label: sctrcl06t2_p02
range: [..] units: .
unique values: 0 missing .: 11,673/11,673
tabulation: Freq. Numeric Label
            11,673 .

```

**sctrcl07t2\_p02** **Is there negative language incorporated in the teacher's speech?**

```

type: numeric (byte)
label: sctrcl07t2_p02
range: [..] units: .
unique values: 0 missing .: 11,673/11,673

```

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl08t2\_p02** **Physical punishment such as hitting**

---

type: numeric (byte)  
 label: **sctrcl08t2\_p02**

range: [..]  
 unique values: 0

units: .  
 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl09t2\_p02** **Verbal reprimand rebuke**

---

type: numeric (byte)  
 label: **sctrcl09t2\_p02**

range: [..]  
 unique values: 0

units: .  
 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl10t2\_p02** **Seperation of students from the rest of class**

---

type: numeric (byte)  
 label: **sctrcl10t2\_p02**

range: [..]  
 unique values: 0

units: .  
 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl11t2\_p02** **Making student behave correctly**

---

type: numeric (byte)  
 label: **sctrcl11t2\_p02**

range: [..]  
 unique values: 0

units: .  
 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl12t2\_p02**  
**Are there any additional punishment excuted by teachers that are not listed abov**

---

type: numeric (byte)  
 label: **sctrcl12t2\_p02**

range: [..]  
 unique values: 0

units: .  
 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl12t2txt\_p02** If yes, specify what method was used

---

type: string (**str135**), but longest is str0  
 unique values: 0 missing "": 11,673/11,673  
 tabulation: Freq. Value  
                   11,673 ""

---

**mcmcc123\_p02**  
 Where there any traces or evidence of teachers allowing the students to watch te

---

type: numeric (**byte**)  
 label: **mcmcc123\_p02**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 11,321/11,673  
 tabulation: Freq. Numeric Label  
                   136 1 Yes  
                   216 3 No  
                   11,321 .

---

**scpec113p1\_p02**  
 One panoramic classroom image (Standing and taking photos from the corner of the

---

type: numeric (**byte**)  
 label: **scpec113p1\_p02**  
 range: [1,1] units: 1  
 unique values: 1 missing .: 11,396/11,673  
 tabulation: Freq. Numeric Label  
                   277 1 Yes  
                   11,396 .

---

**scpec113p2\_p02**  
 Pictures of the classroom on all 4 sides (front, back, left and right) showing t

---

type: numeric (**byte**)  
 label: **scpec113p2\_p02**  
 range: [1,1] units: 1  
 unique values: 1 missing .: 11,396/11,673  
 tabulation: Freq. Numeric Label  
                   277 1 Yes  
                   11,396 .

---

**scpec113p3\_p02**  
 Pictures of teachers executing activities with the students as a whole from both

---

type: numeric (**byte**)  
 label: **scpec113p3\_p02**  
 range: [1,1] units: 1  
 unique values: 1 missing .: 11,396/11,673  
 tabulation: Freq. Numeric Label  
                   277 1 Yes  
                   11,396 .

**scpec113p4\_p02** Pictures of students doing the activity as a whole from both observations.

```

type: numeric (byte)
label: scpec113p4_p02

range: [1,1] units: 1
unique values: 1 missing .: 11,396/11,673

tabulation: Freq. Numeric Label
             277      1 Yes
             11,396      .
    
```

**st\_num\_p02** Number of students

```

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Value
             11,673 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

**te\_num\_p02** Number of teachers

```

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Value
             11,673 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

**note\_p02** Interviewer's notes

```

type: string (str1768), but longest is str249
unique values: 1 missing "": 11,658/11,673

tabulation: Freq. Value
             11,658 ""
                    15 "ในวันเก็บข้อมูล ป.1 / 2
                        ไปเรียนปรับพื้นฐานของ ป. 2 / 2
                        วันตัว"

warning: variable has embedded blanks
    
```

**roomid\_p03** Room code

```

type: string (str10), but longest is str0
    
```

unique values: 0 missing "": 11,673/11,673  
 tabulation: Freq. Value  
 11,673 ""

---

**roomno\_p03** **Room number**

---

type: numeric (**byte**)  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Value  
 11,673 .  
 mean: .  
 std. dev: .  
 percentiles: 10% 25% 50% 75% 90%  
 . . . . .

---

**roomlabcl\_p03** **Grade level of observation**

---

type: string (**str87**), but longest is str0  
 unique values: 0 missing "": 11,673/11,673  
 tabulation: Freq. Value  
 11,673 ""

---

**mcmcc107\_p03** **Total number of students**

---

type: numeric (**byte**)  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Value  
 11,673 .  
 mean: .  
 std. dev: .  
 percentiles: 10% 25% 50% 75% 90%  
 . . . . .

---

**mcmcc107cnt\_p03** **The number of students at the observation date**

---

type: numeric (**byte**)  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Value  
 11,673 .  
 mean: .  
 std. dev: .  
 percentiles: 10% 25% 50% 75% 90%  
 . . . . .

---

**mcmcc101\_p03** **Total number of lead teachers**

---



```

type: numeric (int)
range: [.,.]
unique values: 0
units: .
missing .: 11,673/11,673

tabulation: Freq. Value
11,673 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

---

**mcmcc102\_p03** **Total number of co-teachers**

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 11,673/11,673

tabulation: Freq. Value
11,673 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

---

**mcmcc103\_p03** **Total number of interns**

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 11,673/11,673

tabulation: Freq. Value
11,673 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

---

**mcmcc104txt\_p03** **Others**

---

```

type: string (str169), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
11,673 ""

```

---

**mcmcc104\_p03** **Total number of others**

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 11,673/11,673

tabulation: Freq. Value
11,673 .
mean: .
std. dev: .

```



```

    range: [.,.]
unique values: 0
    units: .
missing ..: 11,673/11,673

    tabulation: Freq.  Numeric  Label
                11,673      .

```

**sclecl01num\_p03** **If so, how many sections are there in total?**

```

    type: numeric (byte)

    range: [.,.]
unique values: 0
    units: .
missing ..: 11,673/11,673

    tabulation: Freq.  Value
                11,673  .
    mean:      .
    std. dev:  .

    percentiles: 10%    25%    50%    75%    90%
                  .      .      .      .      .

```

**sclecl01txt\_p03** **If so, what are the sections?**

```

    type: string (str696), but longest is str0
unique values: 0
    missing "": 11,673/11,673

    tabulation: Freq.  Value
                11,673  ""

```

**sclecl02\_p03** **Is the arrangement of materials in each sector orgernized?**

```

    type: numeric (byte)
    label: sclecl02_p03

    range: [.,.]
unique values: 0
    units: .
missing ..: 11,673/11,673

    tabulation: Freq.  Numeric  Label
                11,673      .

```

**sclecl03\_p03** **Is the materials in each sector in good shape?**

```

    type: numeric (byte)
    label: sclecl03_p03

    range: [.,.]
unique values: 0
    units: .
missing ..: 11,673/11,673

    tabulation: Freq.  Numeric  Label
                11,673      .

```

**sclecl04\_p03** **Are there sufficient materials in each sectors for the students?**

```

    type: numeric (byte)
    label: sclecl04_p03

    range: [.,.]
unique values: 0
    units: .
missing ..: 11,673/11,673

```

tabulation: Freq. Numeric Label  
 11,673 .

---

**scpec112\_p03** **Is the environment inside the classroom clean and organized?**

---

type: numeric (byte)  
 label: **scpec112\_p03**

range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**scpec101\_p03** **Have children do handwriting or use worksheets for children in the classroom.**

---

type: numeric (byte)  
 label: **scpec101\_p03**

range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**mcmcc122\_p03** **Is there a security camera within the classroom?**

---

type: numeric (byte)  
 label: **mcmcc122\_p03**

range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**mcmcc118t1\_p03** **During the period of observation, were there any activity in the classroom? (fir**

---

type: numeric (byte)  
 label: **mcmcc118t1\_p03**

range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**mcmcc119t1\_p03** **Time in which the activty was done (first observation)**

---

type: string (str8), but longest is str0

unique values: 0 missing "": 11,673/11,673

tabulation: Freq. Value  
 11,673 ""

---

**mcmcc120t1\_p03** **Activity name (first observation)**

---

```

type: string (str635), but longest is str0
unique values: 0 missing "": 11,673/11,673
tabulation: Freq. Value
11,673 ""

```

**mcmcc121t1\_p03 Reason for having no activity**

```

type: numeric (byte)
label: mcmcc121t1_p03
range: [.,.] units: .
unique values: 0 missing .: 11,673/11,673
tabulation: Freq. Numeric Label
11,673 .

```

**mcmcc121t1txt\_p03 Others**

```

type: string (str585), but longest is str0
unique values: 0 missing "": 11,673/11,673
tabulation: Freq. Value
11,673 ""

```

**scpec102t1\_p03 Are the students doing exercises or worksheets without any activities incorporat**

```

type: numeric (byte)
label: scpec102t1_p03
range: [.,.] units: .
unique values: 0 missing .: 11,673/11,673
tabulation: Freq. Numeric Label
11,673 .

```

**scpec102t1txt\_p03 Reason for not observing**

```

type: string (str151), but longest is str0
unique values: 0 missing "": 11,673/11,673
tabulation: Freq. Value
11,673 ""

```

**scpec103t1\_p03 Is lecturing and not doing activities with the students the teacher's main metho**

```

type: numeric (byte)
label: scpec103t1_p03
range: [.,.] units: .
unique values: 0 missing .: 11,673/11,673
tabulation: Freq. Numeric Label
11,673 .

```

---

**scpec104t1\_p03 Does the teacher turn on the TV or video for the students to watch?**

---

```

type: numeric (byte)
label: scpec104t1_p03

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

---

**scpec105t1\_p03 Is the teacher's attention directed towards other sectors of work rather than te**

---

```

type: numeric (byte)
label: scpec105t1_p03

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

---

**scpec106t1\_p03 Does the teacher assign group activities, where all students have approximately**

---

```

type: numeric (byte)
label: scpec106t1_p03

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

---

**scpec107t1\_p03 Is there negative language incorporated in the teacher's speech?**

---

```

type: numeric (byte)
label: scpec107t1_p03

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

---

**scpec108t1\_p03 Physical punishment such as hitting**

---

```

type: numeric (byte)
label: scpec108t1_p03

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

---

**scpec109t1\_p03 Verbal reprimand rebuke**

---

```

type: numeric (byte)
label: scpec109t1_p03

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**scpec110t1\_p03** **Seperation of students from the rest of class**

```

type: numeric (byte)
label: scpec110t1_p03

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**scpec111t1\_p03** **Making student behave correctly**

```

type: numeric (byte)
label: scpec111t1_p03

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**scpec112t1\_p03** **Are there any additional punishment excuted by teachers that are not listed above**

```

type: numeric (byte)
label: scpec112t1_p03

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**scpec112t1txt\_p03** **If yes, specify what method was used**

```

type: string (str187), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
11,673 ""
    
```

**mcmcc118t2\_p03** **During the period of observation, were there any activity in the classroom? (sec**

```

type: numeric (byte)
label: mcmcc118t2_p03

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673
    
```

tabulation: Freq. Numeric Label  
 11,673 .

---

**mcmcc119t2\_p03** **Time in which the activity was done (second observation)**

---

type: string (**str8**), but longest is str0  
 unique values: 0 missing "": 11,673/11,673  
 tabulation: Freq. Value  
 11,673 ""

---

**mcmcc120t2\_p03** **Activity name (second observation)**

---

type: string (**str590**), but longest is str0  
 unique values: 0 missing "": 11,673/11,673  
 tabulation: Freq. Value  
 11,673 ""

---

**scpec102t2\_p03**  
**Are the students doing exercises or worksheets without any activities incorporat**

---

type: numeric (**byte**)  
 label: **scpec102t2\_p03**  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

---

**scpec102t2txt\_p03** **Reason for not observing**

---

type: string (**str132**), but longest is str0  
 unique values: 0 missing "": 11,673/11,673  
 tabulation: Freq. Value  
 11,673 ""

---

**scpec103t2\_p03**  
**Is lecturing and not doing activities with the students the teacher's main metho**

---

type: numeric (**byte**)  
 label: **scpec103t2\_p03**  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

---

**scpec104t2\_p03** **Does the teacher turn on the TV or video for the students to watch?**

---

type: numeric (**byte**)  
 label: **scpec104t2\_p03**



range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**scpec105t2\_p03**  
**Is the teacher's attention directed towards other sectors of work rather than te**

type: numeric (byte)  
 label: **scpec105t2\_p03**  
 range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**scpec106t2\_p03**  
**Does the teacher assign group activities, where all students have approximately**

type: numeric (byte)  
 label: **scpec106t2\_p03**  
 range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**scpec107t2\_p03** **Is there negative language incorporated in the teacher's speech?**

type: numeric (byte)  
 label: **scpec107t2\_p03**  
 range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**scpec108t2\_p03** **Physical punishment such as hitting**

type: numeric (byte)  
 label: **scpec108t2\_p03**  
 range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**scpec109t2\_p03** **Verbal reprimand rebuke**

type: numeric (byte)  
 label: **scpec109t2\_p03**  
 range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**scpec110t2\_p03** **Seperation of students from the rest of class**

---

type: numeric (byte)  
 label: **scpec110t2\_p03**

range: [..]  
 unique values: 0 units: .  
 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**scpec111t2\_p03** **Making student behave correctly**

---

type: numeric (byte)  
 label: **scpec111t2\_p03**

range: [..]  
 unique values: 0 units: .  
 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**scpec112t2\_p03**  
**Are there any additional punishment excuted by teachers that are not listed abov**

---

type: numeric (byte)  
 label: **scpec112t2\_p03**

range: [..]  
 unique values: 0 units: .  
 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**scpec112t2txt\_p03** **If yes, specify what method was used**

---

type: string (str262), but longest is str0

unique values: 0 missing "": 11,673/11,673

tabulation: Freq. Value  
 11,673 ""

---

**sctrcl02t1\_p03**  
**Are the students doing exercises or worksheets without any activities incorporat**

---

type: numeric (byte)  
 label: **sctrcl02t1\_p03**

range: [..]  
 unique values: 0 units: .  
 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl02t1txt\_p03** **Reason for not observing**

---

```

type: string (str130), but longest is str0
unique values: 0 missing "": 11,673/11,673
tabulation: Freq. Value
11,673 ""

```

**sctrcl03t1\_p03**  
**Is lecturing and not doing activities with the students the teacher's main metho**

```

type: numeric (byte)
label: sctrcl03t1_p03
range: [..] units: .
unique values: 0 missing .: 11,673/11,673
tabulation: Freq. Numeric Label
11,673 .

```

**sctrcl04t1\_p03** **Does the teacher turn on the TV or video for the students to watch?**

```

type: numeric (byte)
label: sctrcl04t1_p03
range: [..] units: .
unique values: 0 missing .: 11,673/11,673
tabulation: Freq. Numeric Label
11,673 .

```

**sctrcl05t1\_p03**  
**Is the teacher's attention directed towards other sectors of work rather than te**

```

type: numeric (byte)
label: sctrcl05t1_p03
range: [..] units: .
unique values: 0 missing .: 11,673/11,673
tabulation: Freq. Numeric Label
11,673 .

```

**sctrcl06t1\_p03**  
**Does the teacher assign group activities, where all students have approximately**

```

type: numeric (byte)
label: sctrcl06t1_p03
range: [..] units: .
unique values: 0 missing .: 11,673/11,673
tabulation: Freq. Numeric Label
11,673 .

```

**sctrcl07t1\_p03** **Is there negative language incorporated in the teacher's speech?**

```

type: numeric (byte)
label: sctrcl07t1_p03
range: [..] units: .
unique values: 0 missing .: 11,673/11,673

```

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl08t2\_p03** **Physical punishment such as hitting**

---

type: numeric (byte)  
 label: **sctrcl08t2\_p03**

range: [..]  
 unique values: 0

units: .  
 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl09t1\_p03** **Verbal reprimand rebuke**

---

type: numeric (byte)  
 label: **sctrcl09t1\_p03**

range: [..]  
 unique values: 0

units: .  
 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl10t1\_p03** **Seperation of students from the rest of class**

---

type: numeric (byte)  
 label: **sctrcl10t1\_p03**

range: [..]  
 unique values: 0

units: .  
 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl11t1\_p03** **Making student behave correctly**

---

type: numeric (byte)  
 label: **sctrcl11t1\_p03**

range: [..]  
 unique values: 0

units: .  
 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl12t1\_p03**  
**Are there any additional punishment excuted by teachers that are not listed abov**

---

type: numeric (byte)  
 label: **sctrcl12t1\_p03**

range: [..]  
 unique values: 0

units: .  
 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl12t1txt\_p03** **If yes, specify what method was used**

---

```

type: string (str98), but longest is str0
unique values: 0 missing "": 11,673/11,673
tabulation: Freq. Value
             11,673 ""
    
```

---

**sctrcl02t2\_p03**  
**Are the students doing exercises or worksheets without any activities incorporat**

---

```

type: numeric (byte)
label: sctrcl02t2_p03
range: [..] units: .
unique values: 0 missing ..: 11,673/11,673
tabulation: Freq. Numeric Label
             11,673 .
    
```

---

**sctrcl02t2txt\_p03** **Reason for not observing**

---

```

type: string (str126), but longest is str0
unique values: 0 missing "": 11,673/11,673
tabulation: Freq. Value
             11,673 ""
    
```

---

**sctrcl03t2\_p03**  
**Is lecturing and not doing activities with the students the teacher's main metho**

---

```

type: numeric (byte)
label: sctrcl03t2_p03
range: [..] units: .
unique values: 0 missing ..: 11,673/11,673
tabulation: Freq. Numeric Label
             11,673 .
    
```

---

**sctrcl04t2\_p03** **Does the teacher turn on the TV or video for the students to watch?**

---

```

type: numeric (byte)
label: sctrcl04t2_p03
range: [..] units: .
unique values: 0 missing ..: 11,673/11,673
tabulation: Freq. Numeric Label
             11,673 .
    
```

---

**sctrcl05t2\_p03**  
**Is the teacher's attention directed towards other sectors of work rather than te**

---

```

type: numeric (byte)
label: sctrcl05t2_p03
    
```

range: [..]  
 unique values: 0  
 units: .  
 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**sctrcl06t2\_p03**  
**Does the teacher assign group activities, where all students have approximately**

type: numeric (byte)  
 label: **sctrcl06t2\_p03**  
 range: [..]  
 unique values: 0  
 units: .  
 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**sctrcl07t2\_p03** **Is there negative language incorporated in the teacher's speech?**

type: numeric (byte)  
 label: **sctrcl07t2\_p03**  
 range: [..]  
 unique values: 0  
 units: .  
 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**sctrcl09t2\_p03** **Verbal reprimand rebuke**

type: numeric (byte)  
 label: **sctrcl09t2\_p03**  
 range: [..]  
 unique values: 0  
 units: .  
 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**sctrcl10t2\_p03** **Seperation of students from the rest of class**

type: numeric (byte)  
 label: **sctrcl10t2\_p03**  
 range: [..]  
 unique values: 0  
 units: .  
 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**sctrcl11t2\_p03** **Making student behave correctly**

type: numeric (byte)  
 label: **sctrcl11t2\_p03**  
 range: [..]  
 unique values: 0  
 units: .  
 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl12t2\_p03**

**Are there any additional punishment excuted by teachers that are not listed abov**

---

```

type: numeric (byte)
label: sctrcl12t2_p03

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
            11,673 .
    
```

---

**sctrcl12t2txt\_p03**

**If yes, specify what method was used**

---

```

type: string (str135), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
            11,673 ""
    
```

---

**mcmcc123\_p03**

**Where there any traces or evidence of teachers allowing the students to watch te**

---

```

type: numeric (byte)
label: mcmcc123_p03

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
            11,673 .
    
```

---

**scpecl13p1\_p03**

**One panoramic classroom image (Standing and taking photos from the corner of the**

---

```

type: numeric (byte)
label: scpecl13p1_p03

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
            11,673 .
    
```

---

**scpecl13p2\_p03**

**Pictures of the classroom on all 4 sides (front, back, left and right) showing t**

---

```

type: numeric (byte)
label: scpecl13p2_p03

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
            11,673 .
    
```

---

**scpecl13p3\_p03**

**Pictures of teachers executing activities with the students as a whole from both**

---

```

type: numeric (byte)
label: scpec113p3_p03

range: [.,.]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**scpec113p4\_p03** Pictures of students doing the activity as a whole from both observations.

```

type: numeric (byte)
label: scpec113p4_p03

range: [.,.]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**st\_num\_p03** Number of students

```

type: numeric (byte)

range: [.,.]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Value
11,673 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

**te\_num\_p03** Number of teachers

```

type: numeric (byte)

range: [.,.]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Value
11,673 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

**note\_p03** Interviewer's notes

```

type: string (str1768), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
11,673 ""
    
```

**roomid\_p04** Room code



```

type: string (str10), but longest is str0
unique values: 0 missing "": 11,673/11,673
tabulation: Freq. Value
             11,673 ""
    
```

---

**roomno\_p04** **Room number**

---

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 11,673/11,673
tabulation: Freq. Value
             11,673 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

---

**roomlabcl\_p04** **Grade level of observation**

---

```

type: string (str87), but longest is str0
unique values: 0 missing "": 11,673/11,673
tabulation: Freq. Value
             11,673 ""
    
```

---

**mcmcc107\_p04** **Total number of students**

---

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 11,673/11,673
tabulation: Freq. Value
             11,673 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

---

**mcmcc107cnt\_p04** **The number of students at the observation date**

---

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 11,673/11,673
tabulation: Freq. Value
             11,673 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

---

**mcmcc101\_p04** **Total number of lead teachers**

---

```

type: numeric (int)
range: [.,.]
unique values: 0
units: .
missing .: 11,673/11,673

tabulation: Freq. Value
11,673 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

---

**mcmcc102\_p04** **Total number of co-teachers**

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 11,673/11,673

tabulation: Freq. Value
11,673 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

---

**mcmcc103\_p04** **Total number of interns**

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 11,673/11,673

tabulation: Freq. Value
11,673 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

---

**mcmcc104txt\_p04** **Others**

---

```

type: string (str169), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
11,673 ""
    
```

---

**mcmcc104\_p04** **Total number of others**

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 11,673/11,673
    
```

```

tabulation:  Freq.  Value
              11,673  .
      mean:      .
      std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

**mcmcc105\_p04** **Total number of teachers**

```

      type:  numeric (int)

      range:  [.,.]
unique values:  0
              units:  .
              missing.:  11,673/11,673

      tabulation:  Freq.  Value
                   11,673  .
      mean:      .
      std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

**mcmcc105cnt\_p04** **At the observation date, how many teachers were at work?**

```

      type:  numeric (byte)

      range:  [.,.]
unique values:  0
              units:  .
              missing.:  11,673/11,673

      tabulation:  Freq.  Value
                   11,673  .
      mean:      .
      std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

**mcmcc106\_p04** **At this grade level, are there specific teachers assigned to each subjects?**

```

      type:  numeric (byte)
      label:  mcmcc106_p04

      range:  [.,.]
unique values:  0
              units:  .
              missing.:  11,673/11,673

      tabulation:  Freq.  Numeric  Label
                   11,673  .
    
```

**mcmcc116\_p04** **Are there sufficient tables and chair for all kids?**

```

      type:  numeric (byte)
      label:  mcmcc116_p04

      range:  [.,.]
unique values:  0
              units:  .
              missing.:  11,673/11,673

      tabulation:  Freq.  Numeric  Label
                   11,673  .
    
```

---

**sclecl01\_p04** Is the classroom physically divided into multiple sections such a a reading sect

---

```

type: numeric (byte)
label: sclecl01_p04

range: [..]
unique values: 0
units: .
missing .: 11,673/11,673

tabulation: Freq. Numeric Label
            11,673 .
    
```

---

**sclecl01num\_p04** If so, how many sections are there in total?

---

```

type: numeric (byte)

range: [..]
unique values: 0
units: .
missing .: 11,673/11,673

tabulation: Freq. Value
            11,673 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

---

**sclecl01txt\_p04** If so, what are the sections?

---

```

type: string (str696), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
            11,673 ""
    
```

---

**sclecl02\_p04** Is the arrangement of materials in each sector orgernized?

---

```

type: numeric (byte)
label: sclecl02_p04

range: [..]
unique values: 0
units: .
missing .: 11,673/11,673

tabulation: Freq. Numeric Label
            11,673 .
    
```

---

**sclecl03\_p04** Is the materials in each sector in good shape?

---

```

type: numeric (byte)
label: sclecl03_p04

range: [..]
unique values: 0
units: .
missing .: 11,673/11,673

tabulation: Freq. Numeric Label
            11,673 .
    
```

---

**sclecl04\_p04** Are there sufficient materials in each sectors for the students?

---

```

        type: numeric (byte)
        label: sclecl04_p04

        range: [.,.]
        unique values: 0
        units: .
        missing : 11,673/11,673

        tabulation: Freq.  Numeric  Label
                   11,673      .
    
```

**scpec112\_p04**                    **Is the environment inside the classroom clean and organized?**

```

        type: numeric (byte)
        label: scpec112_p04

        range: [.,.]
        unique values: 0
        units: .
        missing : 11,673/11,673

        tabulation: Freq.  Numeric  Label
                   11,673      .
    
```

**scpec101\_p04**  
**Have children do handwriting or use worksheets for children in the classroom.**

```

        type: numeric (byte)
        label: scpec101_p04

        range: [.,.]
        unique values: 0
        units: .
        missing : 11,673/11,673

        tabulation: Freq.  Numeric  Label
                   11,673      .
    
```

**mcmcc122\_p04**                    **Is there a security camera within the classroom?**

```

        type: numeric (byte)
        label: mcmcc122_p04

        range: [.,.]
        unique values: 0
        units: .
        missing : 11,673/11,673

        tabulation: Freq.  Numeric  Label
                   11,673      .
    
```

**mcmcc118t1\_p04**  
**During the period of observation, were there any activity in the classroom? (fir**

```

        type: numeric (byte)
        label: mcmcc118t1_p04

        range: [.,.]
        unique values: 0
        units: .
        missing : 11,673/11,673

        tabulation: Freq.  Numeric  Label
                   11,673      .
    
```

**mcmcc119t1\_p04**                    **Time in which the activty was done (first observation)**

```

        type: string (str8), but longest is str0
        unique values: 0
        missing "": 11,673/11,673
    
```

tabulation: Freq. Value  
 11,673 ""

---

**mcmcc120t1\_p04** **Activity name (first observation)**

---

type: string (**str635**), but longest is str0  
 unique values: 0 missing "": 11,673/11,673  
 tabulation: Freq. Value  
 11,673 ""

---

**mcmcc121t1\_p04** **Reason for having no activity**

---

type: numeric (**byte**)  
 label: **mcmcc121t1\_p04**  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

---

**mcmcc121t1txt\_p04** **Others**

---

type: string (**str585**), but longest is str0  
 unique values: 0 missing "": 11,673/11,673  
 tabulation: Freq. Value  
 11,673 ""

---

**spec102t1\_p04**  
**Are the students doing exercises or worksheets without any activities incorporat**

---

type: numeric (**byte**)  
 label: **spec102t1\_p04**  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

---

**spec102t1txt\_p04** **Reason for not observing**

---

type: string (**str151**), but longest is str0  
 unique values: 0 missing "": 11,673/11,673  
 tabulation: Freq. Value  
 11,673 ""

---

**spec103t1\_p04**  
**Is lecturing and not doing activities with the students the teacher's main metho**

---

type: numeric (**byte**)  
 label: **spec103t1\_p04**

range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**scpec104t1\_p04 Does the teacher turn on the TV or video for the students to watch?**

type: numeric (byte)  
 label: **scpec104t1\_p04**  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**scpec105t1\_p04 Is the teacher's attention directed towards other sectors of work rather than te**

type: numeric (byte)  
 label: **scpec105t1\_p04**  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**scpec106t1\_p04 Does the teacher assign group activities, where all students have approximately**

type: numeric (byte)  
 label: **scpec106t1\_p04**  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**scpec107t1\_p04 Is there negative language incorporated in the teacher's speech?**

type: numeric (byte)  
 label: **scpec107t1\_p04**  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**scpec108t1\_p04 Physical punishment such as hitting**

type: numeric (byte)  
 label: **scpec108t1\_p04**  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**scpec109t1\_p04** **Verbal reprimand rebuke**

---

type: numeric (byte)  
 label: **scpec109t1\_p04**

range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**scpec110t1\_p04** **Seperation of students from the rest of class**

---

type: numeric (byte)  
 label: **scpec110t1\_p04**

range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**scpec111t1\_p04** **Making student behave correctly**

---

type: numeric (byte)  
 label: **scpec111t1\_p04**

range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**scpec112t1\_p04** **Are there any additional punishment excuted by teachers that are not listed abov**

---

type: numeric (byte)  
 label: **scpec112t1\_p04**

range: [..] units: .  
 unique values: 0 missing .: 11,673/11,673

tabulation: Freq. Numeric Label  
 11,673 .

---

**scpec112t1txt\_p04** **If yes, specify what method was used**

---

type: string (str187), but longest is str0

unique values: 0 missing "": 11,673/11,673

tabulation: Freq. Value  
 11,673 ""

---

**mcmcc118t2\_p04** **During the period of observation, were there any activity in the classroom? (sec**

---



```

type: numeric (byte)
label: mcmcc118t2_p04

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**mcmcc119t2\_p04** **Time in which the activity was done (second observation)**

```

type: string (str8), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
11,673 ""
    
```

**mcmcc120t2\_p04** **Activity name (second observation)**

```

type: string (str590), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
11,673 ""
    
```

**scpec102t2\_p04**  
**Are the students doing exercises or worksheets without any activities incorporat**

```

type: numeric (byte)
label: scpec102t2_p04

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**scpec102t2txt\_p04** **Reason for not observing**

```

type: string (str132), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
11,673 ""
    
```

**scpec103t2\_p04**  
**Is lecturing and not doing activities with the students the teacher's main metho**

```

type: numeric (byte)
label: scpec103t2_p04

range: [..]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

---

**scpec104t2\_p04** Does the teacher turn on the TV or video for the students to watch?

---

```

type: numeric (byte)
label: scpec104t2_p04

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

---

**scpec105t2\_p04** Is the teacher's attention directed towards other sectors of work rather than te

---

```

type: numeric (byte)
label: scpec105t2_p04

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

---

**scpec106t2\_p04** Does the teacher assign group activities, where all students have approximately

---

```

type: numeric (byte)
label: scpec106t2_p04

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

---

**scpec107t2\_p04** Is there negative language incorporated in the teacher's speech?

---

```

type: numeric (byte)
label: scpec107t2_p04

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

---

**scpec108t2\_p04** Physical punishment such as hitting

---

```

type: numeric (byte)
label: scpec108t2_p04

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

---

**scpec109t2\_p04** Verbal reprimand rebuke

---

```

type: numeric (byte)
label: scpec109t2_p04

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**scpec110t2\_p04** **Seperation of students from the rest of class**

```

type: numeric (byte)
label: scpec110t2_p04

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**scpec111t2\_p04** **Making student behave correctly**

```

type: numeric (byte)
label: scpec111t2_p04

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**scpec112t2\_p04** **Are there any additional punishment excuted by teachers that are not listed above**

```

type: numeric (byte)
label: scpec112t2_p04

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**scpec112t2txt\_p04** **If yes, specify what method was used**

```

type: string (str262), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
11,673 ""
    
```

**sctrcl02t1\_p04** **Are the students doing exercises or worksheets without any activities incorporat**

```

type: numeric (byte)
label: sctrcl02t1_p04

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673
    
```

tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl02t1txt\_p04 Reason for not observing**

---

type: string (**str130**), but longest is str0  
 unique values: 0 missing "": 11,673/11,673  
 tabulation: Freq. Value  
 11,673 ""

---

**sctrcl03t1\_p04 Is lecturing and not doing activities with the students the teacher's main metho**

---

type: numeric (**byte**)  
 label: **sctrcl03t1\_p04**  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl04t1\_p04 Does the teacher turn on the TV or video for the students to watch?**

---

type: numeric (**byte**)  
 label: **sctrcl04t1\_p04**  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl05t1\_p04 Is the teacher's attention directed towards other sectors of work rather than te**

---

type: numeric (**byte**)  
 label: **sctrcl05t1\_p04**  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

---

**sctrcl06t1\_p04 Does the teacher assign group activities, where all students have approximately**

---

type: numeric (**byte**)  
 label: **sctrcl06t1\_p04**  
 range: [.,.] units: .  
 unique values: 0 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .



```

type: numeric (byte)
label: sctrcl12t1_p04

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**sctrcl12t1txt\_p04** If yes, specify what method was used

```

type: string (str98), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
11,673 ""
    
```

**sctrcl02t2\_p04**  
**Are the students doing exercises or worksheets without any activities incorporat**

```

type: numeric (byte)
label: sctrcl02t2_p04

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**sctrcl02t2txt\_p04** Reason for not observing

```

type: string (str126), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
11,673 ""
    
```

**sctrcl03t2\_p04**  
**Is lecturing and not doing activities with the students the teacher's main metho**

```

type: numeric (byte)
label: sctrcl03t2_p04

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**sctrcl04t2\_p04** Does the teacher turn on the TV or video for the students to watch?

```

type: numeric (byte)
label: sctrcl04t2_p04

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

---

**sctrcl05t2\_p04** **Is the teacher's attention directed towards other sectors of work rather than te**

---

type: numeric (**byte**)  
 label: **sctrcl05t2\_p04**  
 range: [...]  
 unique values: 0  
 units: .  
 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
           11,673 .

---

**sctrcl06t2\_p04** **Does the teacher assign group activities, where all students have approximately**

---

type: numeric (**byte**)  
 label: **sctrcl06t2\_p04**  
 range: [...]  
 unique values: 0  
 units: .  
 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
           11,673 .

---

**sctrcl07t2\_p04** **Is there negative language incorporated in the teacher's speech?**

---

type: numeric (**byte**)  
 label: **sctrcl07t2\_p04**  
 range: [...]  
 unique values: 0  
 units: .  
 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
           11,673 .

---

**sctrcl08t2\_p04** **Physical punishment such as hitting**

---

type: numeric (**byte**)  
 label: **sctrcl08t2\_p04**  
 range: [...]  
 unique values: 0  
 units: .  
 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
           11,673 .

---

**sctrcl09t2\_p04** **Verbal reprimand rebuke**

---

type: numeric (**byte**)  
 label: **sctrcl09t2\_p04**  
 range: [...]  
 unique values: 0  
 units: .  
 missing .: 11,673/11,673  
 tabulation: Freq. Numeric Label  
           11,673 .

---

**sctrcl10t2\_p04** **Seperation of students from the rest of class**

---

```

type: numeric (byte)
label: sctrcl10t2_p04

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**sctrcl11t2\_p04** **Making student behave correctly**

```

type: numeric (byte)
label: sctrcl11t2_p04

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**sctrcl12t2\_p04**  
**Are there any additional punishment excuted by teachers that are not listed above**

```

type: numeric (byte)
label: sctrcl12t2_p04

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**sctrcl12t2txt\_p04** **If yes, specify what method was used**

```

type: string (str135), but longest is str0
unique values: 0
missing "": 11,673/11,673

tabulation: Freq. Value
11,673 ""
    
```

**mcmcc123\_p04**  
**Where there any traces or evidence of teachers allowing the students to watch te**

```

type: numeric (byte)
label: mcmcc123_p04

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673

tabulation: Freq. Numeric Label
11,673 .
    
```

**scpec113p1\_p04**  
**One panoramic classroom image (Standing and taking photos from the corner of the**

```

type: numeric (byte)
label: scpec113p1_p04

range: [...]
unique values: 0
units: .
missing ..: 11,673/11,673
    
```



tabulation: Freq. Numeric Label  
 11,673 .

**scpecl13p2\_p04**

**Pictures of the classroom on all 4 sides (front, back, left and right) showing t**

type: numeric (byte)  
 label: **scpecl13p2\_p04**  
 range: [..]  
 unique values: 0 units: .  
 missing .. 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**scpecl13p3\_p04**

**Pictures of teachers executing activities with the students as a whole from both**

type: numeric (byte)  
 label: **scpecl13p3\_p04**  
 range: [..]  
 unique values: 0 units: .  
 missing .. 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**scpecl13p4\_p04**

**Pictures of students doing the activity as a whole from both observations.**

type: numeric (byte)  
 label: **scpecl13p4\_p04**  
 range: [..]  
 unique values: 0 units: .  
 missing .. 11,673/11,673  
 tabulation: Freq. Numeric Label  
 11,673 .

**st\_num\_p04**

**Number of students**

type: numeric (byte)  
 range: [..]  
 unique values: 0 units: .  
 missing .. 11,673/11,673  
 tabulation: Freq. Value  
 11,673 .  
 mean: .  
 std. dev: .  
 percentiles: 10% 25% 50% 75% 90%  
 . . . . .

**te\_num\_p04**

**Number of teachers**

type: numeric (byte)  
 range: [..]  
 unique values: 0 units: .  
 missing .. 11,673/11,673

```

tabulation: Freq. Value
             11,673 .
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

---

**note\_p04** **Interviewer's notes**

---

```

      type: string (str1768), but longest is str0
unique values: 0 missing "": 11,673/11,673

tabulation: Freq. Value
             11,673 ""
    
```

---

**tsrs\_survey** **tsrs survey**

---

```

      type: string (str4)
unique values: 1 missing "": 0/11,673

tabulation: Freq. Value
             11,673 "srs5"
    
```

---

**year\_survey** **year survey**

---

```

      type: numeric (int)
      range: [2022,2022] units: 1
unique values: 1 missing .: 0/11,673

tabulation: Freq. Value
             11,673 2022
      mean: 2022
      std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  2022      2022      2022      2022      2022
    
```

---

**year\_academic** **year academic**

---

```

      type: numeric(float)
      range: [2021,2021] units: 1
unique values: 1 missing .: 0/11,673

tabulation: Freq. Value
             11,673 2021
      mean: 2021
      std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  2021      2021      2021      2021      2021
    
```

```
2 . log close
   name: <unnamed>
   log: C:\Users\staff-ripped2022\Dropbox\Codes and Data for Projects\\School Read
> iness 2023 (SRS6)/Data and Codes\Codebook\TSRS_2022\TSRS2022_classroom_observation_f
> orm_public.scml
   log type: smcl
closed on: 2 Aug 2024, 10:17:33
```

---