

name: <unnamed>

log: Z:\RIECE DATA\RIECE RELEASE V2-2016\Combine baseline resurvey2016\codeboo

 $> k sc\al2.scml$ log type: smcl

opened on: 3 Oct 2024, 15:29:41

1 . codebookr all, all

Dataset: \RIECE_DATA\RIECE_RELEASE V2-2016\Combine_baseline resurvey20

> 16\stata\scramble/a12_run.dta

3 Oct 2024 15:29 Last saved:

Label: [none] Number of variables: 20 Number of observations: 1,411

Size: 224,349 bytes ignoring labels, etc.

Unique Values: A list of all of the possible non-missing values for the variable and the description of the values.

Unique Missing Values: There are four types of missing values

.a or RF: The subject explicitly refused to answer the question

when he or she should have.

.b or NA: The subject was never asked the question

for one reason or another. Usually this results

from "skip patterns" that occur.

.c or DK: The subject was unable to answer the question

either because he or she had no opinion or because

the required information was not available.

.d or MI: Items should be filled out but have no data entry found.

This is enumerator's own mistake. The circumstances

can be interviewers failing to ask a question

or forgetting to record a response

Numeric Missing*: String Missing*: RF .a .b NA

DK . C .d ΜI

hhid household id

type: string (str15)

unique values: 1,411 missing "": 0/1,411

examples: "201591160601015" "201691130216999" "201691160104118"

"201691161706053"

iyear year

type: string (str4)

missing "": 0/1,411 unique values: 2

tabulation: Freq. Value "2015" 525 886 "2016"

province prov

type: string (str2)

unique values: 2 missing "": 0/1,411

tabulation: Freq. Value

1,270 "91" 141 "93"

amp amphoe

type: string (str2)

unique values: 7 missing "": 0/1,411

114 "14" 139 "15" 519 "16" 35 "17" 195 "18"

tam tambon

type: string (str2)

unique values: 15 missing "": 0/1,411

tabulation: Freq. Value
61 "01"

61 "01" 231 "02" 121 "04" 54 "05" 52 "06" 60 "07" 53 "08" 95 "09"

133

76 "11"
133 "13"
46 "14"
145 "15"
95 "17"
56 "19"

"10"

moo moo

type: string (str2)

unique values: 21 missing "": 0/1,411

tabulation: Freq. Value

142 "01" 65 "02" 135 "03" 152 "04"

125 "05" 154 "06" 69 "07" 143 "08"

89 "09" 73 "10" 53 "11" 42 "12"

41 "13" 12 "14" 9 "15"

"16" 35 10 "17" 13 "18" 28 "19" 15 "22" 6 "24"

strucid structure ID

type: string (str3)

unique values: 182 missing "": 0/1,411

examples: "010" "034" "070"

"146"

nickname Nickname (unavailable)

type: string (str30), but longest is str0

unique values: missing "": 1,411/1,411

tabulation: Freq. Va. 1,411 "" Value

 ${\tt memberID}$ memberid

type: string (str2)

unique values: 8 missing "": 723/1,411

tabulation: Freq. Value 723 11 11 "H2" 287 260 "H3" 89 "H4" "H5" 29 15 "Н6" 5 "H7" 2 "H8" "Н9"

a12_a Life Satisfaction

type: numeric (byte)

range: [0,10]
unique values: 10 units:

missing .: 723/1,43 missing *: 1/1,411 723/1,411 unique missing codes: 2

tabulation: Freq. Value 6 0 1 3 3 9 4 103 5 64 6 7 7 8 131 8 83 9 200 10 723

Thursday October 3 15:29:42 2024 Page 4

1 .c 7.78748 mean:

2.00618 std. dev:

percentiles: 10% 25% 50% 75% 90% 10 5 10

a12 b1 First: could not sleep

type: numeric (byte)

label: a12_b1

range: [1,7]

units: 1 missing .: 723/1,411 unique values: 4

tabulation: Freq. Numeric Label

31 1 everyday 64

346

3 almost everyday
5 sometime but not often
7 once or never felt this way in 247

this month

723

a12_b2 Second: could not concentrate/distracted

type: numeric (byte)
label: a12_b2

range: [1,7]

units: 1
missing .: 723/1,411 unique values: 4

tabulation: Freq. Numeric Label

19

38

1 everyday
3 almost everyday
5 sometime but not often 312

 ${f 7}$ once or never felt this way in 319

this month 723

a12 b3 Third: irritability, anxious and over thinking

type: numeric (byte)
label: a12_b3

range: [1,7]
unique values: 4 units: 1 missing .: 723/1,411

Numeric Label 1 everyday tabulation: Freq. 35

3 almost everyday 64

364 5 sometime but not often

225 7 once or never felt this way in

this month

723

a12 b4 Fourth: bored

type: numeric (byte)

label: a12 b4

range: [1,7]
unique values: 4

units: 1
missing .: 723/1,411

tabulation: Freq. Numeric Label 40 1 everyday 43 3 almost everyday 369 sometime but not often 7 once or never felt this way in 236 this month

723

a12_b5 Fifth: did not want to meet people/neighbor

type: numeric (byte)

label: a12 b5

range: [1,7]

units: 1 missing .: 723/1,411 unique values: 4

tabulation: Freq. Numeric Label 12 1 everyday

7 3 almost everyday

5 sometime but not often 135

534 7 once or never felt this way in

this month

723

note Interviewer note (unavailable)

type: string (str2), but longest is str0

unique values: 0 missing "": 1,411/1,411

tabulation: Freq. Value 1,411 ""

year survey year_survey

type: numeric (float)

range: [2016,2016] unique values: 1

units: 1 missing .: 0/1,411

tabulation: Freq. Value 1,411 2016

2016 mean:

std. dev:

25% 75% percentiles: 10% 50% 90% 2016 2016 2016 2016 2016

note_cleaner Data cleaner note (not display)

type: string (str69), but longest is str0

unique values: missing "": 1,411/1,411

tabulation: Freq. Value 1,411 ""

Sample has moved so that its household structure changed hh change

> type: numeric (float) label: hh_change

range: [0,1]
unique values: 2

units: 1 missing .: 0/1,411

Numeric Label **0** no tabulation: Freq. 1,402

9 1 yes

survey_name survey round

type: string (str12)

unique values: 2 missing "": 0/1,411

tabulation: Freq. Value
886 "BASELINE2016"
525 "RESURVEY2016"

2 . log close

name: <unnamed>

log: Z:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo

> k sc\a12.scml log type: smcl

3 Oct 2024, 15:29:42 closed on: