



```

name: <unnamed>
log: Z:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo
> k_sc\ a8.scml
log type: smcl
opened on: 3 Oct 2024, 15:19:32

```

```
1 . codebookr _all,all
```

```

Dataset: \RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey20
> 16\stata\scramble\ a8_run.dta
Last saved: 3 Oct 2024 15:19

```

```

Label: [none]
Number of variables: 268
Number of observations: 1,411
Size: 16,251,898 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI

```

```
hhid household id
```

```

type: string (str15)
unique values: 1,411 missing "": 0/1,411
examples: "201591160601015"
           "201691130216999"
           "201691160104118"
           "201691161706053"

```

```
iyear year
```

```

type: string (str4)
unique values: 2 missing "": 0/1,411
tabulation: Freq. Value
              525 "2015"
              886 "2016"

```

```
prov province
```

```
type: string (str2)
```


35 "16"
 10 "17"
 13 "18"
 28 "19"
 15 "22"
 6 "24"

strucid **structure ID**

type: string (**str3**)
 unique values: **182** missing "": **0/1,411**
 examples: "010"
 "034"
 "070"
 "146"

no_A **no A**

type: numeric (**byte**)
 range: [1,1] units: **1**
 unique values: **1** missing .: **2/1,411**
 tabulation: Freq. Value
 1,409 **1**
 2 **.**
 mean: **1**
 std. dev: **0**
 percentiles: 10% 25% 50% 75% 90%
 1 **1** **1** **1** **1**

description_A
 Item of expenditure: Rice, glutinous rice, flour, product from flour (not displa

type: string (**str254**), but longest is str0
 unique values: **0** missing "": **1,411/1,411**
 tabulation: Freq. Value
 1,411 **"**

hc0_A **Code of Inseparable expenses**

type: string (**str43**), but longest is str0
 unique values: **0** missing "": **1,411/1,411**
 tabulation: Freq. Value
 1,411 **"**

hc1_A **HH. Expenses: Rice, glutinous rice, flour, product from flour (THB)**

type: numeric (**long**)
 range: [0,3000] units: **1**
 unique values: **156** missing .: **2/1,411**
 unique missing codes: **2** missing *: **7/1,411**

mean: 64.6712
 std. dev: 199.899
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 233

hc2_A Value of producing: Rice, glutinous rice, flour, product from flour (THB)

type: numeric (int)
 range: [0,3600] units: 1
 unique values: 342 missing .: 2/1,411
 unique missing codes: 2 missing *: 20/1,411
 mean: 298.889
 std. dev: 275.874
 percentiles: 10% 25% 50% 75% 90%
 0 106 245 423 635

hc3_A Value of receiving: Rice, glutinous rice, flour, product from flour (THB)

type: numeric (long)
 range: [0,733] units: 1
 unique values: 65 missing .: 2/1,411
 unique missing codes: 2 missing *: 15/1,411

tabulation: Freq. Value

1,297	0
1	3
1	12
1	17
2	19
2	23
4	33
2	35
1	36
1	42
1	47
4	49
1	56
1	58
1	64
1	65
1	70
3	76
1	77
1	81
1	93
5	98
1	101
1	103
2	105
3	106
1	110
3	116
1	140
2	145
2	151
3	163
1	176
1	183
1	188
2	195
1	200
1	203
1	204

```

      1 209
      4 212
      1 225
      1 227
      1 228
      1 232
      1 245
      3 257
      2 279
      1 300
      1 302
      2 317
      1 326
      1 331
      1 342
      1 359
      1 363
      1 366
      1 419
      1 448
      1 488
      1 523
      1 529
      1 558
      1 698
      2 733
      2 .
      15 .c
    mean: 12.8199
  std. dev: 62.9011

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

freq_A **Frequency: Weekly**

```

      type: numeric (byte)
      label: freq
      range: [5,5]
unique values: 1
      units: 1
      missing .: 2/1,411

      tabulation: Freq.  Numeric  Label
                  1,409      5  weekly
                   2         .

```

no_B **no B**

```

      type: numeric (byte)
      range: [2,2]
unique values: 1
      units: 1
      missing .: 2/1,411

      tabulation: Freq.  Value
                  1,409  2
                   2    .
      mean:      2
      std. dev:  0

percentiles:      10%      25%      50%      75%      90%
                  2         2         2         2         2

```

description_B
 Item of expenditure: Expenses on food, non-alcoholic beverages (not display)

```

type: string (str254), but longest is str0
unique values: 0 missing "": 1,411/1,411
tabulation: Freq. Value
             1,411 ""
    
```

hc0_B Code of Inseparable expenses

```

type: string (str43), but longest is str0
unique values: 0 missing "": 1,411/1,411
tabulation: Freq. Value
             1,411 ""
    
```

hc1_B HH. expenses: Expenses on food, non-alcoholic beverages (THB)

```

type: numeric (long)
range: [0,6300] units: 1
unique values: 213 missing .: 2/1,411
unique missing codes: 2 missing *: 7/1,411

mean: 1269.4
std. dev: 753.687

percentiles: 10% 25% 50% 75% 90%
              500 700 1050 1540 2100
    
```

hc2_B Value of producing: Expenses on food, non-alcoholic beverages (THB)

```

type: numeric (int)
range: [0,600] units: 100
unique values: 2 missing .: 2/1,411
unique missing codes: 3 missing *: 5/1,411

tabulation: Freq. Value
             1,403 0
              1 600
              2 .
              4 .c
              1 .d
mean: .42735
std. dev: 16.0128

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

hc3_B Value of receiving: Expenses on food, non-alcoholic beverages (THB)

```

type: numeric (long)
range: [0,1400] units: 1
unique values: 9 missing .: 2/1,411
unique missing codes: 3 missing *: 93/1,411
    
```

```

tabulation: Freq. Value
            1,306 0
            1 63
            1 87
            1 150
            1 155
            3 233
            1 349
            1 907
            1 1400
            2 .
            91 .c
            2 .d
mean:      2.89514
std. dev:  48.6655

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

freq_B **Frequency: Weekly**

```

type: numeric (byte)
label: freq

range: [5,5]          units: 1
unique values: 1      missing .: 2/1,411

tabulation: Freq. Numeric Label
            1,409      5 weekly
            2          .
    
```

no_C **code C**

```

type: numeric (byte)

range: [3,3]          units: 1
unique values: 1      missing .: 2/1,411

tabulation: Freq. Value
            1,409 3
            2 .
mean:      3
std. dev:  0

percentiles:    10%    25%    50%    75%    90%
                3      3      3      3      3
    
```

description_C **Item of expenditure: Alcoholic beverages (not display)**

```

type: string (str254), but longest is str0
unique values: 0      missing "": 1,411/1,411

tabulation: Freq. Value
            1,411 ""
    
```

hc0_C **Code of Inseparable expenses**

```

type: string (str43), but longest is str0
unique values: 0      missing "": 1,411/1,411
    
```

tabulation: Freq. Value
 1,411 ""

hc1_C

HH. Expenses: Alcoholic beverages (THB)

type: numeric (long)
 range: [0,15000] units: 1
 unique values: 72 missing .: 2/1,411
 unique missing codes: 3 missing *: 351/1,411

tabulation:	Freq.	Value
	637	0
	2	15
	1	30
	1	35
	2	42
	1	55
	3	60
	2	83
	28	100
	2	110
	5	120
	1	140
	11	150
	1	151
	1	165
	1	180
	1	194
	20	200
	1	208
	2	210
	1	214
	1	215
	2	220
	1	240
	9	250
	3	258
	1	275
	47	300
	1	323
	11	350
	1	400
	1	430
	12	450
	1	460
	29	500
	3	550
	1	580
	22	600
	1	645
	1	650
	11	750
	2	800
	1	825
	2	840
	2	860
	26	900
	42	1000
	1	1032
	7	1050
	4	1200
	2	1250
	3	1290
	11	1500
	1	1650
	1	1700
	1	1720
	22	1800
	1	1950


```

10 2000
 2 2500
 1 2700
17 3000
 1 3150
 3 3300
 2 3500
 3 3600
 1 3750
 1 5000
 2 6000
 1 9000
 1 10000
 1 15000
 2 .
277 .c
 74 .d
    mean: 376.513
    std. dev: 932.812
percentiles:    10%    25%    50%    75%    90%
                  0      0      0     350    1000

```

hc2_C **Value of producing: Alcoholic beverages (THB)**

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 2
units: 1
missing .: 2/1,411
missing *: 74/1,411
tabulation: Freq. Value
              1,335 0
              2 .
              74 .d
    mean: 0
    std. dev: 0
percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0      0

```

hc3_C **Value of receiving: Alcoholic beverages (THB)**

```

type: numeric (long)
range: [0,0]
unique values: 1
unique missing codes: 3
units: 1
missing .: 2/1,411
missing *: 107/1,411
tabulation: Freq. Value
              1,302 0
              2 .
              32 .c
              75 .d
    mean: 0
    std. dev: 0
percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0      0

```

freq_C **Frequency: Monthlythly**

```

type: numeric (byte)
label: freq

```

range: [9,9] units: 1
 unique values: 1 missing .: 2/1,411

tabulation: Freq. Numeric Label
 1,409 9 monthly
 2 .

no_D **code D**

type: numeric (byte)
 range: [4,4] units: 1
 unique values: 1 missing .: 2/1,411
 tabulation: Freq. Value
 1,409 4
 2 .
 mean: 4
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 4 4 4 4 4

description_D **Item of expenditure: Tobacco, cigarett (not display)**

type: string (str254), but longest is str0
 unique values: 0 missing "": 1,411/1,411
 tabulation: Freq. Value
 1,411 ""

hc0_D **Code of Inseparable expenses**

type: string (str43), but longest is str0
 unique values: 0 missing "": 1,411/1,411
 tabulation: Freq. Value
 1,411 ""

hc1_D **HH. Expenses: Tobacco, cigarett (THB)**

type: numeric(long)
 range: [0,3600] units: 1
 unique values: 91 missing .: 2/1,411
 unique missing codes: 3 missing *: 224/1,411
 tabulation: Freq. Value
 610 0
 2 10
 1 15
 6 20
 9 22
 1 23
 1 24
 5 26
 1 29
 4 30
 2 38
 4 40
 7 43
 5 45

23	50
3	52
2	55
19	60
1	63
1	70
2	72
16	75
1	80
8	86
11	90
41	100
1	110
6	120
5	129
1	140
1	144
55	150
1	154
1	172
24	180
1	194
19	200
2	210
2	215
1	225
1	237
2	250
1	254
55	300
1	301
1	338
2	350
11	360
1	390
1	400
3	430
8	450
14	500
1	540
1	550
37	600
1	622
1	650
2	675
1	700
9	750
1	774
2	810
1	825
2	840
3	860
10	900
1	990
24	1000
1	1005
5	1050
10	1200
3	1290
3	1350
18	1500
1	1530
6	1650
1	1680
6	1800
3	1950
1	2040
4	2100
1	2190
1	2400
1	2500
1	2550

```

          1 2700
          1 2880
         11 3000
          1 3300
          1 3600
          2 .
        205 .c
         19 .d
    mean: 244.601
  std. dev: 515.473

percentiles:    10%    25%    50%    75%    90%
                0      0      0     200     860
    
```

hc2_D Value of producing: Tobacco, cigarett (THB)

```

    type: numeric (int)
    range: [0,0]
  unique values: 1
unique missing codes: 2
    units: 1
  missing .: 2/1,411
  missing *: 19/1,411

  tabulation: Freq. Value
              1,390 0
                2 .
                19 .d
    mean: 0
  std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

hc3_D Value of receiving: Tobacco, cigarett (THB)

```

    type: numeric (long)
    range: [0,200]
  unique values: 2
unique missing codes: 3
    units: 100
  missing .: 2/1,411
  missing *: 23/1,411

  tabulation: Freq. Value
              1,385 0
                1 200
                2 .
                4 .c
                19 .d
    mean: .1443
  std. dev: 5.37215

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

freq_D Frequency: Monthly

```

    type: numeric (byte)
    label: freq
    range: [9,9]
  unique values: 1
    units: 1
  missing .: 2/1,411

  tabulation: Freq. Numeric Label
              1,409 9 monthly
                2 .
    
```

no_E **code E**

```

type: numeric (byte)
range: [5,5] units: 1
unique values: 1 missing.: 2/1,411

tabulation: Freq. Value
             1,409 5
             2 .
mean: 5
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              5 5 5 5 5
    
```

description_E
Item of expenditure: Utilities such as water, electricity, telephone and interne

```

type: string (str254), but longest is str0
unique values: 0 missing "": 1,411/1,411

tabulation: Freq. Value
             1,411 ""
    
```

hc0_E **Code of Inseparable expenses**

```

type: string (str43), but longest is str0
unique values: 0 missing "": 1,411/1,411

tabulation: Freq. Value
             1,411 ""
    
```

hc1_E HH. Expenses: Utilities such as water, electricity, telephone and internet (THB)

```

type: numeric (long)
range: [0,11750] units: 1
unique values: 596 missing.: 2/1,411
unique missing codes: 2 missing *: 4/1,411

mean: 985.845
std. dev: 849.088

percentiles: 10% 25% 50% 75% 90%
              347 500 753 1180 1840
    
```

hc2_E Value of producing: Utilities such as water, electricity, telephone and internet

```

type: numeric (int)
range: [0,0] units: 1
unique values: 1 missing.: 2/1,411

tabulation: Freq. Value
             1,409 0
             2 .
mean: 0
std. dev: 0
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hc3_E Value of receiving: Utilities such as water, electricity, telephone and internet

type: numeric (**long**)
 range: [0,550] units: 1
 unique values: 13 missing .: 2/1,411
 unique missing codes: 2 missing *: 30/1,411

tabulation: Freq. Value
 1,354 0
 1 30
 2 50
 6 100
 2 150
 1 199
 4 200
 1 250
 1 300
 1 340
 1 480
 4 500
 1 550
 2 .
 30 .c
 mean: 4.314
 std. dev: 38.9059

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

freq_E Frequency: Monthly

type: numeric (**byte**)
 label: **freq**
 range: [9,9] units: 1
 unique values: 1 missing .: 2/1,411

tabulation: Freq. Numeric Label
 1,409 9 monthly
 2 .

no_F code F

type: numeric (**byte**)
 range: [6,6] units: 1
 unique values: 1 missing .: 2/1,411

tabulation: Freq. Value
 1,409 6
 2 .
 mean: 6
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%
 6 6 6 6 6

description_F Item of expenditure: House rents (not display)

```

type: string (str254), but longest is str0
unique values: 0 missing "": 1,411/1,411
tabulation: Freq. Value
             1,411 ""
    
```

hc0_F **Code of Inseparable expenses**

```

type: string (str43), but longest is str0
unique values: 0 missing "": 1,411/1,411
tabulation: Freq. Value
             1,411 ""
    
```

hc1_F **HH. Expenses: House rents (THB)**

```

type: numeric (long)
range: [0,2500] units: 1
unique values: 7 missing .: 2/1,411
unique missing codes: 2 missing *: 1/1,411

tabulation: Freq. Value
             1,401 0
              1 300
              2 500
              1 900
              1 1083
              1 1800
              1 2500
              2 .
              1 .c
mean: 5.38565
std. dev: 92.4362

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

hc2_F **Value of producing: House rents (THB)**

```

type: numeric (int)
range: [0,0] units: 1
unique values: 1 missing .: 2/1,411

tabulation: Freq. Value
             1,409 0
              2 .
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

hc3_F **Value of receiving: House rents (THB)**

```

type: numeric (long)
range: [0,0] units: 1
unique values: 1 missing .: 2/1,411
    
```

```

tabulation: Freq. Value
             1,409 0
             2    .
    mean:    0
  std. dev:  0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

freq_F **Frequency: Monthly**

```

    type: numeric (byte)
    label: freq

    range: [9,9]          units: 1
unique values: 1          missing.: 2/1,411

    tabulation: Freq.  Numeric  Label
                1,409    9      monthly
                2        .
    
```

no_G **code G**

```

    type: numeric (byte)

    range: [7,7]          units: 1
unique values: 1          missing.: 2/1,411

    tabulation: Freq. Value
                1,409 7
                2    .
    mean:    7
  std. dev:  0

    percentiles: 10%    25%    50%    75%    90%
                  7      7      7      7      7
    
```

description_G
Item of expenditure: Fuel such as gasoline and gas for private car (not display)

```

    type: string (str254), but longest is str0
unique values: 0          missing "": 1,411/1,411

    tabulation: Freq. Value
                1,411 ""
    
```

hc0_G **Code of Inseparable expenses**

```

    type: string (str43), but longest is str0
unique values: 0          missing "": 1,411/1,411

    tabulation: Freq. Value
                1,411 ""
    
```

hc1_G **HH. Expenses: Fuel such as gasoline and gas for private car (THB)**

```

    type: numeric (long)
    
```


range: [0,27100] units: 1
 unique values: 138 missing.: 2/1,411
 unique missing codes: 2 missing*: 88/1,411
 mean: 1148.69
 std. dev: 1810.16
 percentiles: 10% 25% 50% 75% 90%
 150 300 516 1500 2520

hc2_G Value of producing: Fuel such as gasoline and gas for private car (THB)

type: numeric (int)
 range: [0,0] units: 1
 unique values: 1 missing.: 2/1,411
 tabulation: Freq. Value
 1,409 0
 2 .
 mean: 0
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hc3_G Value of receiving: Fuel such as gasoline and gas for private car (THB)

type: numeric (long)
 range: [0,0] units: 1
 unique values: 1 missing.: 2/1,411
 unique missing codes: 2 missing*: 1/1,411
 tabulation: Freq. Value
 1,408 0
 2 .
 1 .c
 mean: 0
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

freq_G Frequency: Monthly

type: numeric (byte)
 label: freq
 range: [9,9] units: 1
 unique values: 1 missing.: 2/1,411
 tabulation: Freq. Numeric Label
 1,409 9 monthly
 2 .

no_H code H

type: numeric (byte)
 range: [8,8] units: 1
 unique values: 1 missing.: 2/1,411

```

tabulation: Freq. Value
            1,409 8
            2 .
    mean:    8
    std. dev: 0

percentiles: 10%    25%    50%    75%    90%
              8      8      8      8      8
    
```

description_H **Item of expenditure: Gas, firewood for cooking (not display)**

```

type: string (str254), but longest is str0
unique values: 0 missing "": 1,411/1,411

tabulation: Freq. Value
            1,411 ""
    
```

hc0_H **Code of Inseparable expenses**

```

type: string (str43), but longest is str0
unique values: 0 missing "": 1,411/1,411

tabulation: Freq. Value
            1,411 ""
    
```

hc1_H **HH. Expenses: Gas, firewood for cooking (THB)**

```

type: numeric (long)
range: [0,3700] units: 1
unique values: 262 missing .: 2/1,411
unique missing codes: 2 missing *: 18/1,411

mean: 249.689
std. dev: 254.158

percentiles: 10%    25%    50%    75%    90%
              0     100    200    380    480
    
```

hc2_H **Value of producing: Gas, firewood for cooking (THB)**

```

type: numeric(int)
range: [0,2250] units: 1
unique values: 61 missing .: 2/1,411
unique missing codes: 3 missing *: 280/1,411

tabulation: Freq. Value
            815 0
            1 25
            1 35
            2 40
            3 50
            1 56
            5 60
            2 65
            1 70
            3 75
            3 80
            1 87
            12 100
            47 120
    
```

```

12 130
 4 140
 1 145
26 150
 1 160
 1 167
 1 175
 5 180
 1 195
12 200
 1 220
 1 225
29 240
 3 250
15 260
 1 270
 7 280
18 300
 2 325
 3 350
20 360
 1 370
 1 375
 9 390
 2 400
 2 420
 9 450
 1 465
 5 480
 7 500
 1 520
 7 600
 3 650
 1 660
 1 675
 1 688
 1 715
 1 720
 1 750
 1 780
 1 800
 1 840
 1 845
 5 1000
 2 1200
 2 1500
 1 2250
 2 .
278 .c
 2 .d
    mean: 79.7945
    std. dev: 183.829

percentiles:    10%    25%    50%    75%    90%
                  0      0      0     100     280

```

hc3_H Value of receiving: Gas, firewood for cooking (THB)

```

type: numeric (long)
range: [0,300]
unique values: 6
unique missing codes: 2

units: 1
missing .: 2/1,411
missing *: 11/1,411

```

```

tabulation: Freq. Value
            1,391 0
              1 44
              3 120
              1 150
              1 260
              1 300
              2 .
            11 .c
    mean:    .796853
    std. dev: 12.6725

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

freq_H **Frequency: Monthly**

```

    type: numeric (byte)
    label: freq

    range: [9,9]
    unique values: 1
                    units: 1
                    missing.: 2/1,411

    tabulation: Freq. Numeric Label
                1,409 9 monthly
                 2 .
    
```

no_I **code I**

```

    type: numeric (byte)

    range: [9,9]
    unique values: 1
                    units: 1
                    missing.: 2/1,411

    tabulation: Freq. Value
                1,409 9
                 2 .
    mean:       9
    std. dev:   0

    percentiles:    10%    25%    50%    75%    90%
                    9      9      9      9      9
    
```

description_I
Item of expenditure: Household products such as soap, toothpaste, shampoo, laund

```

    type: string (str254), but longest is str0
    unique values: 0
                    missing "": 1,411/1,411

    tabulation: Freq. Value
                1,411 ""
    
```

hc0_I **Code of Inseparable expenses**

```

    type: string (str43), but longest is str3
    unique values: 1
                    missing "": 1,410/1,411

    tabulation: Freq. Value
                1,410 ""
                 1 "I,U"
    
```

hcl_I HH. Expenses: Household products such as soap, toothpaste, shampoo, laundry dete

```

type: numeric (long)
range: [0,6700]
unique values: 77
unique missing codes: 2
units: 1
missing .: 2/1,411
missing *: 80/1,411

```

```

tabulation: Freq. Value
74 0
1 20
6 50
1 75
40 100
1 119
1 125
1 130
1 131
1 135
25 150
1 160
1 175
94 200
1 215
1 233
1 237
1 240
52 250
2 260
1 280
1 290
98 300
1 326
1 344
34 350
38 400
1 425
4 430
43 450
1 456
1 460
1 470
1 495
241 500
29 550
1 580
29 600
1 624
3 645
11 650
2 667
19 700
1 705
10 750
1 774
12 800
7 860
1 864
2 900
208 1000
1 1075
1 1150
10 1200
1 1250
3 1290
7 1300
3 1350
1 1400
1 1450
62 1500

```

```

      1 1505
      2 1550
      2 1600
     71 2000
      1 2050
      4 2150
      1 2450
     18 2500
      1 2800
     13 3000
      5 3500
      1 3600
      2 4000
      1 4500
      5 5000
      1 6700
      2 .
     80 .c
    mean: 738.049
   std. dev: 717.475

percentiles:    10%    25%    50%    75%    90%
                150    300    500    1000   1500

```

hc2_I Value of producing: Household products such as soap, toothpaste, shampoo, laundr

```

      type: numeric (int)
      range: [0,0]
unique values: 1
      units: 1
      missing .: 2/1,411

tabulation: Freq. Value
            1,409 0
              2 .
      mean: 0
      std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

hc3_I Value of receiving: Household products such as soap, toothpaste, shampoo, laundr

```

      type: numeric (long)
      range: [0,8000]
unique values: 14
unique missing codes: 3
      units: 1
      missing .: 2/1,411
      missing *: 66/1,411

tabulation: Freq. Value
            1,319 0
              1 42
              1 77
              2 200
              1 250
              1 450
              5 500
              1 550
              1 667
              6 1000
              1 1120
              2 2000
              1 3000
              1 8000
              2 .
             65 .c
              1 .d
    mean: 20.1459
   std. dev: 259.053

```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

freq_I **Frequency: Monthly**

type: numeric (**byte**)
 label: **freq**
 range: [9,9] units: 1
 unique values: 1 missing .: 2/1,411
 tabulation: Freq. Numeric Label
 1,409 9 monthly
 2 .

no_J **code J**

type: numeric (**byte**)
 range: [10,10] units: 1
 unique values: 1 missing .: 2/1,411
 tabulation: Freq. Value
 1,409 10
 2 .
 mean: 10
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 10 10 10 10 10

description_J
 Item of expenditure: Lottery such as illegal lottery, government lottery, gold l

type: string (**str254**), but longest is str0
 unique values: 0 missing "": 1,411/1,411
 tabulation: Freq. Value
 1,411 "

hc0_J **Code of Inseparable expenses**

type: string (**str43**), but longest is str0
 unique values: 0 missing "": 1,411/1,411
 tabulation: Freq. Value
 1,411 "

hc1_J HH. Expenses: Lottery such as illegal lottery, government lottery, gold lottery

type: numeric (**long**)
 range: [0,15000] units: 1
 unique values: 89 missing .: 2/1,411
 unique missing codes: 4 missing *: 36/1,411

tabulation:	Freq.	Value
	442	0
	1	3
	1	5
	1	8
	2	13
	1	17
	2	20
	1	25
	1	27
	1	29
	1	30
	1	36
	2	42
	1	50
	1	58
	2	60
	1	80
	1	83
	1	90
	16	100
	1	106
	1	110
	2	120
	1	130
	2	140
	18	150
	6	160
	1	167
	60	200
	1	208
	3	240
	23	250
	2	260
	1	270
	3	280
	1	286
	53	300
	6	320
	11	350
	1	375
	39	400
	17	450
	3	480
	97	500
	11	550
	1	560
	43	600
	4	650
	1	680
	15	700
	1	730
	3	750
	1	760
	1	780
	16	800
	1	850
	11	900
	1	960
	151	1000
	11	1100
	13	1200
	2	1250
	1	1260
	5	1300
	2	1400
	41	1500
	7	1600
	1	1700
	1	1707
	4	1800
	79	2000


```

      1 2100
      1 2200
      2 2400
     12 2500
      2 2800
     39 3000
      1 3200
      9 3500
      1 3620
     14 4000
      3 4500
     15 5000
      1 5500
      4 6000
      1 6500
      1 9000
      4 10000
      1 15000
      2 .
      1 .a
     31 .c
      4 .d
    mean: 783.496
  std. dev: 1231.36

  percentiles:      10%      25%      50%      75%      90%
                   0         0         400       1000       2000

```

hc2_J Value of producing: Lottery such as illegal lottery, government lottery, gold lo

```

      type: numeric (int)
      range: [0,0]
  unique values: 1
unique missing codes: 2
      units: 1
      missing .: 2/1,411
      missing *: 4/1,411

  tabulation: Freq. Value
              1,405 0
                2 .
                4 .d
    mean: 0
  std. dev: 0

  percentiles:      10%      25%      50%      75%      90%
                   0         0         0         0         0

```

hc3_J Value of receiving: Lottery such as illegal lottery, government lottery, gold lo

```

      type: numeric (long)
      range: [0,0]
  unique values: 1
unique missing codes: 3
      units: 1
      missing .: 2/1,411
      missing *: 5/1,411

  tabulation: Freq. Value
              1,404 0
                2 .
                1 .c
                4 .d
    mean: 0
  std. dev: 0

  percentiles:      10%      25%      50%      75%      90%
                   0         0         0         0         0

```

freq_J **Frequency: Monthly**

```

type: numeric (byte)
label: freq
range: [9,9]
unique values: 1
units: 1
missing .: 2/1,411

tabulation: Freq. Numeric Label
             1,409 9 monthly
             2 .
    
```

no_K **code K**

```

type: numeric (byte)
range: [11,11]
unique values: 1
units: 1
missing .: 2/1,411

tabulation: Freq. Value
             1,409 11
             2 .
mean: 11
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
             11 11 11 11 11
    
```

description_K **Item of expenditure: Expense on medicine (not display)**

```

type: string (str254), but longest is str0
unique values: 0
missing "": 1,411/1,411

tabulation: Freq. Value
             1,411 ""
    
```

hc0_K **Code of Inseparable expenses**

```

type: string (str43), but longest is str0
unique values: 0
missing "": 1,411/1,411

tabulation: Freq. Value
             1,411 ""
    
```

hcl_K **HH. Expenses: Expense on medicine THB)**

```

type: numeric (long)
range: [0,24000]
unique values: 72
unique missing codes: 2
units: 1
missing .: 2/1,411
missing *: 64/1,411
    
```

tabulation:	Freq.	Value
	585	0
	1	8
	3	10
	1	15
	1	18
	12	20
	1	23
	12	25
	17	30
	1	35
	3	40
	3	45
	33	50
	2	55
	2	60
	1	70
	1	75
	1	90
	97	100
	1	105
	11	120
	1	125
	30	150
	3	160
	2	180
	64	200
	1	228
	5	240
	45	250
	1	275
	55	300
	13	350
	5	360
	1	375
	8	400
	27	450
	2	480
	76	500
	9	550
	5	600
	4	700
	1	720
	3	750
	3	800
	76	1000
	1	1030
	13	1200
	18	1500
	1	1600
	5	1800
	1	1950
	1	1975
	22	2000
	4	2400
	8	2500
	1	2550
	7	3000
	1	3200
	3	3500
	4	3600
	3	4000
	4	4500
	2	5000
	2	5200
	1	5400
	4	6000
	3	10000
	2	12000
	2	15000
	1	18000
	1	18720

```

          1 24000
          2 .
          64 .c
    mean: 463.548
  std. dev: 1481.5

percentiles:    10%    25%    50%    75%    90%
                0      0      50     350    1000
    
```

hc2_K **Value of producing: Expense on medicine (THB)**

```

    type: numeric (int)
    range: [0,0]
unique values: 1
    units: 1
    missing .. 2/1,411

    tabulation: Freq. Value
                1,409 0
                2 .
    mean: 0
  std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

hc3_K **Value of receiving: Expense on medicine (THB)**

```

    type: numeric (long)
    range: [0,0]
unique values: 1
unique missing codes: 2
    units: 1
    missing .. 2/1,411
    missing *: 25/1,411

    tabulation: Freq. Value
                1,384 0
                2 .
                25 .c
    mean: 0
  std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

freq_K **Frequency: Yearly**

```

    type: numeric (byte)
    label: freq
    range: [17,17]
unique values: 1
    units: 1
    missing .. 2/1,411

    tabulation: Freq. Numeric Label
                1,409    17  yearly
                2      .
    
```

no_L **code L**

```

    type: numeric (byte)
    range: [12,12]
unique values: 1
    units: 1
    missing .. 2/1,411
    
```

```

tabulation: Freq. Value
            1,409 12
            2 .
    mean:    12
    std. dev: 0

percentiles: 10%    25%    50%    75%    90%
            12     12     12     12     12
    
```

description_L

Item of expenditure: Expense on doctor visit at medical clinic (not display)

```

type: string (str254), but longest is str0
unique values: 0 missing "": 1,411/1,411
tabulation: Freq. Value
            1,411 ""
    
```

hc0_L

Code of Inseparable expenses

```

type: string (str43), but longest is str0
unique values: 0 missing "": 1,411/1,411
tabulation: Freq. Value
            1,411 ""
    
```

hc1_L

HH. Expenses: Expense on doctor visit at medical clinic (THB)

```

type: numeric (long)
range: [0,54000] units: 1
unique values: 159 missing .: 2/1,411
unique missing codes: 2 missing *: 32/1,411

mean: 1615.71
std. dev: 3459.45

percentiles: 10%    25%    50%    75%    90%
            0     0     700    2000    3980
    
```

hc2_L

Value of producing: Expense on doctor visit at medical clinic (THB)

```

type: numeric (int)
range: [0,0] units: 1
unique values: 1 missing .: 2/1,411
tabulation: Freq. Value
            1,409 0
            2 .
    mean:    0
    std. dev: 0

percentiles: 10%    25%    50%    75%    90%
            0     0     0     0     0
    
```

hc3_L

Value of receiving: Expense on doctor visit at medical clinic (THB)

```

type: numeric (long)
    
```

range: [0,6000] units: 1000
 unique values: 2 missing .: 2/1,411
 unique missing codes: 2 missing *: 7/1,411

tabulation: Freq. Value
 1,401 0
 1 6000
 2 .
 7 .c
 mean: 4.2796
 std. dev: 160.242

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

freq_L **Frequency: Yearly**

type: numeric (byte)
 label: freq

range: [17,17] units: 1
 unique values: 1 missing .: 2/1,411

tabulation: Freq. Numeric Label
 1,409 17 yearly
 2 .

no_M **code M**

type: numeric (byte)

range: [13,13] units: 1
 unique values: 1 missing .: 2/1,411

tabulation: Freq. Value
 1,409 13
 2 .
 mean: 13
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%
 13 13 13 13 13

description_M **Item of expenditure: Expense on doctor visit at hospital (not display)**

type: string (str254), but longest is str0

unique values: 0 missing "": 1,411/1,411

tabulation: Freq. Value
 1,411 ""

hc0_M **Code of Inseparable expenses**

type: string (str43), but longest is str0

unique values: 0 missing "": 1,411/1,411

tabulation: Freq. Value
 1,411 ""

hcl_M **HH. Expenses: Expense on doctor visit at hospital (THB)**

```

type: numeric (long)
range: [0,250000]
unique values: 58
unique missing codes: 2
units: 1
missing .: 2/1,411
missing *: 37/1,411
    
```

```

tabulation: Freq. Value
1,145 0
58 30
1 40
30 60
1 70
2 75
1 80
14 90
15 120
2 130
3 135
1 140
1 144
5 150
13 180
1 195
4 200
2 210
1 240
8 300
1 320
10 360
1 375
1 390
2 420
2 450
1 480
2 500
1 540
2 600
1 700
5 720
1 800
1 960
3 1000
3 1200
1 1400
2 1500
1 1600
1 2000
1 2200
2 3000
1 3300
1 3800
1 4500
1 5000
1 5200
1 5500
2 6000
2 12000
1 13500
1 25000
1 25090
1 26000
1 38000
2 40000
1 42700
1 250000
2 .
37 .c
mean: 449.802
    
```

std. dev: 7213.76
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 70

hc2_M Value of producing: Expense on doctor visit at hospital (THB)

type: numeric (int)
 range: [0,0] units: 1
 unique values: 1 missing .: 2/1,411
 unique missing codes: 2 missing *: 1/1,411

tabulation: Freq. Value
 1,408 0
 2 .
 1 .c
 mean: 0
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hc3_M Value of receiving: Expense on doctor visit at hospital (THB)

type: numeric (long)
 range: [0,4500] units: 10
 unique values: 9 missing .: 2/1,411
 unique missing codes: 3 missing *: 812/1,411

tabulation: Freq. Value
 569 0
 17 30
 4 60
 1 90
 1 120
 1 150
 2 360
 1 4000
 1 4500
 2 .
 808 .c
 4 .d
 mean: 17.3032
 std. dev: 247.149

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

freq_M Frequency: Yearly

type: numeric (byte)
 label: freq
 range: [17,17] units: 1
 unique values: 1 missing .: 2/1,411

tabulation: Freq. Numeric Label
 1,409 17 yearly
 2 .

no_N code N

```

type: numeric (byte)
range: [14,14] units: 1
unique values: 1 missing .: 2/1,411

tabulation: Freq. Value
1,409 14
2 .
mean: 14
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
14 14 14 14 14
    
```

description_N **Item of expenditure: Donation (not display)**

```

type: string (str254), but longest is str0
unique values: 0 missing "": 1,411/1,411

tabulation: Freq. Value
1,411 ""
    
```

hc0_N **Code of Inseparable expenses**

```

type: string (str43), but longest is str0
unique values: 0 missing "": 1,411/1,411

tabulation: Freq. Value
1,411 ""
    
```

hc1_N **HH. Expenses: Donation (THB)**

```

type: numeric (long)
range: [0,40000] units: 10
unique values: 65 missing .: 2/1,411
unique missing codes: 2 missing *: 165/1,411

tabulation: Freq. Value
15 0
1 100
2 150
5 200
7 250
11 300
3 350
5 400
8 450
53 500
14 550
10 600
3 650
3 700
2 750
3 900
1 960
246 1000
1 1150
5 1200
4 1250
4 1300
1 1400
5 1450
94 1500
    
```

```

      1 1550
      1 1750
    193 2000
      1 2200
      2 2250
      1 2400
    106 2500
      1 2600
    105 3000
     44 3500
      4 3600
     26 4000
      1 4200
     31 4500
      1 4800
     84 5000
      1 5100
      2 5400
     13 5500
     12 6000
      1 6300
      5 6500
      6 7000
      1 7200
      4 7500
      2 8000
      1 8700
      3 9000
     50 10000
      1 11000
      1 11250
     11 12000
      1 14000
      9 15000
      2 18000
      5 20000
      2 25000
      1 30000
      1 35000
      1 40000
      2 .
      165 .c
    mean: 2990.96
    std. dev: 3408.02

    percentiles:      10%      25%      50%      75%      90%
                     600      1000      2000      3500      5500

```

hc2_N **Value of producing: household donating/charity (THB)**

```

    type: numeric (int)
    range: [0,0]
    unique values: 1
    units: 1
    missing .: 2/1,411

    tabulation: Freq. Value
                 1,409 0
                 2 .
    mean: 0
    std. dev: 0

    percentiles:      10%      25%      50%      75%      90%
                     0         0         0         0         0

```

hc3_N **Value of receiving: Donation (THB)**

```

    type: numeric (long)

```

```

    range: [0,0]                units: 1
unique values: 1                missing .: 2/1,411

  tabulation: Freq.  Value
              1,409  0
              2      .
    mean:      0
  std. dev:    0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

freq_N **Frequency: Yearly**

```

    type: numeric (byte)
    label: freq

    range: [17,17]              units: 1
unique values: 1                missing .: 2/1,411

  tabulation: Freq.  Numeric  Label
              1,409    17     yearly
              2      .
    
```

no_O **code O**

```

    type: numeric (byte)

    range: [15,15]              units: 1
unique values: 1                missing .: 2/1,411

  tabulation: Freq.  Value
              1,409  15
              2      .
    mean:      15
  std. dev:    0

percentiles:    10%    25%    50%    75%    90%
                15     15     15     15     15
    
```

description_O **Item of expenditure: Expense on ceremony (not display)**

```

    type: string (str254), but longest is str0
unique values: 0                missing "": 1,411/1,411

  tabulation: Freq.  Value
              1,411  ""
    
```

hc0_O **Code of Inseparable expenses**

```

    type: string (str43), but longest is str0
unique values: 0                missing "": 1,411/1,411

  tabulation: Freq.  Value
              1,411  ""
    
```

hcl_O **HH. Expenses: Expense on ceremony (THB)**

```

    type: numeric (long)
    
```

range: [0,300000] units: 10
 unique values: 40 missing .: 2/1,411
 unique missing codes: 3 missing *: 10/1,411

tabulation: Freq. Value
 1,260 0
 1 1200
 2 2000
 1 2700
 3 3000
 1 4500
 1 4880
 3 5000
 1 6000
 1 6500
 1 7000
 4 10000
 1 12000
 2 14000
 1 15000
 14 20000
 1 24000
 3 25000
 6 30000
 1 34000
 1 35000
 5 40000
 1 45000
 9 50000
 7 60000
 1 65000
 6 80000
 1 90000
 19 100000
 7 120000
 1 130000
 1 135000
 2 140000
 1 145000
 6 150000
 3 160000
 8 200000
 1 221000
 5 250000
 6 300000
 2 .
 8 .c
 2 .d
 mean: 8731.08
 std. dev: 36263

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hc2_o

Value of producing: Expense on ceremony (THB)

type: numeric (int)
 range: [0,0] units: 1
 unique values: 1 missing .: 2/1,411
 unique missing codes: 2 missing *: 2/1,411
 tabulation: Freq. Value
 1,407 0
 2 .
 2 .d
 mean: 0
 std. dev: 0

hc0_P

Code of Inseparable expenses

type: string (**str43**), but longest is str0
 unique values: 0 missing "": 1,411/1,411
 tabulation: Freq. Value
 1,411 ""

hc1_P

HH. Expenses: House restoration or construction (THB)

type: numeric (**long**)
 range: [0,4000000] units: 10
 unique values: 89 missing .: 2/1,411
 unique missing codes: 2 missing *: 14/1,411

tabulation: Freq. Value
 1,006 0
 1 40
 2 200
 2 450
 2 500
 1 800
 1 850
 1 900
 3 1000
 1 1100
 3 1500
 14 2000
 1 2170
 1 2200
 1 2290
 4 2500
 10 3000
 1 3500
 2 4000
 1 4300
 3 4500
 18 5000
 3 5500
 2 6000
 1 6500
 5 7000
 3 7500
 1 8000
 1 9000
 32 10000
 1 11000
 7 12000
 1 12500
 2 13000
 18 15000
 3 16000
 1 16500
 1 16700
 5 18000
 35 20000
 1 21000
 1 22000
 2 23000
 13 25000
 1 26000
 1 28000
 23 30000
 11 35000
 3 36000
 1 37000

```

      1 38000
      1 39000
     15 40000
      1 43000
      8 45000
     12 50000
      2 54000
      1 55000
      1 56000
      6 60000
      2 65000
     11 70000
      2 75000
      5 80000
      2 90000
     13 100000
      1 103000
      2 110000
      2 120000
      1 125000
      1 130000
      9 150000
      1 160000
      2 170000
      3 180000
      1 190000
     10 200000
      1 210000
      3 250000
      1 275000
      6 300000
      1 312000
      1 340000
      3 400000
      1 450000
      1 600000
      1 700000
      1 780000
      1 4000000
      2 .
     14 .c
    mean: 18353.9
   std. dev: 120035

percentiles:      10%      25%      50%      75%      90%
                  0         0         0       3000     36000

```

hc2_P Value of producing: House restoration or construction (THB)

```

      type: numeric(int)
      range: [0,0]
unique values: 1
                units: 1
                missing .: 2/1,411

tabulation: Freq. Value
            1,409 0
            2 .
      mean: 0
   std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

hc3_P Value of receiving: House restoration or construction (THB)

```

      type: numeric (long)

```

range: [0,60000] units: 100
 unique values: 7 missing .: 2/1,411
 unique missing codes: 2 missing *: 2/1,411

tabulation: Freq. Value
 1,399 0
 1 2000
 2 4500
 1 25000
 1 30000
 2 40000
 1 60000
 2 .
 2 .c

mean: 146.411
 std. dev: 2435.42

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

freq_P **Frequency: Yearly**

type: numeric (byte)
 label: freq
 range: [17,17] units: 1
 unique values: 1 missing .: 2/1,411
 tabulation: Freq. Numeric Label
 1,409 17 yearly
 2 .

no_Q **code Q**

type: numeric (byte)
 range: [17,17] units: 1
 unique values: 1 missing .: 2/1,411
 tabulation: Freq. Value
 1,409 17
 2 .
 mean: 17
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 17 17 17 17 17

description_Q
 Item of expenditure: Insurance, maintainance cost and registration cost of motho

type: string (str254), but longest is str0
 unique values: 0 missing "": 1,411/1,411
 tabulation: Freq. Value
 1,411 ""

hc0_Q **Code of Inseparable expenses**

type: string (str43), but longest is str0
 unique values: 0 missing "": 1,411/1,411

tabulation: Freq. Value
 1,411 ""

hc1_Q HH. Expenses: Insurance, maintainance cost and registration cost of mothorcycle,

type: numeric (long)
 range: [0,100000] units: 1
 unique values: 172 missing .: 2/1,411
 unique missing codes: 3 missing *: 148/1,411
 mean: 3885.39
 std. dev: 8125.33
 percentiles: 10% 25% 50% 75% 90%
 0 0 1000 4000 10000

hc2_Q Value of producing: Insurance, maintainance cost and registration cost of mothor

type: numeric (int)
 range: [0,0] units: 1
 unique values: 1 missing .: 2/1,411
 tabulation: Freq. Value
 1,409 0
 2 .
 mean: 0
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hc3_Q Value of receiving: Insurance, maintainance cost and registration cost of mothor

type: numeric (long)
 range: [0,2500] units: 100
 unique values: 4 missing .: 2/1,411
 unique missing codes: 2 missing *: 7/1,411
 tabulation: Freq. Value
 1,399 0
 1 500
 1 1300
 1 2500
 2 .
 7 .c
 mean: 3.06705
 std. dev: 76.3964
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

freq_Q **Frequency: Yearly**

type: numeric (byte)
 label: freq
 range: [17,17] units: 1
 unique values: 1 missing .: 2/1,411

```

tabulation:  Freq.  Numeric  Label
              1,409    17     yearly
              2         .
    
```

no_R **code R**

```

type:  numeric (byte)
range: [18,18]
unique values: 1
units: 1
missing .: 2/1,411

tabulation:  Freq.  Value
              1,409  18
              2     .
mean:       18
std. dev:   0

percentiles:  10%    25%    50%    75%    90%
              18     18     18     18     18
    
```

description_R
Item of expenditure: Furniture and house decoration (in case paid in cash) (not

```

type:  string (str254), but longest is str0
unique values: 0
missing "": 1,411/1,411

tabulation:  Freq.  Value
              1,411  ""
    
```

hc0_R **Code of Inseparable expenses**

```

type:  string (str43), but longest is str0
unique values: 0
missing "": 1,411/1,411

tabulation:  Freq.  Value
              1,411  ""
    
```

hc1_R **HH. Expenses: Furniture and house decoration (in case paid in cash) (THB)**

```

type:  numeric (long)
range: [0,100000]
unique values: 64
unique missing codes: 2
units: 1
missing .: 2/1,411
missing *: 5/1,411

tabulation:  Freq.  Value
              1,222  0
              2    450
              3    500
              1    600
              1    690
              2    800
              8   1000
              1   1200
              1   1349
              1   1400
              5   1500
              2   1600
              2   1800
              2   1900
              15  2000
              2   2400
    
```

```

        6 2500
        1 2600
        1 2700
        2 2800
       14 3000
        1 3080
        1 3100
        1 3150
        1 3300
        4 3500
        1 3600
        7 4000
        5 4500
        1 4600
        1 4900
       15 5000
        1 5500
        1 5700
        7 6000
        1 6200
        1 6500
        1 6900
        5 7000
        1 7500
        4 8000
        3 8500
        1 8950
        1 9000
        1 9500
        1 9600
        1 9900
        8 10000
        4 12000
        1 12500
        1 12800
        5 13000
        2 14000
        1 15500
        2 16000
        5 20000
        1 27000
        3 30000
        1 30300
        1 31990
        3 40000
        1 45000
        2 50000
        1 100000
        2 .
        5 .c
    mean: 1040.68
  std. dev: 4927.52

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0       2000

```

hc2_R Value of producing: Furniture and house decoration (in case paid in cash) (THB)

```

    type: numeric (int)
    range: [0,0]
unique values: 1
    units: 1
missing .: 2/1,411

tabulation: Freq. Value
            1,409 0
            2 .
    mean: 0
  std. dev: 0

```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hc3_R Value of receiving: Furniture and house decoration (in case paid in cash) (THB)

type: numeric (**long**)
 range: [0,15000] units: 100
 unique values: 7 missing .: 2/1,411
 unique missing codes: 3 missing *: 4/1,411

tabulation: Freq. Value
 1,399 0
 1 500
 1 1500
 1 3900
 1 8000
 1 10000
 1 15000
 2 .
 3 .c
 1 .d
 mean: 27.6868
 std. dev: 537.506

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

freq_R **Frequency: Yearly**

type: numeric (**byte**)
 label: **freq**
 range: [17,17] units: 1
 unique values: 1 missing .: 2/1,411

tabulation: Freq. Numeric Label
 1,409 17 yearly
 2 .

no_S **code S**

type: numeric (**byte**)
 range: [19,19] units: 1
 unique values: 1 missing .: 2/1,411

tabulation: Freq. Value
 1,409 19
 2 .
 mean: 19
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%
 19 19 19 19 19

description_S
Item of expenditure: Recreational costs (Traveling to different locations) (not

type: string (**str254**), but longest is str0
 unique values: 0 missing "": 1,411/1,411

```

tabulation: Freq. Value
            1,411 ""
    
```

hc0_S **Code of Inseparable expenses**

```

type: string (str43), but longest is str0
unique values: 0 missing "": 1,411/1,411
tabulation: Freq. Value
            1,411 ""
    
```

hc1_S **HH. Expenses: Recreational costs (Traveling to different locations) (THB)**

```

type: numeric (long)
range: [0,108000] units: 10
unique values: 54 missing .: 2/1,411
unique missing codes: 2 missing *: 21/1,411
    
```

```

tabulation: Freq. Value
            1,032 0
              1 150
              2 200
              5 300
              1 350
              1 400
              2 450
             10 500
              1 600
              1 650
              4 700
              1 800
              1 900
             43 1000
              1 1100
              2 1200
              1 1250
              1 1300
              1 1350
             11 1500
              1 1600
             40 2000
              1 2250
             18 2500
             41 3000
              1 3150
              6 3500
              1 3800
              8 4000
              1 4200
              6 4500
             25 5000
              1 5250
              8 5500
              1 6000
              1 6500
              4 7000
              2 8000
             45 10000
              4 12000
              3 13000
              9 15000
              1 17500
             13 20000
              2 25000
              8 30000
              3 35000
    
```

```

                1  40000
                1  45000
                3  50000
                1  55000
                4  60000
                1  60600
                1 108000
                2  .
                21 .c
    mean:      1943.95
    std. dev:  6912.59

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0     375   5000
    
```

hc2_S Value of producing: Recreational costs (Traveling to different locations) (THB)

```

    type: numeric (int)
    range: [0,0]
    unique values: 1
    units: 1
    missing .: 2/1,411

    tabulation: Freq. Value
                1,409 0
                2 .
    mean:      0
    std. dev:  0

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

hc3_S Value of receiving: Recreational costs (Traveling to different locations) (THB)

```

    type: numeric (long)
    range: [0,15000]
    unique values: 5
    unique missing codes: 2
    units: 100
    missing .: 2/1,411
    missing *: 17/1,411

    tabulation: Freq. Value
                1,386 0
                1 1000
                2 4500
                2 10000
                1 15000
                2 .
                17 .c
    mean:      32.3276
    std. dev:  578.208

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

freq_S Frequency: Yearly

```

    type: numeric (byte)
    label: freq
    range: [17,17]
    unique values: 1
    units: 1
    missing .: 2/1,411

    tabulation: Freq. Numeric Label
                1,409    17 yearly
                2 .
    
```

no_T **code T**

```

type: numeric (byte)
range: [20,20] units: 1
unique values: 1 missing .: 2/1,411

tabulation: Freq. Value
             1,409 20
             2 .
mean: 20
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              20 20 20 20 20
    
```

description_T
Item of expenditure: Land or shop rental fee (excluding land rental fee in busin

```

type: string (str254), but longest is str0
unique values: 0 missing "": 1,411/1,411

tabulation: Freq. Value
             1,411 ""
    
```

hc0_T **Code of Inseparable expenses**

```

type: string (str43), but longest is str0
unique values: 0 missing "": 1,411/1,411

tabulation: Freq. Value
             1,411 ""
    
```

hc1_T HH. Expenses: Land or shop rental fee (excluding land rental fee in business sec

```

type: numeric (long)
range: [0,79800] units: 1
unique values: 74 missing .: 2/1,411
unique missing codes: 3 missing *: 10/1,411

tabulation: Freq. Value
             1,270 0
             1 110
             1 280
             2 500
             1 600
             1 900
             1 960
             4 1000
             1 1500
             7 2000
             1 2200
             1 2275
             1 2333
             3 2500
             1 2550
             1 2880
             6 3000
             1 3120
             1 3150
             1 3300
    
```

```

1 3500
1 3900
1 3960
6 4000
2 4200
1 4500
7 5000
1 5005
1 5070
2 5500
2 6000
5 7000
1 7200
5 8000
1 8050
1 8400
1 8450
1 8550
1 9000
2 9100
5 10000
2 10500
2 11000
1 12000
1 12750
2 13000
1 13400
1 14000
5 15000
1 15925
2 16000
1 16800
1 16835
1 18000
1 18200
1 19000
2 20000
1 21000
1 22500
1 23625
1 26000
1 27300
4 30000
1 31000
1 35000
1 39750
1 40000
1 42500
1 48680
1 50000
1 52500
1 68250
1 78400
1 79800
2 .
2 .c
8 .d
      mean: 1114.41
      std. dev: 5666.08
percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

hc2_T Value of producing: Land or shop rental fee (excluding land rental fee in busine

type: numeric (int)

range: [0,32585] units: 1
 unique values: 12 missing .: 2/1,411
 unique missing codes: 3 missing *: 10/1,411

tabulation: Freq. Value
 1,387 0
 1 1517
 1 4500
 1 6000
 1 8125
 1 10500
 1 14700
 1 16800
 1 19250
 2 21000
 1 24500
 1 32585
 2 .
 2 .c
 8 .d

mean: 129.004
 std. dev: 1610.16

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hc3_T Value of receiving: Land or shop rental fee (excluding land rental fee in busine

type: numeric (long)

range: [0,48000] units: 10
 unique values: 7 missing .: 2/1,411
 unique missing codes: 3 missing *: 12/1,411

tabulation: Freq. Value
 1,391 0
 1 3800
 1 5000
 1 10920
 1 12000
 1 24500
 1 48000
 2 .
 4 .c
 8 .d

mean: 74.6027
 std. dev: 1513.82

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

freq_T Frequency: Yearly

type: numeric (byte)
 label: freq

range: [17,17] units: 1
 unique values: 1 missing .: 2/1,411

tabulation: Freq. Numeric Label
 1,409 17 yearly
 2 .

no_U code U

```

type: numeric (byte)
range: [21,21] units: 1
unique values: 1 missing .: 694/1,411

tabulation: Freq. Value
             717 21
             694 .
mean: 21
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              21 21 21 21 21
    
```

description_U Item of expenditure: Others, please specify (not display)

```

type: string (str254), but longest is str0
unique values: 0 missing "": 1,411/1,411

tabulation: Freq. Value
             1,411 ""
    
```

description_U_group Group of items: description_U (not display)

```

type: string (str31), but longest is str0
unique values: 0 missing "": 1,411/1,411

tabulation: Freq. Value
             1,411 ""
    
```

hc0_U Code of Inseparable expenses

```

type: string (str43), but longest is str3
unique values: 1 missing "": 1,410/1,411

tabulation: Freq. Value
             1,410 ""
             1 "I,U"
    
```

hc1_U HH. Expenses: Others (THB)

```

type: numeric (long)
range: [0,14000] units: 1
unique values: 4 missing .: 852/1,411
unique missing codes: 2 missing *: 1/1,411

tabulation: Freq. Value
             555 0
             1 45
             1 200
             1 14000
             852 .
             1 .d
mean: 25.5287
std. dev: 592.712

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

hc2_U

Value of producing: others (THB)

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 2
units: 1
missing .: 852/1,411
missing *: 1/1,411

tabulation: Freq. Value
             558  0
             852  .
             1   .d
mean:       0
std. dev:   0

percentiles: 10%    25%    50%    75%    90%
              0     0     0     0     0
    
```

hc3_U

Value of receiving: others (THB)

```

type: numeric (long)
range: [0,96000]
unique values: 57
unique missing codes: 3
units: 1
missing .: 852/1,411
missing *: 445/1,411

tabulation: Freq. Value
             3  0
             1  70
             3 100
             2 150
             2 200
             1 250
             1 300
             1 350
             1 440
             2 450
             4 500
             3 550
             4 600
             1 900
             8 1000
             1 1125
             2 1200
             1 1250
             2 1300
             1 1500
             1 1650
             1 1800
             1 1850
             1 1900
             6 2000
             1 2400
             5 2500
             1 2750
            12 3000
             2 3500
             1 3600
             3 4000
             3 4500
             2 4550
             1 4900
             2 5000
             2 5500
             2 6000
             1 6240
             1 6300
             1 7500
    
```

```

      2 8000
      1 9000
      1 9450
      2 10000
      2 12000
      1 13800
      1 14000
      1 18000
      1 21000
      2 24000
      1 24750
      1 30000
      1 34850
      1 35000
      1 42000
      1 96000
      852 .
      441 .c
      4 .d
    mean: 5780.48
  std. dev: 11504.4

percentiles:      10%      25%      50%      75%      90%
                  250      900      2500      5000      13800

```

freq_U **Frequency: Yearly**

```

    type: numeric (byte)
    label: freq

    range: [17,17]
unique values: 1
                units: 1
                missing.: 757/1,411

    tabulation: Freq.  Numeric  Label
                  654      17  yearly
                  757      .

```

no_V **code V**

```

    type: numeric (byte)

    range: [22,22]
unique values: 1
                units: 1
                missing.: 1,222/1,411

    tabulation: Freq.  Value
                  189  22
                  1,222 .
    mean: 22
  std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  22      22      22      22      22

```

description_V **Item of expenditure: Others, please specify (not display)**

```

    type: string (str254), but longest is str0

unique values: 0
                missing "": 1,411/1,411

    tabulation: Freq.  Value
                  1,411 ""

```

description_V_group **Group of items: description_V (not display)**

```

type: string (str26), but longest is str0
unique values: 0 missing "": 1,411/1,411
tabulation: Freq. Value
             1,411 ""
    
```

hc0_v **Code of Inseparable expenses**

```

type: string (str43), but longest is str0
unique values: 0 missing "": 1,411/1,411
tabulation: Freq. Value
             1,411 ""
    
```

hc1_v **HH. Expenses: Others (THB)**

```

type: numeric (long)
range: [0,0] units: 1
unique values: 1 missing .: 1,306/1,411
tabulation: Freq. Value
             105 0
             1,306 .
mean: 0
std. dev: 0
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

hc2_v **Value of producing: others (THB)**

```

type: numeric (int)
range: [0,0] units: 1
unique values: 1 missing .: 1,306/1,411
tabulation: Freq. Value
             105 0
             1,306 .
mean: 0
std. dev: 0
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

hc3_v **Value of receiving: others (THB)**

```

type: numeric (long)
range: [250,18000] units: 10
unique values: 15 missing .: 1,306/1,411
unique missing codes: 2 missing *: 87/1,411
    
```

```

tabulation:  Freq.  Value
              1    250
              1    300
              1    550
              1    600
              1    780
              3   1000
              1   1250
              1   2000
              2   2500
              1   3000
              1   4600
              1   6500
              1   8000
              1  10000
              1  18000
            1,306  .
              87  .c
    mean:     3546.11
    std. dev: 4579.67

percentiles:    10%    25%    50%    75%    90%
                300    780    1625   4600   10000
    
```

freq_V **Frequency: Yearly**

```

    type: numeric (byte)
    label: freq

    range: [17,17]
    unique values: 1
                    units: 1
                    missing .: 1,252/1,411

    tabulation:  Freq.  Numeric  Label
                  159    17    yearly
                  1,252  .
    
```

id_1 **id 1**

```

    type: string (str4), but longest is str3
    unique values: 1
                    missing "": 2/1,411

    tabulation:  Freq.  Value
                  2    ""
                  1,409  "1.1"
    
```

description_1 Expenditures for Education: Transportation cost to school (not display)

```

    type: string (str106), but longest is str0
    unique values: 0
                    missing "": 1,411/1,411

    tabulation:  Freq.  Value
                  1,411  ""
    
```

freq_1 **Frequency: Monthly**

```

    type: numeric (byte)
    label: freq

    range: [9,9]
    unique values: 1
                    units: 1
                    missing .: 2/1,411
    
```

```

tabulation: Freq.  Numeric  Label
             1,409      9  monthly
             2          .
    
```

hcla_1

Pre School

```

type: numeric (long)
range: [0,2000]
unique values: 36
unique missing codes: 3
units: 1
missing .: 2/1,411
missing *: 4/1,411
    
```

```

tabulation: Freq.  Value
             1,273  0
               1  10
               1  20
               1  29
               1 100
               1 130
               1 150
               1 160
               8 200
               2 215
               1 240
               5 250
               2 270
              24 300
               1 340
               3 350
               1 360
               2 375
               1 390
              16 400
               1 430
               3 450
              10 500
               2 550
              15 600
              12 700
               2 750
               1 780
               2 800
               2 900
               1 950
               3 1000
               1 1100
               2 1200
               1 1700
               1 2000
               2  .
               3  .c
               1  .d
    
```

```

mean: 45.0242
std. dev: 165.844
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

hclb_1

Primary School

```

type: numeric (long)
range: [0,2500]
unique values: 30
unique missing codes: 2
units: 1
missing .: 889/1,411
missing *: 3/1,411
    
```

```

tabulation:  Freq.  Value
              390    0
              2    50
              3   100
              1   150
              1   167
              2   200
              1   220
              1   250
             26   300
              5   350
              2   380
             25   400
              1   417
              1   430
              2   440
              7   450
              1   480
             10   500
              8   600
              9   700
              6   800
              1   860
              1   900
              5  1000
              2  1200
              2  1300
              1  1400
              1  1600
              1  1700
              1  2500
             889  .
              3  .c
    mean:     129.314
    std. dev: 282.475

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      450

```

hc1c_1

Secondary school/vocational

```

type: numeric (long)
range: [0,2700]
unique values: 35
unique missing codes: 2
units: 1
missing .: 1,112/1,411
missing *: 5/1,411

```

```

tabulation:  Freq.  Value
              202    0
              1    20
              2   100
              1   110
              1   180
              4   200
              1   215
              1   220
              1   270
             15   300
              1   330
              1   344
              2   350
              1   360
              1   380
             17   400
              2   430
              5   440
              3   450
              3   500
              1   550
              5   600

```



```

          4 660
          2 700
          4 750
          1 800
          1 860
          1 880
          1 900
          1 953
          2 1000
          2 1320
          1 1500
          2 1600
          1 2700
    1,112 .
          5 .c
    mean: 164.497
    std. dev: 325.485

percentiles:      10%      25%      50%      75%      90%
                  0         0         0        300        500
    
```

hclid_1 **Higher than Secondary school/vocational**

```

    type: numeric (int)
    range: [0,2000]
    unique values: 4
    unique missing codes: 2
    units: 10
    missing .: 1,325/1,411
    missing *: 3/1,411

    tabulation: Freq. Value
                 80 0
                 1 430
                 1 660
                 1 2000
    1,325 .
                 3 .c
    mean: 37.2289
    std. dev: 234.403

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

hclnote_1 **Note (unavailable)**

```

    type: string (str162), but longest is str0
    unique values: 0
    missing "": 1,411/1,411

    tabulation: Freq. Value
                 1,411 ""
    
```

id_2 **id 2**

```

    type: string (str4), but longest is str3
    unique values: 1
    missing "": 2/1,411

    tabulation: Freq. Value
                 2 ""
    1,409 "1.2"
    
```

description_2 **Expenditures for Education: Story book/picture book for kids (not display)**

```

type: string (str106), but longest is str0
unique values: 0 missing "": 1,411/1,411
tabulation: Freq. Value
             1,411 ""
    
```

freq_2 **Frequency: Monthly**

```

type: numeric (byte)
label: freq
range: [9,9] units: 1
unique values: 1 missing .: 2/1,411
tabulation: Freq. Numeric Label
             1,409 9 monthly
             2 .
    
```

hcla_2 **Pre School**

```

type: numeric (long)
range: [0,1075] units: 1
unique values: 65 missing .: 2/1,411
unique missing codes: 3 missing *: 24/1,411
tabulation: Freq. Value
             915 0
             3 1
             10 2
             10 3
             18 4
             3 5
             5 6
             2 7
             23 8
             2 9
             3 10
             2 11
             3 12
             13 13
             3 14
             4 15
             18 17
             41 20
             16 21
             1 22
             26 25
             4 27
             6 29
             7 30
             3 31
             3 33
             3 35
             2 36
             1 38
             1 39
             16 40
             1 41
             9 42
             3 45
             1 46
             36 50
             1 54
             5 60
             1 63
             2 67
    
```

```

      2 70
      1 71
      1 73
      1 75
      1 77
      4 80
     11 83
      1 86
      2 90
     59 100
      1 113
      5 120
      1 125
      1 133
     15 150
     26 200
      1 208
     11 250
      5 300
      2 350
      1 450
      2 500
      2 600
      2 1000
      1 1075
      2 .
     23 .c
      1 .d
    mean: 24.9437
  std. dev: 74.3068

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         20         83

```

hclb_2 **Primary School**

```

      type: numeric (long)
      range: [0,500]
unique values: 33
unique missing codes: 2
      units: 1
missing .: 887/1,411
missing *: 7/1,411

```

```

tabulation: Freq. Value
            448 0
              1 2
              1 3
              4 4
              3 5
              2 6
              3 8
              1 9
              1 10
              1 12
              2 13
              1 14
              1 15
              5 20
              5 21
              4 25
              1 27
              1 29
              1 33
              2 42
              1 45
              1 46
              4 50
              1 58
              2 60
              1 63
             10 100

```

```

      1 140
      2 150
      2 200
      1 267
      2 300
      1 500
    887 .
      7 .c
  mean: 8.46228
std. dev: 38.1737

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0     13
  
```

hclc_2 **Secondary school/vocational**

```

      type: numeric (long)
      range: [0,300]
unique values: 5
unique missing codes: 2
      units: 1
      missing .: 1,113/1,411
      missing *: 3/1,411

  tabulation: Freq. Value
              291  0
              1  20
              1  38
              1 120
              1 300
            1,113 .
              3 .c
  mean: 1.62034
std. dev: 18.9404

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
  
```

hclid_2 **Higher than Secondary school/vocational**

```

      type: numeric (int)
      range: [0,0]
unique values: 1
      units: 1
      missing .: 1,326/1,411

  tabulation: Freq. Value
              85  0
            1,326 .
  mean: 0
std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
  
```

hclnote_2 **Note (unavailable)**

```

      type: string (str162), but longest is str0
unique values: 0
      missing "": 1,411/1,411

  tabulation: Freq. Value
            1,411 ""
  
```

id_3 **id 3**

```

type: string (str4), but longest is str3
unique values: 1 missing "": 2/1,411
tabulation: Freq. Value
              2 ""
            1,409 "1.3"
    
```

description_3 Expenditures for Education: Poster e.g. ABC, mnn, 0-9 (not display)

```

type: string (str106), but longest is str0
unique values: 0 missing "": 1,411/1,411
tabulation: Freq. Value
            1,411 ""
    
```

freq_3 Frequency: Monthly

```

type: numeric (byte)
label: freq
range: [9,9] units: 1
unique values: 1 missing .: 2/1,411
tabulation: Freq. Numeric Label
            1,409 9 monthly
              2 .
    
```

hcla_3 Pre School

```

type: numeric (long)
range: [0,500] units: 1
unique values: 43 missing .: 2/1,411
unique missing codes: 3 missing *: 24/1,411
tabulation: Freq. Value
            1,108 0
              1 1
             11 2
             17 3
              7 4
              5 5
              1 6
              5 7
             15 8
              4 9
              7 10
              3 12
              8 13
              4 15
              9 17
             26 20
              2 21
              8 25
              1 29
              4 30
              3 35
              1 38
             13 40
              1 41
              3 42
              1 46
             35 50
              7 60
    
```

```

          1  67
          1  73
          2  75
          1  80
          2  83
          1  91
         36 100
          1 113
          1 120
          1 125
         13 150
         10 200
          1 250
          3 300
          1 500
           2  .
         23  .c
           1  .d
    mean:   10.7502
    std. dev: 35.4948

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      35
    
```

hclb_3 **Primary School**

```

    type: numeric (long)

    range: [0,200]
    unique values: 17
    unique missing codes: 2

    units: 1
    missing .: 887/1,411
    missing *: 4/1,411

    tabulation:  Freq.  Value
                 495    0
                 1     1
                 1     2
                 1     3
                 1     6
                 4     8
                 1    10
                 1    12
                 2    17
                 1    20
                 1    25
                 1    30
                 1    33
                 2    40
                 1    50
                 3   100
                 3   200
                887  .
                 4  .c
    mean:   2.38077
    std. dev: 17.3868

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

hclc_3 **Secondary school/vocational**

```

    type: numeric (long)

    range: [0,150]
    unique values: 3
    unique missing codes: 2

    units: 10
    missing .: 1,113/1,411
    missing *: 3/1,411
    
```

```

tabulation: Freq. Value
             293  0
             1  20
             1 150
            1,113 .
             3  .c
    mean:    .576271
    std. dev: 8.8067

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

hclid_3 **Higher than Secondary school/vocational**

```

    type: numeric (int)
    range: [0,0]
    unique values: 1
                    units: 1
                    missing .: 1,325/1,411

    tabulation: Freq. Value
                86  0
               1,325 .
    mean:      0
    std. dev:  0

    percentiles:    10%    25%    50%    75%    90%
                    0      0      0      0      0
    
```

hclnote_3 **Note (unavailable)**

```

    type: string (str162), but longest is str22
    unique values: 1
                    missing "": 1,410/1,411

    tabulation: Freq. Value
                1,410 ""
                 1  "nu1=100 nu2=50"

    warning: variable has embedded blanks
    
```

id_4 **id 4**

```

    type: string (str4), but longest is str3
    unique values: 1
                    missing "": 2/1,411

    tabulation: Freq. Value
                 2  ""
               1,409 "1.4"
    
```

description_4 **Expenditures for Education: Writing exercises, number count (not display)**

```

    type: string (str106), but longest is str0
    unique values: 0
                    missing "": 1,411/1,411

    tabulation: Freq. Value
               1,411 ""
    
```

freq_4 **Frequency: Monthly**

```

type: numeric (byte)
label: freq
range: [9,9]
unique values: 1
units: 1
missing : 2/1,411

```

```

tabulation: Freq. Numeric Label
            1,409     9 monthly
             2         .

```

hcla_4

Pre School

```

type: numeric (long)
range: [0,430]
unique values: 59
unique missing codes: 3
units: 1
missing : 2/1,411
missing *: 26/1,411

```

```

tabulation: Freq. Value
            865  0
             5  1
            15  2
            21  3
            19  4
            15  5
             4  6
            13  7
            35  8
             4  9
            12 10
             2 11
             4 12
            14 13
             3 14
             8 15
            19 17
             1 18
             5 19
            42 20
             6 21
             2 23
            16 25
             2 27
             4 29
             6 30
             1 33
             1 36
             2 38
             1 39
            37 40
            10 42
             3 45
             1 46
            40 50
             2 55
            13 60
             1 63
             3 67
             1 71
             1 73
             3 75
             1 77
             5 80
             1 83
             4 86
            68 100
             1 104
             1 105
             1 113
             3 125

```



```

      8 150
      2 167
     14 200
      5 250
      1 273
      2 300
      1 400
      3 430
      2 .
     25 .c
      1 .d
    mean: 18.6175
  std. dev: 44.8731

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         15         60

```

hclb_4

Primary School

```

    type: numeric (long)
    range: [0,500]
  unique values: 25
unique missing codes: 2
          units: 1
    missing .: 887/1,411
    missing *: 10/1,411

```

```

tabulation:  Freq.  Value
             466    0
              1    1
              2    4
              1    5
              2    6
              3    8
              2   10
              2   13
              1   14
              1   19
              1   21
              2   25
              2   30
              2   33
              4   40
              1   42
              3   50
              2   60
              1   83
             10  100
              1  104
              1  120
              1  150
              1  333
              1  500
             887 .
             10 .c
    mean: 6.00778
  std. dev: 32.0481

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

hclc_4

Secondary school/vocational

```

    type: numeric (long)
    range: [0,60]
  unique values: 2
unique missing codes: 2
          units: 10
    missing .: 1,113/1,411
    missing *: 4/1,411

```

```

tabulation: Freq. Value
             293  0
             1  60
            1,113 .
             4  .c
    mean:    .204082
    std. dev: 3.49927

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

hc1d_4 **Higher than Secondary school/vocational**

```

    type: numeric (int)
    range: [0,0]
    unique values: 1
                    units: 1
                    missing .: 1,326/1,411

    tabulation: Freq. Value
                 85  0
                1,326 .
    mean:        0
    std. dev:    0

    percentiles:    10%    25%    50%    75%    90%
                    0      0      0      0      0
    
```

hc1note_4 **Note (unavailable)**

```

    type: string (str162), but longest is str0
    unique values: 0
                    missing "": 1,411/1,411

    tabulation: Freq. Value
                 1,411 ""
    
```

id_5 **id 5**

```

    type: string (str4), but longest is str3
    unique values: 1
                    missing "": 2/1,411

    tabulation: Freq. Value
                 2  ""
                1,409 "1.5"
    
```

description_5 **Expenditures for Education: Coloring book (not display)**

```

    type: string (str106), but longest is str0
    unique values: 0
                    missing "": 1,411/1,411

    tabulation: Freq. Value
                 1,411 ""
    
```

freq_5 **Frequency: Monthly**

```

    type: numeric (byte)
    label: freq
    
```

```

range: [9,9] units: 1
unique values: 1 missing .: 2/1,411

tabulation: Freq. Numeric Label
1,409 9 monthly
2 .
    
```

hcla_5

Pre School

```

type: numeric (long)

range: [0,500] units: 1
unique values: 57 missing .: 2/1,411
unique missing codes: 3 missing *: 25/1,411
    
```

```

tabulation: Freq. Value
824 0
5 1
28 2
16 3
19 4
17 5
6 6
10 7
40 8
3 9
10 10
1 11
4 12
14 13
5 14
8 15
14 17
2 19
70 20
7 21
31 25
2 27
2 29
9 30
1 31
1 33
2 35
4 38
2 39
38 40
6 42
5 45
61 50
1 58
12 60
2 63
3 67
1 70
1 73
2 75
7 80
3 83
2 86
52 100
1 108
1 113
1 120
1 123
1 125
3 150
1 172
11 200
3 300
2 350
    
```

```

          3 430
          1 450
          2 500
          2 .
          24 .c
          1 .d
    mean: 18.0455
    std. dev: 46.1303

    percentiles:      10%      25%      50%      75%      90%
                     0         0         0         20         50
    
```

hclb_5 **Primary School**

```

    type: numeric (long)
    range: [0,300]
    unique values: 29
    unique missing codes: 2
    units: 1
    missing .: 888/1,411
    missing *: 7/1,411
    
```

```

    tabulation:  Freq.  Value
                 444    0
                 2     1
                 2     2
                 1     3
                 3     4
                 2     5
                 3     6
                 6     8
                 2    10
                 3    13
                 1    14
                 3    17
                 8    20
                 1    21
                 2    25
                 1    29
                 1    30
                 1    33
                 3    40
                 2    42
                 1    45
                 5    50
                 2    60
                 1    83
                11   100
                 1   125
                 1   150
                 2   200
                 1   300
                888 .
                 7  .c
    
```

```

    mean: 6.43605
    std. dev: 25.8372
    
```

```

    percentiles:      10%      25%      50%      75%      90%
                     0         0         0         0         10
    
```

hclc_5 **Secondary school/vocational**

```

    type: numeric (long)
    range: [0,100]
    unique values: 6
    unique missing codes: 2
    units: 1
    missing .: 1,113/1,411
    missing *: 3/1,411
    
```

```

tabulation: Freq. Value
             290  0
             1   4
             1  42
             1  83
             1  90
             1 100
            1,113 .
             3   .c
    mean:    1.08136
    std. dev: 9.48039

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

hc1d_5 **Higher than Secondary school/vocational**

```

    type: numeric (int)
    range: [0,0]
    unique values: 1
                    units: 1
                    missing .: 1,326/1,411

    tabulation: Freq. Value
                 85  0
                1,326 .
    mean:        0
    std. dev:    0

    percentiles:    10%    25%    50%    75%    90%
                    0      0      0      0      0
    
```

hc1note_5 **Note (unavailable)**

```

    type: string (str162), but longest is str0
    unique values: 0
                    missing "": 1,411/1,411

    tabulation: Freq. Value
                 1,411 ""
    
```

id_6 **id 6**

```

    type: string (str4), but longest is str3
    unique values: 1
                    missing "": 2/1,411

    tabulation: Freq. Value
                 2   ""
                1,409 "1.6"
    
```

description_6 **Expenditures for Education: Toys e.g. jigsaw, wooden block, clay (not display)**

```

    type: string (str106), but longest is str0
    unique values: 0
                    missing "": 1,411/1,411

    tabulation: Freq. Value
                 1,411 ""
    
```

freq_6 **Frequency: Monthly**

```

type: numeric (byte)
label: freq
range: [9,9]
unique values: 1
units: 1
missing ..: 2/1,411

tabulation: Freq. Numeric Label
1,409 9 monthly
2 .
    
```

hcla_6 **Pre School**

```

type: numeric (long)
range: [0,2500]
unique values: 119
unique missing codes: 3
units: 1
missing ..: 2/1,411
missing *: 60/1,411

mean: 95.8421
std. dev: 197.758

percentiles: 10% 25% 50% 75% 90%
              0 0 15 100 250
    
```

hclb_6 **Primary School**

```

type: numeric (long)
range: [0,1000]
unique values: 40
unique missing codes: 2
units: 1
missing ..: 887/1,411
missing *: 11/1,411

tabulation: Freq. Value
414 0
4 2
1 4
3 6
1 7
4 8
1 9
1 11
1 12
2 13
2 15
2 17
2 19
6 20
1 24
1 25
1 30
2 31
1 36
1 38
3 42
3 50
1 58
2 63
1 70
2 83
17 100
1 119
2 125
3 150
11 200
4 250
1 300
2 333
2 350
    
```

```

                2  400
                1  417
                2  450
                1  500
                1 1000
            887  .
            11  .c
    mean:      23.9025
    std. dev:   81.9715

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      83
    
```

hc1c_6 **Secondary school/vocational**

```

    type: numeric (long)

    range: [0,500]
    unique values: 4
    unique missing codes: 2

    units: 1
    missing .: 1,113/1,411
    missing *: 2/1,411

    tabulation: Freq. Value
                293  0
                 1  200
                 1  334
                 1  500
            1,113  .
                 2  .c
    mean:      3.49324
    std. dev:   36.7282

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

hc1d_6 **Higher than Secondary school/vocational**

```

    type: numeric (int)

    range: [0,0]
    unique values: 1

    units: 1
    missing .: 1,326/1,411

    tabulation: Freq. Value
                85  0
            1,326  .
    mean:      0
    std. dev:   0

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

hc1note_6 **Note (unavailable)**

```

    type: string (str162), but longest is str0

    unique values: 0
    missing "": 1,411/1,411

    tabulation: Freq. Value
                1,411 ""
    
```

id_7 **id 7**

```

    type: string (str4), but longest is str3
    
```



```

      1 1900
      6 2000
      2 2500
     10 3000
      1 3650
      1 4200
      1 4300
      1 4500
      2 5000
      1 5500
      1 5800
      2 6000
      1 6400
      1 6500
      1 6800
      4 7000
      1 7200
      1 7500
      4 8000
      1 8200
      1 8540
      1 9000
      9 10000
      1 10400
      1 10820
      1 10900
      1 11420
      2 12000
      1 12600
      2 13000
      1 13300
      2 14000
      2 15000
      1 15600
      1 16000
      1 17200
      1 18300
      1 20000
      1 20194
      1 25620
      1 26000
      1 50000
      1 80000
      1 120000
      2 .
      4 .c
      1 .d
    mean: 689.814
  std. dev: 4657.19

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         500

```

hclb_7

Primary School

```

      type: numeric (long)
      range: [0,120000]
  unique values: 47
unique missing codes: 2
      units: 10
  missing .: 888/1,411
  missing *: 5/1,411

```

```

tabulation:  Freq.  Value
              435    0
              1    100
              1    120
              2    200
              1    300
              1    360
              1    400
              8    500
              2    700
              2    800
              1    900
             15   1000
              1   1200
              2   1400
              1   1500
              1   1600
              2   1800
              1   1850
              1   1900
              2   2000
              1   2300
              1   2500
              3   3000
              1   3500
              1   3600
              1   3800
              1   3900
              1   4100
              1   4200
              1   4450
              2   4500
              2   5000
              1   6000
              2   7000
              1   7200
              2   8000
              1   9000
              2  10000
              1  11400
              2  12000
              1  12500
              1  13000
              2  15000
              1  24000
              2  26000
              1  28000
              1 120000
             888    .
              5    .c

```

```

mean: 946.873
std. dev: 6018.35

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0     1000

```

hclc_7

Secondary school/vocational

```

type: numeric (long)
range: [0,30000]
unique values: 42
unique missing codes: 2
units: 1
missing .: 1,113/1,411
missing *: 13/1,411

```

```

tabulation:  Freq.  Value
              203    0
              1    125
              1    200
              1    400
              1    600
              1   1000
              1   1010
              1   1200
              1   1250
              2   1300
              2   1400
              8   1500
              3   1600
              1   1720
              1   1800
              1   1980
             12   2000
              1   2100
              2   2200
              3   2500
              1   2700
              1   2800
              2   2900
              3   3000
              1   3500
              2   3960
              5   4000
              2   4200
              1   4350
              1   4500
              3   5000
              2   5500
              1   5520
              2   6000
              1   6200
              1   6500
              3   8000
              2   9000
              1  12000
              1  13000
              1  15000
              1  30000
             1,113  .
              13  .c
    mean:      1083.07
    std. dev:  2759.68

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0       1400     3960

```

hc1d_7

Higher than Secondary school/vocational

```

    type:  numeric (int)
    range:  [0,16000]
    unique values:  10
    unique missing codes:  2
    units:  10
    missing .:  1,326/1,411
    missing *:  5/1,411

```

```

tabulation: Freq. Value
              70  0
              1 1300
              1 2200
              1 3750
              1 4500
              1 6500
              1 9000
              1 9500
              1 12000
              2 16000
1,326      .
              5  .c
mean:       1009.38
std. dev:   3239.07

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0      2975
    
```

hclnote_7 **Note (unavailable)**

```

type: string (str162), but longest is str24
unique values: 1 missing "": 1,410/1,411
tabulation: Freq. Value
             1,410 ""
              1 "km1=120000 km2=0"
warning: variable has embedded blanks
    
```

id_8 **id 8**

```

type: string (str4), but longest is str3
unique values: 1 missing "": 2/1,411
tabulation: Freq. Value
             2 ""
            1,409 "1.8"
    
```

description_8 **Expenditures for Education: Tablet/Ipad (not display)**

```

type: string (str106), but longest is str0
unique values: 0 missing "": 1,411/1,411
tabulation: Freq. Value
            1,411 ""
    
```

freq_8 **Frequency: Yearly**

```

type: numeric (byte)
label: freq
range: [17,17] units: 1
unique values: 1 missing .: 2/1,411
tabulation: Freq. Numeric Label
            1,409 17 yearly
              2 .
    
```

hcla_8

Pre School

```

type: numeric (long)
range: [0,19000]
unique values: 41
unique missing codes: 3
units: 1
missing .: 2/1,411
missing *: 5/1,411

tabulation: Freq. Value
1,308 0
1 20
1 200
1 299
3 300
1 350
1 400
1 450
1 800
1 900
1 1000
2 1200
4 1300
2 1400
15 1500
2 1600
2 1700
2 1800
6 1900
8 2000
1 2350
1 2400
10 2500
2 2900
6 3000
1 3200
1 3300
1 3400
1 3500
3 3900
1 4500
1 4700
2 4900
2 5000
1 5500
1 6000
1 8000
2 10000
1 10500
1 15000
1 19000
2 .
4 .c
1 .d
mean: 190.505
std. dev: 1024.56

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

hclb_8

Primary School

```

type: numeric (long)
range: [0,10500]
unique values: 24
unique missing codes: 2
units: 10
missing .: 887/1,411
missing *: 4/1,411
    
```

```

tabulation:  Freq.  Value
              484    0
              1    900
              1   1100
              1   1150
              2   1200
              3   1500
              1   1600
              1   1900
              4   2000
              1   2200
              3   2500
              1   2800
              1   2900
              4   3000
              1   3050
              2   3500
              1   3600
              1   3700
              1   3800
              2   4000
              1   4900
              1   5000
              1   5600
              1  10500
            887  .
              4  .c
    mean:    200.192
std. dev:   864.249

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0      0
    
```

hc1c_8 **Secondary school/vocational**

```

type: numeric (long)
range: [0,4000] units: 100
unique values: 4 missing .: 1,113/1,411
unique missing codes: 2 missing *: 2/1,411

tabulation:  Freq.  Value
              293    0
              1   2600
              1   3500
              1   4000
            1,113  .
              2  .c
    mean:    34.1216
std. dev:   342.797

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0      0
    
```

hc1d_8 **Higher than Secondary school/vocational**

```

type: numeric (int)
range: [0,0] units: 1
unique values: 1 missing .: 1,326/1,411

tabulation:  Freq.  Value
              85    0
            1,326  .
    mean:    0
std. dev:   0
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hclnote_8 **Note (unavailable)**

type: string (**str162**), but longest is str19
 unique values: 1 missing "": 1,410/1,411
 tabulation: Freq. Value
 1,410 ""
 1 "n1=0 n2=0"
 warning: variable has embedded blanks

id_9 **id 9**

type: string (**str4**), but longest is str3
 unique values: 1 missing "": 2/1,411
 tabulation: Freq. Value
 2 ""
 1,409 "1.9"

description_9 **Expenditures for Education: Cell phone (not display)**

type: string (**str106**), but longest is str0
 unique values: 0 missing "": 1,411/1,411
 tabulation: Freq. Value
 1,411 ""

freq_9 **Frequency: Yearly**

type: numeric (**byte**)
 label: **freq**
 range: [17,17] units: 1
 unique values: 1 missing .: 2/1,411
 tabulation: Freq. Numeric Label
 1,409 17 yearly
 2 .

hcla_9 **Pre School**

type: numeric (**long**)
 range: [0,3900] units: 1
 unique values: 24 missing .: 2/1,411
 unique missing codes: 3 missing *: 2/1,411

```

tabulation:  Freq.  Value
              1,366  0
              1    200
              1    299
              2    300
              2    400
              3    500
              1    550
              2    600
              1    790
              1    800
              2    900
              7   1000
              2   1200
              1   1300
              2   1500
              1   1690
              5   2000
              1   2200
              1   2300
              1   2400
              1   3000
              1   3200
              1   3500
              1   3900
              2    .
              1   .c
              1   .d
    mean:     38.6844
  std. dev:  272.881

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

hclb_9

Primary School

```

    type:  numeric (long)
    range:  [0,7000]
  unique values:  31
unique missing codes:  2
    units:  10
  missing .:  887/1,411
  missing *:  2/1,411
    
```

```

tabulation:  Freq.  Value
              436  0
              1   250
              2   400
              8   500
              3   600
              3   700
              2   800
              1   900
              5  1000
              3  1200
              5  1500
              1  1590
              1  1600
              1  1700
              1  1750
              1  1800
              3  1900
              1  1990
             10  2000
              3  2500
              3  2900
              1  2970
              9  3000
              2  3500
              4  4000
              4  4900
              3  5000
    
```



```

          1  5300
          2  5800
          1  6000
          1  7000
        887  .
          2  .c
    mean:   378.065
  std. dev: 1069.35

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0     1590

```

hclc_9 **Secondary school/vocational**

```

    type: numeric (long)
    range: [0,24000]
  unique values: 40
unique missing codes: 2
                    units: 10
                    missing .: 1,113/1,411
                    missing *: 2/1,411

```

```

tabulation:  Freq.  Value
              211    0
                2    300
                5    500
                1    700
                1    790
                1    800
                1   1000
                2   1300
                1   1400
                5   1500
                1   1600
                3   1700
                3   1900
                1   1980
                3   2000
                1   2500
                1   2600
                1   2690
                1   2800
                3   2900
                5   3000
                2   3500
                6   3900
                6   4000
                1   4500
                3   4900
                6   5000
                4   6000
                3   7000
                1   7300
                1   7500
                1   8000
                1   8800
                1   9700
                1  10000
                2  11000
                1  11100
                1  15000
                1  15900
                1  24000
        1,113  .
                2  .c
    mean:   1217.77
  std. dev: 2808.73

percentiles:    10%    25%    50%    75%    90%
                  0      0      0     1150   4000

```

hclid_9 **Higher than Secondary school/vocational**

```

type: numeric (int)
range: [0,10000]
unique values: 6
units: 100
missing .: 1,327/1,411

tabulation: Freq. Value
              79  0
              1  800
              1  2500
              1  3500
              1  7900
              1 10000
            1,327 .
mean: 294.048
std. dev: 1449.08

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

hclnote_9 **Note (unavailable)**

```

type: string (str162), but longest is str19
unique values: 1
missing "": 1,410/1,411

tabulation: Freq. Value
            1,410 ""
              1 "nu1=0 nu2=0"

warning: variable has embedded blanks
    
```

id_10 **id 10**

```

type: string (str4)
unique values: 2
missing "": 2/1,411

tabulation: Freq. Value
              2 ""
             525 "1.1"
             884 "1.10"
    
```

description_10
Expenditures for Education: Notebook (paper), book and school supplies (not disp

```

type: string (str106), but longest is str0
unique values: 0
missing "": 1,411/1,411

tabulation: Freq. Value
            1,411 ""
    
```

freq_10 **Frequency: Yearly**

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing .: 2/1,411
    
```

```

tabulation:  Freq.  Numeric  Label
              1,409      17     yearly
              2           .
    
```

hcla_10

Pre School

```

type: numeric (long)
range: [0,5000]
unique values: 65
unique missing codes: 3
units: 1
missing .: 2/1,411
missing *: 24/1,411
    
```

```

tabulation:  Freq.  Value
              1,024  0
                1    3
                1    7
                1    8
                4   10
                1   12
                3   17
               14   20
                2   21
                5   25
                1   29
                6   30
                2   40
                1   42
                1   45
               27   50
                1   54
                5   60
                1   73
                2   80
               53  100
                1  105
                1  130
                1  135
               16  150
                1  155
                2  170
                1  180
                2  199
               26  200
                1  225
                1  240
               15  250
                1  270
                1  280
               19  300
                5  350
                1  369
                1  390
                3  400
                7  450
               39  500
                1  520
                2  550
                4  600
                1  650
                1  667
                2  700
                2  750
                1  780
                2  800
                1  900
               36 1000
                3 1200
                1 1250
                4 1300
                3 1400
    
```

```

      4 1500
      5 2000
      2 2200
      2 2500
      3 3000
      1 3200
      1 3900
      2 5000
      2 .
     18 .c
      6 .d
    mean: 120.805
  std. dev: 392.931

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         20         350
  
```

hclb_10

Primary School

```

    type: numeric (long)
    range: [0,8000]
  unique values: 56
unique missing codes: 2

    units: 1
missing .: 890/1,411
missing *: 13/1,411
  
```

```

tabulation:  Freq.  Value
             285    0
              1    17
              1    20
              2    21
              3    50
              1    60
              1    65
              1    87
             13   100
              1   108
              1   110
              1   120
              9   150
              1   160
              1   175
             18   200
              1   240
              5   250
              1   260
              1   270
             23   300
              1   333
              5   350
              1   356
              3   360
              1   380
              7   400
              5   450
             32   500
              2   550
              2   600
              1   620
              2   700
              1   740
              2   750
              3   800
              1   910
             21  1000
              2  1100
              4  1200
              1  1230
              1  1300
              3  1400
              6  1500
  
```

```

      1 1550
      1 1800
      5 2000
      5 2500
      1 2900
      9 3000
      1 3500
      1 4000
      1 5000
      2 6000
      2 7000
      1 8000
      890 .
      13 .c
    mean: 387.959
    std. dev: 922.257

percentiles:      10%      25%      50%      75%      90%
                  0        0        0       370     1000

```

hcl1c_10 **Secondary school/vocational**

```

    type: numeric (long)
    range: [0,10000]
    unique values: 30
    unique missing codes: 3
    units: 1
    missing .: 1,114/1,411
    missing *: 24/1,411

```

```

tabulation: Freq. Value
            178 0
              1 50
              1 120
              2 150
              1 175
              6 200
              1 210
              1 240
              4 250
              8 300
              4 400
             20 500
              1 600
              1 750
              2 800
              1 850
              9 1000
              1 1250
              1 1300
              6 1500
             12 2000
              1 2500
              4 3000
              1 3900
              1 4000
              1 4500
              1 6000
              1 7000
              1 8000
              1 10000
            1,114 .
              23 .c
               1 .d
    mean: 452.546
    std. dev: 1167.14

percentiles:      10%      25%      50%      75%      90%
                  0        0        0       400     1500

```

hclid_10 **Higher than Secondary school/vocational**

```

type: numeric (int)
range: [0,30000]
unique values: 4
unique missing codes: 2
units: 100
missing .: 1,327/1,411
missing *: 9/1,411

tabulation: Freq. Value
              72  0
              1  300
              1  1200
              1  30000
            1,327 .
              9  .c
mean: 420
std. dev: 3464.69

percentiles: 10% 25% 50% 75% 90%
              0  0  0  0  0
    
```

hclnote_10 **Note (unavailable)**

```

type: string (str162), but longest is str0
unique values: 0
missing "": 1,411/1,411

tabulation: Freq. Value
            1,411 ""
    
```

id_11 **id 11**

```

type: string (str4)
unique values: 1
missing "": 1,402/1,411

tabulation: Freq. Value
            1,402 ""
              9  "1.11"
    
```

description_11 **Expenditures for Education: Others (not display)**

```

type: string (str106), but longest is str0
unique values: 0
missing "": 1,411/1,411

tabulation: Freq. Value
            1,411 ""
    
```

freq_11 **Frequency: Yearly**

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing .: 1,402/1,411

tabulation: Freq. Numeric Label
            9 17 yearly
            1,402 .
    
```

hcl1a_11 **Pre School**

```

type: numeric (long)
range: [0,12000]          units: 100
unique values: 7          missing .: 1,402/1,411

tabulation: Freq. Value
              3  0
              1  300
              1  400
              1  1800
              1  3000
              1  6500
              1 12000
            1,402 .
mean:      2666.67
std. dev:  4103.96

percentiles:      10%      25%      50%      75%      90%
                  0         0         400      3000     12000
    
```

hcl1b_11 **Primary School**

```

type: numeric (long)
range: [0,5500]          units: 100
unique values: 2          missing .: 1,404/1,411

tabulation: Freq. Value
              6  0
              1  5500
            1,404 .
mean:      785.714
std. dev:  2078.8

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         5500
    
```

hcl1c_11 **Secondary school/vocational**

```

type: numeric (long)
range: [0,60000]         units: 1000
unique values: 3          missing .: 1,407/1,411

tabulation: Freq. Value
              2  0
              1 15000
              1 60000
            1,407 .
mean:      18750
std. dev:  28394.5

percentiles:      10%      25%      50%      75%      90%
                  0         0         7500     37500     60000
    
```

hcl1d_11 **Higher than Secondary school/vocational**

```

type: numeric (int)
range: [0,0]             units: 1
unique values: 1          missing .: 1,409/1,411
    
```

```

tabulation: Freq. Value
              2 0
            1,409 .
      mean:    0
    std. dev:  0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

hclnote_11 **Note (unavailable)**

```

type: string (str162), but longest is str0
unique values: 0 missing "": 1,411/1,411

tabulation: Freq. Value
            1,411 ""
    
```

hcla_num **Number of children attending pre-primary school (Including children who are not**

```

type: numeric (double)
range: [1,4] units: 1
unique values: 4 missing .: 0/1,411

tabulation: Freq. Value
            1,076 1
             291 2
              39 3
               5 4
      mean:    1.27215
    std. dev:  .524232

percentiles:    10%    25%    50%    75%    90%
                1      1      1      1      2
    
```

hclb_num **Number of children attending primary school**

```

type: numeric (double)
range: [0,4] units: 1
unique values: 5 missing .: 0/1,411

tabulation: Freq. Value
            949 0
             410 1
              47 2
               4 3
                1 4
      mean:    .368533
    std. dev:  .570158

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      1
    
```

hclc_num **Number of children attending secondary school or vocational education**

```

type: numeric (double)
range: [0,3] units: 1
unique values: 4 missing .: 0/1,411
    
```



```

tabulation: Freq. Value
             1,209 0
             180 1
             21 2
             1 3
mean:       .159461
std. dev:   .410087

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

hclid_num **Number of children attending higher than secondary education or vocational educa**

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing.: 0/1,411

tabulation: Freq. Value
             1,396 0
             15 1
mean:       .010631
std. dev:   .102592

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

note **Note (unavailable)**

```

type: string (str657), but longest is str0
unique values: 0 missing "": 1,411/1,411

tabulation: Freq. Value
             1,411 ""
    
```

note_tb **Note (unavailable)**

```

type: string (str381), but longest is str0
unique values: 0 missing "": 1,411/1,411

tabulation: Freq. Value
             1,411 ""
    
```

year_survey **year survey**

```

type: numeric (float)
range: [2016,2016] units: 1
unique values: 1 missing.: 0/1,411

tabulation: Freq. Value
             1,411 2016
mean:       2016
std. dev:   0

percentiles:    10%    25%    50%    75%    90%
                2016  2016  2016  2016  2016
    
```

note_cleaner **Data cleaner note (not display)**

type: string (**str354**), but longest is str0
 unique values: **0** missing "": **1,411/1,411**
 tabulation: Freq. Value
 1,411 ""

hh_change **Sample has moved so that its household structure changed**

type: numeric (**float**)
 label: **hh_change**
 range: [0,1] units: **1**
 unique values: **2** missing .: **0/1,411**
 tabulation: Freq. Numeric Label
 1,402 **0** no
 9 **1** yes

survey_name **survey round**

type: string (**str12**)
 unique values: **2** missing "": **0/1,411**
 tabulation: Freq. Value
 886 "BASELINE2016"
 525 "RESURVEY2016"

hh_monthly_exp_food **Household monthly expenditure for food**

type: numeric (**float**)
 range: [838.5,27928.5] units: **.0001**
 unique values: **1,033** missing .: **2/1,411**
 mean: **7249.66**
 std. dev: **3691.25**
 percentiles: 10% 25% 50% 75% 90%
 3336.8 **4411.8** **6781.1** **9288** **11825**

hh_monthly_exp_utility **Household monthly expenditure for utility**

type: numeric (**float**)
 range: [150,55283.332] units: **.00001**
 unique values: **1,301** missing .: **2/1,411**
 mean: **3635.26**
 std. dev: **3607.95**
 percentiles: 10% 25% 50% 75% 90%
 1090 **1641.67** **2661.67** **4341.67** **7156.67**

hh_monthly_exp_health **Household monthly expenditure for health**

```

type: numeric (float)
range: [0,21220.834] units: 1.000e-07
unique values: 405 missing .: 2/1,411

mean: 205.924
std. dev: 692.7

percentiles: 10% 25% 50% 75% 90%
              0 16.6667 83.3333 208.333 416.667
    
```

hh_monthly_exp_recreation Household monthly expenditure for recreation

```

type: numeric (float)
range: [0,30625] units: 1.000e-06
unique values: 796 missing .: 2/1,411

mean: 2370.8
std. dev: 3703.94

percentiles: 10% 25% 50% 75% 90%
              166.667 420 1166.67 2580 5483.33
    
```

hh_monthly_exp_housing Household monthly expenditure for housing

```

type: numeric (float)
range: [0,333333.34] units: 1.000e-06
unique values: 225 missing .: 2/1,411

mean: 1724.24
std. dev: 10012.6

percentiles: 10% 25% 50% 75% 90%
              0 0 0 916.667 3583.33
    
```

hh_monthly_exp_education Household monthly expenditure for education

```

type: numeric (float)
range: [0,21683] units: 1.000e-07
unique values: 828 missing .: 2/1,411

mean: 521.395
std. dev: 958.939

percentiles: 10% 25% 50% 75% 90%
              0 42.5 231.667 637.833 1292
    
```

hh_monthly_exp_clothes Household monthly expenditure for clothes

```

type: numeric (double)
range: [0,5916.6667] units: 1.000e-13
unique values: 316 missing .: 2/1,411

mean: 450.056
std. dev: 514.838

percentiles: 10% 25% 50% 75% 90%
              45.8333 141.667 295.833 583.333 1000
    
```

```
2 . log close
   name: <unnamed>
   log: Z:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo
> k_sc\A8.scml
   log type: smcl
   closed on: 3 Oct 2024, 15:20:12
```
