



```

name: <unnamed>
log: Z:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo
> k_sc\b1.scml
log type: smcl
opened on: 3 Oct 2024, 15:30:06

```

```
1 . codebookr _all,all
```

```

Dataset: \RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey20
> 16\stata\scramble\b1_run.dta
Last saved: 3 Oct 2024 15:30

```

```

Label: [none]
Number of variables: 139
Number of observations: 1,666
Size: 4,426,562 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI

```

---

```
cid children id
```

---

```

type: string (str18)
unique values: 1,666 missing "": 0/1,666
examples: "201591160601205H1"
           "201691130216999H1"
           "201691160104180H1"
           "201691161706142H6"

```

---

```
iyear year
```

---

```

type: string (str4)
unique values: 2 missing "": 0/1,666
tabulation: Freq. Value
             626 "2015"
             1,040 "2016"

```

---

```
hhid household id
```

---

```
type: string (str15)
```

unique values: 1,413                      missing "": 0/1,666  
 examples: "201591160601205"  
           "201691130216999"  
           "201691160104180"  
           "201691161706142"

---

**prov** **province**

---

type: string (**str2**)  
 unique values: 2                              missing "": 0/1,666  
 tabulation: Freq. Value  
               1,501 "91"  
               165 "93"

---

**amp** **amphoe**

---

type: string (**str2**)  
 unique values: 7                              missing "": 0/1,666  
 tabulation: Freq. Value  
               165 "12"  
               308 "13"  
               134 "14"  
               164 "15"  
               608 "16"  
               45 "17"  
               242 "18"

---

**tam** **tambon**

---

type: string (**str2**)  
 unique values: 15                              missing "": 0/1,666  
 tabulation: Freq. Value  
               71 "01"  
               259 "02"  
               141 "04"  
               65 "05"  
               60 "06"  
               69 "07"  
               67 "08"  
               109 "09"  
               155 "10"  
               96 "11"  
               167 "13"  
               52 "14"  
               169 "15"  
               116 "17"  
               70 "19"

---

**moo** **moo**

---

type: string (**str2**)  
 unique values: 21                              missing "": 0/1,666

```

tabulation:  Freq.  Value
              168  "01"
              75  "02"
              166  "03"
              172  "04"
              151  "05"
              175  "06"
              86  "07"
              173  "08"
              108  "09"
              84  "10"
              61  "11"
              51  "12"
              46  "13"
              14  "14"
              12  "15"
              41  "16"
              10  "17"
              14  "18"
              31  "19"
              21  "22"
              7  "24"
    
```

---

**strucid** **structure ID**

---

```

type:  string (str3)
unique values: 182          missing "": 0/1,666
examples: "011"
          "034"
          "071"
          "157"
    
```

---

**ch\_added** **children added**

---

```

type:  numeric (float)
label:  ch_add
range:  [0,1]          units: 1
unique values: 2          missing .: 0/1,666
tabulation:  Freq.  Numeric  Label
              1,595  0      no
              71     1      yes
    
```

---

**survey\_name** **survey round**

---

```

type:  string (str12)
unique values: 2          missing "": 0/1,666
tabulation:  Freq.  Value
              1,040  "BASELINE2016"
              626   "RESURVEY2016"
    
```

---

**nickname** **Child's nickname (unavailable)**

---

```

type:  string (str33), but longest is str0
unique values: 0          missing "": 1,666/1,666
    
```

tabulation: Freq. Value  
 1,666 ""

---

**idcard** **Children identification number (unavailable)**

---

type: string (**str17**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
 1,666 ""

---

**fname** **Respondent's first name (unavailable)**

---

type: string (**str52**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
 1,666 ""

---

**lname** **Respondent's last name (unavailable)**

---

type: string (**str48**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
 1,666 ""

---

**tel** **Telephone number (unavailable)**

---

type: string (**str12**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
 1,666 ""

---

**ci0** **Respondent's member ID**

---

type: string (**str2**)  
 unique values: 9 missing "": 0/1,666  
 unique missing codes: 1 missing \*: 4/1,666  
 tabulation: Freq. Value  
           607 "H2"  
           664 "H3"  
           218 "H4"  
           102 "H5"  
           42 "H6"  
           20 "H7"  
           7 "H8"  
           2 "H9"  
           4 "NA"

---

**cila** **Relationship code : caregiver to the child**

---

```

type: numeric (byte)
label: cila
range: [1,19]
unique values: 6
units: 1
missing ..: 0/1,666

```

tabulation:	Freq.	Numeric	Label
	591	1	Father / Mother
	1	7	Siblings
	32	13	Uncle / Aunt
	736	17	Great-grandparents (Mother's side)
	234	18	Great-grandparents (Father's side)
	72	19	Other relatives

---

**cila\_des** **Relationship description (not display)**

---

```

type: string (str68), but longest is str0
unique values: 0
missing "": 1,666/1,666

```

tabulation:	Freq.	Value
	1,666	" "

---

**ci2h1** **Height at birth (cm)**

---

```

type: numeric (float)
range: [27,63]
unique values: 32
unique missing codes: 2
units: .1
missing ..: 0/1,666
missing *: 114/1,666

```

tabulation:	Freq.	Value
	1	27
	1	28
	3	31
	1	32
	3	33
	2	37
	1	39
	3	41
	4	42
	8	43
	2	44
	15	45
	23	46
	48	47
	1	47.5
	89	48
	133	49
	1	49.5
	197	50
	205	51
	1	51.5
	242	52
	197	53
	165	54
	91	55
	54	56
	37	57
	17	58
	4	59
	1	61
	1	62
	1	63
	113	.c
	1	.d

mean: 51.4352  
 std. dev: 3.27631  
 percentiles: 10% 25% 50% 75% 90%  
 48 50 52 53 55

---

**ci2h2** **Current height (cm)**

---

type: numeric (**int**)  
 range: [50,140] units: 1  
 unique values: 69 missing .: 0/1,666  
 unique missing codes: 2 missing \*: 708/1,666

tabulation: Freq. Value

2	50
1	53
1	56
2	58
1	60
1	61
2	62
1	63
4	65
1	66
5	67
5	68
1	69
18	70
4	71
12	72
12	73
8	74
38	75
11	76
5	77
15	78
12	79
35	80
3	81
13	82
8	83
9	84
37	85
17	86
14	87
7	88
13	89
57	90
6	91
18	92
16	93
20	94
57	95
19	96
23	97
39	98
8	99
87	100
15	101
15	102
15	103
14	104
56	105
17	106
6	107
15	108
4	109
59	110
6	111

```

          9 112
          3 113
          2 114
         21 115
          3 116
          7 117
          5 118
          3 119
          8 120
          1 121
          2 125
          1 128
          1 130
          2 140
         705 .c
          3 .d
    mean:   93.8768
  std. dev: 13.5003

percentiles:    10%    25%    50%    75%    90%
                75     85     95    104    110
    
```

---

**ci2w1** **Weight at birth (km)**

---

```

    type: numeric (float)
    range: [.001, .00521]
  unique values: 345
unique missing codes: 1

    mean:   .003049
  std. dev: .000469

percentiles:    10%    25%    50%    75%    90%
                .00248 .00278 .003057 .00333 .00359
    
```

---

**ci2w2** **Current weight (km)**

---

```

    type: numeric (double)
    range: [2, 45]
  unique values: 100
unique missing codes: 1

    units: .1
  missing .: 0/1,666
  missing *: 163/1,666

  tabulation:  Freq.  Value
                2      2
                4      6
                1     6.3
                2     6.5
                1     6.8
                6      7
                1     7.3
                3     7.5
                1     7.7
                1     7.9
               25      8
                1     8.2
                1     8.3
                1     8.4
               13     8.5
                1     8.7
                1     8.8
               34      9
                1     9.2
                2     9.3
                1     9.4
                4     9.5
                2     9.8
    
```

102 10  
1 10.2  
3 10.3  
15 10.5  
2 10.7  
94 11  
2 11.3  
13 11.5  
1 11.6  
2 11.7  
2 11.8  
141 12  
1 12.3  
11 12.5  
1 12.7  
1 12.8  
118 13  
1 13.2  
1 13.3  
7 13.5  
2 13.6  
1 13.7  
1 13.8  
131 14  
1 14.3  
14 14.5  
1 14.6  
2 14.7  
1 14.8  
1 14.9  
202 15  
1 15.1  
1 15.2  
1 15.3  
1 15.4  
11 15.5  
1 15.8  
113 16  
1 16.4  
4 16.5  
2 16.6  
1 16.8  
1 16.9  
69 17  
1 17.1  
2 17.5  
63 18  
1 18.1  
2 18.5  
1 18.6  
1 18.7  
58 19  
1 19.4  
2 19.5  
72 20  
1 20.5  
18 21  
24 22  
12 23  
1 23.5  
8 24  
12 25  
5 26  
3 27  
1 27.7  
2 28  
2 28.5  
1 29.5  
5 30  
1 31  
2 32  
1 33



```

                2 34
                3 35
                1 38
                1 43
                1 45
            163 .c
    mean:      14.6804
    std. dev:   4.36847
    
```

```

percentiles:    10%    25%    50%    75%    90%
                10     12     14     17     20
    
```

**ci12db** **Date of birth (unavailable)**

```

    type: numeric (byte)
    range: [.,.]
    unique values: 0
    units: .
    missing .: 1,666/1,666

    tabulation: Freq. Value
                1,666 .
    mean: .
    std. dev: .

    percentiles: 10%    25%    50%    75%    90%
                  .     .     .     .     .
    
```

**ci12mb** **Month of birth (unavailable)**

```

    type: numeric (byte)
    range: [.,.]
    unique values: 0
    units: .
    missing .: 1,666/1,666

    tabulation: Freq. Value
                1,666 .
    mean: .
    std. dev: .

    percentiles: 10%    25%    50%    75%    90%
                  .     .     .     .     .
    
```

**ci12yb** **Year of birth (unavailable)**

```

    type: numeric (int)
    range: [.,.]
    unique values: 0
    units: .
    missing .: 1,666/1,666

    tabulation: Freq. Value
                1,666 .
    mean: .
    std. dev: .

    percentiles: 10%    25%    50%    75%    90%
                  .     .     .     .     .
    
```

**ci3** **Does the child's father live in the house?**

```

    type: numeric (byte)
    label: ci3
    
```

range: [1,3] units: 1  
 unique values: 2 missing .: 0/1,666  
 unique missing codes: 1 missing \*: 2/1,666

tabulation:	Freq.	Numeric	Label
	683	1	yes
	981	3	no
	2	.a	

---

**ci3a\_fname** **Father's first name (unavailable)**

---

type: string (**str51**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666

tabulation:	Freq.	Value
	1,666	" "

---

**ci3a\_lname** **Father's last name (unavailable)**

---

type: string (**str48**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666

tabulation:	Freq.	Value
	1,666	" "

---

**ci3aa** **Father's member id**

---

type: string (**str5**), but longest is str3  
 unique values: 11 missing "": 0/1,666  
 unique missing codes: 2 missing \*: 983/1,666

tabulation:	Freq.	Value
	1	"H13"
	120	"H2"
	102	"H3"
	168	"H4"
	197	"H5"
	52	"H6"
	31	"H7"
	6	"H8"
	6	"H9"
	981	"NA"
	2	"RF"

---

**ci3ab** **Father's identification number (unavailable)**

---

type: string (**str17**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666

tabulation:	Freq.	Value
	1,666	" "

---

**ci3c** **Father's date of birth (unavailable)**

---

type: numeric (**byte**)

range: [.,.] units: .  
 unique values: 0 missing .: 1,666/1,666

tabulation: Freq. Value  
 1,666 .  
 mean: .  
 std. dev: .  
 percentiles: 10% 25% 50% 75% 90%  
 . . . . .

**ci3d** **Father's month of birth (unavailable)**

type: numeric (byte)  
 range: [.,.] units: .  
 unique values: 0 missing .: 1,666/1,666  
 tabulation: Freq. Value  
 1,666 .  
 mean: .  
 std. dev: .  
 percentiles: 10% 25% 50% 75% 90%  
 . . . . .

**ci3e** **Father's year of birth (unavailable)**

type: numeric (int)  
 range: [.,.] units: .  
 unique values: 0 missing .: 1,666/1,666  
 tabulation: Freq. Value  
 1,666 .  
 mean: .  
 std. dev: .  
 percentiles: 10% 25% 50% 75% 90%  
 . . . . .

**ci3f** **Code : Father's highest education level**

type: numeric (byte)  
 label: **ci3f**  
 range: [15,99] units: 1  
 unique values: 19 missing .: 683/1,666  
 unique missing codes: 4 missing \*: 172/1,666  
 tabulation: Freq. Numeric Label  
 13 15 Primary school 4  
 110 19 Primary school 6  
 1 21 Primary school 7 (old system)  
 2 23 Lower secondary 1  
 13 25 Lower secondary 2  
 208 27 Lower secondary 3  
 3 29 Upper secondary 1  
 1 31 Upper secondary 2  
 231 33 Upper secondary 3  
 2 45 Vocational school year 1  
 1 47 Vocational school year 2  
 34 49 Vocational school year 3  
 2 51 High vocational school year 1  
 94 53 High vocational school year 2  
 1 63 Undergraduate school year 2

```

      1      65 Undergraduate school year 3
     85      67 Undergraduate school year 4
      7      69 Master's degree
      2      99 Other
     683      .
      7      .a
     140      .c
      25      .d
    
```

---

**ci3f\_des** Description : father's highest education level (not display)

---

```

type: string (str63), but longest is str0
unique values: 0 missing "": 1,666/1,666

tabulation: Freq. Value
            1,666 ""
    
```

---

**ci3g** Vital status of father

---

```

type: numeric (byte)
label: ci3g

range: [1,5] units: 1
unique values: 3 missing .: 683/1,666
unique missing codes: 3 missing *: 19/1,666

tabulation: Freq. Numeric Label
            952      1 alive
             1      3 dead
             11      5 dead for longer than 12 months
            683      .
              8      .a
             11      .c
    
```

---

**ci3h** Code : father's occupation

---

```

type: numeric (byte)
label: ci3h

range: [1,21] units: 1
unique values: 11 missing .: 694/1,666
unique missing codes: 3 missing *: 126/1,666

tabulation: Freq. Numeric Label
            26      1 Legislators/senior government
              35      3 officer/administrator
              42      5 Professional
              13      7 Technican and related
             137      9 Office clerk
              43      11 Service provider / seller who
              102      13 sells goods in the store and/or
             195      15 in the market
             194      17 Agriculture and fishery workers
              31      13 Skilled craftsmen and related
              28      15 Mechanical and assembly workers
             694      . General workers
              10      .a Armed force
             116      .c Not working
    
```

---

**ci3h\_des** **Father's occupation description**

---

```

type: string (str154)
unique values: 583
unique missing codes: 4
missing "": 694/1,666
missing *: 96/1,666

warning: variable has embedded and trailing blanks
    
```

---

**ci3ha** **Father's type of work**

---

```

type: numeric (byte)
label: ci3ha
range: [1,9]
unique values: 5
unique missing codes: 4
units: 1
missing .: 694/1,666
missing *: 151/1,666

tabulation: Freq.  Numeric  Label
             61         1  Government officer/state
             19         3  enterprise employee
             582        5  Temporary government officer/
             39         7  state enterprise employee
             120        9  Company employee
             694         .  Temporary company employee,
             10         .a  seasonal
             28         .b  Business owner
             113         .c
    
```

---

**ci3i** **Father's net income per month**

---

```

type: numeric (long)
range: [4500,1500000]
unique values: 76
unique missing codes: 4
units: 1
missing .: 694/1,666
missing *: 388/1,666

tabulation: Freq.  Value
             2  4500
             2  4750
             8  5000
             3  5500
             6  6000
             3  6500
             5  6600
            13  7000
             1  7400
             9  7500
             7  7800
             7  8000
             1  8100
             1  8400
             4  8500
            36  9000
             2  9100
             2  9180
             1  9500
             1  9600
             1  9900
            55 10000
             1 10400
             1 10417
    
```

```

      4 10500
      8 11000
      3 11500
      2 11700
     42 12000
      7 12500
     19 13000
      1 13350
      8 13500
      9 14000
      1 14500
     97 15000
      5 15500
      1 15600
      7 16000
      2 16500
      1 16900
     10 17000
      4 17500
      8 18000
      1 18500
      2 19000
      2 19500
     52 20000
      1 22000
      3 22500
      8 23000
      1 23500
      1 24000
      4 24500
     22 25000
      1 25500
      2 26000
      1 26500
      2 27000
      3 28000
      1 29500
     27 30000
      2 32000
      9 35000
      8 40000
      1 43000
      6 45000
      3 50000
      1 55000
      2 60000
      2 75000
      1 80000
      1 85000
      1 110000
      1 250000
      1 1500000
     694 .
      13 .a
      28 .b
     347 .c
    mean: 19745.1
  std. dev: 63062.7

percentiles:      10%      25%      50%      75%      90%
                  7800    10000    15000    20000    30000

```

---

**ci3i\_des** **Description : father's net income per month**

---

type: string (str70)

unique values: 146  
 unique missing codes: 5

missing "": 694/1,666  
 missing \*: 382/1,666

warning: variable has embedded and trailing blanks

---

**ci3j** **Father's telephone number (unavailable)**

---

type: string (**str12**), but longest is str0  
 unique values: **0** missing "": **1,666/1,666**  
 tabulation: Freq. Value  
                   **1,666** ""

---

**ci3k** **Number of days : father visit the child (per year)**

---

type: numeric (**int**)  
 range: **[0,365]** units: **1**  
 unique values: **82** missing .: **694/1,666**  
 unique missing codes: **4** missing \*: **17/1,666**

tabulation: Freq. Value

<b>221</b>	<b>0</b>
<b>19</b>	<b>1</b>
<b>23</b>	<b>2</b>
<b>27</b>	<b>3</b>
<b>27</b>	<b>4</b>
<b>36</b>	<b>5</b>
<b>45</b>	<b>6</b>
<b>37</b>	<b>7</b>
<b>21</b>	<b>8</b>
<b>30</b>	<b>9</b>
<b>39</b>	<b>10</b>
<b>13</b>	<b>11</b>
<b>35</b>	<b>12</b>
<b>4</b>	<b>13</b>
<b>36</b>	<b>14</b>
<b>20</b>	<b>15</b>
<b>16</b>	<b>16</b>
<b>9</b>	<b>17</b>
<b>19</b>	<b>18</b>
<b>3</b>	<b>19</b>
<b>8</b>	<b>20</b>
<b>5</b>	<b>21</b>
<b>3</b>	<b>22</b>
<b>2</b>	<b>23</b>
<b>17</b>	<b>24</b>
<b>3</b>	<b>25</b>
<b>1</b>	<b>26</b>
<b>9</b>	<b>28</b>
<b>1</b>	<b>29</b>
<b>25</b>	<b>30</b>
<b>8</b>	<b>32</b>
<b>1</b>	<b>33</b>
<b>4</b>	<b>34</b>
<b>2</b>	<b>35</b>
<b>16</b>	<b>36</b>
<b>1</b>	<b>37</b>
<b>2</b>	<b>39</b>
<b>2</b>	<b>40</b>
<b>1</b>	<b>41</b>
<b>4</b>	<b>42</b>
<b>1</b>	<b>44</b>
<b>1</b>	<b>45</b>
<b>15</b>	<b>48</b>
<b>17</b>	<b>52</b>
<b>2</b>	<b>54</b>
<b>1</b>	<b>56</b>
<b>14</b>	<b>60</b>
<b>1</b>	<b>64</b>

```

      2 66
      2 67
      1 68
      2 70
      2 72
      1 73
      2 74
      6 75
      1 77
      9 84
     14 90
      1 94
      2 95
      4 96
      1 98
      1 103
     21 104
      3 108
      1 110
      1 112
     13 120
      2 130
      1 134
      1 135
      1 138
      2 150
      2 155
      1 156
      2 160
      2 183
      1 234
      1 313
      1 360
      1 365
     694 .
      10 .a
       5 .c
       2 .d
    mean: 23.1445
  std. dev: 37.7496

percentiles:      10%      25%      50%      75%      90%
                  0         1         9        25       75

```

---

**ci31 Does the child sleep with the father when the father lives in a house?**

---

```

      type: numeric (byte)
      label: ci31

      range: [1,3]
  unique values: 2
unique missing codes: 4

      units: 1
  missing .: 915/1,666
  missing *: 13/1,666

  tabulation:  Freq.  Numeric  Label
                508      1  yes
                230      3  no
                915      .
                 10      .a
                  1      .c
                  2      .d

```

---

**ci3m Number of days : father take the child to his place (outside the household) (pe**

---

```

      type: numeric (int)

```



range: [0,240] units: 1  
 unique values: 50 missing .: 694/1,666  
 unique missing codes: 4 missing \*: 16/1,666

tabulation: Freq. Value  
 584 0  
 4 1  
 19 2  
 26 3  
 10 4  
 11 5  
 8 6  
 38 7  
 4 8  
 3 9  
 19 10  
 1 11  
 10 12  
 26 14  
 16 15  
 1 16  
 5 18  
 7 20  
 4 21  
 2 22  
 1 23  
 4 24  
 1 25  
 1 28  
 70 30  
 1 36  
 1 37  
 3 40  
 4 42  
 10 45  
 2 48  
 4 52  
 1 54  
 1 55  
 2 59  
 22 60  
 1 70  
 1 72  
 2 75  
 2 77  
 1 84  
 8 90  
 6 104  
 1 112  
 2 120  
 1 129  
 2 132  
 1 138  
 1 146  
 1 240  
 694 .  
 10 .a  
 3 .c  
 3 .d

mean: 10.4226  
 std. dev: 22.6373

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 10 30

---

ci4 Does the child's mother live in the house?

---

type: numeric (byte)  
 label: ci4

range: [1,3] units: 1  
 unique values: 2 missing .: 0/1,666

tabulation:	Freq.	Numeric	Label
	933	1	yes
	733	3	no

**ci4a\_fname** **Mother's first name (unavailable)**

type: string (**str60**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666

tabulation:	Freq.	Value
	1,666	" "

**ci4a\_lname** **Mother's last name (unavailable)**

type: string (**str48**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666

tabulation:	Freq.	Value
	1,666	" "

**ci4aa** **Mother's member id**

type: string (**str2**)  
 unique values: 9 missing "": 0/1,666  
 unique missing codes: 1 missing \*: 733/1,666

tabulation:	Freq.	Value
	119	"H2"
	231	"H3"
	294	"H4"
	167	"H5"
	70	"H6"
	32	"H7"
	16	"H8"
	4	"H9"
	733	"NA"

**ci4ab** **Mother's identification number (unavailable)**

type: string (**str17**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666

tabulation:	Freq.	Value
	1,666	" "

**ci4c** **Mother's date of birth (unavailable)**

type: numeric (**byte**)  
 range: [.,.] units: .  
 unique values: 0 missing .: 1,666/1,666

```

tabulation: Freq. Value
             1,666 .
             mean: .
             std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

**ci4d** **Mother's month of birth (unavailable)**

```

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing.: 1,666/1,666

tabulation: Freq. Value
             1,666 .
             mean: .
             std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

**ci4e** **Mother's year of birth (unavailable)**

```

type: numeric (int)

range: [.,.] units: .
unique values: 0 missing.: 1,666/1,666

tabulation: Freq. Value
             1,666 .
             mean: .
             std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

**ci4f** **Code : Mother's highest education level**

```

type: numeric (byte)
label: ci4f

range: [15,99] units: 1
unique values: 18 missing.: 933/1,666
unique missing codes: 4 missing *: 48/1,666

tabulation: Freq. Numeric Label
             6      15 Primary school 4
             58      19 Primary school 6
             3      23 Lower secondary 1
             8      25 Lower secondary 2
            183      27 Lower secondary 3
             1      29 Upper secondary 1
            11      31 Upper secondary 2
            212      33 Upper secondary 3
             1      39 Lower secondary 3 (old system)
             3      47 Vocational school year 2
            33      49 Vocational school year 3
            59      53 High vocational school year 2
             5      59 Diploma
             1      63 Undergraduate school year 2
            93      67 Undergraduate school year 4
             4      69 Master's degree
             1      71 Doctorate degree
             3      99 Other
    
```

```

933      .
  2      .a
 28      .c
 18      .d
    
```

---

**ci4f\_des** **Description : mother's highest education level (not display)**

---

```

type: string (str92), but longest is str0
unique values: 0                missing "": 1,666/1,666

tabulation:  Freq.  Value
              1,666  ""
    
```

---

**ci4g** **Vital status of mother**

---

```

type: numeric (byte)
label: ci4g

range: [1,5]                units: 1
unique values: 2            missing .: 933/1,666
unique missing codes: 2    missing *: 2/1,666

tabulation:  Freq.  Numeric  Label
              727    1       alive
               4     5       dead for longer than 12 months
               933    .
               2     .a
    
```

---

**ci4h** **Code : mother's occupation**

---

```

type: numeric (byte)
label: ci4h

range: [1,21]              units: 1
unique values: 10          missing .: 937/1,666
unique missing codes: 3    missing *: 53/1,666

tabulation:  Freq.  Numeric  Label
              7     1       Legislators/senior government
                             officer/administrator
              32     3       Professional
              27     5       Technican and related
              65     7       Office clerk
              148    9       Service provider / seller who
                             sells goods in the store and/or
                             in the market
              18     11      Agriculture and fishery workers
              47     13      Skilled craftsmen and related
              106    15      Mechanical and assembly workers
              190    17      General workers
              36     21      Not working
              937    .
               2     .a
              51     .c
    
```

---

**ci4h\_des** **Mother's occupation description**

---

```

type: string (str148)

unique values: 488                missing "": 937/1,666
unique missing codes: 3            missing *: 43/1,666
    
```

warning: variable has embedded and trailing blanks

---

**ci4ha** **Mother's type of work**

---

```

type: numeric (byte)
label: ci4ha

range: [1,9]
unique values: 5
unique missing codes: 5

units: 1
missing .: 937/1,666
missing *: 80/1,666
    
```

tabulation:	Freq.	Numeric	Label
	21	1	Government officer/state enterprise employee
	7	3	Temporary government officer/state enterprise employee
	524	5	Company employee
	24	7	Temporary company employee, seasonal
	73	9	Business owner
	937	.	
	2	.a	
	36	.b	
	40	.c	
	2	.d	

---

**ci4i** **Mothers net income per month**

---

```

type: numeric (long)

range: [3870,100000]
unique values: 58
unique missing codes: 4

units: 1
missing .: 937/1,666
missing *: 224/1,666
    
```

tabulation:	Freq.	Value
	1	3870
	1	4500
	2	4750
	7	5000
	4	5500
	1	6000
	2	6500
	3	6600
	1	6900
	10	7000
	13	7500
	16	7800
	12	8000
	1	8060
	1	8100
	3	8500
	48	9000
	1	9750
	65	10000
	2	10400
	1	10417
	2	10500
	1	10650
	1	10750
	5	11000
	4	11500
	33	12000
	10	12500
	21	13000
	1	13350
	3	13500
	12	14000
	4	14500

```

      86 15000
       3 15500
       8 16000
       5 16500
      12 17000
       3 17500
      10 18000
       2 19000
      36 20000
       3 22000
       1 22400
       1 22500
       2 23000
      12 25000
       2 26000
       2 27000
       1 28000
       1 29500
      11 30000
       1 35000
       4 40000
       3 45000
       1 54000
       1 70000
       2 100000
      937 .
       3 .a
      36 .b
      185 .c
    mean: 14330
  std. dev: 8862.25

percentiles:    10%    25%    50%    75%    90%
                7800    9750   13000  15500  20000

```

---

**ci4i\_des** **Description : mother's net income per month**

---

```

      type: string (str72)

  unique values: 110          missing "": 937/1,666
  unique missing codes: 5      missing *: 244/1,666

  warning: variable has embedded blanks

```

---

**ci4j** **Mother's telephone number (unavailable)**

---

```

      type: string (str12), but longest is str0

  unique values: 0          missing "": 1,666/1,666

  tabulation:  Freq.  Value
                1,666  ""

```

---

**ci4ka** **Mother's address : sub-district code (unavailable)**

---

```

      type: string (str4), but longest is str0

  unique values: 0          missing "": 1,666/1,666

  tabulation:  Freq.  Value
                1,666  ""

```

---

**ci4kb** **Mother's address : district code (unavailable)**

---

type: string (**str4**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
                   1,666 ""

---

**ci4kc** **Mother's address : province code (unavailable)**

---

type: string (**str4**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
                   1,666 ""

---

**ci4ka\_des** **Mother's address : sub-district (unavailable)**

---

type: string (**str66**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
                   1,666 ""

---

**ci4kb\_des** **Mother's address : district (unavailable)**

---

type: string (**str42**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
                   1,666 ""

---

**ci4kc\_des** **Mother's address : province (unavailable)**

---

type: string (**str45**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
                   1,666 ""

---

**ci4kd** **Mother's address : country (unavailable)**

---

type: string (**str33**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
                   1,666 ""

---

**ci4l** **Number of days : mother visit the child (per year)**

---

type: numeric (**int**)

range: [0,365]  
 unique values: 72  
 unique missing codes: 3

units: 1  
 missing .: 937/1,666  
 missing \*: 3/1,666

tabulation: Freq. Value

92	0
12	1
16	2
34	3
22	4
37	5
46	6
36	7
24	8
28	9
40	10
8	11
26	12
6	13
33	14
22	15
16	16
8	17
11	18
3	19
11	20
7	21
3	22
1	23
13	24
3	25
1	27
4	28
1	29
22	30
3	32
1	33
2	34
2	35
12	36
1	39
1	40
1	41
6	42
1	44
1	45
1	47
7	48
1	50
20	52
1	54
1	55
1	56
13	60
1	67
1	68
2	70
2	72
1	73
2	74
1	75
2	77
8	84
8	90
5	96
1	103
15	104
2	108
4	120
1	122
1	134
1	146



```

                2 150
                1 155
                1 234
                1 313
                1 365
            937 .
                1 .c
                2 .d
    mean:      21.7989
    std. dev:  33.37

    percentiles:    10%    25%    50%    75%    90%
                   0      5      10     24     60
    
```

---

**ci4m Does the child sleep with the mother when the mother lives in a house?**

---

```

    type: numeric (byte)
    label: ci4m

    range: [1,3]
    unique values: 2
    units: 1
    missing .: 1,029/1,666

    tabulation: Freq.  Numeric  Label
                451      1  yes
                186      3  no
                1,029      .
    
```

---

**ci4n How many days on average per year that the child stays at the mother's place (ou**

---

```

    type: numeric (int)

    range: [0,240]
    unique values: 46
    unique missing codes: 3
    units: 1
    missing .: 937/1,666
    missing *: 5/1,666

    tabulation: Freq.  Value
                397  0
                 4  1
                13  2
                19  3
                10  4
                 9  5
                 4  6
                36  7
                 3  8
                 2  9
                16 10
                 8 12
                 1 13
                19 14
                21 15
                 2 16
                 2 18
                 1 19
                 6 20
                 6 21
                 2 22
                 1 23
                 5 24
                 1 25
                 3 28
                68 30
                 1 36
                 2 40
                 4 42
                11 45
                 1 50
                 1 52
    
```

```

          1  54
          1  55
         19  60
          1  68
          1  70
          2  75
          7  90
          4 104
          1 112
          3 120
          2 132
          1 138
          1 170
          1 240
        937  .
          1  .c
          4  .d
    mean:   12.0953
  std. dev: 23.9205

percentiles:    10%    25%    50%    75%    90%
                  0      0      0     15     30
  
```

---

**ci2a** **Do the parents live together**

---

```

    type: numeric (byte)
    label: ci2a

    range: [1,7]
  unique values: 4
unique missing codes: 1

                    units: 1
                missing .: 0/1,666
                missing *: 1/1,666

  tabulation:  Freq.  Numeric  Label
                1,121    1      Living together (both registered
                    306    3      Divorced
                    226    5      Separated (but still being a
                    12     7      Widowed
                     1     .c
  
```

---

**ci2a1** **Father's marital status**

---

```

    type: numeric (byte)
    label: ci2a1

    range: [1,3]
  unique values: 2
unique missing codes: 4

                    units: 1
                missing .: 1,347/1,666
                missing *: 75/1,666

  tabulation:  Freq.  Numeric  Label
                95     1      re-married
                149    3      not re-married
               1,347    .
                 4     .a
                 12    .b
                 59    .c
  
```

---

**ci2a2** **Mother's marital status**

---

```

    type: numeric (byte)
    label: ci2a2
  
```

range: [1,3] units: 1  
 unique values: 2 missing .: 1,347/1,666  
 unique missing codes: 3 missing \*: 23/1,666

tabulation:	Freq.	Numeric	Label
	141	1	re-married
	155	3	not re-married
	1,347	.	.
	4	.b	
	19	.c	

---

**ci5a Average financial support from father who lives outside the household per month**

---

type: numeric (long)

range: [0,55000] units: 1  
 unique values: 72 missing .: 0/1,666  
 unique missing codes: 4 missing \*: 1,175/1,666

tabulation:	Freq.	Value
	251	0
	2	25
	2	42
	1	56
	1	67
	1	71
	1	76
	1	118
	1	167
	1	195
	1	222
	2	417
	1	450
	4	500
	1	560
	1	600
	1	658
	1	667
	1	700
	13	1000
	1	1200
	1	1290
	1	1392
	1	1411
	10	1500
	2	1750
	19	2000
	2	2187
	9	2500
	1	2571
	2	2750
	1	2763
	23	3000
	2	3250
	1	3333
	10	3500
	18	4000
	1	4063
	1	4300
	5	4500
	16	5000
	4	5500
	1	5571
	5	6000
	3	6500
	2	6667
	1	6769
	4	7000
	1	7058
	6	7500

```

      3 8000
      1 8235
      1 8500
      1 8600
      2 9000
      1 9600
      2 9675
     12 10000
      1 11500
      2 12500
      1 15000
      1 15500
      4 20000
      1 20833
      2 23000
      3 25000
      1 27000
      4 35000
      2 40000
      2 45000
      1 50000
      1 55000
      1 .a
     685 .b
     487 .c
      2 .d
    mean: 3138.74
    std. dev: 7009.85

    percentiles:      10%      25%      50%      75%      90%
                     0         0         0       3500       7500

```

---

**ci5b Average financial support from mother who lives outside the household per month**

---

```

    type: numeric (long)
    range: [0,55000]
    unique values: 50
    unique missing codes: 3
    units: 1
    missing .: 0/1,666
    missing *: 1,408/1,666

```

```

    tabulation: Freq. Value
                98  0
                 1  38
                 1  63
                 2  83
                 2  167
                 1  208
                 2  250
                 1  417
                 1  450
                 3  500
                 1  742
                 1  818
                 1  833
                 1  860
                 2  1000
                 3  1250
                 1  1269
                 1  1406
                13  1500
                 1  1857
                19  2000
                 1  2470
                10  2500
                 1  2571
                 2  2750
                 1  2785
                15  3000
                 5  3500
                 1  3750

```

```

          9 4000
          2 4300
          5 4500
          1 4800
         18 5000
          3 5500
          5 6000
          1 7000
          1 7058
          2 7500
          1 8000
          1 8125
          1 8500
          1 9000
          1 9230
          6 10000
          1 12187
          3 15000
          1 18461
          2 30000
          1 55000
        934 .b
       471 .c
          3 .d
    mean: 2752.9
  std. dev: 5094.93

```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0       1500     4000     6000

```

---

**ci5c Average financial support from father and mother who live outside the household**

---

```

type: numeric (long)
range: [208, 65000]
unique values: 77
unique missing codes: 3
units: 1
missing .: 544/1,666
missing *: 653/1,666

```

```

tabulation: Freq. Value
            2 208
            1 375
            1 416
            1 417
            3 500
            1 625
            1 666
            2 750
            9 1000
            1 1200
            1 1235
            3 1250
            2 1417
            4 1500
            1 1612
            1 1613
            1 1714
            3 1750
            1 1785
           20 2000
            1 2117
            2 2150
           12 2250
           27 2500
            2 2750
            1 2795
            1 2800
           36 3000
            1 3208
            2 3225
            1 3250

```

```

      2 3333
      1 3375
      1 3428
     25 3500
      1 3529
      1 3733
     31 4000
      2 4062
      1 4166
      1 4179
      1 4285
      3 4300
      4 4333
      2 4375
     22 4500
      1 4583
      3 4667
      1 4750
     70 5000
      1 5250
      3 5375
     13 5500
      1 5538
      1 5833
     33 6000
      1 6450
      9 6500
     10 7000
      7 7500
     14 8000
      1 8125
      1 8200
      4 8500
      3 9000
      1 9675
     34 10000
      1 10750
      1 11000
      1 13000
      4 15000
      1 17000
      2 20000
      1 25000
      1 30000
      1 50000
      1 65000
     544 .
     652 .b
      1 .c
    mean: 5180.33
  std. dev: 4710.82

percentiles:      10%      25%      50%      75%      90%
                  2000      3000      4500      6000      10000

```

---

**ci6a Average appliances support from father who lives outside the household per month**

---

```

      type: numeric (int)
      range: [0,5000]
  unique values: 54
  unique missing codes: 4

      units: 1
  missing .: 0/1,666
  missing *: 1,105/1,666

```

```

tabulation:  Freq.  Value
              463    0
              1    13
              1    14
              1    15
              1    16
              1    18
              1    25
              1    26
              1    30
              1    37
              1    38
              1    42
              1    46
              1    50
              1    63
              2    71
              2    75
              3    83
              1   100
              1   118
              2   125
              1   133
              1   143
              1   167
              1   177
              1   188
              2   191
              3   208
              4   250
              1   300
              1   320
              1   350
              1   375
              3   450
             10   500
              1   508
              2   550
              4   750
              1   775
              1   800
              1   860
             10  1000
              2  1032
              2  1250
              1  1400
              5  1500
              1  1990
              3  2000
              2  2250
              1  2300
              2  3000
              1  3947
              1  4500
              1  5000
              1   .a
             683   .b
             419   .c
              2   .d
    mean:      136.711
std. dev:    495.587

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0       350

```

---

**ci6b Average appliances support from mother who lives outside the household per month**

---

type: numeric (int)

range: [0,4500]  
 unique values: 55  
 unique missing codes: 3

units: 1  
 missing .: 0/1,666  
 missing \*: 1,341/1,666

tabulation: Freq. Value

229	0
1	8
1	12
2	14
1	17
1	22
1	28
1	29
1	36
1	38
1	42
2	52
1	58
1	59
1	63
1	71
2	75
3	83
1	88
1	94
1	115
2	125
1	133
1	150
2	167
2	188
2	200
5	250
1	294
1	300
1	333
1	400
2	417
1	441
3	450
1	458
4	500
1	542
2	550
2	600
1	645
1	667
1	714
1	750
1	833
13	1000
2	1200
6	1500
1	1650
1	2250
1	2500
3	3000
1	3700
1	4000
2	4500
933	.b
405	.c
3	.d

mean: 226.354  
 std. dev: 637.527

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 59 750



---

**ci6c Average appliances support from father and mother who live outside the household**

---

```

type: numeric (double)
range: [0,12000]
unique values: 102
unique missing codes: 4
units: .01
missing .: 624/1,666
missing *: 728/1,666
mean: 1447.84
std. dev: 1948.74
percentiles:      10%      25%      50%      75%      90%
                  71       250     750     2000    3500
    
```

---

**ci7 Sibling numbers from the same parents**

---

```

type: numeric (byte)
range: [0,3]
unique values: 4
units: 1
missing .: 0/1,666
tabulation: Freq. Value
             1,113  0
             474   1
             72   2
             7    3
mean: .383553
std. dev: .590164
percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        1
    
```

---

**ci7a\_1 Does sibling (no.1) live in the same house as the child**

---

```

type: numeric (byte)
label: ci7a
range: [1,3]
unique values: 2
units: 1
missing .: 1,113/1,666
tabulation: Freq. Numeric Label
             488      1  yes
             65      3  no
             1,113      .
    
```

---

**ci7b\_1 Sibling (no.1): Member ID**

---

```

type: string (str5), but longest is str3
unique values: 10
missing "": 1,178/1,666
tabulation: Freq. Value
             1,178 ""
             136  "H1"
             2   "H10"
             1   "H2"
             31  "H3"
             126  "H4"
             65  "H5"
             74  "H6"
             31  "H7"
             17  "H8"
             5   "H9"
    
```

---

**ci7c\_1** **Sibling (no.1): Vital status**

---

```

type: numeric (byte)
label: ci7c

range: [1,3]
unique values: 2

units: 1
missing ..: 1,601/1,666

tabulation: Freq.  Numeric  Label
              64      1      alive
              1      3      dead
            1,601      .
    
```

---

**ci7d\_1** **Sibling (no.1): Gender**

---

```

type: numeric (byte)
label: ci7d

range: [1,3]
unique values: 2

units: 1
missing ..: 1,602/1,666

tabulation: Freq.  Numeric  Label
              35      1      male
              29      3      female
            1,602      .
    
```

---

**ci7e\_1** **Sibling (no.1): Date of birth**

---

```

type: numeric (byte)

range: [1,30]
unique values: 22
unique missing codes: 3

units: 1
missing ..: 1,602/1,666
missing *: 27/1,666

tabulation: Freq.  Value
              2      1
              1      2
              2      3
              2      4
              2      5
              1      6
              3      7
              2      8
              2      9
              3     10
              1     11
              2     12
              1     13
              2     14
              2     16
              2     17
              1     19
              1     22
              1     23
              2     25
              1     27
              1     30
            1,602      .
              26     .c
              1     .d

mean: 11.6757
std. dev: 7.72461

percentiles:      10%      25%      50%      75%      90%
                  3         6         10        16        25
    
```

---

**ci7f\_1** **Sibling (no.1): Month of birth**

---

```

type: numeric (byte)
range: [1,12]
unique values: 10
unique missing codes: 3
units: 1
missing .: 1,602/1,666
missing *: 21/1,666

tabulation: Freq. Value
             1 1
             7 2
             2 3
             3 4
             3 5
             5 6
             5 8
             6 10
             3 11
             8 12
           1,602 .
             20 .c
              1 .d
mean:       7.13953
std. dev:   3.75805

percentiles:      10%      25%      50%      75%      90%
                  2         4         8        11        12
    
```

---

**ci7g\_1** **Sibling (no.1): Year of birth**

---

```

type: numeric (int)
range: [1991,2016]
unique values: 18
unique missing codes: 3
units: 1
missing .: 1,602/1,666
missing *: 12/1,666

tabulation: Freq. Value
             1 1991
             2 1994
             3 1995
             2 1996
             3 1998
             1 1999
             1 2000
             2 2005
             1 2006
             2 2008
             4 2009
             3 2010
             1 2011
             4 2012
             3 2013
             4 2014
             7 2015
             8 2016
           1,602 .
             11 .c
              1 .d
mean:       2008.35
std. dev:   7.79614

percentiles:      10%      25%      50%      75%      90%
                  1995    2002.5    2011.5    2015     2016
    
```

---

**sibling\_age\_1** **Sibling (no.1) : Age year**

---

```

type: numeric (float)
range: [.01,25.47]
unique values: 442
unique missing codes: 2
units: .01
missing .: 1,113/1,666
missing *: 13/1,666
mean: 6.41411
std. dev: 4.72991
percentiles:      10%      25%      50%      75%      90%
                  1.1      2.855    5.59     9.02     12.065
    
```

**ci7a\_2** Does sibling (no.2) live in the same house as the child

```

type: numeric (byte)
label: ci7a
range: [1,3]
unique values: 2
units: 1
missing .: 1,586/1,666
tabulation: Freq.  Numeric  Label
              62         1  yes
              18         3  no
            1,586         .
    
```

**ci7b\_2** Sibling (no.2): Member ID

```

type: string (str5), but longest is str2
unique values: 8
missing "": 1,604/1,666
tabulation: Freq.  Value
            1,604  ""
              2  "H1"
              2  "H3"
              9  "H4"
             20  "H5"
             12  "H6"
             10  "H7"
              5  "H8"
              2  "H9"
    
```

**ci7c\_2** Sibling (no.2): Vital status

```

type: numeric (byte)
label: ci7c
range: [1,1]
unique values: 1
units: 1
missing .: 1,648/1,666
tabulation: Freq.  Numeric  Label
              18         1  alive
            1,648         .
    
```

**ci7d\_2** Sibling (no.2): Gender

```

type: numeric (byte)
label: ci7d
range: [1,3]
unique values: 2
units: 1
missing .: 1,648/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              10      1  male
              8      3  female
            1,648      .
    
```

ci7e\_2

Sibling (no.2): Date of birth

```

type: numeric (byte)
range: [1,30]
unique values: 9
unique missing codes: 2
units: 1
missing .: 1,648/1,666
missing *: 5/1,666
    
```

```

tabulation:  Freq.  Value
              1      1
              1     11
              3     14
              2     15
              1     17
              1     18
              2     23
              1     28
              1     30
            1,648      .
              5     .c
mean:       17.1538
std. dev:   7.58118

percentiles: 10%    25%    50%    75%    90%
              11     14     15     23     28
    
```

ci7f\_2

Sibling (no.2): Month of birth

```

type: numeric (byte)
range: [1,12]
unique values: 9
unique missing codes: 2
units: 1
missing .: 1,648/1,666
missing *: 5/1,666
    
```

```

tabulation:  Freq.  Value
              3      1
              2      2
              1      3
              1      4
              1      5
              2      6
              1      8
              1     10
              1     12
            1,648      .
              5     .c
mean:       4.69231
std. dev:   3.5913

percentiles: 10%    25%    50%    75%    90%
              1      2      4      6     10
    
```

ci7g\_2

Sibling (no.2): Year of birth

```

type: numeric (int)
range: [1992,2557]
unique values: 11
unique missing codes: 2
units: 1
missing .: 1,648/1,666
missing *: 2/1,666
    
```

```

tabulation:  Freq.  Value
              1  1992
              1  1993
              1  1994
              3  1997
              1  2000
              2  2002
              1  2011
              2  2012
              1  2013
              2  2016
              1  2557
            1,648  .
              2  .c
    mean:      2038.19
    std. dev:  138.61

percentiles:      10%      25%      50%      75%      90%
                  1993      1997      2002      2012.5      2016
    
```

---

**sibling\_age\_2** **Sibling (no.2) : Age year**

---

```

type: numeric (float)
range: [-54,23.69]
unique values: 69
unique missing codes: 2

units: .01
missing .: 1,586/1,666
missing *: 2/1,666
    
```

```

tabulation:  Freq.  Value
              1  -54
              1  .18000001
              1  .34
              2  .44999999
              2  .5
              1  .60000002
              1  .95999998
              1  1.22
              1  1.3
              1  1.83
              2  2.03
              2  3.1199999
              2  3.28
              1  3.47
              1  4.2399998
              1  4.4499998
              1  4.4699998
              2  4.48
              1  5.1100001
              1  5.46
              1  5.7399998
              1  5.8899999
              1  6.0100002
              1  6.0999999
              1  6.1799998
              1  6.29
              1  6.3200002
              1  6.4499998
              1  6.5500002
              1  6.5900002
              1  7.3899999
              1  7.4000001
              1  7.4299998
              1  7.6199999
              1  7.7399998
              1  7.98
              1  8.0699997
              1  8.2600002
              1  8.5299997
              1  8.8599997
              1  9.1499996
    
```

```

1 9.1800003
2 9.2700005
2 9.5500002
1 9.7799997
1 9.8299999
2 10.22
1 10.47
1 10.79
1 11.36
1 11.41
1 11.43
1 12
1 12.22
1 12.47
1 13.64
1 14.09
1 14.48
1 15.32
1 15.7
1 16.379999
1 16.68
1 17.940001
1 18.799999
1 18.959999
1 19.51
1 21.559999
1 23.459999
1 23.690001
1,586 .
2 .c
mean: 7.52731
std. dev: 9.07393

percentiles:    10%    25%    50%    75%    90%
                .6    4.24    7.525    11.36    16.68

```

---

**ci7a\_3** **Does sibling (no.3) live in the same house as the child**

---

```

type: numeric (byte)
label: ci7a

range: [1,3]
unique values: 2
units: 1
missing .: 1,659/1,666

tabulation: Freq.  Numeric  Label
              3          1  yes
              4          3  no
            1,659          .

```

---

**ci7b\_3** **Sibling (no.3): Member ID**

---

```

type: string (str5), but longest is str2
unique values: 3
missing "": 1,663/1,666

tabulation: Freq.  Value
            1,663  ""
              1  "H5"
              1  "H7"
              1  "H8"

```

---

**ci7c\_3** **Sibling (no.3): Vital status**

---

```

type: numeric (byte)
label: ci7c

```

```

    range: [1,3]                units: 1
unique values: 2                missing .: 1,662/1,666

    tabulation: Freq.  Numeric  Label
                2         1  alive
                2         3  dead
            1,662         .

```

**ci7d\_3** **Sibling (no.3): Gender**

```

    type: numeric (byte)
    label: ci7d

    range: [1,3]                units: 1
unique values: 2                missing .: 1,664/1,666

    tabulation: Freq.  Numeric  Label
                1         1  male
                1         3  female
            1,664         .

```

**ci7e\_3** **Sibling (no.3): Date of birth**

```

    type: numeric (byte)

    range: [.,.]                units: .
unique values: 0                missing .: 1,664/1,666
unique missing codes: 2        missing *: 2/1,666

    tabulation: Freq.  Value
            1,664  .
                2  .c
    mean:      .
    std. dev:  .

    percentiles:    10%    25%    50%    75%    90%
                   .      .      .      .      .

```

**ci7f\_3** **Sibling (no.3): Month of birth**

```

    type: numeric (byte)

    range: [.,.]                units: .
unique values: 0                missing .: 1,664/1,666
unique missing codes: 2        missing *: 2/1,666

    tabulation: Freq.  Value
            1,664  .
                2  .c
    mean:      .
    std. dev:  .

    percentiles:    10%    25%    50%    75%    90%
                   .      .      .      .      .

```

**ci7g\_3** **Sibling (no.3): Year of birth**

```

    type: numeric (int)

    range: [2007,2007]          units: 1
unique values: 1                missing .: 1,664/1,666
unique missing codes: 2        missing *: 1/1,666

```



```

tabulation:  Freq.  Value
              1  2007
            1,664  .
              1  .c
    mean:      2007
    std. dev:   .

percentiles:  10%      25%      50%      75%      90%
              2007      2007      2007      2007      2007
    
```

**sibling\_age\_3** **Sibling (no.3) : Age year**

```

type: numeric (float)
range: [2.87,10.79]          units: .01
unique values: 4             missing .: 1,659/1,666
unique missing codes: 2     missing *: 3/1,666

tabulation:  Freq.  Value
              1  2.8699999
              1  7.1500001
              1  9.3800001
              1  10.79
            1,659  .
              3  .c
    mean:      7.5475
    std. dev:  3.45971

percentiles:  10%      25%      50%      75%      90%
              2.87      5.01      8.265      10.085      10.79
    
```

**ci8** **Does he child have twins?**

```

type: numeric (byte)
label: ci8
range: [1,3]          units: 1
unique values: 2     missing .: 555/1,666

tabulation:  Freq.  Numeric  Label
              12      1  yes
            1,099      3  no
              555      .
    
```

**ci8a** **Type of twins**

```

type: numeric (byte)
label: ci8a
range: [1,3]          units: 1
unique values: 2     missing .: 1,654/1,666

tabulation:  Freq.  Numeric  Label
              11      1  identical twin
              1       3  fraternal twin
            1,654      .
    
```

**ci8b** **Does the twin live in this house?**

```

type: numeric (byte)
label: ci8b
    
```

```

range: [1,3] units: 1
unique values: 2 missing .: 1,654/1,666

tabulation: Freq. Numeric Label
              8         1 yes
              4         3 no
            1,654         .
    
```

**ci8c** **Where does the twin live?**

```

type: numeric (byte)
label: ci8c

range: [1,1] units: 1
unique values: 1 missing .: 1,662/1,666

tabulation: Freq. Numeric Label
              4         1 live in another place
            1,662         .
    
```

**ci8da** **Twin's address : sub-district code (unavailable)**

```

type: string (str2), but longest is str0
unique values: 0 missing "": 1,666/1,666

tabulation: Freq. Value
            1,666 ""
    
```

**ci8db** **Twin's address : district code (unavailable)**

```

type: string (str2), but longest is str0
unique values: 0 missing "": 1,666/1,666

tabulation: Freq. Value
            1,666 ""
    
```

**ci8dc** **Twin's address : province code (unavailable)**

```

type: string (str2), but longest is str0
unique values: 0 missing "": 1,666/1,666

tabulation: Freq. Value
            1,666 ""
    
```

**ci8da\_des** **Twin's address : sub-district (unavailable)**

```

type: string (str21), but longest is str0
unique values: 0 missing "": 1,666/1,666

tabulation: Freq. Value
            1,666 ""
    
```

**ci8db\_des** **Twin's address : district (unavailable)**

```

type: string (str42), but longest is str0
    
```

unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
 1,666 ""

**ci8dc\_des** **Twin's address : province (unavailable)**

type: string (**str27**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
 1,666 ""

**ci8ea** **Month of death of the child's twin(s)**

type: string (**str2**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
 1,666 ""

**ci8eb** **Year of death of the child's twin(s)**

type: numeric (**byte**)  
 range: [.,.] units: .  
 unique values: 0 missing .: 1,666/1,666  
 tabulation: Freq. Value  
 1,666 .  
 mean: .  
 std. dev: .  
 percentiles: 10% 25% 50% 75% 90%  
 . . . . .

**ci8f** **Cause of death of child's twin(s)**

type: string (**str2**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
 1,666 ""

**ci9** **Interviewer note (unavailable)**

type: string (**str550**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
 1,666 ""

**gender** **Children's gender**

```

type: numeric (byte)
label: blaf

range: [1,3]
unique values: 2
units: 1
missing .: 0/1,666

tabulation: Freq. Numeric Label
             865      1 male
             801      3 female
    
```

**year\_survey** **year survey**

```

type: numeric (float)

range: [2016,2016]
unique values: 1
units: 1
missing .: 0/1,666

tabulation: Freq. Value
             1,666 2016
mean:      2016
std. dev:    0

percentiles: 10%    25%    50%    75%    90%
              2016  2016  2016  2016  2016
    
```

**father\_earningpmonth** **Father's net income per month for father not at home**

```

type: numeric (float)

range: [0,1500000]
unique values: 77
unique missing codes: 4
units: 1
missing .: 685/1,666
missing *: 370/1,666

tabulation: Freq. Value
             28 0
             2 4500
             2 4750
             8 5000
             3 5500
             6 6000
             3 6500
             5 6600
            12 7000
             1 7400
             9 7500
             7 7800
             7 8000
             1 8100
             1 8400
             4 8500
            36 9000
             2 9100
             2 9180
             1 9500
             1 9600
             1 9900
            55 10000
             1 10400
             1 10417
             4 10500
             8 11000
             3 11500
             2 11700
            42 12000
             7 12500
            19 13000
             1 13350
             8 13500
    
```

```

          9 14000
          1 14500
         97 15000
          5 15500
          1 15600
          7 16000
          2 16500
          1 16900
         10 17000
          4 17500
          8 18000
          1 18500
          2 19000
          2 19500
         52 20000
          1 22000
          3 22500
          8 23000
          1 23500
          1 24000
          4 24500
         22 25000
          1 25500
          2 26000
          1 26500
          2 27000
          3 28000
          1 29500
         27 30000
          2 32000
          9 35000
          8 40000
          1 43000
          6 45000
          3 50000
          1 55000
          2 60000
          2 75000
          1 80000
          1 85000
          1 110000
          1 250000
          1 1500000
         685 .
          11 .a
          12 .b
          347 .c
    mean: 18861.1
  std. dev: 61787.7

percentiles:      10%      25%      50%      75%      90%
                  7000     10000     15000     20000     30000

```

---

**mother\_earningpmnth**                      **Mother's net income per month for mother not at home**

---

```

type: numeric (float)
range: [0,100000]
unique values: 59
unique missing codes: 4
units: 1
missing .: 933/1,666
missing *: 192/1,666

```

```

tabulation:  Freq.  Value
              36    0
               1  3870
               1  4500
               2  4750
               7  5000
               4  5500
               1  6000
               2  6500
               3  6600
               1  6900
              10  7000
              13  7500
              16  7800
              12  8000
               1  8060
               1  8100
               3  8500
              48  9000
               1  9750
              65 10000
               2 10400
               1 10417
               2 10500
               1 10650
               1 10750
               5 11000
               4 11500
              33 12000
              10 12500
              21 13000
               1 13350
               3 13500
              12 14000
               4 14500
              86 15000
               3 15500
               8 16000
               5 16500
              12 17000
               3 17500
              10 18000
               2 19000
              36 20000
               3 22000
               1 22400
               1 22500
               2 23000
              12 25000
               2 26000
               2 27000
               1 28000
               1 29500
              11 30000
               1 35000
               4 40000
               3 45000
               1 54000
               1 70000
               2 100000
              933 .
               3 .a
               4 .b
              185 .c
    mean:    13376.4
  std. dev:  9278.06

```

```

percentiles:    10%    25%    50%    75%    90%
                6600    9000   12000  15000  20000

```

age

Children's age (year)

type: numeric (**double**)  
 range: [.25, 6.42] units: .01  
 unique values: 75 missing .: 0/1,666

tabulation:	Freq.	Value
	2	.25
	1	.33
	2	.42
	1	.5
	4	.58
	2	.67
	4	.75
	2	.8
	4	.83
	6	.92
	12	1
	19	1.08
	20	1.16
	22	1.25
	30	1.33
	29	1.41
	25	1.5
	19	1.58
	17	1.66
	31	1.75
	32	1.83
	26	1.91
	36	2
	31	2.07
	27	2.17
	34	2.25
	27	2.32
	19	2.42
	28	2.5
	25	2.57
	36	2.67
	23	2.75
	43	2.82
	36	2.92
	41	3
	16	3.07
	28	3.17
	35	3.25
	32	3.32
	24	3.42
	29	3.5
	43	3.57
	38	3.67
	44	3.75
	53	3.82
	47	3.92
	43	4
	29	4.07
	24	4.17
	27	4.25
	22	4.32
	25	4.42
	21	4.5
	30	4.57
	26	4.67
	1	4.71
	28	4.75
	30	4.82
	17	4.92
	42	5
	23	5.07
	19	5.17

```

                17  5.25
                29  5.32
                20  5.42
                20  5.5
                24  5.57
                13  5.67
                11  5.75
                 6  5.82
                 4  5.92
                 5  6
                 1  6.25
                 1  6.32
                 3  6.42
    mean:      3.33595
    std. dev:  1.33125

    percentiles:    10%    25%    50%    75%    90%
                   1.5    2.25   3.42   4.32   5.17
    
```

---

**father\_age** **Father's age (year)**

---

```

    type: numeric (double)
    range: [17.35,65.29]          units: .01
    unique values: 898           missing .: 221/1,666

    mean:      32.5688
    std. dev:  6.91944

    percentiles:    10%    25%    50%    75%    90%
                   23.67   27.32   32.43   36.81   41.65
    
```

---

**father\_edu** **Father's highest education level (not display)**

---

```

    type: string (str63), but longest is str0
    unique values: 0             missing "": 1,666/1,666

    tabulation:  Freq.  Value
                 1,666  ""
    
```

---

**father\_edu\_code** **Code of father's highest education level**

---

```

    type: numeric (float)
    label: father_edu_code
    range: [15,99]          units: 1
    unique values: 20       missing .: 0/1,666
    unique missing codes: 2  missing *: 143/1,666

    tabulation:  Freq.  Numeric  Label
                 24     15     Primary school 4
                 220    19     Primary school 6
                   3     21     Primary school 7 (old system)
                   7     23     Lower secondary 1
                   25    25     Lower secondary 2
                 398    27     Lower secondary 3
                   3     29     Upper secondary 1
                   9     31     Upper secondary 2
                 445    33     Upper secondary 3
                   2     45     Vocational school year 1
                   3     47     Vocational school year 2
                   55    49     Vocational school year 3
                   3     51     High vocational school year 1
                 155    53     High vocational school year 2
                   1     61     Undergraduate school year 1
    
```



```

      3      63 Undergraduate school year 2
      1      65 Undergraduate school year 3
    145      67 Undergraduate school year 4
     14      69 Master's degree
      7      99 Other
      1      .a
    142      .c
  
```

---

**father\_mainjob** **Father's occupation description (not display)**

---

```

type: string (str154), but longest is str0
unique values: 0 missing "": 1,666/1,666
tabulation: Freq. Value
            1,666 ""
  
```

---

**father\_mainjob\_code** **(unlabeled)**

---

```

type: numeric (float)
label: father_mainjob_code

range: [1,21] units: 1
unique values: 11 missing .: 0/1,666
unique missing codes: 4 missing *: 144/1,666

tabulation: Freq. Numeric Label
            202      1 Legislators/senior government
              59      3 Professional
              54      5 Technican and related
              15      7 Office clerk
             140      9 Service provider / seller who
              90      11 Agriculture and fishery workers
             211      13 Skilled craftsmen and related
             199      15 Mechanical and assembly workers
             485      17 General workers
              32      19 Armed force
              35      21 Not working
              15      .a
              12      .b
             115      .c
              2       .d
  
```

---

**father\_mainjob\_type** **Father's type of work**

---

```

type: numeric (float)
label: father_mainjob_type

range: [1,9] units: 1
unique values: 5 missing .: 0/1,666
unique missing codes: 4 missing *: 179/1,666
  
```

```

tabulation:  Freq.  Numeric  Label
              84      1  Government officer/state
              17      3  enterprise employee
              711     5  Temporary government officer/
              384     7  state enterprise employee
              291     9  Company employee
              15      .a  Temporary company employee,
              47      .b  seasonal
              116     .c  Business owner
              1       .d
    
```

---

**father\_wagepmth**                      **Father's wage per month (for paid work) for father at home**

---

```

type: numeric (float)
range: [0,45000]
unique values: 114
unique missing codes: 4
mean: 9351.31
std. dev: 6370.6
percentiles: 10% 25% 50% 75% 90%
              2700 6000 8400 11700 15000
    
```

---

**mother\_edu**                                      **Mother's highest education level (not display)**

---

```

type: string (str62), but longest is str0
unique values: 0
missing "": 1,666/1,666
tabulation:  Freq.  Value
              1,666  ""
    
```

---

**mother\_age**    **Mother's age (year)**

---

```

type: numeric (double)
range: [16.51,57.97]
unique values: 933
mean: 29.3643
std. dev: 6.16516
percentiles: 10% 25% 50% 75% 90%
              21.97 24.44 28.71 33.74 37.72
    
```

---

**mother\_edu\_code**                                      **Code of mother's highest education level**

---

```

type: numeric (float)
label: mother_edu_code
range: [15,99]
unique values: 22
unique missing codes: 1
units: 1
missing .: 0/1,666
missing *: 28/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              7      15  Primary school 4
              2      17  Primary school 5
            159      19  Primary school 6
              6      23  Lower secondary 1
            26      25  Lower secondary 2
            458      27  Lower secondary 3
              6      29  Upper secondary 1
            17      31  Upper secondary 2
            484      33  Upper secondary 3
              1      39  Lower secondary 3 (old system)
              3      45  Vocational school year 1
              4      47  Vocational school year 2
            71      49  Vocational school year 3
              5      51  High vocational school year 1
            126      53  High vocational school year 2
              5      59  Diploma
              6      63  Undergraduate school year 2
              2      65  Undergraduate school year 3
            220      67  Undergraduate school year 4
              15      69  Master's degree
              1      71  Doctorate degree
              14      99  Other
              28      .c
    
```

---

**mother\_mainjob** **Mother's occupation description (not display)**

---

```

type: string (str154), but longest is str0
unique values: 0          missing "": 1,666/1,666

tabulation:  Freq.  Value
            1,666  ""
    
```

---

**mother\_mainjob\_code** **(unlabeled)**

---

```

type: numeric (float)
label: mother_mainjob_code

range: [1,21]          units: 1
unique values: 10      missing .: 0/1,666
unique missing codes: 3  missing *: 63/1,666

tabulation:  Freq.  Numeric  Label
            199      1  Legislators/senior government
              92      3  officer/administrator
              67      5  Professional
              59      7  Technican and related
            247      9  Office clerk
              9      9  Service provider / seller who
              184     11  sells goods in the store and/or
            111     13  in the market
              68     15  Agriculture and fishery workers
            428     17  Skilled craftsmen and related
            148     21  Mechanical and assembly workers
              8      .a  General workers
              4      .b  Not working
            51      .c
    
```

---

**mother\_mainjob\_type** **Mother's type of work**

---

```

type: numeric (float)
label: mother_mainjob_type
    
```

range: [1,9] units: 1  
 unique values: 5 missing .: 0/1,666  
 unique missing codes: 4 missing \*: 206/1,666

tabulation:	Freq.	Numeric	Label
	51	1	Government officer/state enterprise employee
	40	3	Temporary government officer/state enterprise employee
	692	5	Company employee
	289	7	Temporary company employee, seasonal
	388	9	Business owner
	8	.a	
	152	.b	
	45	.c	
	1	.d	

---

**mother\_wagepmonth      Mother's wage income per month (for paid work) for mother at home**

---

type: numeric (float)

range: [0,45000] units: 1  
 unique values: 112 missing .: 1,051/1,666  
 unique missing codes: 3 missing \*: 55/1,666

mean: 6503.96  
 std. dev: 6244.24

percentiles:	10%	25%	50%	75%	90%
	0	750	6500	9000	14000

```
2 . log close
   name: <unnamed>
   log: Z:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo
> k_sc\b1.scml
   log type: smcl
   closed on: 3 Oct 2024, 15:30:16
```

---