



```

name: <unnamed>
log: Z:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo
> k_sc\b10.scml
log type: smcl
opened on: 3 Oct 2024, 15:35:53

```

```
1 . codebookr _all,all
```

```

Dataset: \RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey20
> 16\stata\scramble\b10_run.dta
Last saved: 3 Oct 2024 15:35

```

```

Label: [none]
Number of variables: 78
Number of observations: 1,666
Size: 3,856,790 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI

```

```
cid children id
```

```

type: string (str18)
unique values: 1,666 missing "": 0/1,666
examples: "201591160601205H1"
           "201691130216999H1"
           "201691160104180H1"
           "201691161706142H6"

```

```
iyear year
```

```

type: string (str4)
unique values: 2 missing "": 0/1,666
tabulation: Freq. Value
              626 "2015"
              1,040 "2016"

```

```
hhid household id
```

```
type: string (str15)
```

unique values: 1,413 missing "": 0/1,666
 examples: "201591160601205"
 "201691130216999"
 "201691160104180"
 "201691161706142"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,666
 tabulation: Freq. Value
 1,501 "91"
 165 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 7 missing "": 0/1,666
 tabulation: Freq. Value
 165 "12"
 308 "13"
 134 "14"
 164 "15"
 608 "16"
 45 "17"
 242 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,666
 tabulation: Freq. Value
 71 "01"
 259 "02"
 141 "04"
 65 "05"
 60 "06"
 69 "07"
 67 "08"
 109 "09"
 155 "10"
 96 "11"
 167 "13"
 52 "14"
 169 "15"
 116 "17"
 70 "19"

moo **moo**

type: string (**str2**)
 unique values: 21 missing "": 0/1,666

```

tabulation:  Freq.  Value
              168  "01"
              75  "02"
              166  "03"
              172  "04"
              151  "05"
              175  "06"
              86  "07"
              173  "08"
              108  "09"
              84  "10"
              61  "11"
              51  "12"
              46  "13"
              14  "14"
              12  "15"
              41  "16"
              10  "17"
              14  "18"
              31  "19"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 182          missing "": 0/1,666
examples: "011"
          "034"
          "071"
          "157"
    
```

ch10 **Chicken Pox**

```

type: numeric (byte)
label: ch10
range: [1,5]          units: 1
unique values: 3      missing .: 0/1,666
unique missing codes: 1  missing *: 3/1,666

tabulation:  Freq.  Numeric  Label
              116   1  yes
              1,493  3  no
               54   5  not sure
               3    .b
    
```

ch11 **Influenza vaccine (in past 12 months)**

```

type: numeric (byte)
label: ch11
range: [1,5]          units: 1
unique values: 3      missing .: 0/1,666
unique missing codes: 1  missing *: 3/1,666

tabulation:  Freq.  Numeric  Label
              117   1  yes
              1,483  3  no
               63   5  not sure
               3    .b
    
```

ch12 **HIB (Vaccine against meningitis)**

```

type: numeric (byte)
label: ch12

range: [1,5]
unique values: 3
unique missing codes: 1

units: 1
missing .: 0/1,666
missing *: 3/1,666

tabulation: Freq.  Numeric  Label
              116      1  yes
              1,479    3  no
               68      5  not sure
               3       .b
    
```

ch38 **maternal and child health book (pink book) was recorded**

```

type: numeric (byte)
label: ch38

range: [1,3]
unique values: 2

units: 1
missing .: 1,111/1,666

tabulation: Freq.  Numeric  Label
              441      1  yes
              114      3  no
             1,111      .
    
```

nvac_1 **BCG (Tuberculosis vaccine) (not display)**

```

type: string (str197), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation: Freq.  Value
             1,666  ""
    
```

ch3_1 **Has the child received vaccine in the folloing lists? 1**

```

type: numeric (byte)
label: ch3

range: [1,5]
unique values: 3
unique missing codes: 1

units: 1
missing .: 0/1,666
missing *: 5/1,666

tabulation: Freq.  Numeric  Label
              1,622    1  yes
               8       3  no
               31      5  not sure
               5       .d
    
```

ch3b_1 **Where does that data come from? 1**

```

type: numeric (byte)
label: ch3b

range: [1,3]
unique values: 2
unique missing codes: 1

units: 1
missing .: 0/1,666
missing *: 6/1,666
    
```

```

tabulation: Freq.  Numeric  Label
             1,415      1  from child's health book (pink
             245        3  book)
             6          .d  primary caregiver's answer
    
```

nvac_2 **HBV (Hepatitis-B vaccine) (not display)**

```

type: string (str197), but longest is str0
unique values: 0 missing "": 1,666/1,666
tabulation: Freq.  Value
             1,666  ""
    
```

ch3_2 **Has the child received the vaccine in the following lists? 2**

```

type: numeric (byte)
label: ch3
range: [1,5] units: 1
unique values: 3 missing .: 0/1,666
unique missing codes: 1 missing *: 5/1,666
tabulation: Freq.  Numeric  Label
             1,628      1  yes
             3          3  no
             30         5  not sure
             5          .d
    
```

ch3b_2 **Where does that data come from? 2**

```

type: numeric (byte)
label: ch3b
range: [1,3] units: 1
unique values: 2 missing .: 0/1,666
unique missing codes: 1 missing *: 6/1,666
tabulation: Freq.  Numeric  Label
             1,416      1  from child's health book (pink
             244        3  book)
             6          .d  primary caregiver's answer
    
```

nvac_3 **OPV (Polio vaccine) (not display)**

```

type: string (str197), but longest is str0
unique values: 0 missing "": 1,666/1,666
tabulation: Freq.  Value
             1,666  ""
    
```

ch3_3 **Has the child received vaccine in the folloing lists? 3**

```

type: numeric (byte)
label: ch3
    
```

```

range: [1,5] units: 1
unique values: 3 missing .: 0/1,666
unique missing codes: 1 missing *: 5/1,666

tabulation: Freq. Numeric Label
             1,617      1 yes
             14         3 no
             30         5 not sure
             5          .d
    
```

ch3b_3 **Where does that data come from? 3**

```

type: numeric (byte)
label: ch3b

range: [1,3] units: 1
unique values: 2 missing .: 0/1,666
unique missing codes: 1 missing *: 6/1,666

tabulation: Freq. Numeric Label
             1,415      1 from child's health book (pink
             245         3 book)
             6          .d primary caregiver's answer
    
```

nvac_4 **DTP,DPT (vaccine against diphtheria- tetanus- whooping cough) (not display)**

```

type: string (str197), but longest is str0
unique values: 0 missing "": 1,666/1,666

tabulation: Freq. Value
             1,666 ""
    
```

ch3_4 **Has the child received vaccine in the folloing lists? 4**

```

type: numeric (byte)
label: ch3

range: [1,5] units: 1
unique values: 3 missing .: 0/1,666
unique missing codes: 1 missing *: 5/1,666

tabulation: Freq. Numeric Label
             1,606      1 yes
             26         3 no
             29         5 not sure
             5          .d
    
```

ch3b_4 **Where does that data come from? 4**

```

type: numeric (byte)
label: ch3b

range: [1,3] units: 1
unique values: 2 missing .: 0/1,666
unique missing codes: 1 missing *: 6/1,666

tabulation: Freq. Numeric Label
             1,415      1 from child's health book (pink
             245         3 book)
             6          .d primary caregiver's answer
    
```

nvac_5 M or MR or MMR (vaccine against measles - mumps - rubella) (not display)

type: string (**str197**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

ch3_5 Has the child received vaccine in the folloing lists? 5

type: numeric (**byte**)
 label: **ch3**
 range: [1,5] units: 1
 unique values: 3 missing .: 0/1,666
 unique missing codes: 1 missing *: 5/1,666
 tabulation: Freq. Numeric Label
 1,617 1 yes
 14 3 no
 30 5 not sure
 5 .d

ch3b_5 Where does that data come from? 5

type: numeric (**byte**)
 label: **ch3b**
 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,666
 unique missing codes: 1 missing *: 6/1,666
 tabulation: Freq. Numeric Label
 1,414 1 from child's health book (pink
 book)
 246 3 primary caregiver's answer
 6 .d

nvac_6 JE (Encephalitis vaccine) (not display)

type: string (**str197**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

ch3_6 Has the child received vaccine in the folloing lists? 6

type: numeric (**byte**)
 label: **ch3**
 range: [1,5] units: 1
 unique values: 3 missing .: 0/1,666
 unique missing codes: 1 missing *: 5/1,666

```

tabulation: Freq.  Numeric  Label
             1,595      1     yes
             37         3     no
             29         5     not sure
             5          .d
    
```

ch3b_6 **Where does that data come from? 6**

```

type: numeric (byte)
label: ch3b

range: [1,3]
unique values: 2
unique missing codes: 1

units: 1
missing .: 0/1,666
missing *: 6/1,666
    
```

```

tabulation: Freq.  Numeric  Label
             1,414      1     from child's health book (pink
             246         3     book)
             6          .d     primary caregiver's answer
    
```

ch13_hospital **Birth place on hospital?**

```

type: numeric (float)
label: ch13_hospital

range: [0,1]
unique values: 2

units: 1
missing .: 252/1,666
    
```

```

tabulation: Freq.  Numeric  Label
             67         0     no
             1,347      1     yes
             252         .
    
```

ch13 **Birth place (unavailable)**

```

type: string (str98), but longest is str0
unique values: 0
missing "": 1,666/1,666
    
```

```

tabulation: Freq.  Value
             1,666  ""
    
```

ch14 **By whom**

```

type: numeric (byte)
label: ch14

range: [1,5]
unique values: 3
unique missing codes: 1

units: 1
missing .: 0/1,666
missing *: 277/1,666
    
```

```

tabulation: Freq.  Numeric  Label
             750         1     doctor
             635         3     nurse
             4          5     others (specify)
             277         .b
    
```

ch14_des **Other (specify) : By whom (not display)**

```

type: string (str42), but longest is str0
    
```


unique values: 0 missing "": 1,666/1,666

tabulation: Freq. Value
1,666 ""

ch15_w

Week : Age of pregnancy

type: numeric (byte)

range: [28,44] units: 1
unique values: 16 missing .: 0/1,666
unique missing codes: 2 missing *: 298/1,666

tabulation: Freq. Value
1 28
1 29
5 30
5 31
4 32
10 33
16 34
28 35
65 36
188 37
402 38
358 39
226 40
52 41
6 42
1 44
293 .b
5 .c

mean: 38.2646
std. dev: 1.68087

percentiles: 10% 25% 50% 75% 90%
37 38 38 39 40

ch15_d

Day : Age of pregnancy

type: numeric (byte)

range: [0,15] units: 1
unique values: 12 missing .: 0/1,666
unique missing codes: 2 missing *: 298/1,666

tabulation: Freq. Value
558 0
169 1
146 2
111 3
144 4
118 5
115 6
1 7
3 8
1 9
1 11
1 15
293 .b
5 .c

mean: 1.98538
std. dev: 2.16741

percentiles: 10% 25% 50% 75% 90%
0 0 1 4 5

ch16 How did you give birth (Caesarean section or normal labor) (not display)

type: string (**str96**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

ch17 Complications during delivery

type: numeric (**byte**)
 label: **ch17**
 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,666
 unique missing codes: 1 missing *: 505/1,666
 tabulation: Freq. Numeric Label
 1,112 1 no
 49 3 yes (specify)
 505 .b

ch17_des yes (specify) : Complications during delivery (not display)

type: string (**str66**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

ch18 Complications after birth

type: numeric (**byte**)
 label: **ch18**
 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,666
 unique missing codes: 1 missing *: 735/1,666
 tabulation: Freq. Numeric Label
 916 1 no
 15 3 yes (specify)
 735 .b

ch18_des yes (specify) : Complications after birth (not display)

type: string (**str63**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

ch19 Stressed

type: numeric (**byte**)
 label: **ch19**

```

        range: [3,3]                units: 1
    unique values: 1                missing .: 0/1,666
    unique missing codes: 1        missing *: 1,658/1,666

    tabulation:  Freq.  Numeric  Label
                  8      3      no
                  1,658    .b
    
```

ch20 **Depressed**

```

        type: numeric (byte)
        label: ch20

        range: [3,3]                units: 1
    unique values: 1                missing .: 0/1,666
    unique missing codes: 1        missing *: 1,658/1,666

    tabulation:  Freq.  Numeric  Label
                  8      3      no
                  1,658    .b
    
```

ch21 **Drinking alcohol**

```

        type: numeric (byte)
        label: ch21

        range: [3,3]                units: 1
    unique values: 1                missing .: 0/1,666
    unique missing codes: 1        missing *: 1,658/1,666

    tabulation:  Freq.  Numeric  Label
                  8      3      no
                  1,658    .b
    
```

ch22 **Date of Birth (unavailable)**

```

        type: string (str20), but longest is str0
    unique values: 0                missing "": 1,666/1,666

    tabulation:  Freq.  Value
                  1,666  ""
    
```

ch22_d **Day of Birth (unavailable)**

```

        type: numeric (byte)

        range: [.,.]                units: .
    unique values: 0                missing .: 1,666/1,666

    tabulation:  Freq.  Value
                  1,666  .
        mean:      .
        std. dev:  .

    percentiles:  10%    25%    50%    75%    90%
                  .      .      .      .      .
    
```

ch22_m **Month of Birth (unavailable)**

```

type: numeric (byte)
label: ch22_m
range: [.,.]
unique values: 0
units: .
missing ..: 1,666/1,666
tabulation: Freq. Numeric Label
              1,666 .
    
```

ch22_y **Year of Birth (unavailable)**

```

type: numeric (int)
range: [.,.]
unique values: 0
units: .
missing ..: 1,666/1,666
tabulation: Freq. Value
              1,666 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

ch23 **Gender**

```

type: numeric (byte)
label: ch23
range: [1,3]
unique values: 2
units: 1
missing ..: 0/1,666
tabulation: Freq. Numeric Label
              860 1 male
              806 3 female
    
```

ch24 **Weight at birth**

```

type: numeric (double)
range: [1,5.21]
unique values: 345
unique missing codes: 1
units: .0001
missing ..: 0/1,666
missing *: 38/1,666
mean: 3.04945
std. dev: .469257
percentiles: 10% 25% 50% 75% 90%
              2.48 2.78 3.0575 3.33 3.59
    
```

ch25 **Length at birth**

```

type: numeric (float)
label: ch25, but 32 nonmissing values are not labeled
range: [27,63]
unique values: 32
unique missing codes: 2
units: .1
missing ..: 0/1,666
missing *: 114/1,666
    
```

tabulation:	Freq.	Numeric	Label
	1	27	
	1	28	
	3	31	
	1	32	
	3	33	
	2	37	
	1	39	
	3	41	
	4	42	
	8	43	
	2	44	
	15	45	
	23	46	
	48	47	
	1	47.5	
	89	48	
	133	49	
	1	49.5	
	197	50	
	205	51	
	1	51.5	
	242	52	
	197	53	
	165	54	
	91	55	
	54	56	
	37	57	
	17	58	
	4	59	
	1	61	
	1	62	
	1	63	
	113	.c	
	1	.d	

ch26

Head circumference

```

type: numeric (double)
label: ch26, but 25 nonmissing values are not labeled

range: [25,54]
unique values: 25
unique missing codes: 2

units: .1
missing .: 0/1,666
missing *: 193/1,666
    
```

tabulation:	Freq.	Numeric	Label
	1	25	
	3	27	
	8	28	
	16	29	
	88	30	
	1	30.5	
	189	31	
	8	31.5	
	327	32	
	12	32.5	
	351	33	
	5	33.5	
	253	34	
	5	34.5	
	139	35	
	1	35.5	
	43	36	
	2	36.5	
	6	37	
	7	38	
	1	40	
	3	48	
	1	49	
	2	52	

```

      1      54
    191      .b
      2      .d
  
```

ch27 **Apgar Score (1 minute)**

```

type: numeric (byte)
label: ch27, but 9 nonmissing values are not labeled

range: [1,10]          units: 1
unique values: 9       missing .: 0/1,666
unique missing codes: 2 missing *: 194/1,666
  
```

tabulation:	Freq.	Numeric	Label
	1	1	
	1	3	
	1	4	
	7	5	
	12	6	
	24	7	
	146	8	
	1,175	9	
	105	10	
	192	.b	
	2	.d	

ch28 **Apgar Score (5 minute)**

```

type: numeric (byte)
label: ch28, but 5 nonmissing values are not labeled

range: [6,10]          units: 1
unique values: 5       missing .: 0/1,666
unique missing codes: 2 missing *: 202/1,666
  
```

tabulation:	Freq.	Numeric	Label
	5	6	
	4	7	
	23	8	
	125	9	
	1,307	10	
	197	.b	
	5	.d	

ch29 **Congenital disorder**

```

type: numeric (byte)
label: ch29

range: [1,3]          units: 1
unique values: 2       missing .: 0/1,666
unique missing codes: 1 missing *: 383/1,666
  
```

tabulation:	Freq.	Numeric	Label
	21	1	yes
	1,262	3	no
	383	.b	

ch29_des **yes (specify) : Congenital disorder (not display)**

```

type: string (str2), but longest is str0
unique values: 0          missing "": 1,666/1,666
  
```

tabulation: Freq. Value
 1,666 ""

ch30 **Newborn health**

type: numeric (**byte**)
 label: **ch30**

range: [1,3] units: 1
 unique values: 2 missing .: 0/1,666
 unique missing codes: 1 missing *: 595/1,666

tabulation: Freq. Numeric Label
 1,035 1 good
 36 3 abnormal (specify)
 595 .b

ch30_des **abnormal (specify) (not display)**

type: string (**str124**), but longest is str0
 unique values: 0 missing "": 1,666/1,666

tabulation: Freq. Value
 1,666 ""

ch31 **Discharged date (unavailable)**

type: string (**str27**), but longest is str0
 unique values: 0 missing "": 1,666/1,666

tabulation: Freq. Value
 1,666 ""

ch31_d **Day of discharge (unavailable)**

type: numeric (**byte**)

range: [.,.] units: .
 unique values: 0 missing .: 1,666/1,666

tabulation: Freq. Value
 1,666 .
 mean: .
 std. dev: .

percentiles: 10% 25% 50% 75% 90%

ch31_m **Month of discharge (unavailable)**

type: numeric (**byte**)
 label: **ch31_m**

range: [.,.] units: .
 unique values: 0 missing .: 1,666/1,666

tabulation: Freq. Numeric Label
 1,666 .

ch31_y **Year of discharge (unavailable)**

```

type: numeric (int)
range: [.,.]
unique values: 0
units: .
missing .: 1,666/1,666

tabulation: Freq. Value
1,666 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

ch32 **Weight at discharge date**

```

type: numeric (int)
range: [1720,4450]
unique values: 99
unique missing codes: 2
units: 1
missing .: 0/1,666
missing *: 1,502/1,666

tabulation: Freq. Value
1 1720
1 1930
1 2020
1 2130
1 2200
1 2240
1 2260
1 2270
1 2300
1 2310
1 2350
3 2360
1 2370
1 2400
1 2430
1 2435
2 2450
2 2460
1 2465
1 2480
1 2502
1 2525
1 2526
1 2540
2 2550
4 2600
2 2610
3 2620
1 2625
1 2630
2 2650
3 2660
2 2670
1 2690
4 2700
1 2710
1 2726
3 2750
3 2755
1 2770
1 2788
10 2800
1 2828
1 2831
    
```



```

1 2840
1 2850
1 2860
1 2880
1 2890
2 2900
3 2910
4 2920
4 2930
1 2940
1 2950
1 2960
1 2965
1 2990
5 3000
1 3035
1 3040
1 3050
1 3055
1 3070
1 3075
1 3088
9 3100
2 3110
1 3150
2 3160
1 3180
1 3210
1 3220
1 3240
3 3250
3 3300
1 3315
1 3320
1 3325
1 3330
1 3345
1 3350
1 3360
1 3370
1 3380
1 3390
4 3400
1 3430
2 3440
3 3450
1 3460
1 3470
2 3500
1 3600
1 3650
1 3700
1 3710
1 3960
1 4450

```

```

1,490 .b
12 .c
mean: 2906.82
std. dev: 401.509

```

```

percentiles:    10%    25%    50%    75%    90%
                2430    2640    2905    3160    3400

```

ch33

Vitamin k

```

type: numeric (byte)
label: ch33

```

```

range: [1,3] units: 1
unique values: 2 missing : 0/1,666
unique missing codes: 1 missing *: 329/1,666

tabulation: Freq. Numeric Label
             1,331      1 inject
              6       3 not spray
              329     .b
    
```

ch34 **Newborn Screening (unavailable)**

```

type: string (str29), but longest is str0
unique values: 0 missing "": 1,666/1,666

tabulation: Freq. Value
             1,666 ""
    
```

ch34_d **Month of newborn screening (unavailable)**

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing : 1,666/1,666

tabulation: Freq. Value
             1,666 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

ch34_m **Year of newborn screening (unavailable)**

```

type: numeric (byte)
label: ch34_m
range: [.,.] units: .
unique values: 0 missing : 1,666/1,666

tabulation: Freq. Numeric Label
             1,666 .
    
```

ch34_y **Year of newborn screening (unavailable)**

```

type: numeric (int)
range: [.,.] units: .
unique values: 0 missing : 1,666/1,666

tabulation: Freq. Value
             1,666 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

ch35 **Congenital Hypothyroidism Screening**

```

type: numeric (byte)
label: ch35

range: [1,1]
unique values: 1
unique missing codes: 1

units: 1
missing .: 0/1,666
missing *: 1,621/1,666

tabulation: Freq. Numeric Label
              45          1 normal
              1,621        .b
    
```

ch36 **PKU Screening**

```

type: numeric (byte)
label: ch36

range: [1,1]
unique values: 1
unique missing codes: 1

units: 1
missing .: 0/1,666
missing *: 1,657/1,666

tabulation: Freq. Numeric Label
              9          1 normal
              1,657        .b
    
```

ch37 **Interviewer note (unavailable)**

```

type: string (str328), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation: Freq. Value
              1,666 ""
    
```

note_cleaner **Data cleaner note (not display)**

```

type: string (str76), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation: Freq. Value
              1,666 ""
    
```

year_survey **year survey**

```

type: numeric (float)
range: [2016,2016]
unique values: 1

units: 1
missing .: 0/1,666

tabulation: Freq. Value
              1,666 2016
mean:          2016
std. dev:         0

percentiles:   10%    25%    50%    75%    90%
                2016    2016    2016    2016    2016
    
```

ch_added **children added**

```

type: numeric (float)
label: ch_add
    
```

range: [0,1] units: 1
 unique values: 2 missing .: 0/1,666

tabulation: Freq. Numeric Label
 1,595 0 no
 71 1 yes

survey_name **survey round**

type: string (str12)

unique values: 2 missing "": 0/1,666

tabulation: Freq. Value
 1,040 "BASELINE2016"
 626 "RESURVEY2016"

ch22_age **Child's Age**

type: numeric (double)

range: [.08,6.41] units: .001
 unique values: 75 missing .: 0/1,666

tabulation: Freq. Value
 2 .08
 2 .25
 1 .33
 2 .42
 1 .5
 4 .58
 2 .666
 4 .75
 4 .833
 6 .92
 12 1
 19 1.08
 20 1.16
 22 1.25
 30 1.33
 29 1.41
 25 1.5
 19 1.58
 17 1.66
 31 1.75
 32 1.83
 26 1.91
 36 2
 31 2.08
 27 2.16
 34 2.25
 27 2.33
 19 2.41
 28 2.5
 25 2.58
 36 2.66
 23 2.75
 43 2.83
 36 2.91
 41 3
 16 3.08
 28 3.16
 35 3.25
 32 3.33
 24 3.41
 29 3.5
 43 3.58
 38 3.66

```

44 3.75
53 3.83
47 3.91
43 4
29 4.08
24 4.16
27 4.25
22 4.33
25 4.41
21 4.5
30 4.58
26 4.66
1 4.72
28 4.75
30 4.83
17 4.91
42 5
23 5.08
19 5.16
17 5.25
29 5.33
20 5.41
20 5.5
24 5.58
13 5.66
11 5.75
6 5.83
4 5.91
5 6
1 6.25
1 6.33
3 6.41
mean: 3.33545
std. dev: 1.33329
percentiles: 10% 25% 50% 75% 90%
              1.5 2.25 3.41 4.33 5.16

```

ch31_month **Time between birthday and discharge day**

```

type: numeric (double)
range: [0,2.06] units: .01
unique values: 20 missing .: 1,483/1,666

```

```

tabulation: Freq. Value
             1 0
             1 .04
            54 .06
            50 .07
            45 .1
            14 .13
             2 .16
             1 .18
             1 .19
             1 .2
             4 .23
             1 .24
             1 .26
             1 .35
             1 .37
             1 .45
             1 1.06
             1 1.12
             1 1.41
             1 2.06

```

```

1,483 .
mean: .121475
std. dev: .209595

```

percentiles:	10%	25%	50%	75%	90%
	.06	.06	.07	.1	.13

ch34_month **Time between birthday and newborn screening day**

```

type: numeric (double)
range: [0,2.06]          units: .01
unique values: 16        missing .: 974/1,666

```

```

tabulation: Freq. Value
              4  0
              3  .03
              1  .04
             324  .06
             210  .07
             114  .1
              7  .11
             16  .13
              2  .16
              1  .18
              2  .19
              1  .29
              1  .43
              1  .47
              3  1.06
              2  2.06
             974  .

```

```

mean: .083656
std. dev: .128194

```

percentiles:	10%	25%	50%	75%	90%
	.06	.06	.07	.07	.1

```

2 . log close
   name: <unnamed>
   log: Z:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo
> k_sc\b10.scml
   log type: smcl
   closed on: 3 Oct 2024, 15:35:57

```