



```

name: <unnamed>
log: Z:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo
> k_sc\b12.scml
log type: smcl
opened on: 3 Oct 2024, 15:52:07

```

```
1 . codebookr _all,all
```

```

Dataset: \RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey20
> 16\stata\scramble\b12_run.dta
Last saved: 3 Oct 2024 15:52

```

```

Label: [none]
Number of variables: 33
Number of observations: 1,666
Size: 5,426,162 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI

```

```
cid children id
```

```

type: string (str18)
unique values: 1,666 missing "": 0/1,666
examples: "201591160601205H1"
           "201691130216999H1"
           "201691160104180H1"
           "201691161706142H6"

```

```
iyear year
```

```

type: string (str4)
unique values: 2 missing "": 0/1,666
tabulation: Freq. Value
             626 "2015"
             1,040 "2016"

```

```
hhid household id
```

```
type: string (str15)
```

unique values: 1,413 missing "": 0/1,666
 examples: "201591160601205"
 "201691130216999"
 "201691160104180"
 "201691161706142"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,666
 tabulation: Freq. Value
 1,501 "91"
 165 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 7 missing "": 0/1,666
 tabulation: Freq. Value
 165 "12"
 308 "13"
 134 "14"
 164 "15"
 608 "16"
 45 "17"
 242 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,666
 tabulation: Freq. Value
 71 "01"
 259 "02"
 141 "04"
 65 "05"
 60 "06"
 69 "07"
 67 "08"
 109 "09"
 155 "10"
 96 "11"
 167 "13"
 52 "14"
 169 "15"
 116 "17"
 70 "19"

moo **moo**

type: string (**str2**)
 unique values: 21 missing "": 0/1,666

```

tabulation:  Freq.  Value
              168  "01"
              75  "02"
              166  "03"
              172  "04"
              151  "05"
              175  "06"
              86  "07"
              173  "08"
              108  "09"
              84  "10"
              61  "11"
              51  "12"
              46  "13"
              14  "14"
              12  "15"
              41  "16"
              10  "17"
              14  "18"
              31  "19"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 182           missing "": 0/1,666
examples:  "011"
           "034"
           "071"
           "157"
    
```

tcdc_qn_57 **Child development center/school**

```

type: string (str10)
unique values: 2           missing "": 1,109/1,666
unique missing codes: 2    missing *: 211/1,666
tabulation:  Freq.  Value
              1,109  ""
              211  "NA"
              346  "###."
    
```

tcdc_qn_58 **Child development center/school**

```

type: string (str10)
unique values: 3           missing "": 1,109/1,666
unique missing codes: 2    missing *: 8/1,666
tabulation:  Freq.  Value
              1,109  ""
              8  "NA"
              32  "##."
              517  "###."
    
```

tcdc_qn_59 **Child development center/school**

```

type: string (str28), but longest is str10
    
```

```

unique values: 3
unique missing codes: 2
missing "": 1,109/1,666
missing *: 1/1,666

tabulation: Freq. Value
             1,109 ""
             1  "NA"
             279 "งง."
             277 "ทท."
    
```

qn_57 Child development center name/school name (unavailable)

```

type: string (str78), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation: Freq. Value
             1,666 ""
    
```

qn_58 Child development center name/school name (unavailable)

```

type: string (str78), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation: Freq. Value
             1,666 ""
    
```

qn_59 Child development center name/school name (unavailable)

```

type: string (str94), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation: Freq. Value
             1,666 ""
    
```

qn1 Do you think whether the teaching at child development center/school this year

```

type: numeric (byte)
label: qn1
range: [1,3]
units: 1
unique values: 2
missing .: 1,109/1,666

tabulation: Freq. Numeric Label
             433      1  yes
             124      3  no (skip to qn2)
             1,109      .
    
```

qn1a How different?

```

type: string (str443)
unique values: 418
unique missing codes: 2
missing "": 1,233/1,666
missing *: 1/1,666

warning: variable has embedded blanks
    
```

qn2 Between teaching in the child development center/school this year (2016) and las

```

type: numeric (byte)
label: qn2

range: [1,5]                units: 1
unique values: 3            missing .: 1,109/1,666

tabulation: Freq.  Numeric  Label
              366      1    teaching method of this year
              47       3    teaching method of last year
              144      5    equally (skip to qn3)
              1,109      .
    
```

qn2a Because

```

type: string (str270)
unique values: 402          missing "": 1,253/1,666

warning: variable has embedded blanks
    
```

qn3 Compared to the previous year (2558), do you think the child would like to go to

```

type: numeric (byte)
label: qn3

range: [1,5]                units: 1
unique values: 3            missing .: 1,109/1,666
unique missing codes: 2    missing *: 1/1,666

tabulation: Freq.  Numeric  Label
              361      1    more
              160      3    equally
              35       5    less
              1,109      .
              1         .d
    
```

qn4 What do you want the school to change to increase child's motivation to go to sc

```

type: string (str506)
unique values: 194          missing "": 1,109/1,666
unique missing codes: 2    missing *: 6/1,666

warning: variable has embedded blanks
    
```

qn5 Do you think whether the teaching at child development center/school last year (

```

type: numeric (byte)
label: qn5

range: [1,5]                units: 1
unique values: 3            missing .: 1,109/1,666
unique missing codes: 2    missing *: 1/1,666
    
```

```

tabulation: Freq.  Numeric  Label
             243      1      yes
             175      3      no (skip to qn6)
             138      5      not comparable (qn5b)
             1,109    .
             1        .d
    
```

qn5a **How different**

```

type: string (str294)
unique values: 240          missing "": 1,423/1,666

warning: variable has embedded blanks
    
```

qn5b **Please give a reason (not display)**

```

type: string (str165), but longest is str0
unique values: 0          missing "": 1,666/1,666

tabulation: Freq.  Value
             1,666  ""
    
```

qn6 **Between teaching of last year (2015) and of the year before (2014) which one do**

```

type: numeric (byte)
label: qn6

range: [1,7]          units: 1
unique values: 4      missing .: 1,109/1,666
unique missing codes: 2  missing *: 1/1,666

tabulation: Freq.  Numeric  Label
             227      1      teaching of last year
             16       3      eaching of the year before
             178      5      equally (skip to qn7)
             135      7      not comparable (skip to qn6b)
             1,109    .
             1        .d
    
```

qn6a **Reason for your preference**

```

type: string (str300)
unique values: 240          missing "": 1,423/1,666
unique missing codes: 2      missing *: 1/1,666

warning: variable has embedded blanks
    
```

qn6b **Specify the reason (not display)**

```

type: string (str196), but longest is str0
unique values: 0          missing "": 1,666/1,666

tabulation: Freq.  Value
             1,666  ""
    
```

qn7 If the child development center that your child enrolled or is enrolling recruit

```

type: numeric (byte)
label: qn7

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,109/1,666
missing *: 1/1,666

tabulation: Freq. Numeric Label
              374      1 yes
              182      3 no
              1,109    .
              1        .d
    
```

qn7a Specify the reason

```

type: string (str419)

unique values: 445
unique missing codes: 3

missing "": 1,110/1,666
missing *: 5/1,666

warning: variable has embedded blanks
    
```

note Interviewer note (not display)

```

type: string (str88), but longest is str0

unique values: 0
missing "": 1,666/1,666

tabulation: Freq. Value
              1,666 ""
    
```

note_cleaner Data cleaner note (not display)

```

type: string (str204), but longest is str0

unique values: 0
missing "": 1,666/1,666

tabulation: Freq. Value
              1,666 ""
    
```

year_survey year survey

```

type: numeric (float)

range: [2016,2016]
unique values: 1

units: 1
missing .: 0/1,666

tabulation: Freq. Value
              1,666 2016
mean:      2016
std. dev:  0

percentiles:      10%      25%      50%      75%      90%
                  2016      2016      2016      2016      2016
    
```

ch_added children added

```

      type: numeric (float)
      label: ch_added
      range: [0,1]
      unique values: 2
                        units: 1
                        missing .: 0/1,666

```

```

      tabulation: Freq.  Numeric  Label
                  1,595    0      no
                  71      1      yes

```

```

survey_name survey round

```

```

      type: string (str12)
      unique values: 2
                        missing "": 0/1,666

```

```

      tabulation: Freq.  Value
                  1,040  "BASELINE2016"
                  626   "RESURVEY2016"

```

```

2 . log close
   name: <unnamed>
   log:  Z:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo
> k_sc\b12.scml
   log type: smcl
   closed on: 3 Oct 2024, 15:52:08

```
