



```

name: <unnamed>
log: Z:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo
> k_sc\bla1.scml
log type: smcl
opened on: 3 Oct 2024, 15:30:41

```

```
1 . codebookr _all,all
```

```

Dataset: \RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey20
> 16\stata\scramble\bla1_run.dta
Last saved: 3 Oct 2024 15:30

```

```

Label: [none]
Number of variables: 36
Number of observations: 5,953
Size: 4,065,899 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI

```

```
cid children id
```

```

type: string (str18)
unique values: 1,257 missing "": 0/5,953
examples: "201691131504056H1"
           "201691150908999H1"
           "201691161011045H1"
           "201691180915059H1"

```

```
iyear year
```

```

type: string (str4)
unique values: 2 missing "": 0/5,953
tabulation: Freq. Value
             662 "2015"
             5,291 "2016"

```

```
hhid household id
```

```
type: string (str15)
```

unique values: 1,068 missing "": 0/5,953
 examples: "201691131504056"
 "201691150908999"
 "201691161011045"
 "201691180915059"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/5,953
 tabulation: Freq. Value
 5,461 "91"
 492 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 7 missing "": 0/5,953
 tabulation: Freq. Value
 492 "12"
 955 "13"
 444 "14"
 622 "15"
 2,191 "16"
 187 "17"
 1,062 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/5,953
 tabulation: Freq. Value
 306 "01"
 834 "02"
 473 "04"
 261 "05"
 208 "06"
 183 "07"
 257 "08"
 445 "09"
 571 "10"
 449 "11"
 619 "13"
 209 "14"
 501 "15"
 406 "17"
 231 "19"

moo **moo**

type: string (**str2**)
 unique values: 20 missing "": 0/5,953

```

tabulation:  Freq.  Value
              548  "01"
              182  "02"
              578  "03"
              696  "04"
              640  "05"
              613  "06"
              200  "07"
              700  "08"
              453  "09"
              267  "10"
              239  "11"
              195  "12"
              188  "13"
               53  "14"
               35  "15"
              170  "16"
               60  "18"
               14  "19"
              100  "22"
               22  "24"
    
```

strucid **structure ID**

```

type:  string (str3)
unique values:  179          missing "":  0/5,953
examples:  "018"
           "042"
           "069"
           "103"
    
```

blaa **Member id**

```

type:  string (str5), but longest is str3
unique values:  12          missing "":  0/5,953
tabulation:  Freq.  Value
              1,111  "H1"
               30  "H10"
                9  "H11"
                1  "H12"
              1,123  "H2"
              1,093  "H3"
               964  "H4"
               707  "H5"
               464  "H6"
               254  "H7"
               131  "H8"
                66  "H9"
    
```

no **order**

```

type:  numeric (byte)
range:  [1,12]          units:  1
unique values:  12      missing .:  0/5,953
    
```

```

tabulation: Freq. Value
            1,111 1
            1,123 2
            1,093 3
             963 4
             708 5
             464 6
             255 7
             130 8
              66 9
              30 10
               9 11
               1 12
    mean:    3.4675
    std. dev: 2.01097

percentiles:      10%      25%      50%      75%      90%
                  1         2         3         5         6
    
```

blab **Nickname (unavailable)**

```

    type: string (str36), but longest is str0
unique values: 0          missing "": 5,953/5,953

tabulation: Freq. Value
            5,953 ""
    
```

blac **Date of birth (unavailable)**

```

    type: numeric (byte)
    range: [.,.]          units: .
unique values: 0          missing .: 5,953/5,953

tabulation: Freq. Value
            5,953 .
    mean:    .
    std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .         .         .         .         .
    
```

blad **Month of birth (unavailable)**

```

    type: numeric (byte)
    range: [.,.]          units: .
unique values: 0          missing .: 5,953/5,953

tabulation: Freq. Value
            5,953 .
    mean:    .
    std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .         .         .         .         .
    
```

blae **Year of birth (unavailable)**

```

    type: numeric (int)
    
```

```

    range: [,.]
unique values: 0
units: .
missing .. 5,953/5,953

  tabulation: Freq. Value
              5,953 .
    mean: .
    std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

age **age**

```

    type: numeric (float)
    range: [.009, 92.41]
unique values: 985
units: .001
missing .. 172/5,953

    mean: 29.1745
    std. dev: 23.1492

percentiles: 10% 25% 50% 75% 90%
              2.07 4.5 26.75 50 60.5
    
```

blaf **Gender**

```

    type: numeric (byte)
    label: blaf
    range: [1,3]
unique values: 2
units: 1
missing .. 116/5,953

  tabulation: Freq. Numeric Label
              2,777 1 male
              3,060 3 female
              116 .
    
```

blag **Nationality**

```

    type: numeric (byte)
    label: blag
    range: [1,3]
unique values: 2
units: 1
missing .. 116/5,953

  tabulation: Freq. Numeric Label
              5,830 1 thai
              7 3 other
              116 .
    
```

blag_other **Others**

```

    type: string (str9)
    unique values: 2
    unique missing codes: 2
missing "": 5,946/5,953
missing *: 1/5,953

  tabulation: Freq. Value
              5,946 ""
              1 "MI"
              6 "๓๓"
    
```

blah **Present/highest education level (not display)**

```

type: string (str72), but longest is str0
unique values: 0 missing "": 5,953/5,953
tabulation: Freq. Value
             5,953 ""
    
```

blah_code **Present/highest education level code**

```

type: numeric (byte)
label: blah_code

range: [1,99] units: 1
unique values: 32 missing .: 116/5,953
unique missing codes: 2 missing *: 73/5,953
    
```

tabulation:	Freq.	Numeric	Label
	728	1	No education
	149	3	Kindergarten 1
	121	5	Kindergarten 2
	26	7	Kindergarten 3
	72	9	Primary school 1
	86	11	Primary school 2
	84	13	Primary school 3
	1,266	15	Primary school 4
	63	17	Primary school 5
	692	19	Primary school 6
	27	21	Primary school 7 (old system)
	39	23	Lower secondary 1
	93	25	Lower secondary 2
	576	27	Lower secondary 3
	46	29	Upper secondary 1
	29	31	Upper secondary 2
	554	33	Upper secondary 3
	18	39	Lower secondary 3 (old system)
	11	43	Upper secondary 2 (old system)
	3	45	Vocational school year 1
	7	47	Vocational school year 2
	66	49	Vocational school year 3
	7	51	High vocational school year 1
	119	53	High vocational school year 2
	2	57	Technical vocational school 2
	2	59	Diploma
	1	61	Undergraduate school year 1
	6	63	Undergraduate school year 2
	184	67	Undergraduate school year 4
	17	69	Master's degree
	629	73	Child Development Center
	41	99	Other
	116	.	.
	73	.c	.c

blai **Life status**

```

type: numeric (byte)
label: blai

range: [1,3] units: 1
unique values: 2 missing .: 0/5,953
    
```

tabulation:	Freq.	Numeric	Label
	5,926	1	alive
	27	3	dead

blaja **Month of Death (unavailable)**

type: string (**str11**), but longest is str0
 unique values: 0 missing "": 5,953/5,953
 tabulation: Freq. Value
 5,953 ""

blajb **Year of Death (unavailable)**

type: string (**str4**), but longest is str0
 unique values: 0 missing "": 5,953/5,953
 tabulation: Freq. Value
 5,953 ""

blaj **Marital status**

type: numeric (**byte**)
 label: **blaj**
 range: [1,9] units: 1
 unique values: 5 missing .: 114/5,953
 tabulation: Freq. Numeric Label
 2,449 1 single
 2,787 3 married (both registered and
 non-registered)
 128 5 divorced
 249 7 widowed
 226 9 separate (but keep the
 relationship)
 114 .

blaia **Month of moving in (unavailable)**

type: string (**str11**), but longest is str0
 unique values: 0 missing "": 5,953/5,953
 tabulation: Freq. Value
 5,953 ""

blaib **Current address (unavailable)**

type: string (**str8**), but longest is str0
 unique values: 0 missing "": 5,953/5,953
 tabulation: Freq. Value
 5,953 ""

blaka **Month of moving out (unavailable)**

type: string (**str11**), but longest is str0
 unique values: 0 missing "": 5,953/5,953

tabulation: Freq. Value
 5,953 ""

blakb **Year of moving out (unavailable)**

type: string (**str4**), but longest is str0
 unique values: 0 missing "": 5,953/5,953
 tabulation: Freq. Value
 5,953 ""

blal **Reason for moving out (unavailable)**

type: numeric (**byte**)
 label: **blal**
 range: [.,.] units: .
 unique values: 0 missing .: 5,953/5,953
 tabulation: Freq. Numeric Label
 5,953 .

blal_other **Others (specify) (unavailable)**

type: string (**str90**), but longest is str0
 unique values: 0 missing "": 5,953/5,953
 tabulation: Freq. Value
 5,953 ""

blam **Current address (unavailable)**

type: string (**str76**), but longest is str0
 unique values: 0 missing "": 5,953/5,953
 tabulation: Freq. Value
 5,953 ""

move_in **Move in**

type: numeric (**float**)
 label: **move_in**
 range: [0,1] units: 1
 unique values: 2 missing .: 0/5,953
 tabulation: Freq. Numeric Label
 5,809 0 no
 144 1 yes

move_out **Move out**

type: numeric (**float**)
 label: **move_out**


```

range: [0,1] units: 1
unique values: 2 missing .: 0/5,953

tabulation: Freq. Numeric Label
5,837 0 no
116 1 yes
    
```

year_survey **year survey**

```

type: numeric (float)
range: [2016,2016] units: 1
unique values: 1 missing .: 0/5,953

tabulation: Freq. Value
5,953 2016
mean: 2016
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
2016 2016 2016 2016 2016
    
```

note_cleaner **Data cleaner note (not display)**

```

type: string (str259), but longest is str0
unique values: 0 missing "": 5,953/5,953

tabulation: Freq. Value
5,953 ""
    
```

survey_name **survey round**

```

type: string (str12)
unique values: 2 missing "": 0/5,953

tabulation: Freq. Value
5,291 "BASELINE2016"
662 "RESURVEY2016"
    
```

```

2 . log close
name: <unnamed>
log: Z:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo
> k_sc\b1a1.scml
log type: smcl
closed on: 3 Oct 2024, 15:30:43
    
```
