



```

name: <unnamed>
log: Z:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo
> k_sc\b3.scml
log type: smcl
opened on: 3 Oct 2024, 15:34:17

```

```
1 . codebookr _all,all
```

```

Dataset: \RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey20
> 16\stata\scramble\b3_run.dta
Last saved: 3 Oct 2024 15:34

```

```

Label: [none]
Number of variables: 42
Number of observations: 1,666
Size: 1,875,916 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI

```

```
cid children id
```

```

type: string (str18)
unique values: 1,666 missing "": 0/1,666
examples: "201591160601205H1"
           "201691130216999H1"
           "201691160104180H1"
           "201691161706142H6"

```

```
iyear year
```

```

type: string (str4)
unique values: 2 missing "": 0/1,666
tabulation: Freq. Value
             626 "2015"
             1,040 "2016"

```

```
hhid household id
```

```
type: string (str15)
```

unique values: 1,413 missing "": 0/1,666
 examples: "201591160601205"
 "201691130216999"
 "201691160104180"
 "201691161706142"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,666
 tabulation: Freq. Value
 1,501 "91"
 165 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 7 missing "": 0/1,666
 tabulation: Freq. Value
 165 "12"
 308 "13"
 134 "14"
 164 "15"
 608 "16"
 45 "17"
 242 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,666
 tabulation: Freq. Value
 71 "01"
 259 "02"
 141 "04"
 65 "05"
 60 "06"
 69 "07"
 67 "08"
 109 "09"
 155 "10"
 96 "11"
 167 "13"
 52 "14"
 169 "15"
 116 "17"
 70 "19"

moo **moo**

type: string (**str2**)
 unique values: 21 missing "": 0/1,666

```

tabulation:  Freq.  Value
              168  "01"
              75  "02"
              166  "03"
              172  "04"
              151  "05"
              175  "06"
              86  "07"
              173  "08"
              108  "09"
              84  "10"
              61  "11"
              51  "12"
              46  "13"
              14  "14"
              12  "15"
              41  "16"
              10  "17"
              14  "18"
              31  "19"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type:  string (str3)
unique values: 182          missing "": 0/1,666
examples: "011"
          "034"
          "071"
          "157"
    
```

ch1 **How is the child's health now?**

```

type:  numeric (byte)
label:  ch1
range:  [1,9]          units: 1
unique values: 5          missing .: 0/1,666
tabulation:  Freq.  Numeric  Label
              290   1  very good
            1,107   3  good
              257   5  somewhat good
               10   7  somewhat bad
                2   9  bad
    
```

ch2 **Since last interview, has the child ever visited the dentist for check up?**

```

type:  numeric (byte)
label:  ch2
range:  [1,3]          units: 1
unique values: 2          missing .: 0/1,666
tabulation:  Freq.  Numeric  Label
              579   1  yes
            1,087   3  no
    
```

ch2a **Number of times**

```

type: numeric (byte)
range: [1,20]
unique values: 11
unique missing codes: 3
units: 1
missing .: 1,087/1,666
missing *: 22/1,666

tabulation: Freq. Value
             258  1
             196  2
              63  3
              19  4
               7  5
               6  6
               1  7
               2  8
               1  9
               3 12
               1 20
            1,087 .
              21 .c
               1 .d
mean:       1.92819
std. dev:   1.54264

percentiles:    10%    25%    50%    75%    90%
                1      1      2      2      3
    
```

ch4_des **Where has the child got the health check-ups most? (unavailable)**

```

type: string (str114), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation: Freq. Value
            1,666 ""
    
```

ch4 **Since last interview, how many times has the child got health check-up which is**

```

type: numeric (byte)
range: [0,47]
unique values: 19
unique missing codes: 2
units: 1
missing .: 0/1,666
missing *: 45/1,666

tabulation: Freq. Value
            1,385  0
              60  1
              36  2
              19  3
              12  4
              16  5
              18  6
               7  7
              25  8
              17  9
              14 10
               2 11
               4 12
               1 13
               1 14
               1 15
               1 17
               1 42
               1 47
              43 .c
               2 .d
mean:       .73103
std. dev:   2.62217
    
```


tabulation: Freq. Value
 1,666 ""

ch4ab_des **District (unavailable)**

type: string (**str42**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

ch4ac **Province code (unavailable)**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

ch4ac_des **Province (unavailable)**

type: string (**str27**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

ch5 Since last interview, has the child visited the doctor because of an accident/in

type: numeric (**byte**)
 label: **ch5**
 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,666
 unique missing codes: 1 missing *: 1/1,666
 tabulation: Freq. Numeric Label
 237 1 yes
 1,428 3 no
 1 .d

ch5a **How many times?**

type: numeric (**byte**)
 range: [1,5] units: 1
 unique values: 5 missing .: 1,429/1,666
 tabulation: Freq. Value
 203 1
 25 2
 6 3
 2 4
 1 5
 1,429 .
 mean: 1.19831
 std. dev: .558749

unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

ch5e How many days did the child miss school as a result of this injury?

type: numeric (byte)
 range: [0,90] units: 1
 unique values: 15 missing .: 1,429/1,666
 unique missing codes: 2 missing *: 1/1,666

tabulation: Freq. Value
 173 0
 7 1
 8 2
 8 3
 6 4
 2 5
 13 7
 2 10
 2 11
 7 14
 1 20
 1 22
 1 28
 4 30
 1 90
 1,429 .
 1 .c
 mean: 2.50847
 std. dev: 7.87968

percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 7

ch5f How many days was the child hospitalized because of this injury?

type: numeric (byte)
 range: [0,30] units: 1
 unique values: 9 missing .: 1,429/1,666

tabulation: Freq. Value
 200 0
 9 1
 8 2
 9 3
 4 4
 4 7
 1 9
 1 11
 1 30
 1,429 .
 mean: .616034
 std. dev: 2.43044

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 2

ch9 Since last interview, has the child ever been hospitalized because of acute dise

type: numeric (byte)
 label: ch9


```

range: [1,3] units: 1
unique values: 2 missing .: 0/1,666
unique missing codes: 1 missing *: 1/1,666

tabulation: Freq. Numeric Label
              350      1 yes
              1,315    3 no
              1         .d
    
```

ch9a

How many times?

```

type: numeric (byte)

range: [1,28] units: 1
unique values: 11 missing .: 1,316/1,666
unique missing codes: 2 missing *: 3/1,666

tabulation: Freq. Value
              227  1
              62  2
              31  3
               9  4
               8  5
               2  6
               2  7
               1  8
               1  9
               3 10
               1 28
            1,316 .
               3 .c
mean: 1.78963
std. dev: 2.00119

percentiles:      10%      25%      50%      75%      90%
                  1         1         1         2         3
    
```

ch9b

What was the most severe disease?

```

type: numeric (byte)
label: ch9b

range: [1,99] units: 1
unique values: 11 missing .: 1,316/1,666

tabulation: Freq. Numeric Label
              37      1 respiratory (cough/cold/runny
              53      3 nose/gasp)
              9       5 diarrhea/dysentery
                   5 stomachache/flatulence/indigesti
                   on/gastritis
              1       7 backache/muscle pain
              15      11 dermatitis/eczema/rash
              3       13 eye/ear/throat/nose
              3       15 oral diseases/caries/gum
                   disease/mouth ulcers
             167      17 fever
              31      19 lung and bronchial diseases
                   (pneumonia/bronchitis/pneumonia)
              14      21 diseases of the gastrointestinal
                   tract and liver
                   (intestinal/liver/appendicitis/b
                   ile ducts/gallbladder/excluding
                   gastritis)
              17      99 other (specify in ch9ba)
            1,316      .
    
```

ch9ba **Detail : the most severe disease (not display)**

```

type: string (str102), but longest is str0
unique values: 0 missing "": 1,666/1,666
tabulation: Freq. Value
             1,666 ""
    
```

ch9c **How many days did the child miss school as a result of this acute disease?**

```

type: numeric (byte)
range: [0,37] units: 1
unique values: 17 missing .: 1,316/1,666
unique missing codes: 2 missing *: 3/1,666
tabulation: Freq. Value
             258 0
              4 1
             13 2
             11 3
              6 4
             16 5
              1 6
             22 7
              1 8
              1 9
              5 10
              1 14
              3 15
              1 21
              1 28
              2 30
              1 37
            1,316 .
              3 .c
mean: 1.72622
std. dev: 4.38105
percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 7
    
```

ch9d **How many days was the child hospitalized because of this acute disease?**

```

type: numeric (byte)
range: [0,30] units: 1
unique values: 19 missing .: 1,316/1,666
unique missing codes: 2 missing *: 1/1,666
tabulation: Freq. Value
             4 0
            26 1
            64 2
           110 3
            47 4
            25 5
             8 6
            36 7
             9 8
              2 9
              6 10
              2 11
              1 13
              1 14
    
```

```

                2 15
                1 20
                1 25
                1 27
                3 30
            1,316 .
                1 .c
    mean:      4.26361
    std. dev:  3.86769

    percentiles:    10%    25%    50%    75%    90%
                   2      2      3      5      7
    
```

ch6 Does the child have health insurance with insurance company?

```

    type: numeric (byte)
    label: ch6

    range: [1,3]
    unique values: 2
    unique missing codes: 2

    units: 1
    missing .: 0/1,666
    missing *: 14/1,666

    tabulation: Freq.  Numeric  Label
                181      1  yes
                1,471    3  no
                 13      .c
                 1      .d
    
```

ch7 Since the child was born, have there been any cases in which the child needed me

```

    type: numeric (byte)
    label: ch7

    range: [1,3]
    unique values: 2
    unique missing codes: 1

    units: 1
    missing .: 0/1,666
    missing *: 1/1,666

    tabulation: Freq.  Numeric  Label
                74      1  yes
                1,591    3  no
                 1      .d
    
```

ch8 Interviewer note (unavailable)

```

    type: string (str314), but longest is str0
    unique values: 0
    missing "": 1,666/1,666

    tabulation: Freq.  Value
                1,666  ""
    
```

ch_added children added

```

    type: numeric (float)
    label: ch_add

    range: [0,1]
    unique values: 2

    units: 1
    missing .: 0/1,666

    tabulation: Freq.  Numeric  Label
                1,595    0  no
                 71      1  yes
    
```

survey_name **survey round**

type: string (**str12**)
 unique values: **2** missing "": **0/1,666**
 tabulation: Freq. Value
 1,040 "BASELINE2016"
 626 "RESURVEY2016"

note_cleaner **Data cleaner note (not display)**

type: string (**str124**), but longest is str0
 unique values: **0** missing "": **1,666/1,666**
 tabulation: Freq. Value
 1,666 ""

year_survey **year survey**

type: numeric (**float**)
 range: [**2016,2016**] units: **1**
 unique values: **1** missing .: **0/1,666**
 tabulation: Freq. Value
 1,666 **2016**
 mean: **2016**
 std. dev: **0**
 percentiles: 10% 25% 50% 75% 90%
 2016 **2016** **2016** **2016** **2016**

```
2 . log close
   name: <unnamed>
   log: Z:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo
> k_sc\b3.scml
   log type: smcl
   closed on: 3 Oct 2024, 15:34:18
```
