



```

name: <unnamed>
log: Z:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo
> k_sc\b6.scml
log type: smcl
opened on: 3 Oct 2024, 15:35:30

```

```
1 . codebookr _all,all
```

```

Dataset: \RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey20
> 16\stata\scramble\b6.dta
Last saved: 3 Oct 2024 15:35

```

```

Label: [none]
Number of variables: 42
Number of observations: 1,666
Size: 538,118 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI

```

```
cid children id
```

```

type: string (str18)
unique values: 1,666 missing "": 0/1,666
examples: "201591160601205H1"
           "201691130216999H1"
           "201691160104180H1"
           "201691161706142H6"

```

```
iyear year
```

```

type: string (str4)
unique values: 2 missing "": 0/1,666
tabulation: Freq. Value
             626 "2015"
             1,040 "2016"

```

```
hhid household id
```

```
type: string (str15)
```

unique values: 1,413 missing "": 0/1,666
 examples: "201591160601205"
 "201691130216999"
 "201691160104180"
 "201691161706142"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,666
 tabulation: Freq. Value
 1,501 "91"
 165 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 7 missing "": 0/1,666
 tabulation: Freq. Value
 165 "12"
 308 "13"
 134 "14"
 164 "15"
 608 "16"
 45 "17"
 242 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,666
 tabulation: Freq. Value
 71 "01"
 259 "02"
 141 "04"
 65 "05"
 60 "06"
 69 "07"
 67 "08"
 109 "09"
 155 "10"
 96 "11"
 167 "13"
 52 "14"
 169 "15"
 116 "17"
 70 "19"

moo **moo**

type: string (**str2**)
 unique values: 21 missing "": 0/1,666

```

tabulation:  Freq.  Value
              168  "01"
              75  "02"
              166  "03"
              172  "04"
              151  "05"
              175  "06"
              86  "07"
              173  "08"
              108  "09"
              84  "10"
              61  "11"
              51  "12"
              46  "13"
              14  "14"
              12  "15"
              41  "16"
              10  "17"
              14  "18"
              31  "19"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 182          missing "": 0/1,666
examples: "011"
          "034"
          "071"
          "157"
    
```

cd1 **Freq. of expression : walking up stairs with alternating feet**

```

type: numeric (byte)
label: cd1
range: [0,5]          units: 1
unique values: 4      missing .: 0/1,666
unique missing codes: 1  missing *: 1/1,666

tabulation:  Freq.  Numeric  Label
              83    0  not encounter
              360   1  unable
              299   3  sometimes
              923   5  usually
              1     .d
    
```

cd2 **Freq. of behavioral expression : handling a pencil correctly**

```

type: numeric (byte)
label: cd1
range: [0,5]          units: 1
unique values: 4      missing .: 0/1,666
unique missing codes: 1  missing *: 1/1,666

tabulation:  Freq.  Numeric  Label
              13    0  not encounter
              387   1  unable
              337   3  sometimes
              928   5  usually
              1     .d
    
```

cd3 Freq. of behavioral expression : pouring water from a bottle without spilling

```

type: numeric (byte)
label: cd1

range: [0,5]                units: 1
unique values: 4            missing .: 0/1,666
unique missing codes: 1    missing *: 1/1,666

tabulation:  Freq.  Numeric  Label
              52      0      not encounter
              463     1      unable
              640     3      sometimes
              510     5      usually
              1       .d
    
```

cd4 Freq. of behavioral expression : eating food from spoon without being messy

```

type: numeric (byte)
label: cd1

range: [0,5]                units: 1
unique values: 4            missing .: 0/1,666
unique missing codes: 1    missing *: 1/1,666

tabulation:  Freq.  Numeric  Label
              23      0      not encounter
              413     1      unable
              772     3      sometimes
              457     5      usually
              1       .d
    
```

cd5 Freq. of behavioral expression : eating food from spoon without being messy

```

type: numeric (byte)
label: cd1

range: [0,5]                units: 1
unique values: 4            missing .: 0/1,666
unique missing codes: 1    missing *: 1/1,666

tabulation:  Freq.  Numeric  Label
              53      0      not encounter
              345     1      unable
              205     3      sometimes
              1,062   5      usually
              1       .d
    
```

cd6 Freq. of behavioral expression : brushing teeth by him/herself

```

type: numeric (byte)
label: cd1

range: [0,5]                units: 1
unique values: 4            missing .: 0/1,666
unique missing codes: 2    missing *: 4/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              15      0  not encounter
              338     1  unable
              368     3  sometimes
              941     5  usually
               1      .c
               3      .d
    
```

cd11 Freq. of behavioral expression : abiding by the simple rules

```

type: numeric (byte)
label: cd1

range: [0,5]          units: 1
unique values: 4      missing .: 0/1,666
unique missing codes: 1  missing *: 1/1,666

tabulation:  Freq.  Numeric  Label
              30      0  not encounter
              444     1  unable
              598     3  sometimes
              593     5  usually
               1      .d
    
```

cd13 The child can tell whether he/she likes or dislikes things or activity.

```

type: numeric (byte)
label: cd1

range: [0,5]          units: 1
unique values: 4      missing .: 0/1,666
unique missing codes: 1  missing *: 1/1,666

tabulation:  Freq.  Numeric  Label
              34      0  not encounter
              339     1  unable
              314     3  sometimes
              978     5  usually
               1      .d
    
```

cd15 Freq. of behavioral expression : taking pride by showing off works to the others

```

type: numeric (byte)
label: cd1

range: [0,5]          units: 1
unique values: 4      missing .: 0/1,666
unique missing codes: 1  missing *: 1/1,666

tabulation:  Freq.  Numeric  Label
              53      0  not encounter
              419     1  unable
              426     3  sometimes
              767     5  usually
               1      .d
    
```

cd17 Freq. of behavioral expression : telling what happens in daily life

```

type: numeric (byte)
label: cd1
    
```

```

        range: [0,5]                units: 1
    unique values: 4                missing .: 0/1,666
    unique missing codes: 1        missing *: 1/1,666

    tabulation:  Freq.  Numeric  Label
                  39      0      not encounter
                  549     1      unable
                  436     3      sometimes
                  641     5      usually
                   1      .d
    
```

cd18 Freq. of behavioral expression : having questions or opinions on things

```

        type: numeric (byte)
    label: cd1

        range: [0,5]                units: 1
    unique values: 4                missing .: 0/1,666
    unique missing codes: 1        missing *: 1/1,666

    tabulation:  Freq.  Numeric  Label
                  20      0      not encounter
                  364     1      unable
                  307     3      sometimes
                  974     5      usually
                   1      .d
    
```

cd19 Freq. of behavioral expression : taking time at least 5 mins for listening to ad

```

        type: numeric (byte)
    label: cd1

        range: [0,5]                units: 1
    unique values: 4                missing .: 0/1,666
    unique missing codes: 1        missing *: 1/1,666

    tabulation:  Freq.  Numeric  Label
                  106     0      not encounter
                  682     1      unable
                  464     3      sometimes
                  413     5      usually
                   1      .d
    
```

cd22 Freq. of behavioral expression : ability of generating word to be the completed

```

        type: numeric (byte)
    label: cd1

        range: [0,5]                units: 1
    unique values: 4                missing .: 0/1,666
    unique missing codes: 1        missing *: 3/1,666

    tabulation:  Freq.  Numeric  Label
                  17      0      not encounter
                  329     1      unable
                  191     3      sometimes
                  1,126   5      usually
                   3      .d
    
```

cd24 The child can tell meaning and what to do when seeing the sign in the daily life

```

        type: numeric (byte)
    label: cd1
    
```

```

range: [0,5] units: 1
unique values: 4 missing .: 0/1,666
unique missing codes: 1 missing *: 1/1,666

tabulation: Freq. Numeric Label
             115      0 not encounter
             944      1 unable
             210      3 sometimes
             396      5 usually
              1      .d
    
```

cd25 Freq. of behavioral expression : ability of singing throughout or almost through

```

type: numeric (byte)
label: cd1

range: [0,5] units: 1
unique values: 4 missing .: 0/1,666
unique missing codes: 1 missing *: 1/1,666

tabulation: Freq. Numeric Label
             26      0 not encounter
            717      1 unable
            438      3 sometimes
            484      5 usually
              1      .d
    
```

cd29 Freq. of behavioral expression : ability to tidy up after playing

```

type: numeric (byte)
label: cd1

range: [0,5] units: 1
unique values: 4 missing .: 0/1,666
unique missing codes: 1 missing *: 1/1,666

tabulation: Freq. Numeric Label
             21      0 not encounter
            673      1 unable
            708      3 sometimes
            263      5 usually
              1      .d
    
```

cd30 Freq. of behavioral expression: accepting responsibility for a wrong and apologi

```

type: numeric (byte)
label: cd1

range: [0,5] units: 1
unique values: 4 missing .: 0/1,666
unique missing codes: 1 missing *: 1/1,666

tabulation: Freq. Numeric Label
             24      0 not encounter
            599      1 unable
            589      3 sometimes
            453      5 usually
              1      .d
    
```

cd32 Can tell his/her name and surname

```

type: numeric (byte)
label: cd1
    
```

```

range: [0,5] units: 1
unique values: 4 missing .: 0/1,666
unique missing codes: 1 missing *: 1/1,666

tabulation: Freq. Numeric Label
              23      0 not encounter
              588     1 unable
              198     3 sometimes
              856     5 usually
               1      .d
    
```

cd33 **Knows his/her age**

```

type: numeric (byte)
label: cd1

range: [0,5] units: 1
unique values: 4 missing .: 0/1,666
unique missing codes: 1 missing *: 1/1,666

tabulation: Freq. Numeric Label
              70      0 not encounter
            1,323     1 unable
              123     3 sometimes
              149     5 usually
               1      .d
    
```

cd34 **Knows his/her gender**

```

type: numeric (byte)
label: cd1

range: [0,5] units: 1
unique values: 4 missing .: 0/1,666
unique missing codes: 1 missing *: 1/1,666

tabulation: Freq. Numeric Label
              39      0 not encounter
              441     1 unable
              140     3 sometimes
            1,045     5 usually
               1      .d
    
```

cd35 The child can wash and wipe their hands by themselves, while the adult help turn

```

type: numeric (byte)
label: cd1

range: [0,5] units: 1
unique values: 4 missing .: 0/1,666
unique missing codes: 1 missing *: 1/1,666

tabulation: Freq. Numeric Label
              12      0 not encounter
              208     1 unable
              291     3 sometimes
            1,154     5 usually
               1      .d
    
```

cd36 Get dressed by themselves (exclude tying shoelaces and back button up)

```

type: numeric (byte)
label: cd1
    
```



```

range: [0,5] units: 1
unique values: 4 missing .: 0/1,666
unique missing codes: 1 missing *: 1/1,666

tabulation: Freq. Numeric Label
             15      0 not encounter
             824     1 unable
             469     3 sometimes
             357     5 usually
              1      .d
    
```

cd37 Can count numbers loudly until 10

```

type: numeric (byte)
label: cd1

range: [0,5] units: 1
unique values: 4 missing .: 0/1,666
unique missing codes: 1 missing *: 1/1,666

tabulation: Freq. Numeric Label
             16      0 not encounter
            526     1 unable
            221     3 sometimes
            902     5 usually
              1      .d
    
```

cd38 Can draw well enough that the elder can recognize it is male or female. The draw

```

type: numeric (byte)
label: cd1

range: [0,5] units: 1
unique values: 4 missing .: 0/1,666
unique missing codes: 1 missing *: 2/1,666

tabulation: Freq. Numeric Label
             56      0 not encounter
          1,306     1 unable
            135     3 sometimes
            167     5 usually
              2      .d
    
```

cd39 Can tell colors correctly for at least 8 colors

```

type: numeric (byte)
label: cd1

range: [0,5] units: 1
unique values: 4 missing .: 0/1,666
unique missing codes: 1 missing *: 1/1,666

tabulation: Freq. Numeric Label
             55      0 not encounter
            962     1 unable
            166     3 sometimes
            482     5 usually
              1      .d
    
```

cd40 Can do easy calculation by using objects or doing mental arithmetic, e.g. 1 cand

```

type: numeric (byte)
label: cd1
    
```

```

        range: [0,5]                units: 1
    unique values: 4                missing .: 0/1,666
    unique missing codes: 1        missing *: 1/1,666

    tabulation: Freq.  Numeric  Label
                69       0    not encounter
                1,389   1    unable
                130     3    sometimes
                77      5    usually
                 1      .d
    
```

cd41 Can count more than 10 pieces and can tell the final amount

```

        type: numeric (byte)
    label: cd1

        range: [0,5]                units: 1
    unique values: 4                missing .: 0/1,666
    unique missing codes: 1        missing *: 1/1,666

    tabulation: Freq.  Numeric  Label
                60       0    not encounter
                1,147   1    unable
                182     3    sometimes
                276     5    usually
                 1      .d
    
```

cd42 Can write thai alphabet for at least 5 alphabets

```

        type: numeric (byte)
    label: cd1

        range: [0,5]                units: 1
    unique values: 4                missing .: 0/1,666
    unique missing codes: 1        missing *: 1/1,666

    tabulation: Freq.  Numeric  Label
                35       0    not encounter
                1,292   1    unable
                76      3    sometimes
                262     5    usually
                 1      .d
    
```

cd43 Can spell words e.g. $m = n-01-m$, $v = v-01-v$ (by spelling according to the bo

```

        type: numeric (byte)
    label: cd1

        range: [0,5]                units: 1
    unique values: 4                missing .: 0/1,666
    unique missing codes: 1        missing *: 1/1,666

    tabulation: Freq.  Numeric  Label
                50       0    not encounter
                1,493   1    unable
                 67     3    sometimes
                 55     5    usually
                 1      .d
    
```

cd44 The child can use fingers to work on things that consist of many steps , e.g. us

```

        type: numeric (byte)
    label: cd1
    
```

range: [0,5] units: 1
 unique values: 4 missing .: 0/1,666
 unique missing codes: 1 missing *: 1/1,666

tabulation:	Freq.	Numeric	Label
	234	0	not encounter
	1,102	1	unable
	177	3	sometimes
	152	5	usually
	1	.d	

cd31 **Interviewer note (unavailable)**

type: string (**str225**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

ch_added **children added**

type: numeric (**float**)
 label: **ch_add**
 range: [0,1] units: 1
 unique values: 2 missing .: 0/1,666
 tabulation: Freq. Numeric Label
 1,595 0 no
 71 1 yes

survey_name **survey round**

type: string (**str12**)
 unique values: 2 missing "": 0/1,666
 tabulation: Freq. Value
 1,040 "BASELINE2016"
 626 "RESURVEY2016"

year_survey **year survey**

type: numeric (**float**)
 range: [2016,2016] units: 1
 unique values: 1 missing .: 0/1,666
 tabulation: Freq. Value
 1,666 2016
 mean: 2016
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 2016 2016 2016 2016 2016

```
2 . log close
   name: <unnamed>
   log: Z:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo
> k_sc\b6.scml
   log type: smcl
   closed on: 3 Oct 2024, 15:35:31
```
