



```

name: <unnamed>
log: Z:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo
> k_sc\hh_member.scml
log type: smcl
opened on: 3 Oct 2024, 15:52:22

```

```
1 . codebookr _all,all
```

```

Dataset: \RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey20
> 16\stata\scramble\hh_member_run.dta
Last saved: 3 Oct 2024 15:52

```

```

Label: [none]
Number of variables: 45
Number of observations: 8,439
Size: 4,523,304 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI

```

```
cid children id
```

```

type: string (str18)
unique values: 1,666 missing "": 0/8,439
examples: "201591160603209H1"
           "201691131001079H1"
           "201691160105105H1"
           "201691161708058H1"

```

```
iyear year
```

```

type: string (str4)
unique values: 2 missing "": 0/8,439
tabulation: Freq. Value
             3,148 "2015"
             5,291 "2016"

```

```
hhid household id
```

```
type: string (str15)
```

unique values: 1,413 missing "": 0/8,439
 examples: "201591160603209"
 "201691131001079"
 "201691160105105"
 "201691161708058"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/8,439
 tabulation: Freq. Value
 7,651 "91"
 788 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 7 missing "": 0/8,439
 tabulation: Freq. Value
 788 "12"
 1,446 "13"
 648 "14"
 863 "15"
 3,152 "16"
 226 "17"
 1,316 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/8,439
 tabulation: Freq. Value
 380 "01"
 1,232 "02"
 739 "04"
 333 "05"
 302 "06"
 315 "07"
 354 "08"
 554 "09"
 746 "10"
 535 "11"
 898 "13"
 288 "14"
 827 "15"
 595 "17"
 341 "19"

moo **moo**

type: string (**str2**)
 unique values: 21 missing "": 0/8,439

```

tabulation:  Freq.  Value
              846  "01"
              393  "02"
              844  "03"
              828  "04"
              755  "05"
              903  "06"
              457  "07"
              857  "08"
              589  "09"
              425  "10"
              319  "11"
              243  "12"
              216  "13"
               57  "14"
               55  "15"
              228  "16"
               44  "17"
               64  "18"
              164  "19"
              122  "22"
               30  "24"
    
```

strucid **structure ID**

```

type:  string (str3)
unique values:  182          missing "":  0/8,439
examples:  "011"
           "034"
           "071"
           "146"
    
```

no **order**

```

type:  numeric (byte)
range:  [1,13]          units:  1
unique values:  13      missing .:  0/8,439

tabulation:  Freq.  Value
              1,666  1
              1,658  2
              1,616  3
              1,343  4
               939  5
               619  6
               321  7
               149  8
                74  9
                36 10
                13 11
                 3 12
                 2 13

mean:  3.35123
std. dev:  1.96301

percentiles:  10%    25%    50%    75%    90%
              1      2      3      5      6
    
```

hh_a **Member id**

```

type:  string (str5), but longest is str3
    
```

unique values: 13 missing "": 0/8,439

tabulation:	Freq.	Value
	1,666	"H1"
	36	"H10"
	13	"H11"
	3	"H12"
	2	"H13"
	1,658	"H2"
	1,616	"H3"
	1,343	"H4"
	939	"H5"
	618	"H6"
	322	"H7"
	148	"H8"
	75	"H9"

hh_b **Nickname (unavailable)**

type: string (str45), but longest is str0

unique values: 0 missing "": 8,439/8,439

tabulation:	Freq.	Value
	8,439	" "

hh_c **Title**

type: string (str24), but longest is str18

unique values: 7 missing "": 0/8,439
 unique missing codes: 1 missing *: 2/8,439

tabulation:	Freq.	Value
	2	"MI"
	1,600	"ค.ช."
	1,522	"ค.ญ."
	2,070	"นาง"
	798	"นางสาว"
	2,446	"นาย"
	1	"รท."

hh_d **Name (unavailable)**

type: string (str45), but longest is str0

unique values: 0 missing "": 8,439/8,439

tabulation:	Freq.	Value
	8,439	" "

hh_e **Surname (unavailable)**

type: string (str51), but longest is str0

unique values: 0 missing "": 8,439/8,439

tabulation:	Freq.	Value
	8,439	" "

hh_f **Relationship with household head (not display)**

```

type: string (str75), but longest is str0
unique values: 0 missing "": 8,439/8,439
tabulation: Freq. Value
            8,439 ""
    
```

hh_fcode **Code of relationship with household head**

```

type: numeric (byte)
label: hh_fcode

range: [1,37] units: 1
unique values: 16 missing .: 116/8,439

tabulation: Freq. Numeric Label
            1,666      1 household head
            1,309      3 husband / wife
              142      5 father / mother
            1,568      7 son / daughter
              53      9 brother / sister / younger
                    brother / younger sister
            2,631     11 grand son / grand daughter
              4      15 uncle, aunt of male head
              4      17 uncle, aunt of female head
              7      21 grand parent : mother side
             51      23 father/mother-in-law (of wife)
              5      25 father/mother-in-law (of
                    husband)
            569      27 son/daughter-in-law
              12      29 sister-in-law / brother-in-law
              62      31 grand son/grand daughter-in-law
            238      35 relatives
              2      37 non relatives
            116      .
    
```

hh_ga **Household head**

```

type: numeric (byte)

range: [1,1] units: 1
unique values: 1 missing .: 6,773/8,439

tabulation: Freq. Value
            1,666 1
            6,773 .
mean: 1
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
             1 1 1 1 1
    
```

hh_ga:
 1. subjected to a carryforward operation

hh_gb **Target child**

```

type: numeric (byte)

range: [1,1] units: 1
unique values: 1 missing .: 6,773/8,439
    
```

```

tabulation: Freq. Value
             1,666 1
             6,773 .
             mean: 1
             std. dev: 0

percentiles: 10%    25%    50%    75%    90%
              1      1      1      1      1
    
```

hh_gc **Primary caregiver**

```

type: numeric (byte)

range: [1,1] units: 1
unique values: 1 missing .. 6,573/8,439

tabulation: Freq. Value
             1,866 1
             6,573 .
             mean: 1
             std. dev: 0

percentiles: 10%    25%    50%    75%    90%
              1      1      1      1      1
    
```

hh_gd **Father / Mother of child**

```

type: numeric (byte)

range: [1,1] units: 1
unique values: 1 missing .. 6,822/8,439

tabulation: Freq. Value
             1,617 1
             6,822 .
             mean: 1
             std. dev: 0

percentiles: 10%    25%    50%    75%    90%
              1      1      1      1      1
    
```

hh_ge **Informant**

```

type: numeric (byte)

range: [1,1] units: 1
unique values: 1 missing .. 6,421/8,439

tabulation: Freq. Value
             2,018 1
             6,421 .
             mean: 1
             std. dev: 0

percentiles: 10%    25%    50%    75%    90%
              1      1      1      1      1
    
```

hh_h **Contact number especially primary caregiver, father/mother Informant (unavailabl**

```

type: string (str10), but longest is str0
unique values: 0 missing "": 8,439/8,439
    
```

tabulation: Freq. Value
 8,439 ""

hh1 Open the roster of household members and specify the number of members of last i

type: numeric (byte)
 range: [2,13] units: 1
 unique values: 11 missing .: 5,693/8,439

tabulation: Freq. Value
 40 2
 414 3
 661 4
 504 5
 615 6
 313 7
 96 8
 36 9
 30 10
 11 11
 26 13
 5,693 .
 mean: 5.17771
 std. dev: 1.78102

percentiles: 10% 25% 50% 75% 90%
 3 4 5 6 7

hh2 Since last interview, number of the new household members who moved in

type: numeric (byte)
 range: [0,4] units: 1
 unique values: 5 missing .: 5,693/8,439

tabulation: Freq. Value
 2,232 0
 271 1
 146 2
 49 3
 48 4
 5,693 .
 mean: .328478
 std. dev: .802481

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

hh3 Since last interview, number of members who moved out

type: numeric (byte)
 range: [0,4] units: 1
 unique values: 5 missing .: 5,693/8,439

tabulation: Freq. Value
 2,254 0
 312 1
 112 2
 44 3
 24 4
 5,693 .
 mean: .278223
 std. dev: .695402

```
percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1
```

note **Interview note (unavailable)**

```
type: numeric (byte)
range: [.,.]           units: .
unique values: 0      missing ..: 8,439/8,439
tabulation: Freq. Value
            8,439 .
mean: .
std. dev: .
percentiles: 10%      25%      50%      75%      90%
              .        .        .        .        .
```

hh_code **Status (code)**

```
type: numeric (byte)
label: hh_code
range: [1,5]           units: 1
unique values: 3      missing ..: 5,693/8,439
tabulation: Freq. Numeric Label
            2,486   1  old member
             144   3  new member
             116   5  move out of household
            5,693   .
```

hh_i **Do you have savings?**

```
type: numeric (byte)
label: hh_i
range: [1,3]           units: 1
unique values: 2      missing ..: 6,117/8,439
unique missing codes: 4  missing *: 45/8,439
tabulation: Freq. Numeric Label
            570   1  yes
            1,707  3  no
            6,117  .
             3    .b
             12   .c
             30   .d
```

hh_j **Amount of deposit**

```
type: numeric (int)
range: [3,20000]       units: 1
unique values: 63      missing ..: 7,830/8,439
unique missing codes: 3  missing *: 377/8,439
```



```

tabulation:  Freq.  Value
              1      3
              1     70
              2     80
             12    100
              1   112
              1   140
              1   150
              4   160
              5   200
              2   250
              7   300
              1   340
              4   350
              1   360
              5   400
              2  432
              2  439
              1  450
              1  480
              7  500
              4  540
              2  550
              1  590
              7  600
              2  700
              3  800
              3  850
              4  900
             20 1000
              1 1020
              1 1040
              1 1100
              8 1200
              3 1300
              4 1400
              5 1500
              1 1780
              8 1800
              1 1810
              1 1960
             15 2000
              1 2475
             10 2500
              1 2600
              3 2900
             16 3000
              1 3400
              6 3500
              7 4000
              1 4200
              4 5000
              1 5500
              1 5600
              1 5610
              2 5870
              6 6000
              1 6200
              1 7000
              4 8500
              6 10000
              1 13000
              1 15000
              1 20000
             7,830 .
             347 .c
              30 .d
    mean:      2228.8
std. dev:    2735.98

```

percentiles: 10% 25% 50% 75% 90%
 200 500 1200 3000 5610

blaf **Gender**

```

type: numeric (byte)
label: blaf

range: [1,3]
unique values: 2
units: 1
missing .: 116/8,439

tabulation: Freq.  Numeric  Label
             3,981      1      male
             4,342      3      female
             116         .
    
```

blag **Nationality**

```

type: numeric (byte)
label: blag

range: [1,3]
unique values: 2
units: 1
missing .: 116/8,439

tabulation: Freq.  Numeric  Label
             8,310      1      thai
             13         3      other
             116         .
    
```

blag_other **Others**

```

type: string (str11)
unique values: 4
missing "": 8,427/8,439

tabulation: Freq.  Value
             8,427  ""
             2      "British"
             8      "Laos"
             1      "Myanmar"
             1      "Thai-Canada"
    
```

blah **Present/highest education level**

```

type: string (str72)
unique values: 162
unique missing codes: 2
missing "": 116/8,439
missing *: 93/8,439

warning: variable has leading, embedded, and trailing blanks
    
```

blah_code **Present/highest education level code**

```

type: numeric (byte)
label: blah_code

range: [1,99]
unique values: 33
unique missing codes: 2
units: 1
missing .: 116/8,439
missing *: 97/8,439
    
```

```

tabulation:  Freq.  Numeric  Label
              799      1  No education
              398      3  Kindergarten 1
              451      5  Kindergarten 2
               88      7  Kindergarten 3
              115      9  Primary school 1
              134     11  Primary school 2
              124     13  Primary school 3
            1,866     15  Primary school 4
               87     17  Primary school 5
              986     19  Primary school 6
               44     21  Primary school 7 (old system)
               68     23  Lower secondary 1
              119     25  Lower secondary 2
              787     27  Lower secondary 3
               56     29  Upper secondary 1
               46     31  Upper secondary 2
              774     33  Upper secondary 3
               24     39  Lower secondary 3 (old system)
               15     43  Upper secondary 2 (old system)
                3     45  Vocational school year 1
                9     47  Vocational school year 2
               89     49  Vocational school year 3
                7     51  High vocational school year 1
             164     53  High vocational school year 2
                3     57  Technical vocational school 2
                2     59  Diploma
                1     61  Undergraduate school year 1
                7     63  Undergraduate school year 2
                1     65  Undergraduate school year 3
             245     67  Undergraduate school year 4
               26     69  Master's degree
             228     73  Child Development Center
             460     99  Other
             116      .
              97      .c
    
```

blaj **Marital status**

```

type: numeric (byte)
label: blaj

range: [1,9]          units: 1
unique values: 5      missing .: 116/8,439
    
```

```

tabulation:  Freq.  Numeric  Label
              3,528      1  single
              3,980      3  married (both registered and
                           non-registered)
               177      5  divorced
               355      7  widowed
               283      9  separate (but keep the
                           relationship)
               116      .
    
```

age **Age**

```

type: numeric (double)

range: [.01,94.25]    units: 1.000e-07
unique values: 1,003  missing .: 0/8,439
unique missing codes: 1  missing *: 89/8,439

mean: 29.844
std. dev: 23.1898
    
```


tabulation:	Freq.	Numeric	Label
	1,666	0	Sample children
	1,618	1	father / mother
	18	2	Stepfather / Stepmother (a person)
	1	3	Adoptive father / Adoptive mother
	1	4	Stepfather / Stepmother (both of them)
	1,706	5	grand parent : mother side
	581	6	grand parent : father side
	761	7	siblings
	8	8	half-siblings (same father)
	115	9	half-siblings (same mother)
	1	11	Adoptive brother / Adoptive sister
	454	13	uncle / aunt
	452	14	cousin
	10	15	grand son / grand daughter
	2	16	sister in law / brother-in-law
	248	17	great-grandparents (Mother's side)
	74	18	great-grandparents (Father's side)
	284	19	relatives
	2	21	House tenant
	432	.	.
	5	.c	.c

child **The member is child (0-14 years)**

type: numeric (**float**)

range: [0,1] units: 1
 unique values: 2 missing .: 89/8,439

tabulation:	Freq.	Value
	5,250	0
	3,100	1
	89	.

mean: .371257
 std. dev: .48317

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	1

adult **The member is Adult (15-60 years)**

type: numeric (**float**)

range: [0,1] units: 1
 unique values: 2 missing .: 89/8,439

tabulation:	Freq.	Value
	4,046	0
	4,304	1
	89	.

mean: .515449
 std. dev: .499791

percentiles:	10%	25%	50%	75%	90%
	0	0	1	1	1

elder **The member is Elder (61 years and older)**

```

type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 89/8,439

tabulation: Freq. Value
              7,404 0
              946 1
              89 .
mean: .113293
std. dev: .31697

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

survey_name **survey name**

```

type: string (str12)
unique values: 2
missing "": 0/8,439

tabulation: Freq. Value
              5,291 "BASELINE2016"
              3,148 "RESURVEY2016"
    
```

```

2 . log close
   name: <unnamed>
   log: Z:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo
> k_sc\hh_member.scml
   log type: smcl
   closed on: 3 Oct 2024, 15:52:26
    
```
