



```

name: <unnamed>
log: Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\a1.smcl
log type: smcl
opened on: 3 Oct 2024, 11:34:42
    
```

1 . codebookr \_all,all

```

Dataset: Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\a1_run.dta
Last saved: 3 Oct 2024 11:33
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 145
Number of observations: 4,499
Size: 16,763,274 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI
    
```

---

**hhid** **household id**

---

```

type: string (str15)
unique values: 1,266 missing "": 0/4,499
examples: "201591161007003"
           "201691131012052"
           "201691160114050"
           "201691161708026"
    
```

---

**iyear** **year**

---

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/4,499
tabulation: Freq. Value
             1,573 "2015"
             2,926 "2016"
    
```

---

**prov** **province**

---

```

type: string (str2)
    
```

unique values: 2 missing "": 0/4,499  
 tabulation: Freq. Value  
                   4,084 "91"  
                   415 "93"

**amp** **amphoe**

type: string (str2)  
 unique values: 8 missing "": 0/4,499  
 tabulation: Freq. Value  
                   3 "09"  
                   415 "12"  
                   748 "13"  
                   364 "14"  
                   460 "15"  
                   1,709 "16"  
                   100 "17"  
                   700 "18"

**tam** **tambon**

type: string (str2)  
 unique values: 15 missing "": 0/4,499  
 tabulation: Freq. Value  
                   218 "01"  
                   672 "02"  
                   388 "04"  
                   178 "05"  
                   186 "06"  
                   186 "07"  
                   184 "08"  
                   310 "09"  
                   387 "10"  
                   282 "11"  
                   467 "13"  
                   154 "14"  
                   440 "15"  
                   295 "17"  
                   152 "19"

**moo** **moo**

type: string (str2)  
 unique values: 22 missing "": 0/4,499  
 tabulation: Freq. Value  
                   442 "01"  
                   224 "02"  
                   410 "03"  
                   491 "04"  
                   385 "05"  
                   490 "06"  
                   224 "07"  
                   462 "08"  
                   315 "09"  
                   230 "10"  
                   178 "11"  
                   118 "12"  
                   127 "13"  
                   25 "14"

```

26 "15"
119 "16"
29 "17"
34 "18"
90 "19"
3 "20"
58 "22"
19 "24"

```

---

**strucid** **structure ID**

---

```

type: string (str3)
unique values: 185           missing "": 0/4,499
examples: "011"
           "034"
           "069"
           "135"

```

---

**memberid** **Member ID in the household**

---

```

type: string (str5), but longest is str3
unique values: 11           missing "": 0/4,499
tabulation: Freq. Value
              1 "H1"
              13 "H10"
               3 "H11"
            1,194 "H2"
            1,158 "H3"
              866 "H4"
              605 "H5"
              374 "H6"
              184 "H7"
               72 "H8"
               29 "H9"

```

---

**nickname** **Nickname (unavailable)**

---

```

type: string (str30), but longest is str0
unique values: 0           missing "": 4,499/4,499
tabulation: Freq. Value
            4,499 ""

```

---

**alive** **Is this members still alive**

---

```

type: numeric (byte)
label: alive
range: [1,3]
unique values: 2           units: 1
unique missing codes: 1    missing .: 0/4,499
                           missing *: 2/4,499
tabulation: Freq. Numeric Label
            4,486      1 live
              11      3 dead
               2      .d

```

---

**istudy2**

**In the past month, did you study?**

---

```

type: numeric (byte)
label: istudy2

range: [1,3]
unique values: 2
unique missing codes: 3

units: 1
missing .: 11/4,499
missing *: 7/4,499

tabulation: Freq.  Numeric  Label
              732      1  yes
              3,749    3  no
               11      .
                5      .a
                2      .d
    
```

---

**iwork2**

**In the past month, did you work as contractor, in trading or farming (excluding**

---

```

type: numeric (byte)
label: iwork2

range: [1,3]
unique values: 2
unique missing codes: 3

units: 1
missing .: 11/4,499
missing *: 7/4,499

tabulation: Freq.  Numeric  Label
              2,993    1  yes
              1,488    3  no
               11      .
                5      .a
                2      .d
    
```

---

**dmonthwork2\_1**

**In the past month, what was the average number of days per month you worked as a**

---

```

type: numeric (byte)

range: [1,30]
unique values: 30
unique missing codes: 3

units: 1
missing .: 797/4,499
missing *: 41/4,499

tabulation: Freq.  Value
              20    1
              47    2
              58    3
              61    4
              63    5
              28    6
              53    7
              21    8
              23    9
              58   10
              12   11
              10   12
              16   13
              32   14
              99   15
               4   16
              17   17
               8   18
              15   19
              88   20
               9   21
              786  22
               22  23
    
```

```

                20 24
                26 25
               340 26
                16 27
                32 28
                 6 29
            1,671 30
               797 .
                32 .c
                 9 .d
    mean:      23.7271
    std. dev:   8.05484

    percentiles:    10%    25%    50%    75%    90%
                   9      22     26     30     30
    
```

**dmonthwork2\_hr**  
 In the past month, what was the average number of hours per day you worked as a

```

    type: numeric (byte)

    range: [0,17]          units: 1
    unique values: 18      missing .: 799/4,499
    unique missing codes: 3  missing *: 113/4,499

    tabulation:  Freq.  Value
                 25    0
                 125    1
                 143    2
                 157    3
                 182    4
                 180    5
                 148    6
                 305    7
                 718    8
                 818    9
                 375   10
                 140   11
                 125   12
                  50   13
                  51   14
                  29   15
                   8   16
                   8   17
                 799 .
                 107 .c
                   6 .d
    mean:      7.66434
    std. dev:   3.03667

    percentiles:    10%    25%    50%    75%    90%
                   3      6      8      9     11
    
```

**dmonthwork2\_mi**  
 In the past month, what was the average number of hours per day you worked as a

```

    type: numeric (byte)

    range: [0,50]          units: 1
    unique values: 8      missing .: 799/4,499
    unique missing codes: 3  missing *: 113/4,499
    
```

```

tabulation:  Freq.  Value
              2,621  0
               6    10
               4    15
               6    20
              931    30
               6    40
               6    45
               7    50
              799    .
              107   .c
               6   .d
    mean:     8.09311
    std. dev: 13.4229

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         30         30
    
```

**isleep2\_hr**  
 In the past month, what was the average number of hours you slept per day? (unit

```

type: numeric (byte)
range: [2,17]
unique values: 15
unique missing codes: 4
units: 1
missing .: 11/4,499
missing *: 151/4,499
    
```

```

tabulation:  Freq.  Value
              2    2
              8    3
             28    4
             62    5
            209    6
            661    7
           1,345    8
           1,303    9
            559   10
            124   11
             25   12
              4   13
              5   14
              1   15
              1   17
             11   .
              5   .a
             143   .c
              3   .d
    mean:     8.35278
    std. dev:  1.33262

percentiles:      10%      25%      50%      75%      90%
                  7         8         8         9         10
    
```

**isleep2\_mi**  
 In the past month, what was the average number of hours you slept per day? (unit

```

type: numeric (byte)
range: [0,50]
unique values: 9
unique missing codes: 4
units: 1
missing .: 11/4,499
missing *: 151/4,499
    
```

```

tabulation:  Freq.  Value
              2,930  0
              1    6
              1   10
              5   15
              2   20
            1,385  30
              3   40
              7   45
              3   50
              11  .
              5  .a
            143  .c
              3  .d
    mean:     9.74545
    std. dev: 14.109

percentiles:    10%    25%    50%    75%    90%
                0      0      0      30     30
    
```

**iactivity2a\_hr**  
**In the past month, on study day/work day What was the average number of hours pe**

```

type: numeric (byte)

range: [0,17]          units: 1
unique values: 16      missing .: 11/4,499
unique missing codes: 5  missing *: 962/4,499
    
```

```

tabulation:  Freq.  Value
              397  0
            1,790  1
              800  2
              276  3
              91  4
              83  5
              37  6
              20  7
              13  8
               1  9
               5 10
               2 11
               4 12
               4 13
               2 14
               1 17
              11 .
               5 .a
              781 .b
              161 .c
               15 .d
    mean:     1.61344
    std. dev: 1.48048

percentiles:    10%    25%    50%    75%    90%
                0      1      1      2      3
    
```

**iactivity2a\_mi**  
**In the past month, on study day/work day What was the average number of hours pe**

```

type: numeric (byte)

range: [0,50]          units: 1
unique values: 13      missing .: 11/4,499
unique missing codes: 5  missing *: 962/4,499
    
```

```

tabulation:  Freq.  Value
              2,846  0
               1    3
               2    5
               8   10
               1   13
               4   15
               6   20
               2   25
              642  30
               2   35
               2   40
               9   45
               1   50
              11  .
               5  .a
              781  .b
              161  .c
               15  .d
    mean:      5.72915
  std. dev:    11.8384

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         30
    
```

---

**iactivity2b\_hr**

In the past month, on holidays What was the average number of hours per day you

---

```

type: numeric (byte)

range: [0,22]
unique values: 22
unique missing codes: 5

units: 1
missing .: 11/4,499
missing *: 1,808/4,499

tabulation:  Freq.  Value
              148  0
              460  1
              559  2
              359  3
              208  4
              188  5
               64  6
               21  7
               48  8
                9  9
               44 10
                7 11
               36 12
               90 13
              199 14
              159 15
               57 16
               17 17
                3 18
                2 19
                1 20
                1 22
              11  .
                5  .a
             1,671  .b
              121  .c
               11  .d
    mean:      5.24179
  std. dev:    5.11004

percentiles:      10%      25%      50%      75%      90%
                  1         2         3         8         14
    
```



**iactivity2b\_mi**

In the past month, on holidays What was the average number of hours per day you

type: numeric (byte)  
 range: [0,45] units: 1  
 unique values: 10 missing .: 11/4,499  
 unique missing codes: 5 missing \*: 1,808/4,499

tabulation:	Freq.	Value			
	1,983	0			
	3	5			
	1	8			
	3	10			
	2	15			
	3	20			
	1	25			
	678	30			
	1	35			
	5	45			
	11	.			
	5	.a			
	1,671	.b			
	121	.c			
	11	.d			
mean:	7.74925				
std. dev:	13.151				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	30	30

**farming3**

Since last interview, have you done any agricultural activity?

type: numeric (byte)  
 label: farming3  
 range: [1,3] units: 1  
 unique values: 2 missing .: 722/4,499  
 unique missing codes: 4 missing \*: 7/4,499

tabulation:	Freq.	Numeric	Label
	2,587	1	yes
	1,183	3	no
	722	.	
	5	.a	
	1	.c	
	1	.d	

**livestock3**

Since last interview, have you held any livestock?

type: numeric (byte)  
 label: livestock3  
 range: [1,3] units: 1  
 unique values: 2 missing .: 722/4,499  
 unique missing codes: 4 missing \*: 7/4,499

tabulation:	Freq.	Numeric	Label
	1,617	1	yes
	2,153	3	no
	722	.	
	5	.a	
	1	.c	
	1	.d	

**bussowner3**

Since last interview, have you run your owned business/store not related to agri

```

type: numeric (byte)
label: bussowner3

range: [1,3]
unique values: 2
unique missing codes: 4

units: 1
missing .: 722/4,499
missing *: 7/4,499

tabulation: Freq.  Numeric  Label
             840      1      yes
             2,930    3      no
             722      .
             5        .a
             1        .c
             1        .d
    
```

**contractwork3**

Since last interview, have you worked for a paid job?

```

type: numeric (byte)
label: contractwork3

range: [1,3]
unique values: 2
unique missing codes: 3

units: 1
missing .: 722/4,499
missing *: 7/4,499

tabulation: Freq.  Numeric  Label
             1,678    1      yes
             2,092    3      no
             722      .
             5        .a
             2        .d
    
```

**position3\_1**

Job 1, please specify the job title/position (not display)

```

type: string (str156), but longest is str0
unique values: 0
missing "": 4,499/4,499

tabulation: Freq.  Value
             4,499  ""
    
```

**jcode3\_1**

Job ID 1

```

type: string (str3), but longest is str2
unique values: 3
missing "": 2,819/4,499

tabulation: Freq.  Value
             2,819  ""
             1,594  "J4"
              82   "J5"
              4   "J6"
    
```

**typework3\_1**

What is the working status? (job 1)

```

type: numeric (byte)
label: typework3_1
    
```

range: [1,7] units: 1  
 unique values: 4 missing .: 2,821/4,499  
 unique missing codes: 2 missing \*: 1/4,499

tabulation:	Freq.	Numeric	Label
	72	1	Government officer/state enterprise employee
	284	3	Temporary government worker/temporary state enterprise worker
	581	5	Company employee
	740	7	Temporary company worker, seasonal hired
	2,821	.	
	1	.d	

**monthwork3\_1** Since last interview, how many months did you work?

type: numeric (byte)

range: [0,16] units: 1  
 unique values: 17 missing .: 2,821/4,499  
 unique missing codes: 4 missing \*: 41/4,499

tabulation:	Freq.	Value
	2	0
	176	1
	96	2
	72	3
	41	4
	43	5
	45	6
	20	7
	50	8
	109	9
	160	10
	206	11
	307	12
	193	13
	98	14
	17	15
	2	16
	2,821	.
	1	.a
	36	.c
	4	.d
mean:	8.84056	
std. dev:	4.34762	

percentiles:	10%	25%	50%	75%	90%
	1	5	11	12	13

**daywork3\_1** Since last interview, What was the average number of days you worked per month?

type: numeric (byte)

range: [0,30] units: 1  
 unique values: 31 missing .: 2,821/4,499  
 unique missing codes: 4 missing \*: 101/4,499

```

tabulation:  Freq.  Value
              2      0
              32     1
              73     2
              75     3
              72     4
              62     5
              28     6
              57     7
              20     8
              9      9
              58    10
              11    11
              3     12
              10    13
              21    14
              67    15
              5     16
              7     17
              4     18
              7     19
              71    20
              2     21
             196    22
              4     23
              8     24
              17    25
             306    26
              14    27
              23    28
              5     29
             308    30
            2,821  .
              1    .a
              98    .c
              2    .d
    mean:      18.532
  std. dev:   10.1222

```

```

percentiles:      10%      25%      50%      75%      90%
                  3         7         22         26         30

```

**pmonthwork3\_1 Since last interview, what was the average amount you earned per month?**

```

type: numeric (long)
range: [0,100000]          units: 1
unique values: 235         missing .: 2,821/4,499
unique missing codes: 4    missing *: 168/4,499

mean: 6997.68
std. dev: 6762.9

percentiles:      10%      25%      50%      75%      90%
                  600      2000     6500     9000     13000

```

**pyearwork3\_1 Since last interview, how much in total per year did you additionally earn from**

```

type: numeric (long)
range: [0,275000]        units: 1
unique values: 73        missing .: 2,821/4,499
unique missing codes: 4    missing *: 261/4,499

```

tabulation:	Freq.	Value
	1,300	0
	1	22
	1	75
	1	100
	1	200
	2	300
	1	645
	1	750
	7	1000
	1	1200
	2	1300
	1	1600
	1	1650
	5	2000
	1	2838
	8	3000
	2	3500
	2	3600
	2	4000
	2	4500
	1	4800
	5	5000
	4	5500
	1	6000
	2	6500
	1	7000
	1	7800
	1	8000
	1	9900
	2	10000
	1	11000
	1	11200
	1	11340
	1	12000
	1	13440
	1	14000
	1	14250
	1	15000
	1	15700
	1	16000
	1	16900
	4	18000
	1	19200
	1	19500
	3	20000
	1	22000
	1	25000
	1	29900
	4	30000
	1	31200
	1	31500
	1	33000
	2	34944
	1	40000
	1	45000
	1	46900
	3	50000
	1	54288
	1	58500
	2	60000
	1	65780
	1	69888
	1	78000
	1	80000
	1	84000
	2	88000
	1	92400
	1	100000
	1	140000
	1	234000
	1	240000

```

          1 260000
          1 275000
    2,821 .
          1 .a
          255 .c
          5 .d
    mean: 2330.1
    std. dev: 16267.5

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

---

**position3\_2** **Job 2, please specify the job title/position (not display)**

---

```

    type: string (str157), but longest is str0
    unique values: 0 missing "": 4,499/4,499
    tabulation: Freq. Value
                4,499 ""
    
```

---

**jcode3\_2** **Job ID 2**

---

```

    type: string (str2)
    unique values: 4 missing "": 4,291/4,499
    tabulation: Freq. Value
                4,291 ""
                 5 "J4"
                 177 "J5"
                 25 "J6"
                 1 "J7"
    
```

---

**typework3\_2** **What is the working status? (job 2)**

---

```

    type: numeric (byte)
    label: typework3_1
    range: [1,7] units: 1
    unique values: 4 missing .: 4,291/4,499
    tabulation: Freq. Numeric Label
                 3          1 Government officer/state
                 52          3 enterprise employee
                 44          5 Temporary government
                 109         7 worker/temporary state
                 4,291         . enterprise worker
                               5 Company employee
                               7 Temporary company worker,
                               seasonal hired
    
```

---

**monthwork3\_2** **Since last interview, how many months did you work?**

---

```

    type: numeric (byte)
    range: [1,14] units: 1
    unique values: 14 missing .: 4,291/4,499
    unique missing codes: 3 missing *: 11/4,499
    
```

```

tabulation:  Freq.  Value
              57    1
              20    2
              16    3
               7    4
               8    5
               5    6
               4    7
               4    8
               8    9
              10   10
              14   11
              28   12
               9   13
               7   14
            4,291  .
               1   .a
              10   .c
    mean:     5.98985
    std. dev: 4.75093
    
```

```

percentiles:    10%    25%    50%    75%    90%
                1      1      4      11     12
    
```

daywork3\_2

What was the average number of days you worked per month?

```

type:  numeric (double)
range: [0,30]
unique values: 26
unique missing codes: 3
units: 1
missing .: 4,291/4,499
missing *: 19/4,499
    
```

```

tabulation:  Freq.  Value
              1    0
               8    1
               6    2
              17    3
              10    4
               9    5
               3    6
              14    7
               4    8
               4    9
               9   10
               2   11
               2   12
               1   13
               3   14
               7   15
               2   16
               1   19
               7   20
              12   22
               1   24
               1   25
              26   26
               1   27
               3   28
              35   30
            4,291  .
               1   .a
              18   .c
    mean:     15.7513
    std. dev: 10.7321
    
```

```

percentiles:    10%    25%    50%    75%    90%
                3      5     15     26     30
    
```

---

**pmonthwork3\_2 Since last interview, what was the average amount you earned per month?**

---

```

type: numeric (long)
range: [0,16900]
unique values: 83
unique missing codes: 3
units: 1
missing .: 4,291/4,499
missing *: 20/4,499

```

```

tabulation: Freq. Value
6 0
2 166
1 300
2 367
2 405
1 500
2 550
25 600
1 620
1 750
3 800
1 875
2 900
1 915
5 1000
2 1085
1 1151
3 1200
1 1220
1 1250
1 1320
1 1350
2 1375
3 1500
1 1800
1 1830
1 1840
1 1890
1 1950
1 2000
2 2100
1 2135
1 2200
1 2250
2 2400
1 2440
1 2500
3 2700
3 2800
3 3000
1 3050
1 3150
2 3500
1 3600
1 3750
1 3763
1 3850
1 3965
2 4000
2 4200
1 4400
3 4500
9 5000
1 5200
1 5805
6 6000
1 6440
1 6450
3 6600
2 7000
2 7200

```



```

      2 7500
      9 7800
      1 7930
      3 8000
      2 8008
      1 8500
      1 8900
     11 9000
      1 9780
      1 9800
      1 9900
      2 10000
      3 10400
      1 10500
      1 10714
      1 10800
      1 11000
      2 12000
      1 13000
      3 15000
      1 16667
      2 16900
    4,291 .
      1 .a
     19 .c
    mean: 4430.91
    std. dev: 4018.75

    percentiles:    10%    25%    50%    75%    90%
                   600    887.5    3025    7800    9900

```

**pyearwork3\_2**

Since last interview, how much in total per year did you additionally earn from

```

    type: numeric (int)

    range: [0,22500]
    unique values: 10
    unique missing codes: 4

    units: 10
    missing .: 4,291/4,499
    missing *: 24/4,499

    tabulation:  Freq.  Value
                 172    0
                 1    300
                 1    400
                 3    1500
                 1    3420
                 2    4000
                 1    6000
                 1    8600
                 1   10000
                 1   22500
    4,291 .
      1 .a
     22 .c
      1 .d
    mean: 346.304
    std. dev: 2017.46

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0

```

**position3\_3**

Job 3, please specify the job title/position (not display)

```

    type: string (str81), but longest is str0
    unique values: 0
    missing "": 4,499/4,499

```

tabulation: Freq. Value  
 4,499 ""

---

**jcode3\_3** **Job ID 3**

---

type: string (**str2**)  
 unique values: 2 missing "": 4,488/4,499  
 tabulation: Freq. Value  
               4,488 ""  
               7 "J6"  
               4 "J7"

---

**typework3\_3** **What is the working status? (job 3)**

---

type: numeric (**byte**)  
 label: **typework3\_1**  
 range: [3,7] units: 1  
 unique values: 3 missing .: 4,488/4,499  
 tabulation: Freq. Numeric Label  
               5           3 Temporary government  
                                   worker/temporary state  
                                   enterprise worker  
               4           5 Company employee  
               2           7 Temporary company worker,  
                                   seasonal hired  
               4,488       .

---

**monthwork3\_3** **Since last interview, how many months did you work?**

---

type: numeric (**byte**)  
 range: [1,12] units: 1  
 unique values: 6 missing .: 4,488/4,499  
 unique missing codes: 2 missing \*: 1/4,499  
 tabulation: Freq. Value  
               1 1  
               4 2  
               1 3  
               1 6  
               2 8  
               1 12  
               4,488 .  
               1 .c  
 mean: 4.6  
 std. dev: 3.68782  
 percentiles:           10%       25%       50%       75%       90%  
                   1.5           2           2.5           8           10

---

**daywork3\_3** **What was the average number of days you worked per month?**

---

type: numeric (**byte**)  
 range: [1,30] units: 1  
 unique values: 5 missing .: 4,488/4,499  
 unique missing codes: 2 missing \*: 1/4,499

```

tabulation:  Freq.  Value
              1    1
              2    2
              1   10
              2   26
              4   30
            4,488  .
              1  .c
    mean:      18.7
    std. dev:  13.1829

percentiles:      10%      25%      50%      75%      90%
                  1.5        2        26        30        30
    
```

**pmonthwork3\_3 Since last interview, what was the average amount you earned per month?**

```

type: numeric (int)
range: [600,13000]
unique values: 7
unique missing codes: 2
units: 100
missing .: 4,488/4,499
missing *: 1/4,499

tabulation:  Freq.  Value
              3    600
              1   3000
              1   5000
              1   6500
              2   9000
              1  12000
              1  13000
            4,488  .
              1  .c
    mean:      5930
    std. dev:  4722.06

percentiles:      10%      25%      50%      75%      90%
                  600      600      5750     9000     12500
    
```

**pyearwork3\_3 Since last interview, how much in total per year did you additionally earn from**

```

type: numeric (int)
range: [0,10000]
unique values: 2
unique missing codes: 2
units: 10000
missing .: 4,488/4,499
missing *: 1/4,499

tabulation:  Freq.  Value
              9    0
              1  10000
            4,488  .
              1  .c
    mean:      1000
    std. dev:  3162.28

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        5000
    
```

**money4\_1 Since last interview, have you received money from outside household people?**

```

type: numeric (byte)
label: money4_1
    
```

range: [1,3] units: 1  
 unique values: 2 missing .: 11/4,499  
 unique missing codes: 4 missing \*: 13/4,499

tabulation:	Freq.	Numeric	Label
	1,466	1	yes
	3,009	3	no
	11	.	.
	6	.a	.
	4	.c	.
	3	.d	.

**getmoney4\_1** **Total amount (THB)**

type: numeric (long)  
 range: [150,650000] units: 1  
 unique values: 313 missing .: 3,033/4,499  
 unique missing codes: 3 missing \*: 117/4,499

mean: 47527.6  
 std. dev: 59656.3

percentiles:	10%	25%	50%	75%	90%
	4000	13000	30000	60000	100000

**object4\_1** Since last interview, have you received gifts from outside household people?

type: numeric (byte)  
 label: object4\_1  
 range: [1,3] units: 1  
 unique values: 2 missing .: 12/4,499  
 unique missing codes: 3 missing \*: 43/4,499

tabulation:	Freq.	Numeric	Label
	1,780	1	yes
	2,664	3	no
	12	.	.
	6	.a	.
	37	.d	.

**money4\_2** Since last interview, have you gave money to outside household people?

type: numeric (byte)  
 label: money4\_2  
 range: [1,3] units: 1  
 unique values: 2 missing .: 11/4,499  
 unique missing codes: 4 missing \*: 13/4,499

tabulation:	Freq.	Numeric	Label
	293	1	yes
	4,182	3	no
	11	.	.
	6	.a	.
	5	.c	.
	2	.d	.

**getmoney4\_2** **Total amount (THB)**

type: numeric (long)

range: [175,130000]  
 unique values: 83  
 unique missing codes: 2

units: 1  
 missing .: 4,206/4,499  
 missing \*: 73/4,499

tabulation:	Freq.	Value
	1	175
	3	200
	1	225
	2	250
	3	300
	1	350
	1	413
	2	450
	1	480
	11	500
	1	525
	1	800
	1	900
	26	1000
	12	1500
	12	2000
	1	2061
	1	2400
	13	2500
	6	3000
	5	3500
	1	3650
	1	3750
	1	4000
	1	4300
	6	4500
	6	5000
	1	5070
	1	5200
	1	5250
	1	5400
	4	5500
	1	5850
	4	6000
	3	6500
	1	6750
	4	7000
	1	7143
	1	7200
	2	8000
	1	8250
	1	8500
	2	9750
	10	10000
	2	11000
	5	12000
	1	13000
	2	14000
	2	15000
	2	16000
	1	16160
	2	16500
	4	20000
	1	21000
	1	21500
	1	22000
	1	22500
	1	23400
	1	24000
	1	25000
	1	26000
	1	27000
	1	27400
	2	28000
	2	30000
	1	32000
	1	33000

```

                    5 36000
                    1 39000
                    1 40000
                    1 43000
                    2 45000
                    1 45500
                    1 48000
                    1 49500
                    2 50000
                    1 52000
                    2 55000
                    1 60000
                    1 84500
                    1 108000
                    1 124000
                    1 130000
    4,206 .
      73 .c
    mean: 11625
    std. dev: 19134.5

    percentiles:    10%    25%    50%    75%    90%
                   500    1250   4500   12000  36000
    
```

---

**object4\_2**      **Since last interview, have you gave gifts to outside household people?**

---

```

    type: numeric (byte)
    label: object4_2

    range: [1,3]                      units: 1
    unique values: 2                    missing .: 11/4,499
    unique missing codes: 4            missing *: 13/4,499

    tabulation:    Freq.    Numeric    Label
                 472        1    yes
                 4,003      3    no
                  11        .
                   6        .a
                   5        .c
                   2        .d
    
```

---

**asset5a**                      **Do you have any commercial bank savings?**

---

```

    type: numeric (byte)
    label: asset5a

    range: [1,3]                      units: 1
    unique values: 2                    missing .: 11/4,499
    unique missing codes: 4            missing *: 38/4,499

    tabulation:    Freq.    Numeric    Label
                 1,850      1    yes
                 2,600      3    no
                  11        .
                   6        .a
                  30        .c
                   2        .d
    
```

---

**asset5a\_account**                      **Total accounts**

---

```

    type: numeric (byte)

    range: [1,7]                      units: 1
    unique values: 7                    missing .: 2,649/4,499
    unique missing codes: 3            missing *: 70/4,499
    
```

```

tabulation:  Freq.  Value
              1,489  1
              236   2
              43    3
               8    4
               1    5
               1    6
               2    7
            2,649  .
               2   .a
               68   .c
    mean:      1.20618
    std. dev:  .539258

percentiles:      10%      25%      50%      75%      90%
                  1        1        1        1        2
    
```

---

**asset5a\_balance** **The current total balance of all accounts (THB)**

---

```

type: numeric (long)
range: [0,350000]
unique values: 95
unique missing codes: 4

units: 1
missing .: 2,649/4,499
missing *: 1,169/4,499
    
```

```

tabulation:  Freq.  Value
              222   0
               1   9
               1  41
               1  44
               2  50
               1  57
               1  67
               2  70
               1  73
               2  78
               4  80
               1  88
              20 100
               1 115
               2 120
               5 150
               1 175
               3 180
              16 200
               1 231
               2 250
               9 300
               1 350
               3 400
               2 450
               1 475
              55 500
               2 550
               4 600
               6 700
               1 750
               1 800
               1 900
               1 986
              30 1000
               1 1060
               1 1100
               1 1200
               1 1250
               1 1300
               1 1400
               9 1500
               1 1550
               2 1700
    
```

```

      2 1800
     26 2000
      1 2100
      1 2300
     15 2500
      2 2600
     20 3000
      1 3400
      2 3500
     10 4000
     10 4500
      1 4600
     19 5000
      2 5500
      1 6000
      4 6500
      6 7000
      1 7500
      3 8000
      2 9000
     45 10000
      1 10500
      2 11000
      2 12000
      1 13600
      8 15000
      2 18000
      1 18500
      1 19000
     19 20000
      1 20300
      2 25000
      1 29000
      4 30000
      2 35000
      4 40000
      2 44000
      3 45000
      1 47500
      7 50000
      1 50500
      1 60000
      2 70000
      1 75000
      2 80000
      5 100000
      1 120000
      1 150000
      1 175000
      2 200000
      1 350000
    2,649 .
      53 .a
    1,115 .c
      1 .d
      mean: 7261.33
      std. dev: 23688.9

percentiles:      10%      25%      50%      75%      90%
                  0         0         500     4500    15000

```

---

**asset5b Do you have any bank for agriculture and agricultural cooperatives savings?**

---

```

      type: numeric (byte)
      label: asset5b

      range: [1,3]
      unique values: 2
      unique missing codes: 4

      units: 1
      missing .: 11/4,499
      missing *: 29/4,499

```



```

tabulation:  Freq.  Numeric  Label
              2,158      1  yes
              2,301      3  no
               11      .
               6       .a
               21      .c
               2       .d
    
```

---

**asset5b\_account** **Number of accounts**

---

```

type:  numeric (byte)

range:  [1,4]
unique values:  4
unique missing codes:  4

units:  1
missing .:  2,341/4,499
missing *:  31/4,499

tabulation:  Freq.  Value
              2,062  1
               54  2
                8  3
                3  4
              2,341  .
                1  .a
               28  .c
                2  .d

mean:  1.03714
std. dev:  .227533

percentiles:  10%  25%  50%  75%  90%
               1    1    1    1    1
    
```

---

**asset5b\_balance** **The current total balance of all accounts (THB)**

---

```

type:  numeric (long)

range:  [0,300000]
unique values:  88
unique missing codes:  4

units:  1
missing .:  2,341/4,499
missing *:  1,106/4,499

tabulation:  Freq.  Value
              280  0
                1  1
                1  11
                1  31
                2  40
                2  45
                2  50
                1  51
                1  57
                2  70
                1  82
                1  91
               26 100
                1 108
                2 125
                1 130
                3 150
               21 200
                1 224
                2 250
                1 285
               17 300
                2 350
                5 400
                1 420
                6 450
               223 500
                5 550
    
```

```

1 575
14 600
11 700
1 750
11 800
1 850
5 900
69 1000
1 1100
4 1200
1 1400
23 1500
1 1600
3 1700
58 2000
1 2250
15 2500
1 2600
32 3000
1 3400
5 3500
9 4000
4 4500
21 5000
1 5500
3 6000
1 6500
3 7000
1 7500
1 7979
5 8000
1 8300
4 9000
37 10000
1 10500
2 12000
2 13000
1 13500
1 14000
12 15000
1 15500
1 17000
16 20000
6 25000
1 27000
9 30000
1 32000
1 35000
3 40000
1 42000
5 45000
7 50000
2 55000
1 60000
2 65000
1 75000
8 100000
1 140000
3 200000
1 300000
2,341 .
37 .a
1 .b
1,068 .c
mean: 5062.03
std. dev: 18830.3

```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0        500     2000    10000

```

---

**asset5c** **Do you have any cooperative deposits or stock?**

---

```

type: numeric (byte)
label: asset5c

range: [1,3]
unique values: 2
unique missing codes: 4

units: 1
missing .: 11/4,499
missing *: 27/4,499

tabulation: Freq.  Numeric  Label
              383      1  yes
              4,078    3  no
              11       .
              6        .a
              19       .c
              2        .d
    
```

---

**asset5c\_balance** **The current total value (THB)**

---

```

type: numeric (long)

range: [0,450000]
unique values: 49
unique missing codes: 4

units: 10
missing .: 4,116/4,499
missing *: 259/4,499

tabulation: Freq.  Value
              13    0
              4    100
              1    150
              1    300
              2    500
              1    650
              1    900
              1   1000
              3   1500
              3   2000
              4   2500
              1   3000
              1   3100
              1   3300
              1   3500
              1   4500
              3   5000
              2   6000
              2   6500
              2   7000
              1   7500
             10  10000
              1  11000
              8  15000
              1  16000
              1  17000
              1  19000
              1  19780
              3  20000
              1  24000
              3  25000
              1  26000
              9  30000
              5  40000
              1  42000
              3  45000
              4  50000
              4  60000
              1  70000
              3  80000
              1  85000
              4 100000
    
```

```

          1 120000
          2 150000
          1 200000
          1 250000
          2 300000
          1 400000
          1 450000
    4,116 .
          4 .a
        253 .c
          2 .d
    mean: 38657.9
  std. dev: 72571.5

percentiles:    10%    25%    50%    75%    90%
                0      2500  15000  40000  100000
  
```

---

**asset5d** Do you have any Cooperative community fund/Village fund?

---

```

    type: numeric (byte)
    label: asset5d

    range: [1,3]
    unique values: 2
    unique missing codes: 4

    units: 1
    missing .: 11/4,499
    missing *: 22/4,499
  
```

```

tabulation:  Freq.  Numeric  Label
              1,037      1  yes
              3,429      3  no
               11         .
               6         .a
              14         .c
               2         .d
  
```

---

**asset5d\_balance** The current total value (THB)

---

```

    type: numeric (long)

    range: [0,80000]
    unique values: 60
    unique missing codes: 4

    units: 10
    missing .: 3,462/4,499
    missing *: 816/4,499
  
```

```

tabulation:  Freq.  Value
              18      0
               1     50
               8    100
               1    200
               3    220
               2    240
               1    300
               2    350
               1    400
               1    480
              12    500
               1    550
               3    600
               1    700
               2    900
              16   1000
               9   1200
               1   1350
               8   1500
               1   1600
               1   1680
               1   1700
               2   1800
              16   2000
               2   2360
  
```

```

      2 2400
      1 2450
      7 2500
      1 2600
     12 3000
      2 3300
      1 3480
      9 3500
      2 3700
      5 4000
      6 4500
      1 5000
      1 5400
      2 5500
      1 6000
      1 6500
      2 7000
      1 7400
      2 7500
      1 7800
      1 8000
     19 10000
      1 11000
      1 13000
      4 15000
      1 18000
      5 20000
      1 22000
      5 30000
      1 33000
      3 35000
      2 40000
      1 50000
      1 60000
      1 80000
    3,462 .
      2 .a
     806 .c
      8 .d
    mean: 5962.9
  std. dev: 10505.9

percentiles:      10%      25%      50%      75%      90%
                  100      900      2000      5500      15000

```

---

**asset5e** Do you have any school or child development center's saving?

---

```

type: numeric (byte)
label: asset5e

range: [1,3] units: 1
unique values: 2 missing .: 11/4,499
unique missing codes: 4 missing *: 19/4,499

```

```

tabulation: Freq. Numeric Label
            319      1 yes
            4,150    3 no
              11      .
               6      .a
              11      .c
               2      .d

```

---

**asset5e\_balance** The current total value (THB)

---

```

type: numeric (long)

```

range: [0,35000] units: 1  
 unique values: 39 missing .: 4,180/4,499  
 unique missing codes: 3 missing \*: 233/4,499

tabulation: Freq. Value  
 1 0  
 1 25  
 2 100  
 2 150  
 4 200  
 4 250  
 5 300  
 1 320  
 1 350  
 1 400  
 1 460  
 4 500  
 2 550  
 3 600  
 1 650  
 1 700  
 2 750  
 2 800  
 13 1000  
 1 1200  
 1 1400  
 4 1800  
 6 2000  
 1 2100  
 2 2200  
 1 2400  
 2 2500  
 1 2600  
 1 2700  
 3 3000  
 1 3500  
 1 3700  
 1 4000  
 4 5000  
 1 6000  
 1 8000  
 1 10000  
 1 15000  
 1 35000  
 4,180 .  
 1 .a  
 232 .c  
 mean: 2126.8  
 std. dev: 4252.64

percentiles: 10% 25% 50% 75% 90%  
 200 400 1000 2200 5000

---

**asset6 Specify other financial assets (not display)**

---

type: string (**str141**), but longest is str0  
 unique values: 0 missing "": 4,499/4,499

tabulation: Freq. Value  
 4,499 ""

---

**asset6e Do you have any other financial assets**

---

type: numeric (**byte**)  
 label: **asset6e**

```

range: [1,1] units: 1
unique values: 1 missing .: 4,486/4,499
unique missing codes: 2 missing *: 2/4,499

tabulation: Freq. Numeric Label
              11      1 yes
              4,486  .
              2      .d
    
```

**asset6e\_balance** **The current total value (THB)**

```

type: numeric (long)

range: [4000,126000] units: 100
unique values: 6 missing .: 4,488/4,499
unique missing codes: 2 missing *: 5/4,499

tabulation: Freq. Value
              1 4000
              1 4500
              1 10000
              1 13500
              1 20000
              1 126000
              4,488 .
              5 .c
mean: 29666.7
std. dev: 47568.5

percentiles:      10%      25%      50%      75%      90%
                  4000      4500      11750     20000     126000
    
```

**grf6a Since last interview, have you joined the rotating savings among friends or acqu**

```

type: numeric (byte)
label: grf6a

range: [1,3] units: 1
unique values: 2 missing .: 11/4,499
unique missing codes: 4 missing *: 9/4,499

tabulation: Freq. Numeric Label
              25      1 yes
              4,454  3 no
              11      .
              6      .a
              1      .c
              2      .d
    
```

**grf6b Since last interview, how much did you pay for all groups of rotating savings (**

```

type: numeric (long)

range: [6000,117000] units: 100
unique values: 19 missing .: 4,439/4,499
unique missing codes: 3 missing *: 38/4,499
    
```

```

tabulation:  Freq.  Value
              1  6000
              1  9800
              2 10000
              1 10200
              1 11000
              1 12000
              1 13200
              1 14000
              1 14400
              1 15000
              3 20000
              1 24000
              1 26000
              1 31900
              1 37400
              1 40000
              1 70000
              1 91000
              1 117000
            4,439 .
              35 .b
              3  .c
    mean:    28313.6
    std. dev: 28623.6

percentiles:    10%    25%    50%    75%    90%
                10000  11000  17500  31900  70000
    
```

---

**grf6c Since last interview, how much did you receive from all group rotating savings**

---

```

type: numeric (long)
range: [0,70000]
unique values: 15
unique missing codes: 4
units: 10
missing .: 4,439/4,499
missing *: 38/4,499
    
```

```

tabulation:  Freq.  Value
              7  0
              1  7000
              1  7240
              1 11200
              2 20000
              1 22000
              1 23000
              1 25000
              1 26000
              1 27000
              1 30000
              1 34000
              1 47000
              1 55000
              1 70000
            4,439 .
              35 .b
              2  .c
              1  .d
    mean:    19292.7
    std. dev: 19604.7

percentiles:    10%    25%    50%    75%    90%
                0      0      20000  27000  47000
    
```

---

**smoke7 Since last interview, have you smoked cigarettes/tobacco?**

---

```

type: numeric (byte)
label: smoke7
    
```



```

        range: [1,3]                units: 1
    unique values: 2                missing .: 11/4,499
    unique missing codes: 4        missing *: 10/4,499

    tabulation:  Freq.  Numeric  Label
                  866      1     yes
                  3,612    3     no
                   11      .
                   6       .a
                   2       .c
                   2       .d
    
```

**alcohol8**                      **Since last interview, have you drunk alcohol (at least once a month on average)?**

```

        type: numeric (byte)
        label: alcohol8

        range: [1,3]                units: 1
    unique values: 2                missing .: 11/4,499
    unique missing codes: 4        missing *: 10/4,499

    tabulation:  Freq.  Numeric  Label
                  859      1     yes
                  3,619    3     no
                   11      .
                   6       .a
                   2       .c
                   2       .d
    
```

**disease9**                      **Currently, do you have any underlying disease or chronic disease?**

```

        type: numeric (byte)
        label: disease9

        range: [1,3]                units: 1
    unique values: 2                missing .: 11/4,499
    unique missing codes: 4        missing *: 9/4,499

    tabulation:  Freq.  Numeric  Label
                  370      1     yes
                  4,109    3     no
                   11      .
                   6       .a
                   1       .c
                   2       .d
    
```

**disease9\_1**                      **Additional code for congenital disease or chronic disease (disease 1)**

```

        type: numeric (byte)
        label: disease9_1

        range: [1,99]              units: 1
    unique values: 28              missing .: 4,129/4,499
    
```

```

tabulation:  Freq.  Numeric  Label
              27      1  Diabetes
              22      3  Thyroid / Goiter
              80      5  High blood presure
               9      7  Heart disease
              13      9  Hypercholesterolemia / high
                   cholesterol
               6     11  Stroke clots
               3     13  Cancer
               3     17  Depression / psychosis /
                   neurosis
               1     21  Seizures / epilepsy
               3     23  Cataract / glaucoma
              23     27  Asthma / emphysema
               1     29  Tuberculosis
              23     31  Allergy
               1     33  Liver cirrhosis
              13     35  Kidney Failure
               6     37  Enlarged Prostate
               2     39  Gallstones in the gallbladder
               3     41  Urinary stones
              10     43  Gout / rheumatoid
              18     45  Chronic neck pain /
                   osteoarthritis.
               4     47  Chronic back pain / chronic neck
                   pain
               6     55  Thalassemia
              26     67  Severe gastrointestinal disease
               7     77  Anemia
               4     81  Cervical myelopathy /
                   Degenerative disc
              11     83  Migraine
               3     85  Hepatitis B virus
              42     99  others
              4,129    .

```

---

**disease9\_2 Additional code for congenital disease or chronic disease (disease 2)**


---

```

type: numeric (byte)
label: disease9_1

range: [1,99]          units: 1
unique values: 12      missing .. 4,462/4,499

```

```

tabulation:  Freq.  Numeric  Label
              1      1  Diabetes
              9      5  High blood presure
               3      9  Hypercholesterolemia / high
                   cholesterol
               1     11  Stroke clots
               4     35  Kidney Failure
               2     41  Urinary stones
               1     43  Gout / rheumatoid
               3     45  Chronic neck pain /
                   osteoarthritis.
               2     63  Palsy
               3     67  Severe gastrointestinal disease
               1     77  Anemia
               7     99  others
              4,462    .

```

---

**disease9\_3 Additional code for congenital disease or chronic disease (disease 3)**


---

```

type: numeric (byte)
label: disease9_1

```

```

range: [31,67] units: 1
unique values: 4 missing .: 4,494/4,499

tabulation: Freq. Numeric Label
              1          31 Allergy
              1          35 Kidney Failure
              1          37 Enlarged Prostate
              2          67 Severe gastrointestinal disease
4,494          .
    
```

**disease9\_1\_det** **The first disease (not display)**

```

type: string (str113), but longest is str0
unique values: 0 missing "": 4,499/4,499

tabulation: Freq. Value
              4,499 ""
    
```

**disease9\_2\_det** **The second disease (not display)**

```

type: string (str94), but longest is str0
unique values: 0 missing "": 4,499/4,499

tabulation: Freq. Value
              4,499 ""
    
```

**disease9\_3\_det** **The third disease (not display)**

```

type: string (str65), but longest is str0
unique values: 0 missing "": 4,499/4,499

tabulation: Freq. Value
              4,499 ""
    
```

**nwork3\_1** **Are you currently working in this job?**

```

type: numeric (byte)
label: nwork3_1

range: [1,3] units: 1
unique values: 2 missing .: 2,832/4,499
unique missing codes: 2 missing *: 1/4,499

tabulation: Freq. Numeric Label
              1,435      1 yes
              231       3 no
              2,832      .
              1         .a
    
```

**nwork3\_2** **Are you currently working in this job?**

```

type: numeric (byte)
label: nwork3_2

range: [1,3] units: 1
unique values: 2 missing .: 4,295/4,499
unique missing codes: 2 missing *: 1/4,499
    
```

```

tabulation:  Freq.  Numeric  Label
              173      1  yes
              30      3  no
            4,295      .
              1      .a
    
```

**nwork3\_3** **Are you currently working in this job?**

```

type: numeric (byte)
label: nwork3_3

range: [1,3]
unique values: 2
units: 1
missing .: 4,488/4,499

tabulation:  Freq.  Numeric  Label
              10      1  yes
              1      3  no
            4,488      .
    
```

**asset7** **Specify other financial assets**

```

type: string (str2)
unique values: 1
missing "": 4,497/4,499

tabulation:  Freq.  Value
            4,497  ""
              2  "-9"
    
```

**asset7e** **Do you have any other financial assets**

```

type: numeric (byte)
label: asset7e

range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 4,497/4,499
missing *: 2/4,499

tabulation:  Freq.  Numeric  Label
            4,497      .
              2      .d
    
```

**asset7e\_balance** **The current total value (THB)**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 4,499/4,499

tabulation:  Freq.  Value
            4,499  .
mean: .
std. dev: .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

**hala\_A** **Insurance type A: Life insurance (not display)**

```

type: string (str152), but longest is str0
    
```

unique values: 0 missing "": 4,499/4,499

tabulation: Freq. Value  
4,499 ""

---

**halb\_A** **Current number of insurance type A contract**

---

type: numeric (**byte**)  
 range: [0,6] units: 1  
 unique values: 7 missing .: 0/4,499  
 unique missing codes: 3 missing \*: 64/4,499

tabulation: Freq. Value  
 3,578 0  
 747 1  
 83 2  
 18 3  
 4 4  
 4 5  
 1 6  
 6 .a  
 56 .c  
 2 .d

mean: .227508  
 std. dev: .522702

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 1

---

**halca\_A** **Total premium of insurance paid by household members (THB)**

---

type: numeric (**double**)  
 range: [0,76000] units: .01  
 unique values: 219 missing .: 3,578/4,499  
 unique missing codes: 4 missing \*: 125/4,499

mean: 5701.53  
 std. dev: 6782.81

percentiles: 10% 25% 50% 75% 90%  
 0 1796 4400 7200 12000

---

**halcb\_A** **Total premium of insurance paid by others outside the household (THB)**

---

type: numeric (**long**)  
 range: [0,175000] units: 1  
 unique values: 67 missing .: 3,578/4,499  
 unique missing codes: 4 missing \*: 106/4,499

tabulation: Freq. Value  
 690 0  
 1 1700  
 1 1800  
 1 2200  
 1 2500  
 1 2800  
 1 3000  
 1 3029  
 1 3150  
 1 3400  
 5 3500  
 2 3600  
 2 3700

```

1 3965
4 4000
1 4070
1 4200
3 4500
1 4700
2 4800
8 5000
1 5200
3 5300
3 5500
1 5633
1 5700
11 6000
1 6036
1 6300
1 6400
1 6500
4 7000
1 7100
1 7200
1 7240
1 7443
2 7500
1 7820
1 7870
2 8000
1 8085
1 8400
2 8500
1 8600
1 8640
3 9000
8 10000
1 10400
1 10800
1 10900
1 11000
1 11500
7 12000
2 13000
1 13060
1 14600
1 14800
2 15000
2 19040
2 21000
1 22000
1 22890
2 30000
1 44000
1 50000
1 60000
1 175000
3,578 .
6 .a
97 .c
3 .d
mean: 1600.38
std. dev: 7652.6

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      0      5500

```

---

**hald\_A** **Total claims/refunds/allowance of insurance type A (THB)**

---

type: numeric (long)

range: [0,100000] units: 100  
 unique values: 8 missing .: 3,578/4,499  
 unique missing codes: 4 missing \*: 58/4,499

tabulation: Freq. Value  
 855 0  
 1 400  
 1 1000  
 2 2000  
 1 6000  
 1 50000  
 1 60000  
 1 100000  
 3,578 .  
 6 .a  
 49 .c  
 3 .d  
 mean: 256.547  
 std. dev: 4320.18  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**halb\_B Insurance type B: Health insurance/accident insurance (not display)**

---

type: string (str152), but longest is str0  
 unique values: 0 missing "": 4,499/4,499  
 tabulation: Freq. Value  
 4,499 ""

---

**halb\_B Current number of insurance type B contract**

---

type: numeric (byte)  
 range: [0,6] units: 1  
 unique values: 6 missing .: 0/4,499  
 unique missing codes: 3 missing \*: 56/4,499  
 tabulation: Freq. Value  
 3,436 0  
 929 1  
 71 2  
 4 3  
 1 4  
 2 6  
 6 .a  
 48 .c  
 2 .d  
 mean: .247355  
 std. dev: .489686  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 1

---

**halca\_B Total premium of insurance paid by household members (THB)**

---

type: numeric (double)  
 range: [0,98000] units: 1  
 unique values: 176 missing .: 3,436/4,499  
 unique missing codes: 4 missing \*: 200/4,499

mean: 2898.06  
 std. dev: 5865.87  
 percentiles: 10% 25% 50% 75% 90%  
 150 150 300 4300 8500

---

**halcb\_B Total premium of insurance paid by others outside the household (THB)**

---

type: numeric (long)  
 range: [0,20420] units: 1  
 unique values: 28 missing .: 3,436/4,499  
 unique missing codes: 4 missing \*: 87/4,499

tabulation: Freq. Value  
 939 0  
 1 150  
 1 350  
 1 520  
 1 700  
 2 2000  
 1 3400  
 1 3500  
 2 3600  
 1 3850  
 1 4200  
 1 4400  
 6 5000  
 1 5055  
 1 5200  
 1 6000  
 1 6200  
 1 6300  
 2 6500  
 1 7800  
 2 8500  
 1 9600  
 1 10000  
 1 11000  
 1 11500  
 1 12000  
 2 13000  
 1 20420

mean: 234.985  
 std. dev: 1434.92

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hald\_B Total claims/refunds/allowance of insurance type B (THB)**

---

type: numeric (long)  
 range: [0,24000] units: 10  
 unique values: 9 missing .: 3,436/4,499  
 unique missing codes: 4 missing \*: 58/4,499





tabulation:	Freq.	Value
	10	0
	1	150
	1	216
	1	300
	4	400
	2	450
	1	500
	1	550
	2	800
	1	810
	1	856
	2	900
	1	960
	7	1000
	1	1050
	6	1100
	15	1200
	3	1210
	4	1300
	1	1320
	2	1350
	4	1400
	4	1430
	3	1500
	1	1540
	1	2000
	1	2250
	3	2400
	6	2600
	1	2700
	1	2800
	3	3000
	2	3300
	1	3375
	2	3456
	11	3600
	3	3760
	1	3840
	3	3888
	2	3900
	3	4000
	1	4032
	1	4050
	2	4080
	3	4200
	2	4300
	3	4320
	4	4400
	2	4500
	2	4560
	2	4680
	9	4752
	11	4800
	5	4950
	1	4956
	1	5000
	2	5040
	1	5060
	1	5070
	1	5080
	7	5184
	4	5200
	1	5304
	1	5400
	3	5500
	2	5520
	2	5600
	4	5616
	1	5760
	3	5850
	1	5980

```

5 6000
1 6090
1 6300
1 6480
1 6500
1 6720
1 7000
1 7150
2 7200
1 7440
1 7700
1 8090
1 9000
2 9100
2 9600
1 10500
1 10640
1 10920
1 11200
3 11250
1 13200
1 16800
3,997 .
6 .a
257 .c
2 .d
mean: 3773.57
std. dev: 2717.85

percentiles:    10%    25%    50%    75%    90%
                 810    1210   3900   5184   6480

```

---

**halcb\_C Total premium of insurance paid by others outside the household (THB)**

---

```

type: numeric (long)
range: [0,4950]
unique values: 5
unique missing codes: 4
units: 1
missing .: 3,997/4,499
missing *: 48/4,499

tabulation: Freq. Value
             450 0
             1 216
             1 3000
             1 4752
             1 4950
3,997 .
6 .a
40 .c
2 .d
mean: 28.4537
std. dev: 350.852

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      0      0

```

---

**hald\_C Total claims/refunds/allowance of insurance type C (THB)**

---

```

type: numeric (long)
range: [0,120000]
unique values: 29
unique missing codes: 4
units: 100
missing .: 3,997/4,499
missing *: 63/4,499

```



```

tabulation:  Freq.  Value
              3,189  0
              733   1
              308   2
              146   3
               53   4
               19   5
                3   6
                6   7
                6  .a
               34  .c
                2  .d
    mean:     .483285
    std. dev: .943061

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2
    
```

---

**halca\_D** **Total premium of insurance paid by household members (THB)**

---

```

type: numeric (double)
range: [0,15000]
unique values: 84
unique missing codes: 4

units: 1
missing .: 3,189/4,499
missing *: 941/4,499
    
```

```

tabulation:  Freq.  Value
              17   0
               1  50
               1  80
               6 100
               1 150
              21 200
               1 220
               2 233
               2 240
               3 260
              26 300
               1 350
               5 360
               1 387
               2 390
              16 400
               2 420
               1 440
               8 450
               6 500
               3 550
              10 600
               1 630
               1 675
               3 700
               2 720
               1 780
               5 800
               4 813
               1 840
               2 850
               1 880
               1 890
              27 900
               1 915
               4 930
               1 950
               1 960
              23 1000
               5 1100
               7 1200
               1 1250
              11 1300
    
```

```

1 1330
1 1352
1 1380
1 1450
1 1480
2 1500
3 1600
1 1650
1 1688
2 1800
1 1870
9 2000
4 2040
2 2100
7 2200
2 2300
5 2400
11 2500
1 2800
21 3000
5 3500
1 3600
2 3900
5 4000
3 4500
1 4950
6 5000
2 5200
5 5500
5 6000
1 6350
1 7000
1 7500
1 8000
1 8400
3 9000
2 9350
5 10000
1 12000
1 13500
1 15000
3,189 .
6 .a
932 .c
3 .d
mean: 1784.59
std. dev: 2292.24

percentiles:    10%    25%    50%    75%    90%
                200    400    900    2300   4950

```

---

**halcb\_D            Total premium of insurance paid by others outside the household (THB)**

---

```

type: numeric (long)
range: [0,2000]
unique values: 6
unique missing codes: 4

units: 10
missing .: 3,189/4,499
missing *: 60/4,499

```

```

tabulation:  Freq.  Value
              1,244  0
              1    700
              1    900
              2   1000
              1   1250
              1   2000
            3,189  .
              6   .a
             50   .c
              4   .d
    mean:      5.48
  std. dev:   84.0573

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

---

**hald\_D** **Total claims/refunds/allowance of insurance type D (THB)**

---

```

type: numeric (long)

range: [0,122000]          units: 10
unique values: 7           missing .: 3,189/4,499
unique missing codes: 4   missing *: 48/4,499

tabulation:  Freq.  Value
              1,255  0
              1    320
              1    550
              1   40000
              1   82000
              2  120000
              1  122000
            3,189  .
              6   .a
             38   .c
              4   .d
    mean:      384.208
  std. dev:   6410.62

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

---

**hala\_E** **Insurance type E: BAAC cremation fund/saving cooperative/teacher fund (not displ**

---

```

type: string (str152), but longest is str0

unique values: 0           missing "": 4,499/4,499

tabulation:  Freq.  Value
              4,499  ""
    
```

---

**halb\_E** **Current number of insurance type E contract**

---

```

type: numeric (byte)

range: [0,5]          units: 1
unique values: 6       missing .: 0/4,499
unique missing codes: 3  missing *: 35/4,499
    
```

```

tabulation:  Freq.  Value
              3,256  0
              1,053  1
              132   2
              18   3
               4   4
               1   5
               6   .a
              27   .c
               2   .d
    mean:     .311828
    std. dev: .559668

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        1
    
```

**halca\_E Total premium of insurance paid by household members (THB)**

```

type: numeric (double)

range: [0,77000] units: 1
unique values: 142 missing.: 3,256/4,499
unique missing codes: 4 missing*: 203/4,499

mean: 4201.96
std. dev: 3662.09

percentiles:      10%      25%      50%      75%      90%
                  1600     2800     3900     4500     7000
    
```

**halcb\_E Total premium of insurance paid by others outside the household (THB)**

```

type: numeric (long)

range: [0,14500] units: 10
unique values: 25 missing.: 3,256/4,499
unique missing codes: 4 missing*: 51/4,499

tabulation:  Freq.  Value
              1,157  0
               1  1000
               2  1200
               2  1250
               2  1500
               1  1690
               1  2000
               1  2500
               2  3000
               1  3500
               1  3630
               1  3640
               1  3670
               1  3700
               5  4000
               1  4010
               1  4200
               1  4800
               2  5000
               1  5800
               2  7250
               1  7400
               2  8000
               1  9070
               1 14500
              3,256  .
               6   .a
              42   .c
               3   .d
    
```



mean: 125.428  
 std. dev: 864.688  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hald\_E Total claims/refunds/allowance of insurance type E (THB)**

---

type: numeric (long)  
 range: [0,300000] units: 1000  
 unique values: 7 missing .: 3,256/4,499  
 unique missing codes: 4 missing \*: 36/4,499

tabulation:	Freq.	Value
	1,199	0
	1	3000
	1	80000
	1	170000
	2	200000
	2	220000
	1	300000
	3,256	.
	6	.a
	27	.c
	3	.d

mean: 1154.1  
 std. dev: 15785.2  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hala\_F Insurance type F: One baht per day community welfare fund (not display)**

---

type: string (str152), but longest is str0  
 unique values: 0 missing "": 4,499/4,499

tabulation:	Freq.	Value
	4,499	" "

---

**halb\_F Current number of insurance type F contract**

---

type: numeric (byte)  
 range: [0,2] units: 1  
 unique values: 3 missing .: 0/4,499  
 unique missing codes: 3 missing \*: 27/4,499

tabulation:	Freq.	Value
	3,076	0
	1,394	1
	2	2
	6	.a
	19	.c
	2	.d

mean: .312612  
 std. dev: .464573  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 1 1

---

**halca\_F Total premium of insurance paid by household members (THB)**

---

```

type: numeric (double)
range: [0,720]
unique values: 42
unique missing codes: 4
units: 1
missing .: 3,076/4,499
missing *: 38/4,499

```

```

tabulation: Freq. Value
13 0
1 20
3 30
1 60
2 90
2 180
1 210
6 240
6 242
1 260
20 270
3 272
24 273
65 300
23 303
19 304
1 320
79 330
60 334
7 335
1 350
218 360
505 365
1 368
1 369
2 370
15 380
14 385
75 390
24 395
98 396
26 420
1 425
35 426
2 427
6 450
10 457
1 460
3 480
3 487
5 490
2 720
3,076 .
6 .a
28 .c
4 .d
mean: 355.776
std. dev: 57.3829

```

```

percentiles: 10% 25% 50% 75% 90%
300 360 365 365 396

```

---

**halcb\_F Total premium of insurance paid by others outside the household (THB)**

---

```

type: numeric (long)
range: [0,396]
unique values: 6
unique missing codes: 4
units: 1
missing .: 3,076/4,499
missing *: 29/4,499

```

```

tabulation:  Freq.  Value
              1,381  0
              1    270
              1    304
              1    360
              8    365
              2    396
            3,076  .
              6    .a
              18    .c
              5    .d
    mean:     3.33286
  std. dev:   34.5088

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

---

**hald\_F** **Total claims/refunds/allowance of insurance type F (THB)**

---

```

type: numeric (long)
range: [0,20000]          units: 100
unique values: 14         missing .: 3,076/4,499
unique missing codes: 4   missing *: 31/4,499
    
```

```

tabulation:  Freq.  Value
              1,377  0
              1    200
              2    300
              1    500
              1    700
              1    800
              1   1000
              2   1500
              1   9000
              1  10000
              1  12000
              1  15000
              1  17000
              1  20000
            3,076  .
              6    .a
              18    .c
              7    .d
    mean:     64.5115
  std. dev:   944.28

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

---

**hala\_G** **Insurance type G: Cremation village fund for household (not display)**

---

```

type: string (str152), but longest is str0
unique values: 0          missing "": 4,499/4,499

tabulation:  Freq.  Value
              4,499  ""
    
```

---

**halb\_G** **Current number of insurance type G contract**

---

```

type: numeric (byte)
    
```

range: [0,5] units: 1  
 unique values: 6 missing .: 0/4,499  
 unique missing codes: 3 missing \*: 19/4,499

tabulation: Freq. Value  
 3,302 0  
 1,093 1  
 59 2  
 22 3  
 3 4  
 1 5  
 6 .a  
 11 .c  
 2 .d  
 mean: .288839  
 std. dev: .523236

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 1 1

---

**halca\_G Total premium of insurance paid by household members (THB)**

---

type: numeric (double)

range: [0,20000] units: 1  
 unique values: 48 missing .: 3,302/4,499  
 unique missing codes: 4 missing \*: 988/4,499

tabulation: Freq. Value  
 8 0  
 1 50  
 4 100  
 2 120  
 2 150  
 1 180  
 16 200  
 1 225  
 1 240  
 4 250  
 7 300  
 2 350  
 4 360  
 11 400  
 4 450  
 16 500  
 4 550  
 7 600  
 1 650  
 3 700  
 5 750  
 4 800  
 1 850  
 2 900  
 1 960  
 21 1000  
 1 1080  
 8 1200  
 3 1300  
 2 1350  
 13 1500  
 1 1600  
 12 2000  
 2 2100  
 2 2200  
 3 2400  
 7 2500  
 1 2600  
 1 2700  
 4 3000  
 4 3500

```

          1 3960
          5 4000
          2 4500
          1 5500
          1 9000
          1 13000
          1 20000
    3,302 .
          6 .a
        979 .c
          3 .d
    mean: 1303.47
    std. dev: 1943.3

percentiles:      10%      25%      50%      75%      90%
                  200      360      800      1500     2700
    
```

**halcb\_G Total premium of insurance paid by others outside the household (THB)**

```

    type: numeric (long)
    range: [0,0]
    unique values: 1
    unique missing codes: 4
    units: 1
    missing .: 3,302/4,499
    missing *: 24/4,499

    tabulation: Freq. Value
                1,173 0
                3,302 .
                 6 .a
                 15 .c
                 3 .d
    mean: 0
    std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

**hald\_G Total claims/refunds/allowance of insurance type G (THB)**

```

    type: numeric (long)
    range: [0,30000]
    unique values: 7
    unique missing codes: 4
    units: 100
    missing .: 3,302/4,499
    missing *: 21/4,499

    tabulation: Freq. Value
                1,168 0
                 1 10500
                 1 12000
                 1 15000
                 3 20000
                 1 23000
                 1 30000
                3,302 .
                 6 .a
                 12 .c
                 3 .d
    mean: 127.976
    std. dev: 1621.4

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

**hala\_H Insurance type H: Others (not display)**

```

type: string (str152), but longest is str0
unique values: 0 missing "": 4,499/4,499
tabulation: Freq. Value
             4,499 ""
    
```

---

**halb\_H** **Current number of insurance type H contract**

---

```

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 4,457/4,499
unique missing codes: 2 missing *: 2/4,499
tabulation: Freq. Value
             1 0
             39 1
             4,457 .
             2 .c
mean: .975
std. dev: .158114
percentiles: 10% 25% 50% 75% 90%
              1 1 1 1 1
    
```

---

**halca\_H** **Total premium of insurance paid by household members (THB)**

---

```

type: numeric (double)
range: [0,8190] units: 1
unique values: 16 missing .: 4,458/4,499
unique missing codes: 2 missing *: 18/4,499
tabulation: Freq. Value
             3 0
             2 11
             4 12
             1 84
             1 200
             2 250
             1 300
             1 395
             1 600
             1 1120
             1 1200
             1 1320
             1 2500
             1 3500
             1 4100
             1 8190
             4,458 .
             18 .c
mean: 1046.91
std. dev: 1935.24
percentiles: 10% 25% 50% 75% 90%
              0 12 250 1200 3500
    
```

---

**halcb\_H** **Total premium of insurance paid by others outside the household (THB)**

---

```

type: numeric (long)
    
```

```

range: [0,4200] units: 100
unique values: 2 missing .: 4,458/4,499
unique missing codes: 2 missing *: 4/4,499

tabulation: Freq. Value
              36 0
              1 4200
            4,458 .
              4 .c
mean: 113.514
std. dev: 690.476

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

**hald\_H Total claims/refunds/allowance of insurance type H (THB)**

```

type: numeric (long)
range: [0,0] units: 1
unique values: 1 missing .: 4,458/4,499
unique missing codes: 2 missing *: 2/4,499

tabulation: Freq. Value
              39 0
            4,458 .
              2 .c
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

**hala\_I Insurance type I: Others**

```

type: string (str152), but longest is str51
unique values: 2 missing "": 4,497/4,499

tabulation: Freq. Value
            4,497 ""
              1 "อาชีพกิจกรรมทางหลวง"
              1 "ตตจ."
    
```

**halb\_I Current number of insurance type I contract**

```

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 4,497/4,499

tabulation: Freq. Value
              2 1
            4,497 .
mean: 1
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              1 1 1 1 1
    
```

**halca\_I Total premium of insurance paid by household members (THB)**

```

type: numeric (double)
    
```

```

range: [500,500] units: 100
unique values: 1 missing .: 4,497/4,499
unique missing codes: 2 missing *: 1/4,499

tabulation: Freq. Value
              1 500
            4,497 .
              1 .c
mean: 500
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              500 500 500 500 500
    
```

**halcb\_I Total premium of insurance paid by others outside the household (THB)**

```

type: numeric (long)
range: [0,0] units: 1
unique values: 1 missing .: 4,497/4,499

tabulation: Freq. Value
              2 0
            4,497 .
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

**hald\_I Total claims/refunds/allowance of insurance type I (THB)**

```

type: numeric (long)
range: [0,0] units: 1
unique values: 1 missing .: 4,497/4,499

tabulation: Freq. Value
              2 0
            4,497 .
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

**note Interviewer note**

```

type: string (str741), but longest is str0
unique values: 0 missing "": 4,499/4,499

tabulation: Freq. Value
            4,499 ""
    
```

**age Age of household member (year)**

```

type: numeric (double)
range: [.03,92.58] units: .0001
unique values: 938 missing .: 49/4,499
    
```



mean: 40.1841  
 std. dev: 20.2118  
 percentiles: 10% 25% 50% 75% 90%  
 10.41 24.58 42.25 56 64.915

**year\_survey** **year survey**

type: numeric (**float**)  
 range: [2017,2017] units: 1  
 unique values: 1 missing .: 0/4,499  
 tabulation: Freq. Value  
 4,499 2017  
 mean: 2017  
 std. dev: 0  
 percentiles: 10% 25% 50% 75% 90%  
 2017 2017 2017 2017 2017

**note\_cleaner** **Data cleaner note (not display)**

type: string (**str372**), but longest is str0  
 unique values: 0 missing "": 4,499/4,499  
 tabulation: Freq. Value  
 4,499 ""

**hh\_change** **Sample has moved so that its household structure changed**

type: numeric (**float**)  
 label: **hh\_change**  
 range: [0,1] units: 1  
 unique values: 2 missing .: 0/4,499  
 tabulation: Freq. Numeric Label  
 4,464 0 no  
 35 1 yes

**survey\_name** **survey round**

type: string (**str12**)  
 unique values: 1 missing "": 0/4,499  
 tabulation: Freq. Value  
 4,499 "RESURVEY2017"

**studyorwork\_hr\_perday**  
**How many hours per day do you spend on average studying or working (in the past**

type: numeric (**double**)  
 range: [0,17.5] units: .01  
 unique values: 62 missing .: 1/4,499  
 unique missing codes: 3 missing \*: 113/4,499

```

tabulation:  Freq.  Value
              798    0
               1   .17
               1   .25
               3   .33
              18   .5
               2   .75
             100    1
              25   1.5
             112    2
              31   2.5
             113    3
              44   3.5
             149    4
              33   4.5
             138    5
              41   5.5
               1   5.75
             114    6
              33   6.5
               1   6.67
             177    7
               1   7.17
             123   7.5
               1   7.67
               1   7.75
               2   7.82
             449    8
               2   8.17
               2   8.25
               1   8.32
             258   8.5
               1   8.67
               1   8.75
               4   8.82
             632    9
               1   9.17
               1   9.32
             182   9.5
               1   9.67
               1   9.82
             316   10
               1  10.1
              57  10.5
               1  10.6
             109  11
               1  11.2
              29  11.5
               1  11.7
             101  12
              24  12.5
              36  13
              14  13.5
              38  14
               1  14.3
              11  14.5
               1  14.6
              23  15
               6  15.5
               7  16
               1  16.5
               7  17
               1  17.5
               1  .
             107  .c
               6  .d

```

```

mean: 6.37979
std. dev: 4.07349

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        3        8        9       10.5

```

**sleep\_hr\_perday**

How many hours do you spend on average sleeping each day (in the past one month)

type: numeric (double)

range: [2,17] units: .01  
 unique values: 41 missing .: 12/4,499  
 unique missing codes: 4 missing \*: 151/4,499

tabulation:	Freq.	Value
	1	2
	1	2.5
	5	3
	3	3.5
	16	4
	12	4.5
	30	5
	32	5.5
	110	6
	99	6.5
	347	7
	1	7.25
	309	7.5
	2	7.75
	2	7.82
	915	8
	2	8.25
	1	8.32
	424	8.5
	2	8.67
	1	8.75
	934	9
	2	9.25
	363	9.5
	3	9.75
	1	9.82
	447	10
	2	10.1
	1	10.3
	108	10.5
	1	10.7
	96	11
	27	11.5
	19	12
	5	12.5
	1	12.6
	3	13
	1	13.5
	5	14
	1	15
	1	17
	12	.
	5	.a
	143	.c
	3	.d

mean: 8.51445  
 std. dev: 1.31183

percentiles:	10%	25%	50%	75%	90%
	7	8	8.5	9.5	10

**relaxinga\_hr\_perday**

In the past 1 month on school/work days, how many hours per day on average do yo

type: numeric (double)

range: [0,17.5] units: .01  
 unique values: 47 missing .: 12/4,499  
 unique missing codes: 4 missing \*: 181/4,499

tabulation: Freq. Value  
 979 0  
 2 .08  
 7 .17  
 1 .22  
 2 .25  
 6 .33  
 1 .42  
 170 .5  
 2 .58  
 1 .67  
 6 .75  
 1,603 1  
 1 1.16  
 1 1.25  
 1 1.41  
 184 1.5  
 652 2  
 148 2.5  
 214 3  
 1 3.04  
 60 3.5  
 1 3.75  
 62 4  
 29 4.5  
 58 5  
 1 5.25  
 23 5.5  
 1 5.67  
 21 6  
 14 6.5  
 1 6.75  
 1 6.82  
 14 7  
 6 7.5  
 11 8  
 2 8.5  
 1 9  
 4 10  
 1 10.5  
 2 11.5  
 3 12  
 1 12.5  
 2 13  
 1 13.5  
 1 13.7  
 2 14  
 1 17.5  
 12 .  
 5 .a  
 161 .c  
 15 .d  
 mean: 1.39935  
 std. dev: 1.50893

percentiles: 10% 25% 50% 75% 90%  
 0 .5 1 2 3

---

**relaxingb\_hr\_perday** Hours per day spent on recreational activities (on holidays)

---

type: numeric (double)  
 range: [0,22] units: .01  
 unique values: 55 missing .: 12/4,499  
 unique missing codes: 3 missing \*: 132/4,499

```

tabulation:  Freq.  Value
              1,762  0
                3   .08
                2   .17
                1   .42
               55   .5
                1   .58
              377   1
                1  1.33
               81  1.5
                1  1.75
              412  2
                1  2.13
             145  2.5
                1  2.75
             281  3
                1  3.32
               77  3.5
             124  4
               84  4.5
            163  5
               25  5.5
               50  6
               14  6.5
               16  7
                5  7.5
               43  8
                5  8.5
                7  9
                2  9.5
               43 10
                1 10.5
                3 11
                4 11.5
               21 12
               14 12.5
               54 13
               36 13.5
            117 14
                1 14.1
                2 14.2
               78 14.5
                1 14.7
            126 15
                1 15.3
               31 15.5
                1 15.7
               43 16
               13 16.5
                1 16.7
               11 17
                6 17.5
                3 18
                2 19
                1 20.5
                1 22
               12 .
            121 .c
               11 .d
    mean:      3.30224
  std. dev:   4.79341

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        4       14

```

---

**monthwork3\_1\_percent**  
 Percentage of the number of months that you performed the paid job 1 since the p

---

type: numeric (double)

range: [0,100]  
 unique values: 70  
 unique missing codes: 4

units: .01  
 missing .: 2,819/4,499  
 missing \*: 41/4,499

tabulation:	Freq.	Value
	3	0
	2	6.25
	1	6.67
	18	7.13
	37	7.69
	49	8.32
	29	9.09
	26	10
	13	11.1
	2	12.5
	8	14.2
	23	15.3
	22	16.6
	25	18.1
	1	18.7
	11	20
	4	21.4
	5	22.2
	14	23
	35	25
	14	27.2
	2	28.5
	1	30
	9	30.7
	1	31.2
	21	33.3
	4	35.7
	10	36.3
	8	38.4
	6	40
	10	41.6
	5	42.8
	3	44.4
	13	45.4
	6	46.1
	17	50
	1	53.3
	1	53.8
	11	54.5
	1	57.1
	5	58.3
	7	60
	4	61.5
	1	62.5
	6	63.6
	2	64.2
	8	66.6
	9	69.2
	3	70
	2	71.4
	11	72.7
	2	73.3
	14	75
	10	76.9
	3	77.7
	8	78.5
	6	80
	12	81.8
	9	83.3
	5	84.6
	10	85.7
	1	86.6
	5	88.8
	8	90
	16	90.9
	8	91.6
	9	92.3

```

          1  92.8
          1  93.3
        981 100
    2,819 .
          1  .a
          36  .c
           4  .d
    mean:   75.0031
    std. dev: 35.5591

    percentiles:      10%      25%      50%      75%      90%
                      10      41.6      100      100      100
    
```

**monthwork3\_2\_percent**

Percentage of the number of months that you performed the paid job 2 since the p

```

    type: numeric (double)
    range: [6.67,100]
    unique values: 46
    unique missing codes: 3
    units: .01
    missing .: 4,291/4,499
    missing *: 11/4,499
    
```

```

    tabulation: Freq. Value
                 1  6.67
                 5  7.13
                 9  7.69
                18  8.32
                13  9.09
                 9  10
                 1  11.1
                 1  12.5
                 3  14.2
                 1  15.3
                 7  16.6
                 2  18.1
                 3  20
                 2  21.4
                 2  22.2
                 1  23
                10  25
                 4  27.2
                 1  30
                 3  30.7
                 2  33.3
                 1  35.7
                 1  36.3
                 1  38.4
                 1  40
                 3  41.6
                 1  42.8
                 2  45.4
                 1  46.1
                 4  50
                 1  55.5
                 3  58.3
                 1  61.5
                 2  68.7
                 1  69.2
                 1  71.4
                 1  72.7
                 1  75
                 1  80
                 1  81.8
                 1  83.3
                 2  84.6
                 1  85.7
                 1  91.6
                 3  92.3
                 63 100
    4,291 .
    
```

```

          1 .a
          10 .c
    mean:  50.5688
    std. dev: 39.4244

    percentiles:      10%      25%      50%      75%      90%
                     8.32      10      35.7      100      100
    
```

**monthwork3\_3\_percent**  
**Percentage of the number of months that you performed the paid job 3 since the p**

```

    type: numeric (double)

    range: [10,100]
    unique values: 5
    unique missing codes: 2

    tabulation: Freq. Value
                 1 10
                 4 16.6
                 1 27.2
                 1 54.5
                 3 100
                4,488 .
                 1 .c
    mean: 45.81
    std. dev: 39.3372

    percentiles:      10%      25%      50%      75%      90%
                     13.3     16.6     21.9     100     100
    
```

**jobs\_number** **Total number of jobs of each household member**

```

    type: numeric (float)

    range: [0,6]
    unique values: 7
    unique missing codes: 2

    tabulation: Freq. Value
                 1,272 0
                 883 1
                1,373 2
                 791 3
                 153 4
                 12 5
                 1 6
                 1 .
                 13 .d
    mean: 1.48941
    std. dev: 1.18803

    percentiles:      10%      25%      50%      75%      90%
                     0         0         2         2         3
    
```

**earning\_permonth** **Total earnings per month of each household member (THB)**

```

    type: numeric (float)

    range: [14.29,100000]
    unique values: 650
    unique missing codes: 4

    mean: 6266.31
    std. dev: 7206.05

    percentiles:      10%      25%      50%      75%      90%
                     0         0         2         2         3
    
```



percentiles:	10%	25%	50%	75%	90%
	<b>323.08</b>	<b>1050</b>	<b>5000</b>	<b>8960</b>	<b>13000</b>

2 . log close  
name: <unnamed>  
log: Z:\\RIECE DATA\\RIECE\_RELEASE V3-2017-2018/codebook\\2017\\a1.sml  
log type: smcl  
closed on: 3 Oct 2024, 11:35:14

---