



```

name: <unnamed>
log: Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\a14.smcl
log type: smcl
opened on: 3 Oct 2024, 13:32:40
    
```

1 . codebookr \_all,all

```

Dataset: Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\a14_run.dta
Last saved: 3 Oct 2024 13:32
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 102
Number of observations: 1,273
Size: 397,176 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI
    
```

---

**hhid** **household id**

---

```

type: string (str15)
unique values: 1,266 missing "": 0/1,273
examples: "201591160605216"
           "201691131006008"
           "201691160105068"
           "201691161706110"
    
```

---

**iyear** **year**

---

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/1,273
tabulation: Freq. Value
              460 "2015"
              813 "2016"
    
```

---

**prov** **province**

---

```

type: string (str2)
    
```

unique values: 2 missing "": 0/1,273  
 tabulation: Freq. Value  
                   1,149 "91"  
                   124 "93"

**amp** **amphoe**

type: string (**str2**)  
 unique values: 8 missing "": 0/1,273  
 tabulation: Freq. Value  
                   1 "09"  
                   124 "12"  
                   227 "13"  
                   108 "14"  
                   124 "15"  
                   477 "16"  
                   31 "17"  
                   181 "18"

**tam** **tambon**

type: string (**str2**)  
 unique values: 15 missing "": 0/1,273  
 tabulation: Freq. Value  
                   57 "01"  
                   204 "02"  
                   105 "04"  
                   52 "05"  
                   50 "06"  
                   56 "07"  
                   49 "08"  
                   85 "09"  
                   116 "10"  
                   73 "11"  
                   125 "13"  
                   43 "14"  
                   129 "15"  
                   85 "17"  
                   44 "19"

**moo** **moo**

type: string (**str2**)  
 unique values: 22 missing "": 0/1,273  
 tabulation: Freq. Value  
                   126 "01"  
                   57 "02"  
                   123 "03"  
                   141 "04"  
                   114 "05"  
                   138 "06"  
                   63 "07"  
                   132 "08"  
                   80 "09"  
                   64 "10"  
                   45 "11"  
                   37 "12"  
                   37 "13"  
                   10 "14"

```

9 "15"
33 "16"
8 "17"
11 "18"
24 "19"
1 "20"
14 "22"
6 "24"

```

---

**strucid** **structure ID**

---

```

type: string (str3)
unique values: 185           missing "": 0/1,273
examples: "010"
           "035"
           "070"
           "142"

```

---

**memberid** **memberID**

---

```

type: string (str5), but longest is str2
unique values: 10           missing "": 0/1,273
unique missing codes: 2     missing *: 13/1,273
tabulation:  Freq.  Value
              518  "H2"
              479  "H3"
              141  "H4"
               76  "H5"
               25  "H6"
               17  "H7"
                 3  "H8"
                 1  "H9"
                 2  "NA"
               11  "RF"

```

---

**nickname** **Nickname (unavailable)**

---

```

type: string (str45), but longest is str0
unique values: 0           missing "": 1,273/1,273
tabulation:  Freq.  Value
              1,273  ""

```

---

**gender** **gender**

---

```

type: numeric (byte)
label: gender
range: [1,3]           units: 1
unique values: 2       missing .: 11/1,273
tabulation:  Freq.  Numeric  Label
              143     1      Male
              1,119   3      Female
               11     .

```

---

**age** **(unlabeled)**

---

```

type: numeric (double)
range: [16.07,87.75]          units: .01
unique values: 536           missing .: 11/1,273
unique missing codes: 2     missing *: 5/1,273

mean: 47.7961
std. dev: 13.2192

percentiles:      10%      25%      50%      75%      90%
                  28.4     37.58    49.58    57       64.16
    
```

---

**cf1** **The interviewer will read 10 words. Could you attentively listen and memorize th**

---

```

type: string (str1)
unique values: 3           missing "": 11/1,273

tabulation:  Freq.  Value
              11    ""
              472   "A"
              458   "B"
              332   "C"
    
```

---

**cf1a\_1** **bael fruit**

---

```

type: numeric (byte)
label: cf1a_1
range: [0,1]          units: 1
unique values: 2     missing .: 801/1,273

tabulation:  Freq.  Numeric  Label
              125    0    respondent can't remember
              347    1    Respondent can remember
              801    .
    
```

---

**cf1a\_2** **score : 41**

---

```

type: numeric (byte)
label: cf1a_2
range: [0,1]          units: 1
unique values: 2     missing .: 801/1,273

tabulation:  Freq.  Numeric  Label
              198    0    respondent can't remember
              274    1    Respondent can remember
              801    .
    
```

---

**cf1a\_3** **score : 41**

---

```

type: numeric (byte)
label: cf1a_3
range: [0,1]          units: 1
unique values: 2     missing .: 801/1,273
    
```

```

tabulation:  Freq.  Numeric  Label
              167      0  respondent can't remember
              305      1  Respondent can remember
              801      .
    
```

**cf1a\_4** **score : กะทิ**

```

      type: numeric (byte)
      label: cf1a_4

      range: [0,1]                units: 1
unique values: 2                  missing .: 801/1,273

      tabulation:  Freq.  Numeric  Label
                   374      0  respondent can't remember
                   98       1  Respondent can remember
                   801      .
    
```

**cf1a\_5** **score : สีม่วง**

```

      type: numeric (byte)
      label: cf1a_5

      range: [0,1]                units: 1
unique values: 2                  missing .: 801/1,273

      tabulation:  Freq.  Numeric  Label
                   303      0  respondent can't remember
                   169      1  Respondent can remember
                   801      .
    
```

**cf1a\_6** **score : ทองฟ้า**

```

      type: numeric (byte)
      label: cf1a_6

      range: [0,1]                units: 1
unique values: 2                  missing .: 801/1,273

      tabulation:  Freq.  Numeric  Label
                   381      0  respondent can't remember
                   91       1  Respondent can remember
                   801      .
    
```

**cf1a\_7** **score : ไข่**

```

      type: numeric (byte)
      label: cf1a_7

      range: [0,1]                units: 1
unique values: 2                  missing .: 801/1,273

      tabulation:  Freq.  Numeric  Label
                   341      0  respondent can't remember
                   131      1  Respondent can remember
                   801      .
    
```

**cf1a\_8** **score : เค้ก**

```

      type: numeric (byte)
      label: cf1a_8
    
```

range: [0,1] units: 1  
 unique values: 2 missing .: 801/1,273

tabulation:	Freq.	Numeric	Label
	352	0	respondent can't remember
	120	1	Respondent can remember
	801	.	

**cf1a\_9** score : ๑๗๗

type: numeric (byte)  
 label: **cf1a\_9**

range: [0,1] units: 1  
 unique values: 2 missing .: 801/1,273

tabulation:	Freq.	Numeric	Label
	327	0	respondent can't remember
	145	1	Respondent can remember
	801	.	

**cf1a\_10** score : ๒๖๒

type: numeric (byte)  
 label: **cf1a\_10**

range: [0,1] units: 1  
 unique values: 2 missing .: 801/1,273

tabulation:	Freq.	Numeric	Label
	317	0	respondent can't remember
	155	1	Respondent can remember
	801	.	

**cf1b\_1** score : ๓๓๗

type: numeric (byte)  
 label: **cf1b\_1**

range: [0,1] units: 1  
 unique values: 2 missing .: 815/1,273

tabulation:	Freq.	Numeric	Label
	62	0	respondent can't remember
	396	1	Respondent can remember
	815	.	

**cf1b\_2** score : ๕๕๐

type: numeric (byte)  
 label: **cf1b\_2**

range: [0,1] units: 1  
 unique values: 2 missing .: 815/1,273

tabulation:	Freq.	Numeric	Label
	273	0	respondent can't remember
	185	1	Respondent can remember
	815	.	

**cf1b\_3** stairs

```

type: numeric (byte)
label: cf1b_3

range: [0,1]
unique values: 2
units: 1
missing .. 815/1,273

tabulation: Freq. Numeric Label
             243      0 respondent can't remember
             215      1 Respondent can remember
             815      .
    
```

---

**cf1b\_4** **score : โฉน**

---

```

type: numeric (byte)
label: cf1b_4

range: [0,1]
unique values: 2
units: 1
missing .. 815/1,273

tabulation: Freq. Numeric Label
             256      0 respondent can't remember
             202      1 Respondent can remember
             815      .
    
```

---

**cf1b\_5** **blue**

---

```

type: numeric (byte)
label: cf1b_5

range: [0,1]
unique values: 2
units: 1
missing .. 815/1,273

tabulation: Freq. Numeric Label
             237      0 respondent can't remember
             221      1 Respondent can remember
             815      .
    
```

---

**cf1b\_6** **score : พระจันทร์**

---

```

type: numeric (byte)
label: cf1b_6

range: [0,1]
unique values: 2
units: 1
missing .. 815/1,273

tabulation: Freq. Numeric Label
             394      0 respondent can't remember
             64       1 Respondent can remember
             815      .
    
```

---

**cf1b\_7** **pillar**

---

```

type: numeric (byte)
label: cf1b_7

range: [0,1]
unique values: 2
units: 1
missing .. 815/1,273

tabulation: Freq. Numeric Label
             294      0 respondent can't remember
             164      1 Respondent can remember
             815      .
    
```

---

**cf1b\_8** **score : เพลิดเพลิน**

---

```

type: numeric (byte)
label: cf1b_8

range: [0,1]
unique values: 2
units: 1
missing ..: 815/1,273

tabulation: Freq.  Numeric  Label
              242      0  respondent can't remember
              216      1  Respondent can remember
              815      .
    
```

---

**cf1b\_9** **pan**

---

```

type: numeric (byte)
label: cf1b_9

range: [0,1]
unique values: 2
units: 1
missing ..: 815/1,273

tabulation: Freq.  Numeric  Label
              169      0  respondent can't remember
              289      1  Respondent can remember
              815      .
    
```

---

**cf1b\_10** **score : ดี**

---

```

type: numeric (byte)
label: cf1b_10

range: [0,1]
unique values: 2
units: 1
missing ..: 815/1,273

tabulation: Freq.  Numeric  Label
              284      0  respondent can't remember
              174      1  Respondent can remember
              815      .
    
```

---

**cf1c\_1** **score : ดี**

---

```

type: numeric (byte)
label: cf1c_1

range: [0,1]
unique values: 2
units: 1
missing ..: 941/1,273

tabulation: Freq.  Numeric  Label
              100      0  respondent can't remember
              232      1  Respondent can remember
              941      .
    
```

---

**cf1c\_2** **score : ดี**

---

```

type: numeric (byte)
label: cf1c_2

range: [0,1]
unique values: 2
units: 1
missing ..: 941/1,273
    
```



```

tabulation:  Freq.  Numeric  Label
              152      0  respondent can't remember
              180      1  Respondent can remember
              941      .
    
```

---

**cf1c\_3** **score : 1771**

---

```

      type: numeric (byte)
      label: cf1c_3

      range: [0,1]          units: 1
unique values: 2          missing .: 941/1,273

      tabulation:  Freq.  Numeric  Label
                   223      0  respondent can't remember
                   109      1  Respondent can remember
                   941      .
    
```

---

**cf1c\_4** **score : 10**

---

```

      type: numeric (byte)
      label: cf1c_4

      range: [0,1]          units: 1
unique values: 2          missing .: 941/1,273

      tabulation:  Freq.  Numeric  Label
                   190      0  respondent can't remember
                   142      1  Respondent can remember
                   941      .
    
```

---

**cf1c\_5** **score : 1110**

---

```

      type: numeric (byte)
      label: cf1c_5

      range: [0,1]          units: 1
unique values: 2          missing .: 941/1,273

      tabulation:  Freq.  Numeric  Label
                   172      0  respondent can't remember
                   160      1  Respondent can remember
                   941      .
    
```

---

**cf1c\_6** **score : 1104**

---

```

      type: numeric (byte)
      label: cf1c_6

      range: [0,1]          units: 1
unique values: 2          missing .: 941/1,273

      tabulation:  Freq.  Numeric  Label
                   229      0  respondent can't remember
                   103      1  Respondent can remember
                   941      .
    
```

---

**cf1c\_7** **stone**

---

```

      type: numeric (byte)
      label: cf1c_7
    
```

range: [0,1] units: 1  
 unique values: 2 missing .: 941/1,273

tabulation:	Freq.	Numeric	Label
	222	0	respondent can't remember
	110	1	Respondent can remember
	941	.	

**cf1c\_8** **score : อินคิง**

type: numeric (byte)  
 label: **cf1c\_8**

range: [0,1] units: 1  
 unique values: 2 missing .: 941/1,273

tabulation:	Freq.	Numeric	Label
	181	0	respondent can't remember
	151	1	Respondent can remember
	941	.	

**cf1c\_9** **score : ต้นไม้**

type: numeric (byte)  
 label: **cf1c\_9**

range: [0,1] units: 1  
 unique values: 2 missing .: 941/1,273

tabulation:	Freq.	Numeric	Label
	199	0	respondent can't remember
	133	1	Respondent can remember
	941	.	

**cf1c\_10** **score : ส้ม**

type: numeric (byte)  
 label: **cf1c\_10**

range: [0,1] units: 1  
 unique values: 2 missing .: 941/1,273

tabulation:	Freq.	Numeric	Label
	175	0	respondent can't remember
	157	1	Respondent can remember
	941	.	

**cf2\_1** **CF2 From 100, if you subtract 7, how much will be left?**

type: numeric (byte)  
 label: **cf2\_1**

range: [0,1] units: 1  
 unique values: 2 missing .: 11/1,273

tabulation:	Freq.	Numeric	Label
	152	0	incorrect
	1,110	1	correct
	11	.	

**cf2\_2** **If you subtract another 7, how much will be left?**

```

      type: numeric (byte)
      label: cf2_2
      range: [0,1]
unique values: 2
                        units: 1
                        missing .: 100/1,273

      tabulation: Freq.  Numeric  Label
                  588      0  incorrect
                  585      1  correct
                  100      .
    
```

**cf2\_3** If you subtract another 7, how much will be left?

```

      type: numeric (byte)
      label: cf2_3
      range: [0,1]
unique values: 2
                        units: 1
                        missing .: 279/1,273

      tabulation: Freq.  Numeric  Label
                  444      0  incorrect
                  550      1  correct
                  279      .
    
```

**cf2\_4** If you subtract another 7, how much will be left?

```

      type: numeric (byte)
      label: cf2_4
      range: [0,1]
unique values: 2
                        units: 1
                        missing .: 381/1,273

      tabulation: Freq.  Numeric  Label
                  398      0  incorrect
                  494      1  correct
                  381      .
    
```

**cf2\_5** If you subtract another 7, how much will be left?

```

      type: numeric (byte)
      label: cf2_5
      range: [0,1]
unique values: 2
                        units: 1
                        missing .: 441/1,273

      tabulation: Freq.  Numeric  Label
                  341      0  incorrect
                  491      1  correct
                  441      .
    
```

**ac1** 1.1 Exercise or do light physical work, such as doing a little house cleaning ,

```

      type: numeric (byte)
      label: ac1
      range: [1,7]
unique values: 7
                        units: 1
                        missing .: 11/1,273
    
```

```

tabulation:  Freq.  Numeric  Label
              7       1  Did not do
              3       2  Less than once a month
             16       3  1-2 times a month
             62       4  1-2 times a week
             74       5  3-4 times a week
             24       6  5-6 times a week
            1,076     7  Every day
              11       .
    
```

**ac2 Exercise intensively or physical activity that uses a lot of strength, such as p**

```

type: numeric (byte)
label: ac2

range: [1,7]          units: 1
unique values: 7      missing .. 11/1,273
    
```

```

tabulation:  Freq.  Numeric  Label
              156     1  Did not do
              37      2  Less than once a month
              98      3  1-2 times a month
             209     4  1-2 times a week
             136     5  3-4 times a week
              44      6  5-6 times a week
             582     7  Every day
              11      .
    
```

**ac3 Meet with friends, relatives**

```

type: numeric (byte)
label: ac3

range: [1,7]          units: 1
unique values: 7      missing .. 11/1,273
    
```

```

tabulation:  Freq.  Numeric  Label
              33      1  Did not do
              52      2  Less than once a month
              80      3  1-2 times a month
             172     4  1-2 times a week
             101     5  3-4 times a week
              31      6  5-6 times a week
             793     7  Every day
              11      .
    
```

**ac4 1.4 Travel and relax, such as going to the zoo, sea, or mountains**

```

type: numeric (byte)
label: ac4

range: [1,7]          units: 1
unique values: 6      missing .. 11/1,273
    
```

```

tabulation:  Freq.  Numeric  Label
             903     1  Did not do
            306     2  Less than once a month
              44     3  1-2 times a month
               5     4  1-2 times a week
               2     5  3-4 times a week
               2     7  Every day
              11     .
    
```

---

**ac5 1.5 Go to department stores such as Big C, Tesco Lotus, Sermthai Complex. Sermth**

---

```

type: numeric (byte)
label: ac5

range: [1,7]          units: 1
unique values: 7      missing .. 11/1,273

tabulation: Freq.  Numeric  Label
             395      1      Did not do
             317      2      Less than once a month
             366      3      1-2 times a month
             135      4      1-2 times a week
              29      5      3-4 times a week
               8      6      5-6 times a week
              12      7      Every day
              11      .
    
```

---

**ac6 Volunteer work within the community**

---

```

type: numeric (byte)
label: ac6

range: [1,7]          units: 1
unique values: 7      missing .. 11/1,273

tabulation: Freq.  Numeric  Label
             819      1      Did not do
             211      2      Less than once a month
             163      3      1-2 times a month
              49      4      1-2 times a week
               5      5      3-4 times a week
               3      6      5-6 times a week
              12      7      Every day
              11      .
    
```

---

**ac7 1.7 Read books, attend training or study new area of knowledge (excluding readin**

---

```

type: numeric (byte)
label: ac7

range: [1,7]          units: 1
unique values: 7      missing .. 11/1,273

tabulation: Freq.  Numeric  Label
             916      1      Did not do
             116      2      Less than once a month
             131      3      1-2 times a month
              53      4      1-2 times a week
              22      5      3-4 times a week
               3      6      5-6 times a week
              21      7      Every day
              11      .
    
```

---

**ac8 take care of others who are sick**

---

```

type: numeric (byte)
label: ac8

range: [1,7]          units: 1
unique values: 7      missing .. 11/1,273
    
```

```

tabulation:  Freq.  Numeric  Label
              949      1  Did not do
              80       2  Less than once a month
              59       3  1-2 times a month
              37       4  1-2 times a week
              13       5  3-4 times a week
               5       6  5-6 times a week
             119       7  Every day
              11       .
    
```

**ac9 1.9 Take care of children in the family (under 15 years old)**

```

type: numeric (byte)
label: ac9

range: [1,7]          units: 1
unique values: 5      missing .. 11/1,273
    
```

```

tabulation:  Freq.  Numeric  Label
              10      1  Did not do
               1      2  Less than once a month
               5      4  1-2 times a week
               3      5  3-4 times a week
            1,243     7  Every day
               11     .
    
```

**ac10 1.10 Work to support the family**

```

type: numeric (byte)
label: ac10

range: [1,7]          units: 1
unique values: 7      missing .. 11/1,273
    
```

```

tabulation:  Freq.  Numeric  Label
              405     1  Did not do
               41     2  Less than once a month
               61     3  1-2 times a month
               65     4  1-2 times a week
               43     5  3-4 times a week
               41     6  5-6 times a week
              606     7  Every day
               11     .
    
```

**ac11 1.11 Surf the internet or use Facebook, social media**

```

type: numeric (byte)
label: ac11

range: [1,7]          units: 1
unique values: 7      missing .. 11/1,273
    
```

```

tabulation:  Freq.  Numeric  Label
              862     1  Did not do
               4      2  Less than once a month
              16      3  1-2 times a month
              52      4  1-2 times a week
              51      5  3-4 times a week
              10      6  5-6 times a week
             267     7  Every day
              11     .
    
```

**ac12 1.12 Do religious activities such as praying, listening to sermons, meditating,**

```

type: numeric (byte)
label: ac12
range: [1,7]
unique values: 7
units: 1
missing .. 12/1,273

```

tabulation:	Freq.	Numeric	Label
	216	1	Did not do
	168	2	Less than once a month
	308	3	1-2 times a month
	356	4	1-2 times a week
	66	5	3-4 times a week
	17	6	5-6 times a week
	130	7	Every day
	12	.	.

---

**cf4 Just a moment ago, the interviewer has read 10 words. Which words do you remembe**

---

```

type: string (str1)
unique values: 3
missing "": 11/1,273

```

tabulation:	Freq.	Value
	11	" "
	472	"A"
	458	"B"
	332	"C"

---

**cf4a\_1 bael fruit**

---

```

type: numeric (byte)
label: cf4a_1
range: [0,1]
unique values: 2
units: 1
missing .. 801/1,273

```

tabulation:	Freq.	Numeric	Label
	262	0	respondent can't remember
	210	1	Respondent can remember
	801	.	.

---

**cf4a\_2 score : 41**

---

```

type: numeric (byte)
label: cf4a_2
range: [0,1]
unique values: 2
units: 1
missing .. 801/1,273

```

tabulation:	Freq.	Numeric	Label
	304	0	respondent can't remember
	168	1	Respondent can remember
	801	.	.

---

**cf4a\_3 score : 41**

---

```

type: numeric (byte)
label: cf4a_3
range: [0,1]
unique values: 2
units: 1
missing .. 801/1,273

```

```

tabulation:  Freq.  Numeric  Label
              279      0  respondent can't remember
              193      1  Respondent can remember
              801      .
    
```

**cf4a\_4** **score : กะทิ**

```

type: numeric (byte)
label: cf4a_4

range: [0,1]          units: 1
unique values: 2      missing .: 801/1,273

tabulation:  Freq.  Numeric  Label
              405      0  respondent can't remember
              67       1  Respondent can remember
              801      .
    
```

**cf4a\_5** **score : สีม่วง**

```

type: numeric (byte)
label: cf4a_5

range: [0,1]          units: 1
unique values: 2      missing .: 801/1,273

tabulation:  Freq.  Numeric  Label
              338      0  respondent can't remember
              134      1  Respondent can remember
              801      .
    
```

**cf4a\_6** **score : ทองฟ้า**

```

type: numeric (byte)
label: cf4a_6

range: [0,1]          units: 1
unique values: 2      missing .: 801/1,273

tabulation:  Freq.  Numeric  Label
              412      0  respondent can't remember
              60       1  Respondent can remember
              801      .
    
```

**cf4a\_7** **score : ไข่**

```

type: numeric (byte)
label: cf4a_7

range: [0,1]          units: 1
unique values: 2      missing .: 801/1,273

tabulation:  Freq.  Numeric  Label
              397      0  respondent can't remember
              75       1  Respondent can remember
              801      .
    
```

**cf4a\_8** **score : เค้ก**

```

type: numeric (byte)
label: cf4a_8
    
```



range: [0,1] units: 1  
 unique values: 2 missing .: 801/1,273

tabulation:	Freq.	Numeric	Label
	363	0	respondent can't remember
	109	1	Respondent can remember
	801	.	

**cf4a\_9** **score : 0000**

type: numeric (byte)  
 label: cf4a\_9

range: [0,1] units: 1  
 unique values: 2 missing .: 801/1,273

tabulation:	Freq.	Numeric	Label
	395	0	respondent can't remember
	77	1	Respondent can remember
	801	.	

**cf4a\_10** **score : 0000**

type: numeric (byte)  
 label: cf4a\_10

range: [0,1] units: 1  
 unique values: 2 missing .: 801/1,273

tabulation:	Freq.	Numeric	Label
	392	0	respondent can't remember
	80	1	Respondent can remember
	801	.	

**cf4b\_1** **score : 0000**

type: numeric (byte)  
 label: cf4b\_1

range: [0,1] units: 1  
 unique values: 2 missing .: 814/1,273

tabulation:	Freq.	Numeric	Label
	176	0	respondent can't remember
	283	1	Respondent can remember
	814	.	

**cf4b\_2** **score : 0000**

type: numeric (byte)  
 label: cf4b\_2

range: [0,1] units: 1  
 unique values: 2 missing .: 814/1,273

tabulation:	Freq.	Numeric	Label
	346	0	respondent can't remember
	113	1	Respondent can remember
	814	.	

**cf4b\_3** **stairs**

```

type: numeric (byte)
label: cf4b_3

range: [0,1]
unique values: 2
units: 1
missing .. 814/1,273

tabulation: Freq. Numeric Label
              299      0 respondent can't remember
              160      1 Respondent can remember
              814      .
    
```

**cf4b\_4** **score : โฉน**

```

type: numeric (byte)
label: cf4b_4

range: [0,1]
unique values: 2
units: 1
missing .. 814/1,273

tabulation: Freq. Numeric Label
              320      0 respondent can't remember
              139      1 Respondent can remember
              814      .
    
```

**cf4b\_5** **blue**

```

type: numeric (byte)
label: cf4b_5

range: [0,1]
unique values: 2
units: 1
missing .. 814/1,273

tabulation: Freq. Numeric Label
              284      0 respondent can't remember
              175      1 Respondent can remember
              814      .
    
```

**cf4b\_6** **score : พระจันทร์**

```

type: numeric (byte)
label: cf4b_6

range: [0,1]
unique values: 2
units: 1
missing .. 814/1,273

tabulation: Freq. Numeric Label
              417      0 respondent can't remember
              42       1 Respondent can remember
              814      .
    
```

**cf4b\_7** **pillar**

```

type: numeric (byte)
label: cf4b_7

range: [0,1]
unique values: 2
units: 1
missing .. 814/1,273

tabulation: Freq. Numeric Label
              363      0 respondent can't remember
              96       1 Respondent can remember
              814      .
    
```

---

**cf4b\_8** **score : เพลิดเพลิน**

---

```

type: numeric (byte)
label: cf4b_8

range: [0,1]
unique values: 2
units: 1
missing .. 814/1,273

tabulation: Freq.  Numeric  Label
              315      0  respondent can't remember
              144      1  Respondent can remember
              814      .
    
```

---

**cf4b\_9** **pan**

---

```

type: numeric (byte)
label: cf4b_9

range: [0,1]
unique values: 2
units: 1
missing .. 814/1,273

tabulation: Freq.  Numeric  Label
              297      0  respondent can't remember
              162      1  Respondent can remember
              814      .
    
```

---

**cf4b\_10** **score : ดีมาก**

---

```

type: numeric (byte)
label: cf4b_10

range: [0,1]
unique values: 2
units: 1
missing .. 814/1,273

tabulation: Freq.  Numeric  Label
              342      0  respondent can't remember
              117      1  Respondent can remember
              814      .
    
```

---

**cf4c\_1** **score : ดี**

---

```

type: numeric (byte)
label: cf4c_1

range: [0,1]
unique values: 2
units: 1
missing .. 941/1,273

tabulation: Freq.  Numeric  Label
              194      0  respondent can't remember
              138      1  Respondent can remember
              941      .
    
```

---

**cf4c\_2** **score : ดี**

---

```

type: numeric (byte)
label: cf4c_2

range: [0,1]
unique values: 2
units: 1
missing .. 941/1,273
    
```

```

tabulation:  Freq.  Numeric  Label
              212      0  respondent can't remember
              120      1  Respondent can remember
              941      .
    
```

---

**cf4c\_3** **score : 1771**

---

```

      type: numeric (byte)
      label: cf4c_3

      range: [0,1]          units: 1
unique values: 2          missing .: 941/1,273

      tabulation:  Freq.  Numeric  Label
                   261      0  respondent can't remember
                   71      1  Respondent can remember
                   941      .
    
```

---

**cf4c\_4** **score : 70**

---

```

      type: numeric (byte)
      label: cf4c_4

      range: [0,1]          units: 1
unique values: 2          missing .: 941/1,273

      tabulation:  Freq.  Numeric  Label
                   232      0  respondent can't remember
                   100      1  Respondent can remember
                   941      .
    
```

---

**cf4c\_5** **score : 1110**

---

```

      type: numeric (byte)
      label: cf4c_5

      range: [0,1]          units: 1
unique values: 2          missing .: 941/1,273

      tabulation:  Freq.  Numeric  Label
                   201      0  respondent can't remember
                   131      1  Respondent can remember
                   941      .
    
```

---

**cf4c\_6** **score : 1104**

---

```

      type: numeric (byte)
      label: cf4c_6

      range: [0,1]          units: 1
unique values: 2          missing .: 941/1,273

      tabulation:  Freq.  Numeric  Label
                   277      0  respondent can't remember
                   55      1  Respondent can remember
                   941      .
    
```

---

**cf4c\_7** **stone**

---

```

      type: numeric (byte)
      label: cf4c_7
    
```

```

range: [0,1] units: 1
unique values: 2 missing .: 941/1,273

tabulation: Freq. Numeric Label
             280      0 respondent can't remember
             52      1 Respondent can remember
             941      .
    
```

**cf4c\_8** **score : อินดีช**

```

type: numeric (byte)
label: cf4c_8

range: [0,1] units: 1
unique values: 2 missing .: 941/1,273

tabulation: Freq. Numeric Label
             249      0 respondent can't remember
             83      1 Respondent can remember
             941      .
    
```

**cf4c\_9** **score : ต้นไม้**

```

type: numeric (byte)
label: cf4c_9

range: [0,1] units: 1
unique values: 2 missing .: 941/1,273

tabulation: Freq. Numeric Label
             250      0 respondent can't remember
             82      1 Respondent can remember
             941      .
    
```

**cf4c\_10** **score : สัม**

```

type: numeric (byte)
label: cf4c_10

range: [0,1] units: 1
unique values: 2 missing .: 941/1,273

tabulation: Freq. Numeric Label
             252      0 respondent can't remember
             80      1 Respondent can remember
             941      .
    
```

**cf6** **6. At what level are you satisfied with your own health? (HS)**

```

type: numeric (byte)
label: cf6

range: [1,7] units: 1
unique values: 7 missing .: 11/1,273
    
```

```

tabulation:  Freq.  Numeric  Label
              10       1  Very dissatisfied
              59       2  Dissatisfied
              72       3  Quite dissatisfied
             413       4  Moderate
             107       5  Quite satisfied
             397       6  Satisfied
             204       7  Very satisfied
              11       .
    
```

---

**cf7**                    **7. At what level are you satisfied with your financial situation? (IS)**

---

```

type: numeric (byte)
label: cf7

range: [1,7]                    units: 1
unique values: 7                missing .. 11/1,273
    
```

```

tabulation:  Freq.  Numeric  Label
              21       1  Very dissatisfied
             122       2  Dissatisfied
             122       3  Quite dissatisfied
             500       4  Moderate
             119       5  Quite satisfied
             303       6  Satisfied
              75       7  Very satisfied
              11       .
    
```

---

**cf8**                    **8. At what level are you satisfied with your free time? (LS)**

---

```

type: numeric (byte)
label: cf8

range: [1,7]                    units: 1
unique values: 7                missing .. 11/1,273
    
```

```

tabulation:  Freq.  Numeric  Label
              10       1  Very dissatisfied
              61       2  Dissatisfied
              75       3  Quite dissatisfied
             410       4  Moderate
             108       5  Quite satisfied
             456       6  Satisfied
             142       7  Very satisfied
              11       .
    
```

---

**cf9**                    **9. At what level are you satisfied with your own life in general? (OS)**

---

```

type: numeric (byte)
label: cf9

range: [1,7]                    units: 1
unique values: 7                missing .. 11/1,273
    
```

```

tabulation:  Freq.  Numeric  Label
              1       1  Very dissatisfied
             15       2  Dissatisfied
             20       3  Quite dissatisfied
            336       4  Moderate
             121       5  Quite satisfied
             454       6  Satisfied
             315       7  Very satisfied
              11       .
    
```

---

**cf3 Please tell the name of animals, both real animals or the ones in fairy tales, a**

---

```

type: numeric (byte)
range: [0,39]
unique values: 32
unique missing codes: 2
units: 1
missing .: 356/1,273
missing *: 1/1,273
    
```

```

tabulation: Freq. Value
             1 0
             1 1
             3 2
             4 3
             6 4
             8 5
            20 6
            19 7
            28 8
            30 9
            52 10
            51 11
            68 12
            64 13
            90 14
            73 15
            70 16
            67 17
            59 18
            56 19
            35 20
            40 21
            20 22
            22 23
             9 24
             9 25
             6 26
             1 27
             1 28
             1 31
             1 35
             1 39
            356 .
             1 .a
mean:      14.7838
std. dev:  4.87182

percentiles:      10%      25%      50%      75%      90%
                  9        12        15        18        21
    
```

---

**cf1\_adult Total Score Cognitive & Aging (CF1)**

---

```

type: numeric (float)
range: [0,10]
unique values: 11
units: 1
missing .: 19/1,273
    
```

```

tabulation: Freq. Value
            13 0
            52 1
            119 2
            234 3
            259 4
            274 5
            183 6
             79 7
             27 8
              7 9
              7 10
    
```

```

                19 .
    mean:      4.30463
    std. dev:  1.7519
percentiles:   10%    25%    50%    75%    90%
                2      3      4      5      6
    
```

---

**cf2\_adult** **Total Score Cognitive & Aging (CF2)**

---

```

    type: numeric (float)
    range: [0,5]
    unique values: 6
    units: 1
    missing .: 19/1,273
    tabulation:
    Freq. Value
    138 0
    360 1
    131 2
    172 3
    191 4
    262 5
    19 .
    mean: 2.5614
    std. dev: 1.74394
percentiles:   10%    25%    50%    75%    90%
                0      1      2      4      5
    
```

---

**cf4\_adult** **Total Score Cognitive & Aging (CF4)**

---

```

    type: numeric (float)
    range: [0,10]
    unique values: 11
    units: 1
    missing .: 19/1,273
    tabulation:
    Freq. Value
    211 0
    129 1
    197 2
    249 3
    256 4
    124 5
    58 6
    24 7
    2 8
    2 9
    2 10
    19 .
    mean: 2.77831
    std. dev: 1.87995
percentiles:   10%    25%    50%    75%    90%
                0      1      3      4      5
    
```

---

**note\_cleaner** **Data cleaner note (not display)**

---

```

    type: string (str102), but longest is str0
    unique values: 0
    missing "": 1,273/1,273
    tabulation:
    Freq. Value
    1,273 ""
    
```



---

**hh\_change** **Sample has moved so that its household structure changed**

---

```

type: numeric (float)
label: hh_change

range: [0,1]
unique values: 2
units: 1
missing ..: 0/1,273

tabulation: Freq. Numeric Label
             1,260 0 no
             13 1 yes
    
```

---

**survey\_name** **survey round**

---

```

type: string (str12)
unique values: 1
missing "": 0/1,273

tabulation: Freq. Value
             1,273 "RESURVEY2017"
    
```

---

**year\_survey** **year\_survey**

---

```

type: numeric (float)
range: [2017,2017]
unique values: 1
units: 1
missing ..: 0/1,273

tabulation: Freq. Value
             1,273 2017
mean: 2017
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              2017 2017 2017 2017 2017
    
```

```

2 . log close
   name: <unnamed>
   log: Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018\\codebook\\2017\\a14.scml
   log type: smcl
   closed on: 3 Oct 2024, 13:32:48
    
```

---