



```

name: <unnamed>
log: Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\a6.smcl
log type: smcl
opened on: 3 Oct 2024, 13:17:19
    
```

1 . codebookr _all,all

```

Dataset: Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\a6_run.dta
Last saved: 3 Oct 2024 13:16
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 128
Number of observations: 1,266
Size: 3,068,784 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

hhid **household id**

```

type: string (str15)
unique values: 1,266 missing "": 0/1,266
examples: "201591160604209"
           "201691131001998"
           "201691160105068"
           "201691161706097"
    
```

iyear **year**

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/1,266
tabulation: Freq. Value
             459 "2015"
             807 "2016"
    
```

prov **province**

```

type: string (str2)
    
```



```

9 "15"
33 "16"
8 "17"
11 "18"
24 "19"
1 "20"
14 "22"
6 "24"

```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,266
examples: "010"
           "034"
           "070"
           "142"

```

a6_notype
Since last interview, how many types of livestock has household raised as an occ

```

type: numeric (byte)
range: [0,5]           units: 1
unique values: 6       missing .: 13/1,266
unique missing codes: 2 missing *: 1/1,266

```

```

tabulation: Freq. Value
             504 0
             403 1
             227 2
              91 3
              19 4
               8 5
              13 .
               1 .a
mean:       .995208
std. dev:   1.0556

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        2        2

```

a6_new
Since last interview, has the household raised livestock such as chicken, duck,

```

type: numeric (byte)
label: a6
range: [1,3]           units: 1
unique values: 2       missing .: 1,253/1,266

```

```

tabulation: Freq. Numeric Label
             9        1 yes
             4        3 no
            1,253      .

```

a6_re **Since last interview, has the household raised livestock such as chicken, duck,**

```

type: numeric (byte)
label: a6_re

```

```

        range: [1,3]
unique values: 2
        units: 1
        missing .: 13/1,266

tabulation: Freq.  Numeric  Label
             297      1  yes
             956      3  no
             13       .
    
```

a6_no_L1 **The first livestock number**

```

        type: string (str1)
unique values: 1
        missing "": 387/1,266

tabulation: Freq.  Value
             387  ""
             879  "1"
    
```

a6_text_L1 **The first type of livestock (not display)**

```

        type: string (str68), but longest is str0
unique values: 0
        missing "": 1,266/1,266

tabulation: Freq.  Value
             1,266 ""
    
```

a6_code_L1 **The first livestock code**

```

        type: numeric (byte)
        label: a6_code
        range: [1,99]
unique values: 9
        units: 1
        missing .: 387/1,266

tabulation: Freq.  Numeric  Label
             49      1  Duck
             455     3  Chicken
             46      5  Fish
              7      7  Frog
              5      9  Cricket
             206     11  Cow
             63     13  Buffalo
             41     15  Pig
              7     99  Other
             387       .
    
```

a6_a_L1 **First livestock: The number of livestock the household currently owns**

```

        type: numeric (long)
        range: [0,30000]
unique values: 47
unique missing codes: 3
        units: 1
        missing .: 387/1,266
        missing *: 9/1,266
    
```

```

tabulation:  Freq.  Value
              121    0
              67    1
              73    2
              70    3
              53    4
              47    5
              29    6
              27    7
              15    8
               8    9
              63   10
               5   11
               7   12
               7   13
               4   14
              27   15
               1   16
               2   17
               3   18
               6   19
              62   20
               1   22
               2   23
               3   24
              11   25
               1   26
               3   27
              46   30
               2   34
               8   35
              11   40
               4   45
              37   50
               1   53
               4   55
               6   60
               1   70
               1   72
               5   80
              16  100
               1  120
               2  150
               2  200
               2  300
               1  600
               1 2200
               1 30000
              387  .
               6  .c
               3  .d
    mean:      52.7805
  std. dev:   1019.7

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        2        6       20       40

```

a6_aunit_L1

The first livestock: unit of livestock

type: string (**str18**), but longest is str15

unique values: 5

missing "": 509/1,266

```

tabulation:  Freq.  Value
              509    ""
              1    "กะพั้ง"
              1    "คอก"
              705    "คัว"
              49    "บ่อ"
              1    "เต้า"
    
```

a6_ba_l1

First livestock: Since last interview, the value of livestock that the household

```

type:  numeric (long)
range: [0,250000]
unique values: 50
unique missing codes: 3
units: 100
missing .: 815/1,266
missing *: 9/1,266
    
```

```

tabulation:  Freq.  Value
              364    0
              1    100
              1    200
              1    400
              3    500
              1    600
              2    800
              3    1000
              1    1300
              1    1500
              1    2000
              1    2100
              1    2300
              1    2400
              1    2500
              4    3000
              1    3600
              1    3900
              2    4000
              1    5000
              1    5500
              1    6000
              2    10000
              2    10800
              2    12000
              1    13200
              1    14000
              2    15000
              4    20000
              1    22000
              1    22700
              1    25000
              2    30000
              1    36000
              1    37000
              5    40000
              2    45000
              6    50000
              1    53000
              3    60000
              1    70000
              1    73000
              1    75000
              1    75500
              1    85000
              1    120000
              1    135000
              1    150000
              1    200000
              1    250000
            815    .
              6    .c
    
```

```

          3 .d
    mean: 5718.33
    std. dev: 22439.8

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0    10800
    
```

a6_bb_L1

First livestock: Since last interview, the value of livestock that the household

```

    type: numeric (long)

    range: [0,140000]          units: 10
    unique values: 13          missing .: 815/1,266
    unique missing codes: 3    missing *: 9/1,266
    
```

```

    tabulation:  Freq.  Value
                 427    0
                 1    250
                 2    300
                 1    360
                 1    1500
                 1    3780
                 1    5000
                 2    20000
                 1    25000
                 1    30000
                 2    35000
                 1    45000
                 1    140000
                 815    .
                 6    .c
                 3    .d
    
```

```

    mean: 817.851
    std. dev: 7699.91
    
```

```

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

a6_c_L1

First livestock: Since last interview, the value of livestock and product that t

```

    type: numeric (long)

    range: [0,1800000]        units: 1
    unique values: 96          missing .: 815/1,266
    unique missing codes: 3    missing *: 16/1,266
    
```

```

    tabulation:  Freq.  Value
                 229    0
                 1    47
                 1    70
                 1    550
                 1    750
                 1    800
                 1    900
                 5    1000
                 1    1200
                 1    1300
                 4    1500
                 2    1650
                 3    2000
                 3    2500
                 1    2625
                 1    2800
                 9    3000
                 3    3500
                 1    4000
    
```

1 4450
3 5000
1 5500
1 5800
3 6000
1 6750
1 6857
3 7000
1 7150
1 7500
1 8000
1 8750
1 9000
2 10000
2 12000
1 14000
1 15000
1 17500
1 18000
1 19000
1 19500
12 20000
1 21500
1 22000
1 23000
2 24000
5 25000
1 27000
3 28000
11 30000
3 34000
7 35000
1 36000
2 37000
4 39000
4 40000
1 42000
4 43000
4 45000
2 46000
1 47000
1 48000
1 49000
5 50000
2 52000
1 53000
3 54000
2 55000
1 55500
1 56000
1 57000
3 60000
1 64000
3 65000
1 66000
1 67000
1 68000
3 70000
4 75000
4 80000
1 85000
1 90000
2 91000
7 100000
3 120000
1 130000
1 140000
1 145000
3 150000
1 160000
1 260000
1 276000


```

      1 280000
      1 300000
      1 330000
      1 620500
      1 1800000
    815 .
    13 .c
      3 .d
  mean: 25978.4
std. dev: 99316.5

percentiles:    10%    25%    50%    75%    90%
                0      0      0    30000  65000
  
```

a6_d_L1

First livestock: Since last interview, the value of livestock and product that

```

      type: numeric (long)
      range: [0,118000]
unique values: 57
unique missing codes: 3
      units: 1
missing .: 815/1,266
missing *: 22/1,266
  
```

```

tabulation:  Freq.  Value
             346    0
              2    100
              1    118
              1    120
              1    140
              1    240
              3    300
              1    360
              1    380
              1    400
              1    450
              1    473
              3    500
              2    750
              1    800
              1    963
             10   1000
              1   1050
              2   1100
              1   1140
              1   1200
              1   1350
              1   1400
              1   1463
              6   1500
              1   1600
              1   1650
              1   1690
              4   2000
              1   2100
              1   2400
              1   2500
              1   2625
              1   2750
              1   3000
              1   3120
              1   3200
              2   3300
              1   3483
              2   3500
              1   3646
              1   4725
              1   4800
              2   5000
              1   5400
              1   5500
  
```

```

      1 5667
      1 6000
      1 6435
      1 6720
      1 8000
      1 8580
      1 10000
      1 14190
      1 21600
      1 28050
      1 118000
    815 .
     19 .c
      3 .d
    mean: 830.718
    std. dev: 6080.81

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0        1500
    
```

a6_e_L1
First livestock: Since last interview, the expense the household paid for labor

```

    type: numeric (long)
    range: [0,0]
    unique values: 1
    unique missing codes: 3
    units: 1
    missing .: 815/1,266
    missing *: 4/1,266

    tabulation: Freq. Value
                 447 0
                 815 .
                 1 .c
                 3 .d
    mean: 0
    std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

a6_f_L1
First livestock: Since last interview, the expense the household paid for animal

```

    type: numeric (long)
    range: [0,1976000]
    unique values: 143
    unique missing codes: 3
    units: 1
    missing .: 815/1,266
    missing *: 37/1,266

    mean: 16843.9
    std. dev: 126756

percentiles:      10%      25%      50%      75%      90%
                  0         0         0        4500    16000
    
```

a6_g_L1
First livestock: Since last interview, other expenses the household paid such as

```

    type: numeric (long)
    range: [0,84000]
    unique values: 71
    unique missing codes: 3
    units: 1
    missing .: 815/1,266
    missing *: 32/1,266
    
```

tabulation:	Freq.	Value
	194	0
	1	4
	1	15
	2	20
	1	30
	2	40
	1	50
	1	80
	1	90
	6	100
	1	120
	1	150
	4	200
	1	225
	1	270
	9	300
	1	320
	2	350
	5	400
	1	480
	28	500
	1	510
	1	550
	7	600
	1	675
	9	700
	1	750
	3	800
	1	850
	7	900
	21	1000
	1	1010
	2	1100
	8	1200
	3	1300
	2	1400
	11	1500
	3	1600
	4	1800
	1	1900
	1	1950
	14	2000
	2	2100
	1	2200
	1	2250
	1	2300
	3	2400
	6	2500
	1	2600
	1	2700
	1	2750
	1	2800
	6	3000
	6	4000
	1	4250
	2	4500
	1	4600
	2	4800
	1	5450
	1	5500
	1	5700
	1	5800
	2	6000
	1	6300
	1	6700
	4	10000
	1	11700
	1	21600
	1	35400
	1	40000
	1	84000

```

      815 .
      29 .c
      3 .d
    mean: 1288.18
    std. dev: 5144.84

    percentiles:    10%    25%    50%    75%    90%
                   0      0      100    1000    2500
    
```

a6_h_L1 first livestock: Since last interview, the number of livestock that the househol

```

    type: numeric (int)
    range: [0,100]
    unique values: 18
    unique missing codes: 3
    units: 1
    missing .: 815/1,266
    missing *: 18/1,266
    
```

```

    tabulation:  Freq.  Value
                 384    0
                 12    1
                   5    2
                   4    3
                   2    4
                   6    5
                   1    6
                   1    7
                   1    8
                   3   10
                   1   16
                   1   19
                   4   20
                   1   30
                   1   35
                   1   50
                   1   60
                   4  100
                 815 .
                 15 .c
                 3 .d
    mean: 1.8776
    std. dev: 10.7167
    
```

```

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      1
    
```

a6_hunit_L1 The first livestock: unit

```

    type: string (str12), but longest is str9
    unique values: 2
    missing "": 1,215/1,266
    tabulation:  Freq.  Value
                 1,215 ""
                   48 "ค้"
                   3 "๒๐"
    
```

a6_i_L1 Currently , do you still sell these kinds of livestock?

```

    type: numeric (byte)
    label: a6_i
    range: [1,3]
    unique values: 2
    unique missing codes: 3
    units: 1
    missing .: 387/1,266
    missing *: 5/1,266
    
```



```

tabulation:  Freq.  Value
              61    0
              47    1
              44    2
              32    3
              34    4
              25    5
              17    6
               8    7
              12    8
               3    9
              39   10
               5   11
               4   12
               5   13
               1   14
               6   15
               2   18
              37   20
               1   21
               3   22
               2   23
               6   25
              28   30
               3   35
               8   40
               1   42
               1   45
               9   50
               3   55
               5   60
               1   65
               1   70
               1   80
               1   90
              11  100
               1  200
               2  300
               1  500
              791  .
               1  .a
               2  .c
               1  .d
    mean:      15.8514
  std. dev:   36.1331

percentiles:      10%      25%      50%      75%      90%
                  0         2         5         20         35
  
```

a6_aunit_L2 **The second livestock: unit of livestock**

```

type: string (str18)
unique values: 6          missing "": 852/1,266
  
```

```

tabulation:  Freq.  Value
              852  ""
               1  "0"
               1  "กระชิ่ง"
               1  "คอก"
              376  "ตัว"
               33  "บ่อ"
               2  "เต้า"
  
```

a6_ba_L2 **Second livestock: Since last interview, the value of livestock that the househol**

```

type: numeric (long)
range: [0,2000000]
unique values: 47
unique missing codes: 2
units: 100
missing .: 1,014/1,266
missing *: 5/1,266

```

```

tabulation: Freq. Value
177 0
1 300
1 400
4 500
2 600
2 800
5 1000
1 1200
1 1700
1 2000
3 3000
1 3600
1 4500
1 5000
1 7000
1 7500
1 9000
1 12000
1 14400
1 15000
1 22000
1 24000
1 25000
6 30000
1 33000
1 35000
1 37000
1 40000
1 40500
1 43000
1 49000
6 50000
1 55000
3 60000
1 64000
1 70000
1 75000
2 80000
1 82000
1 100000
1 120000
1 133000
1 150000
1 180000
1 200000
1 300000
1 2000000

```

```

1,014 .
5 .d
mean: 19432.8
std. dev: 130910

```

```

percentiles: 10% 25% 50% 75% 90%
              0 0 0 800 49000

```

a6_bb_L2

Second livestock: Since last interview, the value of livestock that the househol

```

type: numeric (long)

```

range: [0,165000] units: 1
 unique values: 12 missing .: 1,014/1,266
 unique missing codes: 3 missing *: 9/1,266

tabulation: Freq. Value
 229 0
 1 12
 2 100
 1 300
 1 450
 1 1800
 1 2500
 1 7500
 1 15000
 3 30000
 1 60000
 1 165000
 1,014 .
 5 .c
 4 .d
 mean: 1410.54
 std. dev: 11736.2

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

a6_c_L2

Second livestock: Since last interview, the value of livestock and product that

type: numeric (long)

range: [0,3000000] units: 10
 unique values: 56 missing .: 1,014/1,266
 unique missing codes: 3 missing *: 15/1,266

tabulation: Freq. Value
 140 0
 1 200
 1 300
 1 400
 1 540
 1 560
 4 1000
 1 1040
 1 1200
 1 1400
 2 1500
 5 2000
 1 2500
 2 3000
 1 3200
 2 3500
 1 3600
 1 3900
 1 4000
 2 4500
 4 5000
 1 7000
 1 10000
 1 11250
 1 12000
 5 15000
 4 20000
 1 23500
 2 24000
 1 25000
 1 28000
 1 29000
 4 30000
 2 32000


```

      4 35000
      1 36000
      1 39000
      4 40000
      1 42000
      2 45000
      6 50000
      1 52000
      1 53000
      1 55000
      1 58000
      1 59000
      3 60000
      1 63000
      1 65000
      2 70000
      1 73000
      1 75000
      1 90000
      1 130500
      2 350000
      1 3000000
1,014 .
     11 .c
      4 .d
    mean: 26224
std. dev: 197551

percentiles:    10%    25%    50%    75%    90%
                0      0      0    12000  50000

```

a6_d_L2

Second livestock: Since last interview, the value of livestock and product that

```

type: numeric (long)
range: [0,19500]
unique values: 35
unique missing codes: 3
units: 1
missing .: 1,014/1,266
missing *: 20/1,266

```

```

tabulation:  Freq.  Value
             188    0
              1    31
              1   100
              1   113
              1   125
              1   270
              1   300
              2   500
              1   563
              1   700
              1   800
              2   900
              6  1000
              1  1100
              2  1200
              1  1250
              1  1300
              1  1400
              1  1500
              1  1920
              2  2000
              1  2340
              1  2500
              1  2600
              1  3250
              1  3500
              2  3600
              1  3850
              1  4500

```

```

                1  4950
                1  5400
                1  5500
                1  6435
                1 14000
                1 19500
            1,014 .
                16 .c
                 4 .d
    mean:      483.608
    std. dev:  1840.63

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      1200
    
```

a6_e_L2

Second livestock: Since last interview, the expense the household paid for labor

```

    type: numeric (long)

    range: [0,0]
    unique values: 1
    unique missing codes: 2

    units: 1
    missing .: 1,014/1,266
    missing *: 4/1,266

    tabulation:  Freq.  Value
                 248    0
                 1,014 .
                   4 .d
    mean:      0
    std. dev:  0

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

a6_f_L2

Second livestock: Since last interview, the expense the household paid for anima

```

    type: numeric (long)

    range: [0,300000]
    unique values: 91
    unique missing codes: 3

    units: 1
    missing .: 1,014/1,266
    missing *: 22/1,266

    tabulation:  Freq.  Value
                 106    0
                   2    100
                   2    240
                   1    263
                   2    300
                   1    320
                   1    396
                   3    400
                   4    500
                   1    650
                   2    700
                   1    810
                   1    860
                   4   1000
                   1   1035
                   1   1075
                   1   1080
                   1   1100
                   5   1200
                   1   1290
                   2   1500
                   1   1600
                   1   1800
                   1   1867
    
```

1 2000
2 2100
1 2365
3 2400
2 2500
1 2531
2 2600
1 2750
1 2795
1 2880
2 3000
1 3010
1 3060
1 3100
1 3120
1 3200
1 3320
3 3600
1 3950
2 4000
1 4160
2 4200
1 4320
2 4400
1 4500
2 4730
2 5000
2 5200
1 5500
2 6000
1 6600
1 7260
1 7475
1 8400
1 8640
1 8890
1 8900
1 9100
1 9450
1 9600
1 9900
1 10588
2 11000
1 12000
1 12700
1 12900
1 13325
1 14448
1 14600
1 15330
1 16500
1 18000
2 19500
1 19866
1 20000
1 20900
1 21000
1 30000
1 31753
1 39000
1 42000
1 47450
1 70000
1 79830
1 103180
1 144300
1 300000

1,014 .
18 .c
4 .d
mean: 6347.53
std. dev: 24468.1

percentiles: 10% 25% 50% 75% 90%
 0 0 398 3950 12800

a6_g_L2

Second livestock: Since last interview, other expenses the household paid such a

type: numeric (long)
 range: [0,17400] units: 1
 unique values: 37 missing .: 1,014/1,266
 unique missing codes: 3 missing *: 13/1,266

tabulation:	Freq.	Value
	145	0
	1	20
	1	50
	1	60
	2	100
	1	160
	4	200
	1	240
	2	300
	2	400
	1	450
	7	500
	2	600
	2	700
	1	740
	1	800
	3	900
	17	1000
	3	1200
	1	1300
	2	1400
	5	1500
	1	1600
	1	1800
	7	2000
	1	2500
	1	2780
	7	3000
	1	3500
	1	3900
	3	4000
	1	4500
	4	5000
	2	6000
	2	6500
	1	6534
	1	17400
	1,014	.
	9	.c
	4	.d
mean:	763.322	
std. dev:	1733.75	

percentiles: 10% 25% 50% 75% 90%
 0 0 0 1000 2780

a6_h_L2

Second livestock: Since last interview, the number of livestock that the househo

type: numeric (int)

range: [0,30] units: 1
 unique values: 8 missing .: 1,014/1,266
 unique missing codes: 3 missing *: 13/1,266

tabulation: Freq. Value
 220 0
 6 1
 2 3
 3 5
 3 10
 1 15
 1 25
 3 30
 1,014 .
 9 .c
 4 .d
 mean: .782427
 std. dev: 3.99721

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

a6_hunit_L2 **The second livestock: unit**

type: string (**str12**), but longest is str9
 unique values: 1 missing "": 1,248/1,266
 tabulation: Freq. Value
 1,248 ""
 18 "ᄁ"

a6_i_L2 **Currently , do you still sell these kinds of livestock?**

type: numeric (**byte**)
 label: **a6_i**
 range: [1,3] units: 1
 unique values: 2 missing .: 791/1,266
 unique missing codes: 3 missing *: 4/1,266

tabulation: Freq. Numeric Label
 242 1 yes
 229 3 no
 791 .
 1 .a
 3 .d

a6_no_L3 **The third livestock number**

type: string (**str1**)
 unique values: 2 missing "": 1,079/1,266
 tabulation: Freq. Value
 1,079 ""
 4 "2"
 183 "3"

a6_text_L3 **The third type of livestock (not display)**

type: string (**str68**), but longest is str0

unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

a6_code_L3 **The third livestock code**

type: numeric (byte)
 label: a6_code
 range: [1,99] units: 1
 unique values: 9 missing .: 1,079/1,266

tabulation:	Freq.	Numeric	Label
	22	1	Duck
	54	3	Chicken
	38	5	Fish
	3	7	Frog
	4	9	Cricket
	22	11	Cow
	19	13	Buffalo
	18	15	Pig
	7	99	Other
	1,079	.	

a6_a_L3 **Third livestock: The number of livestock the household currently owns**

type: numeric (long)
 range: [0,300] units: 1
 unique values: 27 missing .: 1,079/1,266
 unique missing codes: 2 missing *: 2/1,266

tabulation:	Freq.	Value
	25	0
	26	1
	24	2
	15	3
	7	4
	6	5
	3	6
	7	7
	3	8
	14	10
	3	11
	5	12
	1	13
	2	14
	4	15
	1	17
	15	20
	1	23
	1	25
	2	30
	2	40
	1	48
	6	50
	2	55
	2	60
	6	100
	1	300
	1,079	.
	2	.d
mean:		13.973
std. dev:		29.6706


```

tabulation:  Freq.  Value
              113    0
              1    300
              1   1000
              1  35000
              2  40000
            1,142  .
              3  .c
              3  .d
    mean:     985.593
    std. dev: 6070.43

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

a6_c_L3

Third livestock: Since last interview, the value of livestock and product that t

```

type: numeric (long)

range: [0,170000]          units: 10
unique values: 34          missing .: 1,141/1,266
unique missing codes: 3   missing *: 5/1,266
    
```

```

tabulation:  Freq.  Value
              77    0
              1    350
              2    500
              1    650
              1   1000
              1   1300
              1   1400
              1   1500
              1   1600
              1   1800
              1   2000
              1   2500
              1   2750
              1   3000
              1   3500
              1   4000
              1   6000
              1   7000
              3  10000
              1  13500
              1  14520
              1  15000
              1  17000
              1  20000
              1  25000
              3  30000
              1  31500
              2  35000
              2  50000
              3  55000
              1  57000
              1  68000
              2 150000
              1 170000
            1,141  .
              2  .c
              3  .d
    mean:     10232.3
    std. dev: 27776.5

percentiles:    10%    25%    50%    75%    90%
                0      0      0    2875    33250
    
```


a6_d_L3

Third livestock: Since last interview, the value of livestock and product that

```

type: numeric (long)
range: [0,18000]           units: 1
unique values: 19         missing .: 1,141/1,266
unique missing codes: 3   missing *: 14/1,266
    
```

```

tabulation: Freq. Value
            83  0
             1  450
             1  480
             1  500
             3  800
             2  880
             4 1000
             3 1500
             1 2000
             1 2100
             1 2275
             1 2400
             1 3000
             3 4500
             1 5500
             1 7740
             1 13000
             1 16500
             1 18000
    
```

```

1,141 .
  11 .c
   3 .d
mean: 901.847
std. dev: 2810.9
    
```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      450    2100
    
```

a6_e_L3

Third livestock: Since last interview, the expense the household paid for labor

```

type: numeric (long)
range: [0,0]           units: 1
unique values: 1       missing .: 1,141/1,266
unique missing codes: 2 missing *: 3/1,266
    
```

```

tabulation: Freq. Value
            122  0
           1,141 .
             3  .d
    
```

```

mean: 0
std. dev: 0
    
```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

a6_f_L3

Third livestock: Since last interview, the expense the household paid for animal

```

type: numeric (long)
range: [0,614900]     units: 1
unique values: 52     missing .: 1,141/1,266
unique missing codes: 3 missing *: 11/1,266
    
```

```

tabulation:  Freq.  Value
              57    0
              1   120
              1   150
              1   200
              1   258
              1   263
              1   400
              1   450
              1   490
              2   500
              2   600
              1   650
              1   700
              1   760
              1   954
              2  1100
              2  1200
              1  1406
              1  1500
              1  2200
              1  2255
              1  2640
              1  3300
              1  3870
              1  4050
              1  4160
              1  4300
              1  4700
              1  4938
              1  5031
              2  5160
              1  6000
              1  6300
              1  6440
              1  7200
              2  8400
              1 10120
              1 11000
              1 13500
              1 16800
              1 17550
              1 18000
              1 22360
              1 28100
              1 37000
              1 39900
              1 44000
              1 58500
              1 76000
              1 80000
              1 180000
              1 614900
            1,141  .
              8  .c
              3  .d
    mean:      12081.9
  std. dev:   60784.7

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        60      4160     17550

```

a6_g_L3

Third livestock: Since last interview, other expenses the household paid such as

type: numeric (long)

range: [0,12000] units: 1
 unique values: 29 missing .: 1,141/1,266
 unique missing codes: 3 missing *: 8/1,266

tabulation: Freq. Value
 80 0
 1 25
 1 40
 1 44
 1 50
 1 60
 1 100
 4 200
 2 300
 1 450
 1 480
 3 500
 1 550
 1 600
 2 700
 1 800
 1 900
 2 1000
 1 1100
 1 1200
 2 1500
 1 1520
 1 1600
 1 1700
 1 2100
 1 2500
 1 4900
 1 9000
 1 12000
 1,141 .
 5 .c
 3 .d
 mean: 436.06
 std. dev: 1494.15

percentiles: 10% 25% 50% 75% 90%
 0 0 0 200 1100

a6_h_L3

Third livestock: Since last interview, the number of livestock that the househol

type: numeric (int)
 range: [0,550] units: 1
 unique values: 8 missing .: 1,141/1,266
 unique missing codes: 3 missing *: 8/1,266

tabulation: Freq. Value
 108 0
 1 2
 1 4
 1 5
 3 10
 1 20
 1 40
 1 550
 1,141 .
 5 .c
 3 .d
 mean: 5.5641
 std. dev: 50.9583

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

a6_hunit_L3 **The third livestock: unit**

```

type: string (str12), but longest is str9
unique values: 2 missing "": 1,257/1,266
tabulation: Freq. Value
              1,257 ""
              8 "ค้"
              1 "๓๐"
    
```

a6_i_L3 **Currently , do you still sell these kinds of livestock?**

```

type: numeric (byte)
label: a6_i
range: [1,3] units: 1
unique values: 2 missing .: 1,079/1,266
unique missing codes: 3 missing *: 3/1,266
tabulation: Freq. Numeric Label
              93 1 yes
              91 3 no
            1,079 .
              1 .c
              2 .d
    
```

a6_no_L4 **The fourth livestock number**

```

type: string (str1)
unique values: 2 missing "": 1,217/1,266
tabulation: Freq. Value
              1,217 ""
              1 "3"
              48 "4"
    
```

a6_text_L4 **The fourth type of livestock (not display)**

```

type: string (str68), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
              1,266 ""
    
```

a6_code_L4 **The fourth livestock code**

```

type: numeric (byte)
label: a6_code
range: [1,99] units: 1
unique values: 8 missing .: 1,217/1,266
    
```

```

tabulation:  Freq.  Numeric  Label
              12      1  Duck
              9      3  Chicken
              8      5  Fish
              3      9  Cricket
              3     11  Cow
              7     13  Buffalo
              4     15  Pig
              3     99  Other
            1,217      .
    
```

a6_a_L4 **Fourth livestock: The number of livestock the household currently owns**

```

type: numeric (long)
range: [0,100]
unique values: 16
units: 1
missing .: 1,217/1,266
    
```

```

tabulation:  Freq.  Value
              6      0
              6      1
             10      2
              2      3
              2      4
              1      5
              2      6
              4      7
              3     10
              2     15
              1     20
              5     30
              1     35
              1     43
              1     50
              2    100
            1,217      .
    
```

```

mean: 13.1224
std. dev: 21.9731
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0         2         4         15         35
    
```

a6_aunit_L4 **The fourth livestock: unit of livestock**

```

type: string (str18), but longest is str9
unique values: 2
missing "": 1,222/1,266
    
```

```

tabulation:  Freq.  Value
            1,222  ""
              33  "ค๓"
              11  "๓๐"
    
```

a6_ba_L4 **Fourth livestock: Since last interview, the value of livestock that the household**

```

type: numeric (long)
range: [0,150000]
unique values: 12
unique missing codes: 3
units: 100
missing .: 1,235/1,266
missing *: 3/1,266
    
```

```

tabulation:  Freq.  Value
              16    0
              1    500
              1   1000
              1   1200
              2   2000
              1   3000
              1   6000
              1  11000
              1  18000
              1  40000
              1  60000
              1 150000
            1,235  .
              1  .c
              2  .d
    mean:      10525
    std. dev:  30489.2

percentiles:      10%      25%      50%      75%      90%
                  0         0         0       2500     40000
    
```

a6_bb_L4

Fourth livestock: Since last interview, the value of livestock that the househol

```

type: numeric (long)

range: [0,200]          units: 100
unique values: 2        missing .: 1,235/1,266
unique missing codes: 2 missing *: 2/1,266

tabulation:  Freq.  Value
              28    0
              1   200
            1,235  .
              2  .d
    mean:      6.89655
    std. dev:  37.1391

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

a6_c_L4

Fourth livestock: Since last interview, the value of livestock and product that

```

type: numeric (long)

range: [0,1260000]     units: 10
unique values: 11      missing .: 1,235/1,266
unique missing codes: 3 missing *: 3/1,266

tabulation:  Freq.  Value
              17    0
              1   240
              2  1000
              1  2400
              1  9000
              1 15000
              1 23500
              1 24000
              1 74750
              1 85000
              1 1260000
            1,235  .
              1  .c
              2  .d
    mean:      53424.6
    std. dev:  237420
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 5700 74750

a6_d_L4

Fourth livestock: Since last interview, the value of livestock and product that

type: numeric (long)
 range: [0,13000] units: 1
 unique values: 12 missing .: 1,235/1,266
 unique missing codes: 3 missing *: 3/1,266

tabulation: Freq. Value
 16 0
 1 75
 1 200
 1 220
 1 350
 1 825
 1 1000
 2 1500
 1 5160
 1 5500
 1 11000
 1 13000
 1,235 .
 1 .c
 2 .d
 mean: 1440.36
 std. dev: 3306.46

percentiles: 10% 25% 50% 75% 90%
 0 0 0 912.5 5500

a6_e_L4

Fourth livestock: Since last interview, the expense the household paid for labor

type: numeric (long)
 range: [0,0] units: 1
 unique values: 1 missing .: 1,235/1,266
 unique missing codes: 2 missing *: 2/1,266

tabulation: Freq. Value
 29 0
 1,235 .
 2 .d
 mean: 0
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

a6_f_L4

Fourth livestock: Since last interview, the expense the household paid for anima

type: numeric (long)
 range: [0,850000] units: 1
 unique values: 16 missing .: 1,235/1,266
 unique missing codes: 3 missing *: 3/1,266

```

tabulation:  Freq.  Value
              12    0
              1   450
              2   500
              1  1000
              1  3300
              1  4180
              1  4500
              1  6000
              1  6500
              1  9300
              1 10800
              1 12000
              1 22000
              1 22575
              1 58500
              1 850000
            1,235  .
              1  .c
              2  .d
    mean:     36146.6
    std. dev: 159955

percentiles:    10%    25%    50%    75%    90%
                0      0      500   7900  22575
    
```

a6_g_L4 Fourth livestock: Since last interview, other expenses the household paid such a

```

type: numeric (long)
range: [0,35000]          units: 100
unique values: 6          missing .: 1,235/1,266
unique missing codes: 2  missing *: 2/1,266
    
```

```

tabulation:  Freq.  Value
              23    0
              2   400
              1   500
              1  1400
              1  1600
              1 35000
            1,235  .
              2  .d
    mean:     1355.17
    std. dev: 6483.03

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0     1400
    
```

a6_h_L4 Fourth livestock: Since last interview, the number of livestock that the househo

```

type: numeric (int)
range: [0,35]          units: 1
unique values: 2          missing .: 1,235/1,266
unique missing codes: 3  missing *: 8/1,266
    
```

```

tabulation:  Freq.  Value
              22    0
              1   35
            1,235  .
              6  .c
              2  .d
    mean:     1.52174
    std. dev: 7.298
    
```


percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

a6_hunit_L4 **The fourth livestock: unit**

type: string (**str12**), but longest is str9
 unique values: 1 missing "": 1,265/1,266
 tabulation: Freq. Value
 1,265 ""
 1 "ᄁ"

a6_i_L4 **Currently , do you still sell these kinds of livestock?**

type: numeric (**byte**)
 label: **a6_i**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,217/1,266
 tabulation: Freq. Numeric Label
 29 1 yes
 20 3 no
 1,217 .

a6_no_L5 **The fifth livestock number**

type: string (**str1**)
 unique values: 1 missing "": 1,251/1,266
 tabulation: Freq. Value
 1,251 ""
 15 "5"

a6_text_L5 **The fifth type of livestock (not display)**

type: string (**str68**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

a6_code_L5 **The fifth livestock code**

type: numeric (**byte**)
 label: **a6_code**
 range: [1,99] units: 1
 unique values: 6 missing .: 1,251/1,266
 tabulation: Freq. Numeric Label
 6 1 Duck
 3 5 Fish
 1 7 Frog
 1 9 Cricket
 1 11 Cow
 3 99 Other
 1,251 .

a6_a_L5 Fifth livestock: The number of livestock the household currently owns

```

type: numeric (long)
range: [0,70] units: 1
unique values: 9 missing .: 1,251/1,266

tabulation: Freq. Value
              2  0
              3  1
              3  2
              1  3
              2  4
              1  5
              1 30
              1 50
              1 70
              1,251 .
mean: 11.6667
std. dev: 21.2793

percentiles: 10% 25% 50% 75% 90%
              0  1  2  5  50
    
```

a6_aunit_L5 The fifth livestock: unit of livestock

```

type: string (str18), but longest is str9
unique values: 2 missing "": 1,253/1,266

tabulation: Freq. Value
              1,253 ""
              9  "คั"
              4  "บ๑"
    
```

a6_ba_L5 Fifth livestock: Since last interview, the value of livestock that the household

```

type: numeric (long)
range: [0,75000] units: 100
unique values: 3 missing .: 1,255/1,266
unique missing codes: 2 missing *: 2/1,266

tabulation: Freq. Value
              6  0
              2 500
              1 75000
              1,255 .
              2 .d
mean: 8444.44
std. dev: 24959.3

percentiles: 10% 25% 50% 75% 90%
              0  0  0  500  75000
    
```

a6_bb_L5 Fifth livestock: Since last interview, the value of livestock that the household

```

type: numeric (long)
    
```

```

        range: [0,0]                units: 1
    unique values: 1                missing .: 1,255/1,266
    unique missing codes: 2        missing *: 2/1,266

    tabulation:  Freq.  Value
                  9      0
                1,255  .
                  2      .d
    mean:         0
    std. dev:     0

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

a6_c_L5

Fifth livestock: Since last interview, the value of livestock and product that t

```

        type: numeric (long)

        range: [0,25000]            units: 100
    unique values: 5                missing .: 1,255/1,266
    unique missing codes: 2        missing *: 2/1,266

    tabulation:  Freq.  Value
                  5      0
                  1     900
                  1    2000
                  1    8400
                  1   25000
                1,255  .
                  2      .d
    mean:         4033.33
    std. dev:     8321.36

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0     2000  25000
    
```

a6_d_L5

Fifth livestock: Since last interview, the value of livestock and product that

```

        type: numeric (long)

        range: [0,11180]            units: 10
    unique values: 4                missing .: 1,255/1,266
    unique missing codes: 3        missing *: 3/1,266

    tabulation:  Freq.  Value
                  5      0
                  1    2400
                  1    9000
                  1   11180
                1,255  .
                  1      .c
                  2      .d
    mean:         2822.5
    std. dev:     4598.45

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0     5700  11180
    
```

a6_e_L5

Fifth livestock: Since last interview, the expense the household paid for labor

```

        type: numeric (long)
    
```

```

range: [0,0] units: 1
unique values: 1 missing .: 1,255/1,266
unique missing codes: 2 missing *: 2/1,266

tabulation: Freq. Value
              9 0
            1,255 .
              2 .d
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

a6_f_L5
Fifth livestock: Since last interview, the expense the household paid for animal

```

type: numeric (long)

range: [0,18000] units: 1
unique values: 7 missing .: 1,255/1,266
unique missing codes: 2 missing *: 2/1,266

tabulation: Freq. Value
              3 0
              1 1200
              1 2200
              1 2633
              1 4500
              1 6300
              1 18000
            1,255 .
              2 .d
mean: 3870.33
std. dev: 5726.44

percentiles: 10% 25% 50% 75% 90%
              0 0 2200 4500 18000
    
```

a6_g_L5
Fifth livestock: Since last interview, other expenses the household paid such as

```

type: numeric (long)

range: [0,97] units: 1
unique values: 3 missing .: 1,255/1,266
unique missing codes: 2 missing *: 2/1,266

tabulation: Freq. Value
              7 0
              1 50
              1 97
            1,255 .
              2 .d
mean: 16.3333
std. dev: 34.4746

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 97
    
```

a6_h_L5
Fifth livestock: Since last interview, the number of livestock that the household

```

type: numeric (int)
    
```

```

        range: [0,0]                units: 1
    unique values: 1                missing .: 1,255/1,266
    unique missing codes: 3        missing *: 3/1,266

    tabulation: Freq. Value
                8 0
            1,255 .
                1 .c
                2 .d
    mean:       0
    std. dev:   0

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

a6_hunit_L5 **The fifth livestock: unit**

```

    type: string (str12), but longest is str0
    unique values: 0                missing "": 1,266/1,266

    tabulation: Freq. Value
                1,266 ""
    
```

a6_i_L5 **Currently , do you still sell these kinds of livestock?**

```

    type: numeric (byte)
    label: a6_i

    range: [1,3]                    units: 1
    unique values: 2                missing .: 1,251/1,266

    tabulation: Freq. Numeric Label
                6      1 yes
                9      3 no
            1,251 .
    
```

a6_no_L6 **The Sixth livestock number**

```

    type: string (str1)
    unique values: 2                missing "": 1,263/1,266

    tabulation: Freq. Value
                1,263 ""
                1 "3"
                2 "6"
    
```

a6_text_L6 **The Sixth type of livestock**

```

    type: string (str68), but longest is str24
    unique values: 3                missing "": 1,263/1,266

    tabulation: Freq. Value
                1,263 ""
                1 "ควาย"
                1 "ปลาดู"
                1 "เป็ดคนกั้น"
    
```

a6_code_L6 **The Sixth livestock code**

```

type: numeric (byte)
label: a6_code

range: [1,13]
unique values: 3
units: 1
missing ..: 1,263/1,266

tabulation: Freq.  Numeric  Label
              1         1   Duck
              1         5   Fish
              1        13  Buffalo
            1,263         .
    
```

a6_a_L6 **sixth livestock: The number of livestock the household currently owns**

```

type: numeric (long)

range: [1,60]
unique values: 3
units: 1
missing ..: 1,263/1,266

tabulation: Freq.  Value
              1     1
              1     2
              1    60
            1,263  .
mean:        21
std. dev:    33.7787

percentiles:   10%    25%    50%    75%    90%
                1     1     2     60    60
    
```

a6_aunit_L6 **The Sixth livestock: unit of livestock**

```

type: string (str18), but longest is str9

unique values: 2
missing "": 1,263/1,266

tabulation: Freq.  Value
            1,263  ""
              2   "ตัว"
              1   "บ่อ"
    
```

a6_ba_L6 **sixth livestock: Since last interview, the value of livestock that the household**

```

type: numeric (long)

range: [1000,50000]
unique values: 3
units: 100
missing ..: 1,263/1,266

tabulation: Freq.  Value
              1   1000
              1  12500
              1  50000
            1,263  .
mean:        21166.7
std. dev:    25623.9

percentiles:   10%    25%    50%    75%    90%
                1000   1000   12500  50000  50000
    
```

a6_bb_L6 **sixth livestock: Since last interview, the value of livestock that the household**

```

type: numeric (long)
range: [0,0] units: 1
unique values: 1 missing .: 1,263/1,266

tabulation: Freq. Value
              3 0
            1,263 .
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

a6_c_L6
sixth livestock: Since last interview, the value of livestock and product that t

```

type: numeric (long)
range: [0,44000] units: 1000
unique values: 2 missing .: 1,263/1,266

tabulation: Freq. Value
              2 0
              1 44000
            1,263 .
mean: 14666.7
std. dev: 25403.4

percentiles: 10% 25% 50% 75% 90%
              0 0 0 44000 44000
    
```

a6_d_L6
sixth livestock: Since last interview, the value of livestock and product that

```

type: numeric (long)
range: [0,4300] units: 100
unique values: 3 missing .: 1,263/1,266

tabulation: Freq. Value
              1 0
              1 500
              1 4300
            1,263 .
mean: 1600
std. dev: 2351.6

percentiles: 10% 25% 50% 75% 90%
              0 0 500 4300 4300
    
```

a6_e_L6
sixth livestock: Since last interview, the expense the household paid for labor

```

type: numeric (long)
range: [0,0] units: 1
unique values: 1 missing .: 1,263/1,266

tabulation: Freq. Value
              3 0
            1,263 .
mean: 0
std. dev: 0
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

a6_f_L6

sixth livestock: Since last interview, the expense the household paid for animal

type: numeric (**long**)
 range: [0,27000] units: 100
 unique values: 3 missing .: 1,263/1,266

tabulation: Freq. Value
 1 0
 1 1200
 1 27000
 1,263 .
 mean: 9400
 std. dev: 15253.9

percentiles: 10% 25% 50% 75% 90%
 0 0 1200 27000 27000

a6_g_L6

sixth livestock: Since last interview, other expenses the household paid such as

type: numeric (**long**)
 range: [0,453] units: 1
 unique values: 2 missing .: 1,263/1,266

tabulation: Freq. Value
 2 0
 1 453
 1,263 .
 mean: 151
 std. dev: 261.54

percentiles: 10% 25% 50% 75% 90%
 0 0 0 453 453

a6_h_L6

sixth livestock: Since last interview, the number of livestock that the househol

type: numeric (**int**)
 range: [0,0] units: 1
 unique values: 1 missing .: 1,263/1,266

tabulation: Freq. Value
 3 0
 1,263 .
 mean: 0
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

a6_hunit_L6

The Sixth livestock: unit

type: string (**str12**), but longest is str0
 unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
 1,266 ""

a6_i_L6 **Currently , do you still sell these kinds of livestock?**

type: numeric (**byte**)
 label: **a6_i**
 range: [1,1] units: 1
 unique values: 1 missing .: 1,264/1,266

tabulation: Freq. Numeric Label
 2 1 yes
 1,264 .

note1 **Interviewer note 1 (unavailable)**

type: string (**str517**), but longest is str0
 unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
 1,266 ""

note2 **Interviewer note 2 (unavailable)**

type: string (**str564**), but longest is str0
 unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
 1,266 ""

note **Interviewer note (unavailable)**

type: string (**str387**), but longest is str0
 unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
 1,266 ""

livestock_number **Number of livestock types**

type: numeric (**float**)
 range: [0,6] units: 1
 unique values: 7 missing .: 0/1,266

tabulation: Freq. Value
 380 0
 414 1
 287 2
 137 3
 33 4
 13 5
 2 6
 mean: 1.27014
 std. dev: 1.1516

percentiles: 10% 25% 50% 75% 90%
 0 0 1 2 3

livestock_cost_L1 **Annual cost of livestock L1**

type: numeric (**float**)
 range: [0,2091000] units: 1
 unique values: 210 missing .: 818/1,266
 mean: 22412.1
 std. dev: 129544
 percentiles: 10% 25% 50% 75% 90%
 0 100 2000 7385 40060

livestock_cost_L2 **Annual cost of livestock L2**

type: numeric (**float**)
 range: [0,2000000] units: 1
 unique values: 139 missing .: 1,018/1,266
 mean: 25976.9
 std. dev: 132109
 percentiles: 10% 25% 50% 75% 90%
 0 300 2872.5 15177.5 52000

livestock_cost_L3 **Annual cost of livestock L3**

type: numeric (**float**)
 range: [0,641900] units: 1
 unique values: 80 missing .: 1,144/1,266

tabulation:

Freq.	Value
34	0
1	25
1	40
1	60
1	100
1	150
1	258
2	300
1	450
4	500
1	563
1	600
2	700
1	720
1	800
1	900
1	954
2	1000
1	1100
1	1144
2	1500
1	1600
2	1700
2	2000
1	2200
1	2300
1	2305
1	2490
1	2500

```

1 2606
1 2640
1 3000
1 4050
1 4070
1 4160
1 4300
1 4700
1 4800
1 4938
1 5231
1 5360
1 5650
1 5700
1 5760
1 6000
1 6440
1 7160
1 7200
1 8300
1 8400
1 9000
1 9100
1 12000
1 16700
1 17280
1 17550
1 18450
1 22360
1 26020
1 27500
1 28700
1 30000
1 30900
1 35000
1 37000
1 40450
1 44000
1 50000
1 57820
1 58500
1 71600
1 71900
1 77100
1 77500
1 80000
1 120000
1 150000
1 184900
1 202100
1 641900
1,144 .
mean: 19782.4
std. dev: 66004.1
percentiles:    10%    25%    50%    75%    90%
                0      0    1550    8400    50000

```

livestock_cost_L4 **Annual cost of livestock L4**

```

type: numeric (float)
range: [0,885000]
unique values: 23
units: 1
missing .: 1,237/1,266

```

```

tabulation:  Freq.  Value
              5      0
              1     400
              3     500
              1    1000
              1    1400
              1    2450
              1    3000
              1    3300
              1    5700
              1    6500
              1    8000
              1    9700
              1   10180
              1   11500
              1   12000
              1   12400
              1   23000
              1   40000
              1   40575
              1   58500
              1   60000
              1  150000
              1  885000
1,237      .
  mean:     46417.4
std. dev:   164190

percentiles:    10%    25%    50%    75%    90%
                0      500    5700   12400   60000
    
```

livestock_cost_L5 **Annual cost of livestock L5**

```

type: numeric (float)
range: [0,75000]
unique values: 9
units: 1
missing .: 1,257/1,266

tabulation:  Freq.  Value
              1      0
              1     500
              1    1200
              1    2200
              1    3133
              1    4550
              1    6300
              1   18097
              1   75000
1,257      .
  mean:     12331.1
std. dev:   24136.9

percentiles:    10%    25%    50%    75%    90%
                0     1200    3133    6300    75000
    
```

livestock_cost_L6 **Annual cost of livestock L6**

```

type: numeric (float)
range: [2200,50000]
unique values: 3
units: 1
missing .: 1,263/1,266
    
```

```

tabulation:  Freq.  Value
              1  2200
              1 39953
              1 50000
            1,263 .
      mean:   30717.7
    std. dev: 25202.7

percentiles:    10%    25%    50%    75%    90%
                2200    2200    39953    50000    50000
    
```

livestock_revenue_L1 **Annual revenue of livestock L1**

```

      type:  numeric (float)
      range: [0,1801200]
unique values: 142
                        units: 1
                        missing .: 818/1,266

      mean:   26826.9
    std. dev: 98201.7

percentiles:    10%    25%    50%    75%    90%
                0      0      1485    30000    67000
    
```

livestock_revenue_L2 **Annual revenue of livestock L2**

```

      type:  numeric (float)
      range: [0,3000000]
unique values: 83
                        units: 1
                        missing .: 1,018/1,266
    
```

```

tabulation:  Freq.  Value
              122  0
              1  12
              1  100
              1  113
              1  125
              1  270
              1  300
              1  500
              1  560
              1  800
              1  863
              3 1000
              1 1040
              1 1200
              1 1250
              1 1300
              2 1500
              1 1600
              1 1740
              7 2000
              1 2200
              1 2331
              2 2500
              1 3000
              1 3200
              1 3250
              1 3320
              2 3500
              1 3850
              1 3900
              1 4000
              1 4050
              3 4500
              1 4840
              1 4950
              1 5400
    
```

```

1 5600
1 5900
1 6000
1 6100
1 6300
1 6500
1 7000
1 8100
1 10000
1 11250
1 12000
1 14000
4 15000
1 19500
4 20000
1 20400
1 23500
2 24000
1 25000
1 28000
1 28935
1 29000
7 30000
2 32000
4 35000
1 36000
1 39000
4 40000
1 42000
2 45000
6 50000
1 52000
1 53000
1 55000
1 58000
1 59000
4 60000
1 64400
1 65000
2 70000
1 73000
1 75000
1 90000
1 133000
1 165000
2 350000
1 3000000
1,018 .
mean: 26895.4
std. dev: 193311
percentiles:    10%    25%    50%    75%    90%
                0      0    106.5  17250  50000

```

livestock_revenue_L3 **Annual revenue of livestock L3**

```

type: numeric (float)
range: [0,170000]
unique values: 40
units: 1
missing .: 1,144/1,266

```

```

tabulation:  Freq.  Value
              65    0
              1    880
              1   1000
              1   1300
              1   1400
              3   1500
              3   1800
              1   1980
              2   2000
              1   2100
              1   2150
              2   2400
              1   3000
              1   3500
              1   4300
              2   4500
              1   5500
              2   7000
              1   9275
              2  10000
              1  10490
              1  11000
              1  13000
              1  13500
              1  15000
              1  15400
              1  17000
              1  20000
              1  20500
              1  25000
              3  30000
              3  35000
              2  40000
              1  49500
              2  50000
              3  55000
              1  57000
              1  68800
              2 150000
              1 170000
              1,144 .
    mean:      11838.3
    std. dev:  27903.7

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0     10000  40000

```

livestock_revenue_L4 **Annual revenue of livestock L4**

```

type: numeric (float)
range: [0,1260000]
unique values: 18
units: 1
missing .: 1,237/1,266

```

```

tabulation:  Freq.  Value
              12    0
              1   350
              1   825
              1  1000
              1  1220
              1  1500
              1  1700
              1  2600
              1  5400
              1  9075
              1 11000
              1 13000
              1 16000
              1 23500

```

livestock_profit_L2 **Annual profit of livestock L2**

```

type: numeric (float)
range: [-300000,1000000]          units: 1
unique values: 181                missing .: 1,018/1,266

mean: 918.48
std. dev: 76557.1

percentiles:    10%    25%    50%    75%    90%
                -39120 -4885    -5    4370    30000
    
```

livestock_profit_L3 **Annual profit of livestock L3**

```

type: numeric (float)
range: [-471900,150000]         units: 1
unique values: 94                missing .: 1,144/1,266
    
```

```

tabulation: Freq. Value
              1 -471900
              1 -202100
              1 -150000
              1 -129900
              1 -103000
              1 -77500
              1 -71900
              1 -58500
              1 -57820
              2 -50000
              1 -36600
              1 -35000
              1 -30900
              1 -30000
              1 -27000
              1 -22360
              1 -22100
              1 -15150
              1 -12000
              1 -10620
              1 -10450
              1 -9100
              1 -9000
              1 -8300
              1 -7160
              1 -6440
              1 -6420
              1 -5760
              1 -5400
              1 -5360
              1 -4938
              1 -4800
              1 -4500
              1 -4400
              1 -4070
              1 -3780
              1 -3000
              1 -2500
              1 -2490
              1 -2360
              1 -2000
              1 -1700
              1 -1120
              1 -1100
              1 -1000
              1 -954
              1 -900
    
```

```

1 -840
2 -700
1 -600
1 -563
1 -500
1 -450
2 -300
1 -200
1 -155
2 -100
1 -60
24 0
1 450
1 500
1 600
1 700
2 1500
1 1694
1 1769
1 2000
1 2500
1 2700
1 2900
1 3000
1 3625
1 4356
1 9500
1 10300
1 10490
1 10850
1 13000
1 19742
1 19780
1 22000
1 23300
1 24200
1 24800
1 30000
1 31550
1 34975
1 35000
1 39500
1 50000
1 52700
1 56960
1 121300
1 150000

```

```

1,144 .
mean: -7944.09
std. dev: 56876.6

```

```

percentiles:      10%      25%      50%      75%      90%
                  -35000  -5360   -80     1500   23300

```

livestock_profit_L4 **Annual profit of livestock L4**

```

type: numeric (float)
range: [-150000,375000]
unique values: 27
units: 1
missing .: 1,237/1,266

```

```

tabulation:  Freq.  Value
              1  -150000
              1  -60000
              1  -40000
              1  -17075
              1  -12400
              1  -12000
              1  -11500
              1  -9355
              1  -6600
              1  -3900
              1  -3000
              1  -1230
              1  -1000
              1  -500
              1  -400
              3   0
              1  350
              1  500
              1  1200
              1  1500
              1  3375
              1  8000
              1  9700
              1  16250
              1  19800
              1  83600
              1  375000
1,237 .
    mean: 6562.59
  std. dev: 79231.7

percentiles:    10%    25%    50%    75%    90%
                -40000  -9355  -400   1500   19800
    
```

livestock_profit_L5 **Annual profit of livestock L5**

```

    type: numeric (float)
    range: [-75000,18700]
unique values: 9
    units: 1
missing .: 1,257/1,266

tabulation:  Freq.  Value
              1  -75000
              1  -7297
              1  -3650
              1  -1200
              1  -200
              1   0
              1  8047
              1  8500
              1  18700
1,257 .
    mean: -5788.89
  std. dev: 27106.6

percentiles:    10%    25%    50%    75%    90%
                -75000  -3650  -200   8047   18700
    
```

livestock_profit_L6 **Annual profit of livestock L6**

```

    type: numeric (float)
    range: [-50000,8347]
unique values: 3
    units: 1
missing .: 1,263/1,266
    
```

```

tabulation:  Freq.  Value
              1  -50000
              1  -1700
              1  8347
            1,263 .
    mean:    -14451
    std. dev: 31193.5

percentiles:    10%    25%    50%    75%    90%
                -50000 -50000 -1700  8347  8347
    
```

hh_livestock_cost **Annual cost of all livestock**

```

type: numeric (float)
range: [0,2091000]
unique values: 332
mean: 35681.6
std. dev: 154162
units: 1
missing .: 693/1,266

percentiles:    10%    25%    50%    75%    90%
                0      640   4000  21600  62410
    
```

hh_livestock_revenue **Annual revenue of all livestock**

```

type: numeric (float)
range: [0,3410000]
unique values: 213
mean: 43466.8
std. dev: 188310
units: 1
missing .: 765/1,266

percentiles:    10%    25%    50%    75%    90%
                0      0     6400  40667  82400
    
```

hh_livestock_profit **Annual profit of all livestock**

```

type: numeric (float)
range: [-1971000,1407000]
unique values: 421
mean: 2323.4
std. dev: 117532
units: 1
missing .: 693/1,266

percentiles:    10%    25%    50%    75%    90%
                -30000 -5300  0     19500  47000
    
```

hh_change **Sample has moved so that its household structure changed**

```

type: numeric (float)
label: hh_change
range: [0,1]
unique values: 2
units: 1
missing .: 0/1,266

tabulation:  Freq.  Numeric  Label
              1,253  0      no
              13    1      yes
    
```

survey_name **survey round**

type: string (**str12**)
 unique values: **1** missing "": **0/1,266**
 tabulation: Freq. Value
 1,266 "RESURVEY2017"

year_survey **year survey**

type: numeric (**float**)
 range: [2017,2017] units: **1**
 unique values: **1** missing .: **0/1,266**
 tabulation: Freq. Value
 1,266 **2017**
 mean: **2017**
 std. dev: **0**
 percentiles: 10% 25% 50% 75% 90%
 2017 **2017** **2017** **2017** **2017**

2 . log close
 name: **<unnamed>**
 log: **Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\2017\a6.scml**
 log type: **smcl**
 closed on: **3 Oct 2024, 13:17:30**
