



```

name: <unnamed>
log: Z:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2017\a7_table1.scml
log type: smcl
opened on: 3 Oct 2024, 13:20:39
    
```

1 . codebookr _all,all

```

> un.dta
Dataset: Z:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\a7_table1_r
Last saved: 3 Oct 2024 13:20
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 16
Number of observations: 5,929
Size: 563,255 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                          NA
                  .c                          DK
                  .d                          MI
    
```

hhid **household id**

```

type: string (str15)
unique values: 1,254 missing "": 0/5,929
examples: "201591161003218"
           "201691131006130"
           "201691160106068"
           "201691161708026"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/5,929
tabulation: Freq. Value
             2,099 "2015"
             3,830 "2016"
    
```

prov **province**

```

type: string (str2)
    
```

unique values: 2 missing "": 0/5,929
 tabulation: Freq. Value
 5,377 "91"
 552 "93"

amp

amphoe

type: string (str2)
 unique values: 8 missing "": 0/5,929
 tabulation: Freq. Value
 4 "09"
 552 "12"
 994 "13"
 484 "14"
 604 "15"
 2,239 "16"
 132 "17"
 920 "18"

tam

tambon

type: string (str2)
 unique values: 15 missing "": 0/5,929
 tabulation: Freq. Value
 283 "01"
 886 "02"
 484 "04"
 235 "05"
 243 "06"
 249 "07"
 246 "08"
 407 "09"
 518 "10"
 371 "11"
 620 "13"
 200 "14"
 579 "15"
 400 "17"
 208 "19"

moo

moo

type: string (str2)
 unique values: 22 missing "": 0/5,929
 tabulation: Freq. Value
 592 "01"
 288 "02"
 559 "03"
 640 "04"
 520 "05"
 636 "06"
 302 "07"
 620 "08"
 400 "09"
 293 "10"
 224 "11"
 159 "12"
 160 "13"
 37 "14"

```

38 "15"
154 "16"
37 "17"
46 "18"
116 "19"
4 "20"
78 "22"
26 "24"

```

strucid **structure ID**

```

type: string (str3)
unique values: 184           missing "": 0/5,929
examples: "011"
           "034"
           "069"
           "137"

```

no **order**

```

type: numeric (byte)
range: [1,11]           units: 1
unique values: 11       missing .: 0/5,929

tabulation: Freq. Value
            1,250 1
            1,202 2
            1,174 3
             909 4
             631 5
             408 6
             211 7
              86 8
              35 9
              18 10
               5 11
mean:      3.22651
std. dev:  1.88174

percentiles:      10%      25%      50%      75%      90%
                  1         2         3         4         6

```

hi4_a **Member ID**

```

type: string (str5), but longest is str3
unique values: 11           missing "": 0/5,929

tabulation: Freq. Value
            1,250 "H1"
              18 "H10"
               5 "H11"
            1,201 "H2"
            1,174 "H3"
             909 "H4"
             631 "H5"
             409 "H6"
             211 "H7"
              86 "H8"
              35 "H9"

```

hi4_b **Nickname (unavailable)**

```

type: string (str33), but longest is str0
unique values: 0 missing "": 5,929/5,929
tabulation: Freq. Value
             5,929 ""
    
```

hi4_c Since last interview, have you and your household members registered for the pro

```

type: numeric (byte)
label: hi4_c
range: [1,3] units: 1
unique values: 2 missing .: 2/5,929
unique missing codes: 3 missing *: 13/5,929

tabulation: Freq. Numeric Label
             1,998 1 yes
             3,916 3 no
              2 .
              3 .c
             10 .d
    
```

hi4_d Since last interview, how much money did you and your household members receive

```

type: numeric (long)
range: [0,3000] units: 100
unique values: 6 missing .: 3,931/5,929
unique missing codes: 3 missing *: 16/5,929

tabulation: Freq. Value
             1,126 0
              272 1500
               1 2000
               1 2400
               3 2500
              579 3000
             3,931 .
               10 .c
               6 .d
mean: 1088.24
std. dev: 1330.02

percentiles: 10% 25% 50% 75% 90%
              0 0 0 3000 3000
    
```

note_cleaner **Data note cleaner**

```

type: string (str1), but longest is str0
unique values: 0 missing "": 5,929/5,929
tabulation: Freq. Value
             5,929 ""
    
```

hh_change **Sample has moved so that its household structure changed**

```

type: numeric (float)
label: hh_change
range: [0,1]
unique values: 2
units: 1
missing .: 0/5,929

tabulation: Freq. Numeric Label
             5,879 0 no
             50 1 yes
    
```

survey_name **survey round**

```

type: string (str12)
unique values: 1
missing "": 0/5,929

tabulation: Freq. Value
             5,929 "RESURVEY2017"
    
```

year_survey **year survey**

```

type: numeric (float)
range: [2017,2017]
unique values: 1
units: 1
missing .: 0/5,929

tabulation: Freq. Value
             5,929 2017
mean:      2017
std. dev:  0

percentiles: 10% 25% 50% 75% 90%
              2017 2017 2017 2017 2017
    
```

```

2 . log close
   name: <unnamed>
   log: Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018\\codebook\\2017\\a7_table1.sml
   log type: smcl
   closed on: 3 Oct 2024, 13:20:40
    
```
