



```

name: <unnamed>
log: Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\a8.smcl
log type: smcl
opened on: 3 Oct 2024, 13:22:21
    
```

1 . codebookr \_all,all

```

Dataset: Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\a8_run.dta
Last saved: 3 Oct 2024 13:21
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 282
Number of observations: 1,266
Size: 17,059,350 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

|                   |    |                  |    |
|-------------------|----|------------------|----|
| Numeric Missing*: | .a | String Missing*: | RF |
|                   | .b |                  | NA |
|                   | .c |                  | DK |
|                   | .d |                  | MI |

---

**hhid** **household id**

---

```

type: string (str15)
unique values: 1,266 missing "": 0/1,266
examples: "201591160604209"
           "201691131001998"
           "201691160105068"
           "201691161706097"
    
```

---

**iyear** **year**

---

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/1,266
tabulation: Freq. Value
             459 "2015"
             807 "2016"
    
```

---

**prov** **province**

---

```

type: string (str2)
    
```

unique values: 2 missing "": 0/1,266  
 tabulation: Freq. Value  
 1,144 "91"  
 122 "93"

**amp** **amphoe**

type: string (**str2**)  
 unique values: 8 missing "": 0/1,266  
 tabulation: Freq. Value  
 1 "09"  
 122 "12"  
 226 "13"  
 106 "14"  
 124 "15"  
 475 "16"  
 31 "17"  
 181 "18"

**tam** **tambon**

type: string (**str2**)  
 unique values: 15 missing "": 0/1,266  
 tabulation: Freq. Value  
 57 "01"  
 202 "02"  
 105 "04"  
 51 "05"  
 50 "06"  
 55 "07"  
 49 "08"  
 85 "09"  
 115 "10"  
 73 "11"  
 125 "13"  
 42 "14"  
 129 "15"  
 84 "17"  
 44 "19"

**moo** **moo**

type: string (**str2**)  
 unique values: 22 missing "": 0/1,266  
 tabulation: Freq. Value  
 126 "01"  
 57 "02"  
 122 "03"  
 140 "04"  
 114 "05"  
 136 "06"  
 63 "07"  
 132 "08"  
 79 "09"  
 64 "10"  
 45 "11"  
 36 "12"  
 36 "13"  
 10 "14"

```

9 "15"
33 "16"
8 "17"
11 "18"
24 "19"
1 "20"
14 "22"
6 "24"

```

---

**strucid** **structure ID**

---

```

type: string (str3)
unique values: 185           missing "": 0/1,266
examples: "010"
           "034"
           "070"
           "142"

```

---

**no\_A** **no A**

---

```

type: numeric (byte)
range: [1,1]           units: 1
unique values: 1       missing .: 1/1,266

tabulation: Freq. Value
             1,265  1
             1      .
mean:       1
std. dev:   0

percentiles: 10%    25%    50%    75%    90%
              1      1      1      1      1

```

---

**description\_A** **Item of expenditure: rice & flour (not display)**

---

```

type: string (str273), but longest is str0
unique values: 0           missing "": 1,266/1,266
tabulation: Freq. Value
            1,266 ""

```

---

**hc0\_A** **Code of Inseparable expenses**

---

```

type: string (str49), but longest is str0
unique values: 0           missing "": 1,266/1,266
tabulation: Freq. Value
            1,266 ""

```

---

**hcl\_A** **HH. Expenses: Rice, glutinous rice, flour, product from flour (THB)**

---

```

type: numeric (long)
range: [0,1079]           units: 1
unique values: 175       missing .: 0/1,266
unique missing codes: 2   missing *: 8/1,266

```

mean: 38.1176  
 std. dev: 110.045  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 129

---

**hc2\_A Value of producing: Rice, glutinous rice, flour, product from flour (THB)**

---

type: numeric (int)  
 range: [0,1120] units: 1  
 unique values: 386 missing .: 0/1,266  
 unique missing codes: 2 missing \*: 9/1,266  
 mean: 222.245  
 std. dev: 178.599  
 percentiles: 10% 25% 50% 75% 90%  
 0 101 198 308 436

---

**hc3\_A Value of receiving: Rice, glutinous rice, flour, product from flour (THB)**

---

type: numeric (long)  
 range: [0,808] units: 1  
 unique values: 66 missing .: 0/1,266  
 unique missing codes: 2 missing \*: 36/1,266

tabulation: Freq. Value

|       |     |
|-------|-----|
| 1,141 | 0   |
| 1     | 3   |
| 3     | 6   |
| 1     | 7   |
| 1     | 10  |
| 2     | 13  |
| 3     | 14  |
| 2     | 16  |
| 2     | 17  |
| 1     | 19  |
| 1     | 20  |
| 1     | 21  |
| 1     | 23  |
| 1     | 24  |
| 2     | 26  |
| 2     | 29  |
| 1     | 30  |
| 1     | 31  |
| 2     | 33  |
| 1     | 34  |
| 1     | 38  |
| 1     | 42  |
| 1     | 47  |
| 3     | 52  |
| 1     | 56  |
| 1     | 61  |
| 1     | 63  |
| 1     | 66  |
| 2     | 70  |
| 2     | 77  |
| 1     | 81  |
| 1     | 84  |
| 2     | 85  |
| 3     | 93  |
| 1     | 98  |
| 1     | 99  |
| 1     | 101 |
| 1     | 102 |
| 1     | 105 |

```

1 108
1 116
1 125
1 131
5 153
1 157
1 163
1 165
1 171
1 174
1 175
1 195
3 209
1 223
1 233
1 260
1 262
1 265
1 269
2 279
1 302
1 349
1 360
1 372
1 491
1 500
1 808
1 .a
35 .c
mean: 8.7935
std. dev: 47.2963

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

---

**freq\_A** **Frequency: Weekly**

---

```

type: numeric (byte)
label: freq

range: [5,5] units: 1
unique values: 1 missing.: 1/1,266

tabulation: Freq. Numeric Label
            1,265 5 weekly
            1 .
    
```

---

**no\_B** **no B**

---

```

type: numeric (byte)

range: [2,2] units: 1
unique values: 1 missing.: 1/1,266

tabulation: Freq. Value
            1,265 2
            1 .

mean: 2
std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                2      2      2      2      2
    
```

---

**description\_B**  
 Item of expenditure: food & materials, beverage (excluding alcohol drink) (not d

---

type: string (**str273**), but longest is str0  
 unique values: 0 missing "": 1,266/1,266  
 tabulation: Freq. Value  
 1,266 ""

**hc0\_B Code of Inseparable expenses**

type: string (**str49**), but longest is str13  
 unique values: 1 missing "": 1,265/1,266  
 tabulation: Freq. Value  
 1,265 ""  
 1 "200/฿"

**hc1\_B HH. expenses: Expenses on food, non-alcoholic beverages (THB)**

type: numeric (**long**)  
 range: [0,7030] units: 1  
 unique values: 323 missing .: 0/1,266  
 unique missing codes: 2 missing \*: 14/1,266  
 mean: 1238.27  
 std. dev: 700.926  
 percentiles: 10% 25% 50% 75% 90%  
 500 720 1085 1470 2140

**hc2\_B Value of producing: Expenses on food, non-alcoholic beverages (THB)**

type: numeric (**int**)  
 range: [0,291] units: 1  
 unique values: 5 missing .: 0/1,266  
 unique missing codes: 2 missing \*: 6/1,266  
 tabulation: Freq. Value  
 1,256 0  
 1 28  
 1 100  
 1 210  
 1 291  
 1 .a  
 5 .c  
 mean: .499206  
 std. dev: 10.5169  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

**hc3\_B Value of receiving: Expenses on food, non-alcoholic beverages (THB)**

type: numeric (**long**)  
 range: [0,3500] units: 1  
 unique values: 11 missing .: 0/1,266  
 unique missing codes: 2 missing \*: 133/1,266

```

tabulation: Freq. Value
            1,123 0
            1 11
            1 15
            1 36
            1 39
            1 58
            1 111
            1 700
            1 1250
            1 2700
            1 3500
            1 .a
            132 .c
mean:       7.4316
std. dev:   137.971

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

---

**freq\_B** **Frequency: Weekly**

---

```

type: numeric (byte)
label: freq

range: [5,5] units: 1
unique values: 1 missing.: 1/1,266

tabulation: Freq. Numeric Label
            1,265 5 weekly
            1 .
    
```

---

**no\_C** **code C**

---

```

type: numeric (byte)

range: [3,3] units: 1
unique values: 1 missing.: 1/1,266

tabulation: Freq. Value
            1,265 3
            1 .
mean:       3
std. dev:   0

percentiles:    10%    25%    50%    75%    90%
                3      3      3      3      3
    
```

---

**description\_C** **Item of expenditure: alcohol drinks (not display)**

---

```

type: string (str273), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
            1,266 ""
    
```

---

**hc0\_C** **Code of Inseparable expenses**

---

```

type: string (str49), but longest is str4
unique values: 2 missing "": 1,262/1,266
    
```

```

tabulation:  Freq.  Value
              1,262  ""
              1   "C ,D"
              3   "C,D"
    
```

warning: variable has embedded blanks

---

hc1\_C

HH. Expenses: Alcoholic beverages (THB)

---

```

type: numeric (long)
range: [0,10000]
unique values: 74
unique missing codes: 2
units: 1
missing .: 0/1,266
missing *: 301/1,266
    
```

```

tabulation:  Freq.  Value
              640  0
              1   30
              1   40
              1   43
              2   45
              6   50
              8   60
              1   65
              1   70
              1   86
              1   90
             15  100
              1  115
              2  120
              1  129
              1  138
              7  150
              1  193
             22  200
              2  215
              1  225
              2  237
             12  250
              6  258
             27  300
              1  340
              6  350
              1  360
              2  387
              6  400
              6  430
             10  450
             18  500
              7  550
             11  600
              1  615
              2  645
              1  688
              4  700
              1  720
              1  750
              1  800
              5  860
             22  900
             12 1000
              1 1020
              4 1050
              1 1150
              3 1200
              1 1290
              1 1473
              8 1500
              1 1575
              1 1692
    
```



```

1 1695
1 1750
20 1800
1 1935
1 1950
7 2000
4 2100
1 2150
1 2500
12 3000
1 3180
1 3500
2 3600
1 4350
1 5100
1 5400
1 7200
2 7500
3 9000
1 10000
1 .a
300 .c
mean: 333.07
std. dev: 946.59

percentiles:    10%    25%    50%    75%    90%
                 0      0      0     250     900
    
```

---

**hc2\_C** **Value of producing: Alcoholic beverages (THB)**

---

```

type: numeric (int)

range: [0,0]
unique values: 1
unique missing codes: 1

units: 1
missing .: 0/1,266
missing *: 1/1,266

tabulation:  Freq.  Value
              1,265  0
              1     .a
mean:        0
std. dev:    0

percentiles:  10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

---

**hc3\_C** **Value of receiving: Alcoholic beverages (THB)**

---

```

type: numeric(long)

range: [0,0]
unique values: 1
unique missing codes: 2

units: 1
missing .: 0/1,266
missing *: 44/1,266

tabulation:  Freq.  Value
              1,222  0
              1     .a
              43    .c
mean:        0
std. dev:    0

percentiles:  10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

---

**freq\_C** **Frequency: Monthly**

---

```

type: numeric (byte)
label: freq
range: [9,9]
unique values: 1
units: 1
missing.: 1/1,266

tabulation: Freq. Numeric Label
1,265 9 monthly
1 .
    
```

**no\_D** **code D**

```

type: numeric (byte)
range: [4,4]
unique values: 1
units: 1
missing.: 1/1,266

tabulation: Freq. Value
1,265 4
1 .
mean: 4
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
4 4 4 4 4
    
```

**description\_D** **Item of expenditure: cigarette, tobacco, baccy (not display)**

```

type: string (str273), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

**hc0\_D** **Code of Inseparable expenses**

```

type: string (str49), but longest is str4
unique values: 2
missing "": 1,262/1,266

tabulation: Freq. Value
1,262 ""
1 "C, D"
3 "C,D"

warning: variable has embedded blanks
    
```

**hc1\_D** **HH. Expenses: Tobacco, cigarett (THB)**

```

type: numeric (long)
range: [0,4500]
unique values: 91
unique missing codes: 2
units: 1
missing.: 0/1,266
missing *: 274/1,266
    
```

```

tabulation:  Freq.  Value
              585    0
               2    5
               1   10
               1   18
               5   20
               1   21
               5   22
               5   26
               1   27
               5   30
               1   33
               3   35
               3   36
               1   38
               2   40
               1   42
               7   43
               1   44
               3   45
               2   48
               9   50
               2   52
              10   60
               3   65
               1   67
               6   72
              11   75
               2   77
              12   86
               5   90
              28  100
               1  103
               1  105
               1  108
               4  120
               1  123
              51  150
               1  151
               1  159
               1  168
               1  172
               1  175
              20  180
               1  195
               9  200
               2  215
               2  225
               2  250
              37  300
               3  350
               9  360
               1  375
               1  390
               2  400
               3  430
               2  450
               1  473
               1  480
               9  500
               1  540
               1  550
              12  600
               2  700
               5  750
               2  800
               2  825
               1  860
               7  900
               1  945
               2  975
               8 1000
    
```

```

                2 1050
                5 1200
                1 1275
                1 1290
                5 1350
                1 1355
            12 1500
                5 1650
                3 1800
                3 1950
                3 2000
                2 2100
                1 2150
                1 2500
                3 2700
                3 3000
                1 3300
                1 3900
                1 4000
                1 4500
                1 .a
            273 .c
    mean:      189.818
    std. dev:  485.564

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0     150     500
    
```

---

**hc2\_D** **Value of producing: Tobacco, cigarett (THB)**

---

```

    type: numeric (int)

    range: [0,0]
    unique values: 1
    unique missing codes: 1

    units: 1
    missing .: 0/1,266
    missing *: 1/1,266

    tabulation:  Freq.  Value
                1,265  0
                1 .a
    mean:      0
    std. dev:  0

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

---

**hc3\_D** **Value of receiving: Tobacco, cigarett (THB)**

---

```

    type: numeric(long)

    range: [0,0]
    unique values: 1
    unique missing codes: 2

    units: 1
    missing .: 0/1,266
    missing *: 3/1,266

    tabulation:  Freq.  Value
                1,263  0
                1 .a
                2 .c
    mean:      0
    std. dev:  0

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

---

**freq\_D** **Frequency: Monthly**

---

```

type: numeric (byte)
label: freq
range: [9,9]
unique values: 1
units: 1
missing .: 1/1,266

tabulation: Freq. Numeric Label
             1,265 9 monthly
             1 .
    
```

**no\_E** **code E**

```

type: numeric (byte)
range: [5,5]
unique values: 1
units: 1
missing .: 1/1,266

tabulation: Freq. Value
             1,265 5
             1 .
mean: 5
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              5 5 5 5 5
    
```

**description\_E**  
**Item of expenditure: eliecticity, plumbing, phone, internet connect etc. (not d**

```

type: string (str273), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

**hc0\_E** **Code of Inseparable expenses**

```

type: string (str49), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

**hc1\_E HH. Expenses: Utilities such as water, electricity, telephone and internet (THB)**

```

type: numeric (long)
range: [0,13200]
unique values: 511
unique missing codes: 2
units: 1
missing .: 0/1,266
missing *: 6/1,266

mean: 1006.17
std. dev: 866.855

percentiles: 10% 25% 50% 75% 90%
              350 525 775 1200 1875
    
```

**hc2\_E Value of producing: Utilities such as water, electricity, telephone and internet**

```

type: numeric (int)
range: [0,0] units: 1
unique values: 1 missing .: 0/1,266
unique missing codes: 1 missing *: 1/1,266

tabulation: Freq. Value
             1,265 0
             1 .a
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

---

**hc3\_E Value of receiving: Utilities such as water, electricity, telephone and internet**

---

```

type: numeric (long)
range: [0,5600] units: 10
unique values: 9 missing .: 0/1,266
unique missing codes: 2 missing *: 38/1,266

tabulation: Freq. Value
             1,206 0
             2 50
             8 100
             1 200
             4 300
             2 400
             3 600
             1 700
             1 5600
             1 .a
             37 .c
mean: 9.12052
std. dev: 165.562

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

---

**freq\_E Frequency: Monthly**

---

```

type: numeric (byte)
label: freq
range: [9,9] units: 1
unique values: 1 missing .: 1/1,266

tabulation: Freq. Numeric Label
             1,265 9 monthly
             1 .
    
```

---

**no\_F code F**

---

```

type: numeric (byte)
range: [6,6] units: 1
unique values: 1 missing .: 1/1,266

tabulation: Freq. Value
             1,265 6
             1 .
mean: 6
std. dev: 0
    
```







unique values: 1 missing "": 1,265/1,266

tabulation: Freq. Value  
 1,265 ""  
 1 "400-500/เดือน"

---

**hc1\_G HH. Expenses: Fuel such as gasoline and gas for private car (THB)**

---

type: numeric (long)  
 range: [0,20000] units: 1  
 unique values: 170 missing .: 0/1,266  
 unique missing codes: 2 missing \*: 77/1,266  
 mean: 1122.8  
 std. dev: 1602.3  
 percentiles: 10% 25% 50% 75% 90%  
 150 300 516 1290 2700

---

**hc2\_G Value of producing: Fuel such as gasoline and gas for private car (THB)**

---

type: numeric (int)  
 range: [0,0] units: 1  
 unique values: 1 missing .: 0/1,266  
 unique missing codes: 1 missing \*: 1/1,266  
 tabulation: Freq. Value  
 1,265 0  
 1 .a  
 mean: 0  
 std. dev: 0  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hc3\_G Value of receiving: Fuel such as gasoline and gas for private car (THB)**

---

type: numeric (long)  
 range: [0,0] units: 1  
 unique values: 1 missing .: 0/1,266  
 unique missing codes: 1 missing \*: 1/1,266  
 tabulation: Freq. Value  
 1,265 0  
 1 .a  
 mean: 0  
 std. dev: 0  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**freq\_G Frequency: Monthly**

---

type: numeric (byte)  
 label: freq  
 range: [9,9] units: 1  
 unique values: 1 missing .: 1/1,266

```

tabulation: Freq.  Numeric  Label
            1,265      9      monthly
            1          .
    
```

---

**no\_H** **code H**

---

```

type: numeric (byte)
range: [8,8]
unique values: 1
units: 1
missing .: 1/1,266

tabulation: Freq.  Value
            1,265  8
            1      .
mean:      8
std. dev:  0

percentiles: 10%    25%    50%    75%    90%
              8      8      8      8      8
    
```

---

**description\_H** **Item of expenditure: cooking fuel and gasoline (not display)**

---

```

type: string (str273), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq.  Value
            1,266  ""
    
```

---

**hc0\_H** **Code of Inseparable expenses**

---

```

type: string (str49), but longest is str29
unique values: 1
missing "": 1,265/1,266

tabulation: Freq.  Value
            1,265  ""
            1  "250฿ 2เดือน"

warning: variable has embedded blanks
    
```

---

**hc1\_H** **HH. Expenses: Gas, firewood for cooking (THB)**

---

```

type: numeric(long)
range: [0,2775]
unique values: 268
unique missing codes: 2
units: 1
missing .: 0/1,266
missing *: 10/1,266

mean: 256.299
std. dev: 219.856

percentiles: 10%    25%    50%    75%    90%
              0     117    200    385    517
    
```

---

**hc2\_H** **Value of producing: Gas, firewood for cooking (THB)**

---

```

type: numeric (int)
    
```

range: [0,1000]  
 unique values: 61  
 unique missing codes: 2

units: 1  
 missing .: 0/1,266  
 missing \*: 331/1,266

| tabulation: | Freq.   | Value |
|-------------|---------|-------|
|             | 709     | 0     |
|             | 2       | 11    |
|             | 1       | 13    |
|             | 1       | 15    |
|             | 1       | 25    |
|             | 1       | 27    |
|             | 1       | 30    |
|             | 1       | 34    |
|             | 1       | 40    |
|             | 1       | 42    |
|             | 1       | 47    |
|             | 2       | 50    |
|             | 1       | 55    |
|             | 7       | 60    |
|             | 5       | 65    |
|             | 1       | 70    |
|             | 5       | 75    |
|             | 1       | 80    |
|             | 1       | 88    |
|             | 1       | 93    |
|             | 5       | 100   |
|             | 24      | 120   |
|             | 9       | 130   |
|             | 1       | 135   |
|             | 7       | 140   |
|             | 17      | 150   |
|             | 1       | 160   |
|             | 1       | 173   |
|             | 2       | 180   |
|             | 9       | 200   |
|             | 21      | 240   |
|             | 2       | 250   |
|             | 9       | 260   |
|             | 2       | 280   |
|             | 1       | 288   |
|             | 17      | 300   |
|             | 1       | 350   |
|             | 7       | 360   |
|             | 1       | 375   |
|             | 8       | 390   |
|             | 4       | 400   |
|             | 3       | 420   |
|             | 6       | 450   |
|             | 4       | 480   |
|             | 4       | 500   |
|             | 1       | 513   |
|             | 2       | 516   |
|             | 1       | 520   |
|             | 1       | 559   |
|             | 1       | 570   |
|             | 1       | 585   |
|             | 7       | 600   |
|             | 2       | 645   |
|             | 1       | 650   |
|             | 1       | 660   |
|             | 2       | 720   |
|             | 1       | 825   |
|             | 1       | 875   |
|             | 1       | 900   |
|             | 1       | 910   |
|             | 1       | 1000  |
|             | 1       | .a    |
|             | 330     | .c    |
| mean:       | 62.8995 |       |
| std. dev:   | 145.486 |       |



tabulation: Freq. Value  
 1,266 ""

---

**hc0\_I** **Code of Inseparable expenses**

---

type: string (**str49**), but longest is str19

unique values: 1 missing "": 1,265/1,266

tabulation: Freq. Value  
 1,265 ""  
 1 "150/เดือน"

---

**hc1\_I HH. Expenses: Household products such as soap, toothpaste, shampoo, laundry dete**

---

type: numeric (**long**)

range: [0,6450] units: 1  
 unique values: 72 missing .: 0/1,266  
 unique missing codes: 2 missing \*: 74/1,266

tabulation: Freq. Value

|     |     |
|-----|-----|
| 81  | 0   |
| 4   | 50  |
| 1   | 55  |
| 2   | 83  |
| 1   | 86  |
| 30  | 100 |
| 1   | 112 |
| 2   | 120 |
| 18  | 150 |
| 1   | 155 |
| 3   | 167 |
| 1   | 175 |
| 1   | 180 |
| 1   | 186 |
| 1   | 188 |
| 86  | 200 |
| 1   | 210 |
| 1   | 238 |
| 33  | 250 |
| 1   | 255 |
| 1   | 259 |
| 1   | 260 |
| 1   | 285 |
| 102 | 300 |
| 1   | 333 |
| 28  | 350 |
| 1   | 360 |
| 1   | 370 |
| 1   | 380 |
| 37  | 400 |
| 1   | 420 |
| 2   | 430 |
| 33  | 450 |
| 234 | 500 |
| 23  | 550 |
| 11  | 600 |
| 2   | 645 |
| 13  | 650 |
| 1   | 680 |
| 16  | 700 |
| 8   | 750 |
| 13  | 800 |
| 2   | 850 |
| 2   | 860 |
| 1   | 933 |
| 1   | 950 |

```

231 1000
 3 1075
 1 1100
 1 1150
12 1200
 3 1250
 1 1290
 1 1350
 1 1429
 1 1450
48 1500
 1 1505
 1 1700
 2 1750
43 2000
 2 2150
 6 2500
15 3000
 2 3500
 1 4000
 1 4300
 3 4500
 2 5000
 1 5500
 1 6000
 1 6450
 1 .a
73 .c
mean: 698.948
std. dev: 691.581

percentiles:      10%      25%      50%      75%      90%
                  112      300      500      1000     1500

```

---

**hc2\_I Value of producing: Household products such as soap, toothpaste, shampoo, laundr**

---

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 1

units: 1
missing .: 0/1,266
missing *: 1/1,266

tabulation: Freq. Value
             1,265 0
             1 .a
mean: 0
std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

---

**hc3\_I Value of receiving: Household products such as soap, toothpaste, shampoo, laundr**

---

```

type: numeric (long)
range: [0,14000]
unique values: 13
unique missing codes: 2

units: 1
missing .: 0/1,266
missing *: 79/1,266

```

```

tabulation:  Freq.  Value
              1,167  0
              1    42
              1   200
              1   300
              1   477
              5   500
              1   600
              4  1000
              2  1250
              1  1500
              1  2500
              1  3000
              1 14000
              1   .a
              78   .c
mean:        26.6377
std. dev:    432.406

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

---

**freq\_I** **Frequency: Monthly**

---

```

type: numeric (byte)
label: freq

range: [9,9]          units: 1
unique values: 1      missing .. 1/1,266

tabulation:  Freq.  Numeric  Label
              1,265  9  monthly
              1      .
    
```

---

**no\_J** **code J**

---

```

type: numeric (byte)

range: [10,10]       units: 1
unique values: 1      missing .. 1/1,266

tabulation:  Freq.  Value
              1,265  10
              1      .
mean:        10
std. dev:    0

percentiles: 10%    25%    50%    75%    90%
              10    10    10    10    10
    
```

---

**description\_J** **Item of expenditure: gambling activities as lotteries (not display)**

---

```

type: string (str273), but longest is str0

unique values: 0      missing "": 1,266/1,266

tabulation:  Freq.  Value
              1,266  ""
    
```

---

**hc0\_J** **Code of Inseparable expenses**

---

```

type: string (str49), but longest is str19
    
```

unique values: 1 missing "": 1,265/1,266

```

tabulation: Freq. Value
             1,265 ""
             1 " ๒๐๐ 200"
    
```

warning: variable has embedded blanks

---

**hcl\_J HH. Expenses: Lottery such as illegal lottery, government lottery, gold lottery**

---

type: numeric (long)

```

range: [0,30000] units: 1
unique values: 100 missing .: 0/1,266
unique missing codes: 3 missing *: 44/1,266
    
```

```

tabulation: Freq. Value
             398  0
             1  5
             2  8
             1 10
             1 17
             1 25
             1 27
             1 29
             1 30
             1 33
             1 35
             7 40
             1 42
             1 43
             1 45
             3 50
             1 67
             1 71
             1 75
             2 80
             2 83
            15 100
             1 110
             2 115
             1 120
             2 125
             1 128
             1 133
             1 136
             4 150
            12 160
            59 200
             1 208
             1 227
             1 231
             2 240
            14 250
             1 273
             1 280
             1 290
             1 292
            47 300
             1 310
             2 320
             1 340
             8 350
             1 361
             1 380
            50 400
            10 450
            73 500
             8 550
             1 560
    
```



```

47 600
4 650
1 680
12 700
4 750
20 800
1 821
1 833
1 860
17 900
114 1000
9 1100
1 1160
9 1200
3 1250
5 1300
4 1400
30 1500
2 1550
2 1600
1 1700
1 1720
1 1800
2 1900
74 2000
1 2200
1 2400
6 2500
1 2600
1 2800
1 2900
35 3000
3 3500
1 3600
22 4000
1 4100
2 4500
6 5000
1 5500
10 6000
1 6500
1 7000
3 8000
1 9000
1 10000
2 20000
1 30000
1 .a
36 .c
7 .d

```

```

mean: 831.218
std. dev: 1657.04

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0      370.5    1000    2000

```

---

hc2\_J Value of producing: Lottery such as illegal lottery, government lottery, gold lo

---

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 2
units: 1
missing .: 0/1,266
missing *: 8/1,266

```

```

tabulation:  Freq.  Value
              1,258  0
              1    .a
              7    .d
    mean:    0
    std. dev: 0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

**hc3\_J Value of receiving: Lottery such as illegal lottery, government lottery, gold lo**

```

type: numeric (long)

range: [0,0]          units: 1
unique values: 1      missing .: 0/1,266
unique missing codes: 2  missing *: 8/1,266

tabulation:  Freq.  Value
              1,258  0
              1    .a
              7    .d
    mean:    0
    std. dev: 0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

**freq\_J Frequency: Monthly**

```

type: numeric (byte)
label: freq

range: [9,9]          units: 1
unique values: 1      missing .: 1/1,266

tabulation:  Freq.  Numeric  Label
              1,265    9    monthly
              1         .
    
```

**no\_K code K**

```

type: numeric (byte)

range: [11,11]       units: 1
unique values: 1      missing .: 1/1,266

tabulation:  Freq.  Value
              1,265  11
              1     .
    mean:    11
    std. dev: 0

percentiles: 10%    25%    50%    75%    90%
              11    11    11    11    11
    
```

**description\_K Item of expenditure: pharmaceutical products (not display)**

```

type: string (str273), but longest is str0
unique values: 0          missing "": 1,266/1,266
    
```

tabulation: Freq. Value  
 1,266 ""

---

**hc0\_K** **Code of Inseparable expenses**

---

type: string (**str49**), but longest is str0  
 unique values: 0 missing "": 1,266/1,266  
 tabulation: Freq. Value  
 1,266 ""

---

**hc1\_K** **HH. Expenses: Expense on medicine THB**

---

type: numeric (**long**)  
 range: [0,220000] units: 1  
 unique values: 87 missing .: 0/1,266  
 unique missing codes: 2 missing \*: 53/1,266

tabulation: Freq. Value

|     |     |
|-----|-----|
| 590 | 0   |
| 2   | 10  |
| 1   | 15  |
| 1   | 18  |
| 12  | 20  |
| 1   | 23  |
| 8   | 25  |
| 14  | 30  |
| 5   | 35  |
| 6   | 40  |
| 4   | 45  |
| 27  | 50  |
| 1   | 51  |
| 1   | 53  |
| 1   | 54  |
| 5   | 55  |
| 12  | 60  |
| 2   | 70  |
| 2   | 71  |
| 2   | 72  |
| 2   | 90  |
| 84  | 100 |
| 1   | 110 |
| 5   | 120 |
| 1   | 125 |
| 2   | 130 |
| 1   | 138 |
| 3   | 140 |
| 24  | 150 |
| 1   | 160 |
| 3   | 165 |
| 1   | 180 |
| 1   | 188 |
| 41  | 200 |
| 2   | 210 |
| 1   | 215 |
| 3   | 220 |
| 1   | 230 |
| 1   | 240 |
| 33  | 250 |
| 27  | 300 |
| 9   | 350 |
| 2   | 390 |
| 6   | 400 |
| 1   | 420 |
| 22  | 450 |
| 1   | 490 |

```

78 500
1 525
1 540
5 550
7 600
6 650
4 750
1 770
71 1000
1 1100
4 1200
4 1300
1 1460
11 1500
1 1560
1 1650
1 1800
1 1950
11 2000
1 2030
1 2100
1 2200
1 2400
4 2500
2 2600
1 2700
1 2838
2 3000
1 3500
2 3600
1 3650
1 4000
1 4500
1 5000
1 5200
1 5625
1 6000
1 10000
1 15600
1 220000
1 .a
52 .c
mean: 471.739
std. dev: 6357.4

percentiles:    10%    25%    50%    75%    90%
                  0      0      23     300    1000

```

---

**hc2\_K** **Value of producing: Expense on medicine (THB)**

---

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 1

units: 1
missing .: 0/1,266
missing *: 1/1,266

tabulation: Freq. Value
              1,265 0
              1 .a
mean: 0
std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0      0

```

---

**hc3\_K** **Value of receiving: Expense on medicine (THB)**

---

```

type: numeric (long)
range: [0,200]
unique values: 3
unique missing codes: 2
units: 100
missing : 0/1,266
missing *: 9/1,266

tabulation: Freq. Value
1,255 0
1 100
1 200
1 .a
8 .c
mean: .238663
std. dev: 6.30491

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

**freq\_K** **Frequency: Yearly**

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing : 1/1,266

tabulation: Freq. Numeric Label
1,265 17 yearly
1 .
    
```

**no\_L** **code L**

```

type: numeric (byte)
range: [12,12]
unique values: 1
units: 1
missing : 1/1,266

tabulation: Freq. Value
1,265 12
1 .
mean: 12
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
12 12 12 12 12
    
```

**description\_L** **Item of expenditure: seeing a doctor in clinic (not display)**

```

type: string (str273), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

**hc0\_L** **Code of Inseparable expenses**

```

type: string (str49), but longest is str1
unique values: 1
missing "": 1,265/1,266
    
```

```

tabulation: Freq. Value
            1,265 ""
            1 "0"
    
```

---

**hc1\_L** **HH. Expenses: Expense on doctor visit at medical clinic (THB)**

---

```

type: numeric (long)

range: [0,48000]          units: 1
unique values: 154        missing .: 0/1,266
unique missing codes: 2   missing *: 28/1,266

mean: 1037.79
std. dev: 2407.61

percentiles:      10%      25%      50%      75%      90%
                  0        0        300     1150     2500
    
```

---

**hc2\_L** **Value of producing: Expense on doctor visit at medical clinic (THB)**

---

```

type: numeric (int)

range: [0,0]          units: 1
unique values: 1        missing .: 0/1,266
unique missing codes: 1   missing *: 1/1,266

tabulation: Freq. Value
            1,265 0
            1 .a
mean: 0
std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

---

**hc3\_L** **Value of receiving: Expense on doctor visit at medical clinic (THB)**

---

```

type: numeric (long)

range: [0,200]          units: 100
unique values: 3        missing .: 0/1,266
unique missing codes: 2   missing *: 7/1,266

tabulation: Freq. Value
            1,257 0
            1 100
            1 200
            1 .a
            6 .c
mean: .238284
std. dev: 6.29991

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

---

**freq\_L** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq

range: [17,17]          units: 1
unique values: 1        missing .: 1/1,266
    
```

```

tabulation: Freq.  Numeric  Label
             1,265    17     yearly
             1         .
    
```

---

**no\_M** **code M**

---

```

type: numeric (byte)
range: [13,13]
unique values: 1
units: 1
missing .: 1/1,266

tabulation: Freq.  Value
             1,265  13
             1     .
mean:      13
std. dev:  0

percentiles: 10%    25%    50%    75%    90%
              13    13    13    13    13
    
```

---

**description\_M** **Item of expenditure: seeing a doctor in hospital (not display)**

---

```

type: string (str273), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq.  Value
             1,266  ""
    
```

---

**hc0\_M** **Code of Inseparable expenses**

---

```

type: string (str49), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq.  Value
             1,266  ""
    
```

---

**hc1\_M** **HH. Expenses: Expense on doctor visit at hospital (THB)**

---

```

type: numeric (long)
range: [0,172400]
unique values: 57
unique missing codes: 2
units: 1
missing .: 0/1,266
missing *: 31/1,266

tabulation: Freq.  Value
             1,009  0
             45    30
             1     45
             25    60
             6     75
             1     83
             11    90
             3    100
             3    105
             2    110
             26   120
             3    130
             1    140
             4    150
             3    165
             17   180
             3    195
    
```





```

type: numeric (long)
range: [0,180]
unique values: 4
unique missing codes: 2
units: 1
missing .: 0/1,266
missing *: 708/1,266

tabulation: Freq. Value
             554  0
             2   30
             1   73
             1  180
             1   .a
             707   .c
mean:       .560932
std. dev:   8.4055

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

---

**freq\_M** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing .: 1/1,266

tabulation: Freq. Numeric Label
             1,265    17  yearly
             1         .
    
```

---

**no\_N** **code N**

---

```

type: numeric (byte)
range: [14,14]
unique values: 1
units: 1
missing .: 1/1,266

tabulation: Freq. Value
             1,265  14
             1     .
mean:       14
std. dev:   0

percentiles:    10%    25%    50%    75%    90%
                14    14    14    14    14
    
```

---

**description\_N** **Item of expenditure: household donating/charity (not display)**

---

```

type: string (str273), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

---

**hc0\_N** **Code of Inseparable expenses**

---

```

type: string (str49), but longest is str0
unique values: 0
missing "": 1,266/1,266
    
```

tabulation: Freq. Value  
 1,266 ""

---

**hc1\_N** **HH. Expenses: Donation (THB)**

---

type: numeric (**long**)  
 range: [0,33000] units: 1  
 unique values: 68 missing .: 0/1,266  
 unique missing codes: 2 missing \*: 155/1,266

tabulation: Freq. Value

|     |       |
|-----|-------|
| 19  | 0     |
| 1   | 50    |
| 1   | 60    |
| 2   | 100   |
| 1   | 150   |
| 6   | 200   |
| 5   | 250   |
| 8   | 300   |
| 6   | 350   |
| 4   | 400   |
| 10  | 450   |
| 48  | 500   |
| 1   | 540   |
| 11  | 550   |
| 6   | 600   |
| 1   | 650   |
| 5   | 700   |
| 5   | 750   |
| 1   | 800   |
| 1   | 900   |
| 210 | 1000  |
| 1   | 1118  |
| 1   | 1150  |
| 10  | 1200  |
| 5   | 1250  |
| 1   | 1300  |
| 3   | 1400  |
| 2   | 1450  |
| 101 | 1500  |
| 3   | 1550  |
| 1   | 1600  |
| 1   | 1650  |
| 1   | 1833  |
| 195 | 2000  |
| 80  | 2500  |
| 2   | 2600  |
| 93  | 3000  |
| 1   | 3300  |
| 46  | 3500  |
| 1   | 3900  |
| 25  | 4000  |
| 1   | 4200  |
| 35  | 4500  |
| 65  | 5000  |
| 5   | 5500  |
| 15  | 6000  |
| 1   | 6060  |
| 2   | 6500  |
| 4   | 7000  |
| 1   | 7150  |
| 1   | 7500  |
| 1   | 7800  |
| 1   | 8000  |
| 1   | 8800  |
| 1   | 9600  |
| 30  | 10000 |
| 1   | 10500 |
| 4   | 12000 |

```

1 13000
2 14000
4 15000
2 19500
3 20000
1 24000
1 25000
1 26000
1 30000
1 33000
1 .a
154 .c
mean: 2697.08
std. dev: 3045.18

percentiles:    10%    25%    50%    75%    90%
                540    1000   2000   3000   5000
    
```

---

**hc2\_N** **Value of producing: Donation (THB)**

---

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 1

units: 1
missing .: 0/1,266
missing *: 1/1,266

tabulation:  Freq.  Value
              1,265  0
              1     .a
mean:        0
std. dev:    0

percentiles: 10%    25%    50%    75%    90%
              0     0     0     0     0
    
```

---

**hc3\_N** **Value of receiving: Donation (THB)**

---

```

type: numeric (long)
range: [0,0]
unique values: 1
unique missing codes: 1

units: 1
missing .: 0/1,266
missing *: 1/1,266

tabulation:  Freq.  Value
              1,265  0
              1     .a
mean:        0
std. dev:    0

percentiles: 10%    25%    50%    75%    90%
              0     0     0     0     0
    
```

---

**freq\_N** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1

units: 1
missing .: 1/1,266

tabulation:  Freq.  Numeric  Label
              1,265    17     yearly
              1         .
    
```

---

**no\_O** **code 0**

---

```

type: numeric (byte)
range: [15,15] units: 1
unique values: 1 missing .: 1/1,266

tabulation: Freq. Value
             1,265 15
             1 .
mean: 15
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
             15 15 15 15 15
    
```

---

**description\_O** **Item of expenditure: performing ceremonies (not display)**

---

```

type: string (str273), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

---

**hc0\_O** **Code of Inseparable expenses**

---

```

type: string (str49), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

---

**hcl\_O** **HH. Expenses: Expense on ceremony (THB)**

---

```

type: numeric (long)
range: [0,500000] units: 10
unique values: 43 missing .: 0/1,266
unique missing codes: 2 missing *: 8/1,266

tabulation: Freq. Value
             1,139 0
             3 300
             1 400
             1 450
             5 500
             12 1000
             1 1200
             4 1500
             1 1600
             3 2000
             5 3000
             1 4000
             4 5000
             1 6000
             1 6500
             8 10000
             1 17500
             1 18000
             6 20000
             3 25000
             4 30000
    
```

```

                2 33000
                3 35000
                4 40000
                1 45000
                2 50000
                3 55000
                1 60000
                1 70000
                1 81500
                1 85000
                2 90000
                7 100000
                5 120000
                2 130000
                5 150000
                1 170000
                6 200000
                1 250000
                1 270000
                2 300000
                1 340000
                1 500000
                1 .a
                7 .c
    mean:      5779.45
    std. dev:  31819.4

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0

```

---

**hc2\_O** **Value of producing: Expense on ceremony (THB)**

---

```

    type: numeric (int)
    range: [0,0]
    unique values: 1
    unique missing codes: 1
    units: 1
    missing .: 0/1,266
    missing *: 1/1,266

    tabulation:  Freq.  Value
                 1,265  0
                 1     .a
    mean:       0
    std. dev:   0

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0

```

---

**hc3\_O** **Value of receiving: Expense on ceremony (THB)**

---

```

    type: numeric (long)
    range: [0,150000]
    unique values: 2
    unique missing codes: 1
    units: 10000
    missing .: 0/1,266
    missing *: 1/1,266

    tabulation:  Freq.  Value
                 1,264  0
                 1    150000
                 1     .a
    mean:       118.577
    std. dev:   4217.41

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0

```

---

**freq\_O** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing.: 1/1,266

tabulation: Freq.  Numeric  Label
             1,265    17     yearly
             1         .
    
```

---

**no\_P** **code P**

---

```

type: numeric (byte)
range: [16,16]
unique values: 1
units: 1
missing.: 1/1,266

tabulation: Freq.  Value
             1,265  16
             1      .
mean:       16
std. dev:   0

percentiles: 10%    25%    50%    75%    90%
              16    16    16    16    16
    
```

---

**description\_P** **Item of expenditure: dwelling maintenance (not display)**

---

```

type: string (str273), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq.  Value
             1,266 ""
    
```

---

**hc0\_P** **Code of Inseparable expenses**

---

```

type: string (str49), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq.  Value
             1,266 ""
    
```

---

**hcl\_P** **HH. Expenses: House restoration or construction (THB)**

---

```

type: numeric (long)
range: [0,1000000]
unique values: 69
unique missing codes: 2
units: 10
missing.: 0/1,266
missing *: 9/1,266
    
```

```

tabulation:  Freq.  Value
              1,020  0
                2  100
                1  450
                2  500
                1  650
                1  700
                1  750
                6 1000
                1 1100
                1 1200
                5 1500
                5 2000
                6 2500
                4 3000
                2 3500
                5 4000
                1 4200
                1 4500
                7 5000
                6 6000
                5 7000
                1 7500
                1 7600
                4 8000
                2 9000
               12 10000
                1 11000
                4 13000
                2 14000
               10 15000
                1 16000
                1 18000
               21 20000
                1 20800
               11 25000
                1 26500
                1 27000
                1 28000
               18 30000
                3 35000
                7 40000
                2 45000
               11 50000
                1 55000
                1 57000
                8 60000
                1 65000
                4 70000
                1 70500
                2 75000
                2 80000
                1 90000
                9 100000
                1 120000
                1 130000
                3 150000
                1 170000
                1 180000
                4 200000
                1 220000
                3 250000
                1 290000
                2 300000
                1 400000
                1 550000
                1 650000
                3 700000
                1 780000
                3 1000000
                1  .a
                8  .c
    
```

mean: 13140.9  
 std. dev: 73794.2  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 20000

---

**hc2\_P Value of producing: House restoration or construction (THB)**

---

type: numeric (int)  
 range: [0,0] units: 1  
 unique values: 1 missing .: 0/1,266  
 unique missing codes: 1 missing \*: 1/1,266

tabulation: Freq. Value  
 1,265 0  
 1 .a  
 mean: 0  
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hc3\_P Value of receiving: House restoration or construction (THB)**

---

type: numeric (long)  
 range: [0,1100000] units: 100  
 unique values: 9 missing .: 0/1,266  
 unique missing codes: 2 missing \*: 4/1,266

tabulation: Freq. Value  
 1,254 0  
 1 5000  
 1 10000  
 1 17500  
 1 18000  
 1 50000  
 1 145000  
 1 300000  
 1 1100000  
 1 .a  
 3 .c  
 mean: 1303.88  
 std. dev: 32380.3

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**freq\_P Frequency: Yearly**

---

type: numeric (byte)  
 label: freq  
 range: [17,17] units: 1  
 unique values: 1 missing .: 1/1,266

tabulation: Freq. Numeric Label  
 1,265 17 yearly  
 1 .

---

**no\_Q code Q**

---



```

type: numeric (byte)
range: [17,17] units: 1
unique values: 1 missing .: 1/1,266

tabulation: Freq. Value
1,265 17
1 .
mean: 17
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
17 17 17 17 17
    
```

**description\_Q**  
**Item of expenditure: Maintenance cost and registration cost of mothorcycle, car**

```

type: string (str273), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

**hc0\_Q** **Code of Inseparable expenses**

```

type: string (str49), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

**hc1\_Q HH. Expenses: Insurance, maintainance cost and registration cost of mothorcycle,**

```

type: numeric (long)
range: [0,310000] units: 1
unique values: 183 missing .: 0/1,266
unique missing codes: 2 missing *: 128/1,266

mean: 3681.9
std. dev: 11760.9

percentiles: 10% 25% 50% 75% 90%
0 0 995 3000 10000
    
```

**hc2\_Q Value of producing: Insurance, maintainance cost and registration cost of mothor**

```

type: numeric (int)
range: [0,0] units: 1
unique values: 1 missing .: 0/1,266
unique missing codes: 2 missing *: 2/1,266

tabulation: Freq. Value
1,264 0
1 .a
1 .c
mean: 0
std. dev: 0
    
```

percentiles:           10%           25%           50%           75%           90%  
                           0            0            0            0            0

---

**hc3\_Q Value of receiving: Insurance, maintainance cost and registration cost of mothor**

---

type: numeric (**long**)  
 range: [0,17950]                           units: 10  
 unique values: 6                           missing .: 0/1,266  
 unique missing codes: 2                   missing \*: 9/1,266

tabulation:   Freq.   Value  
               1,252   0  
               1   560  
               1   900  
               1   2200  
               1   10000  
               1   17950  
               1   .a  
               8   .c  
 mean:        25.1472  
 std. dev:    583.321

percentiles:           10%           25%           50%           75%           90%  
                           0            0            0            0            0

---

**freq\_Q** **Frequency: Yearly**

---

type: numeric (**byte**)  
 label: **freq**  
 range: [17,17]                           units: 1  
 unique values: 1                           missing .: 1/1,266

tabulation:   Freq.   Numeric   Label  
               1,265    17   yearly  
               1        .

---

**no\_R** **code R**

---

type: numeric (**byte**)  
 range: [18,18]                           units: 1  
 unique values: 1                           missing .: 1/1,266

tabulation:   Freq.   Value  
               1,265   18  
               1   .  
 mean:        18  
 std. dev:    0

percentiles:           10%           25%           50%           75%           90%  
                           18            18            18            18            18

---

**description\_R**  
**Item of expenditure: Furniture and house decoration (in case paid in cash) (not**

---

type: string (**str273**), but longest is str0  
 unique values: 0                           missing "": 1,266/1,266

tabulation:   Freq.   Value  
               1,266   "

---

**hc0\_R** **Code of Inseparable expenses**

---

type: string (**str49**), but longest is str0  
 unique values: 0 missing "": 1,266/1,266  
 tabulation: Freq. Value  
                   1,266 ""

---

**hc1\_R** **HH. Expenses: Furniture and house decoration (in case paid in cash) (THB)**

---

type: numeric (**long**)  
 range: [0,100000] units: 1  
 unique values: 47 missing .: 0/1,266  
 unique missing codes: 2 missing \*: 7/1,266

| tabulation: | Freq.   | Value  |
|-------------|---------|--------|
|             | 1,170   | 0      |
|             | 1       | 20     |
|             | 1       | 60     |
|             | 1       | 400    |
|             | 1       | 500    |
|             | 1       | 550    |
|             | 1       | 625    |
|             | 1       | 750    |
|             | 1       | 800    |
|             | 3       | 1000   |
|             | 6       | 1500   |
|             | 8       | 2000   |
|             | 2       | 2200   |
|             | 1       | 2300   |
|             | 3       | 2500   |
|             | 1       | 2600   |
|             | 1       | 2700   |
|             | 9       | 3000   |
|             | 1       | 3300   |
|             | 3       | 3500   |
|             | 1       | 3600   |
|             | 1       | 3800   |
|             | 1       | 4000   |
|             | 1       | 4200   |
|             | 1       | 4400   |
|             | 2       | 4500   |
|             | 1       | 4600   |
|             | 6       | 5000   |
|             | 2       | 5500   |
|             | 1       | 5600   |
|             | 1       | 6000   |
|             | 1       | 6450   |
|             | 2       | 6500   |
|             | 1       | 6800   |
|             | 1       | 7000   |
|             | 1       | 7500   |
|             | 1       | 8000   |
|             | 1       | 8400   |
|             | 1       | 9000   |
|             | 7       | 10000  |
|             | 2       | 10500  |
|             | 1       | 12290  |
|             | 1       | 14500  |
|             | 2       | 15000  |
|             | 1       | 20000  |
|             | 1       | 30000  |
|             | 1       | 100000 |
|             | 1       | .a     |
|             | 6       | .c     |
| mean:       | 430.616 |        |

std. dev: 3328.66  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hc2\_R Value of producing: Furniture and house decoration (in case paid in cash) (THB)**

---

type: numeric (int)  
 range: [0,0] units: 1  
 unique values: 1 missing .: 0/1,266  
 unique missing codes: 1 missing \*: 1/1,266

tabulation: Freq. Value  
 1,265 0  
 1 .a  
 mean: 0  
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hc3\_R Value of receiving: Furniture and house decoration (in case paid in cash) (THB)**

---

type: numeric (long)  
 range: [0,50000] units: 1000  
 unique values: 4 missing .: 0/1,266  
 unique missing codes: 2 missing \*: 6/1,266

tabulation: Freq. Value  
 1,257 0  
 1 2000  
 1 8000  
 1 50000  
 1 .a  
 5 .c  
 mean: 47.619  
 std. dev: 1427.39

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**freq\_R Frequency: Yearly**

---

type: numeric (byte)  
 label: freq  
 range: [17,17] units: 1  
 unique values: 1 missing .: 1/1,266

tabulation: Freq. Numeric Label  
 1,265 17 yearly  
 1 .

---

**no\_S code S**

---

type: numeric (byte)  
 range: [19,19] units: 1  
 unique values: 1 missing .: 1/1,266

```

tabulation: Freq. Value
             1,265 19
             1 .
      mean:   19
      std. dev: 0

percentiles: 10%      25%      50%      75%      90%
              19       19       19       19       19
    
```

**description\_S** Item of expenditure: hobbies & entertainment (not display)

```

type: string (str273), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

**hc0\_S** Code of Inseparable expenses

```

type: string (str49), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

**hc1\_S** HH. Expenses: Recreational costs (Traveling to different locations) (THB)

```

type: numeric (long)
range: [0,160000] units: 1
unique values: 48 missing .: 0/1,266
unique missing codes: 2 missing *: 18/1,266

tabulation: Freq. Value
             1,017 0
              1 100
              2 150
              2 200
              1 250
              1 300
              1 350
              1 400
              1 450
              5 500
              1 550
              3 600
              1 800
              1 825
              1 900
             21 1000
              2 1375
             17 1500
              1 1550
              1 1650
              1 1700
              1 1800
             32 2000
             12 2500
             22 3000
              4 3500
              2 3600
             10 4000
              6 4500
             16 5000
    
```

```

      3 5500
      3 6000
      4 7000
      2 7500
      1 8000
      1 9000
     23 10000
      2 12000
      6 15000
      1 18000
      3 20000
      4 25000
      2 30000
      1 40000
      2 45000
      1 60000
      1 150000
      1 160000
      1 .a
     17 .c
    mean: 1258.47
   std. dev: 7331.37

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0       2500

```

**hc2\_S Value of producing: Recreational costs (Traveling to different locations) (THB)**

```

      type: numeric (int)
      range: [0,0]
unique values: 1
unique missing codes: 1
      units: 1
      missing .: 0/1,266
      missing *: 1/1,266

tabulation: Freq. Value
             1,265 0
             1 .a
      mean: 0
   std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

**hc3\_S Value of receiving: Recreational costs (Traveling to different locations) (THB)**

```

      type: numeric (long)
      range: [0,50000]
unique values: 11
unique missing codes: 2
      units: 1
      missing .: 0/1,266
      missing *: 32/1,266

tabulation: Freq. Value
             1,223 0
              1 1000
              1 2000
              1 4500
              1 5325
              1 7000
              1 8000
              2 10000
              1 15000
              1 30000
              1 50000
              1 .a
             31 .c
      mean: 115.741
   std. dev: 1795.52

```

percentiles:           10%           25%           50%           75%           90%  
                           0            0            0            0            0

---

**freq\_S** **Frequency: Yearly**

---

type: numeric (**byte**)  
 label: **freq**  
 range: [17,17]                           units: 1  
 unique values: 1                           missing .: 1/1,266  
 tabulation:   Freq.   Numeric   Label  
                   1,265       17   yearly  
                           1           .

---

**no\_T** **code T**

---

type: numeric (**byte**)  
 range: [20,20]                           units: 1  
 unique values: 1                           missing .: 1/1,266  
 tabulation:   Freq.   Value  
                   1,265   20  
                           1   .  
 mean:           20  
 std. dev:        0  
 percentiles:    10%       25%       50%       75%       90%  
                   20        20       20       20       20

---

**description\_T**  
 Item of expenditure: Land or shop rental fee (not include land rental fee in bus

---

type: string (**str273**), but longest is str0  
 unique values: 0                           missing "": 1,266/1,266  
 tabulation:   Freq.   Value  
                   1,266   ""

---

**hc0\_T** **Code of Inseparable expenses**

---

type: string (**str49**), but longest is str0  
 unique values: 0                           missing "": 1,266/1,266  
 tabulation:   Freq.   Value  
                   1,266   ""

---

**hcl\_T HH. Expenses: Land or shop rental fee (excluding land rental fee in business sec**

---

type: numeric (**long**)  
 range: [0,72500]                           units: 1  
 unique values: 86                           missing .: 0/1,266  
 unique missing codes: 3                   missing \*: 4/1,266

```

tabulation:  Freq.  Value
              1,141  0
                1  106
                1  120
                1  250
                1  330
                1  500
                2  700
                2 1000
                1 1125
                2 1200
                3 1350
                1 1500
                1 1800
                1 1950
                3 2000
                1 2100
                1 2500
                1 2970
                1 3000
                1 3300
                1 3500
                1 3575
                1 3640
                1 3750
                1 3960
                4 4000
                1 4200
                2 4500
                1 4800
                1 4875
                2 4950
                2 5000
                1 5400
                1 5775
                1 6000
                3 6600
                1 6667
                1 6750
                3 7000
                1 7095
                1 7200
                2 7500
                1 7590
                1 7925
                1 7986
                3 8000
                1 8100
                2 8250
                1 8340
                1 8370
                1 8866
                1 9000
                1 9300
                2 9450
                1 9900
                4 10000
                1 10650
                1 11550
                2 12000
                1 12375
                1 13000
                1 13200
                1 14000
                3 15000
                1 16000
                2 16500
                2 17500
                3 18000
                1 18975
                1 19000
                1 19500
    
```



```

      4 20000
      1 21500
      1 22500
      1 23460
      2 24000
      1 24750
      1 25800
      1 27500
      1 27550
      1 29750
      1 30000
      1 30800
      1 31675
      1 49600
      1 72500
      1 .a
      1 .b
      2 .c
    mean: 1017.99
    std. dev: 4481.81

    percentiles:      10%      25%      50%      75%      90%
                     0         0         0         0         0

```

**hc2\_T Value of producing: Land or shop rental fee (excluding land rental fee in busine**

```

    type: numeric (int)
    range: [0,7200]
    unique values: 3
    unique missing codes: 2
    units: 100
    missing .: 0/1,266
    missing *: 2/1,266

    tabulation: Freq. Value
                1,262 0
                  1 6600
                  1 7200
                  1 .a
                  1 .b
    mean: 10.9177
    std. dev: 274.618

    percentiles:      10%      25%      50%      75%      90%
                     0         0         0         0         0

```

**hc3\_T Value of receiving: Land or shop rental fee (excluding land rental fee in busine**

```

    type: numeric (long)
    range: [0,31100]
    unique values: 3
    unique missing codes: 3
    units: 100
    missing .: 0/1,266
    missing *: 6/1,266

    tabulation: Freq. Value
                1,258 0
                  1 5000
                  1 31100
                  1 .a
                  1 .b
                  4 .c
    mean: 28.6508
    std. dev: 887.284

    percentiles:      10%      25%      50%      75%      90%
                     0         0         0         0         0

```

---

**freq\_T** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq

range: [17,17]          units: 1
unique values: 1        missing .: 1/1,266

tabulation: Freq.  Numeric  Label
             1,265    17     yearly
             1         .
    
```

---

**no\_U** **code U**

---

```

type: numeric (byte)

range: [21,21]          units: 1
unique values: 1        missing .: 994/1,266

tabulation: Freq.  Value
             272    21
             994    .
mean:       21
std. dev:   0

percentiles: 10%    25%    50%    75%    90%
              21    21    21    21    21
    
```

---

**description\_U** **Item of expenditure: Other, please specify (not display)**

---

```

type: string (str273), but longest is str0
unique values: 0          missing "": 1,266/1,266

tabulation: Freq.  Value
             1,266  ""
    
```

---

**description\_U\_group** **Group of items: describtion\_U (not display)**

---

```

type: string (str39), but longest is str0
unique values: 0          missing "": 1,266/1,266

tabulation: Freq.  Value
             1,266  ""
    
```

---

**hc0\_U** **Code of Inseparable expenses**

---

```

type: string (str49), but longest is str0
unique values: 0          missing "": 1,266/1,266

tabulation: Freq.  Value
             1,266  ""
    
```

---

**hc1\_U** **HH. Expenses: Others (THB)**

---

```

type: numeric (long)
    
```

```

range: [0,1200] units: 10
unique values: 5 missing .: 1,073/1,266

tabulation: Freq. Value
             188  0
             1  130
             1  600
             2 1000
             1 1200
             1,073 .
mean: 20.3627
std. dev: 139.509

percentiles: 10% 25% 50% 75% 90%
              0  0  0  0  0
    
```

**hc2\_U Value of producing: others (THB)**

```

type: numeric (int)

range: [0,0] units: 1
unique values: 1 missing .: 1,073/1,266

tabulation: Freq. Value
             193  0
             1,073 .
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0  0  0  0  0
    
```

**hc3\_U Value of receiving: others (THB)**

```

type: numeric (long)

range: [0,63000] units: 1
unique values: 71 missing .: 1,073/1,266
unique missing codes: 2 missing *: 81/1,266

tabulation: Freq. Value
             5  0
             1  250
             1  300
             1  450
             1  500
             1  550
             1  600
             2  625
             1  800
             1  900
             5 1000
             1 1050
             2 1200
             1 1375
             1 1400
             1 1500
             1 1600
             1 1700
             1 1725
             1 1800
             2 1950
             6 2000
             1 2050
             1 2100
             1 2475
             5 3000
             2 3250
    
```

```

1 3300
1 3400
2 3500
1 3750
5 4000
2 4050
1 4400
3 4500
1 4800
3 5000
1 5250
1 5325
2 5500
3 6000
1 6250
1 6800
1 7000
1 7150
2 7500
1 8000
1 8250
1 9000
1 10000
1 10500
3 11000
1 11200
1 11405
2 12000
1 12500
1 13000
2 14000
1 15175
1 16903
1 18000
1 19250
1 20000
2 21000
1 24000
1 26000
1 39000
1 48000
1 52520
2 60000
1 63000
1,073 .
81 .c
mean: 8186.63
std. dev: 12395.4

percentiles:      10%      25%      50%      75%      90%
                  625      1712.5    4000    9500    19250

```

---

**freq\_U** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq

range: [17,17]          units: 1
unique values: 1        missing .: 1,073/1,266

tabulation: Freq.  Numeric  Label
             193      17     yearly
             1,073      .

```

---

**no\_V** **code V**

---

```

type: numeric (byte)

```

```

range: [22,22] units: 1
unique values: 1 missing .: 1,084/1,266

tabulation: Freq. Value
             182  22
             1,084 .
mean:       22
std. dev:   0

percentiles: 10%    25%    50%    75%    90%
              22     22     22     22     22
    
```

**description\_V** Item of expenditure: Other, please specify (not display)

```

type: string (str273), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

**description\_V\_group** Group of items: description\_V

```

type: string (str31)
unique values: 12 missing "": 1,181/1,266

tabulation: Freq. Value
             1,181 ""
              30 "clothes;education;"
              19 "food;clothes;"
              10 "food;clothes;education;"
               1 "food;clothes;other;"
               4 "food;education;"
               1 "food;health;education;"
               2 "food;utility;clothes;education;"
               1 "food;utility;education;"
               1 "health;clothes;education;"
               8 "other;"
               6 "utility;clothes;"
               2 "utility;clothes;education;"
    
```

**hc0\_V** Code of Inseparable expenses

```

type: string (str49), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

**hc1\_V** HH. Expenses: Others (THB)

```

type: numeric (long)
range: [0,4800] units: 10
unique values: 6 missing .: 1,180/1,266
    
```

```

tabulation:  Freq.  Value
              81    0
              1   300
              1   750
              1  1500
              1  2000
              1  4800
            1,180  .
    mean:     108.721
    std. dev: 583.357

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

**hc2\_v** **Value of producing: others (THB)**

```

    type: numeric (int)
    range: [0,0]
    unique values: 1
    units: 1
    missing .: 1,180/1,266

    tabulation:  Freq.  Value
                  86    0
                1,180  .
    mean:        0
    std. dev:    0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

**hc3\_v** **Value of receiving: others (THB)**

```

    type: numeric (long)
    range: [0,27500]
    unique values: 34
    unique missing codes: 2
    units: 1
    missing .: 1,180/1,266
    missing *: 39/1,266

    tabulation:  Freq.  Value
                  4    0
                  2   450
                  1   500
                  1   600
                  1   650
                  1   800
                  2  1000
                  1  1050
                  1  1200
                  1  1290
                  2  1500
                  1  1650
                  1  1800
                  2  1950
                  5  2000
                  1  2300
                  2  2500
                  1  2700
                  1  3250
                  1  3500
                  1  3750
                  1  4275
                  1  5500
                  1  6050
                  1  6700
                  1  6950
                  1  7000
                  1  9000
                  1 13500
    
```

```

                1 14800
                1 20000
                2 22000
                1 26000
                1 27500
            1,180 .
            39 .c
    mean:      5130.11
    std. dev:  7194.84

    percentiles:    10%    25%    50%    75%    90%
                   450    1000   2000   6050   20000
    
```

---

**freq\_V** **Frequency: Yearly**

---

```

    type: numeric (byte)
    label: freq

    range: [17,17]           units: 1
    unique values: 1         missing .: 1,180/1,266

    tabulation: Freq.  Numeric  Label
                86      17     yearly
                1,180      .
    
```

---

**description\_1 Expenditures for Education: Transportation cost to school (not display)**

---

```

    type: string (str109), but longest is str0
    unique values: 0         missing "": 1,266/1,266

    tabulation: Freq.  Value
                1,266  ""
    
```

---

**freq\_1** **Frequency: Monthly**

---

```

    type: numeric (byte)
    label: freq

    range: [9,9]           units: 1
    unique values: 1         missing .: 0/1,266

    tabulation: Freq.  Numeric  Label
                1,266      9     monthly
    
```

---

**hcla\_1** **Pre School**

---

```

    type: numeric (long)

    range: [0,3200]
    unique values: 30
    unique missing codes: 4

    units: 1
    missing .: 2/1,266
    missing *: 19/1,266
    
```

```

tabulation:  Freq.  Value
              1,106  0
              11  100
              1  150
              1  195
              5  200
              1  215
              2  220
              1  225
              4  270
              20  300
              1  338
              2  340
              8  350
              24  400
              2  440
              2  450
              12  500
              1  550
              1  588
              16  600
              11  700
              1  780
              2  800
              1  950
              3  1000
              2  1200
              1  1500
              1  1700
              1  2400
              1  3200
              2  .
              1  .a
              17  .b
              1  .c
    mean:      54.2739
  std. dev:   199.588
  
```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         200
  
```

---

**hclb\_1**

**Primary School**

---

```

    type:  numeric (long)
    range:  [0,4500]
  unique values:  29
unique missing codes:  3
    units:  1
missing .:  35/1,266
missing *:  767/1,266
  
```

```

tabulation:  Freq.  Value
              358  0
              1  100
              1  150
              2  200
              1  220
              2  250
              19  300
              6  350
              1  380
              1  390
              17  400
              2  440
              1  450
              1  470
              7  500
              11  600
              8  700
              1  713
              8  800
              1  850
  
```



```

          1  900
          3 1000
          1 1167
          4 1200
          1 1400
          2 1600
          1 2000
          1 2400
          1 4500
          35 .
          1 .a
          766 .b
    mean: 141.315
  std. dev: 363.849

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      500

```

---

**hclc\_1** **Secondary school/vocational**

---

```

    type: numeric (long)
    range: [0,1500]
  unique values: 30
unique missing codes: 4
          units: 1
    missing .: 22/1,266
    missing *: 1,042/1,266

```

```

tabulation:  Freq.  Value
            123    0
             1    50
             1   100
             2   150
             1   249
             2   250
            13   300
             3   330
             2   350
             1   353
             1   375
            13   400
             1   420
             9   440
             3   450
             1   460
             1   500
             1   510
             2   528
             6   600
             1   660
             5   700
             1   720
             1   770
             2   880
             1   900
             1  1080
             1  1290
             1  1400
             1  1500
            22 .
             1 .a
          1,035 .b
             6 .c
    mean: 188.876
  std. dev: 286.4

percentiles:    10%    25%    50%    75%    90%
                0      0      0      400    600

```

---

**hclid\_1** **Higher than Secondary school/vocational**

---

```

type: numeric (long)
range: [0,0]
unique values: 1
unique missing codes: 4
units: 1
missing .: 19/1,266
missing *: 1,235/1,266

tabulation: Freq. Value
             12  0
             19  .
             1  .a
            1,232 .b
             2  .c
mean:       0
std. dev:   0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

---

**hclnote\_1** **Interviewer note of table 1 (unavailable)**

---

```

type: string (str270), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
            1,266 ""
    
```

---

**description\_2** **Expenditures for Education: Story book/picture book for kids (not display)**

---

```

type: string (str109), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
            1,266 ""
    
```

---

**freq\_2** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing .: 0/1,266

tabulation: Freq. Numeric Label
            1,266    17  yearly
    
```

---

**hcla\_2** **Pre School**

---

```

type: numeric (long)
range: [0,15000]
unique values: 52
unique missing codes: 4
units: 1
missing .: 2/1,266
missing *: 52/1,266
    
```

```

tabulation:  Freq.  Value
              868    0
               1    5
               1   10
               3   15
              13   20
               3   25
               4   30
               1   32
               1   33
               4   35
              16   40
               1   44
               2   45
              22   50
               1   53
              13   60
               2   70
               3   75
               4   80
               1   87
               3   90
              85  100
               1  105
               1  118
               1  120
               6  125
              20  150
               1  167
               2  175
               1  180
              39  200
               1  210
               1  216
               1  220
               1  225
              15  250
               2  280
              17  300
               1  330
               6  350
               3  400
               2  450
              15  500
               4  600
               1  667
               1  800
              11 1000
               1 1450
               1 1500
               2 2000
               1 10000
               1 15000
               2  .
               1  .a
              17  .b
              34  .c
    mean:      78.1246
  std. dev:   541.526

```

```

percentiles:    10%    25%    50%    75%    90%
                 0      0      0     40    200

```

---

hclb\_2

Primary School

---

type: numeric (long)

range: [0,2000] units: 1  
 unique values: 21 missing .: 36/1,266  
 unique missing codes: 4 missing \*: 777/1,266

tabulation: Freq. Value  
 415 0  
 1 10  
 2 20  
 1 30  
 1 31  
 1 45  
 3 50  
 1 60  
 1 75  
 8 100  
 1 110  
 2 125  
 2 150  
 1 175  
 4 200  
 1 225  
 1 250  
 4 300  
 1 333  
 1 500  
 1 2000  
 36 .  
 1 .a  
 765 .b  
 11 .c  
 mean: 16.3002  
 std. dev: 106.161

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hcl1c\_2** **Secondary school/vocational**

---

type: numeric (long)

range: [0,0] units: 1  
 unique values: 1 missing .: 22/1,266  
 unique missing codes: 4 missing \*: 1,038/1,266

tabulation: Freq. Value  
 206 0  
 22 .  
 1 .a  
 1,036 .b  
 1 .c

mean: 0  
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hcl1d\_2** **Higher than Secondary school/vocational**

---

type: numeric (long)

range: [0,0] units: 1  
 unique values: 1 missing .: 20/1,266  
 unique missing codes: 3 missing \*: 1,233/1,266

```

tabulation:  Freq.  Value
              13    0
              20    .
              1    .a
            1,232  .b
    mean:      0
    std. dev:  0

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

---

**hclnote\_2** **Interviewer note of table 1 (unavailable)**

---

```

    type:  string (str270), but longest is str0
unique values:  0                      missing "":  1,266/1,266

    tabulation:  Freq.  Value
                1,266  ""
    
```

---

**description\_3** **Expenditures for Education: Poster e.g. ABC, mmm, 0-9 (not display)**

---

```

    type:  string (str109), but longest is str0
unique values:  0                      missing "":  1,266/1,266

    tabulation:  Freq.  Value
                1,266  ""
    
```

---

**freq\_3** **Frequency: Yearly**

---

```

    type:  numeric (byte)
    label:  freq

    range:  [17,17]                      units:  1
unique values:  1                      missing .:  0/1,266

    tabulation:  Freq.  Numeric  Label
                1,266    17     yearly
    
```

---

**hcla\_3** **Pre School**

---

```

    type:  numeric (long)

    range:  [0,5000]                      units:  1
unique values:  36                      missing .:  2/1,266
unique missing codes:  4                 missing *:  38/1,266

    tabulation:  Freq.  Value
                1,070  0
                  2    10
                  1    15
                 10    20
                  1    25
                  6    30
                  1    31
                  1    33
                  1    39
                 24    40
                 22    50
                  1    55
                  6    60
                  1    75
                  4    80
    
```

```

      1 87
      1 90
      1 98
     32 100
      1 105
      1 118
      1 125
      1 140
      5 150
      1 160
      1 167
     10 200
      1 220
      1 242
      4 250
      4 300
      1 333
      1 350
      4 500
      2 1000
      1 5000
      2 .
      1 .a
     17 .b
      20 .c
    mean: 18.5954
  std. dev: 155.606

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         40

```

---

**hclb\_3** **Primary School**

---

```

      type: numeric (long)
      range: [0,200]
  unique values: 6
unique missing codes: 4
      units: 1
      missing .: 38/1,266
      missing *: 771/1,266

  tabulation:  Freq.  Value
               450    0
                 1   10
                 1   31
                 2   50
                 1  100
                 2  200
                38   .
                 1  .a
                765  .b
                 5   .c
    mean: 1.40263
  std. dev: 14.4461

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

---

**hclc\_3** **Secondary school/vocational**

---

```

      type: numeric (long)
      range: [.,.]
  unique values: 0
unique missing codes: 1
      units: .
      missing .: 0/1,266
      missing *: 1,266/1,266

```

```

tabulation: Freq. Value
             1,266 .b
    mean:    .
    std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

**hclid\_3** **Higher than Secondary school/vocational**

```

    type: numeric (long)

    range: [.,.]
    unique values: 0
    unique missing codes: 1

    units: .
    missing .: 0/1,266
    missing *: 1,266/1,266

    tabulation: Freq. Value
                1,266 .b
    mean:    .
    std. dev: .

    percentiles:    10%    25%    50%    75%    90%
                    .      .      .      .      .
    
```

**hclnote\_3** **Interviewer note of table 1 (unavailable)**

```

    type: string (str270), but longest is str0

    unique values: 0
    missing "": 1,266/1,266

    tabulation: Freq. Value
                1,266 ""
    
```

**description\_4** **Expenditures for Education: Writing exercises, number count (not display)**

```

    type: string (str109), but longest is str0

    unique values: 0
    missing "": 1,266/1,266

    tabulation: Freq. Value
                1,266 ""
    
```

**freq\_4** **Frequency: Yearly**

```

    type: numeric (byte)
    label: freq

    range: [17,17]
    unique values: 1

    units: 1
    missing .: 0/1,266

    tabulation: Freq. Numeric Label
                1,266    17 yearly
    
```

**hcla\_4** **Pre School**

```

    type: numeric (long)

    range: [0,3000]
    unique values: 57
    unique missing codes: 4

    units: 1
    missing .: 2/1,266
    missing *: 57/1,266
    
```

```

tabulation:  Freq.  Value
              749    0
               1    8
               8   10
              29   20
               8   25
               1   28
              13   30
               1   31
               2   33
               4   35
              42   40
               5   45
              29   50
              32   60
               1   67
               3   70
               5   75
               1   78
              10   80
               1   87
               4   90
               1   98
             114  100
               1  105
               1  110
               1  116
               1  118
               6  120
               2  125
               2  135
              18  150
               2  160
               1  167
               1  175
               3  180
              43  200
               1  210
               1  216
               1  225
              13  250
               1  260
               1  280
              13  300
               2  350
               1  390
               1  400
               1  420
               2  450
              14  500
               2  520
               1  602
               1  700
               1  780
               1  790
               1 1000
               1 2000
               1 3000
               2  .
               1  .a
              17  .b
               39  .c
    mean:      51.8036
  std. dev:   142.361

percentiles:    10%    25%    50%    75%    90%
                0      0      0      60     150

```



type: numeric (**long**)  
 range: [0,500] units: 1  
 unique values: 15 missing .: 37/1,266  
 unique missing codes: 4 missing \*: 775/1,266

| tabulation:  | Freq.   | Value |     |     |     |  |  |
|--------------|---------|-------|-----|-----|-----|--|--|
|              | 419     | 0     |     |     |     |  |  |
|              | 2       | 20    |     |     |     |  |  |
|              | 1       | 30    |     |     |     |  |  |
|              | 1       | 31    |     |     |     |  |  |
|              | 4       | 50    |     |     |     |  |  |
|              | 1       | 60    |     |     |     |  |  |
|              | 1       | 75    |     |     |     |  |  |
|              | 1       | 78    |     |     |     |  |  |
|              | 10      | 100   |     |     |     |  |  |
|              | 1       | 125   |     |     |     |  |  |
|              | 1       | 133   |     |     |     |  |  |
|              | 1       | 199   |     |     |     |  |  |
|              | 6       | 200   |     |     |     |  |  |
|              | 4       | 300   |     |     |     |  |  |
|              | 1       | 500   |     |     |     |  |  |
|              | 37      | .     |     |     |     |  |  |
|              | 1       | .a    |     |     |     |  |  |
|              | 765     | .b    |     |     |     |  |  |
|              | 9       | .c    |     |     |     |  |  |
| mean:        | 10.7291 |       |     |     |     |  |  |
| std. dev:    | 46.9518 |       |     |     |     |  |  |
| percentiles: | 10%     | 25%   | 50% | 75% | 90% |  |  |
|              | 0       | 0     | 0   | 0   | 0   |  |  |

---

**hclc\_4** **Secondary school/vocational**

---

type: numeric (**long**)  
 range: [.,.] units: .  
 unique values: 0 missing .: 0/1,266  
 unique missing codes: 1 missing \*: 1,266/1,266

| tabulation:  | Freq. | Value |     |     |     |  |  |
|--------------|-------|-------|-----|-----|-----|--|--|
|              | 1,266 | .b    |     |     |     |  |  |
| mean:        | .     |       |     |     |     |  |  |
| std. dev:    | .     |       |     |     |     |  |  |
| percentiles: | 10%   | 25%   | 50% | 75% | 90% |  |  |
|              | .     | .     | .   | .   | .   |  |  |

---

**hclid\_4** **Higher than Secondary school/vocational**

---

type: numeric (**long**)  
 range: [.,.] units: .  
 unique values: 0 missing .: 0/1,266  
 unique missing codes: 1 missing \*: 1,266/1,266

| tabulation:  | Freq. | Value |     |     |     |  |  |
|--------------|-------|-------|-----|-----|-----|--|--|
|              | 1,266 | .b    |     |     |     |  |  |
| mean:        | .     |       |     |     |     |  |  |
| std. dev:    | .     |       |     |     |     |  |  |
| percentiles: | 10%   | 25%   | 50% | 75% | 90% |  |  |
|              | .     | .     | .   | .   | .   |  |  |

---

**hclnote\_4** **Interviewer note of table 1 (unavailable)**

---

```

type: string (str270), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""
    
```

---

**description\_5** **Expenditures for Education: Coloring book (not display)**

---

```

type: string (str109), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""
    
```

---

**freq\_5** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq
range: [17,17] units: 1
unique values: 1 missing .: 0/1,266
tabulation: Freq. Numeric Label
             1,266 17 yearly
    
```

---

**hcla\_5** **Pre School**

---

```

type: numeric (long)
range: [0,3000] units: 1
unique values: 62 missing .: 2/1,266
unique missing codes: 4 missing *: 67/1,266
tabulation: Freq. Value
             719 0
             16 10
              1 15
             53 20
             14 25
              1 27
             12 30
              1 31
              2 33
              3 35
             38 40
              1 44
              3 45
              1 48
             36 50
              1 53
              4 55
              1 59
             22 60
              2 63
              1 69
              2 70
              2 75
              1 78
              6 80
              2 88
              2 90
             122 100
              1 105
              1 110
    
```

```

      3 120
      4 125
      1 138
     17 150
      1 166
      2 175
      1 180
     35 200
      1 217
      1 225
      1 240
     13 250
      1 260
      2 280
     13 300
      1 350
      1 400
      1 428
      4 450
      1 480
      8 500
      1 520
      2 550
      1 602
      1 780
      1 900
      1 946
      2 1000
      2 1200
      1 1560
      1 2400
      1 3000
      2 .
      1 .a
     17 .b
     49 .c
    mean: 54.0927
  std. dev: 162.755

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         50        125

```

---

**hclb\_5** **Primary School**

---

```

      type: numeric (long)
      range: [0,1560]
unique values: 25
unique missing codes: 4
      units: 1
      missing .: 37/1,266
      missing *: 776/1,266

tabulation:  Freq.  Value
             390    0
              1    10
              4    20
              2    25
              3    30
              1    32
              1    35
              2    40
              6    50
              1    59
              2    60
              1    75
              1    80
              1    90
             14   100
              2   120
              3   125
              1   135
              3   150

```

```

          1 156
          5 200
          3 250
          3 300
          1 500
          1 1560
          37 .
           1 .a
          765 .b
           10 .c
    mean: 18.9117
    std. dev: 88.7689

    percentiles:      10%      25%      50%      75%      90%
                      0         0         0         0         50
    
```

---

**hclc\_5** **Secondary school/vocational**

---

```

    type: numeric (long)

    range: [.,.]
    unique values: 0
    unique missing codes: 1

    units: .
    missing .: 0/1,266
    missing *: 1,266/1,266

    tabulation: Freq. Value
                 1,266 .b
    mean: .
    std. dev: .

    percentiles:      10%      25%      50%      75%      90%
                      .         .         .         .         .
    
```

---

**hclid\_5** **Higher than Secondary school/vocational**

---

```

    type: numeric (long)

    range: [.,.]
    unique values: 0
    unique missing codes: 1

    units: .
    missing .: 0/1,266
    missing *: 1,266/1,266

    tabulation: Freq. Value
                 1,266 .b
    mean: .
    std. dev: .

    percentiles:      10%      25%      50%      75%      90%
                      .         .         .         .         .
    
```

---

**hclnote\_5** **Interviewer note of table 1 (unavailable)**

---

```

    type: string (str270), but longest is str0
    unique values: 0
    missing "": 1,266/1,266

    tabulation: Freq. Value
                 1,266 ""
    
```

---

**description\_6** **Expenditures for Education: LEGO (not display)**

---

```

    type: string (str109), but longest is str0
    unique values: 0
    missing "": 1,266/1,266
    
```

tabulation: Freq. Value  
 1,266 ""

---

**freq\_6** **Frequency: Yearly**

---

type: numeric (**byte**)  
 label: **freq**  
 range: [17,17] units: 1  
 unique values: 1 missing .: 0/1,266

tabulation: Freq. Numeric Label  
 1,266 17 yearly

---

**hcla\_6** **Pre School**

---

type: numeric (**long**)  
 range: [0,10000] units: 1  
 unique values: 61 missing .: 0/1,266  
 unique missing codes: 3 missing \*: 55/1,266

tabulation: Freq. Value

|     |     |
|-----|-----|
| 963 | 0   |
| 8   | 20  |
| 1   | 30  |
| 2   | 39  |
| 6   | 40  |
| 2   | 49  |
| 11  | 50  |
| 8   | 60  |
| 1   | 69  |
| 6   | 80  |
| 3   | 90  |
| 1   | 92  |
| 3   | 99  |
| 29  | 100 |
| 5   | 120 |
| 3   | 130 |
| 1   | 135 |
| 1   | 140 |
| 9   | 150 |
| 2   | 159 |
| 1   | 170 |
| 2   | 179 |
| 4   | 180 |
| 1   | 185 |
| 2   | 190 |
| 2   | 198 |
| 11  | 199 |
| 36  | 200 |
| 9   | 250 |
| 1   | 260 |
| 1   | 263 |
| 1   | 279 |
| 1   | 289 |
| 1   | 290 |
| 1   | 298 |
| 3   | 299 |
| 21  | 300 |
| 1   | 316 |
| 3   | 350 |
| 1   | 380 |
| 1   | 390 |
| 1   | 398 |
| 1   | 399 |
| 6   | 400 |
| 1   | 450 |

```

          9  500
          1  597
          2  600
          1  700
          2  750
          1  800
          5 1000
          1 1320
          2 1400
          2 1500
          1 2000
          1 2080
          1 2400
          2 3000
          1 3500
          1 10000
          1  .a
          17 .b
          37 .c
    mean:   69.8439
  std. dev: 372.37

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0     200

```

---

**hclb\_6**

**Primary School**

---

```

    type: numeric (long)
    range: [0,1000]
  unique values: 18
unique missing codes: 3
          units: 1
    missing .: 0/1,266
    missing *: 803/1,266

```

```

  tabulation:  Freq.  Value
                437    0
                1    20
                1    30
                1    35
                3    50
                1    60
                1    69
                1    99
                1   100
                1   150
                1   199
                5   200
                2   250
                2   300
                1   400
                2   500
                1   779
                1  1000
                1  .a
                794  .b
                8  .c
    mean:   13.3715
  std. dev: 77.7016

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0      0

```

---

**hclc\_6**

**Secondary school/vocational**

---

```

    type: numeric (long)

```

```

        range: [.,.]
unique values: 0
unique missing codes: 1
        units: .
        missing .: 0/1,266
        missing *: 1,266/1,266

tabulation: Freq. Value
             1,266 .b
        mean: .
        std. dev: .

percentiles:      10%      25%      50%      75%      90%
                 .        .        .        .        .
    
```

**hcld\_6** **Higher than Secondary school/vocational**

```

        type: numeric (long)

        range: [.,.]
unique values: 0
unique missing codes: 1
        units: .
        missing .: 0/1,266
        missing *: 1,266/1,266

tabulation: Freq. Value
             1,266 .b
        mean: .
        std. dev: .

percentiles:      10%      25%      50%      75%      90%
                 .        .        .        .        .
    
```

**hclnote\_6** **Interviewer note of table 1 (unavailable)**

```

        type: string (str270), but longest is str0
unique values: 0
               missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

**description\_7** **Expenditures for Education: Jigsaw (not display)**

```

        type: string (str109), but longest is str0
unique values: 0
               missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

**freq\_7** **Frequency: Yearly**

```

        type: numeric (byte)
        label: freq

        range: [17,17]
unique values: 1
               units: 1
               missing .: 0/1,266

tabulation: Freq. Numeric Label
             1,266      17  yearly
    
```

**hcla\_7** **Pre School**

```

        type: numeric (long)
    
```

range: [0,2000] units: 1  
 unique values: 29 missing .: 2/1,266  
 unique missing codes: 4 missing \*: 35/1,266

tabulation: Freq. Value  
 1,153 0  
 1 10  
 9 20  
 2 25  
 4 30  
 1 35  
 2 39  
 3 40  
 1 49  
 4 50  
 2 59  
 1 70  
 2 80  
 3 99  
 16 100  
 2 120  
 2 130  
 2 150  
 1 159  
 1 190  
 2 199  
 6 200  
 1 250  
 1 262  
 3 300  
 1 350  
 1 500  
 1 829  
 1 2000  
 2 .  
 1 .a  
 17 .b  
 17 .c

mean: 8.88934  
 std. dev: 70.4571

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hclb\_7**

**Primary School**

---

type: numeric (long)

range: [0,300] units: 1  
 unique values: 9 missing .: 37/1,266  
 unique missing codes: 4 missing \*: 773/1,266

tabulation: Freq. Value  
 443 0  
 1 30  
 1 50  
 1 59  
 1 60  
 1 79  
 4 100  
 3 200  
 1 300  
 37 .  
 1 .a  
 765 .b  
 7 .c

mean: 3.46053  
 std. dev: 23.9625





tabulation: Freq. Numeric Label  
 1,266 17 yearly

---

**hcl1a\_8**

**Pre School**

---

type: numeric (**long**)  
 range: [0,3000] units: 1  
 unique values: 21 missing .: 0/1,266  
 unique missing codes: 3 missing \*: 37/1,266

tabulation: Freq. Value  
 1,173 0  
 1 20  
 2 50  
 7 100  
 1 120  
 5 150  
 1 160  
 1 195  
 3 199  
 10 200  
 3 250  
 6 300  
 2 350  
 1 400  
 2 450  
 2 500  
 3 1000  
 1 1200  
 1 1500  
 1 2000  
 3 3000  
 1 .a  
 19 .b  
 17 .c

mean: 21.8812  
 std. dev: 180.309

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hcl1b\_8**

**Primary School**

---

type: numeric (**long**)  
 range: [0,500] units: 1  
 unique values: 5 missing .: 0/1,266  
 unique missing codes: 3 missing \*: 809/1,266

tabulation: Freq. Value  
 453 0  
 1 150  
 1 195  
 1 200  
 1 500  
 1 .a  
 802 .b  
 6 .c

mean: 2.28665  
 std. dev: 27.6307

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hclc\_8** **Secondary school/vocational**

---

```

type: numeric (long)
range: [.,.]
unique values: 0
unique missing codes: 1
units: .
missing .: 0/1,266
missing *: 1,266/1,266

tabulation: Freq. Value
             1,266 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

---

**hclid\_8** **Higher than Secondary school/vocational**

---

```

type: numeric (long)
range: [.,.]
unique values: 0
unique missing codes: 1
units: .
missing .: 0/1,266
missing *: 1,266/1,266

tabulation: Freq. Value
             1,266 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

---

**hclnote\_8** **Interviewer note of table 1 (unavailable)**

---

```

type: string (str270), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

---

**description\_9** **Expenditures for Education: Clay (not display)**

---

```

type: string (str109), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

---

**freq\_9** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing .: 0/1,266

tabulation: Freq. Numeric Label
             1,266 17 yearly
    
```

hcla\_9

Pre School

```

type: numeric (long)
range: [0,3950]
unique values: 84
unique missing codes: 3
units: 1
missing .: 0/1,266
missing *: 80/1,266
    
```

```

tabulation: Freq. Value
645 0
5 5
1 7
1 8
18 10
5 15
1 18
74 20
1 23
12 25
27 30
1 32
1 33
3 35
2 39
17 40
1 44
4 45
70 50
3 55
12 60
1 63
1 67
1 68
3 70
1 72
1 79
4 80
1 83
6 90
1 95
1 98
106 100
1 109
3 120
2 125
2 130
16 150
1 160
1 180
1 195
1 196
33 200
1 225
1 233
2 240
7 250
1 258
4 260
1 275
1 280
19 300
1 320
3 350
1 360
1 390
1 399
3 400
1 410
1 440
1 450
    
```

```

      1 473
      2 480
     10 500
      4 520
      1 540
      1 550
      1 578
      3 600
      3 602
      1 720
      1 800
      1 860
      1 946
      1 960
      5 1000
      1 1300
      1 1440
      1 1800
      1 2100
      1 2500
      1 2600
      1 3600
      1 3950
      1 .a
     19 .b
     60 .c
    mean: 75.1189
    std. dev: 244.182

    percentiles:      10%      25%      50%      75%      90%
                     0         0         0         55         200

```

---

**hclb\_9** **Primary School**

---

```

    type: numeric (long)
    range: [0,2400]
    unique values: 29
    unique missing codes: 3
    units: 1
    missing .: 0/1,266
    missing *: 817/1,266

```

```

    tabulation:  Freq.  Value
                 355    0
                   2    5
                   1    8
                   2   10
                   1   15
                  11   20
                   4   25
                   2   30
                   1   35
                   2   40
                  18   50
                   2   60
                   1   67
                   1   90
                  20  100
                   2  125
                   1  133
                   6  150
                   1  158
                   1  167
                   6  200
                   2  250
                   1  260
                   1  275
                   1  280
                   1  467
                   1  500
                   1 1300
                   1 2400

```

```

          1 .a
          802 .b
          14 .c
    mean: 27.8731
  std. dev: 139.123

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0        100
    
```

---

**hc1c\_9** **Secondary school/vocational**

---

```

    type: numeric (long)

    range: [.,.]
  unique values: 0
unique missing codes: 1

    units: .
  missing .: 0/1,266
  missing *: 1,266/1,266

  tabulation: Freq. Value
              1,266 .b
    mean: .
  std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .         .         .         .         .
    
```

---

**hc1d\_9** **Higher than Secondary school/vocational**

---

```

    type: numeric (long)

    range: [.,.]
  unique values: 0
unique missing codes: 1

    units: .
  missing .: 0/1,266
  missing *: 1,266/1,266

  tabulation: Freq. Value
              1,266 .b
    mean: .
  std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .         .         .         .         .
    
```

---

**hc1note\_9** **Interviewer note of table 1 (unavailable)**

---

```

    type: string (str270), but longest is str0

  unique values: 0
  missing "": 1,266/1,266

  tabulation: Freq. Value
              1,266 ""
    
```

---

**description\_10** **Expenditures for Education: Tuition fee (not display)**

---

```

    type: string (str109), but longest is str0

  unique values: 0
  missing "": 1,266/1,266

  tabulation: Freq. Value
              1,266 ""
    
```

---

**freq\_10** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing ..: 0/1,266

tabulation: Freq.  Numeric  Label
             1,266      17     yearly
    
```

---

hcla\_10

Pre School

---

```

type: numeric (long)
range: [0,32500]
unique values: 84
unique missing codes: 3
units: 1
missing ..: 0/1,266
missing *: 35/1,266
    
```

```

tabulation: Freq.  Value
             988    0
             1    17
             6   100
             1   120
             1   130
             4   150
             1   180
            20   200
             2   250
            14   300
             4   350
             1   360
            12   400
             1   420
             5   450
             1   490
            16   500
             1   550
             1   560
             9   600
             2   620
            12   700
             1   740
             1   760
             1   790
             2   800
             1   900
            16  1000
             1  1020
             4  1200
             1  1250
             2  1400
             1  1480
             4  1500
             1  1533
             1  1550
             1  1800
             4  2000
             1  2350
             4  2500
             1  2600
             1  2700
             1  2900
             8  3000
             1  3500
             1  3800
             1  3810
             1  3900
             1  4000
             1  4100
             2  5000
             2  5500
    
```

```

1 5700
5 6000
4 6500
1 6900
7 7000
1 7500
1 7600
3 8000
1 8400
2 8600
2 9000
1 9500
4 10000
1 10600
1 11000
1 11063
1 11120
5 12000
1 12640
2 13000
1 13200
2 14000
2 15000
1 15400
1 17800
1 18000
2 20000
1 24000
1 25000
1 28500
1 30000
1 32500
1 .a
19 .b
15 .c
mean: 713.666
std. dev: 2864.94
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 800

```

---

hc1b\_10

Primary School

---

```

type: numeric (long)
range: [0,60000]
unique values: 42
unique missing codes: 3
units: 1
missing .: 0/1,266
missing *: 814/1,266

```

```

tabulation: Freq. Value
384 0
1 100
2 200
3 300
2 360
5 500
1 600
1 800
8 1000
1 1200
3 1500
1 1800
2 2000
1 2200
1 2300
1 2333
1 2500
1 2700
1 2850
3 3000

```



```

1 3400
1 3500
2 4000
1 4030
1 5400
1 5500
1 6000
1 6500
1 7000
1 8500
2 10000
1 12000
2 13000
1 13400
4 14000
1 15900
1 16000
1 18000
1 19800
2 25000
1 30000
1 60000
1 .a
802 .b
11 .c
mean: 983.038
std. dev: 4369.09

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0     1000

```

---

hc1c\_10

Secondary school/vocational

---

```

type: numeric (long)
range: [0,46000]
unique values: 41
unique missing codes: 4

units: 1
missing .: 22/1,266
missing *: 1,060/1,266

```

```

tabulation:  Freq.  Value
             119    0
             1    150
             1    350
             1    580
             1    700
             1    710
             1   1000
             3   1200
             1   1250
             2   1400
             3   1500
             1   1600
             3   1700
             1   1750
             2   1800
             1   1900
             1   1980
             3   2000
             1   2085
             1   2190
             6   2500
             1   2600
             1   2700
             1   2850
             1   2995
             4   3000
             2   3700
             1   3800
             1   4050
             3   4500

```

```

          3  5000
          1  5600
          1  6500
          1  7000
          1  9000
          1 10000
          1 11910
          1 12000
          1 14000
          3 15000
          1 46000
          22 .
           1 .a
    1,036 .b
           23 .c
    mean:  1580.16
    std. dev: 4363.36

    percentiles:      10%      25%      50%      75%      90%
                       0         0         0       1725     4050

```

---

**hcld\_10** **Higher than Secondary school/vocational**

---

```

    type: numeric (long)
    range: [0,120000]
    unique values: 8
    unique missing codes: 4
    units: 100
    missing .: 20/1,266
    missing *: 1,233/1,266

    tabulation:  Freq.  Value
                  4      0
                  1    2500
                  1    3900
                  1    4000
                  3    7500
                  1   26000
                  1   30000
                  1  120000
                  20      .
                   1      .a
    1,231      .b
                   1      .c
    mean:  16069.2
    std. dev: 32692.2

    percentiles:      10%      25%      50%      75%      90%
                       0         0       4000     7500     30000

```

---

**hclnote\_10** **Interviewer note of table 1 (unavailable)**

---

```

    type: string (str270), but longest is str0
    unique values: 0
    missing "": 1,266/1,266

    tabulation:  Freq.  Value
                  1,266  ""

```

---

**description\_11** **Expenditures for Education: Tablet/Ipad (not display)**

---

```

    type: string (str109), but longest is str0
    unique values: 0
    missing "": 1,266/1,266

    tabulation:  Freq.  Value
                  1,266  ""

```

---

**freq\_11** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq

range: [17,17]                units: 1
unique values: 1              missing .: 0/1,266

tabulation: Freq.  Numeric  Label
             1,266      17    yearly
    
```

---

**hcl1a\_11** **Pre School**

---

```

type: numeric (long)

range: [0,4000]              units: 100
unique values: 16            missing .: 0/1,266
unique missing codes: 3      missing *: 21/1,266

tabulation: Freq.  Value
             1,218  0
              1    200
              1   1000
              3   1200
              2   1400
              3   1500
              2   1600
              1   1700
              4   1900
              2   2000
              1   2400
              3   2500
              1   2600
              1   3500
              1   3800
              1   4000
              1   .a
             19   .b
              1   .c

mean: 42.0884
std. dev: 308.292

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

---

**hcl1b\_11** **Primary School**

---

```

type: numeric (long)

range: [0,2000]              units: 100
unique values: 5              missing .: 38/1,266
unique missing codes: 3      missing *: 765/1,266

tabulation: Freq.  Value
             459  0
              1   500
              1  1000
              1  1900
              1  2000
             38   .
              1   .a
             764   .b

mean: 11.6631
std. dev: 137.99
    
```



```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing ..: 0/1,266

tabulation: Freq. Numeric Label
1,266      17 yearly
    
```

**hc1a\_12**

**Pre School**

```

type: numeric (long)
range: [0,9500]
unique values: 23
unique missing codes: 2
units: 1
missing ..: 0/1,266
missing *: 20/1,266
    
```

```

tabulation: Freq. Value
1,216      0
           2 100
           1 200
           2 300
           2 500
           1 550
           1 590
           1 600
           1 660
           1 699
           1 700
           2 800
           1 890
           5 1000
           1 1200
           1 1700
           1 1900
           1 2400
           1 2500
           1 3200
           1 4000
           1 6000
           1 9500
           1 .a
           19 .b
mean:      36.6685
std. dev:  381.291

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

**hc1b\_12**

**Primary School**

```

type: numeric (long)
range: [0,29000]
unique values: 23
unique missing codes: 3
units: 100
missing ..: 0/1,266
missing *: 805/1,266
    
```

```

tabulation:  Freq.  Value
              415    0
              1    100
              4    500
              1    600
              2    700
              2    800
              3   1000
              1   1100
              2   1200
              2   1500
              1   1900
              5   2000
              1   2300
              1   2400
              2   2500
              3   2600
              1   2900
              7   3000
              2   3500
              1   4500
              2   5000
              1  19000
              1  29000
              1   .a
            802   .b
              2   .c
    mean:    299.349
  std. dev: 1750.47

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
  
```

---

hc1c\_12

Secondary school/vocational

---

```

type:  numeric (long)
range: [0,10000]
unique values: 27
unique missing codes: 2
units: 10
missing .: 0/1,266
missing *: 1,059/1,266
  
```

```

tabulation:  Freq.  Value
              167    0
              3    400
              1    700
              1    990
              1   1250
              1   1700
              2   1900
              1   2000
              1   2300
              1   2500
              2   2900
              3   3000
              2   3500
              1   3600
              2   4000
              2   4500
              3   4900
              3   5000
              1   5200
              1   5400
              2   5500
              1   6900
              1   7000
              1   7500
              1   8500
              1   9000
              1  10000
              1   .a
  
```

1,058 .b  
 mean: 768.309  
 std. dev: 1883.23  
 percentiles: 10% 25% 50% 75% 90%  
                   0 0 0 0 3600

---

**hc1d\_12** **Higher than Secondary school/vocational**

---

type: numeric (**long**)  
 range: [0,0] units: 1  
 unique values: 1 missing .: 0/1,266  
 unique missing codes: 2 missing \*: 1,253/1,266  
 tabulation: Freq. Value  
                   13 0  
                   1 .a  
                   1,252 .b  
 mean: 0  
 std. dev: 0  
 percentiles: 10% 25% 50% 75% 90%  
                   0 0 0 0 0

---

**hc1note\_12** **Interviewer note of table 1 (unavailable)**

---

type: string (**str270**), but longest is str0  
 unique values: 0 missing "": 1,266/1,266  
 tabulation: Freq. Value  
                   1,266 ""

---

**description\_13**  
**Expenditures for Education: Notebook (paper), book and school supplies (not disp**

---

type: string (**str109**), but longest is str0  
 unique values: 0 missing "": 1,266/1,266  
 tabulation: Freq. Value  
                   1,266 ""

---

**freq\_13** **Frequency: Yearly**

---

type: numeric (**byte**)  
 label: **freq**  
 range: [17,17] units: 1  
 unique values: 1 missing .: 0/1,266  
 tabulation: Freq. Numeric Label  
                   1,266 17 yearly

---

**hc1a\_13** **Pre School**

---

type: numeric (**long**)

range: [0,20000]  
 unique values: 62  
 unique missing codes: 3

units: 1  
 missing .: 0/1,266  
 missing \*: 48/1,266

| tabulation: | Freq. | Value |
|-------------|-------|-------|
|             | 820   | 0     |
|             | 1     | 10    |
|             | 11    | 20    |
|             | 4     | 25    |
|             | 7     | 30    |
|             | 2     | 40    |
|             | 1     | 45    |
|             | 35    | 50    |
|             | 3     | 55    |
|             | 2     | 60    |
|             | 2     | 70    |
|             | 1     | 80    |
|             | 1     | 85    |
|             | 1     | 90    |
|             | 84    | 100   |
|             | 5     | 120   |
|             | 3     | 125   |
|             | 2     | 130   |
|             | 1     | 133   |
|             | 30    | 150   |
|             | 1     | 155   |
|             | 3     | 167   |
|             | 1     | 170   |
|             | 1     | 174   |
|             | 1     | 180   |
|             | 1     | 195   |
|             | 48    | 200   |
|             | 1     | 210   |
|             | 1     | 220   |
|             | 14    | 250   |
|             | 1     | 260   |
|             | 1     | 275   |
|             | 28    | 300   |
|             | 8     | 350   |
|             | 1     | 380   |
|             | 9     | 400   |
|             | 3     | 450   |
|             | 2     | 475   |
|             | 28    | 500   |
|             | 1     | 550   |
|             | 2     | 600   |
|             | 1     | 650   |
|             | 2     | 700   |
|             | 2     | 750   |
|             | 1     | 800   |
|             | 1     | 810   |
|             | 1     | 850   |
|             | 1     | 860   |
|             | 1     | 900   |
|             | 13    | 1000  |
|             | 1     | 1080  |
|             | 3     | 1200  |
|             | 1     | 1300  |
|             | 5     | 1500  |
|             | 1     | 1730  |
|             | 4     | 2000  |
|             | 2     | 2500  |
|             | 1     | 2750  |
|             | 2     | 3500  |
|             | 1     | 5000  |
|             | 1     | 7000  |
|             | 1     | 20000 |
|             | 1     | .a    |
|             | 19    | .b    |
|             | 28    | .c    |

mean: 128.705  
 std. dev: 686.873



percentiles:           10%           25%           50%           75%           90%  
                           0            0            0           100           300

**hclb\_13**

**Primary School**

type: numeric (**long**)  
       range: [0,7600]  
       unique values: 42  
       unique missing codes: 3  
                           units: 1  
                           missing .: 0/1,266  
                           missing \*: 824/1,266

| tabulation: | Freq.   | Value |
|-------------|---------|-------|
|             | 236     | 0     |
|             | 3       | 20    |
|             | 1       | 30    |
|             | 8       | 50    |
|             | 2       | 70    |
|             | 1       | 80    |
|             | 25      | 100   |
|             | 3       | 120   |
|             | 3       | 125   |
|             | 1       | 130   |
|             | 13      | 150   |
|             | 1       | 167   |
|             | 2       | 170   |
|             | 2       | 180   |
|             | 25      | 200   |
|             | 11      | 250   |
|             | 1       | 267   |
|             | 1       | 275   |
|             | 19      | 300   |
|             | 2       | 333   |
|             | 6       | 350   |
|             | 1       | 360   |
|             | 1       | 390   |
|             | 11      | 400   |
|             | 21      | 500   |
|             | 1       | 550   |
|             | 6       | 600   |
|             | 1       | 700   |
|             | 2       | 800   |
|             | 1       | 895   |
|             | 1       | 900   |
|             | 11      | 1000  |
|             | 1       | 1200  |
|             | 3       | 1500  |
|             | 1       | 1700  |
|             | 8       | 2000  |
|             | 1       | 2300  |
|             | 1       | 2500  |
|             | 1       | 2750  |
|             | 1       | 4000  |
|             | 1       | 6000  |
|             | 1       | 7600  |
|             | 1       | .a    |
|             | 803     | .b    |
|             | 20      | .c    |
| mean:       | 242.296 |       |
| std. dev:   | 630.783 |       |

percentiles:           10%           25%           50%           75%           90%  
                           0            0            0           250           500

**hclc\_13**

**Secondary school/vocational**

type: numeric (**long**)

range: [0,5500] units: 1  
 unique values: 20 missing .: 0/1,266  
 unique missing codes: 3 missing \*: 1,077/1,266

tabulation: Freq. Value  
 113 0  
 1 60  
 11 100  
 4 150  
 1 166  
 5 200  
 3 250  
 1 280  
 14 300  
 3 400  
 12 500  
 1 600  
 1 700  
 2 750  
 7 1000  
 1 1200  
 6 1500  
 1 2000  
 1 3000  
 1 5500  
 1 .a  
 1,058 .b  
 18 .c  
 mean: 242.624  
 std. dev: 571.84

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 300 750

---

**hcld\_13 Higher than Secondary school/vocational**

---

type: numeric (long)  
 range: [0,1200] units: 100  
 unique values: 2 missing .: 0/1,266  
 unique missing codes: 3 missing \*: 1,259/1,266

tabulation: Freq. Value  
 6 0  
 1 1200  
 1 .a  
 1,252 .b  
 6 .c  
 mean: 171.429  
 std. dev: 453.557

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 1200

---

**hclnote\_13 Interviewer note of table 1 (unavailable)**

---

type: string (str270), but longest is str0  
 unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value  
 1,266 ""

---

**description\_14 Expenditures for Education: Other (not display)**

---

type: string (**str109**), but longest is str0  
 unique values: 0 missing "": 1,266/1,266  
 tabulation: Freq. Value  
 1,266 ""

**freq\_14** **Frequency: Yearly**

type: numeric (**byte**)  
 label: **freq**  
 range: [17,17] units: 1  
 unique values: 1 missing .: 1,252/1,266  
 tabulation: Freq. Numeric Label  
 14 17 yearly  
 1,252 .

**hcla\_14** **Pre School**

type: numeric (**long**)  
 range: [0,3500] units: 1  
 unique values: 6 missing .: 1,252/1,266  
 tabulation: Freq. Value  
 8 0  
 2 1000  
 1 1250  
 1 1533  
 1 2500  
 1 3500  
 1,252 .  
 mean: 770.214  
 std. dev: 1113.12  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 1250 2500

**hclb\_14** **Primary School**

type: numeric (**long**)  
 range: [0,8600] units: 1  
 unique values: 6 missing .: 1,253/1,266  
 unique missing codes: 2 missing \*: 4/1,266  
 tabulation: Freq. Value  
 2 0  
 1 500  
 3 600  
 1 2333  
 1 7800  
 1 8600  
 1,253 .  
 4 .b  
 mean: 2337  
 std. dev: 3398.87  
 percentiles: 10% 25% 50% 75% 90%  
 0 500 600 2333 8600

---

**hclc\_14** **Secondary school/vocational**

---

```

type: numeric (long)
range: [33,1250]
unique values: 2
unique missing codes: 2
units: 1
missing .: 1,252/1,266
missing *: 12/1,266

tabulation: Freq. Value
             1 33
             1 1250
            1,252 .
             12 .b
mean:       641.5
std. dev:   860.549

percentiles: 10%    25%    50%    75%    90%
              33     33     641.5  1250  1250
    
```

---

**hcl1d\_14** **Higher than Secondary school/vocational**

---

```

type: numeric (long)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,252/1,266
missing *: 14/1,266

tabulation: Freq. Value
            1,252 .
             14 .b
mean:      .
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

---

**hclnote\_14** **Interviewer note of table 1 (unavailable)**

---

```

type: string (str270), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
            1,266 ""
    
```

---

**description\_15**  
**Expenditures for Education: Toys e.g. jigsaw, wooden block, clay (not display)**

---

```

type: string (str109), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
            1,266 ""
    
```

---

**freq\_15** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq
    
```

```

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Numeric  Label
             1,266   .
    
```

**hc1a\_15** **Pre School**

```

type: numeric (long)

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Value
             1,266   .
mean:      .
std. dev:  .

percentiles:      10%    25%    50%    75%    90%
                  .      .      .      .      .
    
```

**hc1b\_15** **Primary School**

```

type: numeric (long)

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Value
             1,266   .
mean:      .
std. dev:  .

percentiles:      10%    25%    50%    75%    90%
                  .      .      .      .      .
    
```

**hc1c\_15** **Secondary school/vocational**

```

type: numeric (long)

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Value
             1,266   .
mean:      .
std. dev:  .

percentiles:      10%    25%    50%    75%    90%
                  .      .      .      .      .
    
```

**hc1d\_15** **Higher than Secondary school/vocational**

```

type: numeric (long)

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Value
             1,266   .
mean:      .
std. dev:  .
    
```



```

tabulation: Freq. Value
             1,042 0
             201 1
             21 2
             2 3
mean:       .196682
std. dev:   .44812

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

**hclid\_num** Number of children attending higher than secondary education or vocational educa

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing.: 0/1,266

tabulation: Freq. Value
             1,256 0
             10 1
mean:       .007899
std. dev:   .088559

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

**hh\_monthly\_exp\_food** Household monthly expenditure for food

```

type: numeric (float)
range: [0,32039.301] units: .0001
unique values: 1,049 missing.: 1/1,266

mean:       6663.04
std. dev:   3431

percentiles:    10%    25%    50%    75%    90%
                3130.4 4149.5 6153.3 8423.7 10848.9
    
```

**hh\_monthly\_exp\_utility** Household monthly expenditure for utility

```

type: numeric (float)
range: [220,54110] units: .00001
unique values: 1,154 missing.: 1/1,266

mean:       3616.08
std. dev:   3676.03

percentiles:    10%    25%    50%    75%    90%
                1145  1665.67 2640  4272.33 7276.33
    
```

**hh\_monthly\_exp\_health** Household monthly expenditure for health

```

type: numeric (float)
range: [0,18541.668] units: 1.000e-07
unique values: 385 missing.: 1/1,266

mean:       155.848
std. dev:   780.612
    
```





```

range: [0,1] units: 1
unique values: 2 missing .: 0/1,266

tabulation: Freq. Numeric Label
             1,253 0 no
             13 1 yes
    
```

---

**survey\_name** **survey round**

---

```

type: string (str12)
unique values: 1 missing "": 0/1,266

tabulation: Freq. Value
             1,266 "RESURVEY2017"
    
```

---

**year\_survey** **year survey**

---

```

type: numeric (int)
range: [2017,2017] units: 1
unique values: 1 missing .: 0/1,266

tabulation: Freq. Value
             1,266 2017
mean: 2017
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              2017 2017 2017 2017 2017
    
```

```

2 . log close
   name: <unnamed>
   log: Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018\\codebook\\2017\\a8.scm1
   log type: smcl
   closed on: 3 Oct 2024, 13:23:01
    
```

---