



```

name: <unnamed>
log: Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\a9.scml
log type: smcl
opened on: 3 Oct 2024, 13:28:07
    
```

1 . codebookr _all,all

```

Dataset: Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\a9_run.dta
Last saved: 3 Oct 2024 13:27
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 81
Number of observations: 1,266
Size: 8,077,080 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

hhid **household id**

```

type: string (str15)
unique values: 1,266 missing "": 0/1,266
examples: "201591160604209"
           "201691131001998"
           "201691160105068"
           "201691161706097"
    
```

iyear **year**

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/1,266
tabulation: Freq. Value
             459 "2015"
             807 "2016"
    
```

prov **province**

```

type: string (str2)
    
```

```

unique values: 2                                missing "": 0/1,266
  tabulation: Freq. Value
                 1,144 "91"
                 122  "93"
  
```

amp

amphoe

```

      type: string (str2)
unique values: 8                                missing "": 0/1,266
  tabulation: Freq. Value
                 1  "09"
                122 "12"
                226 "13"
                106 "14"
                124 "15"
                475 "16"
                 31 "17"
                181 "18"
  
```

tam

tambon

```

      type: string (str2)
unique values: 15                               missing "": 0/1,266
  tabulation: Freq. Value
                 57 "01"
                202 "02"
                105 "04"
                 51 "05"
                 50 "06"
                 55 "07"
                 49 "08"
                 85 "09"
                115 "10"
                 73 "11"
                125 "13"
                 42 "14"
                129 "15"
                 84 "17"
                 44 "19"
  
```

moo

moo

```

      type: string (str2)
unique values: 22                               missing "": 0/1,266
  tabulation: Freq. Value
                126 "01"
                 57 "02"
                122 "03"
                140 "04"
                114 "05"
                136 "06"
                 63 "07"
                132 "08"
                 79 "09"
                 64 "10"
                 45 "11"
                 36 "12"
                 36 "13"
                 10 "14"
  
```

9 "15"
 33 "16"
 8 "17"
 11 "18"
 24 "19"
 1 "20"
 14 "22"
 6 "24"

strucid **structure ID**

type: string (**str3**)
 unique values: **185** missing "": 0/1,266
 examples: "010"
 "034"
 "070"
 "142"

hala **How much is the total value of assets that all household members own?**

type: numeric (**long**)
 range: [.,.] units: .
 unique values: **0** missing .: 1,266/1,266
 tabulation: Freq. Value
 1,266 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

halaa **Range of asset value (Baht) From**

type: numeric (**long**)
 range: [.,.] units: .
 unique values: **0** missing .: 1,266/1,266
 tabulation: Freq. Value
 1,266 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

halab **To**

type: numeric (**long**)
 range: [.,.] units: .
 unique values: **0** missing .: 1,266/1,266
 tabulation: Freq. Value
 1,266 .
 mean: .
 std. dev: .

percentiles: 10% 25% 50% 75% 90%
.

hala_des_1
Asset type 1: House/building/pavilion (exclude under construction) (not display)

type: string (**str237**), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
1,266 ""

hal_num_1 **Amount of House/building/pavilion (exclude under construction)**

type: numeric (**byte**)
range: [0,6] units: 1
unique values: 7 missing .: 0/1,266
tabulation: Freq. Value
51 0
728 1
240 2
194 3
40 4
8 5
5 6
mean: 1.59558
std. dev: .986444
percentiles: 10% 25% 50% 75% 90%
1 1 1 2 3

hal_memberid_1
HH member id: Owner of House/building/pavilion (exclude under construction)

type: string (**str60**), but longest is str2
unique values: 1 missing "": 0/1,266
unique missing codes: 1 missing *: 1,266/1,266
tabulation: Freq. Value
1,266 "NA"

hala_des_2 **Asset type 2: Sedan (not display)**

type: string (**str237**), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
1,266 ""

hal_num_2 **Amount of Sedan**

type: numeric (**byte**)
range: [0,3] units: 1
unique values: 4 missing .: 0/1,266

```

tabulation: Freq. Value
            1,166 0
             91 1
              8 2
              1 3
    mean:    .086888
    std. dev: .311115

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

hal_memberid_2 **HH member id: Owner of Sedan**

```

type: string (str60), but longest is str5
unique values: 10 missing "": 1,239/1,266

tabulation: Freq. Value
            1,239 ""
              1 "H11"
              5 "H2"
              1 "H2,H5"
              3 "H3"
              4 "H4"
              6 "H5"
              3 "H6"
              2 "H7"
              1 "H8"
              1 "H9"
    
```

hala_des_3 **Asset type 3: Pickup truck, van, small truck (not display)**

```

type: string (str237), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
            1,266 ""
    
```

hal_num_3 **Amount of Pickup truck, van, small truck**

```

type: numeric (byte)
range: [0,4] units: 1
unique values: 5 missing "": 0/1,266

tabulation: Freq. Value
            799 0
            400 1
             58 2
              8 3
              1 4
    mean:    .4297
    std. dev: .619986

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      1
    
```

hal_memberid_3 **HH member id: Owner of Pickup truck, van, small truck**

```

type: string (str60), but longest is str5
unique values: 11 missing "": 1,197/1,266
    
```

```

tabulation: Freq. Value
            1,197 ""
            21 "H2"
            1  "H2,H3"
            1  "H2,H4"
            9  "H3"
            1  "H3,H6"
            15 "H4"
            12 "H5"
            1  "H5 H5"
            4  "H6"
            2  "H7"
            2  "H8"
    
```

warning: variable has embedded blanks

hala_des_4 **Asset type 4: truck with more than 6 wheels (not display)**

```

type: string (str237), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
            1,266 ""
    
```

hal_num_4 **Amount of More than 6-wheel truck**

```

type: numeric (byte)
range: [0,4] units: 1
unique values: 5 missing .: 0/1,266
tabulation: Freq. Value
            1,215 0
            43 1
            6 2
            1 3
            1 4
mean: .048973
std. dev: .265192
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

hal_memberid_4 **HH member id: Owner of More than 6-wheel truck**

```

type: string (str60), but longest is str2
unique values: 4 missing "": 1,257/1,266
tabulation: Freq. Value
            1,257 ""
            4 "H2"
            1 "H3"
            3 "H4"
            1 "H9"
    
```

hala_des_5 **Asset type 5: Motorcycle (not display)**

```

type: string (str237), but longest is str0
unique values: 0 missing "": 1,266/1,266
    
```

tabulation: Freq. Value
 1,266 ""

hal_num_5 **Amount of Motorcycle**

type: numeric (**byte**)
 range: [0,8] units: 1
 unique values: 8 missing .: 0/1,266

tabulation: Freq. Value
 80 0
 473 1
 487 2
 179 3
 34 4
 9 5
 3 6
 1 8

mean: 1.73065
 std. dev: .96629

percentiles: 10% 25% 50% 75% 90%
 1 1 2 2 3

hala_des_6 **Asset type 6: Wheel plough (not display)**

type: string (**str237**), but longest is str0
 unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
 1,266 ""

hal_num_6 **Amount of Wheel plough**

type: numeric (**byte**)
 range: [0,3] units: 1
 unique values: 4 missing .: 0/1,266

tabulation: Freq. Value
 703 0
 548 1
 13 2
 2 3

mean: .458136
 std. dev: .527715

percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 1

hala_des_7 **Asset type 7: 4-wheel tractor (not display)**

type: string (**str237**), but longest is str0
 unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
 1,266 ""

hal_num_7 **Amount of 4-wheel tractor**

```

type: numeric (byte)
range: [0,3]
unique values: 4
units: 1
missing .: 0/1,266

tabulation: Freq. Value
            1,159 0
             100 1
              6  2
               1  3
mean:      .090837
std. dev:  .311256

percentiles:      10%    25%    50%    75%    90%
                  0      0      0      0      0
    
```

hala_des_8 **Asset type 8: Cell phone (not display)**

```

type: string (str237), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
            1,266 ""
    
```

hal_num_8 **Amount of Cell phone**

```

type: numeric (byte)
range: [0,12]
unique values: 12
units: 1
missing .: 0/1,266

tabulation: Freq. Value
            7  0
           183 1
           375 2
           291 3
           215 4
           109 5
            55 6
            17 7
             6  8
              5  9
               1 10
               2 12
mean:      2.99131
std. dev:  1.57272

percentiles:      10%    25%    50%    75%    90%
                  1      2      3      4      5
    
```

hala_des_9 **Asset type 9: Landline (not display)**

```

type: string (str237), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
            1,266 ""
    
```

hal_num_9 **Amount of Home phone**

```

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/1,266

tabulation: Freq. Value
             1,257 0
              9 1
mean: .007109
std. dev: .084048

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

hala_des_10 **Asset type 10: Computer/laptop computer (not display)**

```

type: string (str237), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

hal_num_10 **Amount of Computer/laptop computer**

```

type: numeric (byte)
range: [0,15] units: 1
unique values: 7 missing .: 0/1,266

tabulation: Freq. Value
             990 0
             227 1
              41 2
               5 3
               1 4
               1 12
               1 15
mean: .280411
std. dev: .755195

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

hala_des_11 **Asset type 11: Tablet/Ipad (not display)**

```

type: string (str237), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

hal_num_11 **Amount of Tablet/Ipad**

```

type: numeric (byte)
range: [0,4] units: 1
unique values: 5 missing .: 0/1,266
    
```

```

tabulation: Freq. Value
            1,049 0
            181 1
            31 2
            4 3
            1 4
mean:      .204581
std. dev:  .490231

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1
    
```

hala_des_12 **Asset type 12: VDO/VCD/DVD player (not display)**

```

type: string (str237), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
            1,266 ""
    
```

hal_num_12 **Amount of VDO/VCD/DVD player**

```

type: numeric (byte)
range: [0,4] units: 1
unique values: 5 missing .: 0/1,266

tabulation: Freq. Value
            755 0
            438 1
            59 2
            8 3
            6 4
mean:      .477093
std. dev:  .661676

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        1
    
```

hala_des_13 **Asset type 13: Color television (not display)**

```

type: string (str237), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
            1,266 ""
    
```

hal_num_13 **Amount of Color television**

```

type: numeric (byte)
range: [0,7] units: 1
unique values: 8 missing .: 0/1,266
    
```

```

tabulation:  Freq.  Value
              22  0
              602  1
              496  2
              109  3
              27  4
               6  5
               3  6
               1  7
    mean:    1.64613
    std. dev: .831906

percentiles:  10%    25%    50%    75%    90%
              1      1      2      2      3
    
```

hala_des_14 **Asset type 14: Fan (not display)**

```

    type:  string (str237), but longest is str0
unique values:  0                               missing "":  1,266/1,266

    tabulation:  Freq.  Value
                 1,266  ""
    
```

hal_num_14 **Amount of Fan**

```

    type:  numeric (byte)
    range:  [0,16]
unique values:  12                               units:  1
                                                    missing .:  0/1,266

    tabulation:  Freq.  Value
                 8  0
                 43  1
                 240  2
                 415  3
                 265  4
                 166  5
                 69  6
                 30  7
                 15  8
                  3  9
                  10 10
                   2 16
    mean:    3.60269
    std. dev: 1.63101

percentiles:  10%    25%    50%    75%    90%
              2      3      3      4      6
    
```

hala_des_15 **Asset type 15: Water heater (not display)**

```

    type:  string (str237), but longest is str0
unique values:  0                               missing "":  1,266/1,266

    tabulation:  Freq.  Value
                 1,266  ""
    
```

hal_num_15 **Amount of Water heater**

```

    type:  numeric (byte)
    
```

```

range: [0,4] units: 1
unique values: 5 missing .: 0/1,266

tabulation: Freq. Value
1,027 0
219 1
14 2
5 3
1 4
mean: .210111
std. dev: .470565

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 1
    
```

hala_des_16 **Asset type 16: Washing machine (not display)**

```

type: string (str237), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

hal_num_16 **Amount of Washing machine**

```

type: numeric (byte)
range: [0,4] units: 1
unique values: 5 missing .: 0/1,266

tabulation: Freq. Value
264 0
941 1
57 2
2 3
2 4
mean: .844392
std. dev: .500075

percentiles: 10% 25% 50% 75% 90%
0 1 1 1 1
    
```

hala_des_17 **Asset type 17: Air condition (not display)**

```

type: string (str237), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

hal_num_17 **Amount of Air conditioner**

```

type: numeric (byte)
range: [0,5] units: 1
unique values: 6 missing .: 0/1,266
    
```

```

tabulation: Freq. Value
            1,087 0
            131 1
            35 2
            10 3
            2 4
            1 5
mean:      .192733
std. dev:  .541534

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1
    
```

hala_des_18 **Asset type 18: Microwave (not display)**

```

type: string (str237), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
            1,266 ""
    
```

hal_num_18 **Amount Microwave**

```

type: numeric (byte)
range: [0,2] units: 1
unique values: 3 missing .: 0/1,266

tabulation: Freq. Value
            1,053 0
            202 1
            11 2
mean:      .176935
std. dev:  .4039

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1
    
```

hala_des_19 **Asset type 19: Other, specify (not display)**

```

type: string (str237), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
            1,266 ""
    
```

hal_num_19 **Amount of Other 1**

```

type: numeric (byte)
range: [0,6] units: 1
unique values: 6 missing .: 632/1,266
    
```

```

tabulation:  Freq.  Value
              140    0
              427    1
              55     2
               7     3
               4     4
               1     6
              632    .
    mean:    .914826
    std. dev: .664373

percentiles:    10%    25%    50%    75%    90%
                0      1      1      1      2
    
```

hala_des_20 **Asset type 20: Other, specify (not display)**

```

    type:  string (str211), but longest is str0
unique values:  0                missing "":  1,266/1,266

    tabulation:  Freq.  Value
                 1,266  ""
    
```

hal_num_20 **Amount of Other 2**

```

    type:  numeric (byte)
    range:  [0,5]                units:  1
unique values:  5                missing .:  1,002/1,266

    tabulation:  Freq.  Value
                 68     0
                 167    1
                 23     2
                   4     3
                   2     5
                1,002    .
    mean:    .890152
    std. dev: .718613

percentiles:    10%    25%    50%    75%    90%
                0      0      1      1      2
    
```

hala_des_21 **Asset type 21: Other, specify (not display)**

```

    type:  string (str211), but longest is str0
unique values:  0                missing "":  1,266/1,266

    tabulation:  Freq.  Value
                 1,266  ""
    
```

hal_num_21 **Amount of Other 3**

```

    type:  numeric (byte)
    range:  [0,6]                units:  1
unique values:  6                missing .:  1,166/1,266
    
```

```

tabulation:  Freq.  Value
              25    0
              63    1
              7     2
              3     3
              1     4
              1     6
            1,166  .
    mean:      .96
    std. dev:  .886715

percentiles:  10%    25%    50%    75%    90%
              0     .5     1     1     2
    
```

hala_des_22 **Asset type 22: Other, specify (not display)**

```

    type:  string (str211), but longest is str0
unique values:  0                missing "":  1,266/1,266

    tabulation:  Freq.  Value
                1,266  ""
    
```

hal_num_22 **Amount of Other 4**

```

    type:  numeric (byte)
    range:  [0,4]                units:  1
unique values:  5                missing .:  1,229/1,266

    tabulation:  Freq.  Value
                6     0
                23    1
                5     2
                2     3
                1     4
            1,229  .
    mean:      1.16216
    std. dev:  .866459

percentiles:  10%    25%    50%    75%    90%
              0     1     1     1     2
    
```

hala_des_23 **Asset type 23: Other, specify (not display)**

```

    type:  string (str211), but longest is str0
unique values:  0                missing "":  1,266/1,266

    tabulation:  Freq.  Value
                1,266  ""
    
```

hal_num_23 **Amount of Other 5**

```

    type:  numeric (byte)
    range:  [0,1]                units:  1
unique values:  2                missing .:  1,261/1,266
    
```

```

tabulation:  Freq.  Value
              2    0
              3    1
            1,261  .
      mean:    .6
      std. dev: .547723

percentiles:    10%    25%    50%    75%    90%
                0      0      1      1      1
    
```

hala_des_24 **Asset type 24: Other, specify (not display)**

```

      type:  string (str211), but longest is str0
unique values:  0          missing "":  1,266/1,266

      tabulation:  Freq.  Value
                  1,266  ""
    
```

hal_num_24 **Amount of Other 6**

```

      type:  numeric (byte)
      range:  [.,.]          units:  .
unique values:  1          missing .:  1,265/1,266

      tabulation:  Freq.  Value
                  1    0
            1,265  .
      mean:        0
      std. dev:    .

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

b11 **What type of house does the household live in?**

```

      type:  numeric (byte)
      label:  b11
      range:  [1,3]          units:  1
unique values:  2          missing .:  20/1,266
unique missing codes:  2    missing *:  1/1,266

      tabulation:  Freq.  Numeric  Label
                  365      1  single
                  880      3  double
                   20      .
                   1      .d
    
```

b13 **Material of the first floor**

```

      type:  numeric (byte)
      label:  b13
      range:  [1,99]         units:  1
unique values:  5          missing .:  20/1,266
unique missing codes:  2    missing *:  1/1,266
    
```



```

tabulation: Freq.  Numeric  Label
            104      1      soil
             4       3      wood
            384      7      cement/concrete or precast floor
                               (no tile)
            752      9      cement/concrete or precast floor
                               (with tile)
             1      99      other
            20       .
             1       .d
    
```

b13a **other, record in b13a (not display)**

```

type: string (str47), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq.  Value
            1,266 ""
    
```

b14 **Material of the wall of the first storey**

```

type: numeric (byte)
label: b14
range: [1,99] units: 1
unique values: 6 missing .: 20/1,266
unique missing codes: 3 missing *: 95/1,266
tabulation: Freq.  Numeric  Label
            1       1      bamboo/reed woven
             8       5      spill
           1,129     7      bricks/cement
             11      9      galvanized iron
              1      17     synthetic wood
              1      99     other
             20       .
             94      .b
              1      .d
    
```

b14a **other, record in b14a (not display)**

```

type: string (str30), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq.  Value
            1,266 ""
    
```

b15 **Material of the upper floor(s)**

```

type: numeric (byte)
label: b15
range: [1,7] units: 1
unique values: 4 missing .: 20/1,266
unique missing codes: 3 missing *: 367/1,266
    
```



```

tabulation:  Freq.  Value
              761  0
              433  1
              51  2
              20  .
              1  .d
    mean:    .429719
    std. dev: .572059

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      1
    
```

b18 **How many toilets are there on the first floor inside the house?**

```

    type:  numeric (byte)

    range:  [0,5]
    unique values: 5
    unique missing codes: 2

    units: 1
    missing .: 20/1,266
    missing *: 1/1,266

    tabulation:  Freq.  Value
                  359  0
                  743  1
                  133  2
                   9  3
                   1  5
                  20  .
                   1  .d
    mean:    .836145
    std. dev: .640647

percentiles:    10%    25%    50%    75%    90%
                0      0      1      1      2
    
```

b110 **Type of the toilet**

```

    type:  string (str3)

    unique values: 6
    unique missing codes: 3

    missing "": 19/1,266
    missing *: 6/1,266

    tabulation:  Freq.  Value
                  19  ""
                 1,144  "A"
                   45  "A;C"
                    3  "B"
                   49  "C"
                    2  "MI"
                    4  "NA"
    
```

b110a **others, record in b110a**

```

    type:  string (str1), but longest is str0

    unique values: 0
    missing "": 1,266/1,266

    tabulation:  Freq.  Value
                  1,266  ""
    
```

b110_des **Description: Type of the toilet (not display)**

```

    type:  string (str43), but longest is str0
    
```

unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""

b115 **How many bedrooms are there inside the house**

type: numeric (**byte**)

range: [0,5] units: 1
unique values: 6 missing .: 20/1,266
unique missing codes: 2 missing *: 4/1,266

tabulation: Freq. Value
168 0
343 1
469 2
210 3
41 4
11 5
20 .
4 .d
mean: 1.71498
std. dev: 1.05723

percentiles: 10% 25% 50% 75% 90%
0 1 2 2 3

b114 **Interviewer note (unavailable)**

type: string (**str284**), but longest is str0

unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""

hh_change **Sample has moved so that its household structure changed**

type: numeric (**float**)
label: **hh_change**

range: [0,1] units: 1
unique values: 2 missing .: 0/1,266

tabulation: Freq. Numeric Label
1,253 0 no
13 1 yes

survey_name **survey round**

type: string (**str12**)

unique values: 1 missing "": 0/1,266

tabulation: Freq. Value
1,266 "RESURVEY2017"

year_survey **year survey**

type: numeric (**int**)

range: [2017,2017] units: 1
unique values: 1 missing .: 0/1,266

tabulation: Freq. Value
1,266 2017

mean: 2017
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
2017 2017 2017 2017 2017

2 . log close
name: <unnamed>
log: Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\a9.scm1
log type: smcl
closed on: 3 Oct 2024, 13:28:10
