



```

name: <unnamed>
log: Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\b1.smcl
log type: smcl
opened on: 3 Oct 2024, 13:33:45
    
```

1 . codebookr \_all,all

```

Dataset: Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\b1_run.dta
Last saved: 3 Oct 2024 13:33
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 107
Number of observations: 1,506
Size: 4,025,538 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

---

**cid** **children id**

---

```

type: string (str18)
unique values: 1,506 missing "": 0/1,506
examples: "201591160604207H1"
           "201691131001997H1"
           "201691160105066H7"
           "201691161708041H1"
    
```

---

**iyear** **year**

---

```

type: string (str4)
unique values: 2 missing "": 0/1,506
tabulation: Freq. Value
             553 "2015"
             953 "2016"
    
```

---

**hhid** **household id**

---

```

type: string (str15)
    
```

unique values: 1,284                      missing "": 0/1,506  
 examples: "201591160604207"  
           "201691131001097"  
           "201691160105067"  
           "201691161708041"

---

**prov** **province**

---

type: string (**str2**)  
 unique values: 2                      missing "": 0/1,506  
 tabulation: Freq. Value  
               1,361 "91"  
               145 "93"

---

**amp** **amphoe**

---

type: string (**str2**)  
 unique values: 8                      missing "": 0/1,506  
 tabulation: Freq. Value  
               1 "09"  
               145 "12"  
               264 "13"  
               129 "14"  
               148 "15"  
               557 "16"  
               38 "17"  
               224 "18"

---

**tam** **tambon**

---

type: string (**str2**)  
 unique values: 15                      missing "": 0/1,506  
 tabulation: Freq. Value  
               65 "01"  
               229 "02"  
               121 "04"  
               63 "05"  
               57 "06"  
               66 "07"  
               64 "08"  
               97 "09"  
               136 "10"  
               93 "11"  
               154 "13"  
               47 "14"  
               151 "15"  
               106 "17"  
               57 "19"

---

**moo** **moo**

---

type: string (**str2**)  
 unique values: 22                      missing "": 0/1,506

```

tabulation:  Freq.  Value
              156  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              155  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8  "17"
              12  "18"
              26  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

---

**strucid** **structure ID**

---

```

type:  string (str3)
unique values:  185          missing "":  0/1,506
examples:  "011"
           "035"
           "071"
           "149"
    
```

---

**nickname** **Child nickname (unavailable)**

---

```

type:  string (str33), but longest is str0
unique values:  0          missing "":  1,506/1,506
tabulation:  Freq.  Value
              1,506  ""
    
```

**nickname:**  
 1. subjected to a carryforward operation

---

**idcard** **Identification number (unavailable)**

---

```

type:  string (str13), but longest is str0
unique values:  0          missing "":  1,506/1,506
tabulation:  Freq.  Value
              1,506  ""
    
```

**idcard:**  
 1. subjected to a carryforward operation

---

**prefix** **Child's prefix (unavailable)**

---

```

type:  string (str18), but longest is str0
    
```

unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value  
1,506 ""

---

**fname** **Child's name (unavailable)**

---

type: string (**str36**), but longest is str0

unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value  
1,506 ""

---

**lname** **Child's lastname (unavailable)**

---

type: string (**str51**), but longest is str0

unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value  
1,506 ""

---

**ci0** **Primary caregivers member ID**

---

type: string (**str2**)

unique values: 9 missing "": 0/1,506  
unique missing codes: 1 missing \*: 1/1,506

tabulation: Freq. Value  
563 "H2"  
579 "H3"  
185 "H4"  
101 "H5"  
40 "H6"  
25 "H7"  
10 "H8"  
2 "H9"  
1 "NA"

---

**tel** **Tel-number (unavailable)**

---

type: string (**str10**), but longest is str0

unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value  
1,506 ""

---

**cila\_des** **Relationship description (not display)**

---

type: string (**str77**), but longest is str0

unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value  
1,506 ""

---

**cila** **Code : Relationship with child**

---

```

type: numeric (byte)
label: cila

range: [1,19]
unique values: 5
units: 1
missing ..: 0/1,506

tabulation:
  Freq.  Numeric  Label
  502    1       Father / Mother
  23     13      Uncle / Aunt
  695    17      Great-grandparents (Mother's
                    side)
  206    18      Great-grandparents (Father's
                    side)
  80     19      Other relatives
    
```

---

**cill\_prefix** **Maincare's prefix (unavailable)**

---

```

type: string (str18), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation:
  Freq.  Value
  1,506  ""
    
```

---

**cill\_fname** **Maincare's name (unavailable)**

---

```

type: string (str36), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation:
  Freq.  Value
  1,506  ""
    
```

---

**cill\_lname** **Maincare's last name (unavailable)**

---

```

type: string (str51), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation:
  Freq.  Value
  1,506  ""
    
```

---

**cill Member ID the household member with the highest decision-making authority for th**

---

```

type: string (str2)
unique values: 9
unique missing codes: 1
missing "": 0/1,506
missing *: 279/1,506

tabulation:
  Freq.  Value
  446    "H2"
  411    "H3"
  189    "H4"
  102    "H5"
  47     "H6"
  19     "H7"
  10     "H8"
  3      "H9"
  279    "MI"
    
```

---

**cilla\_des** **Relationship with child**

---

```

type: string (str68), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

---

**cilla Code of Relationship the household member with the highest decision-making power**

---

```

type: numeric (byte)
label: cilla
range: [1,19] units: 1
unique values: 5 missing .: 0/1,506
unique missing codes: 1 missing *: 277/1,506
tabulation: Freq. Numeric Label
             539      1  Father / Mother
             16      13  Uncle / Aunt
             493      17  Great-grandparents (Mother's
                        side)
             138      18  Great-grandparents (Father's
                        side)
             43      19  Other relatives
             277      .d
    
```

---

**ci2h2** **Current height of this child (centimeter)**

---

```

type: numeric (int)
range: [67,135] units: 1
unique values: 59 missing .: 0/1,506
unique missing codes: 2 missing *: 783/1,506
tabulation: Freq. Value
             2  67
             1  68
             7  70
             2  72
             6  75
             4  76
             1  77
             4  78
             5  79
            20  80
             3  81
             3  82
             4  83
             4  84
            20  85
             3  86
             8  87
             4  88
            12  89
            37  90
             2  91
             5  92
            13  93
             8  94
            43  95
            10  96
            12  97
            35  98
             6  99
    
```

```

      87 100
       5 101
      11 102
      13 103
       8 104
      52 105
       7 106
       7 107
      13 108
       8 109
      92 110
       5 111
      12 112
       8 113
       5 114
      30 115
       5 116
       6 117
       6 118
       5 119
      28 120
       4 122
       2 123
       2 124
       8 125
       1 127
       1 129
       6 130
       1 132
       1 135
      782 .c
       1 .d
    mean: 101.34
  std. dev: 12.2535

percentiles:      10%      25%      50%      75%      90%
                  85       95      100      110      116

```

---

**ci2w2** **Current weight of this child (kilogram)**

---

```

type: numeric (double)
range: [6.3,50]
unique values: 86
unique missing codes: 1
units: .1
missing .: 0/1,506
missing *: 200/1,506

```

```

tabulation: Freq. Value
             1 6.3
             1 7
             1 7.8
             1 8
             5 9
             1 9.4
             1 9.5
             1 9.6
             1 9.8
             1 9.9
            35 10
             1 10.4
             1 10.7
             1 10.8
            44 11
             1 11.2
             4 11.5
           105 12
             1 12.2
             6 12.5
             1 12.6
             1 12.8
            82 13

```

```

1 13.2
7 13.5
1 13.6
2 13.7
1 13.8
110 14
2 14.2
1 14.3
1 14.4
9 14.5
3 14.7
2 14.9
178 15
2 15.3
5 15.5
1 15.6
1 15.7
2 15.8
1 15.9
104 16
2 16.2
4 16.5
1 16.6
104 17
1 17.2
8 17.5
1 17.6
2 17.8
87 18
2 18.1
1 18.2
5 18.5
1 18.7
1 18.9
55 19
1 19.4
1 19.6
3 19.7
1 19.9
119 20
1 20.5
25 21
29 22
15 23
1 23.5
10 24
26 25
10 26
1 26.4
7 27
11 28
1 28.5
5 29
11 30
3 31
4 32
2 33
4 35
2 37
1 39
2 40
2 43
2 50
200 .c

```

```

mean: 16.7616
std. dev: 4.85867

```

```

percentiles:      10%      25%      50%      75%      90%
                  12       14       16       19       22

```



---

**ci3** **Does the child's father live in the house?**

---

```

type: numeric (byte)
label: ci3

range: [1,3]
unique values: 2
units: 1
missing ..: 0/1,506

tabulation: Freq.  Numeric  Label
              579      1  yes
              927      3  no
    
```

---

**ci3g** **Father's current status**

---

```

type: numeric (byte)
label: ci3g

range: [1,5]
unique values: 3
unique missing codes: 2
units: 1
missing ..: 579/1,506
missing *: 12/1,506

tabulation: Freq.  Numeric  Label
              904      1  alive
               1       3  dead
               10       5  dead longer than 12 month
              579      .
               12      .c
    
```

---

**ci3h\_des** **Father's occupation description**

---

```

type: string (str148), but longest is str141

unique values: 540
unique missing codes: 4
missing "": 589/1,506
missing *: 148/1,506

warning: variable has embedded blanks
    
```

---

**ci3h** **Code : Father's occupation**

---

```

type: numeric (byte)
label: ci3h

range: [1,21]
unique values: 11
unique missing codes: 4
units: 1
missing ..: 589/1,506
missing *: 162/1,506

tabulation: Freq.  Numeric  Label
              35      1  Legislators / senior government
                   officer / admimistrator
              29      3  Professional
              44      5  Technican and related
              11      7  Office clerk
             150      9  Service Officer/Trader
              29     11  Agriculture and Fishery skilled
                   Workers
              65     13  Skilled Craftsmen and Related
                   business
             227     15  Mechanical and assembly workers
             118     17  General workers
               22     19  Armed force
               25     21  Not working
             589      .
               2       .a
    
```

159 .c  
1 .d

---

**ci3ha** **Father's type of work**

---

type: numeric (**byte**)  
label: **ci3ha**  
range: [1,9] units: 1  
unique values: 5 missing .: 589/1,506  
unique missing codes: 5 missing \*: 189/1,506

tabulation:	Freq.	Numeric	Label
	47	1	Government officer/state enterprise employee
	20	3	Temporary government worker/temporary state enterprise worker
	536	5	Company employee
	38	7	Temporary company worker ,seasonal hire
	87	9	Business owner
	589	.	
	2	.a	
	25	.b	
	159	.c	
	3	.d	

---

**ci3i\_des** **Description : Father's net income per month**

---

type: string (**str122**)  
unique values: 148 missing "": 589/1,506  
unique missing codes: 5 missing \*: 391/1,506

warning: variable has leading, embedded, and trailing blanks

---

**ci3i** **Father's net income per month**

---

type: numeric (**long**)  
label: **ci3i**, but label does not exist  
range: [2100,1500000] units: 10  
unique values: 72 missing .: 589/1,506  
unique missing codes: 5 missing \*: 454/1,506

tabulation:	Freq.	Value
	1	2100
	1	2400
	1	3500
	2	4500
	2	5000
	1	5500
	6	6000
	1	6600
	1	6710
	2	6900
	3	7000
	1	7350
	1	7500
	1	7700
	1	7740
	7	7800
	8	8000
	1	8400

```

      8 8500
      1 8800
     38 9000
      1 9100
      2 9240
      6 9500
      1 9600
      1 9620
      1 9660
      1 9880
     44 10000
      2 10400
      2 10500
      5 11000
      3 11500
      1 11700
     51 12000
     14 12500
      7 13000
      3 13500
      1 13750
      7 14000
      7 14500
      1 14700
     64 15000
      3 15500
      3 16000
      5 17000
      7 17500
     11 18000
      1 18200
      4 19000
     35 20000
      1 21000
      4 22000
      2 22500
      1 24000
     16 25000
      1 26500
      2 27000
      3 27500
      3 28000
     24 30000
      1 32000
      1 32100
      1 33000
      6 35000
      1 36000
      5 40000
      2 42000
      4 45000
      1 55000
      1 75000
      1 1500000
     589 .
      3 .a
     25 .b
     425 .c
      1 .d
    mean: 18967.1
  std. dev: 69506.3

percentiles:      10%      25%      50%      75%      90%
                  8500      10000      13500      20000      30000

```

---

ci3j

Father's contact telephone number

---

type: string (str12), but longest is str10

unique values: 225  
 unique missing codes: 5

missing "": 590/1,506  
 missing \*: 672/1,506

---

**ci3k            What is the average number of days per year the father visits the child ?**

---

type: numeric (int)  
 range: [0,365]  
 unique values: 94  
 unique missing codes: 4

units: 1  
 missing .: 589/1,506  
 missing \*: 9/1,506

tabulation:    Freq.    Value

272	0
15	1
24	2
38	3
24	4
29	5
26	6
30	7
29	8
23	9
27	10
26	11
21	12
16	13
29	14
21	15
11	16
9	17
13	18
2	19
9	20
12	21
3	22
1	23
2	24
3	25
6	26
1	27
5	28
15	30
2	31
4	33
1	35
3	36
2	38
2	39
4	40
1	42
5	43
1	44
2	45
3	46
5	47
3	48
1	50
10	52
3	54
12	56
1	57
14	60
2	61
2	63
2	64
1	65
1	67
1	68
1	69

```

3 70
4 75
1 78
1 81
4 84
3 86
1 88
4 90
4 91
1 92
2 95
1 98
2 100
1 103
2 104
1 105
1 108
1 110
7 112
1 116
7 120
1 124
2 130
1 133
1 135
1 140
2 142
1 145
2 150
2 151
1 169
1 188
1 194
1 200
1 273
1 334
6 365
589 .
1 .a
7 .c
1 .d
mean: 21.8976
std. dev: 44.0426

percentiles:    10%    25%    50%    75%    90%
                 0      0      7     18     60

```

---

**ci31 Does the child sleep with the father when the father lives in the house ?**

---

```

type: numeric (byte)
label: ci31

range: [1,3]
unique values: 2
unique missing codes: 4

units: 1
missing .: 861/1,506
missing *: 5/1,506

tabulation: Freq.  Numeric  Label
             455      1  yes
             185      3  no
             861      .
               1      .a
               3      .c
               1      .d

```

---

**ci3m What is the average number of days per year the father takes the child to his pl**

---

```

type: numeric (int)

```

range: [0,258]  
 unique values: 55  
 unique missing codes: 4

units: 1  
 missing .: 589/1,506  
 missing \*: 6/1,506

tabulation:	Freq.	Value
	598	0
	7	1
	7	2
	15	3
	8	4
	11	5
	4	6
	27	7
	2	8
	4	9
	15	10
	5	11
	7	12
	2	13
	24	14
	18	15
	1	16
	1	17
	3	18
	1	19
	13	20
	3	21
	1	24
	1	25
	1	26
	1	27
	62	30
	1	33
	1	35
	1	36
	5	37
	2	39
	1	40
	1	42
	1	43
	8	45
	2	52
	1	56
	19	60
	1	64
	2	66
	4	75
	1	84
	2	90
	1	91
	1	99
	1	100
	6	120
	1	129
	1	144
	1	145
	1	148
	1	153
	1	195
	1	258
	589	.
	1	.a
	4	.c
	1	.d

mean: 9.68606  
 std. dev: 23.1867

percentiles:            10%            25%            50%            75%            90%  
                           0                0                0                10               30

---

**ci4** **Does the child's mother live in the house?**

---

```

type: numeric (byte)
label: ci4

range: [1,3]
unique values: 2

units: 1
missing ..: 0/1,506

tabulation: Freq.  Numeric  Label
              787      1  yes
              719      3  no
    
```

---

**ci4g** **Mother's current status**

---

```

type: numeric (byte)
label: ci4g

range: [1,5]
unique values: 3
unique missing codes: 3

units: 1
missing ..: 787/1,506
missing *: 6/1,506

tabulation: Freq.  Numeric  Label
              708      1  alive
              1       3  dead
              4       5  dead longer than 12 month
              787      .
              5       .c
              1       .d
    
```

---

**ci4h\_des** **Description : Mother's occupation**

---

```

type: string (str138), but longest is str131

unique values: 454
unique missing codes: 3

missing "": 791/1,506
missing *: 66/1,506

warning: variable has embedded and trailing blanks
    
```

---

**ci4h** **Code : Mother's occupation**

---

```

type: numeric (byte)
label: ci3h

range: [1,21]
unique values: 10
unique missing codes: 3

units: 1
missing ..: 791/1,506
missing *: 77/1,506

tabulation: Freq.  Numeric  Label
              18      1  Legislators / senior government
                   18      1  officer / admimistrator
              29      3  Professional
              21      5  Technican and related
              52      7  Office clerk
              164     9  Service Officer/Trader
              19     11  Agriculture and Fishery skilled
                   19     11  Workers
              28     13  Skilled Craftsmen and Related
                   28     13  business
              206    15  Mechanical and assembly workers
              64     17  General workers
              37     21  Not working
              791     .
              76     .c
    
```

1 .d

---

**ci4ha** **Mother's type of work**

---

```

type: numeric (byte)
label: ci3ha
range: [1,9]
unique values: 5
unique missing codes: 4
units: 1
missing .: 791/1,506
missing *: 113/1,506
    
```

tabulation:	Freq.	Numeric	Label
	14	1	Government officer/state enterprise employee
	13	3	Temporary government worker/temporary state enterprise worker
	487	5	Company employee
	22	7	Temporary company worker, seasonal hire
	66	9	Business owner
	791	.	
	37	.b	
	75	.c	
	1	.d	

---

**ci4i\_des** **Description : Mother's net income per month**

---

```

type: string (str89)
unique values: 129
unique missing codes: 4
missing "": 791/1,506
missing *: 248/1,506
    
```

warning: variable has embedded blanks

---

**ci4i** **Mother's net income per month**

---

```

type: numeric (long)
label: ci4i, but 64 nonmissing values are not labeled
range: [1400,250000]
unique values: 64
unique missing codes: 4
units: 1
missing .: 791/1,506
missing *: 279/1,506
    
```

tabulation:	Freq.	Numeric	Label
	2	1400	
	1	3900	
	1	4200	
	1	4400	
	2	4500	
	3	6000	
	2	6450	
	1	6500	
	3	6600	
	1	7000	
	5	7500	
	1	7700	
	14	7800	
	1	7930	
	9	8000	
	2	8060	
	2	8086	
	1	8320	
	5	8500	
	52	9000	



```

3      9100
1      9240
1      9350
1      9360
3      9500
1      9600
2      9800
1      9900
55     10000
6      10400
1      10500
6      11000
2      11500
39     12000
11     12500
20     13000
1      13500
1      13600
1      13750
10     14000
5      14500
1      14700
59     15000
2      16000
2      16500
4      17000
6      17500
6      18000
1      18200
5      18500
2      19500
26     20000
4      22000
11     25000
1      28000
13     30000
1      32500
4      35000
1      36000
3      40000
1      50000
1      55000
1      75000
1      250000
791    .
37     .b
241    .c
1      .d

```

---

**ci4j** **Contact telephone number (unavailable)**

---

```

type: string (str12), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""

```

---

**ci4ka\_des** **Mother's address : sub-district (unavailable)**

---

```

type: string (str54), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""

```

---

**ci4ka** **Mother's address : sub-district code (unavailable)**

---

type: string (**str2**), but longest is str0  
 unique values: 0 missing "": 1,506/1,506  
 tabulation: Freq. Value  
 1,506 ""

---

**ci4kb\_des** **Mother's address : district (unavailable)**

---

type: string (**str48**), but longest is str0  
 unique values: 0 missing "": 1,506/1,506  
 tabulation: Freq. Value  
 1,506 ""

---

**ci4kb** **Mother's address : district code (unavailable)**

---

type: string (**str2**), but longest is str0  
 unique values: 0 missing "": 1,506/1,506  
 tabulation: Freq. Value  
 1,506 ""

---

**ci4kc\_des** **Mother's address : province (unavailable)**

---

type: string (**str45**), but longest is str0  
 unique values: 0 missing "": 1,506/1,506  
 tabulation: Freq. Value  
 1,506 ""

---

**ci4kc** **Mother's address : province code (unavailable)**

---

type: string (**str2**), but longest is str0  
 unique values: 0 missing "": 1,506/1,506  
 tabulation: Freq. Value  
 1,506 ""

---

**ci4kd** **Mother's address : country (unavailable)**

---

type: string (**str39**), but longest is str0  
 unique values: 0 missing "": 1,506/1,506  
 tabulation: Freq. Value  
 1,506 ""

---

**ci4l** **What is the average number of days per year the mother visits the child ?**

---

type: numeric (**int**)

range: [0,365]  
 unique values: 75  
 unique missing codes: 3

units: 1  
 missing .: 791/1,506  
 missing \*: 5/1,506

tabulation: Freq. Value

130	0
6	1
19	2
29	3
32	4
35	5
36	6
29	7
31	8
23	9
28	10
24	11
19	12
11	13
31	14
15	15
8	16
8	17
17	18
10	20
16	21
4	22
6	24
5	25
7	26
4	28
1	29
11	30
2	31
1	33
1	35
4	36
1	38
1	39
1	40
4	43
1	44
5	45
1	46
5	47
4	48
1	50
11	52
2	54
7	56
8	60
1	61
3	63
1	67
1	68
2	69
1	75
3	77
2	84
3	86
1	88
2	90
2	91
1	95
1	97
2	103
3	104
1	105
1	108
5	112
1	116
1	118

```

          4 120
          1 122
          1 124
          1 135
          1 168
          2 169
          2 180
          5 365
        791 .
          4 .c
          1 .d
    mean: 20.9563
  std. dev: 40.2856

percentiles:    10%    25%    50%    75%    90%
                0      3      9     20     54
    
```

---

**ci4m Does the child sleep with the mother when the mother lives in the house ?**

---

```

    type: numeric (byte)
    label: ci4m

    range: [1,3]
    unique values: 2
    unique missing codes: 3

    units: 1
    missing .: 921/1,506
    missing *: 2/1,506

    tabulation: Freq.  Numeric  Label
                436      1  yes
                147      3  no
                921      .
                 1      .c
                 1      .d
    
```

---

**ci4n What is the average number of days per year the mother takes the child to her pl**

---

```

    type: numeric (int)

    range: [0,195]
    unique values: 51
    unique missing codes: 3

    units: 1
    missing .: 791/1,506
    missing *: 3/1,506

    tabulation: Freq.  Value
                414    0
                 2    1
                 4    2
                12    3
                11    4
                15    5
                 4    6
                26    7
                 1    9
                16   10
                 4   11
                 5   12
                 2   13
                25   14
                23   15
                 1   16
                 2   17
                 1   19
                12   20
                 1   21
                 1   26
                 1   27
                65   30
                 1   34
                 1   36
                 4   37
    
```

```

      1 39
      1 40
      1 43
      1 44
      9 45
      1 48
      2 52
      1 54
      1 56
     15 60
      1 64
      1 66
      4 75
      1 84
      3 90
      1 92
      1 100
      3 104
      1 112
      4 120
      1 144
      1 145
      1 150
      1 153
      1 195
     791 .
      2 .c
      1 .d
    mean: 11.6798
  std. dev: 23.5549

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         14         30
  
```

---

**ci2a** **Do the father and mother of this child live together?**

---

```

    type: numeric (byte)
    label: ci2a
    range: [1,7]
    unique values: 4
    unique missing codes: 1
                    units: 1
                    missing .: 0/1,506
                    missing *: 3/1,506
  
```

tabulation:	Freq.	Numeric	Label
	948	1	living together (both married registered and non-registered)
	348	3	divorced
	192	5	separated (but still being a couple)
	15	7	widowed
	3	.c	

---

**ci2a3** **Father marital status**

---

```

    type: numeric (byte)
    label: ci2a3
    range: [1,5]
    unique values: 3
    unique missing codes: 4
                    units: 1
                    missing .: 1,141/1,506
                    missing *: 111/1,506
  
```

```

tabulation:  Freq.  Numeric  Label
              145      1  Not remarried
              106      3  Remarried
               3       5  Divorced (after remarriage)
            1,141      .
               12      .b
               98      .c
                1      .d
    
```

---

ci2a4

Mother marital status

---

```

type:  numeric (byte)
label:  ci2a3

range:  [1,7]          units:  1
unique values:  4      missing .:  1,141/1,506
unique missing codes:  4  missing *:  33/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              160      1  Not remarried
              158      3  Remarried
               13      5  Divorced (after remarriage)
                1      7  Widowed (after remarriage)
            1,141      .
                5      .b
               26      .c
                2      .d
    
```

---

ci5a Since last interview, what is the monthly average amount the child's father, who

---

```

type:  numeric (int)

range:  [0,30000]     units:  1
unique values:  92    missing .:  0/1,506
unique missing codes:  3  missing *:  983/1,506
    
```

```

tabulation:  Freq.  Value
            291    0
              1    23
              1    37
              1    42
              1    63
              1    71
              1    83
              1   100
              2   136
              1   140
              2   142
              1   145
              3   154
              1   182
              1   185
              2   200
              1   208
              5   250
              2   269
              1   312
              2   346
              1   363
              2   385
              1   409
              1   444
              5   500
              2   545
              1   550
              2   557
              1   666
              3   667
    
```

1 700  
3 750  
1 808  
1 833  
1 909  
1 938  
1 961  
11 1000  
2 1167  
1 1200  
3 1250  
2 1290  
1 1461  
8 1500  
1 1562  
1 1667  
1 1727  
2 1875  
2 1923  
17 2000  
1 2159  
1 2273  
22 2500  
3 2750  
14 3000  
1 3091  
1 3225  
1 3462  
2 3500  
2 3611  
1 3633  
2 3750  
6 4000  
1 4230  
5 4500  
1 4583  
9 5000  
3 5500  
1 5625  
3 6000  
1 6500  
3 6667  
2 7000  
1 7500  
1 7727  
1 8000  
1 8182  
1 8750  
1 9000  
9 10000  
1 10750  
4 12500  
1 13000  
1 14000  
1 14500  
2 15000  
1 16950  
3 20000  
1 22000  
4 25000  
1 30000

2 .a  
557 .b  
424 .c

mean: 1777.79  
std. dev: 3992.39

percentiles: 10% 25% 50% 75% 90%  
0 0 0 2000 5000

---

**ci5aa Is the amount of money that the father sends to the child used only for raising**

---

```

type: numeric (byte)
label: ci5aa

range: [1,3]
unique values: 2
unique missing codes: 4

units: 1
missing .: 1,255/1,506
missing *: 71/1,506

tabulation: Freq. Numeric Label
              38         1 yes
              142         3 no
            1,255         .
                1         .a
                17         .c
                53         .d
    
```

---

**ci5b Since last interview, what is the monthly average amount the child's mother, who**

---

```

type: numeric (long)

range: [0,40000]
unique values: 73
unique missing codes: 4

units: 1
missing .: 0/1,506
missing *: 1,176/1,506

tabulation: Freq. Value
              127  0
                1  45
                1  63
                1 113
                1 115
                1 125
                1 138
                1 166
                2 167
                1 179
                1 200
                1 318
                1 333
                1 341
                1 346
                1 385
                2 400
                2 417
                1 477
                1 482
                2 500
                1 521
                1 571
                1 667
                1 692
                5 750
                1 833
                1 875
                1 909
                1 929
                8 1000
                1 1018
                1 1075
                1 1076
                2 1077
                1 1167
                1 1200
                1 1300
                1 1400
               12 1500
                1 1667
                1 1720
    
```



```

      1 1731
      1 1750
      1 1857
      1 1909
     19 2000
     18 2500
      3 2667
      3 2750
     16 3000
      1 3273
      1 3333
      8 3500
      7 4000
      1 4167
      2 4300
      5 4500
      1 4800
     19 5000
      3 5500
      2 6000
      2 7000
      1 7142
      1 7500
      1 7525
      1 8000
      7 10000
      3 15000
      1 17500
      2 20000
      2 25000
      1 40000
      1 .a
     766 .b
     408 .c
      1 .d
    mean: 2253.5
  std. dev: 4081.98

  percentiles:      10%      25%      50%      75%      90%
                   0         0       1000       3000       5000

```

---

**ci5ba Is the amount of money that the mother sends to the child used only for raising**

---

```

  type: numeric (byte)
  label: ci5ba

  range: [1,3]
  unique values: 2
  unique missing codes: 4

  units: 1
  missing .: 1,300/1,506
  missing *: 42/1,506

  tabulation: Freq.  Numeric  Label
              24       1  yes
              140      3  no
             1,300      .
                1      .a
                1      .c
                40      .d

```

---

**ci5c Since last interview, what is the monthly average amount the child's parents, who**

---

```

  type: numeric (long)

  range: [83,50000]
  unique values: 73
  unique missing codes: 3

  units: 1
  missing .: 583/1,506
  missing *: 516/1,506

```

tabulation:	Freq.	Value
	1	83
	1	200
	3	300
	1	384
	1	392
	1	417
	1	450
	1	454
	2	500
	2	625
	1	725
	1	731
	1	750
	1	800
	1	818
	1	875
	20	1000
	1	1020
	1	1075
	1	1145
	1	1230
	7	1250
	1	1269
	1	1286
	2	1333
	1	1346
	9	1500
	1	1636
	2	1667
	5	1750
	1	1935
	31	2000
	1	2083
	1	2115
	3	2250
	1	2292
	2	2333
	36	2500
	1	2625
	6	2750
	31	3000
	1	3076
	2	3225
	3	3250
	1	3333
	1	3375
	14	3500
	1	3750
	1	3889
	36	4000
	3	4300
	1	4454
	17	4500
	1	4615
	59	5000
	6	5500
	1	5667
	1	5833
	18	6000
	1	6364
	8	6500
	8	7000
	3	7500
	10	8000
	1	8750
	1	9000
	1	9675
	14	10000
	2	13000
	1	15000
	1	20000

```

          1 25000
          1 50000
        583 .
          1 .a
        515 .b
    mean: 4064.09
    std. dev: 3539.86
    
```

```

percentiles:    10%    25%    50%    75%    90%
                1020   2000   3500   5000   7000
    
```

---

**ci5ca Is the amount of money that the parents send to the child used only for raising**

---

```

    type: numeric (byte)
    label: ci5ca

    range: [1,3]
    unique values: 2
    unique missing codes: 3

    units: 1
    missing .: 1,098/1,506
    missing *: 78/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              48      1      yes
              282     3      no
            1,098     .
                1     .a
                77     .d
    
```

---

**ci6a Since last interview, what is the monthly average amount the child's father who l**

---

```

    type: numeric (int)

    range: [0,4500]
    unique values: 58
    unique missing codes: 3

    units: 1
    missing .: 0/1,506
    missing *: 890/1,506
    
```

```

tabulation:  Freq.  Value
              532     0
                1     2
                1    15
                1    17
                1    18
                1    21
                1    28
                1    30
                2    38
                2    41
                3    42
                2    45
                2    47
                1    55
                1    64
                1    68
                2    69
                1    75
                1    90
                2    91
                1    92
                1    95
                4   100
                1   103
                1   115
                1   125
                3   143
                1   150
                1   155
                2   167
                1   169
                1   173
    
```

```

2 182
1 200
2 202
1 214
1 225
5 250
1 286
1 289
1 300
1 308
2 313
1 321
1 430
3 500
1 545
1 563
1 615
1 722
4 1000
1 1050
1 1250
2 1750
1 2200
1 3000
1 3500
1 4500
1 .a
557 .b
332 .c
mean: 58.0731
std. dev: 315.302

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      69

```

---

**ci6b Since last interview, what is the monthly average amount the child's mother who**

---

```

type: numeric (int)
range: [0,5500]
unique values: 77
unique missing codes: 3
units: 1
missing .: 0/1,506
missing *: 1,087/1,506

```

```

tabulation:  Freq.  Value
              306    0
               1    14
               3    19
               1    21
               1    23
               1    32
               2    33
               1    38
               1    42
               4    45
               3    50
               1    53
               4    54
               1    60
               1    61
               1    63
               1    64
               1    69
               1    70
               1    71
               2    77
               3    83
               1    92
               2    97
               3   100
               1   108

```

```

2 115
1 120
4 125
2 136
1 163
1 167
1 179
1 180
4 182
1 200
1 208
1 214
1 222
1 227
3 250
1 272
2 273
1 275
1 277
1 278
1 286
1 290
1 300
1 308
1 312
1 313
1 318
1 333
1 350
1 375
2 450
1 455
1 462
1 481
2 500
1 545
1 568
2 625
1 680
1 786
2 800
6 1000
1 1038
1 1075
1 1473
1 2000
1 2100
1 2500
1 4000
1 4500
1 5500
1 .a
764 .b
322 .c
mean: 120.652
std. dev: 472.281

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        33       277

```

---

**ci6c Since last interview, what is the monthly average amount the child's parents who**

---

```

type: numeric (int)
range: [0,10697]
unique values: 129
unique missing codes: 4
units: 1
missing .: 691/1,506
missing *: 548/1,506

```

mean: 596.393  
 std. dev: 1042.66  
 percentiles: 10% 25% 50% 75% 90%  
 42 91 208 550 2000

---

**ci10 Since last interview, how many newborn siblings from the same parents does the c**

---

type: numeric (**byte**)  
 range: [0,1] units: 1  
 unique values: 2 missing .: 0/1,506  
 tabulation: Freq. Value  
 1,455 0  
 51 1  
 mean: .033865  
 std. dev: .180941  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**ci10a\_1 Does sibling (no.1) live in the same household with the child?**

---

type: numeric (**byte**)  
 label: **ci10a**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 1,455/1,506  
 tabulation: Freq. Numeric Label  
 41 1 yes  
 10 3 no  
 1,455 .

---

**ci10b\_1 Sibling (no.1): Member ID**

---

type: string (**str3**)  
 unique values: 8 missing "": 1,465/1,506  
 tabulation: Freq. Value  
 1,465 ""  
 1 "H10"  
 1 "H11"  
 8 "H4"  
 8 "H5"  
 5 "H6"  
 12 "H7"  
 4 "H8"  
 2 "H9"

---

**ci10c\_1 Sibling (no.1): Alive?**

---

type: numeric (**byte**)  
 label: **ci10c**  
 range: [1,1] units: 1  
 unique values: 1 missing .: 1,496/1,506  
 tabulation: Freq. Numeric Label  
 10 1 alive  
 1,496 .

---

**ci10d\_1** **Sibling (no.1): Gender**

---

```

type: numeric (byte)
label: ci10d

range: [1,3]
unique values: 2
units: 1
missing ..: 1,496/1,506

tabulation: Freq.  Numeric  Label
              5         1  male
              5         3  female
            1,496         .
    
```

---

**ci10e\_1** **Sibling (no.1): Date of birth (unavailable)**

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq.  Value
            1,506  .
mean:      .
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

---

**ci10f\_1** **Sibling (no.1): Month of birth (unavailable)**

---

```

type: numeric (byte)
label: ci10f

range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq.  Numeric  Label
            1,506         .
    
```

---

**ci10g\_1** **Sibling (no.1): Year of birth (unavailable)**

---

```

type: numeric (int)
range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq.  Value
            1,506  .
mean:      .
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

---

**sibling\_age\_1** **Age year : sibling (no.1)**

---

```

type: numeric (float)
range: [.03,1.47]
unique values: 39
units: .01
missing ..: 1,455/1,506
    
```

```

tabulation:  Freq.  Value
              2    .03
              1    .09
              2    .1
              1   .15000001
              1    .16
              1    .19
              1    .22
              1   .23999999
              2   .25999999
              1    .28
              1   .31999999
              1   .38999999
              1   .40000001
              2   .41999999
              3    .44
              2   .44999999
              3    .5
              3   .51999998
              1    .56
              1   .63999999
              1   .66000003
              1   .67000002
              1   .68000001
              1   .72000003
              2   .75999999
              1   .77999997
              1    .81
              1   .85000002
              1   .86000001
              1    .87
              1   .88999999
              1   .89999998
              1    .94
              1   1.02
              1   1.07000001
              1   1.16
              1   1.4
              1   1.45
              1   1.47
1,455      .
      mean:  .573725
      std. dev: .358552

percentiles:      10%      25%      50%      75%      90%
                  .15      .28      .5      .81      1.02
    
```

---

**ci10a\_2** Does sibling (no.2) live in the same household with the child?

---

```

      type: numeric (byte)
      label: ci10a
      range: [3,3]
unique values: 1
      units: 1
      missing .: 1,505/1,506

      tabulation:  Freq.  Numeric  Label
                  1      3      no
                  1,505      .
    
```

---

**ci10b\_2** Sibling (no.2): Member ID

---

```

      type: string (str3), but longest is str0
unique values: 0
      missing "": 1,506/1,506

      tabulation:  Freq.  Value
                  1,506  ""
    
```



---

**ci10c\_2** **Sibling (no.2): Alive?**

---

```

type: numeric (byte)
label: ci10c

range: [3,3]
unique values: 1
units: 1
missing ..: 1,505/1,506

tabulation: Freq.   Numeric   Label
              1       3      dead
              1,505   .
    
```

---

**ci10d\_2** **Sibling (no.2): Gender**

---

```

type: numeric (byte)
label: ci10d

range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq.   Numeric   Label
              1,506   .
    
```

---

**ci10e\_2** **Sibling (no.2): Date of birth (unavailable)**

---

```

type: numeric (byte)

range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq.   Value
              1,506   .
mean: .
std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

---

**ci10f\_2** **Sibling (no.2): Month of birth (unavailable)**

---

```

type: numeric (byte)
label: ci10f

range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq.   Numeric   Label
              1,506   .
    
```

---

**ci10g\_2** **Sibling (no.2): Year of birth (unavailable)**

---

```

type: numeric (int)

range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq.   Value
              1,506   .
mean: .
std. dev: .
    
```

percentiles:           10%         25%         50%         75%         90%  
                              .           .           .           .           .

---

**sibling\_age\_2** **Age year : sibling (no.1)**

---

          type: numeric (**float**)  
          range: [.,.]                       units: .  
unique values: 0                           missing : 1,506/1,506  
  
  tabulation: Freq. Value  
              1,506 .  
          mean: .  
          std. dev: .  
  
  percentiles:           10%         25%         50%         75%         90%  
                              .           .           .           .           .

---

**ci9** **Interviewer note (not display)**

---

          type: string (**str549**), but longest is str0  
unique values: 0                           missing "": 1,506/1,506  
  
  tabulation: Freq. Value  
              1,506 ""

---

**father\_memberid** **Member ID of father**

---

          type: string (**str3**)  
unique values: 11                           missing "": 0/1,506  
unique missing codes: 1                    missing \*: 927/1,506  
  
  tabulation: Freq. Value  
              4 "H10"  
              1 "H11"  
              101 "H2"  
              84 "H3"  
              142 "H4"  
              156 "H5"  
              44 "H6"  
              34 "H7"  
              9 "H8"  
              4 "H9"  
              927 "NA"

---

**mother\_memberid** **Member ID of mother**

---

          type: string (**str3**), but longest is str2  
unique values: 9                           missing "": 0/1,506  
unique missing codes: 1                    missing \*: 719/1,506

```

tabulation:  Freq.  Value
              93  "H2"
              203  "H3"
              238  "H4"
              145  "H5"
               69  "H6"
               23  "H7"
               12  "H8"
                4  "H9"
              719  "NA"
    
```

---

**gender** **Children's gender**

---

```

      type: numeric (byte)
      label: blaf

      range: [1,3]
unique values: 2
      units: 1
missing .: 0/1,506

      tabulation:  Freq.  Numeric  Label
                  780      1      Male
                  726      3      Female
    
```

---

**age** **Children's age (year)**

---

```

      type: numeric (double)

      range: [1.21,7.42]
unique values: 483
      units: .01
missing .: 0/1,506

      mean: 4.3353
      std. dev: 1.30247

      percentiles:      10%      25%      50%      75%      90%
                      2.51      3.26      4.4      5.34      6.11
    
```

---

**father\_age** **Father's age (year)**

---

```

      type: numeric (float)

      range: [18.19,66.34]
unique values: 934
      units: .01
missing .: 206/1,506

      mean: 33.5895
      std. dev: 6.93386

      percentiles:      10%      25%      50%      75%      90%
                      24.64      28.415      33.41      37.805      42.515
    
```

---

**father\_edu** **Father's highest education level (not display)**

---

```

      type: string (str63), but longest is str0

unique values: 0
missing "": 1,506/1,506

      tabulation:  Freq.  Value
                  1,506  ""
    
```

---

**father\_edu\_code** **Code of mfather's highest education level**

---

```

type: numeric (float)
label: father_edu_code

range: [15,99]
unique values: 20
unique missing codes: 2

units: 1
missing .: 0/1,506
missing *: 133/1,506

```

tabulation:	Freq.	Numeric	Label
	21	15	Primary 4
	2	17	Primary 5
	198	19	Primary 6
	3	21	Primary 7 (old system)
	9	23	Lower secondary 1
	23	25	Lower secondary 2
	348	27	Lower secondary 3
	4	29	Upper secondary 1
	9	31	Upper secondary 2
	408	33	Upper secondary 3
	2	45	Vocational school year 1
	2	47	Vocational school year 2
	51	49	Vocational school year 3
	3	51	High vocational school year 1
	136	53	High vocational school year 2
	2	63	Undergraduate school year 2
	2	65	Undergraduate school year 3
	131	67	Undergraduate school year 4
	12	69	Master degree
	7	99	Other
	1	.a	
	132	.c	

---

**father\_mainjob** **Father's occupation description (not display)**

---

```

type: string (str154), but longest is str0
unique values: 0
missing "": 1,506/1,506

```

tabulation:	Freq.	Value
	1,506	" "

---

**father\_mainjob\_code** **(unlabeled)**

---

```

type: numeric (float)
label: father_mainjob_code

range: [1,21]
unique values: 11
unique missing codes: 3

units: 1
missing .: 0/1,506
missing *: 180/1,506

```

tabulation:	Freq.	Numeric	Label
	200	1	Logislators/senior government officer/administrator
	49	3	Professional
	36	5	Technican and related
	19	7	Office clerk
	128	9	Service provider / seller who sells goods in the store and/or in the market
	71	11	Agriculture and fishery workers
	147	13	Skilled craftsmen and related
	193	15	Mechanical and assembly workers
	428	17	General workers
	22	19	Armed force
	33	21	Not working
	9	.a	
	12	.b	
	159	.c	

---

**father\_mainjob\_type** **Father's type of work**

---

type: numeric (**float**)  
 label: **father\_mainjob\_type**  
 range: [1,9] units: 1  
 unique values: 5 missing .: 0/1,506  
 unique missing codes: 4 missing \*: 215/1,506

tabulation:	Freq.	Numeric	Label
	80	1	Government officer/state enterprise employee
	32	3	Temporary government officer/state enterprise employee
	792	5	Company employee
	301	7	Temporary company employee, seasonal
	86	9	Business owner
	9	.a	
	45	.b	
	159	.c	
	2	.d	

---

**father\_wagepmnth** **Father's wage per month (for paid work) for father at home**

---

type: numeric (**float**)  
 range: [0,32000] units: 1  
 unique values: 103 missing .: 1,101/1,506  
 unique missing codes: 4 missing \*: 51/1,506  
 mean: 8671.37  
 std. dev: 5943.97  
 percentiles: 10% 25% 50% 75% 90%  
1250 4900 8054 10500 15480

---

**mother\_edu** **Mother's highest education level (not display)**

---

type: string (**str39**), but longest is str0  
 unique values: 0 missing "": 1,506/1,506  
 tabulation: 

Freq.	Value
1,506	" "

---

**mother\_age** **Mother's age (year)**

---

type: numeric (**float**)  
 range: [17.55,58.97] units: .01  
 unique values: 962 missing .: 75/1,506  
 mean: 30.3194  
 std. dev: 6.10579  
 percentiles: 10% 25% 50% 75% 90%  
22.94 25.44 29.7 34.61 38.62

---

**mother\_edu\_code** **Code of mother's highest education level**

---

```

type: numeric (float)
label: mother_edu_code

range: [15,99]
unique values: 20
unique missing codes: 1

units: 1
missing .: 0/1,506
missing *: 27/1,506

```

tabulation:	Freq.	Numeric	Label
	7	15	Primary 4
	2	17	Primary 5
	139	19	Primary 6
	6	23	Lower secondary 1
	21	25	Lower secondary 2
	416	27	Lower secondary 3
	7	29	Upper secondary 1
	11	31	Upper secondary 2
	441	33	Upper secondary 3
	3	45	Vocational school year 1
	3	47	Vocational school year 2
	64	49	Vocational school year 3
	4	51	High vocational school year 1
	115	53	High vocational school year 2
	4	59	Diploma
	4	63	Undergraduate school year 2
	4	65	Undergraduate school year 3
	197	67	Undergraduate school year 4
	14	69	Master degree
	17	99	Other
	27	.c	

---

**mother\_mainjob** **Mother's occupation description (not display)**

---

```

type: string (str154), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq. Value
1,506 ""

```

---

**mother\_mainjob\_code** **(unlabeled)**

---

```

type: numeric (float)
label: mother_mainjob_code

range: [1,21]
unique values: 10
unique missing codes: 4

units: 1
missing .: 0/1,506
missing *: 94/1,506

```

tabulation:	Freq.	Numeric	Label
	202	1	Logislators/senior government officer/administrator
	102	3	Professional
	62	5	Technican and related
	29	7	Office clerk
	221	9	Service provider / seller who sells goods in the store and/or in the market
	118	11	Agriculture and fishery workers
	91	13	Skilled craftsmen and related
	58	15	Mechanical and assembly workers
	405	17	General workers
	124	21	Not working
	11	.a	
	5	.b	
	75	.c	
	3	.d	

---

**mother\_mainjob\_type** **mother's type of work**

---

```

type: numeric (float)
label: mother_mainjob_type

range: [1,9]
unique values: 5
unique missing codes: 4

units: 1
missing .: 0/1,506
missing *: 218/1,506

tabulation: Freq. Numeric Label
              43      1 Government officer/state
              52      3 enterprise employee
              704     5 Temporary government officer/
              161     7 state enterprise employee
              328     9 Company employee
              11      .a Temporary company employee,
              129     .b seasonal
              75      .c Business owner
              3       .d
    
```

---

**mother\_wagepmonth** **Mother's wage income per month (for paid work) for mother at home**

---

```

type: numeric (float)

range: [0,40000]
unique values: 114
unique missing codes: 4

units: 1
missing .: 984/1,506
missing *: 46/1,506

mean: 6650.36
std. dev: 6772.82

percentiles: 10% 25% 50% 75% 90%
              0 637.5 6000 9000 15000
    
```

---

**father\_earningpmonth** **Father's net income per month for father not at home**

---

```

type: numeric (float)

range: [0,1500000]
unique values: 73
unique missing codes: 4

units: 10
missing .: 579/1,506
missing *: 439/1,506

tabulation: Freq. Value
              25 0
              1 2100
              1 2400
              1 3500
              2 4500
              2 5000
              1 5500
              6 6000
              1 6600
              1 6710
              2 6900
              3 7000
              1 7350
              1 7500
              1 7700
              1 7740
              7 7800
              8 8000
              1 8400
              8 8500
    
```

```

      1 8800
     38 9000
      1 9100
      2 9240
      6 9500
      1 9600
      1 9620
      1 9660
      1 9880
     44 10000
      2 10400
      2 10500
      5 11000
      3 11500
      1 11700
     51 12000
     14 12500
      7 13000
      3 13500
      1 13750
      7 14000
      7 14500
      1 14700
     64 15000
      3 15500
      3 16000
      5 17000
      7 17500
     11 18000
      1 18200
      4 19000
     35 20000
      1 21000
      4 22000
      2 22500
      1 24000
     16 25000
      1 26500
      2 27000
      3 27500
      3 28000
     24 30000
      1 32000
      1 32100
      1 33000
      6 35000
      1 36000
      5 40000
      2 42000
      4 45000
      1 55000
      1 75000
      1 1500000
     579 .
      3 .a
     11 .b
     425 .c
    mean: 17995.5
  std. dev: 67828.1

percentiles:      10%      25%      50%      75%      90%
                  7700      9550      12500      18000      28000

```

---

**mother\_earningpmonth**                      **Mother's net income per month for mother not at home**

---

type: numeric (float)



range: [0,250000]  
 unique values: 65  
 unique missing codes: 4

units: 1  
 missing .: 787/1,506  
 missing \*: 246/1,506

tabulation:	Freq.	Value
	37	0
	2	1400
	1	3900
	1	4200
	1	4400
	2	4500
	3	6000
	2	6450
	1	6500
	3	6600
	1	7000
	5	7500
	1	7700
	14	7800
	1	7930
	9	8000
	2	8060
	2	8086
	1	8320
	5	8500
	52	9000
	3	9100
	1	9240
	1	9350
	1	9360
	3	9500
	1	9600
	2	9800
	1	9900
	55	10000
	6	10400
	1	10500
	6	11000
	2	11500
	39	12000
	11	12500
	20	13000
	1	13500
	1	13600
	1	13750
	10	14000
	5	14500
	1	14700
	59	15000
	2	16000
	2	16500
	4	17000
	6	17500
	6	18000
	1	18200
	5	18500
	2	19500
	26	20000
	4	22000
	11	25000
	1	28000
	13	30000
	1	32500
	4	35000
	1	36000
	3	40000
	1	50000
	1	55000
	1	75000
	1	250000
	787	.
	5	.b

```

                240 .c
                1 .d
    mean:      13282.1
    std. dev:  13512.3

    percentiles:    10%    25%    50%    75%    90%
                   6450    9000   12000  15000  20000
    
```

---

**note\_cleaner** **data cleaner note (not display)**

---

```

    type: string (str370), but longest is str0
    unique values: 0 missing "": 1,506/1,506
    tabulation: Freq. Value
                1,506 ""
    
```

---

**survey\_name** **survey name**

---

```

    type: string (str12)
    unique values: 1 missing "": 0/1,506
    tabulation: Freq. Value
                1,506 "RESURVEY2017"
    
```

---

**year\_survey** **year survey**

---

```

    type: numeric (float)
    range: [2017,2017] units: 1
    unique values: 1 missing .: 0/1,506
    tabulation: Freq. Value
                1,506 2017
    mean:      2017
    std. dev:  0
    percentiles:    10%    25%    50%    75%    90%
                   2017    2017    2017    2017    2017
    
```

```

2 . log close
   name: <unnamed>
   log:  Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018\\codebook\\2017\\b1.scml
   log type: smcl
   closed on: 3 Oct 2024, 13:33:51
    
```

---