



```

name: <unnamed>
log: Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\b11.smcl
log type: smcl
opened on: 3 Oct 2024, 13:59:21
    
```

1 . codebookr _all,all

```

Dataset: Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\b11_run.dta
Last saved: 3 Oct 2024 13:46
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 755
Number of observations: 1,506
Size: 15,460,596 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

cid **children id**

```

type: string (str18)
unique values: 1,506 missing "": 0/1,506
examples: "201591160604207H1"
           "201691131001997H1"
           "201691160105066H7"
           "201691161708041H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,506
tabulation: Freq. Value
             553 "2015"
             953 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,284 missing "": 0/1,506
 examples: "201591160604207"
 "201691131001097"
 "201691160105067"
 "201691161708041"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,506
 tabulation: Freq. Value
 1,361 "91"
 145 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,506
 tabulation: Freq. Value
 1 "09"
 145 "12"
 264 "13"
 129 "14"
 148 "15"
 557 "16"
 38 "17"
 224 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,506
 tabulation: Freq. Value
 65 "01"
 229 "02"
 121 "04"
 63 "05"
 57 "06"
 66 "07"
 64 "08"
 97 "09"
 136 "10"
 93 "11"
 154 "13"
 47 "14"
 151 "15"
 106 "17"
 57 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,506

```

tabulation:  Freq.  Value
              156  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              155  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8  "17"
              12  "18"
              26  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type:  string (str3)
unique values: 185          missing "": 0/1,506
examples: "011"
          "035"
          "071"
          "149"
    
```

td1_times **At night, the child sleeps : since (hour:minute)**

```

type:  string (str6), but longest is str5
unique values: 19          missing "": 0/1,506
tabulation:  Freq.  Value
              1  "03.00"
              1  "06.30"
              1  "07.30"
              1  "17.30"
              6  "18.00"
              1  "18.30"
              50 "19.00"
              87 "19.30"
              4  "19.45"
              517 "20.00"
              1  "20.15"
              295 "20.30"
              1  "20.45"
              1  "20.50"
              359 "21.00"
              82  "21.30"
              81  "22.00"
              15  "22.30"
              2  "23.00"
    
```

td1_timee **At night, the child sleeps : until (hour:minute)**

```

type:  string (str6), but longest is str5
    
```

unique values: 21 missing "": 0/1,506

```

tabulation: Freq. Value
              1 "03.00"
             10 "04.00"
              7 "04.30"
            124 "05.00"
            112 "05.30"
              2 "05.40"
              5 "05.45"
              3 "05.50"
            620 "06.00"
              3 "06.15"
              1 "06.20"
            264 "06.30"
              4 "06.40"
              2 "06.50"
            242 "07.00"
              2 "07.15"
              2 "07.20"
            76  "07.30"
            23  "08.00"
              1 "12.00"
              2 "20.30"
    
```

td1_hr **At night, the child sleeps for hours**

```

type: numeric (byte)
range: [6,14] units: 1
unique values: 9 missing .: 0/1,506

tabulation: Freq. Value
              1 6
             21 7
            156 8
            532 9
            607 10
            173 11
             12 12
              2 13
              2 14
mean: 9.53519
std. dev: .93177

percentiles: 10% 25% 50% 75% 90%
              8 9 10 10 11
    
```

td1_mi **At night, the child sleeps for minutes**

```

type: numeric (byte)
range: [0,50] units: 1
unique values: 9 missing .: 0/1,506

tabulation: Freq. Value
            888 0
              1 5
              2 10
              8 15
              3 20
            588 30
              5 40
              6 45
              5 50
mean: 12.3274
std. dev: 14.9466
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 30 30

td2_times The child goes to school/child development center : since (hour:minute)

type: string (**str17**), but longest is str5

unique values: **26** missing "": **0/1,506**
 unique missing codes: **1** missing *: **147/1,506**

tabulation: Freq. Value

7	"06.00"
1	"06.15"
2	"06.20"
1	"06.21"
47	"06.30"
4	"06.40"
2	"06.45"
2	"06.50"
189	"07.00"
9	"07.10"
8	"07.15"
10	"07.20"
1	"07.25"
571	"07.30"
29	"07.40"
7	"07.45"
7	"07.50"
322	"08.00"
2	"08.10"
1	"08.15"
122	"08.30"
1	"08.45"
12	"09.00"
1	"09.30"
1	"13.00"
147	"NA"

td2_timee The child goes to school/child development center : until (hour:minute)

type: string (**str6**), but longest is str5

unique values: **28** missing "": **0/1,506**
 unique missing codes: **1** missing *: **147/1,506**

tabulation: Freq. Value

1	"11.00"
2	"12.00"
4	"13.00"
7	"13.30"
1	"13.40"
206	"14.00"
2	"14.15"
5	"14.20"
1	"14.25"
369	"14.30"
3	"14.40"
2	"14.45"
3	"14.50"
380	"15.00"
2	"15.15"
4	"15.20"
189	"15.30"
4	"15.40"
1	"15.45"
91	"16.00"
2	"16.10"
1	"16.20"

```
36 "16.30"  
1  "16.40"  
31 "17.00"  
9  "17.30"  
2  "18.00"  
147 "NA"
```

td2_hr The child goes to school/child development center for hours

```
type: numeric (byte)  
range: [1,11]                      units: 1  
unique values: 9                   missing .: 0/1,506  
unique missing codes: 1            missing *: 147/1,506
```

```
tabulation: Freq. Value  
             1 1  
             4 4  
            46 5  
           355 6  
           586 7  
           248 8  
            71 9  
            42 10  
             6 11  
           147 .b  
mean:        7.05519  
std. dev:    1.0898
```

```
percentiles:            10%          25%          50%          75%          90%  
                          6              6              7              8              8
```

td2_mi The child goes to school/child development center for minutes

```
type: numeric (byte)  
range: [0,55]                      units: 1  
unique values: 11                   missing .: 0/1,506  
unique missing codes: 1            missing *: 147/1,506
```

```
tabulation: Freq. Value  
            637 0  
             1 5  
             9 10  
            13 15  
            24 20  
           613 30  
             1 39  
            19 40  
            13 45  
            27 50  
             2 55  
           147 .b  
mean:        16.1913  
std. dev:    15.8387
```

```
percentiles:            10%          25%          50%          75%          90%  
                          0              0             20             30             30
```

td3_times The child takes a nap (weekdays) : since (hour:minute)

```
type: string (str11)  
unique values: 18                   missing "": 0/1,506  
unique missing codes: 1            missing *: 1,292/1,506
```

```

tabulation:  Freq.  Value
              68  "0"
              1  "08.00"
             10  "09.00"
              3  "09.00-10.30"
              4  "09.00-11.00"
              1  "09.00-12.00"
              1  "09.30"
              1  "09.30-11.00"
             28  "10.00"
              3  "10.00-11.00"
              2  "10.00-12.00"
              3  "10.30"
             40  "11.00"
              2  "11.30"
             28  "12.00"
             16  "13.00"
              3  "14.00"
           1,292  "NA"
    
```

td3_timee **The child takes a nap (weekdays) : until (hour:minute)**

```

type: string (str11)
unique values: 21
unique missing codes: 1
missing "": 0/1,506
missing *: 1,292/1,506
    
```

```

tabulation:  Freq.  Value
              68  "0"
              1  "03.00"
              5  "11.00"
             17  "12.00"
              7  "12.30"
             32  "13.00"
              1  "13.00-15.00"
              5  "13.30"
             32  "14.00"
              3  "14.00-15.00"
              4  "14.00-16.00"
              8  "14.30"
              2  "14.30-15.30"
             19  "15.00"
              1  "15.00-15.30"
              1  "15.00-16.00"
              1  "15.00-16.30"
              3  "15.30"
              2  "16.00"
              2  "17.00"
           1,292  "NA"
    
```

td3_hr **The child takes a nap (weekdays) for hours**

```

type: numeric (byte)
range: [0,15]
unique values: 7
unique missing codes: 1
units: 1
missing .: 0/1,506
missing *: 1,292/1,506
    
```

```

tabulation:  Freq.  Value
              69    0
              18    1
              65    2
              44    3
              15    4
               2    5
               1   15
            1,292  .b
      mean:    1.70561
    std. dev:  1.63077

percentiles:      10%      25%      50%      75%      90%
                  0         0         2         3         3
    
```

td3_mi **The child takes a nap (weekdays) for minutes**

```

type: numeric (byte)
range: [0,30]
unique values: 3
unique missing codes: 1
units: 1
missing .: 0/1,506
missing *: 1,292/1,506
    
```

```

tabulation:  Freq.  Value
              185    0
               1   15
              28   30
            1,292  .b
      mean:    3.99533
    std. dev: 10.1651

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         30
    
```

td3b_times **The child takes a nap (holidays) : since (hour:minute)**

```

type: string (str20)
unique values: 33
unique missing codes: 1
missing "": 0/1,506
missing *: 1/1,506
    
```

```

tabulation:  Freq.  Value
            434  "0"
               1  "08.00"
              16  "09.00"
               1  "09.00-10.00"
               3  "09.00-10.30"
               4  "09.00-11.00"
               1  "09.00-12.00"
               2  "09.30"
               1  "09.30-11.00"
               1  "09.40"
               1  "1-2 ชม"
               1  "1-2ชม./วัน"
               1  "1.30 ชม."
              80  "10.00"
               3  "10.00-11.00"
               2  "10.00-12.00"
              11  "10.30"
               1  "10.40"
             211  "11.00"
               22  "11.30"
               1  "11.45"
             366  "12.00"
              10  "12.30"
             242  "13.00"
               4  "13.30"
              67  "14.00"
    
```



```

6 "14.30"
6 "15.00"
1 "16.00"
2 "17.00"
1 "2-3pm."
2 "30min"
1 "DK"

```

warning: variable has embedded blanks

td3b_timee **The child takes a nap (holidays) : util (hour:minute)**

type: string (**str11**)

unique values: **32**
unique missing codes: **2**

missing "": **0/1,506**
missing *: **7/1,506**

tabulation:	Freq.	Value
	434	"00.00"
	1	"03.00"
	1	"10.00"
	1	"10.30"
	14	"11.00"
	4	"11.30"
	76	"12.00"
	1	"12.15"
	29	"12.30"
	196	"13.00"
	1	"13.00-14.30"
	1	"13.00-15.00"
	57	"13.30"
	1	"13.40"
	283	"14.00"
	1	"14.00-14.40"
	3	"14.00-15.00"
	4	"14.00-16.00"
	67	"14.30"
	2	"14.30-15.30"
	201	"15.00"
	1	"15.00-15.30"
	1	"15.00-16.00"
	1	"15.00-16.30"
	34	"15.30"
	65	"16.00"
	7	"16.30"
	8	"17.00"
	2	"17.30"
	2	"18.00"
	1	"DK"
	6	"NA"

td3b_hr **The child takes a nap (holidays) for hours**

type: numeric (**byte**)

range: **[0,15]**
unique values: **7**

units: **1**
missing .: **0/1,506**

```

tabulation:  Freq.  Value
              449    0
              339    1
              484    2
              186    3
               43    4
               4     5
               1    15
    mean:     1.37583
    std. dev: 1.18442

percentiles: 10%    25%    50%    75%    90%
              0     0     1     2     3
    
```

td3b_mi **The child takes a nap (holidays) for minutes**

```

    type: numeric (byte)
    range: [0,50]
    unique values: 6
    units: 1
    missing .: 0/1,506

    tabulation:  Freq.  Value
                  1,280  0
                   3    15
                   1    20
                  220    30
                   1    40
                   1    50
    mean:       4.48539
    std. dev:   10.7176

    percentiles: 10%    25%    50%    75%    90%
                  0     0     0     0     30
    
```

td5d **While watching TV, what activity does the child do?**

```

    type: numeric (byte)
    label: td5d
    range: [1,3]
    unique values: 2
    units: 1
    missing .: 102/1,506

    tabulation:  Freq.  Numeric  Label
                  291     1    no
                  1,113   3    yes
                   102     .
    
```

td5d_des **Activities to do while children watch TV**

```

    type: string (str168)
    unique values: 367
    missing "": 390/1,506

    warning: variable has embedded and trailing blanks
    
```

activity_A **Listening to a story book that adult reads (use a book while reading) (not displ**

```

    type: string (str147), but longest is str0
    unique values: 0
    missing "": 1,506/1,506
    
```

tabulation: Freq. Value
 1,506 ""

detail_A **A : Identify the books**

type: string (**str238**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

c1_code_A **A : Frequency (Monday - Friday)**

type: numeric (**byte**)
 label: **c1_code**
 range: [0,9] units: 1
 unique values: 4 missing .: 0/1,506
 unique missing codes: 1 missing *: 485/1,506

tabulation:	Freq.	Numeric	Label
	882	0	never
	2	5	at least once a week
	130	7	once a day
	7	9	more than once a day
	485	.c	

c1_hr_A **A : Hours per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,12] units: 1
 unique values: 6 missing .: 1,367/1,506

tabulation:	Freq.	Value
	92	0
	18	1
	19	2
	1	3
	8	5
	1	12
	1,367	.
mean:	.798561	
std. dev:	1.61146	

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

c1_min_A **A : Minutes per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,50] units: 1
 unique values: 14 missing .: 1,367/1,506

```

tabulation:  Freq.  Value
              8    0
              1    5
              1    8
              4   13
              8   15
              1   18
              1   23
             22   25
             23   30
              1   33
              6   38
             12   40
              1   45
             50   50
             1,367 .
    mean:     34.1871
    std. dev: 15.0817

percentiles: 10%    25%    50%    75%    90%
              13     25     33     50     50
    
```

c1_aa_A **A :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str3
unique values: 5 missing "": 1,367/1,506

tabulation:  Freq.  Value
              1,367 ""
              130 "1"
               2 "1.5"
               4 "2"
               1 "2.5"
               2 "4"
    
```

c1_ab_A **A :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str4
unique values: 2 missing "": 1,367/1,506

tabulation:  Freq.  Value
              1,367 ""
              137 "day"
               2 "week"
    
```

c1_ac_A **A :Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,367/1,506

tabulation:  Freq.  Value
              131    0
               8    1
             1,367 .
    mean:     .057554
    std. dev: .23374

percentiles: 10%    25%    50%    75%    90%
              0     0     0     0     0
    
```

c1_ad_A **A : Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,45] units: .1
unique values: 16 missing .: 1,367/1,506

tabulation: Freq. Value
             8 0
             1 1.5
             4 2.5
             2 3
             1 3.5
             2 4
             1 4.5
            22 5
             1 6.5
             8 7.5
            53 10
             6 15
             9 20
             1 25
            19 30
             1 45
            1,367 .
mean: 11.8705
std. dev: 9.15474

percentiles: 10% 25% 50% 75% 90%
              3 5 10 15 30
    
```

c1_ba_A **A : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13] units: 1
unique values: 7 missing .: 1,367/1,506

tabulation: Freq. Numeric Label
             17 1 father
             46 3 mother
             52 5 grandparents
             5 7 uncle/aunt
             14 9 brother/sister/cousin
             1 11 outsider
             4 13 other household member
            1,367 .
    
```

c1_bb_A **A : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13] units: 1
unique values: 6 missing .: 1,438/1,506

tabulation: Freq. Numeric Label
             7 1 father
            14 3 mother
            15 5 grandparents
             1 7 uncle/aunt
            30 9 brother/sister/cousin
             1 13 other household member
            1,438 .
    
```

c1_bc_A **A : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_bc_A

range: [1,9]
unique values: 5
units: 1
missing .. 1,480/1,506

tabulation: Freq.  Numeric  Label
              2          1  father
              3          3  mother
              3          5  grandparents
              1          7  uncle/aunt
              17         9  brother/sister/cousin
            1,480          .
    
```

c1_ba_gen_A **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,367/1,506

tabulation: Freq.  Numeric  Label
              28          1  male
              111         3  female
            1,367          .
    
```

c1_bb_gen_A **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,438/1,506

tabulation: Freq.  Numeric  Label
              33          1  male
              35          3  female
            1,438          .
    
```

c1_bc_gen_A **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,480/1,506

tabulation: Freq.  Numeric  Label
              12          1  male
              14          3  female
            1,480          .
    
```

c2_code_A **A : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code
    
```

range: [0,9] units: 1
 unique values: 4 missing .: 0/1,506
 unique missing codes: 1 missing *: 485/1,506

tabulation:	Freq.	Numeric	Label
	918	0	never
	1	5	at least once a week
	95	7	once a day
	7	9	more than once a day
	485	.c	

c2_hr_A **A : Hours per week (Saturday - Sunday)**

type: numeric (float)
 range: [0,5] units: 1
 unique values: 4 missing .: 1,403/1,506

tabulation:	Freq.	Value
	79	0
	15	1
	8	2
	1	5
	1,403	.
mean:	.349515	
std. dev:	.763233	

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1

c2_min_A **A : Minutes per week (Saturday - Sunday)**

type: numeric (float)
 range: [0,40] units: 1
 unique values: 10 missing .: 1,403/1,506

tabulation:	Freq.	Value
	23	0
	2	3
	3	5
	1	6
	10	10
	2	12
	6	15
	36	20
	8	30
	12	40
	1,403	.
mean:	16.3204	
std. dev:	12.5762	

percentiles:	10%	25%	50%	75%	90%
	0	5	20	20	40

c2_aa_A **A : Monday-Friday How many times (Saturday - Sunday)**

type: string (str30), but longest is str3
 unique values: 4 missing "": 1,403/1,506

```

tabulation: Freq. Value
            1,403 ""
             96 "1"
              2 "1.5"
              4 "2"
              1 "2.5"
    
```

c2_ab_A **A :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 2 missing "": 1,403/1,506
tabulation: Freq. Value
            1,403 ""
             102 "day"
              1 "week"
    
```

c2_ac_A **A :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,403/1,506
tabulation: Freq. Value
            95 0
             8 1
            1,403 .
mean: .07767
std. dev: .26896
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

c2_ad_A **A :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,45] units: .1
unique values: 12 missing .: 1,403/1,506
tabulation: Freq. Value
            8 0
             2 1.5
             3 2.5
             1 3
             2 4
            10 5
             6 7.5
            39 10
             6 15
             9 20
            16 30
             1 45
            1,403 .
mean: 12.6359
std. dev: 9.64116
percentiles: 10% 25% 50% 75% 90%
              2.5 5 10 20 30
    
```

c2_ba_A **A : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13] units: 1
unique values: 6 missing .. 1,403/1,506

tabulation: Freq. Numeric Label
             11         1 father
             42         3 mother
             35         5 grandparents
              2         7 uncle/aunt
              9         9 brother/sister/cousin
              4        13 other household member
            1,403         .
    
```

c2_bb_A **A : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13] units: 1
unique values: 6 missing .. 1,463/1,506

tabulation: Freq. Numeric Label
             6         1 father
             8         3 mother
             8         5 grandparents
              1         7 uncle/aunt
             19         9 brother/sister/cousin
              1        13 other household member
            1,463         .
    
```

c2_bc_A **A : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,9] units: 1
unique values: 4 missing .. 1,490/1,506

tabulation: Freq. Numeric Label
             1         1 father
             3         3 mother
              1         5 grandparents
             11         9 brother/sister/cousin
            1,490         .
    
```

c2_ba_gen_A **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3] units: 1
unique values: 2 missing .. 1,403/1,506

tabulation: Freq. Numeric Label
             17         1 male
             86         3 female
            1,403         .
    
```

c2_bb_gen_A **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,463/1,506

tabulation: Freq.  Numeric  Label
              19         1  male
              24         3  female
            1,463         .
    
```

c2_bc_gen_A **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,490/1,506

tabulation: Freq.  Numeric  Label
              8         1  male
              8         3  female
            1,490         .
    
```

c3_code_A **A : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 3
unique missing codes: 2
units: 1
missing ..: 0/1,506
missing *: 1,021/1,506

tabulation: Freq.  Numeric  Label
              1         1  less than once a month
              73        3  at least once a month
             411        5  at least once a week
            1,020       .b
              1         .c
    
```

c3_hr_A **A : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,14]
unique values: 6
units: 1
missing ..: 1,095/1,506

tabulation: Freq.  Value
              356    0
              36    1
               8    2
               7    3
               2    4
               2   14
            1,095    .
mean:       .265207
std. dev:   1.13276

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

c3_min_A **A : Minutes per week (Monday - Sunday)**

```

type: numeric (float)
range: [0,54]
unique values: 32
units: 1
missing .: 1,095/1,506

```

```

tabulation: Freq. Value
             26  0
              3  2
             13  3
              6  4
             20  5
             17  6
              8  7
             14  8
              5  9
             63 10
              6 11
              2 12
             14 13
              2 14
             43 15
              1 16
              1 17
              4 18
              3 19
             32 20
              8 23
             17 25
              5 26
             53 30
              1 34
              9 35
              3 38
              7 40
             14 45
              9 50
              1 53
              1 54

```

```

mean: 17.3236
std. dev: 12.6281

```

```

percentiles: 10% 25% 50% 75% 90%
              3   8  15  26  35

```

c3_aa_A **A :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 10
missing "": 1,095/1,506

```

```

tabulation: Freq. Value
             1,095 ""
             116 "1"
              43 "1.5"
              93 "2"
              60 "2.5"
              55 "3"
              23 "3.5"
              10 "4"
               5 "4.5"
               5 "5"
               1 "6"

```

c3_ab_A **A :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4

```

unique values: 1 missing "": 1,096/1,506
 tabulation: Freq. Value
 1,096 ""
 410 "week"

c3_ac_A **A :Monday-Friday How many times per hours (Monday - Sunday)**

type: numeric (double)
 range: [0,3] units: 1
 unique values: 3 missing .: 1,095/1,506
 tabulation: Freq. Value
 394 0
 15 1
 2 3
 1,095 .
 mean: .051095
 std. dev: .279053
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

c3_ad_A **A :Monday-Friday How many times per minutes (Monday - Sunday)**

type: numeric (double)
 range: [1,53] units: .1
 unique values: 22 missing .: 1,110/1,506
 tabulation: Freq. Value
 1 1
 1 1.5
 7 2
 15 2.5
 18 3
 1 3.5
 5 4
 15 4.5
 73 5
 6 5.5
 23 7.5
 126 10
 1 12
 3 12.5
 16 15
 4 17.5
 13 20
 3 22.5
 1 25
 62 30
 1 45
 1 53
 1,110 .
 mean: 11.8674
 std. dev: 9.30874
 percentiles: 10% 25% 50% 75% 90%
 3 5 10 15 30

c3_ba_A **A : People doing activity with (person 1)**

type: numeric (byte)
 label: c1_ba_A

```

range: [1,13] units: 1
unique values: 7 missing .: 1,020/1,506

tabulation: Freq. Numeric Label
             40      1 father
             170     3 mother
             196     5 grandparents
             23      7 uncle/aunt
             47      9 brother/sister/cousin
             4       11 outsider
             6       13 other household member
            1,020     .
    
```

c3_bb_A **A : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,11] units: 1
unique values: 6 missing .: 1,289/1,506

tabulation: Freq. Numeric Label
             13      1 father
             36      3 mother
             41      5 grandparents
             9       7 uncle/aunt
            117      9 brother/sister/cousin
             1       11 outsider
            1,289     .
    
```

c3_bc_A **A : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,9] units: 1
unique values: 4 missing .: 1,447/1,506

tabulation: Freq. Numeric Label
             2       1 father
             7       3 mother
             9       5 grandparents
            41      9 brother/sister/cousin
            1,447     .
    
```

c3_ba_gen_A **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3] units: 1
unique values: 2 missing .: 1,020/1,506

tabulation: Freq. Numeric Label
             99      1 male
            387      3 female
            1,020     .
    
```

c3_bb_gen_A **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen
    
```

```

range: [1,3] units: 1
unique values: 2 missing .: 1,289/1,506

tabulation: Freq. Numeric Label
             86      1 male
             131     3 female
             1,289 .
    
```

c3_bc_gen_A **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3] units: 1
unique values: 2 missing .: 1,447/1,506

tabulation: Freq. Numeric Label
             23      1 male
             36      3 female
             1,447 .
    
```

activity_B
Listening to a story that adult tells (no book used while reading) (not display)

```

type: string (str147), but longest is str0
unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
             1,506 ""
    
```

detail_B **B : Identify the stories**

```

type: string (str238), but longest is str0
unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
             1,506 ""
    
```

c1_code_B **B : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9] units: 1
unique values: 3 missing .: 0/1,506
unique missing codes: 1 missing *: 676/1,506

tabulation: Freq. Numeric Label
             716      0 never
             105      7 once a day
              9       9 more than once a day
             676      .c
    
```

c1_hr_B **B : Hours per week (Monday - Friday)**

```

type: numeric (float)

range: [0,12] units: 1
unique values: 7 missing .: 1,392/1,506
    
```

```

tabulation:  Freq.  Value
              60    0
              14    1
              24    2
              12    5
               1    6
               2    7
               1   12
            1,392  .
      mean:   1.35088
    std. dev: 2.06094

percentiles:    10%    25%    50%    75%    90%
                0      0      0      2      5
    
```

c1_min_B **B : Minutes per week (Monday - Friday)**

```

      type:  numeric (float)
      range: [0,53]
unique values: 16
                units: 1
                missing : 1,392/1,506

tabulation:  Freq.  Value
              12    0
               2    3
               4    5
               1   10
               2   13
               9   15
               1   18
               2   20
               3   23
              14   25
              23   30
               1   31
               8   38
               4   40
              27   50
               1   53
            1,392  .
      mean:   28.614
    std. dev: 16.4626

percentiles:    10%    25%    50%    75%    90%
                0     15     30     40     50
    
```

c1_aa_B **B :Monday-Friday How many times (Monday - Friday)**

```

      type:  string (str27), but longest is str10
unique values: 5
                missing "": 1,392/1,506

tabulation:  Freq.  Value
            1,392  ""
             105  "1"
               2  "1.5"
               2  "2"
               3  "2.5"
               2  "many times"

warning:  variable has embedded blanks
    
```

c1_ab_B **B :Monday-Friday How many times per units (Monday - Friday)**

```

type:  string (str21), but longest is str3
    
```

unique values: 1 missing "": 1,392/1,506
 tabulation: Freq. Value
 1,392 ""
 114 "day"

c1_ac_B B :Monday-Friday How many times per hours (Monday - Friday)

type: numeric (double)
 range: [0,2.5] units: .1
 unique values: 4 missing .: 1,392/1,506
 tabulation: Freq. Value
 100 0
 11 1
 2 1.5
 1 2.5
 1,392 .
 mean: .144737
 std. dev: .413937
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

c1_ad_B B :Monday-Friday How many times per minutes (Monday - Friday)

type: numeric (double)
 range: [0,30] units: .1
 unique values: 15 missing .: 1,392/1,506
 tabulation: Freq. Value
 13 0
 1 2
 3 2.5
 1 3
 1 3.5
 2 4
 3 4.5
 15 5
 9 7.5
 29 10
 5 15
 4 20
 1 22.5
 4 25
 23 30
 1,392 .
 mean: 12.6096
 std. dev: 10.4003
 percentiles: 10% 25% 50% 75% 90%
 0 5 10 20 30

c1_ba_B B : People doing activity with (person 1)

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 6 missing .: 1,392/1,506


```

tabulation:  Freq.  Numeric  Label
              11      1  father
              24      3  mother
              59      5  grandparents
               4      7  uncle/aunt
               7      9  brother/sister/cousin
               9     13  other household member
            1,392      .
    
```

c1_bb_B **B : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 6      missing .: 1,454/1,506

tabulation:  Freq.  Numeric  Label
              1      1  father
              8      3  mother
             17      5  grandparents
               2      7  uncle/aunt
             23      9  brother/sister/cousin
               1     13  other household member
            1,454      .
    
```

c1_bc_B **B : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,9]          units: 1
unique values: 4      missing .: 1,491/1,506

tabulation:  Freq.  Numeric  Label
              1      1  father
              5      5  grandparents
               1      7  uncle/aunt
               8      9  brother/sister/cousin
            1,491      .
    
```

c1_ba_gen_B **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,392/1,506

tabulation:  Freq.  Numeric  Label
              38      1  male
              76      3  female
            1,392      .
    
```

c1_bb_gen_B **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,454/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              17      1  male
              35      3  female
            1,454      .
    
```

c1_bc_gen_B **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,491/1,506

tabulation:  Freq.  Numeric  Label
              9      1  male
              6      3  female
            1,491      .
    
```

c2_code_B **B : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]          units: 1
unique values: 4      missing .: 0/1,506
unique missing codes: 1  missing *: 676/1,506

tabulation:  Freq.  Numeric  Label
              710    0  never
              1      5  at least once a week
             109    7  once a day
              10    9  more than once a day
             676    .c
    
```

c2_hr_B **B : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,5]          units: 1
unique values: 5      missing .: 1,386/1,506

tabulation:  Freq.  Value
              82    0
              20    1
              15    2
               2    3
               1    5
            1,386    .
mean:       .508333
std. dev:   .879226

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      2
    
```

c2_min_B **B : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,50]          units: 1
unique values: 16      missing .: 1,386/1,506
    
```

```

tabulation:  Freq.  Value
              37    0
              1    4
              1    5
              3    6
              1    7
              2    8
              3    9
             15   10
              2   13
              8   15
             27   20
              2   25
              9   30
              4   40
              1   45
              4   50
             1,386 .
    mean:      13.65
    std. dev:  13.1005

percentiles:  10%    25%    50%    75%    90%
              0      0      10     20     30
    
```

c2_aa_B **B :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str10
unique values: 5 missing "": 1,386/1,506

tabulation:  Freq.  Value
             1,386 ""
             110 "1"
              2  "1.5"
              2  "2"
              4  "2.5"
              2  "many times"

warning: variable has embedded blanks
    
```

c2_ab_B **B :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 2 missing "": 1,386/1,506

tabulation:  Freq.  Value
             1,386 ""
             119 "day"
              1  "week"
    
```

c2_ac_B **B :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,2.5] units: .1
unique values: 4 missing .: 1,386/1,506
    
```

```

tabulation:  Freq.  Value
              105    0
              12    1
               2    1.5
               1    2.5
            1,386    .
      mean:   .145833
    std. dev: .411983

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         1
    
```

c2_ad_B **B : Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,30]
unique values: 15
units: .1
missing .: 1,386/1,506
    
```

```

tabulation:  Freq.  Value
              15    0
               1    2
               3    2.5
               3    3
               1    3.5
               2    4
               3    4.5
              15    5
               9    7.5
              30    10
               6    15
               4    20
               1   22.5
               4    25
              23    30
            1,386    .
      mean:   12.2375
    std. dev: 10.3394

percentiles:      10%      25%      50%      75%      90%
                  0         5         10        20        30
    
```

c2_ba_B **B : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13]
unique values: 6
units: 1
missing .: 1,386/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              11      1  father
              25      3  mother
              63      5  grandparents
               4      7  uncle/aunt
               8      9  brother/sister/cousin
               9     13  other household member
            1,386      .
    
```

c2_bb_B **B : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A
    
```

range: [1,13] units: 1
 unique values: 6 missing : 1,451/1,506

tabulation:	Freq.	Numeric	Label
	1	1	father
	8	3	mother
	17	5	grandparents
	3	7	uncle/aunt
	25	9	brother/sister/cousin
	1	13	other household member
	1,451	.	

c2_bc_B **B : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,9] units: 1
 unique values: 4 missing : 1,490/1,506

tabulation:	Freq.	Numeric	Label
	1	1	father
	5	5	grandparents
	1	7	uncle/aunt
	9	9	brother/sister/cousin
	1,490	.	

c2_ba_gen_B **Gender code (person 1)**

type: numeric (byte)
 label: c2_ba_gen
 range: [1,3] units: 1
 unique values: 2 missing : 1,386/1,506

tabulation:	Freq.	Numeric	Label
	40	1	male
	80	3	female
	1,386	.	

c2_bb_gen_B **Gender code (person 2)**

type: numeric (byte)
 label: c2_bb_gen
 range: [1,3] units: 1
 unique values: 2 missing : 1,451/1,506

tabulation:	Freq.	Numeric	Label
	18	1	male
	37	3	female
	1,451	.	

c2_bc_gen_B **Gender code (person 3)**

type: numeric (byte)
 label: c2_bc_gen
 range: [1,3] units: 1
 unique values: 2 missing : 1,490/1,506

```

tabulation:  Freq.  Numeric  Label
              10      1  male
              6       3  female
            1,490      .
    
```

c3_code_B **B : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]                units: 1
unique values: 2            missing .: 0/1,506
unique missing codes: 2    missing *: 827/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              136     3  at least once a month
              543     5  at least once a week
              826     .b
              1       .c
    
```

c3_hr_B **B : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,4]                units: 1
unique values: 5            missing .: 963/1,506
    
```

```

tabulation:  Freq.  Value
              454    0
              73    1
              12    2
               3    3
               1    4
              963    .
    
```

```

mean: .202578
std. dev: .511341
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1
    
```

c3_min_B **B : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,56]              units: 1
unique values: 31          missing .: 963/1,506
    
```

```

tabulation:  Freq.  Value
              40    0
               2    1
               6    2
              19    3
              12    4
              50    5
              12    6
               8    7
              35    8
               6    9
              74   10
              13   11
               2   12
               8   13
               2   14
              63   15
               3   16
               7   18
    
```

```

          9 19
         34 20
          7 23
          6 25
         75 30
          1 31
          1 33
         10 35
          6 38
         13 40
         12 45
          6 50
          1 56
         963 .
    mean: 15.5783
  std. dev: 12.121

percentiles:      10%      25%      50%      75%      90%
                  3         6         11         23         30

```

c3_aa_B **B :Monday-Friday How many times (Monday - Sunday)**

```

    type: string (str6), but longest is str3
unique values: 9          missing "": 962/1,506

tabulation: Freq. Value
            962 ""
            159 "1"
             67 "1.5"
            129 "2"
             62 "2.5"
             77 "3"
             21 "3.5"
             15 "4"
              9 "4.5"
              5 "5"

```

c3_ab_B **B :Monday-Friday How many times per units (Monday - Sunday)**

```

    type: string (str22), but longest is str5
unique values: 2          missing "": 963/1,506

tabulation: Freq. Value
            963 ""
              1 "month"
            542 "week"

```

c3_ac_B **B :Monday-Friday How many times per hours (Monday - Sunday)**

```

    type: numeric (double)
    range: [0,1.5]          units: .1
unique values: 3          missing .: 963/1,506

tabulation: Freq. Value
            525 0
             17 1
              1 1.5
            963 .
    mean: .03407
  std. dev: .185348

```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

c3_ad_B B : Monday-Friday How many times per minutes (Monday - Sunday)

type: numeric (double)
 range: [1,40] units: .1
 unique values: 22 missing .: 980/1,506

tabulation: Freq. Value
 2 1
 4 1.5
 12 2
 29 2.5
 18 3
 6 3.5
 5 4
 23 4.5
 108 5
 3 5.5
 2 6.5
 32 7.5
 123 10
 5 12.5
 34 15
 4 17.5
 36 20
 1 22.5
 4 25
 69 30
 3 35
 3 40
 980 .

mean: 11.6397
 std. dev: 9.19316

percentiles: 10% 25% 50% 75% 90%
 3 5 10 15 30

c3_ba_B B : People doing activity with (person 1)

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 827/1,506
 unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Numeric Label
 54 1 father
 146 3 mother
 402 5 grandparents
 19 7 uncle/aunt
 30 9 brother/sister/cousin
 6 11 outsider
 21 13 other household member
 827 .
 1 .b

c3_bb_B B : People doing activity with (person 2)

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 7 missing : 1,217/1,506

tabulation:	Freq.	Numeric	Label
	12	1	father
	32	3	mother
	82	5	grandparents
	5	7	uncle/aunt
	150	9	brother/sister/cousin
	6	11	outsider
	2	13	other household member
	1,217	.	

c3_bc_B **B : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 6 missing : 1,439/1,506

tabulation:	Freq.	Numeric	Label
	1	1	father
	2	3	mother
	6	5	grandparents
	56	9	brother/sister/cousin
	1	11	outsider
	1	13	other household member
	1,439	.	

c3_ba_gen_B **Gender code (person 1)**

type: numeric (byte)
 label: c3_ba_gen

range: [1,3] units: 1
 unique values: 2 missing : 828/1,506

tabulation:	Freq.	Numeric	Label
	189	1	male
	489	3	female
	828	.	

c3_bb_gen_B **Gender code (person 2)**

type: numeric (byte)
 label: c3_bb_gen

range: [1,3] units: 1
 unique values: 2 missing : 1,217/1,506

tabulation:	Freq.	Numeric	Label
	111	1	male
	178	3	female
	1,217	.	

c3_bc_gen_B **Gender code (person 3)**

type: numeric (byte)
 label: c3_bc_gen

range: [1,3] units: 1
 unique values: 2 missing : 1,438/1,506

```

tabulation:  Freq.  Numeric  Label
              30      1  male
              38      3  female
            1,438      .
    
```

activity_C **Running outside the house (not display)**

```

type:  string (str147), but longest is str0
unique values:  0                               missing "":  1,506/1,506
tabulation:  Freq.  Value
            1,506  ""
    
```

detail_C **C: detail**

```

type:  string (str238), but longest is str0
unique values:  0                               missing "":  1,506/1,506
tabulation:  Freq.  Value
            1,506  ""
    
```

c1_code_C **C : Frequency (Monday - Friday)**

```

type:  numeric (byte)
label:  c1_code

range:  [0,9]                               units:  1
unique values:  4                           missing .:  0/1,506
unique missing codes:  1                     missing *:  237/1,506

tabulation:  Freq.  Numeric  Label
            236      0  never
              3      5  at least once a week
             695      7  once a day
             335      9  more than once a day
             237      .c
    
```

c1_hr_C **C : Hours per week (Monday - Friday)**

```

type:  numeric (float)

range:  [0,33]                               units:  1
unique values:  23                           missing .:  473/1,506
unique missing codes:  2                     missing *:  1/1,506

tabulation:  Freq.  Value
            43      0
            50      1
           160      2
            15      3
             8      4
           343      5
            22      6
           106      7
             8      8
           132     10
             4     11
            59     12
             1     13
            36     15
            16     17
             1     18
    
```

```

          7 20
         10 22
          5 25
          1 27
          1 30
          1 31
          3 33
         473 .
          1 .c
    mean:   6.47965
  std. dev: 4.89616

percentiles:    10%    25%    50%    75%    90%
                  2      3      5      10     12
    
```

c1_min_C **C : Minutes per week (Monday - Friday)**

```

    type: numeric (float)
    range: [0,56]
  unique values: 28
unique missing codes: 2
                    units: 1
                    missing .: 473/1,506
                    missing *: 1/1,506
    
```

```

  tabulation:  Freq.  Value
                528    0
                 1    1
                 1    2
                 2    3
                15    5
                 5    8
                 4   10
                 1   11
                 2   13
                43   15
                 3   18
                 1   19
                 2   20
                 1   21
                 6   23
                 6   25
                 1   28
                327  30
                 1   31
                 1   34
                 1   36
                 5   38
                23   40
                20   45
                18   50
                 6   53
                 6   55
                 2   56
                473 .
                 1 .c
    mean:      14.4157
  std. dev:    16.3491
    
```

```

percentiles:    10%    25%    50%    75%    90%
                  0      0      0     30     30
    
```

c1_aa_C **C :Monday-Friday How many times (Monday - Friday)**

```

    type: string (str27), but longest is str18
  unique values: 16
unique missing codes: 2
                    missing "": 473/1,506
                    missing *: 2/1,506
    
```

```

tabulation:  Freq.  Value
              473  ""
              694  "1"
              15  "1.5"
               1  "10"
              72  "2"
              49  "2.5"
              12  "3"
              20  "3.5"
               1  "4"
               7  "4.5"
               1  "5"
               2  "5.5"
               1  "6.5"
               2  "DK"
            148  "many times"
               7  "more than 1 time"
               1  "more than 10 times"
    
```

warning: variable has embedded blanks

c1_ab_C **C :Monday-Friday How many times per units (Monday - Friday)**

```

type:  string (str21), but longest is str4
unique values:  3                               missing "":  475/1,506

tabulation:  Freq.  Value
              475  ""
            1,027  "day"
                 1  "time"
                 3  "week"
    
```

c1_ac_C **C :Monday-Friday How many times per hours (Monday - Friday)**

```

type:  numeric (double)
range:  [0,6]                               units:  .1
unique values:  11                          missing .:  474/1,506

tabulation:  Freq.  Value
              335  0
              417  1
               54  1.5
              144  2
               25  2.5
               37  3
                4  3.5
               10  4
                 2  4.5
                 3  5
                 1  6
              474  .
mean:      1.01114
std. dev:  .939035

percentiles:  10%    25%    50%    75%    90%
              0      0      1     1.5    2
    
```

c1_ad_C **C :Monday-Friday How many times per minutes (Monday - Friday)**

```

type:  numeric (double)
range:  [0,45]                               units:  .1
unique values:  18                          missing .:  474/1,506
    
```

```

tabulation:  Freq.  Value
              607    0
              1     1
              2    1.5
              7    2.5
              3     3
              2    3.5
              3    4.5
             10     5
             16    7.5
             28    10
             29    15
              3   17.5
             23    20
              9    25
            274    30
              3    35
              1    40
             11    45
            474    .
    mean:      10.2069
    std. dev:  13.6826

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        30       30
    
```

c1_ba_C **C : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 473/1,506
missing *: 19/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              10      1  father
              25      3  mother
             111      5  grandparents
              15      7  uncle/aunt
             250      9  brother/sister/cousin
             595     11  outsider
              8     13  other household member
             473     .
              19     .b
    
```

c1_bb_C **C : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 632/1,506
missing *: 1/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              3      1  father
              5      3  mother
             35      5  grandparents
             15      7  uncle/aunt
            152      9  brother/sister/cousin
             659     11  outsider
              4     13  other household member
             632     .
              1     .b
    
```

c1_bc_C **C : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [3,13]
unique values: 6
units: 1
missing .. 925/1,506

tabulation: Freq.  Numeric  Label
              6          3  mother
              11         5  grandparents
              8          7  uncle/aunt
              101        9  brother/sister/cousin
              454        11  outsider
              1         13  other household member
              925         .
    
```

c1_ba_gen_C **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 492/1,506

tabulation: Freq.  Numeric  Label
              475        1  male
              539        3  female
              492         .
    
```

c1_bb_gen_C **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .. 632/1,506

tabulation: Freq.  Numeric  Label
              391        1  male
              483        3  female
              632         .
    
```

c1_bc_gen_C **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .. 926/1,506

tabulation: Freq.  Numeric  Label
              265        1  male
              315        3  female
              926         .
    
```

c2_code_C **C : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code
    
```

```

        range: [0,9]                units: 1
    unique values: 4                missing .: 0/1,506
    unique missing codes: 1        missing *: 239/1,506

    tabulation:  Freq.  Numeric  Label
                 263      0      never
                 3       5      at least once a week
                 449      7      once a day
                 552      9      more than once a day
                 239      .c
    
```

c2_hr_C

C : Hours per week (Saturday - Sunday)

```

        type: numeric (float)

        range: [0,24]                units: 1
    unique values: 22                missing .: 502/1,506
    unique missing codes: 2        missing *: 1/1,506

    tabulation:  Freq.  Value
                 81     0
                 116    1
                 247    2
                 88     3
                 136    4
                 68     5
                 79     6
                 44     7
                 31     8
                 24     9
                 34    10
                 8     11
                 18    12
                 2     13
                 4     14
                 4     15
                 9     16
                 1     17
                 5     18
                 1     20
                 2     22
                 1     24
                 502   .
                 1     .c
    mean: 4.11665
    std. dev: 3.57991

    percentiles:      10%      25%      50%      75%      90%
                     1         2         3         6         9
    
```

c2_min_C

C : Minutes per week (Saturday - Sunday)

```

        type: numeric (float)

        range: [0,55]                units: 1
    unique values: 22                missing .: 502/1,506
    unique missing codes: 2        missing *: 1/1,506
    
```

```

tabulation:  Freq.  Value
              839    0
              1     2
              2     5
              1     6
              1     7
              2     8
              1     9
              9    10
              1    12
              1    13
              9    15
             15    20
              2    23
              3    25
             67    30
              1    35
              2    38
             22    40
             12    45
              7    50
              1    53
              4    55
             502   .
              1   .c
    mean:     4.87039
    std. dev: 12.0316

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      30
    
```

c2_aa_C **C :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str18

unique values: 15          missing "": 502/1,506
unique missing codes: 2    missing *: 1/1,506
    
```

```

tabulation:  Freq.  Value
             502   ""
            451  "1"
             21  "1.5"
              1  "10"
            124  "2"
             76  "2.5"
             25  "3"
             25  "3.5"
              4  "4"
             10  "4.5"
              3  "5"
              4  "5.5"
              1  "DK"
            252  "many times"
              6  "more than 1 time"
              1  "more than 10 times"
    
```

warning: variable has embedded blanks

c2_ab_C **C :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4

unique values: 3          missing "": 504/1,506
    
```



```

tabulation:  Freq.  Value
              504  ""
              998  "day"
               1  "time"
               3  "week"
    
```

c2_ac_C **C :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,12]                    units: .1
unique values: 18                missing .: 503/1,506

tabulation:  Freq.  Value
              274  0
              329  1
               48  1.5
              124  2
               32  2.5
               80  3
               15  3.5
               33  4
               10  4.5
               29  5
                4  5.5
                8  6
                4  7
                6  8
                4  9
                1  10
                1  11
                1  12
              503  .
mean:        1.55384
std. dev:    1.65623

percentiles:        10%        25%        50%        75%        90%
                  0            0            1            2            4
    
```

c2_ad_C **C :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,45]                    units: .1
unique values: 17                missing .: 502/1,506

tabulation:  Freq.  Value
              644  0
                2  1.5
                6  2.5
                2  3
                1  3.5
                2  4.5
                9  5
               17  7.5
               24  10
               22  15
                1  17.5
               19  20
                9  25
              227  30
                2  35
                2  40
               15  45
              502  .
mean:        9.0005
std. dev:    13.4397
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 25 30

c2_ba_C C : People doing activity with (person 1)

```

type: numeric (byte)
label: c1_ba_A

range: [1,13] units: 1
unique values: 7 missing.: 502/1,506
unique missing codes: 2 missing*: 20/1,506
    
```

tabulation:	Freq.	Numeric	Label
	11	1	father
	24	3	mother
	110	5	grandparents
	14	7	uncle/aunt
	232	9	brother/sister/cousin
	585	11	outsider
	8	13	other household member
	502	.	
	20	.b	

c2_bb_C C : People doing activity with (person 2)

```

type: numeric (byte)
label: c1_ba_A

range: [1,13] units: 1
unique values: 7 missing.: 652/1,506
unique missing codes: 2 missing*: 1/1,506
    
```

tabulation:	Freq.	Numeric	Label
	4	1	father
	7	3	mother
	35	5	grandparents
	14	7	uncle/aunt
	152	9	brother/sister/cousin
	637	11	outsider
	4	13	other household member
	652	.	
	1	.b	

c2_bc_C C : People doing activity with (person 3)

```

type: numeric (byte)
label: c1_ba_A

range: [3,13] units: 1
unique values: 6 missing.: 954/1,506
    
```

tabulation:	Freq.	Numeric	Label
	6	3	mother
	12	5	grandparents
	6	7	uncle/aunt
	94	9	brother/sister/cousin
	433	11	outsider
	1	13	other household member
	954	.	

c2_ba_gen_C Gender code (person 1)

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 522/1,506

tabulation: Freq.   Numeric   Label
              453         1   male
              531         3   female
              522         .
    
```

c2_bb_gen_C **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 653/1,506

tabulation: Freq.   Numeric   Label
              383         1   male
              470         3   female
              653         .
    
```

c2_bc_gen_C **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 954/1,506

tabulation: Freq.   Numeric   Label
              250         1   male
              302         3   female
              954         .
    
```

c3_code_C **C : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 0/1,506
missing *: 1,270/1,506

tabulation: Freq.   Numeric   Label
              8         3   at least once a month
              228        5   at least once a week
             1,268        .b
              2         .c
    
```

c3_hr_C **C : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,20]
unique values: 17
units: 1
missing ..: 1,278/1,506
    
```

```

tabulation:  Freq.  Value
              43    0
              76    1
              33    2
              29    3
               8    4
              15    5
               9    6
               2    7
               2    8
               1    9
               1   10
               4   12
               1   15
               1   16
               1   17
               1   18
               1   20
              1,278  .
    mean:     2.51316
  std. dev:   3.20583

percentiles:    10%    25%    50%    75%    90%
                0      1      1      3      6
    
```

c3_min_C

C : Minutes per week (Monday - Sunday)

```

    type:  numeric (float)
    range: [0,53]
unique values: 17
    units: 1
missing .. 1,278/1,506

tabulation:  Freq.  Value
              90    0
               2    3
               2    8
               2   10
               2   13
              35   15
               3   20
               1   22
               3   25
               1   26
              60   30
               1   35
               1   38
               6   40
              14   45
               2   50
               3   53
              1,278  .
    mean:     16.5702
  std. dev:   16.0173

percentiles:    10%    25%    50%    75%    90%
                0      0      15     30     40
    
```

c3_aa_C

C :Monday-Friday How many times (Monday - Sunday)

```

    type:  string (str6), but longest is str3
unique values: 11
missing "": 1,278/1,506
    
```

```

tabulation: Freq. Value
            1,278 ""
             24 "1"
             18 "1.5"
             49 "2"
             47 "2.5"
              1 "2.9"
             43 "3"
             20 "3.5"
             11 "4"
              5 "4.5"
              9 "5"
              1 "6"
    
```

c3_ab_C **C :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4
unique values: 1 missing "": 1,278/1,506
tabulation: Freq. Value
            1,278 ""
             228 "week"
    
```

c3_ac_C **C :Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,9] units: .1
unique values: 10 missing .: 1,278/1,506
tabulation: Freq. Value
            116 0
             65 1
              9 1.5
             18 2
              7 2.5
              5 3
              3 3.5
              2 5
              2 8
              1 9
            1,278 .
mean: .844298
std. dev: 1.29251
percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 2
    
```

c3_ad_C **C :Monday-Friday How many times per minutes (Monday - Sunday)**

```

type: numeric (double)
range: [0,45] units: .1
unique values: 12 missing .: 1,374/1,506
    
```

```

tabulation:  Freq.  Value
              2    0
              1    3
              4    5
              4   7.5
              9   10
              4   15
             16   20
              1  22.5
              2   25
             82   30
              1   35
              6   45
             1,374 .
    mean:     25.4583
    std. dev:  9.536

percentiles:    10%    25%    50%    75%    90%
                10     20     30     30     30
    
```

c3_ba_C **C : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7        missing .: 1,270/1,506
unique missing codes: 2 missing *: 5/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              9      1  father
             11      3  mother
             40      5  grandparents
              8      7  uncle/aunt
             55      9  brother/sister/cousin
             106     11  outsider
              2     13  other household member
             1,270   .
              5     .b
    
```

c3_bb_C **C : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,11]          units: 1
unique values: 6        missing .: 1,329/1,506
unique missing codes: 2 missing *: 1/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              1      1  father
              4      3  mother
             12      5  grandparents
              6      7  uncle/aunt
             32      9  brother/sister/cousin
             121     11  outsider
             1,329   .
              1     .b
    
```

c3_bc_C **C : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A
    
```

```

    range: [5,11]                units: 1
unique values: 4                missing .: 1,406/1,506

  tabulation: Freq.  Numeric  Label
               1         5  grandparents
               1         7  uncle/aunt
               14        9  brother/sister/cousin
               84       11  outsider
            1,406        .
    
```

c3_ba_gen_C **Gender code (person 1)**

```

    type: numeric (byte)
    label: c3_ba_gen

    range: [1,3]                units: 1
unique values: 2                missing .: 1,275/1,506

  tabulation: Freq.  Numeric  Label
               102        1  male
               129        3  female
            1,275        .
    
```

c3_bb_gen_C **Gender code (person 2)**

```

    type: numeric (byte)
    label: c3_bb_gen

    range: [1,3]                units: 1
unique values: 2                missing .: 1,330/1,506

  tabulation: Freq.  Numeric  Label
               68         1  male
               108        3  female
            1,330        .
    
```

c3_bc_gen_C **Gender code (person 3)**

```

    type: numeric (byte)
    label: c3_bc_gen

    range: [1,3]                units: 1
unique values: 2                missing .: 1,406/1,506

  tabulation: Freq.  Numeric  Label
               50         1  male
               50         3  female
            1,406        .
    
```

activity_D **Playing sport, singing and dancing (not display)**

```

    type: string (str147), but longest is str0
unique values: 0                missing "": 1,506/1,506

  tabulation: Freq.  Value
            1,506  ""
    
```

detail_D **D: detail**

```

    type: string (str238), but longest is str0
    
```

unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

c1_code_D **D : Frequency (Monday - Friday)**

type: numeric (byte)
 label: c1_code
 range: [0,9] units: 1
 unique values: 4 missing .: 0/1,506
 unique missing codes: 1 missing *: 544/1,506

tabulation:	Freq.	Numeric	Label
	216	0	never
	1	5	at least once a week
	388	7	once a day
	357	9	more than once a day
	544	.c	

c1_hr_D **D : Hours per week (Monday - Friday)**

type: numeric (float)
 range: [0,20] units: 1
 unique values: 14 missing .: 760/1,506
 unique missing codes: 2 missing *: 4/1,506

tabulation:	Freq.	Value
	257	0
	112	1
	159	2
	21	3
	4	4
	123	5
	8	6
	20	7
	17	10
	2	11
	12	12
	4	15
	2	17
	1	20
	760	.
	4	.c

mean: 2.37466
 std. dev: 3.00872

percentiles:	10%	25%	50%	75%	90%
	0	0	2	5	5

c1_min_D **D : Minutes per week (Monday - Friday)**

type: numeric (float)
 range: [0,56] units: 1
 unique values: 33 missing .: 760/1,506
 unique missing codes: 2 missing *: 4/1,506


```

tabulation: Freq. Value
             143 0
              1 1
              1 2
             16 3
             21 5
              3 8
              1 9
             12 10
              7 11
             21 13
             53 15
              9 18
              4 19
             17 20
              1 21
             10 23
             61 25
              3 27
              4 28
            167 30
              8 31
             12 34
              4 35
              1 36
             32 38
              1 39
             35 40
              3 44
             15 45
             62 50
             10 53
              1 55
              3 56
             760 .
              4 .c
mean:       23.124
std. dev:   16.2444
    
```

```

percentiles:    10%    25%    50%    75%    90%
                0      9      25     31     50
    
```

cl_aa_D **D :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str16
unique values: 14 missing "": 760/1,506
    
```

```

tabulation: Freq. Value
             760 ""
            389 "1"
             35 "1.5"
              1 "10"
             51 "2"
             72 "2.5"
             22 "3"
             14 "3.5"
              2 "4"
              8 "4.5"
              1 "5"
              2 "5.5"
              2 "6.5"
              1 "less than 1 time"
            146 "many times"
    
```

warning: variable has embedded blanks

c1_ab_D **D :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str4
unique values: 2 missing "": 760/1,506
tabulation: Freq. Value
              760 ""
              744 "day"
              2 "week"
    
```

c1_ac_D **D :Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [0,3] units: .1
unique values: 6 missing .: 760/1,506
unique missing codes: 2 missing *: 2/1,506
tabulation: Freq. Value
              578 0
              133 1
               6 1.5
              19 2
               5 2.5
               3 3
              760 .
               2 .c
mean: .270833
std. dev: .551734
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

c1_ad_D **D :Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,45] units: .1
unique values: 23 missing .: 760/1,506
unique missing codes: 2 missing *: 1/1,506
tabulation: Freq. Value
              158 0
               3 1
              11 1.5
              16 2
              35 2.5
              13 3
              16 3.5
               4 4
              18 4.5
              90 5
               4 5.5
               1 6.5
              46 7.5
               1 9
              85 10
              27 15
               3 17.5
              39 20
              10 25
             159 30
               1 35
               3 40
               2 45
    
```

760 .
 1 .c
 mean: 11.4309
 std. dev: 11.5532

percentiles: 10% 25% 50% 75% 90%
 0 2 7.5 20 30

c1_ba_D **D : People doing activity with (person 1)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 7 missing .: 760/1,506
 unique missing codes: 2 missing *: 288/1,506

tabulation:	Freq.	Numeric	Label
	21	1	father
	31	3	mother
	44	5	grandparents
	10	7	uncle/aunt
	245	9	brother/sister/cousin
	104	11	outsider
	3	13	other household member
	760	.	
	288	.b	

c1_bb_D **D : People doing activity with (person 2)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 7 missing .: 1,172/1,506
 unique missing codes: 2 missing *: 13/1,506

tabulation:	Freq.	Numeric	Label
	10	1	father
	20	3	mother
	49	5	grandparents
	7	7	uncle/aunt
	106	9	brother/sister/cousin
	127	11	outsider
	2	13	other household member
	1,172	.	
	13	.b	

c1_bc_D **D : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 7 missing .: 1,356/1,506
 unique missing codes: 2 missing *: 3/1,506

```

tabulation:  Freq.  Numeric  Label
              3       1  father
              8       3  mother
             16       5  grandparents
              1       7  uncle/aunt
             35       9  brother/sister/cousin
             82      11  outsider
              2      13  other household member
          1,356       .
              3       .b
    
```

c1_ba_gen_D **Gender code (person 1)**

```

      type: numeric (byte)
      label: c1_ba_gen

      range: [1,3]
unique values: 2
                        units: 1
                        missing .: 1,048/1,506

      tabulation:  Freq.  Numeric  Label
                   199       1  male
                   259       3  female
                  1,048       .
    
```

c1_bb_gen_D **Gender code (person 2)**

```

      type: numeric (byte)
      label: c1_bb_gen

      range: [1,3]
unique values: 2
                        units: 1
                        missing .: 1,185/1,506

      tabulation:  Freq.  Numeric  Label
                   140       1  male
                   181       3  female
                  1,185       .
    
```

c1_bc_gen_D **Gender code (person 3)**

```

      type: numeric (byte)
      label: c1_bc_gen

      range: [1,3]
unique values: 2
                        units: 1
                        missing .: 1,359/1,506

      tabulation:  Freq.  Numeric  Label
                   63       1  male
                   84       3  female
                  1,359       .
    
```

c2_code_D **D : Frequency (Saturday - Sunday)**

```

      type: numeric (byte)
      label: c2_code

      range: [0,9]
unique values: 4
unique missing codes: 1
                        units: 1
                        missing .: 0/1,506
                        missing *: 544/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              203      0  never
              2       5  at least once a week
              376      7  once a day
              381      9  more than once a day
              544      .c
    
```

c2_hr_D

D : Hours per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,8]
unique values: 9
unique missing codes: 2
units: 1
missing .: 747/1,506
missing *: 4/1,506
    
```

```

tabulation:  Freq.  Value
              395  0
              156  1
              131  2
               20  3
               26  4
               15  5
                6  6
                4  7
                2  8
              747  .
               4  .c
mean: .976159
std. dev: 1.39703
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        2        2
    
```

c2_min_D

D : Minutes per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,57]
unique values: 32
unique missing codes: 2
units: 1
missing .: 747/1,506
missing *: 4/1,506
    
```

```

tabulation:  Freq.  Value
              321  0
                1  2
                3  3
                9  4
               24  5
                9  6
                8  7
               10  8
                7  9
               62 10
                1 11
                1 12
                8 13
                8 14
               30 15
                9 18
               73 20
                1 21
                3 23
               18 25
                2 27
                2 28
               54 30
                1 33
                7 35
                8 38
    
```

```

      40  40
      8  45
     20  50
      4  53
      2  55
      1  57
     747 .
      4 .c
  mean: 12.6384
std. dev: 14.8917

percentiles:      10%      25%      50%      75%      90%
                  0        0        8        20       38

```

c2_aa_D **D :Monday-Friday How many times (Saturday - Sunday)**

```

      type: string (str30), but longest is str16
unique values: 14              missing "": 747/1,506

  tabulation: Freq.  Value
              747  ""
              378  "1"
              36  "1.5"
               1  "10"
              58  "2"
              74  "2.5"
              23  "3"
              16  "3.5"
               2  "4"
               9  "4.5"
               1  "5"
               2  "5.5"
               2  "6.5"
               1  "less than 1 time"
              156 "many times"

  warning: variable has embedded blanks

```

c2_ab_D **D :Monday-Friday How many times per units (Saturday - Sunday)**

```

      type: string (str21), but longest is str4
unique values: 2              missing "": 747/1,506

  tabulation: Freq.  Value
              747  ""
              756  "day"
               3  "week"

```

c2_ac_D **D :Monday-Friday How many times per hours (Saturday - Sunday)**

```

      type: numeric (double)
           range: [0,4]
unique values: 8
unique missing codes: 2

           units: .1
           missing .: 747/1,506
           missing *: 2/1,506

```

```

tabulation:  Freq.  Value
              579    0
              133    1
               6    1.5
              26    2
               5    2.5
               6    3
               1    3.5
               1    4
              747    .
               2    .c
  mean:      .306473
std. dev:    .62244

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      1
    
```

c2_ad_D **D : Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,45]
unique values: 23
unique missing codes: 2

units: .1
missing .: 747/1,506
missing *: 1/1,506
    
```

```

tabulation:  Freq.  Value
              170    0
               3    1
              11    1.5
              16    2
              36    2.5
              13    3
              16    3.5
               4    4
              17    4.5
              90    5
               2    5.5
               1    6.5
              45    7.5
               1    9
              87    10
              29    15
               3    17.5
              41    20
              12    25
             156    30
               1    35
               3    40
               1    45
              747    .
               1    .c
  mean:      11.2144
std. dev:    11.4456

percentiles:  10%    25%    50%    75%    90%
              0      2      7      20     30
    
```

c2_ba_D **D : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 747/1,506
missing *: 288/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              21      1  father
              31      3  mother
              44      5  grandparents
              12      7  uncle/aunt
             253      9  brother/sister/cousin
             107     11  outsider
              3     13  other household member
             747      .
             288     .b
    
```

c2_bb_D **D : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,161/1,506
missing *: 13/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              10      1  father
              21      3  mother
              48      5  grandparents
               7      7  uncle/aunt
             109      9  brother/sister/cousin
             135     11  outsider
               2     13  other household member
           1,161      .
              13     .b
    
```

c2_bc_D **D : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,350/1,506
missing *: 3/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
               3      1  father
               8      3  mother
              16      5  grandparents
               1      7  uncle/aunt
              35      9  brother/sister/cousin
              88     11  outsider
               2     13  other household member
           1,350      .
               3     .b
    
```

c2_ba_gen_D **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,035/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
             208      1  male
             263      3  female
           1,035      .
    
```

c2_bb_gen_D **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,174/1,506

tabulation: Freq.  Numeric  Label
              146      1  male
              186      3  female
              1,174      .
    
```

c2_bc_gen_D **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,354/1,506

tabulation: Freq.  Numeric  Label
              67      1  male
              85      3  female
             1,354      .
    
```

c3_code_D **D : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 3
unique missing codes: 2

units: 1
missing ..: 0/1,506
missing *: 963/1,506

tabulation: Freq.  Numeric  Label
              2      1  less than once a month
              27     3  at least once a month
             514     5  at least once a week
             960     .b
              3      .c
    
```

c3_hr_D **D : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,9]
unique values: 9
unique missing codes: 2

units: 1
missing ..: 993/1,506
missing *: 1/1,506

tabulation: Freq.  Value
              334  0
              99  1
              36  2
              25  3
               4  4
               4  5
               2  6
               7  7
               1  9
             993  .
              1  .c
mean: .6875
std. dev: 1.31676
    
```

```
percentiles:      10%      25%      50%      75%      90%
                  0         0         0         1         2
```

c3_min_D

D : Minutes per week (Monday - Sunday)

type: numeric (**float**)

```
range: [0,53]                      units: 1
unique values: 31                  missing .: 992/1,506
unique missing codes: 2           missing *: 1/1,506
```

```
tabulation:  Freq.  Value
              76    0
               9    2
              13    3
               6    4
              23    5
              20    6
               7    7
              20    8
               7    9
              15   10
              13   11
               9   13
               4   14
              45   15
               3   16
              10   18
               5   19
              38   20
               8   23
              23   25
               5   26
               1   28
              84   30
               1   34
               8   35
               9   38
               9   40
               1   44
              23   45
              14   50
               4   53
             992  .
               1  .c
mean:      18.0429
std. dev:  14.3011
```

```
percentiles:      10%      25%      50%      75%      90%
                  0         6        15       30       38
```

c3_aa_D

D :Monday-Friday How many times (Monday - Sunday)

type: string (**str6**), but longest is str3

```
unique values: 10                      missing "": 992/1,506
```

```

tabulation:  Freq.  Value
              992    ""
              66    "1"
              62    "1.5"
              98    "2"
               1    "2.3"
             103    "2.5"
              72    "3"
              51    "3.5"
              31    "4"
              15    "4.5"
              15    "5"
    
```

c3_ab_D **D :Monday-Friday How many times per units (Monday - Sunday)**

```

type:  string (str22), but longest is str4
unique values:  1                    missing "":  992/1,506

tabulation:  Freq.  Value
              992    ""
              514   "week"
    
```

c3_ac_D **D :Monday-Friday How many times per hours (Monday - Sunday)**

```

type:  numeric (double)
range:  [0,2.5]           units:  .1
unique values:  5         missing .:  992/1,506
unique missing codes:  2   missing *:  1/1,506

tabulation:  Freq.  Value
              437    0
              63    1
               3    1.5
               7    2
               3    2.5
             992    .
               1    .c
mean:        .173489
std. dev:    .444277

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1
    
```

c3_ad_D **D :Monday-Friday How many times per minutes (Monday - Sunday)**

```

type:  numeric (double)
range:  [0,50]           units:  .01
unique values:  25       missing .:  1,060/1,506
unique missing codes:  2   missing *:  1/1,506

tabulation:  Freq.  Value
               2    0
               8    1
               4    1.5
              10    2
              20    2.5
              22    3
              11    3.5
               1    4
              15    4.5
              65    5
               5    5.5
               1    6
    
```

```

                22  7.5
                 1  9
                75 10
                 5 12.5
                22 15
                 1 17.5
                39 20
                 4 25
                 1 26.25
               102 30
                 1 35
                 7 45
                 1 50
            1,060 .
                 1 .c
    mean:      14.1994
  std. dev:   11.2575

percentiles:   10%      25%      50%      75%      90%
                3         5         10       26.25     30

```

c3_ba_D **D : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]          units: 1
  unique values: 7        missing .: 963/1,506
  unique missing codes: 2  missing *: 143/1,506

```

tabulation:	Freq.	Numeric	Label
	18	1	father
	34	3	mother
	27	5	grandparents
	5	7	uncle/aunt
	196	9	brother/sister/cousin
	117	11	outsider
	3	13	other household member
	963	.	.
	143	.b	.b

c3_bb_D **D : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]          units: 1
  unique values: 7        missing .: 1,237/1,506
  unique missing codes: 2  missing *: 8/1,506

```

tabulation:	Freq.	Numeric	Label
	2	1	father
	16	3	mother
	14	5	grandparents
	9	7	uncle/aunt
	97	9	brother/sister/cousin
	119	11	outsider
	4	13	other household member
	1,237	.	.
	8	.b	.b

c3_bc_D **D : People doing activity with (person 3)**

```

    type: numeric (byte)
    label: c1_ba_A

```

range: [1,11] units: 1
 unique values: 5 missing .: 1,375/1,506
 unique missing codes: 2 missing *: 2/1,506

tabulation:	Freq.	Numeric	Label
	1	1	father
	4	3	mother
	4	5	grandparents
	33	9	brother/sister/cousin
	87	11	outsider
	1,375	.	
	2	.b	

c3_ba_gen_D Gender code (person 1)

type: numeric (byte)
 label: c3_ba_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 1,106/1,506

tabulation:	Freq.	Numeric	Label
	189	1	male
	211	3	female
	1,106	.	

c3_bb_gen_D Gender code (person 2)

type: numeric (byte)
 label: c3_bb_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 1,245/1,506

tabulation:	Freq.	Numeric	Label
	118	1	male
	143	3	female
	1,245	.	

c3_bc_gen_D Gender code (person 3)

type: numeric (byte)
 label: c3_bc_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 1,377/1,506

tabulation:	Freq.	Numeric	Label
	61	1	male
	68	3	female
	1,377	.	

activity_E Playing a role play, selling things, playing Robot and car (not display)

type: string (str147), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

detail_E **E: detail**

type: string (**str238**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

c1_code_E **E : Frequency (Monday - Friday)**

type: numeric (**byte**)
 label: **c1_code**
 range: [0,9] units: 1
 unique values: 4 missing .: 0/1,506
 unique missing codes: 2 missing *: 407/1,506
 tabulation: Freq. Numeric Label
 115 0 never
 3 5 at least once a week
 579 7 once a day
 402 9 more than once a day
 1 .a
 406 .c

c1_hr_E **E : Hours per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,42] units: 1
 unique values: 20 missing .: 522/1,506
 unique missing codes: 2 missing *: 2/1,506
 tabulation: Freq. Value
 106 0
 86 1
 234 2
 30 3
 18 4
 282 5
 16 6
 59 7
 9 8
 1 9
 61 10
 4 11
 35 12
 17 15
 6 17
 6 20
 5 22
 4 25
 1 31
 2 42
 522 .
 2 .c
 mean: 4.67617
 std. dev: 4.54595
 percentiles: 10% 25% 50% 75% 90%
 0 2 5 5 10

c1_min_E **E : Minutes per week (Monday - Friday)**

```

type: numeric (float)
range: [0,56]
unique values: 25
unique missing codes: 2
units: 1
missing .: 522/1,506
missing *: 2/1,506
    
```

```

tabulation: Freq. Value
             367  0
              6  3
             21  5
              6  8
             18 10
             11 13
             58 15
              1 18
              3 19
             11 20
             13 23
             17 25
              1 26
              2 28
            315 30
              6 34
              3 35
             11 38
             30 40
              1 44
             25 45
             47 50
              5 53
              3 55
              1 56
            522 .
              2 .c
mean:      18.1741
std. dev:  16.6875

percentiles:      10%      25%      50%      75%      90%
                  0        0       19.5      30       40
    
```

c1_aa_E **E :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str16
unique values: 10
missing "": 522/1,506
    
```

```

tabulation: Freq. Value
            522 ""
            578 "1"
             36 "1.5"
            113 "2"
             72 "2.5"
             24 "3"
             22 "3.5"
              3 "4.5"
              3 "5.5"
            131 "many times"
              2 "more than 1 time"
    
```

warning: variable has embedded blanks

c1_ab_E **E :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str4
unique values: 3 missing "": 522/1,506
tabulation: Freq. Value
              522 ""
              977 "day"
                1 "time"
                6 "week"
    
```

cl_ac_E **E :Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [0,5] units: .1
unique values: 9 missing .: 522/1,506
unique missing codes: 2 missing *: 2/1,506
tabulation: Freq. Value
              558 0
              324 1
                19 1.5
                47 2
                10 2.5
                11 3
                 2 3.5
                 8 4
                 3 5
              522 .
                 2 .c
mean: .568737
std. dev: .798897
percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 1.5
    
```

cl_ad_E **E :Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,50] units: .1
unique values: 22 missing .: 522/1,506
unique missing codes: 2 missing *: 2/1,506
tabulation: Freq. Value
              385 0
                6 1.5
                6 2
               14 2.5
                 2 3
                 2 3.5
                 1 4
                 7 4.5
               24 5
                 4 5.5
               25 7.5
               56 10
               48 15
               55 20
                 1 24
               15 25
                 1 26
              315 30
                 3 35
                 1 40
                 9 45
                 2 50
              522 .
    
```



```

                2 .c
    mean:      13.5835
    std. dev:  13.6316

    percentiles:    10%    25%    50%    75%    90%
                   0      0      10     30     30
    
```

c1_ba_E **E : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]
    unique values: 7
    unique missing codes: 2

    units: 1
    missing .: 522/1,506
    missing *: 418/1,506
    
```

tabulation:	Freq.	Numeric	Label
	2	1	father
	9	3	mother
	20	5	grandparents
	4	7	uncle/aunt
	332	9	brother/sister/cousin
	195	11	outsider
	4	13	other household member
	522	.	
	418	.b	

c1_bb_E **E : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,11]
    unique values: 6
    unique missing codes: 2

    units: 1
    missing .: 1,020/1,506
    missing *: 31/1,506
    
```

tabulation:	Freq.	Numeric	Label
	2	1	father
	9	3	mother
	28	5	grandparents
	2	7	uncle/aunt
	149	9	brother/sister/cousin
	265	11	outsider
	1,020	.	
	31	.b	

c1_bc_E **E : People doing activity with (person 3)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,11]
    unique values: 6
    unique missing codes: 2

    units: 1
    missing .: 1,274/1,506
    missing *: 9/1,506
    
```

tabulation:	Freq.	Numeric	Label
	3	1	father
	2	3	mother
	8	5	grandparents
	4	7	uncle/aunt
	47	9	brother/sister/cousin
	159	11	outsider
	1,274	.	
	9	.b	

c1_ba_gen_E **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 938/1,506

tabulation: Freq.  Numeric  Label
              268      1  male
              300      3  female
              938      .
    
```

c1_bb_gen_E **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,050/1,506

tabulation: Freq.  Numeric  Label
              232      1  male
              224      3  female
             1,050      .
    
```

c1_bc_gen_E **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,283/1,506

tabulation: Freq.  Numeric  Label
              102      1  male
              121      3  female
             1,283      .
    
```

c2_code_E **E : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 2

units: 1
missing ..: 0/1,506
missing *: 407/1,506

tabulation: Freq.  Numeric  Label
              68      0  never
              3      5  at least once a week
             518      7  once a day
             510      9  more than once a day
              1      .a
             406      .c
    
```

c2_hr_E **E : Hours per week (Saturday - Sunday)**

```

type: numeric (float)
    
```

range: [0,20] units: 1
 unique values: 14 missing .: 475/1,506
 unique missing codes: 2 missing *: 2/1,506

tabulation: Freq. Value
 192 0
 258 1
 294 2
 69 3
 93 4
 47 5
 38 6
 10 7
 7 8
 6 9
 6 10
 5 12
 2 16
 2 20
 475 .
 2 .c
 mean: 2.19631
 std. dev: 2.24439

percentiles: 10% 25% 50% 75% 90%
 0 1 2 3 5

c2_min_E **E : Minutes per week (Saturday - Sunday)**

type: numeric (float)

range: [0,50] units: 1
 unique values: 24 missing .: 475/1,506
 unique missing codes: 2 missing *: 2/1,506

tabulation: Freq. Value
 740 0
 1 2
 1 3
 4 4
 10 5
 1 6
 3 8
 6 9
 18 10
 2 11
 2 12
 1 13
 20 15
 1 18
 52 20
 1 21
 1 23
 5 25
 79 30
 2 33
 7 38
 45 40
 8 45
 19 50
 475 .
 2 .c
 mean: 7.51506
 std. dev: 13.7456

percentiles: 10% 25% 50% 75% 90%
 0 0 0 10 30

c2_aa_E **E :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str16
unique values: 11 missing "": 476/1,506
tabulation: Freq. Value
              476 ""
              517 "1"
               40 "1.5"
              143 "2"
               78 "2.5"
               34 "3"
               22 "3.5"
                1 "4"
                6 "4.5"
                4 "5.5"
              183 "many times"
                2 "more than 1 time"
warning: variable has embedded blanks
    
```

c2_ab_E **E :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 3 missing "": 477/1,506
tabulation: Freq. Value
              477 ""
            1,021 "day"
                 1 "time"
                 7 "week"
    
```

c2_ac_E **E :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,10] units: .1
unique values: 12 missing .: 475/1,506
unique missing codes: 2 missing *: 2/1,506
tabulation: Freq. Value
              545 0
              334 1
               26 1.5
               65 2
               17 2.5
               23 3
                3 3.5
                6 4
                5 5
                1 6
                2 8
                2 10
              475 .
                2 .c
mean: .695821
std. dev: 1.02938
percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 2
    
```

c2_ad_E **E : Monday-Friday How many times per minutes (Saturday - Sunday)**

type: numeric (double)
 range: [0,50] units: .01
 unique values: 24 missing .: 475/1,506
 unique missing codes: 2 missing *: 2/1,506

tabulation:

Freq.	Value
441	0
4	1.5
5	2
13	2.5
2	3
1	3.5
1	4
7	4.5
25	5
4	5.5
24	7.5
51	10
47	15
2	17.14
56	20
1	24
13	25
1	26
314	30
2	35
1	40
11	45
1	48
2	50
475	.
2	.c

mean: 12.9619
 std. dev: 13.7296

percentiles:

	10%	25%	50%	75%	90%
	0	0	7.5	30	30

c2_ba_E **E : People doing activity with (person 1)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 475/1,506
 unique missing codes: 2 missing *: 417/1,506

tabulation:

Freq.	Numeric	Label
2	1	father
9	3	mother
20	5	grandparents
4	7	uncle/aunt
362	9	brother/sister/cousin
213	11	outsider
4	13	other household member
475	.	
417	.b	

c2_bb_E **E : People doing activity with (person 2)**

type: numeric (byte)
 label: c1_ba_A

range: [1,11] units: 1
 unique values: 6 missing .: 993/1,506
 unique missing codes: 2 missing *: 31/1,506

tabulation:	Freq.	Numeric	Label
	2	1	father
	9	3	mother
	26	5	grandparents
	2	7	uncle/aunt
	155	9	brother/sister/cousin
	288	11	outsider
	993	.	.
	31	.b	.b

c2_bc_E **E : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,11] units: 1
 unique values: 6 missing .: 1,257/1,506
 unique missing codes: 2 missing *: 10/1,506

tabulation:	Freq.	Numeric	Label
	3	1	father
	2	3	mother
	8	5	grandparents
	4	7	uncle/aunt
	50	9	brother/sister/cousin
	172	11	outsider
	1,257	.	.
	10	.b	.b

c2_ba_gen_E **Gender code (person 1)**

type: numeric (byte)
 label: c2_ba_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 890/1,506

tabulation:	Freq.	Numeric	Label
	279	1	male
	337	3	female
	890	.	.

c2_bb_gen_E **Gender code (person 2)**

type: numeric (byte)
 label: c2_bb_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 1,023/1,506

tabulation:	Freq.	Numeric	Label
	237	1	male
	246	3	female
	1,023	.	.

c2_bc_gen_E **Gender code (person 3)**

type: numeric (byte)
 label: c2_bc_gen

```

range: [1,3] units: 1
unique values: 2 missing .: 1,267/1,506

tabulation: Freq. Numeric Label
             109      1 male
             130      3 female
             1,267      .
    
```

c3_code_E **E : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5] units: 1
unique values: 2 missing .: 0/1,506
unique missing codes: 3 missing *: 1,101/1,506

tabulation: Freq. Numeric Label
             11      3 at least once a month
             394     5 at least once a week
              1      .a
             1,099   .b
              1      .c
    
```

c3_hr_E **E : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,9] units: 1
unique values: 9 missing .: 1,112/1,506

tabulation: Freq. Value
             149  0
             132  1
              58  2
              32  3
               7  4
               8  5
               4  6
               2  8
               2  9
             1,112 .
mean: 1.19289
std. dev: 1.45967

percentiles: 10% 25% 50% 75% 90%
              0   0   1   2   3
    
```

c3_min_E **E : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,53] units: 1
unique values: 26 missing .: 1,112/1,506
    
```

```

tabulation:  Freq.  Value
              102    0
               3    2
               4    3
               3    4
               4    5
               2    6
              10    8
               2    9
              10   10
               5   11
               2   13
              52   15
               2   18
               2   19
              19   20
               3   23
               3   25
               3   26
             105   30
               1   31
               7   35
               6   38
               4   40
              29   45
               6   50
               5   53
             1,112 .
    mean:      18.9873
    std. dev:  15.4655

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        15       30       45

```

c3_aa_E **E :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 9 missing "": 1,112/1,506
tabulation:  Freq.  Value
              1,112 ""
               49 "1"
               44 "1.5"
               80 "2"
               83 "2.5"
               62 "3"
               38 "3.5"
               21 "4"
                8 "4.5"
                9 "5"

```

c3_ab_E **E :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4
unique values: 2 missing "": 1,113/1,506
tabulation:  Freq.  Value
              1,113 ""
                3 "day"
               390 "week"

```

c3_ac_E **E :Monday-Friday How many times per hours (Monday - Sunday)**


```

type: numeric (double)
range: [0,3] units: .1
unique values: 6 missing .: 1,112/1,506

tabulation: Freq. Value
             271 0
             106 1
              6 1.5
              7 2
              1 2.5
              3 3
            1,112 .
mean: .356599
std. dev: .576574

percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 1
    
```

c3_ad_E E : Monday-Friday How many times per minutes (Monday - Sunday)

```

type: numeric (double)
range: [0,53] units: .1
unique values: 22 missing .: 1,224/1,506

tabulation: Freq. Value
             6 0
             2 1
             3 1.5
             5 2.5
             6 3
             4 4
             3 4.5
            14 5
             1 5.5
            12 7.5
            37 10
             4 12.5
            18 15
             1 18
            22 20
             4 25
            131 30
             1 35
             2 40
             4 45
             1 50
             1 53
            1,224 .
mean: 20.5957
std. dev: 11.5347

percentiles: 10% 25% 50% 75% 90%
              4.5 10 25 30 30
    
```

c3_ba_E E : People doing activity with (person 1)

```

type: numeric (byte)
label: c1_ba_A
range: [3,11] units: 1
unique values: 5 missing .: 1,100/1,506
unique missing codes: 2 missing *: 147/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              4         3  mother
              9         5  grandparents
              2         7  uncle/aunt
             151         9  brother/sister/cousin
              93        11  outsider
            1,100         .
             147         .b
    
```

c3_bb_E **E : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,11]          units: 1
unique values: 6       missing .: 1,308/1,506
unique missing codes: 2  missing *: 7/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              1         1  father
              3         3  mother
              4         5  grandparents
              1         7  uncle/aunt
              59         9  brother/sister/cousin
             123        11  outsider
            1,308         .
              7         .b
    
```

c3_bc_E **E : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,11]          units: 1
unique values: 5       missing .: 1,404/1,506
unique missing codes: 2  missing *: 4/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              1         1  father
              1         3  mother
              1         7  uncle/aunt
              17         9  brother/sister/cousin
              78        11  outsider
            1,404         .
              4         .b
    
```

c3_ba_gen_E **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]          units: 1
unique values: 2       missing .: 1,248/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
             109         1  male
             149         3  female
            1,248         .
    
```

c3_bb_gen_E **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen
    
```

```

range: [1,3] units: 1
unique values: 2 missing .: 1,315/1,506

tabulation: Freq. Numeric Label
             69      1 male
             122     3 female
             1,315     .
    
```

c3_bc_gen_E **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3] units: 1
unique values: 2 missing .: 1,408/1,506

tabulation: Freq. Numeric Label
             46      1 male
             52      3 female
             1,408     .
    
```

activity_F **Practice reading-writing num, ABC and counting number (not display)**

```

type: string (str147), but longest is str0
unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
             1,506 ""
    
```

detail_F **F: detail**

```

type: string (str238), but longest is str0
unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
             1,506 ""
    
```

c1_code_F **F : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9] units: 1
unique values: 3 missing .: 0/1,506
unique missing codes: 3 missing *: 563/1,506

tabulation: Freq. Numeric Label
             442      0 never
             424      7 once a day
             77       9 more than once a day
             1        .a
             1        .b
             561      .c
    
```

c1_hr_F **F : Hours per week (Monday - Friday)**

```

type: numeric (float)
    
```

range: [0,17] units: 1
 unique values: 13 missing .: 1,005/1,506
 unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Value
 178 0
 96 1
 129 2
 5 3
 2 4
 74 5
 3 6
 5 7
 1 8
 1 9
 3 10
 2 12
 1 17
 1,005 .
 1 .c
 mean: 1.776
 std. dev: 2.16407

percentiles: 10% 25% 50% 75% 90%
 0 0 1 2 5

cl_min_F **F : Minutes per week (Monday - Friday)**

type: numeric (float)
 range: [0,56] units: 1
 unique values: 29 missing .: 1,005/1,506
 unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Value
 74 0
 1 1
 2 3
 16 5
 1 8
 2 9
 5 10
 1 11
 10 13
 32 15
 9 18
 1 19
 5 20
 9 23
 33 25
 1 27
 1 28
 120 30
 1 31
 2 34
 1 35
 21 38
 64 40
 4 45
 2 49
 78 50
 1 53
 1 55
 2 56
 1,005 .
 1 .c
 mean: 27.284
 std. dev: 16.4697

percentiles: 10% 25% 50% 75% 90%
 0 15 30 40 50

c1_aa_F F :Monday-Friday How many times (Monday - Friday)

type: string (str27), but longest is str10
 unique values: 8 missing "": 1,005/1,506
 tabulation: Freq. Value
 1,005 ""
 425 "1"
 16 "1.5"
 30 "2"
 15 "2.5"
 1 "3"
 4 "3.5"
 2 "4.5"
 8 "many times"
 warning: variable has embedded blanks

c1_ab_F F :Monday-Friday How many times per units (Monday - Friday)

type: string (str21), but longest is str4
 unique values: 2 missing "": 1,005/1,506
 tabulation: Freq. Value
 1,005 ""
 500 "day"
 1 "time"

c1_ac_F F :Monday-Friday How many times per hours (Monday - Friday)

type: numeric (double)
 range: [0,3] units: .1
 unique values: 5 missing .: 1,005/1,506
 unique missing codes: 2 missing *: 1/1,506
 tabulation: Freq. Value
 425 0
 69 1
 1 1.5
 4 2
 1 3
 1,005 .
 1 .c
 mean: .163
 std. dev: .407754
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

c1_ad_F F :Monday-Friday How many times per minutes (Monday - Friday)

type: numeric (double)
 range: [0,45] units: .1
 unique values: 19 missing .: 1,005/1,506
 unique missing codes: 2 missing *: 1/1,506

```

tabulation:  Freq.  Value
              71    0
              2    1.5
              5    2
             15    2.5
              6    3
             11    3.5
              3    4
              9    4.5
             36    5
              2    5.5
              1    6.5
             22    7.5
             85    10
             25    15
              2    17.5
             60    20
             16    25
            127    30
              2    45
           1,005    .
              1    .c
    mean:      14.564
  std. dev:   11.3082

percentiles:      10%      25%      50%      75%      90%
                  0         5         10         30         30
  
```

c1_ba_F **F : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7       missing .: 1,005/1,506
unique missing codes: 2  missing *: 54/1,506
  
```

```

tabulation:  Freq.  Numeric  Label
              52     1  father
             133     3  mother
             161     5  grandparents
              7     7  uncle/aunt
              71     9  brother/sister/cousin
              5    11  outsider
              18    13  other household member
           1,005     .
              54    .b
  
```

c1_bb_F **F : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7       missing .: 1,262/1,506
unique missing codes: 2  missing *: 9/1,506
  
```

```

tabulation:  Freq.  Numeric  Label
              21     1  father
              65     3  mother
              68     5  grandparents
              10     7  uncle/aunt
              63     9  brother/sister/cousin
              3    11  outsider
              5    13  other household member
           1,262     .
              9     .b
  
```

c1_bc_F **F : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [3,13]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,445/1,506
missing *: 4/1,506

tabulation: Freq.  Numeric  Label
              6          3  mother
              14         5  grandparents
              7          7  uncle/aunt
              26         9  brother/sister/cousin
              2         11  outsider
              2         13  other household member
            1,445         .
              4          .b
    
```

c1_ba_gen_F **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,059/1,506

tabulation: Freq.  Numeric  Label
              112         1  male
              335         3  female
            1,059         .
    
```

c1_bb_gen_F **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,271/1,506

tabulation: Freq.  Numeric  Label
              69         1  male
              166        3  female
            1,271         .
    
```

c1_bc_gen_F **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,449/1,506

tabulation: Freq.  Numeric  Label
              20         1  male
              37         3  female
            1,449         .
    
```

c2_code_F **F : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 3

units: 1
missing .: 0/1,506
missing *: 563/1,506
    
```

tabulation:	Freq.	Numeric	Label
	430	0	never
	1	5	at least once a week
	422	7	once a day
	90	9	more than once a day
	1	.a	
	1	.b	
	561	.c	

c2_hr_F

F : Hours per week (Saturday - Sunday)

```

type: numeric (float)

range: [0,7]
unique values: 8
unique missing codes: 2

units: 1
missing .: 993/1,506
missing *: 1/1,506
    
```

tabulation:	Freq.	Value
	284	0
	124	1
	88	2
	7	3
	4	4
	3	5
	1	6
	1	7
	993	.
	1	.c
mean:		.712891
std. dev:		.991939

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

c2_min_F

F : Minutes per week (Saturday - Sunday)

```

type: numeric (float)

range: [0,50]
unique values: 24
unique missing codes: 2

units: 1
missing .: 993/1,506
missing *: 1/1,506
    
```

tabulation:	Freq.	Value
	210	0
	1	3
	4	4
	10	5
	4	6
	7	7
	6	8
	7	9
	33	10
	2	12
	1	13
	4	14
	19	15
	1	16
	81	20
	2	23
	3	25
	2	28


```

                29 30
                2 35
                1 38
                64 40
                3 45
                16 50
                993 .
                1 .c
    mean:      14.1543
    std. dev:   15.5541

    percentiles:    10%      25%      50%      75%      90%
                   0        0        10        20        40

```

c2_aa_F **F :Monday-Friday How many times (Saturday - Sunday)**

```

    type: string (str30), but longest is str10
    unique values: 8          missing "": 993/1,506

    tabulation:  Freq.  Value
                 993  ""
                 424  "1"
                 16  "1.5"
                 41  "2"
                 16  "2.5"
                 1  "3"
                 4  "3.5"
                 2  "4.5"
                 9  "many times"

    warning: variable has embedded blanks

```

c2_ab_F **F :Monday-Friday How many times per units (Saturday - Sunday)**

```

    type: string (str21), but longest is str4
    unique values: 3          missing "": 993/1,506

    tabulation:  Freq.  Value
                 993  ""
                 510  "day"
                 1  "time"
                 2  "week"

```

c2_ac_F **F :Monday-Friday How many times per hours (Saturday - Sunday)**

```

    type: numeric (double)
    range: [0,3]
    unique values: 5          units: .1
    unique missing codes: 2    missing .: 993/1,506
                                missing *: 1/1,506

    tabulation:  Freq.  Value
                 427  0
                 76  1
                 2  1.5
                 6  2
                 1  3
                 993  .
                 1  .c
    mean:      .183594
    std. dev:   .433983

```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

c2_ad_F F :Monday-Friday How many times per minutes (Saturday - Sunday)

 type: numeric (double)
 range: [0,45] units: .1
 unique values: 19 missing .: 993/1,506
 unique missing codes: 2 missing *: 1/1,506

 tabulation: Freq. Value
 81 0
 2 1.5
 5 2
 14 2.5
 6 3
 11 3.5
 3 4
 9 4.5
 39 5
 2 5.5
 1 6.5
 20 7.5
 83 10
 24 15
 2 17.5
 60 20
 16 25
 132 30
 2 45
 993 .
 1 .c
 mean: 14.4424
 std. dev: 11.4593

percentiles: 10% 25% 50% 75% 90%
 0 4.5 10 30 30

c2_ba_F F : People doing activity with (person 1)

 type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 993/1,506
 unique missing codes: 2 missing *: 55/1,506

 tabulation: Freq. Numeric Label
 52 1 father
 136 3 mother
 157 5 grandparents
 11 7 uncle/aunt
 77 9 brother/sister/cousin
 7 11 outsider
 18 13 other household member
 993 .
 55 .b

c2_bb_F F : People doing activity with (person 2)

 type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 7 missing .: 1,257/1,506
 unique missing codes: 2 missing *: 9/1,506

tabulation:	Freq.	Numeric	Label
	21	1	father
	67	3	mother
	68	5	grandparents
	10	7	uncle/aunt
	64	9	brother/sister/cousin
	4	11	outsider
	6	13	other household member
	1,257	.	
	9	.b	

c2_bc_F **F : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A

range: [3,13] units: 1
 unique values: 6 missing .: 1,441/1,506
 unique missing codes: 2 missing *: 4/1,506

tabulation:	Freq.	Numeric	Label
	6	3	mother
	16	5	grandparents
	7	7	uncle/aunt
	27	9	brother/sister/cousin
	3	11	outsider
	2	13	other household member
	1,441	.	
	4	.b	

c2_ba_gen_F **Gender code (person 1)**

type: numeric (byte)
 label: c2_ba_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,048/1,506

tabulation:	Freq.	Numeric	Label
	115	1	male
	343	3	female
	1,048	.	

c2_bb_gen_F **Gender code (person 2)**

type: numeric (byte)
 label: c2_bb_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,266/1,506

tabulation:	Freq.	Numeric	Label
	69	1	male
	171	3	female
	1,266	.	

c2_bc_gen_F **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,445/1,506

tabulation: Freq.  Numeric  Label
              20         1  male
              41         3  female
             1,445         .
    
```

c3_code_F **F : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 3
units: 1
missing ..: 0/1,506
missing *: 945/1,506

tabulation: Freq.  Numeric  Label
              23         3  at least once a month
             538         5  at least once a week
              1         .a
             943         .b
              1         .c
    
```

c3_hr_F **F : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,9]
unique values: 7
unique missing codes: 2
units: 1
missing ..: 968/1,506
missing *: 1/1,506

tabulation: Freq.  Value
              371    0
              110    1
               36    2
               16    3
                1    4
                1    6
                2    9
               968    .
                1    .c
mean:       .480447
std. dev:   .954218

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2
    
```

c3_min_F **F : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,56]
unique values: 33
unique missing codes: 2
units: 1
missing ..: 968/1,506
missing *: 1/1,506
    
```

```

tabulation:  Freq.  Value
              58    0
              1    1
              6    2
              9    3
              6    4
             13    5
              9    6
              1    7
             11    8
              6    9
             35   10
             15   11
              2   12
              8   13
              1   14
             53   15
              4   16
              2   18
              7   19
             37   20
              9   23
             20   25
              5   26
              1   28
            128   30
             15   35
              7   38
             14   40
              2   44
             31   45
             14   50
              6   53
              1   56
             968  .
              1   .c
    mean:     21.1732
  std. dev:  14.2323

percentiles:    10%    25%    50%    75%    90%
                0      10     20     30     44
  
```

c3_aa_F **F :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 10          missing "": 967/1,506

tabulation:  Freq.  Value
             967   ""
             75   "1"
             60   "1.5"
             86   "2"
            100   "2.5"
            116   "3"
             54   "3.5"
             27   "4"
             11   "4.5"
              9   "5"
              1   "6"
  
```

c3_ab_F **F :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str5
unique values: 2          missing "": 967/1,506
  
```

```
tabulation: Freq. Value
             967 ""
             1 "month"
             538 "week"
```

c3_ac_F **F : Monday-Friday How many times per hours (Monday - Sunday)**

```
type: numeric (double)
range: [0,2] units: .1
unique values: 4 missing .: 968/1,506
unique missing codes: 2 missing *: 1/1,506
```

```
tabulation: Freq. Value
             482 0
             50 1
              2 1.5
              3 2
             968 .
              1 .c
```

```
mean: .10987
std. dev: .334624
```

```
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
```

c3_ad_F **F : Monday-Friday How many times per minutes (Monday - Sunday)**

```
type: numeric (double)
range: [0,45] units: .1
unique values: 21 missing .: 1,020/1,506
unique missing codes: 2 missing *: 1/1,506
```

```
tabulation: Freq. Value
             1 0
             3 1
             9 1.5
             4 2
            12 2.5
            10 3
             6 3.5
             4 4
            15 4.5
            52 5
             2 5.5
            27 7.5
           135 10
             4 12.5
            35 15
             2 17.5
            46 20
             4 25
           108 30
             3 40
             3 45
          1,020 .
             1 .c
```

```
mean: 14.7165
std. dev: 10.1714
```

```
percentiles: 10% 25% 50% 75% 90%
              4 7.5 10 20 30
```

c3_ba_F **F : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 945/1,506
missing *: 42/1,506

```

tabulation:	Freq.	Numeric	Label
	54	1	father
	163	3	mother
	194	5	grandparents
	16	7	uncle/aunt
	79	9	brother/sister/cousin
	6	11	outsider
	7	13	other household member
	945	.	
	42	.b	

c3_bb_F **F : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,248/1,506
missing *: 14/1,506

```

tabulation:	Freq.	Numeric	Label
	14	1	father
	55	3	mother
	58	5	grandparents
	10	7	uncle/aunt
	96	9	brother/sister/cousin
	7	11	outsider
	4	13	other household member
	1,248	.	
	14	.b	

c3_bc_F **F : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,11]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,435/1,506
missing *: 3/1,506

```

tabulation:	Freq.	Numeric	Label
	5	1	father
	6	3	mother
	15	5	grandparents
	5	7	uncle/aunt
	33	9	brother/sister/cousin
	4	11	outsider
	1,435	.	
	3	.b	

c3_ba_gen_F **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 987/1,506

```

```

tabulation:  Freq.  Numeric  Label
              134      1  male
              385      3  female
              987      .
    
```

c3_bb_gen_F **Gender code (person 2)**

```

type:  numeric (byte)
label:  c3_bb_gen

range:  [1,3]          units:  1
unique values:  2      missing .:  1,260/1,506

tabulation:  Freq.  Numeric  Label
              74      1  male
              172      3  female
            1,260      .
    
```

c3_bc_gen_F **Gender code (person 3)**

```

type:  numeric (byte)
label:  c3_bc_gen

range:  [1,3]          units:  1
unique values:  2      missing .:  1,438/1,506

tabulation:  Freq.  Numeric  Label
              27      1  male
              41      3  female
            1,438      .
    
```

activity_G **Playing blocks or plasticine, drawing and painting (not display)**

```

type:  string (str147), but longest is str0

unique values:  0      missing "":  1,506/1,506

tabulation:  Freq.  Value
            1,506  ""
    
```

detail_G **G: detail**

```

type:  string (str238), but longest is str0

unique values:  0      missing "":  1,506/1,506

tabulation:  Freq.  Value
            1,506  ""
    
```

c1_code_G **G : Frequency (Monday - Friday)**

```

type:  numeric (byte)
label:  c1_code

range:  [0,9]          units:  1
unique values:  4      missing .:  0/1,506
unique missing codes:  3  missing *:  709/1,506
    
```



```

tabulation:  Freq.  Numeric  Label
              366      0      never
              1       5      at least once a week
              310     7      once a day
              120     9      more than once a day
              1       .a
              1       .b
              707     .c
    
```

c1_hr_G

G : Hours per week (Monday - Friday)

```

type: numeric (float)
range: [0,30]          units: 1
unique values: 17      missing .: 1,075/1,506
    
```

```

tabulation:  Freq.  Value
              146    0
              66    1
              93    2
               8    3
               1    4
              77    5
               2    6
               6    7
               1    8
              17   10
               1   11
               6   12
               3   15
               1   17
               1   20
               1   22
               1   30
            1,075  .
mean:        2.58469
std. dev:    3.5551
    
```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      2      5      5
    
```

c1_min_G

G : Minutes per week (Monday - Friday)

```

type: numeric (float)
range: [0,56]          units: 1
unique values: 21      missing .: 1,075/1,506
    
```

```

tabulation:  Freq.  Value
              100    0
               1    2
               7    3
               9    5
               4   10
               5   13
              27   15
               4   18
               1   19
               5   20
              11   23
              20   25
               5   28
             100   30
               4   35
              14   38
              34   40
               5   45
              71   50
    
```

```

          1  53
          3  56
    mean: 1,075 .
    std. dev: 17.8966

percentiles:      10%      25%      50%      75%      90%
                  0         3         30         40         50
    
```

c1_aa_G **G :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str10
unique values: 9 missing "": 1,075/1,506

tabulation: Freq. Value
            1,075 ""
            310 "1"
            15 "1.5"
            45 "2"
            14 "2.5"
            5 "3"
            2 "3.5"
            3 "4"
            2 "4.5"
            35 "many times"

warning: variable has embedded blanks
    
```

c1_ab_G **G :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str4
unique values: 2 missing "": 1,075/1,506

tabulation: Freq. Value
            1,075 ""
            429 "day"
            2 "week"
    
```

c1_ac_G **G :Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [0,6] units: .1
unique values: 10 missing .: 1,075/1,506

tabulation: Freq. Value
            329 0
            85 1
            1 1.5
            9 2
            1 2.5
            2 3
            1 3.5
            1 4
            1 4.5
            1 6
    mean: .303944
    std. dev: .668534

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         1
    
```

c1_ad_G **G : Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,45]
unique values: 19
unique missing codes: 2
units: .1
missing .: 1,075/1,506
missing *: 1/1,506

tabulation: Freq. Value
             99  0
              3  2
              6  2.5
              7  3
              8  3.5
             11  4.5
             33  5
              2  5.5
              2  6.5
             24  7.5
             74  10
              1 12.5
             18  15
              2 17.5
             37  20
              3  25
             98  30
              1  40
              1  45
           1,075 .
              1 .c
mean:      12.5256
std. dev:  11.4262

percentiles:      10%      25%      50%      75%      90%
                  0       2.5       10       20       30
    
```

c1_ba_G **G : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing .: 1,075/1,506
missing *: 211/1,506

tabulation: Freq. Numeric Label
             14         1 father
             29         3 mother
             37         5 grandparents
              2         7 uncle/aunt
             110         9 brother/sister/cousin
             26         11 outsider
              2         13 other household member
           1,075         .
             211         .b
    
```

c1_bb_G **G : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing .: 1,350/1,506
missing *: 11/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              7       1  father
              13      3  mother
              20      5  grandparents
               1       7  uncle/aunt
              66      9  brother/sister/cousin
              36     11  outsider
               2     13  other household member
            1,350      .
              11     .b
    
```

c1_bc_G **G : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [3,11]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,466/1,506
missing *: 3/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              3       3  mother
               2       5  grandparents
              16      9  brother/sister/cousin
              16     11  outsider
            1,466      .
               3     .b
    
```

c1_ba_gen_G **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,286/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              93      1  male
              127     3  female
            1,286      .
    
```

c1_bb_gen_G **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,360/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              53      1  male
              93      3  female
            1,360      .
    
```

c1_bc_gen_G **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,469/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              17      1  male
              20      3  female
            1,469      .
    
```

c2_code_G **G : Frequency (Saturday - Sunday)**

```

type:  numeric (byte)
label:  c2_code

range:  [0,9]          units:  1
unique values:  4      missing  .:  0/1,506
unique missing codes:  3      missing *:  709/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              354      0  never
              2       5  at least once a week
              304      7  once a day
              137      9  more than once a day
              1       .a
              1       .b
              707      .c
    
```

c2_hr_G **G : Hours per week (Saturday - Sunday)**

```

type:  numeric (float)

range:  [0,12]         units:  1
unique values:  10     missing  .:  1,063/1,506
    
```

```

tabulation:  Freq.  Value
              217    0
              87    1
              97    2
              7     3
              18    4
              10    5
              4     6
              1     7
              1     9
              1    12
            1,063  .
    
```

```

mean:  1.07449
std. dev:  1.49095
    
```

```

percentiles:  10%    25%    50%    75%    90%
              0      0      1      2      2
    
```

c2_min_G **G : Minutes per week (Saturday - Sunday)**

```

type:  numeric (float)

range:  [0,50]         units:  1
unique values:  21     missing  .:  1,063/1,506
    
```

```

tabulation:  Freq.  Value
              204    0
               3    4
               5    5
               4    6
               4    7
               1    8
               9    9
              20   10
               2   11
               1   12
               4   14
              15   15
               1   18
              77   20
               3   23
               7   25
               3   26
              32   30
               3   35
              38   40
               7   50
              1,063 .
    mean:      12.4334
  std. dev:    14.2105

percentiles:  10%    25%    50%    75%    90%
              0      0      9     20     40
  
```

c2_aa_G **G :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str10
unique values: 9 missing "": 1,063/1,506
  
```

```

tabulation:  Freq.  Value
              1,063 ""
               305 "1"
                16 "1.5"
                49 "2"
                18 "2.5"
                 5 "3"
                 3 "3.5"
                 2 "4"
                 3 "4.5"
                42 "many times"
  
```

warning: variable has embedded blanks

c2_ab_G **G :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 2 missing "": 1,063/1,506
  
```

```

tabulation:  Freq.  Value
              1,063 ""
               440 "day"
                 3 "week"
  
```

c2_ac_G **G :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
  
```

range: [0,6] units: .1
 unique values: 9 missing .: 1,063/1,506

tabulation: Freq. Value
 329 0
 93 1
 1 1.5
 13 2
 1 2.5
 3 3
 1 3.5
 1 4.5
 1 6
 1,063 .
 mean: .329571
 std. dev: .674155

percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 1

c2_ad_G G : Monday-Friday How many times per minutes (Saturday - Sunday)

type: numeric (double)

range: [0,45] units: .1
 unique values: 18 missing .: 1,063/1,506

tabulation: Freq. Value
 108 0
 4 2
 6 2.5
 5 3
 8 3.5
 9 4.5
 30 5
 2 5.5
 2 6.5
 25 7.5
 77 10
 17 15
 2 17.5
 42 20
 3 25
 99 30
 1 40
 3 45
 1,063 .
 mean: 12.614
 std. dev: 11.6297

percentiles: 10% 25% 50% 75% 90%
 0 2 10 20 30

c2_ba_G G : People doing activity with (person 1)

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 7 missing .: 1,063/1,506
 unique missing codes: 2 missing *: 211/1,506

```

tabulation:  Freq.  Numeric  Label
              14      1  father
              28      3  mother
              37      5  grandparents
               2      7  uncle/aunt
             124      9  brother/sister/cousin
              25     11  outsider
               2     13  other household member
            1,063      .
             211     .b
    
```

c2_bb_G **G : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,348/1,506
missing *: 11/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              6      1  father
             13      3  mother
             20      5  grandparents
               2      7  uncle/aunt
             68      9  brother/sister/cousin
             36     11  outsider
               2     13  other household member
            1,348      .
             11     .b
    
```

c2_bc_G **G : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [3,11]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,465/1,506
missing *: 3/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              3      3  mother
               2      5  grandparents
             16      9  brother/sister/cousin
             17     11  outsider
            1,465      .
               3     .b
    
```

c2_ba_gen_G **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,275/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              95      1  male
             136      3  female
            1,275      .
    
```

c2_bb_gen_G **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,358/1,506

tabulation: Freq.  Numeric  Label
              53         1  male
              95         3  female
            1,358         .
    
```

c2_bc_gen_G **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,468/1,506

tabulation: Freq.  Numeric  Label
              17         1  male
              21         3  female
            1,468         .
    
```

c3_code_G **G : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 3
unique missing codes: 3
units: 1
missing ..: 0/1,506
missing *: 798/1,506

tabulation: Freq.  Numeric  Label
              1         1  less than once a month
              47        3  at least once a month
             660        5  at least once a week
              1         .a
             796        .b
              1         .c
    
```

c3_hr_G **G : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,8]
unique values: 9
units: 1
missing ..: 846/1,506

tabulation: Freq.  Value
              418    0
              168    1
               48    2
               13    3
                6    4
                2    5
                1    6
                3    7
                1    8
             846    .
mean:       .563636
std. dev:   1.00101

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      2
    
```

c3_min_G **G : Minutes per week (Monday - Sunday)**

type: numeric (**float**)
 range: [0,53] units: 1
 unique values: 33 missing .: 846/1,506

tabulation: Freq. Value

109	0
4	1
10	2
16	3
3	4
34	5
9	6
2	7
15	8
6	9
51	10
9	11
2	12
7	13
1	14
78	15
2	18
6	19
55	20
9	23
11	25
5	26
3	28
124	30
1	31
1	33
9	35
8	38
23	40
1	44
31	45
11	50
4	53
846	.

mean: 17.9909
 std. dev: 14.2273

percentiles: 10% 25% 50% 75% 90%
 0 5 15 30 40

c3_aa_G **G :Monday-Friday How many times (Monday - Sunday)**

type: string (**str6**), but longest is str3
 unique values: 11 missing "": 846/1,506

tabulation: Freq. Value

846	" "
148	"1"
1	"1.3"
68	"1.5"
166	"2"
99	"2.5"
86	"3"
45	"3.5"
20	"4"
14	"4.5"
11	"5"
2	"5.5"

c3_ab_G **G :Monday-Friday How many times per units (Monday - Sunday)**

type: string (**str22**), but longest is str4
 unique values: 1 missing "": 846/1,506
 tabulation: Freq. Value
 846 ""
 660 "week"

c3_ac_G **G :Monday-Friday How many times per hours (Monday - Sunday)**

type: numeric (**double**)
 range: [0,3] units: .1
 unique values: 5 missing .: 846/1,506
 tabulation: Freq. Value
 570 0
 80 1
 3 1.5
 6 2
 1 3
 846 .
 mean: .150758
 std. dev: .398688
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

c3_ad_G **G :Monday-Friday How many times per minutes (Monday - Sunday)**

type: numeric (**double**)
 range: [0,45] units: .1
 unique values: 22 missing .: 927/1,506
 tabulation: Freq. Value
 7 0
 8 1
 3 1.5
 9 2
 14 2.5
 15 3
 7 3.5
 5 4
 4 4.5
 61 5
 2 5.5
 27 7.5
 138 10
 8 12.5
 40 15
 1 17.5
 58 20
 15 25
 151 30
 2 35
 1 40
 3 45
 927 .
 mean: 15.715
 std. dev: 10.4889


```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,091/1,506

tabulation: Freq.  Numeric  Label
              173      1  male
              242      3  female
              1,091      .
    
```

c3_bb_gen_G **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,302/1,506

tabulation: Freq.  Numeric  Label
              84      1  male
              120     3  female
              1,302      .
    
```

c3_bc_gen_G **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,438/1,506

tabulation: Freq.  Numeric  Label
              31      1  male
              37      3  female
              1,438      .
    
```

activity_J
 Go to work with the household members e.g. go to field,farm, sell goods (not dis

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
              1,506 ""
    
```

detail_J **_J detail**

```

type: string (str238), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
              1,506 ""
    
```

c1_code_J **J : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code
    
```

range: [0,9] units: 1
 unique values: 4 missing .: 0/1,506
 unique missing codes: 3 missing *: 527/1,506

tabulation:	Freq.	Numeric	Label
	742	0	never
	9	5	at least once a week
	212	7	once a day
	16	9	more than once a day
	1	.a	
	1	.b	
	525	.c	

c1_hr_J

J : Hours per week (Monday - Friday)

type: numeric (float)

range: [0,60] units: 1
 unique values: 22 missing .: 1,269/1,506

tabulation:	Freq.	Value
	5	0
	6	1
	31	2
	3	3
	1	4
	56	5
	5	6
	17	7
	48	10
	16	12
	17	15
	4	17
	9	20
	4	22
	3	25
	1	32
	2	35
	1	42
	4	45
	1	47
	2	55
	1	60
	1,269	.

mean: 10.0802
 std. dev: 9.91435

percentiles:	10%	25%	50%	75%	90%
	2	5	7	12	20

c1_min_J

J : Minutes per week (Monday - Friday)

type: numeric (float)

range: [0,56] units: 1
 unique values: 11 missing .: 1,269/1,506


```

tabulation:  Freq.  Value
               44    0
               65    1
               8    1.5
               63    2
               8    2.5
               23    3
               11    4
               2    4.5
               2    5
               1    6
               2    7
               1    8
               4    9
               2   11
               1   12
             1,269  .
mean:        1.91139
std. dev:    1.95353

percentiles:      10%      25%      50%      75%      90%
                  0        1        2        2        4
    
```

c1_ad_J **J : Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)

range: [0,45]                                                                 units: .1
unique values: 10                                                             missing .: 1,269/1,506

tabulation:  Freq.  Value
               166    0
                1    1
                1    2.5
                2    7.5
                1   10
                2   15
                4   20
                1   25
               56   30
                3   45
             1,269  .
mean:        8.3481
std. dev:    13.4752

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         25         30
    
```

c1_ba_J **J : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]                                                                 units: 1
unique values: 6                                                             missing .: 1,269/1,506

tabulation:  Freq.  Numeric  Label
               50         1  father
               29         3  mother
              136         5  grandparents
                6         7  uncle/aunt
                7         9  brother/sister/cousin
                9        13  other household member
             1,269  .
    
```

c1_bb_J **J : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]           units: 1
unique values: 7         missing .. 1,323/1,506

tabulation: Freq.  Numeric  Label
              7          1  father
              42         3  mother
              101        5  grandparents
               2         7  uncle/aunt
               24         9  brother/sister/cousin
               2         11  outsider
               5         13  other household member
            1,323          .
    
```

c1_bc_J **J : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]           units: 1
unique values: 6         missing .. 1,434/1,506

tabulation: Freq.  Numeric  Label
              2          1  father
              3          3  mother
              13         5  grandparents
               2         7  uncle/aunt
              51         9  brother/sister/cousin
               1         13  other household member
            1,434          .
    
```

c1_ba_gen_J **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]           units: 1
unique values: 2         missing .. 1,269/1,506

tabulation: Freq.  Numeric  Label
              146        1  male
               91        3  female
            1,269          .
    
```

c1_bb_gen_J **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]           units: 1
unique values: 2         missing .. 1,323/1,506

tabulation: Freq.  Numeric  Label
              46         1  male
              137        3  female
            1,323          .
    
```

c1_bc_gen_J **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,434/1,506

tabulation: Freq.  Numeric  Label
              38         1  male
              34         3  female
            1,434         .
    
```

c2_code_J **J : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 5
unique missing codes: 3
units: 1
missing .: 0/1,506
missing *: 527/1,506

tabulation: Freq.  Numeric  Label
              479         0  never
               4         3  at least once a month
               49         5  at least once a week
              417         7  once a day
               30         9  more than once a day
                 1         .a
                 1         .b
              525         .c
    
```

c2_hr_J **J : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,44]
unique values: 29
units: .1
missing .: 1,010/1,506

tabulation: Freq.  Value
              18     0
              39     1
              82     2
              23     3
              28     4
              17     5
              37     6
               9     7
              21     8
              19     9
              23    10
               5    11
               1   11.6
              17    12
               7    13
              21    14
               6    15
              42    16
               5    17
              37    18
              11    19
              16    20
               1    21
               4    22
               3    24
               1    25
    
```

```

          1 26
          1 28
          1 44
    1,010 .
    mean:  8.71895
    std. dev: 6.84837

    percentiles:    10%    25%    50%    75%    90%
                   1      2      7     15     18
    
```

c2_min_J **J : Minutes per week (Saturday - Sunday)**

```

    type: numeric (float)
    range: [0,50]
    unique values: 8
    units: 1
    missing .: 1,010/1,506

    tabulation: Freq. Value
                 462  0
                 1   9
                 3  15
                 1  19
                 2  20
                 18  30
                 7  40
                 2  50
    1,010 .
    mean:  2.08266
    std. dev: 8.06108

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

c2_aa_J **J :Monday-Friday How many times (Saturday - Sunday)**

```

    type: string (str30), but longest is str10
    unique values: 10
    missing "": 1,010/1,506

    tabulation: Freq. Value
                 1,010 ""
                 1  "0.9"
                 462  "1"
                 1  "1.2"
                 3  "1.5"
                 14  "2"
                 2  "2.5"
                 1  "3"
                 1  "4"
                 1  "4.5"
                 10  "many times"

    warning: variable has embedded blanks
    
```

c2_ab_J **J :Monday-Friday How many times per units (Saturday - Sunday)**

```

    type: string (str21), but longest is str4
    unique values: 2
    missing "": 1,010/1,506

    tabulation: Freq. Value
                 1,010 ""
                 451  "day"
                 45  "week"
    
```

c2_ac_J **J :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,14] units: .1
unique values: 22 missing .: 1,010/1,506

tabulation: Freq. Value
             53 0
             90 1
             14 1.5
             31 2
             15 2.5
             40 3
             6 3.5
             21 4
             13 4.5
             21 5
             5 5.5
             24 6
             1 6.5
             26 7
             1 7.5
             52 8
             53 9
             19 10
             5 11
             4 12
             1 13
             1 14
             1,010 .
mean: 4.39415
std. dev: 3.41556

percentiles: 10% 25% 50% 75% 90%
              0 1 3.5 8 9
    
```

c2_ad_J **J :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,45] units: .1
unique values: 10 missing .: 1,010/1,506

tabulation: Freq. Value
             392 0
             1 1
             3 7.5
             3 10
             1 11.6
             4 15
             7 20
             2 25
             81 30
             2 45
             1,010 .
mean: 5.71593
std. dev: 11.5731

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 30
    
```

c2_ba_J **J : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7      missing .. 1,006/1,506

tabulation: Freq.  Numeric  Label
             105      1      father
             57       3      mother
             284      5      grandparents
             16       7      uncle/aunt
             20       9      brother/sister/cousin
             2        11     outsider
             16       13     other household member
             1,006      .
    
```

c2_bb_J **J : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7      missing .. 1,088/1,506

tabulation: Freq.  Numeric  Label
             11      1      father
             89      3      mother
             234     5      grandparents
             9       7      uncle/aunt
             58      9      brother/sister/cousin
             3        11     outsider
             14       13     other household member
             1,088      .
    
```

c2_bc_J **J : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7      missing .. 1,332/1,506

tabulation: Freq.  Numeric  Label
             6       1      father
             10      3      mother
             40      5      grandparents
             5       7      uncle/aunt
             108     9      brother/sister/cousin
             2        11     outsider
             3        13     other household member
             1,332      .
    
```

c2_ba_gen_J **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .. 1,006/1,506

tabulation: Freq.  Numeric  Label
             317     1      male
             183     3      female
             1,006      .
    
```

c2_bb_gen_J **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,088/1,506

tabulation: Freq.  Numeric  Label
              110      1      male
              308      3      female
              1,088      .
    
```

c2_bc_gen_J **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,332/1,506

tabulation: Freq.  Numeric  Label
              81      1      male
              93      3      female
              1,332      .
    
```

c3_code_J **J : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 3
unique missing codes: 3

units: 1
missing ..: 0/1,506
missing *: 980/1,506

tabulation: Freq.  Numeric  Label
              6      1      less than once a month
              222     3      at least once a month
              298     5      at least once a week
              1      .a
              977     .b
              2      .c
    
```

c3_hr_J **J : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,32]
unique values: 25

units: .1
missing ..: 1,208/1,506

tabulation: Freq.  Value
              40     0
              63     1
              54     2
              32     3
              20     4
              13     5
              16     6
              11     7
              2      8
              15     9
              5     10
              2     11
              6     12
    
```

```

                2 13
                2 14
                3 15
                2 16
                1 17
                2 18
                1 22
                1 25
                1 27.9
                1 28
                1 30
                2 32
            1,208 .
    mean:      4.23121
    std. dev:  5.32268

    percentiles:    10%    25%    50%    75%    90%
                   0      1      2      6     10
    
```

c3_min_J **J : Minutes per week (Monday - Sunday)**

```

    type: numeric (float)
    range: [0,53]
    unique values: 16
    units: 1
    missing .: 1,208/1,506

    tabulation:
    Freq. Value
    157 0
    1 5
    2 8
    3 10
    1 11
    1 13
    21 15
    1 19
    2 20
    1 23
    1 25
    86 30
    1 35
    18 45
    1 50
    1 53
    1,208 .
    mean: 13.5067
    std. dev: 15.7637

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0     30     30
    
```

c3_aa_J **J :Monday-Friday How many times (Monday - Sunday)**

```

    type: string (str6), but longest is str4
    unique values: 12
    missing "": 1,208/1,506

    tabulation:
    Freq. Value
    1,208 ""
    101 "1"
    31 "1.5"
    60 "2"
    1 "2.1"
    27 "2.5"
    37 "3"
    1 "3.49"
    14 "3.5"
    8 "4"
    8 "4.5"
    
```

8 "5"
2 "5.5"

c3_ab_J **J :Monday-Friday How many times per units (Monday - Sunday)**

type: string (**str22**), but longest is str5
 unique values: 2 missing "": 1,207/1,506
 tabulation: Freq. Value
 1,207 ""
 2 "month"
 297 "week"

c3_ac_J **J :Monday-Friday How many times per hours (Monday - Sunday)**

type: numeric (**double**)
 range: [0,27.9] units: .1
 unique values: 16 missing .: 1,208/1,506
 tabulation: Freq. Value
 70 0
 90 1
 13 1.5
 31 2
 14 2.5
 21 3
 4 3.5
 5 4
 8 4.5
 9 5
 7 6
 7 7
 7 8
 10 9
 1 10
 1 27.9
 1,208 .
 mean: 2.21275
 std. dev: 2.7877
 percentiles: 10% 25% 50% 75% 90%
 0 1 1 3 6

c3_ad_J **J :Monday-Friday How many times per minutes (Monday - Sunday)**

type: numeric (**double**)
 range: [0,45] units: .1
 unique values: 11 missing .: 1,407/1,506
 tabulation: Freq. Value
 8 0
 1 1
 5 5
 1 7.5
 6 10
 8 15
 1 20
 1 25
 1 29
 65 30
 2 45
 1,407 .
 mean: 23.5101

std. dev: 11.1933
 percentiles: 10% 25% 50% 75% 90%
 5 15 30 30 30

c3_ba_J **J : People doing activity with (person 1)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 980/1,506

tabulation:	Freq.	Numeric	Label
	82	1	father
	64	3	mother
	327	5	grandparents
	17	7	uncle/aunt
	14	9	brother/sister/cousin
	5	11	outsider
	17	13	other household member
	980	.	

c3_bb_J **J : People doing activity with (person 2)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 1,126/1,506

tabulation:	Freq.	Numeric	Label
	23	1	father
	73	3	mother
	214	5	grandparents
	8	7	uncle/aunt
	50	9	brother/sister/cousin
	1	11	outsider
	11	13	other household member
	1,126	.	

c3_bc_J **J : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 1,367/1,506

tabulation:	Freq.	Numeric	Label
	6	1	father
	8	3	mother
	22	5	grandparents
	2	7	uncle/aunt
	98	9	brother/sister/cousin
	1	11	outsider
	2	13	other household member
	1,367	.	

c3_ba_gen_J **Gender code (person 1)**

type: numeric (byte)
 label: c3_ba_gen

range: [1,3] units: 1
 unique values: 2 missing .: 981/1,506

tabulation:	Freq.	Numeric	Label
	289	1	male
	236	3	female
	981	.	

c3_bb_gen_J **Gender code (person 2)**

type: numeric (byte)
 label: c3_bb_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,127/1,506

tabulation:	Freq.	Numeric	Label
	108	1	male
	271	3	female
	1,127	.	

c3_bc_gen_J **Gender code (person 3)**

type: numeric (byte)
 label: c3_bc_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,367/1,506

tabulation:	Freq.	Numeric	Label
	48	1	male
	91	3	female
	1,367	.	

activity_K **Do housework (not display)**

type: string (str147), but longest is str0

unique values: 0 missing "": 1,506/1,506

tabulation:	Freq.	Value
	1,506	" "

detail_K **K: detail**

type: string (str238), but longest is str0

unique values: 0 missing "": 1,506/1,506

tabulation:	Freq.	Value
	1,506	" "

c1_code_K **K : Frequency (Monday - Friday)**

type: numeric (byte)
 label: c1_code

range: [0,9] units: 1
 unique values: 3 missing .: 0/1,506
 unique missing codes: 2 missing *: 458/1,506

```

tabulation:  Freq.  Numeric  Label
              921      0      never
              79       7      once a day
              48       9      more than once a day
              1       .a
              457      .c
    
```

c1_hr_K **K : Hours per week (Monday - Friday)**

```

type: numeric (float)
range: [0,7]
unique values: 7
units: 1
missing .: 1,379/1,506

tabulation:  Freq.  Value
              90      0
              19      1
              11      2
               1      3
               2      4
               3      5
               1      7
            1,379      .
mean:       .582677
std. dev:   1.21133

percentiles: 10%      25%      50%      75%      90%
              0        0        0        1        2
    
```

c1_min_K **K : Minutes per week (Monday - Friday)**

```

type: numeric (float)
range: [0,56]
unique values: 19
units: 1
missing .: 1,379/1,506

tabulation:  Freq.  Value
              3      0
              2      3
              3      5
              1      8
              6     10
              5     13
             13     15
              3     18
              4     20
              2     23
             32     25
              1     28
             10     30
              1     34
             15     38
              5     40
              1     44
             17     50
              3     56
            1,379      .
mean:       27.7402
std. dev:   14.0499

percentiles: 10%      25%      50%      75%      90%
              10       15       25       38       50
    
```

c1_aa_K **K : Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str10
unique values: 7 missing "": 1,379/1,506
tabulation: Freq. Value
             1,379 ""
              79 "1"
              21 "1.5"
              11 "2"
               6 "2.5"
               1 "3"
               2 "3.5"
               7 "many times"
warning: variable has embedded blanks

```

c1_ab_K **K :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str3
unique values: 1 missing "": 1,379/1,506
tabulation: Freq. Value
             1,379 ""
              127 "day"

```

c1_ac_K **K :Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,379/1,506
tabulation: Freq. Value
             124 0
               3 1
            1,379 .
mean: .023622
std. dev: .15247
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0

```

c1_ad_K **K :Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric(double)
range: [0,30] units: .1
unique values: 15 missing .: 1,379/1,506
tabulation: Freq. Value
             2 0
             1 1
             2 1.5
             5 2
             8 2.5
             2 3
             3 3.5
             2 4
             3 4.5
            50 5
             8 7.5
            19 10
             4 15
             9 20
             9 30

```

```

                1,379 .
    mean:      8.51969
    std. dev:  7.56176

    percentiles:    10%    25%    50%    75%    90%
                   2.5     5      5      10     20
    
```

c1_ba_K **K : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]           units: 1
    unique values: 6        missing .: 1,379/1,506
    unique missing codes: 2  missing *: 12/1,506
    
```

tabulation:	Freq.	Numeric	Label
	2	1	father
	25	3	mother
	66	5	grandparents
	1	7	uncle/aunt
	17	9	brother/sister/cousin
	4	13	other household member
	1,379	.	
	12	.b	

c1_bb_K **K : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [3,13]           units: 1
    unique values: 5        missing .: 1,471/1,506
    
```

tabulation:	Freq.	Numeric	Label
	9	3	mother
	11	5	grandparents
	2	7	uncle/aunt
	12	9	brother/sister/cousin
	1	13	other household member
	1,471	.	

c1_bc_K **K : People doing activity with (person 3)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [5,9]           units: 1
    unique values: 2        missing .: 1,502/1,506
    
```

tabulation:	Freq.	Numeric	Label
	2	5	grandparents
	2	9	brother/sister/cousin
	1,502	.	

c1_ba_gen_K **Gender code (person 1)**

```

    type: numeric (byte)
    label: c1_ba_gen

    range: [1,3]           units: 1
    unique values: 2        missing .: 1,391/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              13      1  male
              102     3  female
              1,391    .
    
```

c1_bb_gen_K **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .. 1,471/1,506

tabulation:  Freq.  Numeric  Label
              5      1  male
              30     3  female
              1,471    .
    
```

c1_bc_gen_K **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2

units: 1
missing .. 1,502/1,506

tabulation:  Freq.  Numeric  Label
              2      1  male
              2      3  female
              1,502    .
    
```

c2_code_K **K : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 3
unique missing codes: 2

units: 1
missing .. 0/1,506
missing *: 458/1,506

tabulation:  Freq.  Numeric  Label
              918     0  never
              80      7  once a day
              50      9  more than once a day
              1       .a
              457     .c
    
```

c2_hr_K **K : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,3]
unique values: 4

units: 1
missing .. 1,376/1,506

tabulation:  Freq.  Value
              114    0
              12    1
               3    2
               1    3
              1,376  .
mean:       .161538
std. dev:   .479079
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

c2_min_K **K : Minutes per week (Saturday - Sunday)**

type: numeric (**float**)
 range: [0,50] units: 1
 unique values: 20 missing .: 1,376/1,506

tabulation: Freq. Value

13	0
1	2
1	3
5	4
5	5
2	6
3	7
3	8
2	9
32	10
1	14
16	15
2	18
17	20
3	23
2	25
12	30
1	35
7	40
2	50
1,376	.

mean: 15.1462
 std. dev: 11.3008

percentiles: 10% 25% 50% 75% 90%
 1 8 10 20 30

c2_aa_K **K :Monday-Friday How many times (Saturday - Sunday)**

type: string (**str30**), but longest is str10
 unique values: 7 missing "": 1,376/1,506

tabulation: Freq. Value

1,376	" "
80	"1"
23	"1.5"
10	"2"
6	"2.5"
1	"3"
3	"3.5"
7	"many times"

warning: variable has embedded blanks

c2_ab_K **K :Monday-Friday How many times per units (Saturday - Sunday)**

type: string (**str21**), but longest is str3
 unique values: 1 missing "": 1,376/1,506

tabulation: Freq. Value

1,376	" "
130	"day"

c2_ac_K **K :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,376/1,506

tabulation: Freq. Value
             128 0
              2 1
            1,376 .
mean:       .015385
std. dev:   .123553

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

c2_ad_K **K :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,30] units: .1
unique values: 15 missing .: 1,376/1,506

tabulation: Freq. Value
             2 0
             1 1
             2 1.5
             6 2
             8 2.5
             2 3
             3 3.5
             2 4
             3 4.5
            52 5
             8 7.5
            19 10
             4 15
             9 20
             9 30
            1,376 .
mean:       8.41538
std. dev:   7.5074

percentiles:    10%    25%    50%    75%    90%
                2.5    5      5      10     20
    
```

c2_ba_K **K : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13] units: 1
unique values: 6 missing .: 1,376/1,506
unique missing codes: 2 missing *: 11/1,506

tabulation: Freq. Numeric Label
             2      1 father
            28      3 mother
            67      5 grandparents
             1      7 uncle/aunt
            17      9 brother/sister/cousin
             4     13 other household member
            1,376 .
             11    .b
    
```

c2_bb_K **K : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [3,13]
unique values: 5
units: 1
missing .. 1,466/1,506

tabulation: Freq.  Numeric  Label
              9         3  mother
              12        5  grandparents
              2         7  uncle/aunt
              16        9  brother/sister/cousin
              1        13  other household member
            1,466      .
    
```

c2_bc_K **K : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [5,9]
unique values: 2
units: 1
missing .. 1,502/1,506

tabulation: Freq.  Numeric  Label
              2         5  grandparents
              2         9  brother/sister/cousin
            1,502      .
    
```

c2_ba_gen_K **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,387/1,506

tabulation: Freq.  Numeric  Label
              13         1  male
              106        3  female
            1,387      .
    
```

c2_bb_gen_K **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,466/1,506

tabulation: Freq.  Numeric  Label
              5         1  male
              35        3  female
            1,466      .
    
```

c2_bc_gen_K **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen
    
```

```

range: [1,3] units: 1
unique values: 2 missing .: 1,502/1,506

tabulation: Freq. Numeric Label
              2          1 male
              2          3 female
            1,502          .
    
```

c3_code_K **K : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5] units: 1
unique values: 2 missing .: 0/1,506
unique missing codes: 3 missing *: 1,049/1,506

tabulation: Freq. Numeric Label
              61          3 at least once a month
             396          5 at least once a week
              1           .a
            1,047          .b
              1           .c
    
```

c3_hr_K **K : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,3] units: 1
unique values: 4 missing .: 1,110/1,506

tabulation: Freq. Value
             364  0
              27  1
               3  2
               2  3
            1,110  .
mean:       .098485
std. dev:   .366851

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

c3_min_K **K : Minutes per week (Monday - Sunday)**

```

type: numeric(float)

range: [0,53] units: 1
unique values: 31 missing .: 1,110/1,506

tabulation: Freq. Value
             18  0
              2  1
             13  2
             32  3
             13  4
             38  5
             12  6
              6  7
             23  8
              6  9
             48 10
             12 11
             10 13
              2 14
             30 15
    
```

```

      1 17
      3 18
      4 19
     32 20
      9 23
     14 25
      1 26
      1 28
     29 30
      1 31
     12 35
      5 38
     11 40
      2 45
      4 50
      2 53
    1,110 .
      mean: 14.351
    std. dev: 11.7394
percentiles:    10%    25%    50%    75%    90%
                3      5      10     20     30

```

c3_aa_K **K :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 11 missing "": 1,110/1,506
tabulation:
  Freq. Value
  1,110 ""
    113 "1"
     45 "1.5"
     94 "2"
     53 "2.5"
     50 "3"
     22 "3.5"
      9 "4"
      6 "4.5"
      1 "4.9"
      2 "5"
      1 "5.5"

```

c3_ab_K **K :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4
unique values: 1 missing "": 1,110/1,506
tabulation:
  Freq. Value
  1,110 ""
    396 "week"

```

c3_ac_K **K :Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,2.4] units: .1
unique values: 3 missing .: 1,110/1,506

```

```

tabulation:  Freq.  Value
              388    0
              7     1
              1    2.4
            1,110    .
      mean:   .023737
      std. dev: .178154

percentiles:          10%        25%        50%        75%        90%
                   0          0          0          0          0

```

```

c3_ad_K             K : Monday-Friday How many times per minutes (Monday - Sunday)

```

```

type: numeric (double)

range: [1,35]           units: .1
unique values: 21       missing .: 1,118/1,506

tabulation:  Freq.  Value
              9     1
              7    1.5
             24     2
             31    2.5
             19     3
              7    3.5
             13    4.5
             91     5
              1    5.5
              1     6
              1    6.5
             21    7.5
             93    10
              2   12.5
             16    15
              1    17
              1   17.5
             22    20
              2    25
             25    30
              1    35
            1,118    .
      mean:   8.81443
      std. dev: 7.51169

percentiles:          10%        25%        50%        75%        90%
                   2          4          5          10          20

```

```

c3_ba_K             K : People doing activity with (person 1)

```

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]           units: 1
unique values: 7       missing .: 1,049/1,506
unique missing codes: 2   missing *: 94/1,506

tabulation:  Freq.  Numeric  Label
              6         1  father
             129        3  mother
             165        5  grandparents
             10         7  uncle/aunt
             43         9  brother/sister/cousin
              1         11  outsider
              9         13  other household member
            1,049        .
             94         .b

```

c3_bb_K **K : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,407/1,506
missing *: 4/1,506

tabulation: Freq.  Numeric  Label
              4          1  father
              15         3  mother
              37         5  grandparents
              4          7  uncle/aunt
              31         9  brother/sister/cousin
              4         13  other household member
            1,407         .
              4          .b
    
```

c3_bc_K **K : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 5

units: 1
missing .: 1,490/1,506

tabulation: Freq.  Numeric  Label
              1          1  father
              2          3  mother
              4          5  grandparents
              8          9  brother/sister/cousin
              1         13  other household member
            1,490         .
    
```

c3_ba_gen_K **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,144/1,506

tabulation: Freq.  Numeric  Label
              39         1  male
              323        3  female
            1,144         .
    
```

c3_bb_gen_K **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,409/1,506

tabulation: Freq.  Numeric  Label
              19         1  male
              78         3  female
            1,409         .
    
```

c3_bc_gen_K **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,491/1,506

tabulation: Freq.  Numeric  Label
              5         1  male
              10        3  female
             1,491        .
    
```

activity_L **Do homework (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
             1,506 ""
    
```

detail_L **L: detail**

```

type: string (str238), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
             1,506 ""
    
```

c1_code_L **L : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 6
unique missing codes: 2
units: 1
missing .: 0/1,506
missing *: 184/1,506

tabulation: Freq.  Numeric  Label
              565        0  never
               1         1  less than once a month
               2         3  at least once a month
               53         5  at least once a week
              689         7  once a day
               12         9  more than once a day
               2          .a
              182         .c
    
```

c1_hr_L **L : Hours per week (Monday - Friday)**

```

type: numeric (float)

range: [0,25]
unique values: 15
unique missing codes: 2
units: .1
missing .: 752/1,506
missing *: 2/1,506
    
```

```

tabulation:  Freq.  Value
              266    0
              149    1
                1  1.6
              206    2
                7    3
              105    5
                4    7
                1  7.4000001
                1    8
                1    9
                4   10
                4   12
                1   15
                1   20
                1   25
              752    .
                2    .c
    mean:      1.74069
    std. dev:  2.30981
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        2        5
    
```

cl_min_L

L : Minutes per week (Monday - Friday)

```

type: numeric (float)
range: [0,56]
unique values: 34
unique missing codes: 2
units: .1
missing .: 752/1,506
missing *: 2/1,506
    
```

```

tabulation:  Freq.  Value
              124    0
                1  1.9
                2    2
                4    3
                7    5
                2    8
                1    9
                6   10
                8   13
                1   14
              59   15
                1   16
                1   17
                6   18
                1   19
                6   20
                5   23
              58   25
                2   27
                8   28
              211   30
                1  34.900002
                4   35
              15   38
              79   40
                2   42
                6   45
                1  45.299999
                1   46
                1   47
              123   50
                2   53
                2   55
                1   56
              752    .
                2    .c
    mean:      27.1451
    
```

std. dev: 16.4025
 percentiles: 10% 25% 50% 75% 90%
 0 15 30 40 50

c1_aa_L L :Monday-Friday How many times (Monday - Friday)

type: string (str27), but longest is str4
 unique values: 28 missing "": 752/1,506

tabulation:

Freq.	Value
752	" "
696	"1"
2	"1.5"
1	"1.6"
1	"1.8"
10	"2"
1	"2.3"
1	"2.32"
5	"2.5"
1	"2.79"
1	"2.8"
7	"3"
1	"3.02"
1	"3.3"
1	"3.48"
2	"3.49"
1	"3.5"
1	"3.7"
1	"3.72"
2	"3.9"
8	"4"
1	"4.2"
2	"4.4"
2	"4.42"
1	"4.5"
1	"4.65"
1	"4.9"
1	"5.1"
1	"5.8"

c1_ab_L L :Monday-Friday How many times per units (Monday - Friday)

type: string (str21), but longest is str4
 unique values: 2 missing "": 752/1,506

tabulation:

Freq.	Value
752	" "
702	"day"
52	"week"

c1_ac_L L :Monday-Friday How many times per hours (Monday - Friday)

type: numeric (double)
 range: [0,30] units: .1
 unique values: 9 missing .: 752/1,506
 unique missing codes: 2 missing *: 2/1,506


```

tabulation:  Freq.  Value
              624  0
              116  1
                1  1.5
                6  2
                1  2.5
                1  3
                1  4
                1  7.4
                1  30
              752  .
                2  .c
    mean:    .234574
  std. dev:  1.20302

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         1
    
```

c1_ad_L **L : Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,56]
unique values: 23
unique missing codes: 2
units: .1
missing .: 752/1,506
missing *: 2/1,506
    
```

```

tabulation:  Freq.  Value
              122  0
                4  1
                1  1.5
                5  2
                8  2.5
                9  3
                7  3.5
                4  4
                6  4.5
               65  5
                4  5.5
                1  7
               23  7.5
              127  10
               48  15
                4  17.5
               83  20
                2  25
               218  30
                2  35
                2  40
                6  45
                1  56
              752  .
                2  .c
    mean:    15.2161
  std. dev:  11.8646

percentiles:      10%      25%      50%      75%      90%
                  0         5         10        30        30
    
```

c1_ba_L **L : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing .: 750/1,506
missing *: 200/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              62      1  father
              163     3  mother
              228     5  grandparents
               23     7  uncle/aunt
               61     9  brother/sister/cousin
                2    11  outsider
               17    13  other household member
              750     .
              200    .b
    
```

c1_bb_L **L : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,178/1,506
missing *: 20/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              34      1  father
              67      3  mother
             102      5  grandparents
               18      7  uncle/aunt
               68      9  brother/sister/cousin
                5     11  outsider
               14     13  other household member
            1,178     .
               20     .b
    
```

c1_bc_L **L : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,11]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,430/1,506
missing *: 4/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              6      1  father
              12      3  mother
              29      5  grandparents
                3      7  uncle/aunt
              20      9  brother/sister/cousin
                2     11  outsider
            1,430     .
                4     .b
    
```

c1_ba_gen_L **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 950/1,506

tabulation:  Freq.  Numeric  Label
              141      1  male
              415      3  female
              950     .
    
```

c1_bb_gen_L **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,198/1,506

tabulation: Freq.  Numeric  Label
              97      1      male
              211     3      female
              1,198     .
    
```

c1_bc_gen_L **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,434/1,506

tabulation: Freq.  Numeric  Label
              25      1      male
              47      3      female
              1,434     .
    
```

c2_code_L **L : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 3
units: 1
missing ..: 1/1,506
missing *: 184/1,506

tabulation: Freq.  Numeric  Label
              998     0      never
              14      5      at least once a week
              303     7      once a day
              6       9      more than once a day
              1       .
              2       .a
              182     .c
    
```

c2_hr_L **L : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,5]
unique values: 6
units: 1
missing ..: 1,183/1,506

tabulation: Freq.  Value
              178    0
              87     1
              47     2
              3      3
              5      4
              3      5
              1,183  .
mean: .696594
std. dev: .965662
    
```

percentiles: 10% 25% 50% 75% 90%
0 0 0 1 2

c2_min_L L : Minutes per week (Saturday - Sunday)

type: numeric (**float**)
range: [0,40] units: 1
unique values: 15 missing .: 1,183/1,506

tabulation:

Freq.	Value
142	0
2	2
2	3
2	4
4	5
3	6
5	7
5	8
29	10
1	12
5	15
55	20
3	25
27	30
38	40
1,183	.

mean: 12.4241
std. dev: 14.111

percentiles: 10% 25% 50% 75% 90%
0 0 8 20 40

c2_aa_L L :Monday-Friday How many times (Saturday - Sunday)

type: string (**str30**), but longest is str10
unique values: 3 missing "": 1,183/1,506

tabulation:

Freq.	Value
1,183	" "
318	"1"
4	"2"
1	"many times"

warning: variable has embedded blanks

c2_ab_L L :Monday-Friday How many times per units (Saturday - Sunday)

type: string (**str21**), but longest is str4
unique values: 2 missing "": 1,183/1,506

tabulation:

Freq.	Value
1,183	" "
309	"day"
14	"week"

c2_ac_L L :Monday-Friday How many times per hours (Saturday - Sunday)

type: numeric (**double**)

```

    range: [0,2.5]           units: .1
unique values: 5           missing .: 1,183/1,506

  tabulation: Freq.  Value
                263  0
                 53  1
                  2  1.5
                  4  2
                  1  2.5
                1,183  .
    mean:      .205882
  std. dev:    .452937

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1

```

c2_ad_L **L : Monday-Friday How many times per minutes (Saturday - Sunday)**

```

    type: numeric (double)

    range: [0,40]           units: .1
unique values: 16         missing .: 1,183/1,506

  tabulation: Freq.  Value
                57  0
                 2  1
                 1  1.5
                 2  2
                 2  2.5
                 5  3
                 4  3.5
                 4  4
                 1  4.5
                27  5
                10  7.5
                55  10
                23  15
                38  20
                89  30
                 3  40
                1,183  .
    mean:      14.6037
  std. dev:    11.6002

percentiles:      10%      25%      50%      75%      90%
                  0         5        10        30        30

```

c2_ba_L **L : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]           units: 1
unique values: 7           missing .: 1,183/1,506
unique missing codes: 2    missing *: 86/1,506

  tabulation: Freq.  Numeric  Label
                28         1  father
                67         3  mother
                94         5  grandparents
                11         7  uncle/aunt
                31         9  brother/sister/cousin
                 1         11  outsider
                 5         13  other household member
                1,183       .
                 86         .b

```

c2_bb_L **L : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,370/1,506
missing *: 10/1,506
    
```

tabulation:	Freq.	Numeric	Label
	15	1	father
	29	3	mother
	33	5	grandparents
	8	7	uncle/aunt
	31	9	brother/sister/cousin
	4	11	outsider
	6	13	other household member
	1,370	.	
	10	.b	

c2_bc_L **L : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,11]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,474/1,506
missing *: 1/1,506
    
```

tabulation:	Freq.	Numeric	Label
	6	1	father
	6	3	mother
	12	5	grandparents
	1	7	uncle/aunt
	4	9	brother/sister/cousin
	2	11	outsider
	1,474	.	
	1	.b	

c2_ba_gen_L **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,269/1,506
    
```

tabulation:	Freq.	Numeric	Label
	57	1	male
	180	3	female
	1,269	.	

c2_bb_gen_L **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,379/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              39      1  male
              88      3  female
            1,379      .
    
```

c2_bc_gen_L **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3] units: 1
unique values: 2 missing .: 1,475/1,506

tabulation:  Freq.  Numeric  Label
              13      1  male
              18      3  female
            1,475      .
    
```

c3_code_L **L : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5] units: 1
unique values: 3 missing .: 1/1,506
unique missing codes: 4 missing *: 1,324/1,506

tabulation:  Freq.  Numeric  Label
              2      1  less than once a month
              18      3  at least once a month
              161     5  at least once a week
              1      .
              2      .a
            1,321     .b
              1      .c
    
```

c3_hr_L **L : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,6] units: .1
unique values: 7 missing .: 1,345/1,506
unique missing codes: 2 missing *: 2/1,506

tabulation:  Freq.  Value
            104    0
             33    1
             10    2
              2  2.4000001
              7    3
              2    4
              1    6
            1,345  .
              2    .c
mean:       .583648
std. dev:   1.01057

percentiles:  10%    25%    50%    75%    90%
              0      0      0      1      2
    
```

c3_min_L **L : Minutes per week (Monday - Sunday)**

```

type: numeric (float)
    
```

range: [0,53] units: 1
 unique values: 23 missing .: 1,346/1,506
 unique missing codes: 2 missing *: 2/1,506

tabulation: Freq. Value
 29 0
 1 2
 4 3
 5 5
 4 6
 5 8
 10 10
 3 11
 1 12
 4 13
 1 14
 16 15
 2 18
 12 20
 1 21
 2 25
 1 28
 40 30
 1 38
 7 40
 4 45
 4 50
 1 53
 1,346 .
 2 .c
 mean: 18.2278
 std. dev: 14.1844

percentiles: 10% 25% 50% 75% 90%
 0 6 15 30 40

c3_aa_L L :Monday-Friday How many times (Monday - Sunday)

type: string (str6), but longest is str3
 unique values: 14 missing "": 1,345/1,506

tabulation: Freq. Value
 1,345 ""
 37 "1"
 6 "1.5"
 21 "2"
 1 "2.3"
 19 "2.5"
 1 "2.8"
 50 "3"
 7 "3.5"
 10 "4"
 1 "4.5"
 1 "4.7"
 2 "4.9"
 3 "5"
 2 "6"

c3_ab_L L :Monday-Friday How many times per units (Monday - Sunday)

type: string (str22), but longest is str4
 unique values: 1 missing "": 1,345/1,506


```

tabulation: Freq. Value
             1,345 ""
             161  "week"
    
```

c3_ac_L **L :Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,2.4]
unique values: 4
unique missing codes: 2
units: .1
missing .: 1,345/1,506
missing *: 1/1,506

tabulation: Freq. Value
             139 0
             19 1
              1 2
              1 2.4
            1,345 .
              1 .c
mean: .14625
std. dev: .399195

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

c3_ad_L **L :Monday-Friday How many times per minutes (Monday - Sunday)**

```

type: numeric (double)
range: [1,40]
unique values: 17
unique missing codes: 2
units: .1
missing .: 1,366/1,506
missing *: 2/1,506

tabulation: Freq. Value
             1 1
             1 2
             4 2.5
             7 3
             1 3.5
             2 4.5
            19 5
             2 5.5
             3 7.5
             1 9.5
            37 10
             3 12.5
             4 15
            16 20
             2 25
            34 30
             1 40
            1,366 .
              2 .c
mean: 15.087
std. dev: 10.2693

percentiles: 10% 25% 50% 75% 90%
              3.5 5 10 30 30
    
```

c3_ba_L **L : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
    
```

range: [1,13] units: 1
 unique values: 6 missing .: 1,325/1,506
 unique missing codes: 2 missing *: 42/1,506

tabulation:	Freq.	Numeric	Label
	10	1	father
	48	3	mother
	60	5	grandparents
	1	7	uncle/aunt
	17	9	brother/sister/cousin
	3	13	other household member
	1,325	.	.
	42	.b	.

c3_bb_L L : People doing activity with (person 2)

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 6 missing .: 1,446/1,506
 unique missing codes: 2 missing *: 4/1,506

tabulation:	Freq.	Numeric	Label
	4	1	father
	12	3	mother
	21	5	grandparents
	2	7	uncle/aunt
	15	9	brother/sister/cousin
	2	13	other household member
	1,446	.	.
	4	.b	.

c3_bc_L L : People doing activity with (person 3)

type: numeric (byte)
 label: c1_ba_A
 range: [3,11] units: 1
 unique values: 4 missing .: 1,497/1,506

tabulation:	Freq.	Numeric	Label
	2	3	mother
	1	5	grandparents
	5	9	brother/sister/cousin
	1	11	outsider
	1,497	.	.

c3_ba_gen_L Gender code (person 1)

type: numeric (byte)
 label: c3_ba_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 1,367/1,506

tabulation:	Freq.	Numeric	Label
	34	1	male
	105	3	female
	1,367	.	.

c3_bb_gen_L Gender code (person 2)

```

    type: numeric (byte)
    label: c3_bb_gen

    range: [1,3]
    unique values: 2
    units: 1
    missing ..: 1,450/1,506

    tabulation: Freq.  Numeric  Label
                 13      1  male
                 43      3  female
                 1,450    .
    
```

c3_bc_gen_L **Gender code (person 3)**

```

    type: numeric (byte)
    label: c3_bc_gen

    range: [1,3]
    unique values: 2
    units: 1
    missing ..: 1,497/1,506

    tabulation: Freq.  Numeric  Label
                 3      1  male
                 6      3  female
                 1,497    .
    
```

activity_M **Child reads a book byself (not display)**

```

    type: string (str147), but longest is str0
    unique values: 0
    missing "": 1,506/1,506

    tabulation: Freq.  Value
                 1,506  ""
    
```

detail_M **M: detail**

```

    type: string (str238), but longest is str0
    unique values: 0
    missing "": 1,506/1,506

    tabulation: Freq.  Value
                 1,506  ""
    
```

c1_code_M **M : Frequency (Monday - Friday)**

```

    type: numeric (byte)
    label: c1_code

    range: [0,9]
    unique values: 3
    unique missing codes: 2
    units: 1
    missing ..: 0/1,506
    missing *: 36/1,506

    tabulation: Freq.  Numeric  Label
                 1,434    0  never
                 32      7  once a day
                 4       9  more than once a day
                 1       .a
                 35      .c
    
```

c1_hr_M **M : Hours per week (Monday - Friday)**

```

    type: numeric (float)
    
```

```

range: [0,5] units: 1
unique values: 4 missing .: 1,470/1,506

tabulation: Freq. Value
             15 0
             11 1
              6 2
              4 5
            1,470 .
mean: 1.19444
std. dev: 1.54586

percentiles: 10% 25% 50% 75% 90%
              0 0 1 2 5
    
```

c1_min_M M : Minutes per week (Monday - Friday)

```

type: numeric (float)

range: [0,50] units: 1
unique values: 13 missing .: 1,470/1,506

tabulation: Freq. Value
             4 0
             3 3
             1 5
             1 8
             1 10
             1 20
             1 23
             4 25
             5 30
             1 34
             1 38
             7 40
             6 50
            1,470 .
mean: 27.1389
std. dev: 17.2629

percentiles: 10% 25% 50% 75% 90%
              0 9 30 40 50
    
```

c1_aa_M M :Monday-Friday How many times (Monday - Friday)

```

type: string (str27), but longest is str10
unique values: 5 missing "": 1,470/1,506

tabulation: Freq. Value
            1,470 ""
              32 "1"
               1 "2"
               1 "2.5"
               1 "4"
               1 "many times"

warning: variable has embedded blanks
    
```

c1_ab_M M :Monday-Friday How many times per units (Monday - Friday)

```

type: string (str21), but longest is str3
unique values: 1 missing "": 1,470/1,506
    
```

```

tabulation: Freq. Value
            1,470 ""
            36  "day"
    
```

c1_ac_M **M : Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,470/1,506

tabulation: Freq. Value
            32 0
            4 1
            1,470 .
mean: .111111
std. dev: .318728

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

c1_ad_M **M : Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,30] units: .1
unique values: 11 missing .: 1,470/1,506

tabulation: Freq. Value
            4 0
            1 1
            1 1.5
            1 2
            1 4.5
            4 5
            1 7
            5 7.5
            7 10
            6 20
            5 30
            1,470 .
mean: 11.4861
std. dev: 9.7222

percentiles: 10% 25% 50% 75% 90%
              0 5 8.75 20 30
    
```

c1_ba_M **M : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [.,.] units: .
unique values: 0 missing .: 1,470/1,506
unique missing codes: 2 missing *: 36/1,506

tabulation: Freq. Numeric Label
            1,470 .
            36 .b
    
```

c1_bb_M **M : People doing activity with (person 2)**

```

        type: numeric (byte)
        label: c1_ba_A
        range: [..]
        unique values: 0
        units: .
        missing ..: 1,506/1,506
        tabulation: Freq.  Numeric  Label
                   1,506      .
    
```

c1_bc_M **M : People doing activity with (person 3)**

```

        type: numeric (byte)
        label: c1_ba_A
        range: [..]
        unique values: 0
        units: .
        missing ..: 1,506/1,506
        tabulation: Freq.  Numeric  Label
                   1,506      .
    
```

c1_ba_gen_M **Gender code (person 1)**

```

        type: numeric (byte)
        label: c1_ba_gen
        range: [..]
        unique values: 0
        unique missing codes: 2
        units: .
        missing ..: 1,505/1,506
        missing *: 1/1,506
        tabulation: Freq.  Numeric  Label
                   1,505      .
                   1         .b
    
```

c1_bb_gen_M **Gender code (person 2)**

```

        type: numeric (byte)
        label: c1_bb_gen
        range: [..]
        unique values: 0
        units: .
        missing ..: 1,506/1,506
        tabulation: Freq.  Numeric  Label
                   1,506      .
    
```

c1_bc_gen_M **Gender code (person 3)**

```

        type: numeric (byte)
        label: c1_bc_gen
        range: [..]
        unique values: 0
        units: .
        missing ..: 1,506/1,506
        tabulation: Freq.  Numeric  Label
                   1,506      .
    
```

c2_code_M **M : Frequency (Saturday - Sunday)**

```

        type: numeric (byte)
        label: c2_code
    
```

range: [0,9] units: 1
 unique values: 4 missing .: 0/1,506
 unique missing codes: 2 missing *: 36/1,506

tabulation:	Freq.	Numeric	Label
	1,439	0	never
	1	5	at least once a week
	26	7	once a day
	4	9	more than once a day
	1	.a	
	35	.c	

c2_hr_M **M : Hours per week (Saturday - Sunday)**

type: numeric (**float**)
 range: [0,2] units: 1
 unique values: 3 missing .: 1,475/1,506

tabulation:	Freq.	Value
	23	0
	5	1
	3	2
	1,475	.

mean: .354839
 std. dev: .660726

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	1

c2_min_M **M : Minutes per week (Saturday - Sunday)**

type: numeric (**float**)
 range: [0,56] units: 1
 unique values: 12 missing .: 1,475/1,506

tabulation:	Freq.	Value
	8	0
	1	2
	1	3
	1	4
	1	9
	4	10
	1	15
	5	20
	3	25
	1	38
	4	40
	1	56
	1,475	.

mean: 16.1935
 std. dev: 15.7701

percentiles:	10%	25%	50%	75%	90%
	0	0	10	25	40

c2_aa_M **M :Monday-Friday How many times (Saturday - Sunday)**

type: string (**str30**), but longest is str10
 unique values: 5 missing "": 1,475/1,506

```

tabulation: Freq. Value
            1,475 ""
              26 "1"
               2 "2"
               1 "2.5"
               1 "4"
               1 "many times"
    
```

warning: variable has embedded blanks

c2_ab_M M :Monday-Friday How many times per units (Saturday - Sunday)

```

type: string (str21), but longest is str4
unique values: 2 missing "": 1,475/1,506
tabulation: Freq. Value
            1,475 ""
              30 "day"
               1 "week"
    
```

c2_ac_M M :Monday-Friday How many times per hours (Saturday - Sunday)

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,475/1,506
tabulation: Freq. Value
            28 0
              3 1
            1,475 .
mean: .096774
std. dev: .300537
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

c2_ad_M M :Monday-Friday How many times per minutes (Saturday - Sunday)

```

type: numeric (double)
range: [0,30] units: .1
unique values: 11 missing .: 1,475/1,506
tabulation: Freq. Value
            3 0
              1 1
              1 1.5
              1 2
              1 4.5
              4 5
              1 7
              5 7.5
              6 10
              3 20
              5 30
            1,475 .
mean: 11.0806
std. dev: 9.91892
percentiles: 10% 25% 50% 75% 90%
              1 5 7.5 20 30
    
```

c2_ba_M **M : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [.,.]
unique values: 0
unique missing codes: 2

units: .
missing ..: 1,475/1,506
missing *: 31/1,506

tabulation: Freq.   Numeric   Label
              1,475         .
              31           .b
    
```

c2_bb_M **M : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [.,.]
unique values: 0

units: .
missing ..: 1,506/1,506

tabulation: Freq.   Numeric   Label
              1,506         .
    
```

c2_bc_M **M : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [.,.]
unique values: 0

units: .
missing ..: 1,506/1,506

tabulation: Freq.   Numeric   Label
              1,506         .
    
```

c2_ba_gen_M **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [3,3]
unique values: 1
unique missing codes: 2

units: 1
missing ..: 1,488/1,506
missing *: 1/1,506

tabulation: Freq.   Numeric   Label
              17         3 female
              1,488         .
              1           .b
    
```

c2_bb_gen_M **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [.,.]
unique values: 0

units: .
missing ..: 1,506/1,506

tabulation: Freq.   Numeric   Label
              1,506         .
    
```

c2_bc_gen_M **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq.  Numeric  Label
              1,506      .
    
```

c3_code_M **M : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 3
units: 1
missing ..: 0/1,506
missing *: 1,472/1,506

tabulation: Freq.  Numeric  Label
              2         3  at least once a month
              32        5  at least once a week
              1         .a
            1,470        .b
              1         .c
    
```

c3_hr_M **M : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,2]
unique values: 3
units: 1
missing ..: 1,474/1,506

tabulation: Freq.  Value
              27    0
               2    1
               3    2
            1,474  .
mean: .25
std. dev: .622171

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         1
    
```

c3_min_M **M : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,53]
unique values: 14
units: 1
missing ..: 1,474/1,506

tabulation: Freq.  Value
              4    0
              1    2
              1    3
              2    6
              1   10
              1   11
              5   20
              1   23
              1   24
              2   25
              6   30
    
```

```

          3 38
          3 45
          1 53
    mean: 1,474 .
    std. dev: 22.4063
          15.2524
percentiles:      10%      25%      50%      75%      90%
                  0         8       23.5     30       45
    
```

c3_aa_M **M :Monday-Friday How many times (Monday - Sunday)**

```

    type: string (str6), but longest is str3
unique values: 8          missing "": 1,474/1,506
tabulation:
  Freq. Value
  1,474 ""
    3 "1"
    6 "1.5"
    9 "2"
    7 "2.5"
    4 "3"
    1 "3.5"
    1 "4"
    1 "5"
    
```

c3_ab_M **M :Monday-Friday How many times per units (Monday - Sunday)**

```

    type: string (str22), but longest is str4
unique values: 1          missing "": 1,474/1,506
tabulation:
  Freq. Value
  1,474 ""
    32 "week"
    
```

c3_ac_M **M :Monday-Friday How many times per hours (Monday - Sunday)**

```

    type: numeric (double)
    range: [0,1]          units: 1
unique values: 2          missing .: 1,474/1,506
tabulation:
  Freq. Value
    28 0
    4 1
  1,474 .
    mean: .125
    std. dev: .336011
percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         1
    
```

c3_ad_M **M :Monday-Friday How many times per minutes (Monday - Sunday)**

```

    type: numeric (double)
    range: [1,30]          units: .1
unique values: 12          missing .: 1,478/1,506
    
```

```

tabulation:  Freq.  Value
              1    1
              1   1.5
              1   2.5
              1    3
              1   4.5
              1    5
              1   7.5
              1    8
              8   10
              6   15
              3   20
              3   30
              1,478 .
mean:        12.6071
std. dev:    8.12786

percentiles: 10%    25%    50%    75%    90%
              2.5    7.75   10     15     30
    
```

c3_ba_M **M : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [.,.]
unique values: 0
unique missing codes: 2

units: .
missing .: 1,472/1,506
missing *: 34/1,506

tabulation:  Freq.  Numeric  Label
              1,472  .
              34     .b
    
```

c3_bb_M **M : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [.,.]
unique values: 0
unique missing codes: 2

units: .
missing .: 1,473/1,506
missing *: 33/1,506

tabulation:  Freq.  Numeric  Label
              1,473  .
              33     .b
    
```

c3_bc_M **M : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [.,.]
unique values: 0
unique missing codes: 2

units: .
missing .: 1,473/1,506
missing *: 33/1,506

tabulation:  Freq.  Numeric  Label
              1,473  .
              33     .b
    
```

c3_ba_gen_M **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen
    
```

```

range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq. Numeric Label
1,506 .
    
```

c3_bb_gen_M **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq. Numeric Label
1,506 .
    
```

c3_bc_gen_M **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq. Numeric Label
1,506 .
    
```

activity_N **Others (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq. Value
1,506 ""
    
```

detail_N **Identify frequent activities (not display)**

```

type: string (str238), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq. Value
1,506 ""
    
```

c1_code_N **N : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [7,9]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 1,498/1,506
missing *: 3/1,506

tabulation: Freq. Numeric Label
4 7 once a day
1 9 more than once a day
1,498 .
3 .c
    
```

c1_hr_N **N : Hours per week (Monday - Friday)**

```

type: numeric (float)
range: [0,5]
unique values: 3
units: 1
missing .: 1,501/1,506

tabulation: Freq. Value
              3  0
              1  1
              1  5
            1,501 .
mean: 1.2
std. dev: 2.16795

percentiles: 10% 25% 50% 75% 90%
              0  0  0  1  5
    
```

c1_min_N **N : Minutes per week (Monday - Friday)**

```

type: numeric (float)
range: [0,50]
unique values: 4
units: 1
missing .: 1,501/1,506

tabulation: Freq. Value
              1  0
              1  15
              1  38
              2  50
            1,501 .
mean: 30.6
std. dev: 22.289

percentiles: 10% 25% 50% 75% 90%
              0  15  38  50  50
    
```

c1_aa_N **N :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str3
unique values: 2
missing "": 1,501/1,506

tabulation: Freq. Value
            1,501 ""
              4  "1"
              1  "1.5"
    
```

c1_ab_N **N :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str3
unique values: 1
missing "": 1,501/1,506

tabulation: Freq. Value
            1,501 ""
              5  "day"
    
```

c1_ac_N **N :Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
    
```

range: [0,1] units: 1
 unique values: 2 missing .: 1,501/1,506

tabulation: Freq. Value
 4 0
 1 1
 1,501 .
 mean: .2
 std. dev: .447214

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

c1_ad_N N : Monday-Friday How many times per minutes (Monday - Friday)

type: numeric (double)

range: [0,10] units: .1
 unique values: 3 missing .: 1,501/1,506

tabulation: Freq. Value
 1 0
 1 7.5
 3 10
 1,501 .
 mean: 7.5
 std. dev: 4.33013

percentiles: 10% 25% 50% 75% 90%
 0 7.5 10 10 10

c1_ba_N N : People doing activity with (person 1)

type: numeric (byte)
 label: c1_ba_A

range: [3,5] units: 1
 unique values: 2 missing .: 1,501/1,506

tabulation: Freq. Numeric Label
 1 3 mother
 4 5 grandparents
 1,501 .

c1_bb_N N : People doing activity with (person 2)

type: numeric (byte)
 label: c1_ba_A

range: [1,5] units: 1
 unique values: 2 missing .: 1,504/1,506

tabulation: Freq. Numeric Label
 1 1 father
 1 5 grandparents
 1,504 .

c1_bc_N N : People doing activity with (person 3)

type: numeric (byte)
 label: c1_ba_A

range: [3,3] units: 1
 unique values: 1 missing .: 1,505/1,506
 tabulation: Freq. Numeric Label
 1 3 mother
 1,505 .

c1_ba_gen_N **Gender code (person 1)**

type: numeric (byte)
 label: **c1_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,501/1,506
 tabulation: Freq. Numeric Label
 2 1 male
 3 3 female
 1,501 .

c1_bb_gen_N **Gender code (person 2)**

type: numeric (byte)
 label: **c1_bb_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,504/1,506
 tabulation: Freq. Numeric Label
 1 1 male
 1 3 female
 1,504 .

c1_bc_gen_N **Gender code (person 3)**

type: numeric (byte)
 label: **c1_bc_gen**
 range: [3,3] units: 1
 unique values: 1 missing .: 1,505/1,506
 tabulation: Freq. Numeric Label
 1 3 female
 1,505 .

c2_code_N **N : Frequency (Saturday - Sunday)**

type: numeric (byte)
 label: **c2_code**
 range: [7,9] units: 1
 unique values: 2 missing .: 1,498/1,506
 unique missing codes: 2 missing *: 3/1,506
 tabulation: Freq. Numeric Label
 4 7 once a day
 1 9 more than once a day
 1,498 .
 3 .c

c2_hr_N **N : Hours per week (Saturday - Sunday)**


```

type: numeric (float)
range: [0,2]
unique values: 2
units: 1
missing .: 1,501/1,506

tabulation: Freq. Value
              4 0
              1 2
            1,501 .
mean: .4
std. dev: .894427

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 2
    
```

c2_min_N **N : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)
range: [0,30]
unique values: 4
units: 1
missing .: 1,501/1,506

tabulation: Freq. Value
              1 0
              1 15
              2 20
              1 30
            1,501 .
mean: 17
std. dev: 10.9545

percentiles: 10% 25% 50% 75% 90%
              0 15 20 20 30
    
```

c2_aa_N **N : Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str3
unique values: 2
missing "": 1,501/1,506

tabulation: Freq. Value
            1,501 ""
              4 "1"
              1 "1.5"
    
```

c2_ab_N **N : Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str3
unique values: 1
missing "": 1,501/1,506

tabulation: Freq. Value
            1,501 ""
              5 "day"
    
```

c2_ac_N **N : Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,1]
unique values: 2
units: 1
missing .: 1,501/1,506
    
```

```

tabulation:  Freq.  Value
              4    0
              1    1
            1,501  .
    mean:      .2
    std. dev:  .447214

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      1
    
```

c2_ad_N **N : Monday-Friday How many times per minutes (Saturday - Sunday)**

```

    type:  numeric (double)
    range:  [0,10]
unique values:  3
              units:  .1
              missing .:  1,501/1,506

    tabulation:  Freq.  Value
                  1    0
                  1   7.5
                  3   10
            1,501  .
    mean:        7.5
    std. dev:    4.33013

percentiles:  10%    25%    50%    75%    90%
              0      7.5    10     10     10
    
```

c2_ba_N **N : People doing activity with (person 1)**

```

    type:  numeric (byte)
    label:  c1_ba_A
    range:  [3,5]
unique values:  2
              units:  1
              missing .:  1,501/1,506

    tabulation:  Freq.  Numeric  Label
                  1      3  mother
                  4      5  grandparents
            1,501  .
    
```

c2_bb_N **N : People doing activity with (person 2)**

```

    type:  numeric (byte)
    label:  c1_ba_A
    range:  [1,5]
unique values:  2
              units:  1
              missing .:  1,504/1,506

    tabulation:  Freq.  Numeric  Label
                  1      1  father
                  1      5  grandparents
            1,504  .
    
```

c2_bc_N **N : People doing activity with (person 3)**

```

    type:  numeric (byte)
    label:  c1_ba_A
    range:  [3,3]
unique values:  1
              units:  1
              missing .:  1,505/1,506
    
```

```

tabulation: Freq.  Numeric  Label
              1          3  mother
            1,505          .
    
```

c2_ba_gen_N **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,501/1,506

tabulation: Freq.  Numeric  Label
              2          1  male
              3          3  female
            1,501          .
    
```

c2_bb_gen_N **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,504/1,506

tabulation: Freq.  Numeric  Label
              1          1  male
              1          3  female
            1,504          .
    
```

c2_bc_gen_N **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [3,3]
unique values: 1

units: 1
missing ..: 1,505/1,506

tabulation: Freq.  Numeric  Label
              1          3  female
            1,505          .
    
```

c3_code_N **N : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 2
unique missing codes: 2

units: 1
missing ..: 1,498/1,506
missing *: 5/1,506

tabulation: Freq.  Numeric  Label
              1          1  less than once a month
              2          5  at least once a week
            1,498          .
              5          .b
    
```

c3_hr_N **N : Hours per week (Monday - Sunday)**

```

type: numeric (float)
    
```

```

range: [0,0] units: 1
unique values: 1 missing .: 1,504/1,506

tabulation: Freq. Value
              2 0
            1,504 .
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

c3_min_N N : Minutes per week (Monday - Sunday)

```

type: numeric (float)

range: [8,10] units: 1
unique values: 2 missing .: 1,504/1,506

tabulation: Freq. Value
              1 8
              1 10
            1,504 .
mean: 9
std. dev: 1.41421

percentiles: 10% 25% 50% 75% 90%
              8 8 9 10 10
    
```

c3_aa_N N : Monday-Friday How many times (Monday - Sunday)

```

type: string (str6), but longest is str3

unique values: 2 missing "": 1,504/1,506

tabulation: Freq. Value
            1,504 ""
              1 "1"
              1 "1.5"
    
```

c3_ab_N N : Monday-Friday How many times per units (Monday - Sunday)

```

type: string (str22), but longest is str4

unique values: 1 missing "": 1,504/1,506

tabulation: Freq. Value
            1,504 ""
              2 "week"
    
```

c3_ac_N N : Monday-Friday How many times per hours (Monday - Sunday)

```

type: numeric (double)

range: [0,0] units: 1
unique values: 1 missing .: 1,504/1,506

tabulation: Freq. Value
              2 0
            1,504 .
mean: 0
std. dev: 0
    
```



```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2
units: 1
missing : 1,503/1,506

tabulation: Freq.  Numeric  Label
              1         1  male
              2         3  female
            1,503         .
    
```

c3_bb_gen_N **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [3,3]
unique values: 1
units: 1
missing : 1,504/1,506

tabulation: Freq.  Numeric  Label
              2         3  female
            1,504         .
    
```

c3_bc_gen_N **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,1]
unique values: 1
units: 1
missing : 1,505/1,506

tabulation: Freq.  Numeric  Label
              1         1  male
            1,505         .
    
```

activity_0 **Child plays computer, tablet, ipad, mobile phone (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
            1,506  ""
    
```

detail_0 **0: detail**

```

type: string (str238), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
            1,506  ""
    
```

c1_code_0 **0 : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 4
unique missing codes: 2
units: 1
missing : 0/1,506
missing *: 402/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              390      0      never
              3       5      at least once a week
              365      7      once a day
              346      9      more than once a day
              1       .a
              401      .c
    
```

c1_hr_0

O : Hours per week (Monday - Friday)

```

type: numeric (float)
range: [0,27]
unique values: 18
unique missing codes: 2
units: 1
missing .: 792/1,506
missing *: 1/1,506
    
```

```

tabulation:  Freq.  Value
              75     0
              54     1
             107     2
              23     3
               6     4
             210     5
               8     6
              58     7
              12     8
              72    10
               6    11
              32    12
              26    15
               8    17
               5    20
               5    22
               5    25
               1    27
             792     .
               1     .c
mean: 5.63675
std. dev: 4.77719
    
```

```

percentiles:  10%    25%    50%    75%    90%
               0      2      5      7     12
    
```

c1_min_0

O : Minutes per week (Monday - Friday)

```

type: numeric (float)
range: [0,63]
unique values: 26
unique missing codes: 2
units: 1
missing .: 793/1,506
missing *: 1/1,506
    
```

```

tabulation:  Freq.  Value
             311     0
               1     2
               2     3
               8     5
               3     8
               9    10
               6    13
              41    15
               4    18
              10    20
               1    23
              13    25
             201    30
               1    31
               3    34
               1    35
    
```

```

      5 38
      1 39
     23 40
      1 44
     24 45
     34 50
      1 53
      4 55
      3 56
      1 63
     793 .
      1 .c
    mean: 17.0646
  std. dev: 17.3524

  percentiles:      10%      25%      50%      75%      90%
                   0         0         15         30         40

```

cl_aa_0 O :Monday-Friday How many times (Monday - Friday)

```

  type: string (str27), but longest is str10
  unique values: 9           missing "": 792/1,506

  tabulation: Freq. Value
              792 ""
              367 "1"
               31 "1.5"
              102 "2"
               40 "2.5"
               26 "3"
               20 "3.5"
                6 "4"
                4 "4.5"
              118 "many times"

  warning: variable has embedded blanks

```

cl_ab_0 O :Monday-Friday How many times per units (Monday - Friday)

```

  type: string (str21), but longest is str4
  unique values: 3           missing "": 792/1,506

  tabulation: Freq. Value
              792 ""
              709 "day"
                1 "time"
                4 "week"

```

cl_ac_0 O :Monday-Friday How many times per hours (Monday - Friday)

```

  type: numeric (double)
  range: [0,10]           units: .1
  unique values: 10       missing .: 792/1,506
  unique missing codes: 2  missing *: 1/1,506

```



```

tabulation:  Freq.  Value
              345  0
              254  1
              22  1.5
              60  2
              9  2.5
              16  3
              1  3.5
              4  4
              1  5
              1  10
              792  .
              1  .c
mean:        .718093
std. dev:    .900481

percentiles:    10%    25%    50%    75%    90%
                  0      0      1      1      2
    
```

c1_ad_0 **0 : Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,50]
unique values: 24
unique missing codes: 2
units: .1
missing .: 792/1,506
missing *: 1/1,506
    
```

```

tabulation:  Freq.  Value
              336  0
              2  1
              3  2
              8  2.5
              4  3
              5  3.5
              2  4
              2  4.5
              23  5
              1  5.5
              14  7.5
              33  10
              25  15
              1  17.5
              28  20
              11  25
              195  30
              1  31
              5  35
              1  36
              1  37.5
              2  40
              8  45
              2  50
              792  .
              1  .c
mean:        11.9593
std. dev:    13.8534

percentiles:    10%    25%    50%    75%    90%
                  0      0      3.5    30     30
    
```

c1_ba_0 **0 : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
    
```

range: [1,13] units: 1
 unique values: 7 missing .: 792/1,506
 unique missing codes: 2 missing *: 429/1,506

tabulation:	Freq.	Numeric	Label
	32	1	father
	48	3	mother
	28	5	grandparents
	13	7	uncle/aunt
	149	9	brother/sister/cousin
	12	11	outsider
	3	13	other household member
	792	.	.
	429	.b	.b

c1_bb_0 O : People doing activity with (person 2)

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 7 missing .: 1,311/1,506
 unique missing codes: 2 missing *: 20/1,506

tabulation:	Freq.	Numeric	Label
	12	1	father
	42	3	mother
	24	5	grandparents
	9	7	uncle/aunt
	69	9	brother/sister/cousin
	17	11	outsider
	2	13	other household member
	1,311	.	.
	20	.b	.b

c1_bc_0 O : People doing activity with (person 3)

type: numeric (byte)
 label: c1_ba_A

range: [1,11] units: 1
 unique values: 6 missing .: 1,460/1,506
 unique missing codes: 2 missing *: 5/1,506

tabulation:	Freq.	Numeric	Label
	3	1	father
	11	3	mother
	7	5	grandparents
	2	7	uncle/aunt
	9	9	brother/sister/cousin
	9	11	outsider
	1,460	.	.
	5	.b	.b

c1_ba_gen_0 Gender code (person 1)

type: numeric (byte)
 label: c1_ba_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,221/1,506

```

tabulation:  Freq.  Numeric  Label
              115      1  male
              170      3  female
              1,221      .
    
```

c1_bb_gen_0 **Gender code (person 2)**

```

type:  numeric (byte)
label:  c1_bb_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,331/1,506

tabulation:  Freq.  Numeric  Label
              70      1  male
              105      3  female
              1,331      .
    
```

c1_bc_gen_0 **Gender code (person 3)**

```

type:  numeric (byte)
label:  c1_bc_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,465/1,506

tabulation:  Freq.  Numeric  Label
              13      1  male
              28      3  female
              1,465      .
    
```

c2_code_0 **0 : Frequency (Saturday - Sunday)**

```

type:  numeric (byte)
label:  c2_code

range:  [0,9]
unique values:  3
unique missing codes:  2

units:  1
missing .:  0/1,506
missing *:  402/1,506

tabulation:  Freq.  Numeric  Label
              376      0  never
              311      7  once a day
              417      9  more than once a day
              1        .a
              401      .c
    
```

c2_hr_0 **0 : Hours per week (Saturday - Sunday)**

```

type:  numeric (float)

range:  [0,21]
unique values:  16
unique missing codes:  2

units:  1
missing .:  778/1,506
missing *:  1/1,506
    
```

```

tabulation:  Freq.  Value
              123    0
              122    1
              191    2
               62    3
              100    4
               39    5
               41    6
               13    7
               13    8
                7    9
                8   10
                2   11
                1   12
                3   15
                1   17
                1   21
              778    .
              1    .c
    mean:     2.73177
  std. dev:  2.54348

percentiles:      10%      25%      50%      75%      90%
                  0         1         2         4         6
    
```

c2_min_0

0 : Minutes per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,55]
unique values: 26
unique missing codes: 2
units: 1
missing .: 779/1,506
missing *: 1/1,506
    
```

```

tabulation:  Freq.  Value
              527    0
                1    2
                3    4
                7    5
                3    6
                3    7
                3    8
                1    9
               17   10
                1   12
                1   13
                1   14
               10   15
                2   18
               38   20
                1   22
                1   23
                5   25
                1   28
               62   30
                4   38
               27   40
                1   42
                1   45
                4   50
                1   55
              779    .
              1    .c
    mean:     6.76033
  std. dev:  12.5613

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         8        30
    
```

c2_aa_0 **O :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str10
unique values: 10 missing "": 778/1,506
tabulation: Freq. Value
              778 ""
              312 "1"
               28 "1.5"
              114 "2"
               50 "2.5"
               28 "3"
               26 "3.5"
                5 "4"
                6 "4.5"
                1 "6"
              158 "many times"
warning: variable has embedded blanks
    
```

c2_ab_0 **O :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 3 missing "": 778/1,506
tabulation: Freq. Value
              778 ""
              725 "day"
                1 "time"
                2 "week"
    
```

c2_ac_0 **O :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,10] units: .1
unique values: 13 missing .: 778/1,506
unique missing codes: 2 missing *: 1/1,506
tabulation: Freq. Value
              323 0
              245 1
               20 1.5
               71 2
               16 2.5
               29 3
                4 3.5
                9 4
                2 4.5
                3 5
                2 5.5
                2 7
                1 10
              778 .
                1 .c
mean: .898212
std. dev: 1.12293
percentiles: 10% 25% 50% 75% 90%
              0 0 1 1 2
    
```

c2_ad_0 O :Monday-Friday How many times per minutes (Saturday - Sunday)

type: numeric (double)

range: [0,45] units: .1
unique values: 22 missing.: 778/1,506
unique missing codes: 2 missing*: 1/1,506

tabulation:	Freq.	Value			
	368	0			
	2	1			
	3	2			
	9	2.5			
	4	3			
	6	3.5			
	1	4			
	2	4.5			
	22	5			
	1	5.5			
	13	7.5			
	31	10			
	1	14.2			
	21	15			
	29	20			
	9	25			
	194	30			
	2	35			
	1	36			
	1	37.5			
	1	40			
	6	45			
	778	.			
	1	.c			
mean:		11.014			
std. dev:		13.4896			
percentiles:	10%	25%	50%	75%	90%
	0	0	0	30	30

c2_ba_0 O : People doing activity with (person 1)

type: numeric (byte)

label: c1_ba_A

range: [1,13] units: 1
unique values: 7 missing.: 778/1,506
unique missing codes: 2 missing*: 433/1,506

tabulation:	Freq.	Numeric	Label
	33	1	father
	49	3	mother
	27	5	grandparents
	12	7	uncle/aunt
	156	9	brother/sister/cousin
	14	11	outsider
	4	13	other household member
	778	.	.
	433	.b	.b

c2_bb_0 O : People doing activity with (person 2)

type: numeric (byte)

label: c1_ba_A

range: [1,13] units: 1
 unique values: 7 missing .: 1,309/1,506
 unique missing codes: 2 missing *: 20/1,506

tabulation:	Freq.	Numeric	Label
	14	1	father
	41	3	mother
	24	5	grandparents
	9	7	uncle/aunt
	69	9	brother/sister/cousin
	18	11	outsider
	2	13	other household member
	1,309	.	
	20	.b	

c2_bc_0 **0 : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**

range: [1,11] units: 1
 unique values: 6 missing .: 1,460/1,506
 unique missing codes: 2 missing *: 5/1,506

tabulation:	Freq.	Numeric	Label
	3	1	father
	12	3	mother
	7	5	grandparents
	2	7	uncle/aunt
	8	9	brother/sister/cousin
	9	11	outsider
	1,460	.	
	5	.b	

c2_ba_gen_0 **Gender code (person 1)**

type: numeric (byte)
 label: **c2_ba_gen**

range: [1,3] units: 1
 unique values: 2 missing .: 1,211/1,506

tabulation:	Freq.	Numeric	Label
	123	1	male
	172	3	female
	1,211	.	

c2_bb_gen_0 **Gender code (person 2)**

type: numeric (byte)
 label: **c2_bb_gen**

range: [1,3] units: 1
 unique values: 2 missing .: 1,329/1,506

tabulation:	Freq.	Numeric	Label
	73	1	male
	104	3	female
	1,329	.	

c2_bc_gen_0 **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,465/1,506

tabulation: Freq. Numeric Label
              13      1 male
              28      3 female
              1,465      .
    
```

c3_code_0 **O : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 3
unique missing codes: 3
units: 1
missing ..: 0/1,506
missing *: 1,107/1,506

tabulation: Freq. Numeric Label
              1      1 less than once a month
              51     3 at least once a month
              347    5 at least once a week
              1      .a
              1,105 .b
              1      .c
    
```

c3_hr_0 **O : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,9]
unique values: 10
units: 1
missing ..: 1,158/1,506

tabulation: Freq. Value
              142  0
              98  1
              45  2
              33  3
              17  4
              6   5
              3   6
              2   7
              1   8
              1   9
              1,158 .
mean: 1.24713
std. dev: 1.52477

percentiles: 10% 25% 50% 75% 90%
              0   0   1   2   3
    
```

c3_min_0 **O : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,56]
unique values: 30
units: 1
missing ..: 1,158/1,506
    
```



```

tabulation:  Freq.  Value
              109   0
               3   3
               2   4
               6   5
               1   6
               1   7
               4   8
               1   9
               9  10
               4  11
               6  13
               1  14
              25  15
               2  19
              14  20
               4  23
               5  25
               1  26
              93  30
               2  31
               1  33
               6  35
               2  38
              10  40
               1  44
              19  45
               1  49
               8  50
               6  53
               1  56
              1,158 .
           mean: 18.8391
          std. dev: 16.4002

```

```

percentiles:    10%      25%      50%      75%      90%
                  0        0       19.5      30       45

```

c3_aa_0 O :Monday-Friday How many times (Monday - Sunday)

```

type: string (str6), but longest is str3
unique values: 12                 missing "": 1,158/1,506

```

```

tabulation:  Freq.  Value
              1,158  ""
               70  "1"
                2  "1.2"
               37  "1.5"
                1  "1.6"
               61  "2"
               48  "2.5"
               60  "3"
               25  "3.5"
               23  "4"
                9  "4.5"
               11  "5"
                1  "5.5"

```

c3_ab_0 O :Monday-Friday How many times per units (Monday - Sunday)

```

type: string (str22), but longest is str4
unique values: 1                 missing "": 1,158/1,506

```

```
tabulation: Freq. Value
            1,158 ""
            348 "week"
```

c3_ac_0 O : Monday-Friday How many times per hours (Monday - Sunday)

```
type: numeric (double)
range: [0,5] units: .1
unique values: 8 missing .: 1,158/1,506
```

```
tabulation: Freq. Value
            215 0
            102 1
             11 1.5
             14 2
              3 2.5
              1 3
              1 3.5
              1 5
            1,158 .
mean: .475575
std. dev: .697964
```

```
percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 1
```

c3_ad_0 O : Monday-Friday How many times per minutes (Monday - Sunday)

```
type: numeric (double)
range: [0,49] units: .1
unique values: 19 missing .: 1,283/1,506
```

```
tabulation: Freq. Value
            4 0
            1 1
            2 1.5
            3 2
            3 3
            2 3.5
            4 4.5
            14 5
            8 7.5
            38 10
            5 12.5
            18 15
            2 17.5
            24 20
            2 25
            90 30
            1 35
            1 45
            1 49
            1,283 .
mean: 19.1951
std. dev: 10.7239
```

```
percentiles: 10% 25% 50% 75% 90%
              5 10 20 30 30
```

c3_ba_0 O : People doing activity with (person 1)

```
type: numeric (byte)
label: c1_ba_A
```

range: [1,13] units: 1
 unique values: 7 missing .: 1,106/1,506
 unique missing codes: 2 missing *: 164/1,506

tabulation:	Freq.	Numeric	Label
	32	1	father
	48	3	mother
	24	5	grandparents
	13	7	uncle/aunt
	109	9	brother/sister/cousin
	9	11	outsider
	1	13	other household member
	1,106	.	.
	164	.b	.b

c3_bb_0 O : People doing activity with (person 2)

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 7 missing .: 1,389/1,506
 unique missing codes: 2 missing *: 7/1,506

tabulation:	Freq.	Numeric	Label
	8	1	father
	25	3	mother
	5	5	grandparents
	1	7	uncle/aunt
	65	9	brother/sister/cousin
	5	11	outsider
	1	13	other household member
	1,389	.	.
	7	.b	.b

c3_bc_0 O : People doing activity with (person 3)

type: numeric (byte)
 label: c1_ba_A

range: [1,11] units: 1
 unique values: 6 missing .: 1,490/1,506
 unique missing codes: 2 missing *: 1/1,506

tabulation:	Freq.	Numeric	Label
	1	1	father
	4	3	mother
	1	5	grandparents
	1	7	uncle/aunt
	6	9	brother/sister/cousin
	2	11	outsider
	1,490	.	.
	1	.b	.b

c3_ba_gen_0 Gender code (person 1)

type: numeric (byte)
 label: c3_ba_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,269/1,506

```

tabulation:  Freq.  Numeric  Label
              105      1  male
              132      3  female
              1,269      .
    
```

c3_bb_gen_0 **Gender code (person 2)**

```

type:  numeric (byte)
label:  c3_bb_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,395/1,506

tabulation:  Freq.  Numeric  Label
              38      1  male
              73      3  female
              1,395      .
    
```

c3_bc_gen_0 **Gender code (person 3)**

```

type:  numeric (byte)
label:  c3_bc_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,490/1,506

tabulation:  Freq.  Numeric  Label
              7      1  male
              9      3  female
              1,490      .
    
```

activity_P **Child watches TV (not display)**

```

type:  string (str147), but longest is str0
unique values:  0
missing "":  1,506/1,506

tabulation:  Freq.  Value
              1,506  ""
    
```

detail_P **Identify frequent activities (not display)**

```

type:  string (str238), but longest is str0
unique values:  0
missing "":  1,506/1,506

tabulation:  Freq.  Value
              1,506  ""
    
```

c1_code_P **P : Frequency (Monday - Friday)**

```

type:  numeric (byte)
label:  c1_code

range:  [0,9]
unique values:  3
unique missing codes:  2

units:  1
missing .:  0/1,506
missing *:  115/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              152      0      never
              867      7      once a day
              372      9      more than once a day
              1       .a
              114      .c
    
```

c1_hr_P

P : Hours per week (Monday - Friday)

```

type: numeric (double)
range: [0,50]          units: 1
unique values: 25      missing .: 0/1,506
    
```

```

tabulation:  Freq.  Value
              347    0
              45     1
              175    2
              24     3
               4     4
              454    5
               3     6
              80     7
               1     9
              214   10
               1    11
              26    12
              66    15
               2    16
              12    17
               3    18
              28    20
               8    22
               4    25
               1    27
               2    30
               2    32
               1    35
               2    37
               1    50
    
```

```

mean: 5.46414
std. dev: 5.48017
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        1        5        7        12
    
```

c1_min_P

P : Minutes per week (Monday - Friday)

```

type: numeric (double)
range: [0,56]          units: 1
unique values: 23      missing .: 0/1,506
    
```

```

tabulation:  Freq.  Value
              1,029  0
               1     3
              12     5
               1     8
               4    10
               4    13
              25    15
               2    18
              13    20
               2    23
              18    25
               1    26
               1    28
              288   30
    
```

```

          1 35
          1 36
          7 38
         28 40
         15 45
         44 50
          2 53
          6 55
          1 56
    mean:   9.85923
  std. dev: 15.5563

percentiles:    10%    25%    50%    75%    90%
                0      0      0      30     30
    
```

c1_aa_P **P :Monday-Friday How many times (Monday - Friday)**

```

    type: string (str27), but longest is str10
  unique values: 8          missing "": 267/1,506

  tabulation: Freq. Value
              267 ""
              867 "1"
               19 "1.5"
              272 "2"
               13 "2.5"
               14 "3"
                5 "3.5"
                1 "4"
               48 "many times"

  warning: variable has embedded blanks
    
```

c1_ab_P **P :Monday-Friday How many times per units (Monday - Friday)**

```

    type: string (str21), but longest is str3
  unique values: 1          missing "": 267/1,506

  tabulation: Freq. Value
              267 ""
             1,239 "day"
    
```

c1_ac_P **P :Monday-Friday How many times per hours (Monday - Friday)**

```

    type: numeric (double)
  range: [0,10]          units: .1
  unique values: 11      missing .: 267/1,506

  tabulation: Freq. Value
              419 0
              546 1
               27 1.5
              168 2
               11 2.5
               52 3
                3 3.5
                9 4
                2 5
                1 6
                1 10
              267 .
    mean:     .95117
  std. dev:   .925887
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 1 1 2

c1_ad_P P : Monday-Friday How many times per minutes (Monday - Friday)

type: numeric (double)
 range: [0,50] units: .1
 unique values: 24 missing .: 267/1,506

tabulation: Freq. Value
 732 0
 1 1
 1 1.5
 2 2
 3 2.5
 3 3
 4 3.5
 1 4.5
 26 5
 1 5.5
 11 7.5
 41 10
 27 15
 2 17.5
 40 20
 1 22.5
 15 25
 279 30
 1 32.5
 1 33
 6 35
 1 37.5
 38 45
 2 50
 267 .

mean: 10.3309
 std. dev: 14.2051

percentiles: 10% 25% 50% 75% 90%
 0 0 0 30 30

c1_ba_P P : People doing activity with (person 1)

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 266/1,506
 unique missing codes: 2 missing *: 98/1,506

tabulation: Freq. Numeric Label
 180 1 father
 115 3 mother
 492 5 grandparents
 23 7 uncle/aunt
 275 9 brother/sister/cousin
 11 11 outsider
 46 13 other household member
 266 .
 98 .b

c1_bb_P P : People doing activity with (person 2)

```

type: numeric (byte)
label: c1_ba_A
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing ..: 489/1,506
missing *: 14/1,506

```

tabulation:	Freq.	Numeric	Label
	60	1	father
	205	3	mother
	430	5	grandparents
	34	7	uncle/aunt
	217	9	brother/sister/cousin
	16	11	outsider
	41	13	other household member
	489	.	
	14	.b	

c1_bc_P **P : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing ..: 947/1,506
missing *: 11/1,506

```

tabulation:	Freq.	Numeric	Label
	21	1	father
	71	3	mother
	117	5	grandparents
	47	7	uncle/aunt
	262	9	brother/sister/cousin
	6	11	outsider
	24	13	other household member
	947	.	
	11	.b	

c1_ba_gen_P **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen
range: [1,3]
unique values: 2
units: 1
missing ..: 364/1,506

```

tabulation:	Freq.	Numeric	Label
	595	1	male
	547	3	female
	364	.	

c1_bb_gen_P **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen
range: [1,3]
unique values: 2
units: 1
missing ..: 503/1,506

```

tabulation:	Freq.	Numeric	Label
	278	1	male
	725	3	female
	503	.	

c1_bc_gen_P **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 958/1,506

tabulation: Freq.  Numeric  Label
              226      1  male
              322      3  female
              958      .
    
```

c2_code_P **P : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 3
unique missing codes: 2
units: 1
missing ..: 0/1,506
missing *: 117/1,506

tabulation: Freq.  Numeric  Label
              119      0  never
              673      7  once a day
              597      9  more than once a day
               1      .a
              116      .c
    
```

c2_hr_P **P : Hours per week (Saturday - Sunday)**

```

type: numeric (double)

range: [0,28]
unique values: 22
units: 1
missing ..: 0/1,506

tabulation: Freq.  Value
              354  0
              160  1
              357  2
               68  3
              253  4
               37  5
              103  6
               22  7
               64  8
               19  9
               20 10
                 2 11
               18 12
                 4 13
                 6 14
                 2 15
                 4 16
                 2 17
                 4 18
                 3 20
                 3 22
                 1 28

mean: 3.09296
std. dev: 3.32682

percentiles:      10%      25%      50%      75%      90%
                  0         1         2         4         8
    
```

c2_min_P **P : Minutes per week (Saturday - Sunday)**

```

type: numeric (byte)
range: [0,55]
unique values: 20
units: 1
missing .: 0/1,506

tabulation:
  Freq. Value
  1,330  0
    1    2
    2    3
    2    4
    5    5
    3    6
    2    7
    1    8
   24   10
    1   14
    7   15
   48   20
    1   23
    2   25
   37   30
   26   40
    3   45
    9   50
    1   52
    1   55

mean: 2.86521
std. dev: 9.01971

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      10
    
```

c2_aa_P **P :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str10
unique values: 10
missing "": 237/1,506

tabulation:
  Freq. Value
  237 ""
  675 "1"
   23 "1.5"
  390 "2"
   23 "2.5"
   32 "3"
    8 "3.5"
    3 "4"
    1 "4.5"
    1 "5.5"
  113 "many times"

warning: variable has embedded blanks
    
```

c2_ab_P **P :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str3
unique values: 1
missing "": 237/1,506

tabulation:
  Freq. Value
  237 ""
  1,269 "day"
    
```

c2_ac_P **P :Monday-Friday How many times per hours (Saturday - Sunday)**

type: numeric (double)
 range: [0,14] units: .1
 unique values: 18 missing .: 237/1,506

tabulation: Freq. Value
 359 0
 544 1
 29 1.5
 193 2
 11 2.5
 78 3
 4 3.5
 16 4
 4 4.5
 13 5
 4 6
 2 6.5
 2 7
 2 8
 3 9
 3 10
 1 11
 1 14
 237 .
 mean: 1.21749
 std. dev: 1.34577

percentiles: 10% 25% 50% 75% 90%
 0 0 1 2 3

c2_ad_P **P :Monday-Friday How many times per minutes (Saturday - Sunday)**

type: numeric (double)
 range: [0,45] units: .1
 unique values: 23 missing .: 237/1,506

tabulation: Freq. Value
 791 0
 3 1
 1 1.5
 2 2
 3 2.5
 3 3
 3 3.5
 23 5
 10 7.5
 40 10
 37 15
 3 17.5
 34 20
 14 25
 260 30
 2 32.5
 2 35
 1 36
 1 37.5
 4 40
 1 42.5
 1 43
 30 45
 237 .
 mean: 9.35146
 std. dev: 13.6981

percentiles:	10%	25%	50%	75%	90%
	0	0	0	20	30

c2_ba_P **P : People doing activity with (person 1)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [1,13]              units: 1
    unique values: 7             missing .: 235/1,506
  unique missing codes: 2       missing *: 109/1,506

```

tabulation:	Freq.	Numeric	Label
	181	1	father
	118	3	mother
	490	5	grandparents
	25	7	uncle/aunt
	289	9	brother/sister/cousin
	13	11	outsider
	46	13	other household member
	235	.	.
	109	.b	.b

c2_bb_P **P : People doing activity with (person 2)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [1,13]              units: 1
    unique values: 7             missing .: 480/1,506
  unique missing codes: 2       missing *: 14/1,506

```

tabulation:	Freq.	Numeric	Label
	59	1	father
	205	3	mother
	429	5	grandparents
	35	7	uncle/aunt
	223	9	brother/sister/cousin
	22	11	outsider
	39	13	other household member
	480	.	.
	14	.b	.b

c2_bc_P **P : People doing activity with (person 3)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [1,13]              units: 1
    unique values: 7             missing .: 945/1,506
  unique missing codes: 2       missing *: 12/1,506

```

tabulation:	Freq.	Numeric	Label
	23	1	father
	71	3	mother
	118	5	grandparents
	46	7	uncle/aunt
	259	9	brother/sister/cousin
	9	11	outsider
	23	13	other household member
	945	.	.
	12	.b	.b

c2_ba_gen_P **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 344/1,506

tabulation: Freq.   Numeric   Label
              605         1   male
              557         3   female
              344         .
    
```

c2_bb_gen_P **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 494/1,506

tabulation: Freq.   Numeric   Label
              276         1   male
              736         3   female
              494         .
    
```

c2_bc_gen_P **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 957/1,506

tabulation: Freq.   Numeric   Label
              227         1   male
              322         3   female
              957         .
    
```

c3_code_P **P : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,7]
unique values: 3
unique missing codes: 3

units: 1
missing ..: 0/1,506
missing *: 1,393/1,506

tabulation: Freq.   Numeric   Label
              6         3   at least once a month
             106         5   at least once a week
              1         7   once a day
              1         .a
            1,391         .b
              1         .c
    
```

c3_hr_P **P : Hours per week (Monday - Sunday)**

```

type: numeric (double)
    
```

```

range: [0,7] units: 1
unique values: 8 missing : 0/1,506

tabulation: Freq. Value
1,445 0
28 1
11 2
12 3
4 4
2 5
1 6
3 7
mean: .092297
std. dev: .555355

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0

```

c3_min_P P : Minutes per week (Monday - Sunday)

```

type: numeric (byte)
range: [0,53] units: 1
unique values: 17 missing : 0/1,506

tabulation: Freq. Value
1,430 0
3 3
2 4
2 5
1 6
1 8
5 10
1 11
1 15
5 20
1 23
33 30
2 38
8 40
7 45
2 50
2 53
mean: 1.42563
std. dev: 6.85416

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0

```

c3_aa_P P :Monday-Friday How many times (Monday - Sunday)

```

type: string (str6), but longest is str3
unique values: 11 missing "": 1,399/1,506

tabulation: Freq. Value
1,399 ""
16 "1"
6 "1.5"
1 "1.6"
25 "2"
12 "2.5"
21 "3"
10 "3.5"
7 "4"
3 "4.5"
5 "5"
1 "6"

```

c3_ab_P **P :Monday-Friday How many times per units (Monday - Sunday)**

type: string (**str22**), but longest is str4
 unique values: 2 missing "": 1,399/1,506
 tabulation: Freq. Value
 1,399 ""
 1 "day"
 106 "week"

c3_ac_P **P :Monday-Friday How many times per hours (Monday - Sunday)**

type: numeric (**double**)
 range: [0,2.5] units: .1
 unique values: 5 missing .: 1,400/1,506
 tabulation: Freq. Value
 70 0
 30 1
 4 1.5
 1 2
 1 2.5
 1,400 .
 mean: .382075
 std. dev: .567165
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 1

c3_ad_P **P :Monday-Friday How many times per minutes (Monday - Sunday)**

type: numeric (**double**)
 range: [0,45] units: .1
 unique values: 13 missing .: 1,433/1,506
 tabulation: Freq. Value
 3 0
 3 2
 2 2.5
 2 3
 1 4.5
 4 5
 1 7.5
 9 10
 5 15
 16 20
 3 25
 23 30
 1 45
 1,433 .
 mean: 18.411
 std. dev: 10.8651
 percentiles: 10% 25% 50% 75% 90%
 2.5 10 20 30 30

c3_ba_P **P : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,393/1,506
missing *: 10/1,506

```

tabulation:	Freq.	Numeric	Label
	18	1	father
	21	3	mother
	32	5	grandparents
	26	9	brother/sister/cousin
	2	11	outsider
	4	13	other household member
	1,393	.	
	10	.b	

c3_bb_P

P : People doing activity with (person 2)

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,437/1,506
missing *: 1/1,506

```

tabulation:	Freq.	Numeric	Label
	6	1	father
	18	3	mother
	24	5	grandparents
	2	7	uncle/aunt
	13	9	brother/sister/cousin
	3	11	outsider
	2	13	other household member
	1,437	.	
	1	.b	

c3_bc_P

P : People doing activity with (person 3)

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7

units: 1
missing .: 1,467/1,506

```

tabulation:	Freq.	Numeric	Label
	2	1	father
	5	3	mother
	11	5	grandparents
	1	7	uncle/aunt
	15	9	brother/sister/cousin
	3	11	outsider
	2	13	other household member
	1,467	.	

c3_ba_gen_P

Gender code (person 1)

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,403/1,506

```



```

tabulation:  Freq.  Numeric  Label
              46      1  male
              57      3  female
              1,403    .
    
```

c3_bb_gen_P **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,438/1,506

tabulation:  Freq.  Numeric  Label
              22      1  male
              46      3  female
              1,438    .
    
```

c3_bc_gen_P **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,467/1,506

tabulation:  Freq.  Numeric  Label
              12      1  male
              27      3  female
              1,467    .
    
```

activity_H **Go to temple, library, zoo and museum (not display)**

```

type: string (str97), but longest is str0

unique values: 0      missing "": 1,506/1,506

tabulation:  Freq.  Value
              1,506  ""
    
```

detail_H **H: detail**

```

type: string (str1), but longest is str0

unique values: 0      missing "": 1,506/1,506

tabulation:  Freq.  Value
              1,506  ""
    
```

c1b_code_H **H : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1b_code

range: [0,7]          units: 1
unique values: 2      missing .: 0/1,506
unique missing codes: 1  missing *: 1,160/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              329      0      never
              17      7      once a day
              1,160    .c
    
```

clb_hr_H **H : Hours per week (Monday - Friday)**

```

type: numeric (float)
range: [1,10] units: 1
unique values: 4 missing .: 1,489/1,506

tabulation:  Freq.  Value
              1      1
              6      2
              9      5
              1     10
            1,489    .
mean:        4
std. dev:    2.20794

percentiles: 10%    25%    50%    75%    90%
              2      2      5      5      5
    
```

clb_min_H **H : Minutes per week (Monday - Friday)**

```

type: numeric (float)
range: [0,30] units: 1
unique values: 3 missing .: 1,489/1,506

tabulation:  Freq.  Value
              10     0
              1     15
              6     30
            1,489    .
mean:        11.4706
std. dev:    14.5521

percentiles: 10%    25%    50%    75%    90%
              0      0      0     30     30
    
```

clb_aa_H **H :Monday-Friday How many times (Monday - Friday)**

```

type: string (str1)
unique values: 1 missing "": 1,489/1,506

tabulation:  Freq.  Value
            1,489    ""
              17    "1"
    
```

clb_ab_H **H :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str9), but longest is str3
unique values: 1 missing "": 1,489/1,506

tabulation:  Freq.  Value
            1,489    ""
              17    "day"
    
```

clb_ac_H **H :Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [0,2] units: 1
unique values: 3 missing .: 1,489/1,506

tabulation: Freq. Value
              7 0
              9 1
              1 2
            1,489 .
mean: .647059
std. dev: .606339

percentiles:      10%      25%      50%      75%      90%
                  0         0         1         1         1
    
```

clb_ad_H **H :Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (byte)
range: [0,30] units: 1
unique values: 3 missing .: 1,489/1,506

tabulation: Freq. Value
              10 0
               1 15
               6 30
            1,489 .
mean: 11.4706
std. dev: 14.5521

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         30         30
    
```

clb_ba_H **H : People doing activity with (person 1)**

```

type: numeric (byte)
label: clb_ba
range: [3,13] units: 1
unique values: 4 missing .: 1,489/1,506

tabulation: Freq. Numeric Label
              3         3 mother
              7         5 grandparents
               1        11 outside-household-person
               6        13 other household member
            1,489         .
    
```

clb_bb_H **H : People doing activity with (person 2)**

```

type: numeric (byte)
label: c2b_bb
range: [5,9] units: 1
unique values: 2 missing .: 1,502/1,506

tabulation: Freq. Numeric Label
              1         5 grandparents
              3         9 brother/sister/cousin
            1,502         .
    
```

c1b_bc_H **H : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1b_bc

range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq.   Numeric   Label
              1,506           .
    
```

c1b_ba_gen_H **Gender code (person 1)**

```

type: numeric (byte)
label: c1b_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,489/1,506

tabulation: Freq.   Numeric   Label
              4         1   male
              13        3   female
            1,489           .
    
```

c1b_bb_gen_H **Gender code (person 2)**

```

type: numeric (byte)
label: c1b_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,502/1,506

tabulation: Freq.   Numeric   Label
              2         1   male
              2         3   female
            1,502           .
    
```

c1b_bc_gen_H **Gender code (person 3)**

```

type: numeric (byte)
label: c1b_bc_gen

range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq.   Numeric   Label
              1,506           .
    
```

c2b_code_H **H : Frequency (Saturday - Sunday)**

```

type: numeric (byte)

range: [0,9]
unique values: 5
unique missing codes: 1
units: 1
missing ..: 0/1,506
missing *: 1,160/1,506
    
```

```

tabulation: Freq. Value
             296 0
              1 3
              4 5
             42 7
              3 9
            1,160 .c
      mean:   .99422
    std. dev: 2.4483

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         7
    
```

c2b_hr_H **H : Hours per week (Saturday - Sunday)**

```

      type: numeric (float)
      range: [0,8]
unique values: 7
             units: 1
             missing .. 1,457/1,506

tabulation: Freq. Value
             3 0
            15 1
            27 2
              1 3
              1 4
              1 6
              1 8
            1,457 .
      mean:   1.83673
    std. dev: 1.31255

percentiles:      10%      25%      50%      75%      90%
                  1         1         2         2         2
    
```

c2b_min_H **H : Minutes per week (Saturday - Sunday)**

```

      type: numeric (float)
      range: [0,30]
unique values: 4
             units: 1
             missing .. 1,457/1,506

tabulation: Freq. Value
             45 0
              1 7
              1 20
              2 30
            1,457 .
      mean:   1.77551
    std. dev: 6.60576

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

c2b_aa_H **H : Monday-Friday How many times (Saturday - Sunday)**

```

      type: string (str6), but longest is str3
unique values: 3
             missing "": 1,457/1,506

tabulation: Freq. Value
            1,457 ""
              46 "1"
               1 "1.5"
               2 "2"
    
```

c2b_ab_H H :Monday-Friday How many times per units (Saturday - Sunday)

type: string (str21), but longest is str4
 unique values: 2 missing "": 1,457/1,506
 tabulation: Freq. Value
 1,457 ""
 45 "day"
 4 "week"

c2b_ac_H H :Monday-Friday How many times per hours (Saturday - Sunday)

type: numeric (double)
 range: [0,3] units: .1
 unique values: 5 missing .: 1,457/1,506
 tabulation: Freq. Value
 15 0
 30 1
 1 1.5
 2 2
 1 3
 1,457 .
 mean: .785714
 std. dev: .629153
 percentiles: 10% 25% 50% 75% 90%
 0 0 1 1 1

c2b_ad_H H :Monday-Friday How many times per minutes (Saturday - Sunday)

type: numeric (double)
 range: [0,30] units: .1
 unique values: 5 missing .: 1,457/1,506
 tabulation: Freq. Value
 34 0
 1 3.5
 1 10
 1 15
 12 30
 1,457 .
 mean: 7.92857
 std. dev: 12.9559
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 15 30

c2b_ba_H H : People doing activity with (person 1)

type: numeric (byte)
 label: c2b_ba
 range: [3,13] units: 1
 unique values: 6 missing .: 1,456/1,506

```

tabulation:  Freq.  Numeric  Label
              9      3  mother
              30     5  grandparents
              1      7  uncle/aunt
              2      9  brother/sister/cousin
              2     11  outside-household-person
              6     13  other household member
            1,456      .
    
```

c2b_bb_H **H : People doing activity with (person 2)**

```

      type: numeric (byte)
      label: c2b_bb

      range: [3,13]          units: 1
unique values: 5          missing .: 1,488/1,506

      tabulation:  Freq.  Numeric  Label
                   2      3  mother
                   3      5  grandparents
                   10     9  brother/sister/cousin
                   1     11  outside-household-person
                   2     13  other household member
                1,488      .
    
```

c2b_bc_H **H : People doing activity with (person 3)**

```

      type: numeric (byte)
      label: c2b_bc

      range: [3,9]          units: 1
unique values: 2          missing .: 1,504/1,506

      tabulation:  Freq.  Numeric  Label
                   1      3  mother
                   1      9  brother/sister/cousin
                1,504      .
    
```

c2b_ba_gen_H **Gender code (person 1)**

```

      type: numeric (byte)
      label: c2b_ba_gen

      range: [1,3]          units: 1
unique values: 2          missing .: 1,456/1,506

      tabulation:  Freq.  Numeric  Label
                   6      1  male
                   44     3  female
                1,456      .
    
```

c2b_bb_gen_H **Gender code (person 2)**

```

      type: numeric (byte)
      label: c2b_bb_gen

      range: [1,3]          units: 1
unique values: 2          missing .: 1,488/1,506

      tabulation:  Freq.  Numeric  Label
                   3      1  male
                   15     3  female
                1,488      .
    
```

c2b_bc_gen_H **Gender code (person 3)**

```

type: numeric (byte)
label: c2b_bc_gen

range: [3,3]
unique values: 1
units: 1
missing .. 1,504/1,506

tabulation: Freq.   Numeric   Label
              2         3   female
              1,504       .
    
```

c3b_code_H **H : Frequency (Monday - Sunday)**

```

type: numeric (byte)

range: [1,5]
unique values: 3
unique missing codes: 1
units: 1
missing .. 0/1,506
missing *: 344/1,506

tabulation: Freq.   Value
              417     1
              496     3
              249     5
              344     .b
mean:        2.71084
std. dev:    1.48691

percentiles:    10%     25%     50%     75%     90%
                  1         1         3         3         5
    
```

c3b_hr_H **H : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,6]
unique values: 8
units: .1
missing .. 1,257/1,506

tabulation: Freq.   Value
              57     0
              146     1
              33     2
               5     3
               3     4
               1     4.5999999
               3     5
               1     6
              1,257 .
mean:        1.06265
std. dev:    .946093

percentiles:    10%     25%     50%     75%     90%
                  0         1         1         1         2
    
```

c3b_min_H **H : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,56]
unique values: 13
units: 1
missing .. 1,257/1,506
    
```



```

tabulation:  Freq.  Value
              151    0
              1     6
              1     8
              2    10
              7    15
              1    18
              5    20
              1    25
             59    30
              1    38
             18    45
              1    50
              1    56
             1,257  .
    mean:      12.0723
    std. dev:  16.2099

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         30         30
    
```

c3b_aa_H **H :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 11          missing "": 1,257/1,506

tabulation:  Freq.  Value
             1,257  ""
             172   "1"
              16  "1.5"
              28  "2"
              14  "2.5"
               4  "3"
               7  "3.5"
               2  "4"
               2  "4.5"
               1  "4.6"
               1  "5"
               2  "5.5"
    
```

c3b_ab_H **H :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 1          missing "": 1,257/1,506

tabulation:  Freq.  Value
             1,257  ""
             249  "week"
    
```

c3b_ac_H **H :Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,5]          units: .1
unique values: 8      missing .: 1,257/1,506
    
```

```

tabulation:  Freq.  Value
              77  0
              153  1
              9  1.5
              5  2
              2  3
              1  4.5
              1  4.6
              1  5
            1,257  .
    mean:    .789558
    std. dev: .702624

percentiles:    10%    25%    50%    75%    90%
                0      0      1      1      1
    
```

c3b_ad_H **H : Monday-Friday How many times per minutes (Monday - Sunday)**

```

type: numeric (double)
range: [0,50]
unique values: 13
units: .1
missing .: 1,257/1,506
    
```

```

tabulation:  Freq.  Value
              169  0
              1  6
              1  7.5
              5  10
              2  15
              1  17.5
              5  20
              1  22.5
              1  25
              60  30
              1  35
              1  45
              1  50
            1,257  .
    mean:    8.78916
    std. dev: 13.4696

percentiles:    10%    25%    50%    75%    90%
                0      0      0      30     30
    
```

c3b_ba_H **H : People doing activity with (person 1)**

```

type: numeric (byte)
label: c3b_ba
range: [1,13]
unique values: 7
units: 1
missing .: 344/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              185      1  father
              257      3  mother
              603      5  grandparents
              31       7  uncle/aunt
              39       9  brother/sister/cousin
              11      11  outside-household-person
              36      13  other household member
              344      .
    
```

c3b_bb_H **H : People doing activity with (person 2)**

```

type: numeric (byte)
label: c3b_bb

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing ..: 835/1,506
missing *: 1/1,506
    
```

tabulation:	Freq.	Numeric	Label
	52	1	father
	223	3	mother
	173	5	grandparents
	41	7	uncle/aunt
	157	9	brother/sister/cousin
	9	11	outside-household-person
	15	13	other household member
	835	.	.
	1	.b	.b

c3b_bc_H **H : People doing activity with (person 3)**

```

type: numeric (byte)
label: c3b_bc

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing ..: 1,209/1,506
missing *: 1/1,506
    
```

tabulation:	Freq.	Numeric	Label
	10	1	father
	21	3	mother
	60	5	grandparents
	17	7	uncle/aunt
	180	9	brother/sister/cousin
	7	11	outside-household-person
	1	13	other household member
	1,209	.	.
	1	.b	.b

c3b_ba_gen_H **Gender code (person 1)**

```

type: numeric (byte)
label: c3b_ba_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 344/1,506
    
```

tabulation:	Freq.	Numeric	Label
	297	1	male
	865	3	female
	344	.	.

c3b_bb_gen_H **Gender code (person 2)**

```

type: numeric (byte)
label: c3b_bb_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 836/1,506
    
```

tabulation:	Freq.	Numeric	Label
	167	1	male
	503	3	female
	836	.	.

c3b_bc_gen_H **Gender code (person 3)**

```

type: numeric (byte)
label: c3b_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,209/1,506

tabulation: Freq.  Numeric  Label
             120      1  male
             177      3  female
             1,209      .
    
```

activity_I **Go to department store (not display)**

```

type: string (str97), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
             1,506  ""
    
```

detail_I **I: detail**

```

type: string (str1), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
             1,506  ""
    
```

clb_code_I **I : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: clb_code

range: [0,7]
unique values: 2
unique missing codes: 1
units: 1
missing ..: 0/1,506
missing *: 1,260/1,506

tabulation: Freq.  Numeric  Label
             237      0  never
             9        7  once a day
             1,260      .c
    
```

clb_hr_I **I : Hours per week (Monday - Friday)**

```

type: numeric (float)

range: [2,12]
unique values: 5
units: 1
missing ..: 1,497/1,506

tabulation: Freq.  Value
             1  2
             5  5
             1  7
             1 10
             1 12
             1,497 .
mean: 6.22222
std. dev: 3.03223
    
```

percentiles: 10% 25% 50% 75% 90%
 2 5 5 7 12

clb_min_I I : Minutes per week (Monday - Friday)

```

type: numeric (float)
range: [0,30]                                          units: 10
unique values: 2                                                      missing .: 1,497/1,506

tabulation: Freq. Value
             6 0
             3 30
            1,497 .
          mean: 10
         std. dev: 15

percentiles:          10%          25%          50%          75%          90%
                          0            0            0            30          30
    
```

clb_aa_I I :Monday-Friday How many times (Monday - Friday)

```

type: string (str1)
unique values: 1                                                    missing "": 1,497/1,506

tabulation: Freq. Value
            1,497 ""
             9 "1"
    
```

clb_ab_I I :Monday-Friday How many times per units (Monday - Friday)

```

type: string (str9), but longest is str3
unique values: 1                                                    missing "": 1,497/1,506

tabulation: Freq. Value
            1,497 ""
             9 "day"
    
```

clb_ac_I I :Monday-Friday How many times per hours (Monday - Friday)

```

type: numeric (double)
range: [0,5]                                          units: .1
unique values: 5                                                      missing .: 1,497/1,506

tabulation: Freq. Value
             1 0
             4 1
             1 1.5
             2 2
             1 5
            1,497 .
          mean: 1.61111
         std. dev: 1.40929

percentiles:          10%          25%          50%          75%          90%
                          0            1            1            2            5
    
```

clb_ad_I I :Monday-Friday How many times per minutes (Monday - Friday)

```

type: numeric (byte)
range: [0,30] units: 10
unique values: 2 missing .: 1,497/1,506

tabulation: Freq. Value
              7 0
              2 30
            1,497 .
mean: 6.66667
std. dev: 13.2288

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 30
    
```

clb_ba_I **I : People doing activity with (person 1)**

```

type: numeric (byte)
label: clb_ba
range: [1,11] units: 1
unique values: 4 missing .: 1,497/1,506

tabulation: Freq. Numeric Label
              4 1 father
              2 3 mother
              2 5 grandparents
              1 11 outside-household-person
            1,497 .
    
```

clb_bb_I **I : People doing activity with (person 2)**

```

type: numeric (byte)
label: c2b_bb
range: [3,5] units: 1
unique values: 2 missing .: 1,501/1,506

tabulation: Freq. Numeric Label
              3 3 mother
              2 5 grandparents
            1,501 .
    
```

clb_bc_I **I : People doing activity with (person 3)**

```

type: numeric (byte)
label: clb_bc
range: [9,9] units: 1
unique values: 1 missing .: 1,505/1,506

tabulation: Freq. Numeric Label
              1 9 brother/sister/cousin
            1,505 .
    
```

clb_ba_gen_I **Gender code (person 1)**

```

type: numeric (byte)
label: clb_ba_gen
range: [1,3] units: 1
unique values: 2 missing .: 1,497/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              4        1  male
              5        3  female
            1,497      .
    
```

c1b_bb_gen_I **Gender code (person 2)**

```

type: numeric (byte)
label: c1b_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,501/1,506

tabulation:  Freq.  Numeric  Label
              2        1  male
              3        3  female
            1,501      .
    
```

c1b_bc_gen_I **Gender code (person 3)**

```

type: numeric (byte)
label: c1b_bc_gen

range: [3,3]          units: 1
unique values: 1      missing .: 1,505/1,506

tabulation:  Freq.  Numeric  Label
              1        3  female
            1,505      .
    
```

c2b_code_I **I : Frequency (Saturday - Sunday)**

```

type: numeric (byte)

range: [0,7]          units: 1
unique values: 3      missing .: 0/1,506
unique missing codes: 1  missing *: 1,260/1,506

tabulation:  Freq.  Value
              233    0
               4    5
               9    7
            1,260  .c
mean:       .337398
std. dev:   1.44702

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

c2b_hr_I **I : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [1,6]          units: 1
unique values: 6      missing .: 1,493/1,506
    
```

```

tabulation: Freq. Value
             2  1
             5  2
             1  3
             2  4
             2  5
             1  6
             1,493 .
mean:       3
std. dev:   1.63299

percentiles: 10%    25%    50%    75%    90%
              1      2      2      4      5
    
```

c2b_min_I I : Minutes per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,33] units: 1
unique values: 3 missing .: 1,493/1,506

tabulation: Freq. Value
             11  0
             1  30
             1  33
             1,493 .
mean:       4.84615
std. dev:   11.8452

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      30
    
```

c2b_aa_I I :Monday-Friday How many times (Saturday - Sunday)

```

type: string (str6), but longest is str4
unique values: 2 missing "": 1,493/1,506

tabulation: Freq. Value
             1,493 ""
             1  "0.47"
             12  "1"
    
```

c2b_ab_I I :Monday-Friday How many times per units (Saturday - Sunday)

```

type: string (str21), but longest is str4
unique values: 2 missing "": 1,493/1,506

tabulation: Freq. Value
             1,493 ""
             9  "day"
             4  "week"
    
```

c2b_ac_I I :Monday-Friday How many times per hours (Saturday - Sunday)

```

type: numeric (double)
range: [0,5] units: .1
unique values: 7 missing .: 1,493/1,506
    
```



```

tabulation:  Freq.  Value
              1    0
              5    1
              1  1.5
              2    2
              1    3
              1    4
              2    5
            1,493 .
      mean:   2.11538
    std. dev: 1.63495

percentiles:    10%    25%    50%    75%    90%
                1      1      1.5    3      5
    
```

c2b_ad_I I : Monday-Friday How many times per minutes (Saturday - Sunday)

```

      type: numeric (double)
      range: [0,30]          units: 10
unique values: 2          missing .. 1,493/1,506

      tabulation:  Freq.  Value
                  9    0
                  4   30
            1,493 .
      mean:   9.23077
    std. dev: 14.4115

percentiles:    10%    25%    50%    75%    90%
                0      0      0     30     30
    
```

c2b_ba_I I : People doing activity with (person 1)

```

      type: numeric (byte)
      label: c2b_ba
      range: [1,11]        units: 1
unique values: 5          missing .. 1,493/1,506

      tabulation:  Freq.  Numeric  Label
                  4         1  father
                  5         3  mother
                  2         5  grandparents
                  1         7  uncle/aunt
                  1        11  outside-household-person
            1,493 .
    
```

c2b_bb_I I : People doing activity with (person 2)

```

      type: numeric (byte)
      label: c2b_bb
      range: [3,7]         units: 1
unique values: 3          missing .. 1,498/1,506

      tabulation:  Freq.  Numeric  Label
                  4         3  mother
                  3         5  grandparents
                  1         7  uncle/aunt
            1,498 .
    
```

c2b_bc_I I : People doing activity with (person 3)

```

type: numeric (byte)
label: c2b_bc

range: [9,9]
unique values: 1
units: 1
missing .. 1,504/1,506

tabulation: Freq.   Numeric   Label
              2           9 brother/sister/cousin
              1,504       .
    
```

c2b_ba_gen_I **Gender code (person 1)**

```

type: numeric (byte)
label: c2b_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,493/1,506

tabulation: Freq.   Numeric   Label
              4           1 male
              9           3 female
              1,493       .
    
```

c2b_bb_gen_I **Gender code (person 2)**

```

type: numeric (byte)
label: c2b_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,498/1,506

tabulation: Freq.   Numeric   Label
              2           1 male
              6           3 female
              1,498       .
    
```

c2b_bc_gen_I **Gender code (person 3)**

```

type: numeric (byte)
label: c2b_bc_gen

range: [3,3]
unique values: 1
units: 1
missing .. 1,504/1,506

tabulation: Freq.   Numeric   Label
              2           3 female
              1,504       .
    
```

c3b_code_I **I : Frequency (Monday - Sunday)**

```

type: numeric (byte)

range: [1,5]
unique values: 3
unique missing codes: 1
units: 1
missing .. 0/1,506
missing *: 244/1,506

tabulation: Freq.   Value
              433   1
              597   3
              232   5
              244   .b

mean: 2.68146
std. dev: 1.417
    
```

percentiles: 10% 25% 50% 75% 90%
1 1 3 3 5

c3b_hr_I I : Hours per week (Monday - Sunday)

type: numeric (**float**)
range: [0,16] units: 1
unique values: 14 missing .: 1,274/1,506

tabulation: Freq. Value
21 0
82 1
66 2
21 3
10 4
10 5
7 6
3 7
4 8
3 9
1 10
2 11
1 12
1 16
1,274 .
mean: 2.36638
std. dev: 2.35934

percentiles: 10% 25% 50% 75% 90%
1 1 2 3 5

c3b_min_I I : Minutes per week (Monday - Sunday)

type: numeric (**float**)
range: [0,45] units: 1
unique values: 8 missing .: 1,274/1,506

tabulation: Freq. Value
136 0
1 2
2 5
3 10
12 15
1 24
72 30
5 45
1,274 .
mean: 11.3405
std. dev: 14.5224

percentiles: 10% 25% 50% 75% 90%
0 0 0 30 30

c3b_aa_I I : Monday-Friday How many times (Monday - Sunday)

type: string (**str6**), but longest is str3
unique values: 10 missing "": 1,274/1,506

```

tabulation: Freq. Value
             1,274 ""
             146 "1"
              14 "1.5"
               1 "1.6"
              26 "2"
              12 "2.5"
              16 "3"
               8 "3.5"
               5 "4"
               2 "4.5"
               2 "5"
    
```

c3b_ab_I I :Monday-Friday How many times per units (Monday - Sunday)

```

type: string (str21), but longest is str4
unique values: 1 missing "": 1,274/1,506
tabulation: Freq. Value
             1,274 ""
             232 "week"
    
```

c3b_ac_I I :Monday-Friday How many times per hours (Monday - Sunday)

```

type: numeric (double)
range: [0,8] units: .1
unique values: 11 missing .: 1,275/1,506
tabulation: Freq. Value
             28 0
             97 1
             15 1.5
             54 2
             11 2.5
             11 3
              3 3.5
              4 4
              4 4.5
              2 5
              2 8
             1,275 .
mean: 1.55195
std. dev: 1.17562
percentiles: 10% 25% 50% 75% 90%
              0 1 1 2 3
    
```

c3b_ad_I I :Monday-Friday How many times per minutes (Monday - Sunday)

```

type: numeric (double)
range: [0,30] units: 1
unique values: 5 missing .: 1,275/1,506
tabulation: Freq. Value
             174 0
              2 5
              4 10
              5 15
             46 30
             1,275 .
mean: 6.51515
std. dev: 12.009
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 30

c3b_ba_I **I : People doing activity with (person 1)**

type: numeric **(byte)**
 label: **c3b_ba**
 range: **[1,13]** units: **1**
 unique values: **7** missing : **244/1,506**
 unique missing codes: **3** missing * : **2/1,506**

tabulation:	Freq.	Numeric	Label
	525	1	father
	309	3	mother
	273	5	grandparents
	81	7	uncle/aunt
	44	9	brother/sister/cousin
	14	11	outside-household-person
	14	13	other household member
	244	.	.
	1	.b	.b
	1	.d	.d

c3b_bb_I **I : People doing activity with (person 2)**

type: numeric **(byte)**
 label: **c3b_bb**
 range: **[1,13]** units: **1**
 unique values: **7** missing : **403/1,506**

tabulation:	Freq.	Numeric	Label
	104	1	father
	547	3	mother
	215	5	grandparents
	51	7	uncle/aunt
	157	9	brother/sister/cousin
	13	11	outside-household-person
	16	13	other household member
	403	.	.

c3b_bc_I **I : People doing activity with (person 3)**

type: numeric **(byte)**
 label: **c3b_bc**
 range: **[1,13]** units: **1**
 unique values: **7** missing : **922/1,506**

tabulation:	Freq.	Numeric	Label
	22	1	father
	37	3	mother
	93	5	grandparents
	46	7	uncle/aunt
	371	9	brother/sister/cousin
	10	11	outside-household-person
	5	13	other household member
	922	.	.

c3b_ba_gen_I **Gender code (person 1)**

```

      type: numeric (byte)
      label: c3b_ba_gen

      range: [1,3]
      unique values: 2

      units: 1
      missing ..: 246/1,506

      tabulation: Freq.  Numeric  Label
                  697      1      male
                  563      3      female
                  246      .
    
```

c3b_bb_gen_I **Gender code (person 2)**

```

      type: numeric (byte)
      label: c3b_bb_gen

      range: [1,3]
      unique values: 2

      units: 1
      missing ..: 403/1,506

      tabulation: Freq.  Numeric  Label
                  253      1      male
                  850      3      female
                  403      .
    
```

c3b_bc_gen_I **Gender code (person 3)**

```

      type: numeric (byte)
      label: c3b_bc_gen

      range: [1,3]
      unique values: 2

      units: 1
      missing ..: 923/1,506

      tabulation: Freq.  Numeric  Label
                  234      1      male
                  349      3      female
                  923      .
    
```

note **Interviewer note (unavailable)**

```

      type: string (str517), but longest is str0
      unique values: 0
      missing "": 1,506/1,506

      tabulation: Freq.  Value
                  1,506  ""
    
```

sleeptime_perday **Hours per day of a child's nighttime sleep**

```

      type: numeric (float)

      range: [6.5,14.5]
      unique values: 33

      units: 1.000e-06
      missing ..: 0/1,506
    
```

```

tabulation:  Freq.  Value
              1    6.5
              7    7
             14   7.5
             61    8
              1  8.333333
             89   8.5
              2  8.666667
              1  8.75
              2  8.833333
            248    9
              2  9.166667
              7   9.25
            269   9.5
              1  9.666667
              2   9.75
              3  9.833333
            420   10
              1 10.083333
              1 10.25
              1 10.333333
            181  10.5
              1 10.666667
              2 10.75
            138  11
              1 11.333333
             32  11.5
              1 11.666667
              1 11.75
             11  12
              1 12.5
              2  13
              1  14
              1 14.5
    
```

```

mean: 9.74065
std. dev: .895294
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  8.5       9       10       10       11
    
```

sleeptime_perweek **Hours per week of a child's nighttime sleep**

```

type: numeric (float)
range: [45.5,101.5]
unique values: 33
units: 1.000e-06
missing .: 0/1,506
    
```

```

tabulation:  Freq.  Value
              1  45.5
              7  49
             14  52.5
             61  56
              1 58.333332
             89  59.5
              2 60.666668
              1 61.25
              2 61.833332
            248  63
              2 64.166664
              7 64.75
            269 66.5
              1 67.666664
              2 68.25
              3 68.833336
            420  70
              1 70.583336
              1 71.75
              1 72.333336
            181 73.5
              1 74.666664
    
```

```

      2 75.25
    138 77
      1 79.333336
     32 80.5
      1 81.666664
      1 82.25
     11 84
      1 87.5
      2 91
      1 98
      1 101.5
    mean: 68.1845
  std. dev: 6.26705

percentiles:      10%      25%      50%      75%      90%
                  59.5      63      70      70      77
  
```

schooltime_perweek **Hours per week of a child's going to school**

```

type: numeric (float)
range: [0,57.5]
unique values: 50
units: 1.000e-06
missing .: 0/1,506
  
```

```

tabulation: Freq. Value
            147 0
              1 5
              3 20
              1 22.5
             10 25
             32 27.5
              1 28.75
              2 29.166666
              1 29.583334
            123 30
              4 30.833334
              3 31.25
              6 31.666666
            207 32.5
              2 33.333332
              3 33.75
              6 34.166668
              1 34.583332
            273 35
              4 35.833332
              6 36.25
             16 36.666668
            263 37.5
              7 38.333332
              5 38.75
             12 39.166668
            162 40
              1 40.833332
              1 41.25
             69 42.5
              7 43.333332
              3 43.75
              5 44.166668
             42 45
              1 45.416668
              2 46.25
              1 46.666668
             22 47.5
              2 48.333332
              1 49.166668
             18 50
              1 51.25
              1 51.666668
             18 52.5
              1 53.25
  
```



```

          1  53.333332
          1  53.75
          1  54.166668
          5  55
          1  57.5
    mean:  33.0502
    std. dev: 12.0206

    percentiles:    10%    25%    50%    75%    90%
                   20    32.5    35    39.1667    42.5

```

naptime_athome_perweek **Hours per week of a child's nap time at home**

```

    type: numeric (float)
    range: [0,75.5]
    unique values: 32
                                units: 1.000e-09
                                missing .. 3/1,506

```

```

    tabulation:  Freq.  Value
                 440    0
                 1    .00833333
                 10    .01666667
                 1    .02222222
                217    .03333334
                 1    .04444445
                 99    .05
                361    .06666667
                 1    .075
                 53    .08333334
                 1    .09444444
                124    .1
                 17    .11666667
                 22    .13333334
                 6    .15000001
                 3    .16666667
                 1    2.5166667
                 10    5.0333333
                 8    7.5500002
                 51    10.066667
                 1    10.1
                 1    11.325
                 12    12.583333
                 38    15.1
                 1    15.133333
                 5    17.616667
                 1    20.066668
                 12    20.133333
                 2    22.65
                 1    25.033333
                 1    25.166666
                 1    75.5
                 3    .

```

```

    mean:  1.30975
    std. dev: 4.40455

```

```

    percentiles:    10%    25%    50%    75%    90%
                   0    0    .05    .066667    .15

```

atctivity_tv_dum **While a child watch TV, did the child participate in any activities**

```

    type: numeric (float)
    label: atctivity_tv_dum
    range: [0,1]
    unique values: 2
                                units: 1
                                missing .. 0/1,506

```

```

tabulation:  Freq.  Numeric  Label
              390      0  do not
              1,116    1  do
    
```

atctivity_tv_des **While a child watch TV, what activities did the child do**

```

type:  string (str168)
unique values:  367                               missing "":  390/1,506

warning:  variable has embedded and trailing blanks
    
```

reading_time_c1 **Monday-Friday:Hours per week of reading to child**

```

type:  numeric (float)
range:  [0,12.5]                                units:  1.000e-08
unique values:  18                               missing .:  0/1,506

tabulation:  Freq.  Value
              1,367  0
                1  .13333334
                4  .21666667
                2  .25
                1  .30000001
                1  .38333333
               22  .41666666
                4  .5
                1  .55000001
                6  .63333333
               50  .83333331
                6  1.25
               12  1.6666666
                1  2.0833333
               18  2.5
                1  3.75
                8  5
                1  12.5

mean:  .126295
std. dev:  .603785

percentiles:  10%    25%    50%    75%    90%
               0      0      0      0      0
    
```

reading_time_c2 **Saturday-Sunday:Hours per week of reading to child**

```

type:  numeric (float)
range:  [0,5]                                units:  1.000e-09
unique values:  14                               missing .:  0/1,506

tabulation:  Freq.  Value
              1,403  0
                2  .05
                3  .08333334
                1  .1
               10  .16666667
                2  .2
                6  .25
               36  .33333334
                7  .5
               12  .66666669
               14  1
                1  1.5
                8  2
    
```

```

          1 5
    mean:  .042508
    std. dev: .233962

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

reading_time_c3 **Monday-Sunday:Hours per week of reading to child**

```

    type: numeric (float)
    range: [0,14]
    unique values: 46
    units: 1.000e-09
    missing .: 0/1,506
    
```

```

    tabulation: Freq. Value
                1,095 0
                 3 .03333334
                13 .05
                 6 .06666667
                20 .08333334
                16 .1
                 8 .11666667
                14 .13333334
                 5 .15000001
                62 .16666667
                 6 .18333334
                 2 .2
                14 .21666667
                 2 .23333333
                33 .25
                 1 .26666668
                 1 .28333333
                 4 .30000001
                 3 .31666666
                32 .33333334
                 8 .38333333
                17 .41666666
                 5 .43333334
                40 .5
                 1 .56666666
                 9 .58333331
                 3 .63333333
                 7 .66666669
                10 .75
                 9 .83333331
                 1 .88333333
                 1 .89999998
                13 1
                 1 1.16666666
                 9 1.25
                 9 1.5
                 4 1.75
                 5 2
                 1 2.25
                 2 2.5
                 5 3
                 1 3.09999999
                 1 3.5
                 1 4
                 1 4.5
                 2 14
    
```

```

    mean: .151173
    std. dev: .63426

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0    .083333    .416667
    
```

reading_time **Hours per week of reading to children**

type: numeric (float)
 range: [0,17.5] units: 1.000e-09
 unique values: 56 missing .: 0/1,506

tabulation:

Freq.	Value
947	0
3	.03333334
14	.05
6	.06666667
20	.08333334
16	.1
8	.11666667
14	.13333334
5	.15000001
62	.16666667
7	.18333334
2	.2
15	.21666667
2	.23333333
36	.25
1	.26666668
1	.28333333
8	.30000001
3	.31666666
34	.33333334
1	.34999999
9	.38333333
29	.41666666
5	.43333334
44	.5
1	.55000001
1	.56666666
19	.58333331
5	.63333333
8	.66666669
2	.69999999
10	.75
25	.83333331
5	.88333333
1	.89999998
13	1
35	1.1666666
10	1.25
9	1.5
1	1.6666666
9	1.75
6	2
1	2.0833333
1	2.25
11	2.3333333
6	2.5
5	3
1	3.0999999
15	3.5
1	4
1	4.5
1	5
1	5.25
7	7
2	14
1	17.5

mean: .319976
 std. dev: 1.01238

percentiles: 10% 25% 50% 75% 90%
 0 0 0 .25 .833333

storytelling_time_c1 **Monday-Friday:Hours per week of storytelling to child**

type: numeric (float)
 range: [0,12.5] units: 1.000e-08
 unique values: 21 missing .: 0/1,506

tabulation:

Freq.	Value
1,392	0
1	.16666667
2	.21666667
1	.25
1	.30000001
2	.33333334
3	.38333333
14	.41666666
1	.51666665
8	.63333333
27	.83333331
2	1.05
7	1.25
4	1.6666666
1	1.8833333
4	2.0833333
20	2.5
12	5
1	6.25
2	7.5
1	12.5

mean: .138358
 std. dev: .717479

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

storytelling_time_c2 **Saturday-Sunday:Hours per week of storytelling to child**

type: numeric (float)
 range: [0,5] units: 1.000e-09
 unique values: 21 missing .: 0/1,506

tabulation:

Freq.	Value
1,386	0
1	.06666667
1	.08333334
3	.1
1	.11666667
2	.13333334
3	.15000001
15	.16666667
2	.21666667
8	.25
27	.33333334
2	.41666666
8	.5
4	.66666669
1	.75
4	.83333331
20	1
14	2
1	2.5
2	3
1	5

mean: .058632
 std. dev: .295826

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

storytelling_time_c3 Monday-Sunday:Hours per week of storytelling to child

type: numeric (float)
 range: [0,4] units: 1.000e-09
 unique values: 46 missing .: 0/1,506

tabulation: Freq. Value

963	0
2	.01666667
6	.03333334
16	.05
12	.06666667
50	.08333334
12	.1
8	.11666667
34	.13333334
6	.15000001
69	.16666667
13	.18333334
2	.2
8	.21666667
2	.23333333
48	.25
3	.26666668
7	.30000001
9	.31666666
30	.33333334
7	.38333333
6	.41666666
56	.5
1	.51666665
1	.55000001
10	.58333331
6	.63333333
12	.66666669
11	.75
6	.83333331
1	.93333334
29	1
3	1.05
1	1.1333333
5	1.1666666
14	1.25
4	1.3333334
15	1.5
1	1.6666666
1	1.75
8	2
1	2.25
3	2.5
2	3
1	3.5
1	4

mean: .166656
 std. dev: .382881

percentiles: 10% 25% 50% 75% 90%
 0 0 0 .166667 .5

storytelling_time Hours per week of storytelling to children

type: numeric (float)

range: [0,17.5] units: 1.000e-09
 unique values: 62 missing .: 0/1,506

tabulation:	Freq.	Value
	843	0
	2	.01666667
	6	.03333334
	16	.05
	12	.06666667
	50	.08333334
	14	.1
	8	.11666667
	34	.13333334
	6	.15000001
	70	.16666667
	13	.18333334
	2	.2
	8	.21666667
	2	.23333333
	1	.23333335
	48	.25
	3	.26666668
	8	.30000001
	9	.31666666
	30	.33333334
	1	.34999999
	7	.38333333
	6	.41666666
	1	.41666669
	1	.43333334
	2	.46666667
	57	.5
	1	.51666665
	3	.53333333
	1	.55000001
	24	.58333331
	6	.63333333
	12	.66666669
	1	.73333335
	11	.75
	6	.83333331
	8	.88333333
	1	.93333334
	29	1
	3	1.05
	1	1.1333333
	32	1.1666666
	14	1.25
	4	1.3333334
	2	1.4666666
	15	1.5
	1	1.6666666
	8	1.75
	10	2
	1	2.25
	4	2.3333333
	3	2.5
	1	2.6333332
	4	2.9166665
	2	3
	21	3.5
	1	4
	12	7
	1	8.75
	2	10.5
	1	17.5

mean: .363645
 std. dev: 1.04599

percentiles: 10% 25% 50% 75% 90%
 0 0 0 .25 1

outdoorplaying_time_c1 **Monday-Friday:Hours per week of child's outdoor play**

type: numeric (**float**)
 range: [0,33.75] units: 1.000e-09
 unique values: 60 missing .: 0/1,506

tabulation:

Freq.	Value
474	0
1	.08333334
1	.13333334
2	.21666667
2	.25
1	.30000001
1	.31666666
2	.38333333
6	.41666666
1	.5
1	.51666665
5	.63333333
18	.83333331
2	.93333334
1	1
1	1.0333333
2	1.05
16	1.25
1	1.35
1	1.4666667
1	1.5666667
23	1.6666666
4	1.8833333
1	2
12	2.0833333
1	2.1833334
139	2.5
1	2.5999999
6	2.9166667
1	3
4	3.1333334
1	3.3333333
9	3.75
4	4.1666665
4	4.3833332
343	5
20	6.25
2	6.8833332
1	7
2	7.3000002
103	7.5
1	8.333333
7	8.75
131	10
1	10.016666
4	11.25
1	12.083333
58	12.5
1	13
36	15
1	17.083334
15	17.5
1	18.75
7	20
10	22.5
5	25
1	27.5
1	30
1	31.25
3	33.75

mean: 4.60488
 std. dev: 5.08935

percentiles: 10% 25% 50% 75% 90%
 0 0 5 7.5 10

outdoorplaying_time_c2 Saturday-Sunday:Hours per week of child's outdoor play

type: numeric (**float**)
 range: [0,24] units: 1.000e-09
 unique values: 60 missing .: 0/1,506

tabulation:	Freq.	Value
	503	0
	1	.08333334
	1	.1
	1	.11666667
	2	.13333334
	1	.15000001
	5	.16666667
	1	.2
	1	.21666667
	3	.25
	12	.33333334
	2	.38333333
	3	.41666666
	13	.5
	1	.58333331
	2	.63333333
	18	.66666669
	5	.75
	7	.83333331
	1	.88333333
	1	.91666669
	87	1
	1	1.0333333
	4	1.1666666
	6	1.25
	2	1.3333334
	10	1.5
	4	1.6666666
	2	1.75
	217	2
	1	2.0833333
	24	2.5
	2	2.75
	3	2.9166667
	79	3
	1	3.3333333
	5	3.5
	3	3.75
	129	4
	7	4.5
	68	5
	79	6
	40	7
	4	7.5
	31	8
	24	9
	33	10
	1	10.5
	8	11
	16	12
	2	12.5
	2	13
	4	14
	4	15
	9	16
	1	17.5
	5	18
	1	20

2 22
 1 24
 mean: 2.79576
 std. dev: 3.49099

percentiles: 10% 25% 50% 75% 90%
 0 0 2 4 7

outdoorplaying_time_c3 Monday-Sunday:Hours per week of child's outdoor play

type: numeric (float)
 range: [0,20] units: 1.000e-08
 unique values: 48 missing .: 0/1,506

tabulation:	Freq.	Value
	1,278	0
	1	.05
	2	.13333334
	1	.16666667
	2	.21666667
	2	.25
	3	.33333334
	1	.36666667
	3	.41666666
	1	.43333334
	12	.5
	1	.58333331
	1	.63333333
	6	.66666669
	5	.75
	2	.83333331
	29	1
	1	1.05
	1	1.1666666
	17	1.25
	21	1.5
	4	1.75
	3	1.8833333
	13	2
	5	2.25
	15	2.5
	19	3
	6	3.5
	4	3.75
	4	4
	4	4.5
	9	5
	6	5.25
	5	6
	3	6.25
	1	6.75
	2	7
	2	8
	1	9
	1	10
	1	12
	2	12.25
	1	12.5
	1	15
	1	16
	1	17.5
	1	18
	1	20

mean: .422289
 std. dev: 1.57645

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1.25

outdoorplaying_time **Hours per week of child's outdoor play**

```

type: numeric (float)
range: [0,49.5] units: 1.000e-08
unique values: 170 missing .: 0/1,506

mean: 7.82293
std. dev: 7.59798

percentiles:      10%      25%      50%      75%      90%
                  0      1.88333      7      11      17.5
    
```

sport_time_c1 **Monday-Friday:Hours per week of child's playing sport, singing, dancing**

```

type: numeric (float)
range: [0,20] units: 1.000e-09
unique values: 63 missing .: 0/1,506
    
```

```

tabulation: Freq. Value
             764 0
             1 .08333334
             2 .13333334
             9 .16666667
             3 .18333334
            20 .21666667
             9 .25
             8 .30000001
             4 .31666666
             6 .33333334
            10 .38333333
            61 .41666666
             3 .46666667
             1 .5
             8 .51666665
             5 .56666666
             3 .58333331
            32 .63333333
             3 .73333335
             3 .75
            61 .83333331
             2 .88333333
             3 .93333334
             1 1.0166667
             1 1.0333333
            16 1.05
             1 1.1333333
             1 1.15
             1 1.1666666
            35 1.25
             2 1.3333334
             1 1.35
             3 1.45
             1 1.4666667
             7 1.5666667
            34 1.6666666
             1 1.75
             7 1.8833333
            19 2.0833333
             4 2.1833334
             1 2.3
            133 2.5
             1 2.5999999
             1 2.9166667
             9 3.3333333
             1 3.6500001
            11 3.75
    
```

```

      2  4.1666665
      1  4.5833335
      1  4.8833332
    121  5
      1  5.2166667
      1  5.8333335
      7  6.25
      1  6.6666665
     20  7.5
     17  10
      2  11.25
      1  12.083333
     11  12.5
      4  15
      2  17.5
      1  20
    mean:  1.35987
    std. dev:  2.45779

    percentiles:      10%      25%      50%      75%      90%
                      0         0         0      1.88333      5

```

sport_time_c2
Saturday-Sunday:Hours per week of child's playing sport, singing, dancing

```

    type:  numeric (float)
    range:  [0,8]
    unique values:  53
                                units:  1.000e-09
                                missing .:  0/1,506

```

```

    tabulation:  Freq.  Value
                 751  0
                 1   .03333334
                 2   .05
                 9   .06666667
                23   .08333334
                 9   .1
                 8   .11666667
                10   .13333334
                 7   .15000001
                61   .16666667
                 1   .18333334
                 1   .2
                 8   .21666667
                 8   .23333333
                30   .25
                 9   .30000001
                63   .33333334
                 1   .34999999
                 3   .38333333
                18   .41666666
                 1   .44999999
                 2   .46666667
                35   .5
                 1   .55000001
                 7   .58333331
                 8   .63333333
                37   .66666669
                 8   .75
                19   .83333331
                 4   .88333333
                 1   .91666669
               129  1
                 1  1.05
                 1  1.1666666
                 9  1.3333334
                 1  1.45
                11  1.5
                 2  1.6666666
                 1  1.8333334

```

```

      1 1.95
    121 2
      1 2.0833333
      1 2.3333333
      6 2.5
      1 2.6666667
      1 2.9166667
     20 3
     24 4
      2 4.5
     15 5
      6 6
      4 7
      2 8
    mean: .594976
  std. dev: 1.0907

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        .05     .833333  2

```

sport_time_c3 Monday-Sunday:Hours per week of child's playing sport, singing, dancing

```

      type: numeric (float)
      range: [0,9]
unique values: 57
      units: 1.000e-09
missing .: 0/1,506

```

```

tabulation: Freq. Value
            993 0
              9 .03333334
             12 .05
              6 .06666667
             23 .08333334
             20 .1
              7 .11666667
             18 .13333334
              7 .15000001
             10 .16666667
             13 .18333334
              9 .21666667
              4 .23333333
             25 .25
              3 .26666668
             10 .30000001
              4 .31666666
             35 .33333334
              8 .38333333
             23 .41666666
              5 .43333334
             27 .5
              1 .56666666
              8 .58333331
              6 .63333333
              8 .66666669
              1 .73333335
             16 .75
             14 .83333331
              3 .88333333
             34 1
              1 1.05
              2 1.1333333
              5 1.1666666
             18 1.25
              1 1.3166667
              2 1.3333334
              1 1.4666667
             28 1.5
              1 1.6666666
              5 1.75
              1 1.8833333

```

```

15 2
2 2.25
1 2.3333333
15 2.5
3 2.6333334
15 3
8 3.5
2 3.75
3 4
1 4.5
4 5
2 6
2 7
5 7.5
1 9
mean: .336166
std. dev: .892576
percentiles: 10% 25% 50% 75% 90%
              0 0 0 .233333 1
    
```

sport_time Hours per week of child's playing sport, singing, dancing

```

type: numeric (float)
range: [0,28] units: 1.000e-09
unique values: 127 missing.: 0/1,506
mean: 2.29101
std. dev: 3.41084
percentiles: 10% 25% 50% 75% 90%
              0 .233333 .883333 3.5 7
    
```

roleplay_time_c1 Monday-Friday:Hours per week of child's role play, selling play, playing with rob

```

type: numeric (float)
range: [0,42.5] units: 1.000e-08
unique values: 53 missing.: 0/1,506
tabulation:
Freq. Value
524 0
3 .13333334
5 .16666667
9 .21666667
1 .25
3 .31666666
7 .38333333
17 .41666666
1 .43333334
2 .46666667
2 .5
11 .63333333
1 .73333335
42 .83333331
1 .88333333
1 .93333334
2 1
6 1.05
36 1.25
2 1.3833333
6 1.5666667
30 1.6666666
4 1.8833333
1 2
21 2.0833333
    
```

```

208 2.5
  1 2.8333333
  3 2.9166667
  3 3.1333334
 11 3.3333333
 16 3.75
 12 4.1666665
  4 4.3833332
  2 4.5833335
276 5
  2 5.2166667
  4 5.8333335
 16 6.25
  1 7.3000002
 57 7.5
  1 7.5833335
  9 8.75
  1 9.1666667
 61 10
  4 11.25
 35 12.5
 17 15
  6 17.5
  6 20
  5 22.5
  4 25
  1 31.25
  2 42.5
    mean: 3.24665
    std. dev: 4.31674

percentiles:    10%    25%    50%    75%    90%
                  0      0      2.5    5      8.75

```

roleplay_time_c2
Saturday-Sunday:Hours per week of child's role play, selling play, playing with

```

type: numeric (float)
range: [0,20]
unique values: 53
units: 1.000e-09
missing .: 0/1,506

```

```

tabulation: Freq. Value
477 0
  1 .05
  4 .06666667
  8 .08333334
  1 .1
  3 .13333334
  6 .15000001
 16 .16666667
  2 .18333334
  2 .2
  1 .21666667
 11 .25
  1 .30000001
 37 .33333334
  1 .34999999
  1 .38333333
  5 .41666666
 32 .5
  2 .55000001
  7 .63333333
 31 .66666669
  4 .75
 16 .83333331
200 1
  2 1.1666666
  7 1.25
 11 1.3333334

```

```

19 1.5
12 1.6666666
4 1.75
3 1.8333334
268 2
2 2.0833333
2 2.25
4 2.3333333
17 2.5
1 2.6666667
62 3
1 3.0333333
5 3.5
1 3.6666667
88 4
5 4.5
47 5
38 6
10 7
7 8
6 9
6 10
4 12
1 12.5
2 16
2 20
mean: 1.58624
std. dev: 2.09034

percentiles: 10% 25% 50% 75% 90%
              0 0 1 2 4

```

roleplay_time_c3
Monday-Sunday:Hours per week of child's role play, selling play, playing with ro

```

type: numeric (float)
range: [0,9] units: 1.000e-09
unique values: 48 missing .: 0/1,506

```

```

tabulation: Freq. Value
1,112 0
3 .03333334
3 .05
3 .06666667
4 .08333334
2 .1
10 .13333334
2 .15000001
7 .16666667
4 .18333334
2 .21666667
15 .25
2 .30000001
2 .31666666
16 .33333334
3 .38333333
3 .41666666
3 .43333334
24 .5
1 .51666665
7 .58333331
6 .63333333
4 .66666669
14 .75
6 .83333331
3 .88333333
38 1
1 1.05
3 1.1666666

```



```

32 1.25
3 1.3333334
42 1.5
11 1.75
2 1.8833333
28 2
1 2.1833334
2 2.25
27 2.5
19 3
9 3.5
4 3.75
4 4
3 4.5
5 5
3 5.25
4 6
2 8
2 9
mean: .394876
std. dev: .975142
percentiles: 10% 25% 50% 75% 90%
              0 0 0 .133333 1.5

```

roleplay_time
Hours per week of child's role play, selling play, playing with robot or car

```

type: numeric (float)
range: [0,62.5] units: 1.000e-09
unique values: 138 missing.: 0/1,506
mean: 5.22777
std. dev: 5.89996
percentiles: 10% 25% 50% 75% 90%
              .333333 1.25 3.5 7 12.8333

```

learning_time_c1
Monday-Friday:Hours per week of child's practice reading, writing alphabet, count

```

type: numeric (float)
range: [0,17.5] units: 1.000e-08
unique values: 47 missing.: 0/1,506
tabulation: Freq. Value
1,006 0
1 .13333334
4 .16666667
1 .18333334
8 .21666667
5 .25
9 .30000001
1 .31666666
3 .33333334
7 .38333333
33 .41666666
1 .5
1 .51666665
1 .56666666
1 .58333331
20 .63333333
1 .66666669
1 .81666666
78 .83333331
2 .93333334

```

```

      1 1.0166667
      2 1.05
      2 1.15
     24 1.25
      1 1.45
      1 1.4666667
      1 1.5666667
     63 1.6666666
      1 1.8833333
     16 2.0833333
    111 2.5
      1 2.8166666
      1 2.9166667
      2 3.3333333
      3 3.75
      1 4.1666665
      1 4.3833332
     71 5
      2 5.2166667
      1 5.6333332
      3 6.25
      5 7.5
      1 8.75
      1 9.3833332
      3 10
      2 12.5
      1 17.5
    mean: .740615
  std. dev: 1.56821

  percentiles:      10%      25%      50%      75%      90%
                   0         0         0      .833333      2.5

```

learning_time_c2
 Saturday-Sunday:Hours per week of child's practice reading, writing alphabet, co

```

  type: numeric (float)
  range: [0,7]
  unique values: 42
  units: 1.000e-09
  missing .: 0/1,506

```

```

  tabulation: Freq. Value
              994 0
               1 .05
               4 .06666667
               8 .08333334
               4 .1
               7 .11666667
               5 .13333334
               7 .15000001
              33 .16666667
               2 .2
               1 .21666667
               4 .23333333
              17 .25
               1 .26666668
              79 .33333334
               2 .38333333
               3 .41666666
               2 .46666667
              22 .5
               2 .58333331
               1 .63333333
              62 .66666669
               1 .75
              16 .83333331
             114 1
               1 1.1333333
               1 1.25
               2 1.3333334

```

```

      3 1.5
      2 1.6666666
      1 1.75
     82 2
      2 2.0833333
      1 2.25
      3 2.5
      5 3
      1 3.5
      1 3.75
      4 4
      3 5
      1 6
      1 7
    mean: .322565
    std. dev: .678855

percentiles:      10%      25%      50%      75%      90%
                  0        0        0      .333333      1
    
```

learning_time_c3
Monday-Sunday:Hours per week of child's practice reading, writing alphabet, coun

```

    type: numeric (float)
    range: [0,9]
    unique values: 51
    units: 1.000e-09
    missing .: 0/1,506
    
```

```

tabulation: Freq. Value
            969 0
              1 .01666667
              6 .03333334
              8 .05
              6 .06666667
             13 .08333334
              9 .1
              1 .11666667
             11 .13333334
              6 .15000001
             32 .16666667
             15 .18333334
              2 .2
              8 .21666667
              1 .23333333
             33 .25
              4 .26666668
              2 .30000001
              7 .31666666
             34 .33333334
              9 .38333333
             20 .41666666
              5 .43333334
             65 .5
             15 .58333331
              7 .63333333
             13 .66666669
              2 .73333335
             17 .75
             14 .83333331
              4 .88333333
              1 .93333334
             35 1
              1 1.05
              3 1.1666666
             16 1.25
              3 1.3333334
              1 1.4666667
             37 1.5
              1 1.6666666
             11 1.75
    
```

```

                2 1.8833333
               14 2
                4 2.25
               18 2.5
                5 3
                8 3.5
                3 3.75
                1 4
                1 6
                2 9
    mean:       .297145
    std. dev:   .693567

    percentiles:  10%      25%      50%      75%      90%
                  0        0        0      .316667    1
    
```

learning_time
Hours per week of child's practice reading, writing alphabet, counting numbers

```

    type: numeric (float)
    range: [0,24.5]
    unique values: 97
    units: 1.000e-09
    missing .: 0/1,506
    
```

```

    tabulation:  Freq.  Value
                 436    0
                   1 .01666667
                   6 .03333334
                   8 .05
                   6 .06666667
                  13 .08333334
                   9 .1
                   1 .11666667
                  11 .13333334
                   6 .15000001
                  34 .16666667
                  16 .18333334
                   2 .2
                   8 .21666667
                   1 .23333333
                   4 .23333335
                  33 .25
                   5 .26666668
                   9 .30000001
                   7 .31666666
                  37 .33333334
                   4 .34999999
                   9 .38333333
                  21 .41666666
                   7 .41666669
                   5 .43333334
                   2 .44999999
                   3 .46666667
                  66 .5
                   7 .53333333
                   2 .53333336
                  45 .58333331
                   9 .63333333
                  14 .66666669
                   1 .69999999
                   3 .73333335
                  19 .75
                   1 .76666665
                   1 .80000001
                   1 .81666666
                  19 .83333331
                  21 .88333333
                   1 .93333334
                   1 .93333334
                  46 1
    
```

```

1 1.05
1 1.15
76 1.1666666
19 1.25
2 1.3166666
3 1.3333334
1 1.4333333
2 1.4666666
1 1.4666667
37 1.5
2 1.6166667
1 1.6666666
32 1.75
2 1.8833333
27 2
1 2.0333333
1 2.05
1 2.0833333
1 2.2
1 2.2166667
4 2.25
60 2.3333333
22 2.5
1 2.6333332
15 2.9166665
5 3
1 3.1666667
1 3.3333333
112 3.5
2 3.6666665
3 3.75
1 3.9499998
1 4
1 4.1666667
2 4.5
2 4.6666665
7 5
3 5.25
1 5.833333
2 6
1 6.1333332
64 7
2 7.3000002
1 7.8833332
3 8.75
3 9
5 10.5
1 12.25
1 13.133333
3 14
2 17.5
1 24.5

```

```

mean: 1.36033
std. dev: 2.15064

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      .5    1.75   3.5

```

drawing_time_c1
Monday-Friday:Hours per week of child's palying blocks, plasticine, drawing, colo

```

type: numeric (float)
range: [0,30]
unique values: 39
units: 1.000e-08
missing .: 0/1,506

```

```

tabulation:  Freq.  Value
1,075  0
3  .16666667
5  .21666667
5  .25
4  .30000001
1  .31666666
11  .38333333
20  .41666666
2  .46666667
1  .5
4  .58333331
14  .63333333
1  .75
71  .83333331
1  .88333333
3  .93333334
1  1.0333333
7  1.05
2  1.0833334
19  1.25
3  1.4666667
34  1.6666666
7  2.0833333
86  2.5
4  3.3333333
4  3.75
1  4.1666665
77  5
2  6.25
6  7.5
1  8.333333
17  10
1  11.25
6  12.5
3  15
1  17.5
1  20
1  22
1  30
mean:  .858012
std. dev:  2.26565

percentiles:  10%  25%  50%  75%  90%
               0    0    0    .583333  2.5
    
```

drawing_time_c2
Saturday-Sunday:Hours per week of child's palying blocks, plasticine, drawing, c

```

type:  numeric(float)
range:  [0,12]
unique values:  38
units:  1.000e-09
missing .:  0/1,506
    
```

```

tabulation:  Freq.  Value
1,063  0
3  .06666667
5  .08333334
4  .1
4  .11666667
1  .13333334
9  .15000001
20  .16666667
2  .18333334
1  .2
4  .23333333
14  .25
1  .30000001
70  .33333334
3  .38333333
    
```

```

      7 .41666666
      3 .43333334
    19 .5
      3 .58333331
    37 .66666669
      7 .83333331
    73 1
      1 1.25
      5 1.3333334
      7 1.5
      1 1.6666666
    92 2
      1 2.3333333
      4 2.5
      6 3
      1 3.3333333
    16 4
      2 4.5
    10 5
      4 6
      1 7
      1 9
      1 12
    mean: .377025
  std. dev: .948943

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        .25     1.33333

```

drawing_time_c3
Monday-Sunday:Hours per week of child's palying blocks, plasticine, drawing, col

```

type: numeric (float)
range: [0,8]
unique values: 58
units: 1.000e-09
missing .: 0/1,506

```

```

tabulation: Freq. Value
            846 0
              4 .01666667
              8 .03333334
             10 .05
              3 .06666667
             34 .08333334
              9 .1
              2 .11666667
             12 .13333334
              6 .15000001
             46 .16666667
              9 .18333334
              2 .2
              7 .21666667
              1 .23333333
             41 .25
              2 .30000001
              6 .31666666
             55 .33333334
              9 .38333333
             11 .41666666
              5 .43333334
              1 .46666667
             66 .5
              1 .51666665
              9 .58333331
              7 .63333333
             20 .66666669
              1 .73333335
             19 .75
             10 .83333331
              2 .88333333

```

```

78 1
 2 1.0333333
 6 1.05
 3 1.1333333
 5 1.1666666
32 1.25
 2 1.4666667
23 1.5
 2 1.6666666
12 1.75
 1 1.8333334
 2 1.8833333
17 2
 5 2.25
23 2.5
 1 2.55
 1 2.6333334
 1 2.6666667
 5 3
 8 3.5
 5 4
 1 4.5
 2 5
 1 6
 3 7.5
 1 8
mean: .37842
std. dev: .785274

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        .5      1.16667

```

drawing_time Hours per week of child's palying blocks, plasticine, drawing, coloring

```

type: numeric (float)
range: [0,42]
unique values: 97
units: 1.000e-09
missing .: 0/1,506

```

```

tabulation: Freq. Value
391 0
 4 .01666667
 8 .03333334
10 .05
 3 .06666667
34 .08333334
 9 .1
 2 .11666667
12 .13333334
 6 .15000001
47 .16666667
 9 .18333334
 2 .2
 7 .21666667
 1 .23333333
 3 .23333335
43 .25
 7 .30000001
 6 .31666666
58 .33333334
 4 .34999999
10 .38333333
12 .41666666
 4 .41666669
 6 .43333334
 1 .44999999
 1 .46666667
67 .5
 1 .51666665
 9 .53333333

```


28 .58333331
8 .63333333
2 .64999998
23 .66666669
1 .69999999
1 .73333335
19 .75
4 .81666666
12 .83333331
16 .88333333
79 1
2 1.0333333
7 1.05
3 1.1333333
72 1.1666666
33 1.25
3 1.3166666
1 1.4499999
6 1.4666666
2 1.4666667
24 1.5
2 1.5166667
2 1.6666666
30 1.75
1 1.8333334
2 1.8833333
28 2
3 2.05
1 2.0833333
5 2.25
33 2.3333333
25 2.5
1 2.55
1 2.6333334
1 2.6666667
1 2.8333333
6 2.9166665
6 3
1 3.05
1 3.1666665
80 3.5
1 3.75
7 4
1 4.3833332
6 4.5
4 4.6666665
7 5
4 5.25
1 5.833333
1 6
75 7
4 7.5
1 8
2 8.75
1 9
6 10.5
1 11.5
1 11.666666
14 14
2 15
1 15.75
6 17.5
3 21
1 24.5
1 26
1 31
1 42

mean: 1.61346
std. dev: 3.12264

percentiles: 10% 25% 50% 75% 90%
 0 0 .5 1.75 4

fieldtrip_time_c1

Monday-Friday:Hours per week of child's going to temple, library, zoo, museum

 type: numeric (**float**)
 range: [0,10] units: .01
 unique values: 5 missing .: 0/1,506

 tabulation: Freq. Value
 1,489 0
 1 1.25
 6 2.5
 9 5
 1 10

 mean: .047311
 std. dev: .489553

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

fieldtrip_time_c2

Saturday-Sunday:Hours per week of child's going to temples, libraries, zoo, muse

 type: numeric (**float**)
 range: [0,8] units: 1.000e-08
 unique values: 11 missing .: 0/1,506

 tabulation: Freq. Value
 1,457 0
 1 .11666667
 1 .33333334
 1 .5
 14 1
 1 1.5
 27 2
 1 3
 1 4
 1 6
 1 8

 mean: .060724
 std. dev: .402708

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

fieldtrip_time_c3

Monday-Sunday:Hours per week of child's going to temples, libraries, zoo, museum

 type: numeric (**float**)
 range: [0,6] units: 1.000e-08
 unique values: 28 missing .: 0/1,506

```

tabulation:  Freq.  Value
              1,257  0
                1  .1
                1  .13333334
                2  .16666667
                1  .30000001
                4  .33333334
                1  .41666666
               31  .5
               14  .75
                1  .83333331
                1  .93333334
              123  1
                5  1.25
               14  1.5
                4  1.75
               22  2
                2  2.25
                8  2.5
                1  2.6333334
                1  3
                1  3.3333333
                3  3.5
                2  4
                1  4.5
                1  4.5999999
                1  5
                2  5.5
                1  6
    mean:      .208964
  std. dev:   .59545

percentiles:  10%    25%    50%    75%    90%
               0      0      0      0      1
  
```

fieldtrip_time **Hours per week of child's going to temples, libraries, zoo, museums**

```

type: numeric (float)
range: [0,18]
unique values: 32
units: 1.000e-08
missing .: 0/1,506
  
```

```

tabulation:  Freq.  Value
              1,207  0
                1  .1
                1  .11666667
                1  .13333334
                2  .16666667
                1  .30000001
                5  .33333334
                1  .41666666
               31  .5
               14  .75
                1  .83333331
                1  .93333334
              133  1
                5  1.25
               15  1.5
                5  1.75
               40  2
                2  2.25
                8  2.5
                1  2.6333334
                2  3
                1  3.3333333
                7  3.5
                3  4
                2  4.5
                1  4.5999999
                2  5
  
```

```

                2  5.5
                1  6
                8  7
                1  8.5
                1  18
    mean:       .316999
    std. dev:   .979178

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      1
    
```

shopping_time_c1 Monday-Friday:Hours per week of child's going to department store

```

    type: numeric (float)

    range: [0,12.5]          units: .1
    unique values: 6          missing .. 0/1,506

    tabulation: Freq. Value
                1,497  0
                 1  2.5
                 5  5
                 1  7.5
                 1  10
                 1  12.5
    mean:       .038181
    std. dev:   .541657

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

shopping_time_c2 Saturday-Sunday:Hours per week of child's going to department store

```

    type: numeric (float)

    range: [0,6]           units: .01
    unique values: 9        missing .. 0/1,506

    tabulation: Freq. Value
                1,493  0
                 2  1
                 4  2
                 1  2.55
                 1  3
                 2  4
                 1  5
                 1  5.5
                 1  6
    mean:       .026594
    std. dev:   .321631

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

shopping_time_c3 Monday-Sunday:Hours per week of child's going to department store

```

    type: numeric (float)

    range: [0,16]          units: 1.000e-09
    unique values: 30       missing .. 0/1,506
    
```

```

tabulation:  Freq.  Value
              1,274  0
                1  .03333334
                2  .08333334
                3  .16666667
                1  .40000001
               11  .5
                3  .75
               52  1
                2  1.25
               28  1.5
               40  2
                3  2.25
               23  2.5
               14  3
                5  3.5
                2  3.75
                6  4
                4  4.5
                5  5
                5  5.25
                6  6
                1  6.25
                3  7
                4  8
                3  9
                1  10.5
                1  11
                1  11.25
                1  12
                1  16
    mean:      .393659
  std. dev:   1.29462

percentiles:  10%      25%      50%      75%      90%
              0         0         0         0         1.5
    
```

shopping_time **Hours per week of child's going to department store**

```

type: numeric (float)
range: [0,17.5]          units: 1.000e-09
unique values: 34       missing .: 0/1,506
    
```

```

tabulation:  Freq.  Value
              1,260  0
                1  .03333334
                2  .08333334
                3  .16666667
                1  .40000001
               11  .5
                3  .75
               53  1
                2  1.25
               28  1.5
               40  2
                3  2.25
               23  2.5
                1  2.55
               14  3
                6  3.5
                2  3.75
                7  4
                4  4.5
                6  5
                5  5.25
                1  5.5
                7  6
                1  6.25
                7  7
    
```

```

          4  8
          3  9
          2 10.5
          1 11
          1 11.25
          1 12
          1 14
          1 16
          1 17.5
    mean:   .458433
    std. dev: 1.49747
percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0      1.5
    
```

working_time_c1
Monday-Friday:Hours per week of child's going to work with household members

```

    type: numeric (float)
    range: [0,60]
    unique values: 34
    units: 1.000e-08
    missing .: 0/1,506
    
```

```

    tabulation: Freq. Value
    1,269 0
                1 .38333333
                2 .63333333
                1 .83333331
                1 .93333334
                2 1.25
                4 1.6666666
                3 2
                1 2.0833333
                27 2.5
                1 3
                2 3.75
                1 4
                55 5
                1 5.8333335
                1 6
                1 6.1500001
                3 6.25
                17 7.5
                48 10
                1 12
                15 12.5
                17 15
                4 17.5
                9 20
                4 22.5
                3 25
                1 32.5
                2 35
                1 42.5
                4 45
                1 47.5
                2 55
                1 60
    mean: 1.61614
    std. dev: 5.40912
    
```

```

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0      5
    
```

working_time_c2
Saturday-Sunday:Hours per week of child's going to work with household members

```

type: numeric (float)
range: [0,44]
unique values: 42
units: 1.000e-08
missing .: 0/1,506

```

```

tabulation: Freq. Value
1,010 0
1 .15000001
2 .25
1 .31666666
2 .33333334
3 .5
7 .66666669
2 .83333331
36 1
3 1.5
78 2
1 2.25
3 2.5
21 3
2 3.5
22 4
6 4.5
17 5
37 6
9 7
20 8
1 8.5
19 9
23 10
5 11
1 11.6
17 12
7 13
21 14
6 15
42 16
5 17
37 18
11 19
16 20
1 21
4 22
3 24
1 25
1 26
1 28
1 44
mean: 2.88301
std. dev: 5.67454

```

```

percentiles: 10% 25% 50% 75% 90%
              0 0 0 2 13

```

working_time_c3
Monday-Sunday:Hours per week of child's going to work with houeshold members

```

type: numeric (float)
range: [0,32]
unique values: 59
units: 1.000e-09
missing .: 0/1,506

```

```

tabulation:  Freq.  Value
              1,208  0
                1  .08333334
                1  .13333334
                3  .16666667
                1  .18333334
                1  .21666667
                4  .25
                2  .33333334
                1  .38333333
               20  .5
                1  .58333331
                3  .75
                1  .83333331
                1  .88333333
               30  1
                1  1.1333333
                5  1.25
               24  1.5
                3  1.75
               37  2
                2  2.25
                1  2.4166667
               14  2.5
               20  3
                4  3.5
                8  3.75
               12  4
                8  4.5
                7  5
                2  5.25
                4  5.5
               10  6
                4  6.25
                2  6.75
                5  7
                1  7.3166666
                5  7.5
                1  8.5
                1  8.75
               15  9
                4  10
                1  10.5
                2  11.25
                3  12
                2  12.25
                1  12.5
                2  13.5
                2  14
                2  15
                1  15.75
                2  16
                1  17.5
                2  18
                1  22.5
                1  25
                1  27.9
                1  28
                1  30
                2  32
    mean:      .881795
  std. dev:   2.93946

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      2.5

```

working_time **Hours per week of child's going to work with household members**

type: numeric (**float**)

range: [0,84] units: 1.000e-09
 unique values: 117 missing .: 0/1,506
 mean: 5.38094
 std. dev: 9.61439
 percentiles: 10% 25% 50% 75% 90%
 0 0 .883333 7 17

housework_time_c1 Monday-Fiday:Hours per week of child's doing housework

type: numeric (float)
 range: [0,7.5] units: 1.000e-09
 unique values: 25 missing .: 0/1,506
 tabulation: Freq. Value
 1,379 0
 1 .08333334
 1 .13333334
 4 .16666667
 5 .21666667
 2 .25
 3 .30000001
 3 .33333334
 2 .38333333
 32 .41666666
 1 .56666666
 15 .63333333
 1 .73333335
 17 .83333331
 3 .93333334
 2 1.05
 11 1.25
 1 1.4666667
 5 1.6666666
 2 2.0833333
 9 2.5
 1 3.3333333
 2 4.1666665
 3 5
 1 7.5
 mean: .088125
 std. dev: .441978
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

housework_time_c2 Saturday-Sunday:Hours per week of child's doing housework

type: numeric (float)
 range: [0,3] units: 1.000e-09
 unique values: 25 missing .: 0/1,506
 tabulation: Freq. Value
 1,376 0
 1 .03333334
 1 .05
 5 .06666667
 5 .08333334
 2 .1
 3 .11666667
 3 .13333334
 2 .15000001
 32 .16666667
 1 .23333333
 16 .25

```

                2 .30000001
               16 .33333334
                3 .38333333
                2 .41666666
               12 .5
                1 .58333331
                5 .66666669
                2 .83333331
                9 1
                1 1.3333334
                2 1.6666666
                3 2
                1 3
    mean:       .035735
    std. dev:   .177226

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0

```

housework_time_c3 **Monday-Sunday:Hours per week of child's doing housework**

```

    type: numeric (float)
    range: [0,3]
    unique values: 37
    units: 1.000e-09
    missing .: 0/1,506

```

```

    tabulation: Freq. Value
                1,110 0
                 2 .01666667
                 13 .03333334
                 32 .05
                 13 .06666667
                 38 .08333334
                 12 .1
                  6 .11666667
                 23 .13333334
                  6 .15000001
                 47 .16666667
                 12 .18333334
                 10 .21666667
                  2 .23333333
                 26 .25
                  1 .28333333
                  3 .30000001
                  4 .31666666
                 32 .33333334
                  9 .38333333
                 14 .41666666
                  1 .43333334
                 21 .5
                  1 .51666665
                 12 .58333331
                  5 .63333333
                 11 .66666669
                  2 .75
                  4 .83333331
                  2 .88333333
                 13 1
                  1 1.1666666
                  4 1.25
                  1 1.4666667
                  8 1.5
                  3 2
                  2 3

```

```

    mean:       .088789
    std. dev:   .250143

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      .05    .3

```

housework_time **Hours per week of child's doing housework**

type: numeric (**float**)
 range: [0,10.5] units: 1.000e-09
 unique values: 58 missing .: 0/1,506

tabulation:

Freq.	Value
980	0
2	.01666667
13	.03333334
32	.05
14	.06666667
38	.08333334
12	.1
6	.11666667
1	.11666667
23	.13333334
6	.15000001
47	.16666667
13	.18333334
10	.21666667
2	.23333333
4	.23333335
28	.25
1	.28333333
8	.30000001
4	.31666666
32	.33333334
2	.34999999
9	.38333333
14	.41666666
3	.41666669
1	.43333334
3	.46666667
21	.5
1	.51666665
2	.53333333
44	.58333331
5	.63333333
11	.66666669
2	.75
1	.80000001
4	.83333331
16	.88333333
1	.93333334
13	1
1	1.03333333
17	1.16666666
4	1.25
3	1.31666666
1	1.33333333
2	1.46666666
1	1.46666667
8	1.5
11	1.75
3	2
1	2.05
5	2.33333333
2	2.91666665
2	3
9	3.5
1	4.66666665
2	5.83333333
3	7
1	10.5

mean: .212649
 std. dev: .65093

percentiles: 10% 25% 50% 75% 90%
 0 0 0 .166667 .583333

homework_time_c1 Monday-Friday:Hours per week of child's doing homework

type: numeric (float)
 range: [0,25] units: 1.000e-09
 unique values: 60 missing .: 0/1,506

tabulation: Freq. Value

754	0
1	.03166667
5	.08333334
2	.13333334
1	.15000001
5	.16666667
8	.21666667
1	.23333333
10	.25
1	.26666668
1	.28333333
6	.30000001
1	.31666666
3	.33333334
4	.38333333
58	.41666666
5	.46666667
5	.5
1	.58166665
4	.58333331
15	.63333333
1	.66666669
1	.69999999
1	.75
1	.755
1	.76666665
1	.78333336
122	.83333331
1	.93333334
4	1
2	1.0333333
4	1.05
1	1.1666666
48	1.25
2	1.45
3	1.4666667
3	1.5
1	1.6
78	1.6666666
1	1.7
1	1.8333334
2	1.8833333
5	2
2	2.0833333
1	2.25
1	2.3333333
195	2.5
2	2.9166667
2	3.3333333
5	3.75
105	5
1	7.4000001
4	7.5
1	8
1	9.3833332
4	10
4	12.5
1	15
1	20

```

          1 25
    mean:  1.0951
    std. dev: 1.88403

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0    1.66667    2.5
    
```

homework_time_c2 **Saturday-Sunday:Hours per week of child's doing homework**

```

    type: numeric (float)

    range: [0,5]
    unique values: 21
    units: 1.000e-09
    missing .: 0/1,506

    tabulation: Freq. Value
                1,183 0
                 2 .03333334
                 2 .05
                 2 .06666667
                 4 .08333334
                 3 .1
                 5 .11666667
                 5 .13333334
                29 .16666667
                 1 .2
                 5 .25
                52 .33333334
                 3 .41666666
                27 .5
                38 .66666669
                84 1
                 3 1.3333334
                47 2
                 3 3
                 5 4
                 3 5
    mean: .193814
    std. dev: .537058

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0    .666667
    
```

homework_time_c3 **Monday-Sunday:Hours per week of child's doing homework**

```

    type: numeric (float)

    range: [0,6]
    unique values: 36
    units: 1.000e-09
    missing .: 0/1,506

    tabulation: Freq. Value
                1,348 0
                 1 .03333334
                 3 .05
                 5 .08333334
                 4 .1
                 5 .13333334
                 8 .16666667
                 3 .18333334
                 1 .2
                 4 .21666667
                 1 .23333333
                11 .25
                 2 .30000001
                12 .33333334
                 2 .41666666
                 1 .46666667
                23 .5
                 1 .63333333
    
```

```

      7 .66666669
      4 .75
      4 .83333331
      1 .88333333
    16 1
      1 1.05
      2 1.1666666
      4 1.25
     10 1.5
      3 2
      1 2.25
      1 2.3499999
      2 2.4000001
      5 2.5
      5 3
      2 3.5
      2 4
      1 6
    mean: .093493
    std. dev: .413139

    percentiles:      10%      25%      50%      75%      90%
                     0        0        0        0      .083333

```

homework_time **Hours per week of child's doing homework**

```

    type: numeric (float)
    range: [0,25]
    unique values: 93
    units: 1.000e-09
    missing .: 0/1,506

```

```

    tabulation: Freq. Value
                589 0
                 1 .03166667
                 1 .03333334
                 3 .05
                 8 .08333334
                 4 .1
                 2 .11666667
                 8 .13333334
                 1 .15000001
                13 .16666667
                 4 .18333334
                 1 .2
                10 .21666667
                 2 .23333333
                 2 .23333335
                16 .25
                 1 .26666668
                 1 .28333333
                 6 .30000001
                 1 .31666666
                12 .33333334
                 3 .34999999
                 4 .38333333
                33 .41666666
                 5 .41666669
                 1 .44999999
                 6 .46666667
                 3 .46666667
                30 .5
                 1 .58166665
                30 .58333331
                10 .63333333
                 8 .66666669
                 1 .69999999
                 5 .75
                 1 .755
                 1 .76666665
                 1 .78333336

```

```

74 .83333331
6 .88333333
1 .93333334
20 1
1 1.0333333
3 1.05
1 1.0833334
54 1.1666666
29 1.25
2 1.3333334
1 1.4499999
2 1.45
2 1.4666666
3 1.4666667
13 1.5
1 1.6
40 1.6666666
1 1.7
23 1.75
1 1.8333334
2 1.8833333
6 2
2 2.0833333
2 2.25
39 2.3333333
1 2.3499999
2 2.4000001
116 2.5
1 2.6333332
1 2.8333333
2 2.9166667
6 3
1 3.3333333
83 3.5
4 3.75
2 4
1 4.5
1 4.6666665
1 4.75
57 5
1 5.5
3 6
1 6.5
45 7
1 7.4000001
3 7.5
2 8
1 9.3833332
1 10.5
1 12.5
4 14
1 15
3 17.5
1 20
1 25

```

```

mean: 1.3824
std. dev: 2.20973

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      .5    2.33333  3.5

```

selfreading_c1 **Monday-Fiday:Hours per week of child's reading**

```

type: numeric (float)
range: [0,5]
unique values: 14
units: 1.000e-09
missing .: 0/1,506

```

```

tabulation:  Freq.  Value
              1,470  0
              1   .08333334
              1   .13333334
              1   .16666667
              1   .38333333
              4   .41666666
              1   .63333333
              6   .83333331
              3   1.05
              1   1.5666667
              7   1.6666666
              1   2.3333333
              5   2.5
              4   5
    mean:     .039365
    std. dev: .33114

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

selfreading_c2 **Saturday-Sunday:Hours per week of child's reading**

```

    type: numeric (float)
    range: [0,2]
    unique values: 14
    units: 1.000e-09
    missing .: 0/1,506

    tabulation:  Freq.  Value
                  1,475  0
                  1   .03333334
                  1   .05
                  1   .06666667
                  1   .15000001
                  4   .16666667
                  1   .25
                  5   .33333334
                  3   .41666666
                  1   .63333333
                  4   .66666669
                  1   .93333334
                  5   1
                  3   2
    mean:     .01286
    std. dev: .118354

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

selfreading_c3 **Monday-Sunday:Hours per week of child's reading**

```

    type: numeric (float)
    range: [0,2.5]
    unique values: 17
    units: 1.000e-09
    missing .: 0/1,506

    tabulation:  Freq.  Value
                  1,474  0
                  1   .03333334
                  1   .05
                  2   .1
                  1   .16666667
                  1   .18333334
                  5   .33333334
                  1   .38333333
                  1   .40000001
                  2   .41666666
                  5   .5
    
```



```

          3 .63333333
          3 .75
          1 .88333333
          2 1
          2 2
          1 2.5
    mean: .013247
    std. dev: .121457

    percentiles:      10%      25%      50%      75%      90%
                      0         0         0         0         0
    
```

selfreading_time Hours per week of child's reading

```

    type: numeric (float)
    range: [0,7]
    unique values: 31
    units: 1.000e-09
    missing .: 0/1,506
    
```

```

    tabulation: Freq. Value
    1,437 0
                1 .03333334
                1 .05
                2 .1
                1 .11666667
                1 .16666667
                2 .18333334
                1 .23333335
                5 .33333334
                1 .38333333
                1 .40000001
                2 .41666666
                5 .5
                1 .53333333
                4 .58333331
                3 .63333333
                3 .75
                1 .83333331
                2 .88333333
                3 1
                5 1.1666666
                3 1.4666666
                3 1.6666666
                2 2
                1 2.2
                4 2.3333333
                2 2.5
                1 3.2666667
                4 3.5
                1 5
                3 7
    
```

```

    mean: .065471
    std. dev: .45118

    percentiles:      10%      25%      50%      75%      90%
                      0         0         0         0         0
    
```

screen_time_c1 Monday-Friday:Hours per week of child's playing computer ,tablet, ipad and smart

```

    type: numeric (float)
    range: [0,27.5]
    unique values: 55
    units: 1.000e-09
    missing .: 0/1,506
    
```

```

tabulation:  Freq.  Value
              793    0
              1    .08333334
              3    .16666667
              5    .21666667
              4    .25
              3    .30000001
              2    .33333334
              1    .38333333
             12    .41666666
              1    .51666665
              1    .58333331
              4    .63333333
              1    .66666669
              1    .73333335
              1    .75
             30    .83333331
              1    .91666669
              3    .93333334
              1    1
              1    1.0333333
              3    1.05
             23    1.25
              1    1.5
              3    1.5666667
             22    1.6666666
              1    1.8833333
              7    2.0833333
             97    2.5
              3    2.9166667
              3    3.1333334
              7    3.3333333
              1    3.6500001
             12    3.75
              1    4
              5    4.1666665
            203    5
              1    5.1666665
              1    5.2166667
              1    5.6333332
              4    5.8333335
              8    6.25
              1    7.3000002
             57    7.5
              1    8.333333
             11    8.75
             71    10
              1    10.416667
              6    11.25
             32    12.5
             26    15
              8    17.5
              5    20
              5    22.5
              5    25
              1    27.5
    mean:      2.80312
  std. dev:   4.37667

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        5        10

```

screen_time_c2

Saturday-Sunday:Hours per week of child's playing computer ,tablet, ipad and sma

```

type:  numeric (float)
range: [0,21]
unique values: 57
units: 1.000e-09
missing .: 0/1,506

```

```

tabulation:  Freq.  Value
              779    0
              1   .03333334
              3   .06666667
              6   .08333334
              3   .1
              3   .11666667
              2   .13333334
              1   .15000001
             12   .16666667
              1   .2
              1   .21666667
              1   .23333333
              4   .25
              2   .30000001
             27   .33333334
              1   .36666667
              1   .38333333
              4   .41666666
             19   .5
              4   .63333333
             21   .66666669
              1   .69999999
              1   .75
              4   .83333331
             86   1
              1  1.13333333
              4  1.16666666
              5  1.25
              6  1.33333334
              1  1.41666666
              1  1.46666667
             12  1.5
              6  1.66666666
            174  2
              1  2.08333333
              1  2.25
              4  2.33333333
             10  2.5
              1  2.91666667
             50  3
              1  3.33333333
             11  3.5
             92  4
              1  4.16666665
              7  4.5
             39  5
             41  6
             11  7
              2  7.5
             13  8
              7  9
              8  10
              2  11
              1  12
              3  15
              1  17.5
              1  21

```

```

mean: 1.37304
std. dev: 2.22928

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      2      4

```

screen_time_c3

Monday-Sunday:Hours per week of child's playing computer ,tablet, ipad and smart

type: numeric (float)

range: [0,9] units: 1.000e-09
 unique values: 51 missing .: 0/1,506

tabulation: Freq. Value
 1,158 0
 3 .05
 2 .06666667
 6 .08333334
 1 .1
 1 .11666667
 3 .13333334
 1 .15000001
 8 .16666667
 4 .18333334
 6 .21666667
 1 .23333333
 10 .25
 2 .31666666
 14 .33333334
 4 .38333333
 5 .41666666
 1 .43333334
 27 .5
 2 .51666665
 1 .55000001
 6 .58333331
 2 .63333333
 8 .66666669
 1 .73333335
 8 .75
 8 .83333331
 6 .88333333
 1 .93333334
 40 1
 1 1.1333333
 1 1.1666666
 12 1.25
 35 1.5
 2 1.6666666
 7 1.75
 26 2
 3 2.25
 15 2.5
 1 2.75
 21 3
 9 3.5
 3 3.75
 12 4
 5 4.5
 5 5
 1 5.8166666
 3 6
 2 7.5
 1 8
 1 9

mean: .360735
 std. dev: .959544

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1.5

screen_time Hours per week of child's playing computer ,tablet, ipad and smart phone

type: numeric (float)
 range: [0,35.5] units: 1.000e-09
 unique values: 140 missing .: 0/1,506

mean: 4.5369
 std. dev: 6.16671
 percentiles: 10% 25% 50% 75% 90%
 0 0 1.75 7 14

tv_time_c1 Hours per week of child's watching tv

type: numeric (float)
 range: [0,50] units: 1.000e-09
 unique values: 54 missing .: 0/1,506

tabulation:	Freq.	Value
	267	0
	1	.08333334
	1	.13333334
	3	.21666667
	3	.25
	2	.30000001
	1	.33333334
	1	.38333333
	17	.41666666
	1	.43333334
	1	.46666667
	1	.58333331
	7	.63333333
	1	.66666669
	39	.83333331
	1	.93333334
	1	1.05
	17	1.25
	25	1.6666666
	2	1.8833333
	1	2
	11	2.0833333
	156	2.5
	1	2.5999999
	6	2.9166667
	10	3.3333333
	14	3.75
	4	4.1666665
	445	5
	1	5.2166667
	1	5.25
	1	5.4166665
	1	5.5
	5	5.8333335
	3	6.25
	80	7.5
	1	9.3833332
	214	10
	1	11.25
	26	12.5
	66	15
	2	16.666666
	12	17.5
	2	18.333334
	1	18.75
	28	20
	8	22.5
	4	25
	1	27.5
	2	30
	2	32.5
	1	35
	2	37.5
	1	50

mean: 5.62846
 std. dev: 5.44723

mean: 3.14071
 std. dev: 3.29714
 percentiles: 10% 25% 50% 75% 90%
 0 1 2 4 8

tv_time_c3 **Hours per week of child's watching tv**

type: numeric (float)
 range: [0,7.5] units: 1.000e-09
 unique values: 35 missing.: 0/1,506

tabulation: Freq. Value
 1,400 0
 2 .05
 2 .06666667
 2 .08333334
 1 .1
 1 .13333334
 4 .16666667
 1 .18333334
 1 .25
 4 .33333334
 1 .38333333
 12 .5
 1 .63333333
 7 .66666669
 2 .75
 2 .83333331
 2 .88333333
 12 1
 1 1.05
 1 1.16666666
 1 1.33333334
 8 1.5
 1 1.66666666
 4 1.75
 3 2
 7 2.5
 1 2.63333334
 9 3
 2 3.5
 1 3.75
 3 4
 1 4.5
 2 5
 1 6
 3 7.5

mean: .116058
 std. dev: .60214

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

tv_time **Hours per week of child's watching tv**

type: numeric (float)
 range: [0,70] units: 1.000e-09
 unique values: 150 missing.: 0/1,506

mean: 8.88524
 std. dev: 8.06389

percentiles: 10% 25% 50% 75% 90%
 .5 3.5 7 14 20

other_c1 **Monday-Friday:Hours per week of child's doing other activity**

```

type: numeric (float)
range: [0,5] units: 1.000e-07
unique values: 5 missing : 0/1,506

tabulation: Freq. Value
1,501 0
1 .63333333
2 .83333331
1 1.25
1 5
mean: .005677
std. dev: .137137

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

other_c2 **Saturday-Sunday:Hours per week of child's doing other activity**

```

type: numeric (float)
range: [0,2] units: 1.000e-08
unique values: 5 missing : 0/1,506

tabulation: Freq. Value
1,501 0
1 .25
2 .33333334
1 .5
1 2
mean: .002269
std. dev: .054845

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

other_c3 **Monday-Sunday:Hours per week of child's doing other activity**

```

type: numeric (float)
range: [0,.16666667] units: 1.000e-08
unique values: 3 missing : 0/1,506

tabulation: Freq. Value
1,504 0
1 .13333334
1 .16666667
mean: .000199
std. dev: .005498

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

other_time **Hours per week of child's doing other activity**

```

type: numeric (float)
range: [0,7] units: 1.000e-08
unique values: 7 missing : 0/1,506
    
```



```

tabulation: Freq. Value
            1,499 0
            1 .13333334
            1 .16666667
            1 .88333333
            2 1.16666666
            1 1.75
            1 7
mean:      .008145
std. dev:  .192052

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

year_survey **year survey**

```

type: numeric (float)
range: [2017,2017]
unique values: 1
units: 1
missing .: 0/1,506

tabulation: Freq. Value
            1,506 2017
mean:      2017
std. dev:  0

percentiles:      10%      25%      50%      75%      90%
                  2017      2017      2017      2017      2017
    
```

survey_name **survey round**

```

type: string (str12)
unique values: 1
missing "": 0/1,506

tabulation: Freq. Value
            1,506 "RESURVEY2017"
    
```

```

2 . log close
   name: <unnamed>
   log:  Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018\\codebook\\2017\\b11.smcl
   log type: smcl
   closed on: 3 Oct 2024, 14:07:15
    
```