



```

name: <unnamed>
log: Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\b3.scml
log type: smcl
opened on: 3 Oct 2024, 13:40:26
    
```

1 . codebookr _all,all

```

Dataset: Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\b3_run.dta
Last saved: 3 Oct 2024 13:40
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 42
Number of observations: 1,506
Size: 1,923,162 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

cid **children id**

```

type: string (str18)
unique values: 1,506 missing "": 0/1,506
examples: "201591160604207H1"
           "201691131001997H1"
           "201691160105066H7"
           "201691161708041H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,506
tabulation: Freq. Value
             553 "2015"
             953 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,284 missing "": 0/1,506
 examples: "201591160604207"
 "201691131001097"
 "201691160105067"
 "201691161708041"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,506
 tabulation: Freq. Value
 1,361 "91"
 145 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,506
 tabulation: Freq. Value
 1 "09"
 145 "12"
 264 "13"
 129 "14"
 148 "15"
 557 "16"
 38 "17"
 224 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,506
 tabulation: Freq. Value
 65 "01"
 229 "02"
 121 "04"
 63 "05"
 57 "06"
 66 "07"
 64 "08"
 97 "09"
 136 "10"
 93 "11"
 154 "13"
 47 "14"
 151 "15"
 106 "17"
 57 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,506

```

tabulation:  Freq.  Value
              156  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              155  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8  "17"
              12  "18"
              26  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,506
examples: "011"
          "035"
          "071"
          "149"
    
```

ch1 **How is the child's health now?**

```

type: numeric (byte)
label: ch1
range: [1,7]           units: 1
unique values: 4       missing .: 0/1,506

tabulation:  Freq.  Numeric  Label
              242    1  very good
              1,000  3  good
              251    5  quite good
              13     7  somewhat bad
    
```

ch2 **Since previous interview : Did the child ever visit a dentist to take care of hi**

```

type: numeric (byte)
label: ch2
range: [1,3]           units: 1
unique values: 2       missing .: 0/1,506

tabulation:  Freq.  Numeric  Label
              414    1  yes
              1,092  3  no
    
```

ch2a **Number of times**

```

type: numeric (byte)
label: ch2a, but label does not exist

range: [1,7] units: 1
unique values: 6 missing .: 1,092/1,506
unique missing codes: 3 missing *: 4/1,506

tabulation: Freq. Value
            260 1
            104 2
             34 3
              8 4
              3 5
              1 7
            1,092 .
              3 .c
              1 .d
mean: 1.52195
std. dev: .833736

percentiles: 10% 25% 50% 75% 90%
              1 1 1 2 3
    
```

ch10 Since the last interview Has the child been to a psychiatrist or doctor for advi

```

type: numeric (byte)
label: ch10

range: [.,.] units: .
unique values: 0 missing .: 1,506/1,506

tabulation: Freq. Numeric Label
            1,506 .
    
```

ch4 Since the last interview How many times do children receive health checkups that

```

type: numeric (byte)
label: ch4, but label does not exist

range: [0,12] units: 1
unique values: 8 missing .: 0/1,506
unique missing codes: 1 missing *: 3/1,506

tabulation: Freq. Value
            1,298 0
             142 1
              43 2
               7 3
               7 4
               2 6
               2 11
               2 12
               3 .c
mean: .222888
std. dev: .822589

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

ch4_des Name of place for the health check-ups (unavailable)

```

type: string (str114), but longest is str0
unique values: 0 missing "": 1,506/1,506
    
```

tabulation: Freq. Value
 1,506 ""

ch4b **Code of the most place for the health check-ups**

type: numeric (**byte**)
 label: **ch4b**
 range: [1,99] units: 1
 unique values: 7 missing .: 1,298/1,506

tabulation:	Freq.	Numeric	Label
	137	1	Health promoting hospital
	29	3	District hospital
	17	5	Center hospital / provincial hospital
	3	7	University hospital
	3	15	Private hospital
	17	17	Medical clinic
	2	99	other (Specify in ch4ba)
	1,298	.	

ch4ba **Detail : place for the health check-ups (not display)**

type: string (**str48**), but longest is str0
 unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
 1,506 ""

ch4aa_des **Sub-district (unavailable)**

type: string (**str36**), but longest is str0
 unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
 1,506 ""

ch4aa **Sub-district code (unavailable)**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
 1,506 ""

ch4ab_des **District (unavailable)**

type: string (**str42**), but longest is str0
 unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
 1,506 ""

ch4ab **District code (unavailable)**

```

type: string (str2), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ch4ac_des **Province (unavailable)**

```

type: string (str39), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ch4ac **Province code (unavailable)**

```

type: string (str2), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ch5 Ever since the child was 2 years old until now, Has the child ever go to the doc

```

type: numeric (byte)
label: ch5
range: [1,3] units: 1
unique values: 2 missing .: 0/1,506
tabulation: Freq. Numeric Label
             162      1 yes
             1,344    3 no
    
```

ch5a **How many times?**

```

type: numeric (byte)
label: ch5a, but label does not exist
range: [1,10] units: 1
unique values: 6 missing .: 1,344/1,506
tabulation: Freq. Value
             147  1
              11  2
               1  3
               1  5
               1  8
               1 10
            1,344 .
mean:      1.2037
std. dev:  .978901
percentiles: 10%    25%    50%    75%    90%
              1      1      1      1      1
    
```

ch5b **What was the most severe injury?**

```

type: numeric (byte)
label: ch5b
range: [1,99]
unique values: 10
units: 1
missing ..: 1,344/1,506

```

tabulation:	Freq.	Numeric	Label
	9	1	Cut or pierced by sharp object (open wounds, bleeding)
	78	3	Crash/Fall (with open wounds, broken bones, unconscious)
	2	5	Burn (until skin blister)
	2	7	Swallow, take or put things in the ear or nose
	5	11	Bitten or stung by poisonous animals
	16	13	Hurt by non
	1	15	Car accident (the child in the car)
	19	23	Bicycle injury
	10	25	Motercycle injury
	20	99	Other (Specify in ch5ba)
	1,344	.	

ch5ba **Detail of the most severe injury (not display)**

```

type: string (str154), but longest is str0
unique values: 0
missing "": 1,506/1,506
tabulation: Freq. Value
1,506 ""

```

ch5c **Where did the accident happen?**

```

type: numeric (byte)
label: ch5c
range: [1,99]
unique values: 6
unique missing codes: 2
units: 1
missing ..: 1,344/1,506
missing *: 2/1,506

```

tabulation:	Freq.	Numeric	Label
	65	1	home
	27	3	house of others
	24	5	school / child center
	2	7	playing field / playground
	19	9	alley / road
	23	99	other
	1,344	.	
	2	.d	

ch5ca **Detail : place of accident (unavailable)**

```

type: string (str69), but longest is str0
unique values: 0
missing "": 1,506/1,506
tabulation: Freq. Value
1,506 ""

```

ch5e **How many days did the child miss school as a result of this injury?**

```

type: numeric (byte)
label: ch9

range: [1,3]
unique values: 2
unique missing codes: 1

units: 1
missing .: 0/1,506
missing *: 1/1,506

tabulation: Freq. Numeric Label
             121      1 yes
             1,384    3 no
             1        .d
    
```

ch9a

How many times?

```

type: numeric (byte)
label: ch9a, but label does not exist

range: [1,4]
unique values: 4
unique missing codes: 3

units: 1
missing .: 1,384/1,506
missing *: 2/1,506

tabulation: Freq. Value
             96  1
             18  2
              5  3
              1  4
            1,384 .
              1  .c
              1  .d
mean:      1.25833
std. dev:  .572417

percentiles:      10%      25%      50%      75%      90%
                  1        1        1        1        2
    
```

ch9b

What was the most severe disease?

```

type: numeric (byte)
label: ch9b

range: [1,99]
unique values: 9
unique missing codes: 2

units: 1
missing .: 1,384/1,506
missing *: 1/1,506

tabulation: Freq. Numeric Label
             13      1 Respiratory (cough /cold/ runny
                    nose/gasp)
             16      3 Diarrhea / dysentery
              5      5 Stomachache / flatulence /
                    indigestion / gastritis
              1     11 Dermatitis / eczema / rash
              1     15 Oral diseases / caries / gum
                    disease / mouth ulcers
             64     17 Fever
              9     19 Lung and bronchial diseases
                    (pneumonia / bronchitis)
              3     21 Diseases of the gastrointestinal
                    tract and liver (intestinal /
                    liver / appendicitis / bile
                    ducts / gallbladder / excluding
                    gastritis)
              9     99 other (Specify in ch9ba)
            1,384    .
              1     .d
    
```

ch9ba **Detail : the most severe disease (not display)**

type: string (**str129**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

ch9c **How many days did the child miss school as a result of this acute disease?**

type: numeric (**byte**)
 label: **ch9c**, but label does not exist
 range: [0,44] units: 1
 unique values: 12 missing .: 1,384/1,506
 unique missing codes: 2 missing *: 1/1,506
 tabulation: Freq. Value
 50 0
 1 1
 11 2
 10 3
 5 4
 17 5
 22 7
 1 10
 1 11
 1 15
 1 30
 1 44
 1,384 .
 1 .d
 mean: 3.4876
 std. dev: 5.42235
 percentiles: 10% 25% 50% 75% 90%
 0 0 2 5 7

ch9d **How many days was the child hospitalized because of this acute disease?**

type: numeric (**byte**)
 label: **ch9d**, but label does not exist
 range: [0,11] units: 1
 unique values: 11 missing .: 1,384/1,506
 unique missing codes: 2 missing *: 1/1,506
 tabulation: Freq. Value
 2 0
 10 1
 37 2
 43 3
 8 4
 6 5
 2 6
 10 7
 1 9
 1 10
 1 11
 1,384 .
 1 .d
 mean: 3.19835
 std. dev: 1.93486

survey_name **survey round**

type: string (**str12**)

unique values: **1** missing "": **0/1,506**

tabulation: Freq. Value
1,506 "RESURVEY2017"

2 . log close
name: **<unnamed>**
log: **Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\2017\b3.sml**
log type: **smcl**
closed on: **3 Oct 2024, 13:40:27**
