



```

name: <unnamed>
log: Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\b4.scml
log type: smcl
opened on: 3 Oct 2024, 13:41:04
    
```

1 . codebookr _all,all

```

Dataset: Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\b4_run.dta
Last saved: 3 Oct 2024 13:40
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 88
Number of observations: 1,506
Size: 6,335,742 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

| | | | |
|-------------------|----|------------------|----|
| Numeric Missing*: | .a | String Missing*: | RF |
| | .b | | NA |
| | .c | | DK |
| | .d | | MI |

cid **children id**

```

type: string (str18)
unique values: 1,506 missing "": 0/1,506
examples: "201591160604207H1"
           "201691131001997H1"
           "201691160105066H7"
           "201691161708041H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,506
tabulation: Freq. Value
             553 "2015"
             953 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,284 missing "": 0/1,506
 examples: "201591160604207"
 "201691131001097"
 "201691160105067"
 "201691161708041"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,506
 tabulation: Freq. Value
 1,361 "91"
 145 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,506
 tabulation: Freq. Value
 1 "09"
 145 "12"
 264 "13"
 129 "14"
 148 "15"
 557 "16"
 38 "17"
 224 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,506
 tabulation: Freq. Value
 65 "01"
 229 "02"
 121 "04"
 63 "05"
 57 "06"
 66 "07"
 64 "08"
 97 "09"
 136 "10"
 93 "11"
 154 "13"
 47 "14"
 151 "15"
 106 "17"
 57 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,506

```

tabulation:  Freq.  Value
              156  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              155  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8  "17"
              12  "18"
              26  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,506
examples: "011"
          "035"
          "071"
          "149"
    
```

chd1_1 **Open Roster and Identify childhood underlying disease since previous interview**

```

type: numeric (byte)
label: chd1_1, but label does not exist
range: [0,3]           units: 1
unique values: 4       missing .: 0/1,506

tabulation:  Freq.  Value
              1,339  0
              156  1
              9  2
              2  3
mean: .119522
std. dev: .353893

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1
    
```

chd1_2
Since previous interview, Have you ever been told by a doctor, nurse or speciali

```

type: numeric (byte)
label: chd1_2, but label does not exist
range: [0,2]           units: 1
unique values: 3       missing .: 0/1,506
    
```

chdlba_1 **Other categories of treatment 1 (not display)**

```

type: string (str250), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

chdlc_1 **Taking the child to an emergency room at least for one night 1**

```

type: numeric (byte)
label: chdlc

range: [1,3] units: 1
unique values: 2 missing .: 1,290/1,506
unique missing codes: 3 missing *: 18/1,506

tabulation: Freq. Numeric Label
             40 1 yes
             158 3 no
             1,290 .
              1 .a
              17 .d
    
```

chdlca_1 **Number of days : the child stayed in hospital at the longest period because of u**

```

type: numeric (int)
label: chdlca, but label does not exist

range: [1,220] units: 1
unique values: 11 missing .: 1,466/1,506

tabulation: Freq. Value
             4 1
             9 2
            10 3
             7 4
             1 5
             4 7
             1 10
             1 11
             1 12
             1 30
             1 220
          1,466 .
mean: 9.9
std. dev: 34.4211

percentiles: 10% 25% 50% 75% 90%
              1.5 2 3 4.5 10.5
    
```

chdlid_1 **At present, Does the child have an underlying medical condition**

```

type: numeric (byte)
label: chdlid

range: [1,3] units: 1
unique values: 2 missing .: 1,290/1,506
unique missing codes: 3 missing *: 8/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              183      1  yes
              25      3  no
            1,290      .
              1      .a
              7      .d
    
```

chd1a_2 **Underlying disease 2 (not display)**

```

type:  string (str92), but longest is str0
unique values:  0                               missing "":  1,506/1,506
tabulation:  Freq.  Value
            1,506  ""
    
```

chd1aa_2 **Underlying disease code 2**

```

type:  numeric (byte)
label:  chd1aa_1
range:  [3,99]                               units:  1
unique values:  8                               missing .:  1,487/1,506
tabulation:  Freq.  Numeric  Label
              1      3  Thyroid / Goiter
              1      13  Cancer
              1      21  Seizures / epilepsy
              7      27  Asthma / emphysema
              4      31  Allergy
              1      55  Thalassemia
              3      75  G6PD
              1      99  others
            1,487      .
    
```

chd1b_2 **What kind of treatment did child receive**

```

type:  string (str6), but longest is str3
unique values:  10                               missing "":  1,487/1,506
unique missing codes:  2                         missing *:  1/1,506
tabulation:  Freq.  Value
            1,487  ""
              1  "A;D"
              6  "B"
              1  "C"
              1  "C;D"
              1  "D"
              1  "D;G"
              1  "E"
              4  "F"
              2  "G"
              1  "MI"
    
```

chd1ba_2 **Other category of treatment 2 (not display)**

```

type:  string (str250), but longest is str0
unique values:  0                               missing "":  1,506/1,506
tabulation:  Freq.  Value
            1,506  ""
    
```

chdlc_2 Taking the child to an emergency room at least for one night 2

```

type: numeric (byte)
label: chdlc

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,487/1,506
missing *: 1/1,506

tabulation: Freq.  Numeric  Label
              3          1  yes
              15         3  no
            1,487       .
              1          .d
    
```

chdlca_2 Number of days : the child stayed in hospitalized at the longest period because

```

type: numeric (int)
label: chdlca, but label does not exist

range: [2,7]
unique values: 3

units: 1
missing .: 1,503/1,506

tabulation: Freq.  Value
              1  2
              1  3
              1  7
            1,503 .
mean:          4
std. dev:     2.64575

percentiles: 10%    25%    50%    75%    90%
              2     2     3     7     7
    
```

chdlid_2 At present, Does the child have an underlying medical condition

```

type: numeric (byte)
label: chdlid

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,487/1,506
missing *: 1/1,506

tabulation: Freq.  Numeric  Label
              17         1  yes
              1          3  no
            1,487       .
              1          .d
    
```

chdla_3 Underlying disease 3 (not display)

```

type: string (str92), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
            1,506 ""
    
```

chdlaa_3 Underlying disease code 3

```

type: numeric (byte)
label: chdlaa_1

range: [3,77]
unique values: 4
units: 1
missing ..: 1,502/1,506

tabulation: Freq.  Numeric  Label
              1         3  Thyroid / Goiter
              1        27  Asthma / emphysema
              1        57  Down syndrom
              1        77  Anemia
            1,502         .
    
```

chdlb_3 What kind of treatment did child receive

```

type: string (str6), but longest is str1
unique values: 3
missing "": 1,502/1,506

tabulation: Freq.  Value
            1,502 ""
              1 "B"
              2 "F"
              1 "G"
    
```

chdlba_3 Other category of treatment 3 (not display)

```

type: string (str250), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
            1,506 ""
    
```

chdlc_3 Taking the child to an emergency room at least for one night 3

```

type: numeric (byte)
label: chdlc

range: [3,3]
unique values: 1
units: 1
missing ..: 1,502/1,506

tabulation: Freq.  Numeric  Label
              4         3  no
            1,502         .
    
```

chdlca_3 Number of days : the child stayed in hospitalized at the longest period because

```

type: numeric (int)
label: chdlca, but label does not exist

range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq.  Value
            1,506 .
mean: .
std. dev: .

percentiles: 10%    25%    50%    75%    90%
              .     .     .     .     .
    
```

chd1d_3 **At present, Does the child have an underlying medical condition**

```

type: numeric (byte)
label: chd1d

range: [1,1]
unique values: 1
units: 1
missing .: 1,502/1,506

tabulation: Freq.   Numeric   Label
              4         1   yes
              1,502       .
    
```

chd1a_4 **Underlying disease 4**

```

type: string (str92), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.   Value
              1,506  ""
    
```

chd1aa_4 **Underlying disease code 4**

```

type: numeric (byte)
label: chd1aa_1

range: [3,27]
unique values: 2
units: 1
missing .: 1,504/1,506

tabulation: Freq.   Numeric   Label
              1         3   Thyroid / Goiter
              1         27  Asthma / emphysema
              1,504       .
    
```

chd1b_4 **Treatment 4**

```

type: string (str6), but longest is str1
unique values: 2
missing "": 1,504/1,506

tabulation: Freq.   Value
              1,504  ""
              1     "B"
              1     "C"
    
```

chd1b_des_4 **Detail of treatment method**

```

type: string (str58)
unique values: 2
missing "": 1,504/1,506

tabulation: Freq.   Value
              1,504  ""
              1     "antibiotics (take continuously until
                  the dose is finished)"
              1     "bronchodilators"

warning: variable has embedded blanks
    
```

chdlba_4 **Other category of treatment 4**

```

type: string (str250), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
              1,506 ""
    
```

chdlc_4 **Taking the child to an emergency room at least for one night 4**

```

type: numeric (byte)
label: chdlc
range: [3,3] units: 1
unique values: 1 missing .: 1,504/1,506
tabulation: Freq. Numeric Label
              2 3 no
              1,504 .
    
```

chdlca_4
No. of days : hospitalized at the longest period because of underlying disease 4

```

type: numeric (int)
label: chdlca, but label does not exist
range: [.,.] units: .
unique values: 0 missing .: 1,506/1,506
tabulation: Freq. Value
              1,506 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

chdlld_4 **Having an underlying medical condition (underlying disease 4)**

```

type: numeric (byte)
label: chdlld
range: [1,1] units: 1
unique values: 1 missing .: 1,504/1,506
tabulation: Freq. Numeric Label
              2 1 yes
              1,504 .
    
```

chd2 **Since the last interview Has the child ever had their ear pierced**

```

type: numeric (byte)
label: chd2
range: [1,3] units: 1
unique values: 2 missing .: 0/1,506
tabulation: Freq. Numeric Label
              5 1 yes
              1,501 3 no
    
```

chd3 Code of the reason for the child ever had an ear drainage puncture

type: numeric (**byte**)
 label: **chd3**
 range: [1,7] units: 1
 unique values: 2 missing .. 1,501/1,506
 tabulation: Freq. Numeric Label
 1 1 fluid in the ears
 4 7 other CHD3A
 1,501 .

chd3a Other category of the reason for the child ever had an ear drainage puncture (no

type: string (**str90**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

chd4_1 Open Roster and identify the number of defects of child since previous interview

type: numeric (**byte**)
 label: **chd4_1**, but label does not exist
 range: [0,2] units: 1
 unique values: 3 missing .. 0/1,506
 tabulation: Freq. Value
 1,493 0
 11 1
 2 2
 mean: .00996
 std. dev: .111917
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

chd4_2 Since previous interview, Have you ever been told by a doctor how many defects o

type: numeric (**byte**)
 label: **chd4_2**, but label does not exist
 range: [0,2] units: 1
 unique values: 3 missing .. 0/1,506
 tabulation: Freq. Value
 1,502 0
 3 1
 1 2
 mean: .00332
 std. dev: .068119
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

chd4a_1 Disability 1 (not display)

```

type: string (str108), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

chd4aa_1 **Disability code 1**

```

type: numeric (byte)
label: chd4aa_1
range: [1,99] units: 1
unique values: 5 missing .: 1,490/1,506
tabulation: Freq. Numeric Label
             1         1 Problems with mobility due to
             5         3 Problems with learning
             1         7 Problems with limb movement
             5         9 Problems with communication
             4        99 other
             1,490 .
    
```

chd4b_1 **What kind of treatment did child receive**

```

type: string (str11)
unique values: 11 missing "": 1,490/1,506
unique missing codes: 3 missing *: 3/1,506
tabulation: Freq. Value
             1,490 ""
             1 "A"
             1 "A;C;D;G;I;J"
             1 "A;G;L"
             1 "B"
             1 "B;C"
             3 "C"
             1 "C;I"
             2 "I"
             2 "L"
             1 "MI"
             2 "NA"
    
```

chd4ba_1 **Other category of treatment 1 (not display)**

```

type: string (str144), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

chd4c_1 **Has the child ever been diagnosed by a medical professional**

```

type: numeric (byte)
label: chd4c
    
```

```

        range: [1,3]
unique values: 2
unique missing codes: 2
        units: 1
missing .: 1,490/1,506
missing *: 1/1,506

tabulation: Freq.  Numeric  Label
              9         1   yes
              6         3   no
            1,490       .
              1         .d
    
```

chd4d_1 **At present: Is this still a problem**

```

        type: numeric (byte)
        label: chd4d
        range: [1,3]
unique values: 2
        units: 1
missing .: 1,490/1,506

tabulation: Freq.  Numeric  Label
              15         1   yes
              1         3   no
            1,490       .
    
```

chd4a_2 **Disability 2 (not display)**

```

        type: string (str108), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
            1,506  ""
    
```

chd4aa_2 **Disability code 2**

```

        type: numeric (byte)
        label: chd4aa_1
        range: [1,9]
unique values: 2
        units: 1
missing .: 1,503/1,506

tabulation: Freq.  Numeric  Label
              1         1   Problems with mobility due to
              2         9   brain disorder
            1,503       .   Problems with communication
                               development
    
```

chd4b_2 **What kind of treatment did child receive**

```

        type: string (str11), but longest is str3
unique values: 3
missing "": 1,503/1,506

tabulation: Freq.  Value
            1,503  ""
              1   "B"
              1  "C;I"
              1   "H"
    
```

chd4ba_2 **Other category of treatment 2 (not display)**

```

type: string (str144), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

chd4c_2 **Has the child ever been diagnosed by a medical professional**

```

type: numeric (byte)
label: chd4c
range: [1,3] units: 1
unique values: 2 missing .: 1,503/1,506
tabulation: Freq. Numeric Label
             2 1 yes
             1 3 no
             1,503 .
    
```

chd4d_2 **At present: Is this still a problem**

```

type: numeric (byte)
label: chd4d
range: [1,1] units: 1
unique values: 1 missing .: 1,503/1,506
tabulation: Freq. Numeric Label
             3 1 yes
             1,503 .
    
```

chd4a_3 **Disability 3**

```

type: string (str108), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

chd4aa_3 **Disability code 3**

```

type: numeric (byte)
label: chd4aa_1
range: [9,9] units: 1
unique values: 1 missing .: 1,505/1,506
tabulation: Freq. Numeric Label
             1 9 Problems with communication
             1,505 . development
    
```

chd4b_3 **Treatment_3**

```

type: string (str11), but longest is str3
unique values: 1 missing "": 1,505/1,506
    
```

```

tabulation: Freq. Value
             1,505 ""
             1 "C;I"
    
```

chd4b_des_3 **Description of disability treatment 3**

```

type: string (str45)
unique values: 1 missing "": 1,505/1,506
tabulation: Freq. Value
             1,505 ""
             1 "physical therapy;parental support or
               training"
warning: variable has embedded blanks
    
```

chd4ba_3 **Other category of treatment 3**

```

type: string (str144), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

chd4c_3 **Be diagnosed or treated by a doctor or a specialist 3**

```

type: numeric (byte)
label: chd4c
range: [3,3] units: 1
unique values: 1 missing .: 1,505/1,506
tabulation: Freq. Numeric Label
             1 3 no
             1,505 .
    
```

chd4d_3 **At present: having this problem 3**

```

type: numeric (byte)
label: chd4d
range: [1,1] units: 1
unique values: 1 missing .: 1,505/1,506
tabulation: Freq. Numeric Label
             1 1 yes
             1,505 .
    
```

chd5 **Since the last interview, Does the child have hearing disability problem**

```

type: numeric (byte)
label: chd5
range: [1,3] units: 1
unique values: 2 missing .: 0/1,506
unique missing codes: 1 missing *: 1/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              4        1  yes
            1,501      3  no
              1        .c
    
```

chd6 **Ear side of hearing disability**

```

type: numeric (byte)
label: chd6

range: [1,5]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,501/1,506
missing *: 1/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              2        1  left
              2        5  both
            1,501      .
              1        .c
    
```

chd7 **Since the last interview, Does the child have vision disability problem**

```

type: numeric (byte)
label: chd7

range: [1,3]
unique values: 2

units: 1
missing .: 0/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              1        1  yes
            1,505      3  no
    
```

chd8 **Does the child need to use assistive devices such as canes, wheelchairs, hearing**

```

type: numeric (byte)
label: chd8

range: [1,3]
unique values: 2

units: 1
missing .: 0/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              4        1  yes
            1,502      3  no
    
```

chd9 **Does the child currently wear glasses**

```

type: numeric (byte)
label: chd9

range: [3,3]
unique values: 1

units: 1
missing .: 0/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
            1,506      3  no
    
```

chd10 **Is the child currently receiving special education**

```

type: numeric (byte)
label: chd10
    
```


range: [1,3] units: 1
 unique values: 2 missing.: 0/1,506

| tabulation: | Freq. | Numeric | Label |
|-------------|-------|---------|-------|
| | 1 | 1 | yes |
| | 1,505 | 3 | no |

chd10a1_des
Location where the child receiving special education services (unavailable)

type: string (**str126**), but longest is str0
 unique values: 0 missing "": 1,506/1,506

| tabulation: | Freq. | Value |
|-------------|-------|-------|
| | 1,506 | "" |

chd10a1 **Location code (unavailable)**

type: string (**str6**), but longest is str0
 unique values: 0 missing "": 1,506/1,506

| tabulation: | Freq. | Value |
|-------------|-------|-------|
| | 1,506 | "" |

chd10a2_des
Sub-district where the child receiving special education services (unavailable)

type: string (**str21**), but longest is str0
 unique values: 0 missing "": 1,506/1,506

| tabulation: | Freq. | Value |
|-------------|-------|-------|
| | 1,506 | "" |

chd10a2 **Sub-district code (unavailable)**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,506/1,506

| tabulation: | Freq. | Value |
|-------------|-------|-------|
| | 1,506 | "" |

chd10a3_des
District where the child receiving special education services (unavailable)

type: string (**str42**), but longest is str0
 unique values: 0 missing "": 1,506/1,506

| tabulation: | Freq. | Value |
|-------------|-------|-------|
| | 1,506 | "" |

chd10a3 **District code (unavailable)**

type: string (**str2**), but longest is str0

unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

chd10a4_des Province where the child receiving special education services (unavailable)

type: string (**str27**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

chd10a4 Province code (unavailable)

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

chd11 Interviewer note (unavailable)

type: string (**str620**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

note_cleaner data cleaner note (not display)

type: string (**str291**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

year_survey year survey

type: numeric (**float**)
 range: [2017,2017] units: 1
 unique values: 1 missing .: 0/1,506
 tabulation: Freq. Value
 1,506 2017
 mean: 2017
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 2017 2017 2017 2017 2017

survey_name survey round

```

type: string (str12)
unique values: 1 missing "": 0/1,506
tabulation: Freq. Value
             1,506 "RESURVEY2017"

```

chdl_number

How many underlying disease does the child currently have that are incurable?

```

type: numeric (float)
range: [0,4] units: 1
unique values: 5 missing .: 0/1,506
tabulation: Freq. Value
             1,342 0
              148 1
               12 2
                3 3
                 1 4
mean: .122842
std. dev: .379083
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1

```

chdlb_des_1

Detail of treatment method

```

type: string (str74)
unique values: 8 missing "": 1,318/1,506
tabulation: Freq. Value
             1,318 ""
              9 "antibiotics (take continuously until
                the dose is finished)"
             58 "bronchodilators"
              2 "bronchodilators;antibiotics (take
                continuously until the dose is
                finished)"
              7 "bronchodilators;drug (unknown type)"
             28 "drug (unknown type)"
              1 "drug (unknown type);other"
             70 "no treatment just observe symptoms"
             13 "other"
warning: variable has embedded blanks

```

chdlb_des_2

Detail of treatment method

```

type: string (str78)
unique values: 9 missing "": 1,489/1,506

```

```

tabulation: Freq. Value
            1,489 ""
            1 "antibiotics (take continuously until
              the dose is finished)"
            1 "antibiotics (take continuously until
              the dose is finished);drug (unknown
              type)"
            5 "bronchodilators"
            1 "drug (unknown type)"
            1 "drug (unknown type);other"
            4 "no treatment just observe symptoms"
            2 "other"
            1 "respirator/pacemaker;drug (unknown
              type)"
            1 "steroids"
    
```

warning: variable has embedded blanks

chdlb_des_3 **Detail of treatment method**

```

type: string (str34)
unique values: 3 missing "": 1,502/1,506
tabulation: Freq. Value
            1,502 ""
            1 "bronchodilators"
            2 "no treatment just observe symptoms"
            1 "other"
    
```

warning: variable has embedded blanks

chd4_number **How many disability does the child currently have that are incurable?**

```

type: numeric (float)
range: [0,3] units: 1
unique values: 4 missing .: 0/1,506
tabulation: Freq. Value
            1,491 0
            13 1
            1 2
            1 3
mean: .011952
std. dev: .130892
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

chd4b_des_1 **Detail of how to help**

```

type: string (str299)
unique values: 10 missing "": 1,492/1,506
    
```

```

tabulation:  Freq.  Value
              1,492  ""
                1  "home visit"
                1  "occupational therapy"
                1  "occupational therapy;physical therapy"
                2  "other"
                2  "parental support or training"
                3  "physical therapy"
                1  "physical therapy;parental support or
                    training"
                1  "speech or language therapy"
                1  "speech or language therapy;Hearing
                    service (this does not include a
                    temporary loss of hearing due to a cold
                    or congestion.);other"
                1  "speech or language therapy;physical
                    therapy;help group (among families with
                    the same problem);Hearing service (this
                    does not include a temporary loss of
                    hearing due to a cold or
                    congestion.);parental support or
                    training;special classes with other
                    children, some or all of whom also had
                    special needs"
    
```

warning: variable has embedded blanks

chd4b_des_2

Detail of how to help

type: string (str96), but longest is str45

unique values: 2 missing "": 1,504/1,506

```

tabulation:  Freq.  Value
              1,504  ""
                1  "occupational therapy"
                1  "physical therapy;parental support or
                    training"
    
```

warning: variable has embedded blanks

```

2 . log close
   name: <unnamed>
   log:  Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018\\codebook\\2017\\b4.scm1
   log type: smcl
   closed on: 3 Oct 2024, 13:41:08
    
```
