



```

name: <unnamed>
log: Z:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2017\hh_member.smcl
log type: smcl
opened on: 3 Oct 2024, 14:32:37

```

1 . codebookr _all,all

```

> un.dta
Dataset: Z:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\hh_member_r
Last saved: 3 Oct 2024 14:32
DATA HAVE CHANGED SINCE LAST SAVED

```

```

Label: [none]
Number of variables: 50
Number of observations: 7,803
Size: 6,718,383 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI

```

cid **children id**

```

type: string (str18)
unique values: 1,506 missing "": 0/7,803
examples: "201591161007003H1"
           "201691131006147H1"
           "201691160106075H1"
           "201691161708105H1"

```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/7,803
tabulation: Freq. Value
            2,778 "2015"
            5,025 "2016"

```

hhid **household id**

```

type: string (str15)

```

unique values: 1,284 missing "": 0/7,803
 examples: "201591161007003"
 "201691131006147"
 "201691160114050"
 "201691161708105"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/7,803
 tabulation: Freq. Value
 7,087 "91"
 716 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/7,803
 tabulation: Freq. Value
 6 "09"
 716 "12"
 1,273 "13"
 650 "14"
 772 "15"
 2,937 "16"
 193 "17"
 1,256 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/7,803
 tabulation: Freq. Value
 346 "01"
 1,116 "02"
 647 "04"
 341 "05"
 307 "06"
 309 "07"
 347 "08"
 504 "09"
 683 "10"
 531 "11"
 839 "13"
 256 "14"
 737 "15"
 548 "17"
 292 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/7,803

```

tabulation:  Freq.  Value
              801  "01"
              364  "02"
              775  "03"
              818  "04"
              673  "05"
              810  "06"
              414  "07"
              819  "08"
              537  "09"
              383  "10"
              276  "11"
              224  "12"
              197  "13"
               48  "14"
               56  "15"
              221  "16"
               37  "17"
               52  "18"
              136  "19"
                6  "20"
              126  "22"
               30  "24"
    
```

strucid **structure ID**

```

type:  string (str3)
unique values: 185           missing "":  0/7,803
examples: "011"
           "034"
           "070"
           "139"
    
```

hh_a **Member id**

```

type:  string (str5), but longest is str3
unique values: 11           missing "":  0/7,803
tabulation:  Freq.  Value
              1,501  "H1"
                42  "H10"
                17  "H11"
              1,475  "H2"
              1,463  "H3"
              1,221  "H4"
                889  "H5"
                612  "H6"
                346  "H7"
                159  "H8"
                 78  "H9"
    
```

no **No**

```

type:  numeric (byte)
range:  [1,11]           units:  1
unique values: 11       missing .:  0/7,803
    
```

```

tabulation:  Freq.  Value
              1,501  1
              1,476  2
              1,464  3
              1,220  4
               889  5
               611  6
               346  7
               159  8
                78  9
                42 10
                17 11
    mean:     3.43957
    std. dev: 2.01609

percentiles:      10%      25%      50%      75%      90%
                  1         2         3         5         6
    
```

hh_b **Nickname of member (unavailable)**

```

    type:  string (str45), but longest is str0
unique values:  0                missing "":  7,803/7,803

    tabulation:  Freq.  Value
                 7,803  ""
    
```

hh_d **Name of member (unavailable)**

```

    type:  string (str42), but longest is str0
unique values:  0                missing "":  7,803/7,803

    tabulation:  Freq.  Value
                 7,803  ""
    
```

hh_e **Surname of of member (unavailable)**

```

    type:  string (str51), but longest is str0
unique values:  0                missing "":  7,803/7,803

    tabulation:  Freq.  Value
                 7,803  ""
    
```

hh_code **Status in household (code)**

```

    type:  numeric (byte)
    label:  hh_code

    range:  [1,5]                units:  1
unique values:  3                missing .:  0/7,803

    tabulation:  Freq.  Numeric  Label
                 7,141    1      old member
                  310    3      new member
                  352    5      move out of household
    
```

hh_f **Relationship with household head (not display)**

```

    type:  string (str78), but longest is str0
    
```

unique values: 0 missing "": 7,803/7,803
 tabulation: Freq. Value
 7,803 ""

hh_fcode **Code of relationship with household head**

type: numeric (byte)
 label: **hh_fcode**
 range: [1,37] units: 1
 unique values: 16 missing .: 352/7,803

tabulation:	Freq.	Numeric	Label
	1,506	1	household head
	1,178	3	husband/Wife
	141	5	father/Mother
	1,359	7	son/daughther
	40	9	brother/sister/younger brother/younger sister
	2,420	11	grand son/grand daughter
	6	17	uncle,aunt of femal head
	2	19	grand parent:father side
	2	21	grand parent:mother side
	38	23	father/mother-in-law(of wife)
	3	25	father/mother-in-law(of husband)
	469	27	son/doughter-in-law
	8	29	sister in law/brother-in-law
	52	31	grandson/grand daughter-in-law
	220	35	relatives
	7	37	non-relatives
	352	.	.

hh_ga **Household head**

type: numeric (byte)
 range: [1,1] units: 1
 unique values: 1 missing .: 6,300/7,803

tabulation: Freq. Value
 1,503 1
 6,300 .

mean: 1
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%
 1 1 1 1 1

hh_gb **Target child**

type: numeric (byte)
 range: [1,1] units: 1
 unique values: 1 missing .: 6,297/7,803

tabulation: Freq. Value
 1,506 1
 6,297 .

mean: 1
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%
 1 1 1 1 1

hh_gc **Primary caregiver**

```

type: numeric (byte)
range: [1,1]
unique values: 1
units: 1
missing .: 5,695/7,803

tabulation: Freq. Value
             2,108 1
             5,695 .
mean: 1
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
             1 1 1 1 1
    
```

hh_gd **Father / Mother of child**

```

type: numeric (byte)
range: [1,1]
unique values: 1
units: 1
missing .: 6,433/7,803

tabulation: Freq. Value
             1,370 1
             6,433 .
mean: 1
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
             1 1 1 1 1
    
```

hh_ge **Informant**

```

type: numeric (byte)
range: [1,1]
unique values: 1
units: 1
missing .: 6,043/7,803

tabulation: Freq. Value
             1,760 1
             6,043 .
mean: 1
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
             1 1 1 1 1
    
```

hh_h **Contact number (unavailable)**

```

type: string (str11), but longest is str0
unique values: 0
missing "": 7,803/7,803

tabulation: Freq. Value
             7,803 ""
    
```

hh_k **Currently living at home?**

```

type: numeric (byte)
label: hh_k
    
```

```

range: [1,3] units: 1
unique values: 2 missing .: 340/7,803

tabulation: Freq. Numeric Label
              7,197      1 yes
              266       3 no
              340       .
    
```

hh_i **Do you have savings?**

```

type: numeric (byte)
label: hh_i

range: [1,3] units: 1
unique values: 2 missing .: 5,683/7,803
unique missing codes: 2 missing *: 13/7,803

tabulation: Freq. Numeric Label
              720      1 yes
            1,387      3 no
            5,683      .
              13      .c
    
```

hh_j **Amount of deposit**

```

type: numeric (int)
label: hh_j, but 77 nonmissing values are not labeled

range: [3,25000] units: 1
unique values: 77 missing .: 7,070/7,803
unique missing codes: 3 missing *: 427/7,803

tabulation: Freq. Numeric Label
              1          3
              1          30
              1          40
              2          45
              1          55
              1          90
              8         100
              2         110
              2         125
              7         150
             10         200
              1         210
              3         220
              8         250
              6         300
              2         350
              2         380
              3         400
              1         420
              3         440
              9         450
              1         460
              1         480
             17         500
              1         520
              2         550
              4         600
              3         650
              9         700
              1         750
              1         760
              2         800
              3         850
              7         900
              1         960
    
```

```

21      1000
 1      1070
 2      1080
10      1200
 3      1250
 2      1300
 1      1400
 2      1450
 9      1500
 1      1520
 4      1700
27      2000
 1      2250
10      2500
 2      2600
 1      2920
14      3000
 2      3200
 2      3220
 1      3300
 6      3500
 6      3800
12      4000
 1      4100
 1      4200
 1      4300
 3      4500
 1      4900
 6      5000
 1      5500
 1      5600
 1      5900
 6      6000
 1      6900
 6      7000
 1      7500
 4      8000
 1      9000
 1      10500
 1      15000
 1      18000
 1      25000
7,070  .
424    .c
 3      .d

```

blaf **Gender**

```

      type: numeric (byte)
      label: blaf
      range: [1,3]
unique values: 2
      units: 1
      missing .: 352/7,803

      tabulation: Freq.  Numeric  Label
                  3,562      1  Male
                  3,889      3  Female
                  352        .

```

blag **Nationality**

```

      type: numeric (byte)
      label: blag
      range: [1,3]
unique values: 2
      units: 1
      missing .: 352/7,803

```



```

tabulation:  Freq.  Numeric  Label
              7,438      1  Thai
              13        3  Other
              352        .
    
```

blag_other **Other**

```

type:  string (str11)

unique values:  4          missing "":  7,790/7,803
unique missing codes:  2      missing *:  1/7,803

tabulation:  Freq.  Value
              7,790  ""
              2    "British"
              9    "Laos"
              1    "MI"
              1    "Thai-Canana"
    
```

male **Male**

```

type:  numeric (float)

range:  [0,1]          units:  1
unique values:  2      missing .:  352/7,803

tabulation:  Freq.  Value
              3,873  0
              3,578  1
              352    .
mean:        .480204
std. dev:    .499641

percentiles:  10%    25%    50%    75%    90%
              0      0      0      1      1
    
```

female **Female**

```

type:  numeric (float)

range:  [0,1]          units:  1
unique values:  2      missing .:  352/7,803

tabulation:  Freq.  Value
              3,578  0
              3,873  1
              352    .
mean:        .519796
std. dev:    .499641

percentiles:  10%    25%    50%    75%    90%
              0      0      1      1      1
    
```

ch_added **children added**

```

type:  numeric (float)
label:  ch_added

range:  [0,0]          units:  1
unique values:  1      missing .:  0/7,803

tabulation:  Freq.  Numeric  Label
              7,803      0  no
    
```

hh1 Open household member Roster and fill number of member since previous interview

```

type: numeric (byte)
range: [1,11] units: 1
unique values: 11 missing .: 0/7,803

tabulation: Freq. Value
              4 1
              94 2
             869 3
            1,573 4
            1,596 5
            1,605 6
             962 7
             552 8
             314 9
             146 10
              88 11
mean: 5.52416
std. dev: 1.82825

percentiles:      10%      25%      50%      75%      90%
                  3         4         5         7         8
    
```

hh2 since previous interview, number of new members who move in.

```

type: numeric (byte)
range: [0,5] units: 1
unique values: 6 missing .: 0/7,803

tabulation: Freq. Value
              6,380 0
            1,009 1
             320 2
              67 3
               7 4
               20 5
mean: .253492
std. dev: .620362

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         1
    
```

hh3 since previous interview, number of new members who move out.

```

type: numeric (byte)
range: [0,4] units: 1
unique values: 5 missing .: 0/7,803

tabulation: Freq. Value
              6,287 0
             956 1
             400 2
             103 3
              57 4
mean: .293861
std. dev: .690617

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         1
    
```

note **Interview note (unavailable)**

type: string (**str142**), but longest is str0
 unique values: 0 missing "": 7,803/7,803
 tabulation: Freq. Value
 7,803 ""

hh_1 **Relationship with child**

type: string (**str86**)
 unique values: 200 missing "": 352/7,803
 warning: variable has embedded blanks

hh_lcode **Code of relationship with child**

type: numeric (**byte**)
 label: **hh_lcode**
 range: [0,21] units: 1
 unique values: 19 missing .: 352/7,803
 tabulation: Freq. Numeric Label
 1,506 0 Sample children
 1,369 1 father / mother
 22 2 Stepfather / Stepmother (a
 person)
 2 3 Adoptive father / Adoptive
 mother
 4 4 Stepfather / Stepmother (both of
 them)
 1,643 5 grand parent : mother side
 543 6 grand parent : father side
 767 7 siblings
 8 8 half-siblings (same father)
 120 9 half-siblings (same mother)
 1 11 Adoptive brother / Adoptive
 sister
 447 13 uncle / aunt
 458 14 cousin
 10 15 grand son / grand daughter
 3 16 sister in law / brother-in-law
 209 17 great-grandparents (Mother's
 side)
 54 18 great-grandparents (Father's
 side)
 283 19 relatives
 2 21 House tenant
 352 .

age **Member's age (year)**

type: numeric (**double**)
 range: [.03,93.583336] units: 1.000e-07
 unique values: 1,125 missing .: 0/7,803
 unique missing codes: 1 missing *: 76/7,803

```

mean:      30.7112
std. dev:  23.2795

percentiles:    10%    25%    50%    75%    90%
                 3.5    6.08   28.91  51.5833  62.33
    
```

blah **Highest education/present**

type: string (str96)

```

unique values: 61
unique missing codes: 2
missing "": 352/7,803
missing *: 45/7,803
    
```

```

tabulation:  Freq.  Value
              352  ""
              45  "DK"
              10  "กศน. ม. คั้น"
              29  "กศน. ม. ปลาย"
             171  "ป. 1"
              93  "ป. 2"
             117  "ป. 3"
            1,739  "ป. 4"
              98  "ป. 5"
             896  "ป. 6"
               5  "ป. 6 (กศน.)"
              40  "ป. 7"
               1  "ป. ครี"
               3  "ป. ครี ปี 5"
               1  "ป. ครี ปี 5"
               5  "ป. ครี (5ปี)"
               2  "ปศ. ชุง"
              4  "ปริญญาตรี ปี 1"
              3  "ปริญญาตรี ปี 2"
               2  "ปริญญาตรี ปี 3"
             218  "ปริญญาตรี ปี 4"
              21  "ปริญญาโท"
               5  "ปวช."
               8  "ปวช. 1"
               8  "ปวช. 2"
              70  "ปวช. 3"
               1  "ปวช. 3 , ม. 6"
               1  "ปวท"
               1  "ปวท. 2"
               2  "ปวส"
               8  "ปวส."
               9  "ปวส. 1"
             145  "ปวส. 2"
               2  "ปวส. 3"
               2  "ปี 1"
               1  "ปี 2"
               1  "พระธรรมเอก"
              70  "ม. 1"
               1  "ม. 1 (กศน.)"
              91  "ม. 2"
             667  "ม. 3"
               7  "ม. 3 (กศน.)"
              37  "ม. 4"
              49  "ม. 5"
               4  "ม. 5 (กศน.)"
             657  "ม. 6"
              15  "ม. 6 (กศน.)"
               2  "ม. 6 (บวชเรียน)"
               1  "ม. 6, ปวช 3"
               2  "ม. คั้น (กศน.)"
              20  "ม. ศ. 3"
              13  "ม. ศ. 5"
               1  "มศ. 6"
    
```

1 " ป ร ะ ก า ศ น

2 " ศ น ช ์ ก า ร ศ ก ษ า พิ เศษ "

```

        6 5 8      " ศูนย์พัฒนาเด็กเล็ก "
469  "อนุบาล1"
410  "อนุบาล2"
123  "อนุบาล3"
      25  "เตรียมอนุบาล"
        3 5 8      " ไม่ได้รับการศึกษา "

```

warning: variable has embedded blanks

blah_code **Code of highest education/present**

```

type: numeric (byte)
label: blah_code

range: [1,99]
unique values: 32
unique missing codes: 2

units: 1
missing .: 352/7,803
missing *: 45/7,803

```

tabulation:	Freq.	Numeric	Label
	358	1	No education
	469	3	Kindergarten 1
	410	5	Kindergarten 2
	123	7	Kindergarten 3
	171	9	Primary 1
	93	11	Primary 2
	117	13	Primary 3
	1,739	15	Primary 4
	98	17	Primary 5
	901	19	Primary 6
	40	21	Primary 7 (old system)
	71	23	Lower secondary 1
	91	25	Lower secondary 2
	684	27	Lower secondary 3
	37	29	Upper secondary 1
	53	31	Upper secondary 2
	701	33	Upper secondary 3
	20	39	Lower secondary 3 (old system)
	13	43	Upper secondary 2 (old system)
	8	45	Vocational school year 1
	8	47	Vocational school year 2
	70	49	Vocational school year 3
	9	51	High vocational school year 1
	145	53	High vocational school year 2
	1	57	Technical vocational school year 2
	4	61	Undergraduate school year 1
	3	63	Undergraduate school year 2
	2	65	Undergraduate school year 3
	219	67	Undergraduate school year 4
	21	69	Master degree
	658	73	Child Development Center
	69	99	Other
	352	.	.
	45	.c	.c

blaj **Marital status**

```

type: numeric (byte)
label: blaj

range: [1,9]
unique values: 5

units: 1
missing .: 352/7,803

```

```

tabulation: Freq.  Numeric  Label
             3,211      1  single
             3,437      3  married (both registered and
                    non-registered)
             183       5  divorced
             333       7  widowed
             287       9  separate (but keep the
                    relationship)
             352       .
    
```

dm6a **(unlabeled)**

```

type: numeric (byte)
range: [.,.]          units: .
unique values: 0      missing .: 7,803/7,803

tabulation: Freq.  Value
             7,803  .
mean:      .
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              .     .     .     .     .
    
```

dm6b **(unlabeled)**

```

type: numeric (byte)
range: [.,.]          units: .
unique values: 0      missing .: 7,803/7,803

tabulation: Freq.  Value
             7,803  .
mean:      .
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              .     .     .     .     .
    
```

dm6c **(unlabeled)**

```

type: numeric (int)
range: [.,.]          units: .
unique values: 0      missing .: 7,803/7,803

tabulation: Freq.  Value
             7,803  .
mean:      .
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              .     .     .     .     .
    
```

child **Child**

```

type: numeric (float)
range: [0,1]         units: 1
unique values: 2     missing .: 76/7,803
    
```

```

tabulation:  Freq.  Value
              4,885  0
              2,842  1
              76    .
  mean:      .367801
  std. dev:  .482238

percentiles:  10%    25%    50%    75%    90%
              0      0      0      1      1
    
```

adult **Adult**

```

  type:  numeric (float)
  range: [0,1]
unique values: 2
              units: 1
              missing .: 76/7,803

  tabulation:  Freq.  Value
                3,812  0
                3,915  1
                76    .
  mean:      .506665
  std. dev:  .499988

percentiles:  10%    25%    50%    75%    90%
              0      0      1      1      1
    
```

elder **Elder**

```

  type:  numeric (float)
  range: [0,1]
unique values: 2
              units: 1
              missing .: 76/7,803

  tabulation:  Freq.  Value
                6,757  0
                970   1
                76    .
  mean:      .125534
  std. dev:  .331345

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      1
    
```

note_cleaner **data cleaner note (not display)**

```

  type:  string (str174), but longest is str0
unique values: 0
              missing "": 7,803/7,803

  tabulation:  Freq.  Value
                7,803  ""
    
```

survey_name **Survey name**

```

  type:  string (str12)
unique values: 1
              missing "": 0/7,803

  tabulation:  Freq.  Value
                7,803  "RESURVEY2017"
    
```

year_survey

year survey

type: numeric (**float**)
range: [2017,2017] units: 1
unique values: 1 missing .: 0/7,803
tabulation: Freq. Value
 7,803 2017
 mean: 2017
 std. dev: 0
percentiles: 10% 25% 50% 75% 90%
 2017 2017 2017 2017 2017

2 . log close
name: <unnamed>
log: Z:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\hh_member.smcl
log type: smcl
closed on: 3 Oct 2024, 14:32:43
