



```

name: <unnamed>
log: \\10.21.7.35\RIECE Thailand\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey201
> 9/codebook\a10.scml
log type: smcl
opened on: 3 Oct 2024, 12:01:42

```

```
1 . codebookr _all,all
```

```

Dataset: \\10.21.7.35\RIECE Thailand\RIECE DATA\RIECE_RELEASE V5-2019\R
> esurvey2019/codebook\a10_run.dta
Last saved: 3 Oct 2024 12:01

```

```

Label: [none]
Number of variables: 44
Number of observations: 1,230
Size: 1,265,670 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI

```

```
hhid household id
```

```

type: string (str15)
unique values: 1,230 missing "": 0/1,230
examples: "201591160419002"
           "201691130201104"
           "201691150908040"
           "201691161706017"

```

```
iyear year
```

```

type: string (str4)
unique values: 2 missing "": 0/1,230
tabulation: Freq. Value
              487 "2015"
              743 "2016"

```

```
prov province
```

```
type: string (str2)
```

unique values: 2 missing "": 0/1,230
 tabulation: Freq. Value
 1,114 "91"
 116 "93"

amp **amphoe**

type: string (str2)
 unique values: 8 missing "": 0/1,230
 tabulation: Freq. Value
 1 "09"
 115 "12"
 231 "13"
 103 "14"
 124 "15"
 443 "16"
 31 "17"
 182 "18"

tam **tambon**

type: string (str2)
 unique values: 15 missing "": 0/1,230
 tabulation: Freq. Value
 55 "01"
 188 "02"
 109 "04"
 46 "05"
 45 "06"
 57 "07"
 47 "08"
 88 "09"
 113 "10"
 75 "11"
 116 "13"
 42 "14"
 123 "15"
 81 "17"
 45 "19"

moo **moo**

type: string (str2)
 unique values: 22 missing "": 0/1,230
 tabulation: Freq. Value
 130 "01"
 60 "02"
 117 "03"
 135 "04"
 96 "05"
 135 "06"
 66 "07"
 121 "08"
 69 "09"
 60 "10"
 47 "11"
 35 "12"
 36 "13"
 10 "14"

```

      8 "15"
     34 "16"
     12 "17"
     11 "18"
     27 "19"
      1 "20"
     14 "22"
      6 "24"
    
```

strucid **structure ID**

```

      type: string (str3)
unique values: 182           missing "": 0/1,230
  examples: "010"
            "034"
            "070"
            "173"
    
```

brla **The amount of current outstanding debt of all household members : Bank loans**

```

      type: numeric (long)
      range: [0,310000]           units: 10000
unique values: 3                 missing .: 1,224/1,230
  tabulation: Freq. Value
               4 0
               1 50000
               1 310000
            1,224 .
      mean: 60000
  std. dev: 124097
  percentiles:      10%      25%      50%      75%      90%
                   0         0         0       50000    310000
    
```

brlb **The amount of current outstanding debt of all household members : Cooperatives 1**

```

      type: numeric (byte)
      range: [0,0]               units: 1
unique values: 1                 missing .: 1,224/1,230
  tabulation: Freq. Value
               6 0
            1,224 .
      mean: 0
  std. dev: 0
  percentiles:      10%      25%      50%      75%      90%
                   0         0         0         0         0
    
```

brlc **The amount of current outstanding debt of all household members : Village Funds**

```

      type: numeric (int)
      range: [0,30000]           units: 1000
unique values: 5                 missing .: 1,224/1,230
    
```

```

tabulation:  Freq.  Value
              2    0
              1 20000
              1 25000
              1 28000
              1 30000
            1,224 .
      mean:   17166.7
  std. dev:  13717.4

percentiles:  10%    25%    50%    75%    90%
              0      0    22500  28000  30000
    
```

br1d The amount of current outstanding debt of all household members : Relatives loan

```

      type:  numeric (byte)

      range:  [0,0]                units:  1
unique values: 1                missing .:  1,224/1,230

      tabulation:  Freq.  Value
                   6    0
                 1,224 .
      mean:        0
  std. dev:       0

percentiles:     10%    25%    50%    75%    90%
                 0      0      0      0      0
    
```

br1e The amount of current outstanding debt of all household members : Illegal loan

```

      type:  numeric (byte)

      range:  [0,0]                units:  1
unique values: 1                missing .:  1,224/1,230

      tabulation:  Freq.  Value
                   6    0
                 1,224 .
      mean:        0
  std. dev:       0

percentiles:     10%    25%    50%    75%    90%
                 0      0      0      0      0
    
```

br1f The amount of current outstanding debt of all household members : Advanced wag

```

      type:  numeric (byte)

      range:  [0,0]                units:  1
unique values: 1                missing .:  1,224/1,230

      tabulation:  Freq.  Value
                   6    0
                 1,224 .
      mean:        0
  std. dev:       0

percentiles:     10%    25%    50%    75%    90%
                 0      0      0      0      0
    
```

br1g Pawn: The amount of current outstanding debt

```

type: numeric (byte)
range: [0,0]
unique values: 1
units: 1
missing .: 1,224/1,230

tabulation: Freq. Value
              6 0
              1,224 .
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

br1g_1a **Pawn: Number of repayment tranches**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,230/1,230

tabulation: Freq. Value
              1,230 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

br1g_1b **Pawn: Number of repayment tranches paid**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,230/1,230

tabulation: Freq. Value
              1,230 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

br1g_1c **Pawn: Amount of money to repay in each tranche**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,230/1,230

tabulation: Freq. Value
              1,230 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

br1g_2a **Pawn: Number of repayment tranches**

```

type: numeric (byte)
    
```

```

    range: [.,.]          units: .
unique values: 0          missing .: 1,230/1,230

  tabulation: Freq. Value
              1,230 .
    mean:      .
  std. dev:    .

percentiles:   10%    25%    50%    75%    90%
               .      .      .      .      .
    
```

br1g_2b **Pawn: Number of repayment tranches paid**

```

    type: numeric (byte)

    range: [.,.]          units: .
unique values: 0          missing .: 1,230/1,230

  tabulation: Freq. Value
              1,230 .
    mean:      .
  std. dev:    .

percentiles:   10%    25%    50%    75%    90%
               .      .      .      .      .
    
```

br1g_2c **Pawn: Amount of money to repay in each tranche**

```

    type: numeric (byte)

    range: [.,.]          units: .
unique values: 0          missing .: 1,230/1,230

  tabulation: Freq. Value
              1,230 .
    mean:      .
  std. dev:    .

percentiles:   10%    25%    50%    75%    90%
               .      .      .      .      .
    
```

br1h **Installment purchase for car/goods: The amount of current outstanding debt**

```

    type: numeric (long)

    range: [0,316800]     units: 10
unique values: 4          missing .: 1,224/1,230

  tabulation: Freq. Value
              3 0
              1 13470
              1 82080
              1 316800
    mean:      1,224 .
  std. dev:    68725
              125652

percentiles:   10%    25%    50%    75%    90%
               0      0      6735  82080  316800
    
```

br1h_1a **Installment purchase for car/goods: Number of repayment tranches**

```

    type: numeric (byte)
    
```

```

range: [12,84] units: 1
unique values: 2 missing .: 1,227/1,230

tabulation: Freq. Value
              1 12
              2 84
1,227 .
mean: 60
std. dev: 41.5692

percentiles: 10% 25% 50% 75% 90%
              12 12 84 84 84
    
```

brlh_1b **Installment purchase for car/goods: Number of repayment tranches paid**

```

type: numeric (byte)

range: [6,72] units: 1
unique values: 3 missing .: 1,227/1,230

tabulation: Freq. Value
              1 6
              1 36
              1 72
1,227 .
mean: 38
std. dev: 33.0454

percentiles: 10% 25% 50% 75% 90%
              6 6 36 72 72
    
```

brlh_1c **Installment purchase for car/goods: Amount of money to repay in each tranche**

```

type: numeric (int)

range: [2245,6840] units: 1
unique values: 3 missing .: 1,227/1,230

tabulation: Freq. Value
              1 2245
              1 6600
              1 6840
1,227 .
mean: 5228.33
std. dev: 2586.43

percentiles: 10% 25% 50% 75% 90%
              2245 2245 6600 6840 6840
    
```

brlh_2a **Installment purchase for car/goods: Number of repayment tranches**

```

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 1,230/1,230

tabulation: Freq. Value
1,230 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

brlh_2b Installation purchase for car/goods: Number of repayment tranches paid

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing : 1,230/1,230

tabulation: Freq. Value
1,230 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

brlh_2c Installation purchase for car/goods: Amount of money to repay in each tranche

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing : 1,230/1,230

tabulation: Freq. Value
1,230 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

brlh_3a Installation purchase for car/goods: Number of repayment tranches

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing : 1,230/1,230

tabulation: Freq. Value
1,230 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

brlh_3b Installation purchase for car/goods: Number of repayment tranches paid

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing : 1,230/1,230

tabulation: Freq. Value
1,230 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

brlh_3c Installation purchase for car/goods: Amount of money to repay in each tranche

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,230/1,230

tabulation: Freq. Value
1,230 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

brli_des **Others, please identify (not display)**

```

type: string (str102), but longest is str0
unique values: 0
missing "": 1,230/1,230

tabulation: Freq. Value
1,230 ""

```

brli **The amount of current outstanding debt**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,229/1,230
missing *: 1/1,230

tabulation: Freq. Value
1,229 .
1 .c
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

brlj_des **Others, please identify (not display)**

```

type: string (str69), but longest is str0
unique values: 0
missing "": 1,230/1,230

tabulation: Freq. Value
1,230 ""

```

brlj **The amount of current outstanding debt**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,230/1,230

tabulation: Freq. Value
1,230 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

br2 In the past 12 months, did household members have any outstanding loans, both pr

```

type: numeric (byte)
label: br2

range: [1,3]                units: 1
unique values: 2            missing .. 0/1,230

tabulation: Freq.  Numeric  Label
              111      1     yes
              1,119    3     no
    
```

br2a In the future, do you think the household members will be able to repay this loa

```

type: numeric (byte)
label: br2a

range: [1,5]                units: 1
unique values: 3            missing .. 1,119/1,230

tabulation: Freq.  Numeric  Label
              82      1     yes
              5       3     no
              24      5     not sure
              1,119  .
    
```

br3 Have household members ever tried to take loans, installment purchase or get ad

```

type: numeric (byte)
label: br3

range: [1,3]                units: 1
unique values: 2            missing .. 0/1,230

tabulation: Freq.  Numeric  Label
              123     1     yes
              1,107  3     never
    
```

br3a Why not? (not display)

```

type: string (str193), but longest is str0
unique values: 0            missing "": 1,230/1,230

tabulation: Freq.  Value
              1,230 ""
    
```

br4 Have any household members ever been rejected by lender?

```

type: numeric (byte)
label: br4

range: [1,3]                units: 1
unique values: 2            missing .. 0/1,230

tabulation: Freq.  Numeric  Label
              78     1     yes
              1,152  3     never
    
```

br5 The total value of money/ items that all household members lent to outside house

```

type: numeric (long)
range: [0,200000] units: 1000
unique values: 3 missing .: 1,224/1,230

tabulation: Freq. Value
              4 0
              1 2000
              1 200000
            1,224 .
mean: 33666.7
std. dev: 81490.3

percentiles:      10%      25%      50%      75%      90%
                  0        0        0       2000     200000
    
```

note Interviewer note (unavailable)

```

type: string (str574), but longest is str0
unique values: 0 missing "": 1,230/1,230

tabulation: Freq. Value
            1,230 ""
    
```

hh_change Sample has moved so that its household structure changed

```

type: numeric (float)
label: hh_change
range: [0,1] units: 1
unique values: 2 missing .: 0/1,230

tabulation: Freq. Numeric Label
            1,224 0 no
              6 1 yes
    
```

survey_name survey round

```

type: string (str12)
unique values: 1 missing "": 0/1,230

tabulation: Freq. Value
            1,230 "RESURVEY2019"
    
```

year_survey year survey

```

type: numeric (float)
range: [2019,2019] units: 1
unique values: 1 missing .: 0/1,230

tabulation: Freq. Value
            1,230 2019
mean: 2019
std. dev: 0
    
```

| | | | | | |
|--------------|-------------|-------------|-------------|-------------|-------------|
| percentiles: | 10% | 25% | 50% | 75% | 90% |
| | 2019 | 2019 | 2019 | 2019 | 2019 |

```
2 . log close
   name: <unnamed>
   log:  \\10.21.7.35\RIECE Thailand\\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey201
> 9/codebook\al0.scml
   log type: smcl
   closed on: 3 Oct 2024, 12:01:43
```
