



```

name: <unnamed>
log: \\10.21.7.35\RIECE Thailand\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey201
> 9/codebook\a7.scml
log type: smcl
opened on: 3 Oct 2024, 12:00:46

```

1 . codebookr _all,all

```

Dataset: \\10.21.7.35\RIECE Thailand\RIECE DATA\RIECE_RELEASE V5-2019\R
> esurvey2019/codebook\a7_run.dta
Last saved: 3 Oct 2024 12:00

```

```

Label: [none]
Number of variables: 63
Number of observations: 1,230
Size: 2,300,100 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI

```

hhid **household id**

```

type: string (str15)
unique values: 1,230 missing "": 0/1,230
examples: "201591160419002"
           "201691130201104"
           "201691150908040"
           "201691161706017"

```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,230
tabulation: Freq. Value
              487 "2015"
              743 "2016"

```

prov **province**

```

type: string (str2)

```



```

      8 "15"
     34 "16"
     12 "17"
     11 "18"
     27 "19"
      1 "20"
     14 "22"
      6 "24"
    
```

strucid **structure ID**

```

      type: string (str3)
  unique values: 182           missing "": 0/1,230
  examples: "010"
            "034"
            "070"
            "173"
    
```

hilb1 Since last interview, household has received other rents such as cars or items

```

      type: numeric (byte)
      label: hilb1
      range: [1,3]           units: 1
  unique values: 2           missing .: 0/1,230
  unique missing codes: 1    missing *: 1/1,230

  tabulation: Freq.  Numeric  Label
                3          1  yes
            1,226        3  no
                1          .d
    
```

hilc1 Other rents, such as cars or items. How much is the total income per year from t

```

      type: numeric (long)
      range: [50000,61000]   units: 1000
  unique values: 2           missing .: 1,226/1,230
  unique missing codes: 3    missing *: 2/1,230

  tabulation: Freq.  Value
                1  50000
                1  61000
            1,226  .
                1  .c
                1  .d
      mean: 55500
  std. dev: 7778.17

  percentiles:      10%      25%      50%      75%      90%
                  50000    50000    55500    61000    61000
    
```

hilb2 In the past 12 months, household has receiv*ed the state aid, such as premiums f

```

      type: numeric (byte)
      range: [.,.]           units: .
  unique values: 0           missing .: 1,230/1,230
    
```

```

tabulation:  Freq.  Value
              1,230  .
      mean:   .
      std. dev: .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

hi1c2 State aids, such as premiums for seniors, for disability. How much is the total

```

      type:  numeric (byte)
      range:  [.,.]
unique values: 0
      units:  .
missing  .:  1,230/1,230

      tabulation:  Freq.  Value
                   1,230  .
      mean:       .
      std. dev:   .

percentiles:     10%    25%    50%    75%    90%
                 .      .      .      .      .
    
```

hi1b2a Since last interview, household has received pension for seniors

```

      type:  numeric (byte)
      label:  hi1b1
      range:  [1,3]
unique values: 2
      units:  1
missing  .:  0/1,230

      tabulation:  Freq.  Numeric  Label
                   594      1  yes
                   636      3  no
    
```

hi1c2a If yes, how much is the total value per year

```

      type:  numeric (long)
      range:  [600,288000]
unique values: 56
unique missing codes: 2
      units:  100
missing  .:  636/1,230
missing *:  1/1,230

      tabulation:  Freq.  Value
                   3  600
                   8  1200
                   7  1800
                   5  2400
                   5  3000
                   5  3600
                   5  4200
                   2  4800
                   1  4900
                   4  5400
                   1  5600
                   8  6000
                   1  6300
                   5  6600
                   2  7000
                  150  7200
                   2  7300
                   35  7800
                   65  8400
                   1  8800
                   3  9000
                   18  9100
    
```

```

30 9600
 2 9800
 1 9900
 2 10400
 1 10800
 1 11200
 2 11400
 7 12000
 2 12600
 1 12800
 4 13200
93 14400
 2 15000
40 15600
 1 15700
 1 16200
 1 16300
27 16800
 8 16900
 1 17600
 8 18000
 7 18200
 2 18900
 2 19200
 1 19500
 2 21600
 1 22800
 1 23400
 1 24000
 1 24700
 1 26000
 1 27600
 1 32300
 1 288000
636 .
 1 .c
mean: 10844.9
std. dev: 12299.9

percentiles:      10%      25%      50%      75%      90%
                  6600      7200      8400      14400     16800

```

hilb2b **Since last interview, household has received pension for disable people.**

```

type: numeric (byte)
label: hilb1

range: [1,3]
unique values: 2
units: 1
missing .: 0/1,230

tabulation: Freq.    Numeric    Label
             122        1    yes
             1,108      3    no

```

hilc2b **If yes, how much is the total value per year**

```

type: numeric (long)

range: [800,288000]
unique values: 16
units: 100
missing .: 1,108/1,230

```

```

tabulation:  Freq.  Value
              1  800
              1 1600
              1 2400
              1 4800
              1 6400
              1 7200
              1 7800
              1 8000
              2 8400
             83 9600
             18 10400
              6 11200
              2 12800
              1 13600
              1 19200
              1 288000
             1,108 .
    mean:     11913.1
    std. dev: 25267.2

percentiles:    10%    25%    50%    75%    90%
                9600    9600    9600    9600    10400
    
```

hi1b2c Since last interview, household has received the state compensation for flooding

```

    type: numeric (byte)
    label: hi1b1

    range: [1,3]
    unique values: 2
    unique missing codes: 1

    units: 1
    missing .: 0/1,230
    missing *: 14/1,230

    tabulation:  Freq.  Numeric  Label
                 279      1  yes
                 937      3  no
                 14         .c
    
```

hi1c2c If yes, how much is the total value per year

```

    type: numeric (int)

    range: [300,8000]
    unique values: 7
    unique missing codes: 3

    units: 100
    missing .: 951/1,230
    missing *: 3/1,230

    tabulation:  Freq.  Value
                 2  300
                 2 1500
                 1 2000
                268 3000
                 1 5000
                 1 6500
                 1 8000
                951 .
                 2 .c
                 1 .d
    mean:     3003.99
    std. dev: 472.231

percentiles:    10%    25%    50%    75%    90%
                3000    3000    3000    3000    3000
    
```

hilb2d

Since last interview, household has received the state compensation for living i

```

type: numeric (byte)
label: hilb1

range: [1,3]                units: 1
unique values: 2            missing .: 0/1,230
unique missing codes: 1    missing *: 8/1,230

tabulation:  Freq.  Numeric  Label
              61      1      yes
              1,161  3      no
              8      .c
    
```

hilc2d

If yes, how much is the total value per year

```

type: numeric (int)

range: [500,18000]          units: 1
unique values: 25          missing .: 1,169/1,230
unique missing codes: 2    missing *: 13/1,230

tabulation:  Freq.  Value
              1      500
              2      1000
              2      1500
              1      2000
              1      2200
              1      2226
              1      3000
              2      3600
              1      4000
              1      5000
              1      5500
              3      6000
              2      7000
              2      7200
              1      7500
              5      8000
              1      8348
              2      9000
              2      9600
              6     10000
              1     11000
              1     12000
              1     13500
              3     15000
              4     18000
            1,169  .
              13  .c
mean:      8116.13
std. dev:  4804.86

percentiles:    10%    25%    50%    75%    90%
                1500   4500   8000  10000  15000
    
```

hilb2e

Since last interview, household has received the state aid for harvesting agricu

```

type: numeric (byte)
label: hilb1
    
```

```

range: [1,3]
unique values: 2
unique missing codes: 1

units: 1
missing .: 0/1,230
missing *: 11/1,230

tabulation: Freq. Numeric Label
              913      1 yes
              306      3 no
              11      .c
    
```

hi1c2e **If yes, how much is the total value per year**

```

type: numeric (long)

range: [400,50000]
unique values: 83
unique missing codes: 2

units: 1
missing .: 317/1,230
missing *: 84/1,230
    
```

```

tabulation: Freq. Value
              1  400
              1  900
              1 1000
              6 1200
              7 1500
              2 1800
              9 2000
              1 2250
              5 2400
              2 2500
              2 2625
              1 2800
             22 3000
              1 3090
              4 3200
              2 3300
              1 3400
              1 3480
              2 3500
             10 3600
             12 4000
             23 4500
             16 4800
             14 5000
              2 5500
              1 5600
              1 5700
             41 6000
              1 6300
              1 6400
              1 6500
              1 6600
             14 7000
             12 7200
             38 7500
              1 7700
              1 7800
             19 8000
             19 8400
              3 8800
              1 8960
             33 9000
              1 9300
             16 9600
              1 9800
             38 10000
              2 10125
              1 10400
             14 10500
              1 10700
              7 10800
              5 11000
    
```



```

      1 11300
    103 12000
      3 12100
      1 12500
      1 12750
      4 13000
      7 13200
     13 13500
      4 14000
     14 14400
    120 15000
      3 15600
      2 16000
      7 16500
      2 16800
      1 16900
      3 17000
     90 18000
      1 19000
      1 19200
      1 19500
      1 20000
      1 21000
      1 21600
     13 22500
      1 22875
      3 24000
      1 25500
      1 28500
      2 36000
      1 50000
    317 .
     84 .c
  mean: 10960.2
std. dev: 5450.75

percentiles:      10%      25%      50%      75%      90%
                  4000      7000      10800     15000     18000

```

hilb3 Since last interview, household has received aids from other non-governmental o

```

      type: numeric (byte)
      label: hilb1

      range: [3,3]
unique values: 1
unique missing codes: 1

      units: 1
missing .: 0/1,230
missing *: 2/1,230

      tabulation: Freq.  Numeric  Label
                  1,228      3      no
                   2          .c

```

hilc3 How much is the total income per year from non-government organizations?

```

      type: numeric (int)

      range: [.,.]
unique values: 0

      units: .
missing .: 1,230/1,230

      tabulation: Freq.  Value
                  1,230  .
      mean:      .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .

```

hilb4 **Since last interview, household has received scholarship**

```

type: numeric (byte)
label: hilb1

range: [1,3]
unique values: 2
unique missing codes: 1

units: 1
missing .: 0/1,230
missing *: 3/1,230

tabulation: Freq.   Numeric   Label
              206         1   yes
              1,021       3   no
               3         .c
    
```

hilc4 **How much is the total income per year from scholarships**

```

type: numeric (int)

range: [100,8000]
unique values: 27
unique missing codes: 2

units: 10
missing .: 1,024/1,230
missing *: 6/1,230

tabulation: Freq.   Value
              2   100
              1   150
              7   200
             23   300
              2   350
              5   400
             77   500
              7   600
              1   700
             10   800
              1   900
             33  1000
              1  1100
              4  1200
              2  1300
              1  1400
              6  1500
              1  1700
              1  1720
              5  2000
              1  2500
              3  3000
              1  3500
              1  3600
              1  4000
              2  5000
              1  8000
            1,024  .
               6  .c
mean:          847.85
std. dev:      902.971

percentiles:   10%      25%      50%      75%      90%
                300      500      500      1000     1500
    
```

hilb6 **Since last interview, household has received interest on deposit**

```

type: numeric (byte)
label: hilb1
    
```

```

range: [1,3] units: 1
unique values: 2 missing .: 0/1,230
unique missing codes: 1 missing *: 4/1,230

tabulation: Freq. Numeric Label
             89         1 yes
             1,137       3 no
              4         .c
    
```

hilc6 How much is the total income per year from interest on deposit?

```

type: numeric (long)

range: [1,50000] units: 1
unique values: 19 missing .: 1,141/1,230
unique missing codes: 3 missing *: 63/1,230

tabulation: Freq. Value
            1 1
            1 15
            1 35
            2 150
            2 200
            1 247
            2 250
            1 400
            1 500
            4 1000
            1 2000
            1 3000
            1 4000
            1 4400
            2 5000
            1 6500
            1 7500
            1 12000
            1 50000
          1,141 .
            2 .a
            61 .c
mean: 4069.15
std. dev: 9828.68

percentiles: 10% 25% 50% 75% 90%
              35 200 1000 4400 7500
    
```

hilb7 Since last interview, household has received dividend from investment shares, m

```

type: numeric (byte)
label: hilb1

range: [1,3] units: 1
unique values: 2 missing .: 0/1,230

tabulation: Freq. Numeric Label
             160         1 yes
            1,070       3 no
    
```

hilc7 How much is the total income per year from dividend of investment shares, mutual

```

type: numeric (long)

range: [6,80000] units: 1
unique values: 70 missing .: 1,070/1,230
unique missing codes: 2 missing *: 30/1,230
    
```

tabulation:	Freq.	Value
	1	6
	1	30
	1	67
	1	70
	1	80
	1	85
	3	100
	1	110
	1	120
	1	140
	1	145
	6	150
	2	160
	1	168
	4	200
	1	225
	2	250
	1	280
	4	300
	1	330
	2	350
	4	400
	4	450
	4	500
	1	550
	2	600
	1	680
	5	700
	2	750
	1	780
	3	850
	1	950
	1	1100
	2	1200
	1	1300
	1	1350
	1	1400
	5	1500
	1	1600
	2	1700
	6	2000
	1	2100
	1	2400
	2	2500
	5	3000
	1	3200
	1	3500
	1	3800
	1	4000
	1	4500
	2	5000
	3	6000
	1	6600
	1	7000
	1	8000
	6	10000
	1	10300
	1	10800
	2	12000
	1	15000
	1	17000
	1	20000
	1	23000
	1	27000
	2	30000
	1	39000
	1	45000
	2	50000
	1	60000
	1	80000
	1,070	.

```

          30 .c
    mean: 5691.82
  std. dev: 12432.3

percentiles:      10%      25%      50%      75%      90%
                  147.5      300      1025      4000      13500
    
```

hilb8 Since last interview, household has received dividend from investment in villag

```

    type: numeric (byte)
    label: hilb1

    range: [1,3]
  unique values: 2
unique missing codes: 1

    units: 1
  missing .: 0/1,230
  missing *: 8/1,230

  tabulation: Freq.  Numeric  Label
                674      1  yes
                548      3  no
                 8      .c
    
```

hilc8 How much is the total income per year from dividend of investment in village fun

```

    type: numeric (long)

    range: [20,44800]
  unique values: 127
unique missing codes: 2

    units: 1
  missing .: 556/1,230
  missing *: 92/1,230

    mean: 695.405
  std. dev: 2135.38

percentiles:      10%      25%      50%      75%      90%
                  110      150      275      500      1450
    
```

hilb9 Since last interview, household has received pension fund

```

    type: numeric (byte)
    label: hilb1

    range: [1,3]
  unique values: 2

    units: 1
  missing .: 0/1,230

  tabulation: Freq.  Numeric  Label
                11      1  yes
               1,219      3  no
    
```

hilc9 How much is the total income per year from pension fund?

```

    type: numeric (long)

    range: [18000,888000]
  unique values: 9

    units: 1000
  missing .: 1,219/1,230
    
```

```

tabulation:  Freq.  Value
              1  18000
              2 120000
              1 160000
              2 216000
              1 240000
              1 364000
              1 390000
              1 444000
              1 888000
            1,219 .
      mean:    288727
  std. dev:   236414

percentiles:    10%    25%    50%    75%    90%
                120000 120000 216000 390000 444000
    
```

hi1b10 Since last interview, household has received government lottery prize money

```

      type:  numeric (byte)
      label:  hi1b1

      range:  [1,3]
unique values: 2
                        units: 1
                        missing .: 0/1,230

      tabulation:  Freq.  Numeric  Label
                   97      1  yes
                   1,133    3  no
    
```

hi1c10 How much is the total income per year from government lottery prize money?

```

      type:  numeric (long)

      range:  [1000,160000]
unique values: 26
unique missing codes: 2
                        units: 10
                        missing .: 1,133/1,230
                        missing *: 4/1,230

      tabulation:  Freq.  Value
                   1  1000
                   1  1860
                  14 2000
                   2  3000
                   1  3800
                   2  3900
                   1  3940
                  30 4000
                   1  5000
                   4  6000
                   1  6500
                   1  7000
                   9  8000
                   3 10000
                   8 12000
                   1 13000
                   1 14000
                   1 15000
                   2 16000
                   2 20000
                   1 23000
                   2 24000
                   1 26000
                   1 45000
                   1 80000
                   1 160000
            1,133 .
                   4 .c
      mean:    9773.12
  std. dev:   18739.7
    
```



```

      13 15000
       2 16000
       1 16800
       2 17000
      12 20000
       2 21000
       1 22000
       6 25000
       6 30000
       3 35000
       2 40000
       1 42000
       3 50000
       1 54500
       2 55000
       1 60000
       1 90000
       4 100000
       1 115000
       1 130000
       1 155000
       1 300000
       1 350000
      890 .
       2 .a
      23 .c
    mean: 13583
  std. dev: 31622.2

percentiles:      10%      25%      50%      75%      90%
                  1400      2100      5500      10000      25000

```

hi1b12
Since last interview, household has received income from organizing various even

```

      type: numeric (byte)
      label: hi1b1

      range: [1,3]
unique values: 2
units: 1
missing .: 0/1,230

      tabulation: Freq.   Numeric   Label
                  100       1   yes
                  1,130     3   no

```

hi1c12
How much is the total income per year from organizing various events such as w*e

```

      type: numeric (long)

      range: [230,550999]
unique values: 45
unique missing codes: 3
units: 1
missing .: 1,130/1,230
missing *: 20/1,230

      tabulation: Freq.   Value
                  1   230
                  1   300
                  1   650
                  1  1200
                  1  1500
                  1  1900
                  1  2000
                  1  2500
                  2  3000
                  1  4000
                  1  5000
                  5 10000
                  2 15000

```



```

1 16000
1 17000
5 20000
2 25000
6 30000
1 35000
6 40000
2 45000
2 50000
2 55000
1 56000
2 60000
1 65000
1 70000
1 75000
2 80000
1 85000
1 90000
7 100000
1 108000
1 122000
2 150000
1 169300
1 185000
2 200000
2 230000
1 250000
1 263500
1 330000
1 400000
1 450000
1 550999
1,130 .
1 .a
19 .c
mean: 80663.5
std. dev: 104700
percentiles: 10% 25% 50% 75% 90%
2750 16500 40000 100000 215000

```

hilb13 **Other income (or not?)**

```

type: numeric (byte)
label: hilb1
range: [1,1] units: 1
unique values: 1 missing.: 991/1,230
tabulation: Freq. Numeric Label
239 1 yes
991 .

```

hilb13_des **Description of other income (not display)**

```

type: string (str235), but longest is str0
unique values: 0 missing "": 1,230/1,230
tabulation: Freq. Value
1,230 ""

```

hilc13 **How much is the total income per year from other sources**

```

type: numeric (long)

```

range: [40,700000] units: 1
 unique values: 103 missing .: 991/1,230
 unique missing codes: 2 missing *: 13/1,230
 mean: 28149.6
 std. dev: 78011.1
 percentiles: 10% 25% 50% 75% 90%
 300 600 2000 10000 90000

hilb13a_des Description of other income (not display)

type: string (**str157**), but longest is str0
 unique values: 0 missing "": 1,230/1,230
 tabulation: Freq. Value
 1,230 ""

hilb13a Other income

type: numeric (**byte**)
 label: **hilb1**
 range: [1,1] units: 1
 unique values: 1 missing .: 1,224/1,230
 tabulation: Freq. Numeric Label
 6 1 yes
 1,224 .

hilc13a If yes, how much is the total value

type: numeric (**long**)
 range: [190,37000] units: 10
 unique values: 6 missing .: 1,224/1,230
 tabulation: Freq. Value
 1 190
 1 300
 1 600
 1 4500
 1 9000
 1 37000
 1,224 .
 mean: 8598.33
 std. dev: 14332.8
 percentiles: 10% 25% 50% 75% 90%
 190 300 2550 9000 37000

hilb13b_des Description of other income

type: string (**str42**)
 unique values: 1 missing "": 1,229/1,230
 tabulation: Freq. Value
 1,229 ""
 1 "ขาดรายได้สุทธิ"

hi1b13b **Other income**

```

type: numeric (byte)
label: hi1b1

range: [1,1]                units: 1
unique values: 1            missing .: 1,229/1,230

tabulation: Freq.  Numeric  Label
              1          1  yes
              1,229      .
    
```

hi1c13b **If yes, how much is the total value**

```

type: numeric (long)

range: [260000,260000]     units: 10000
unique values: 1           missing .: 1,229/1,230

tabulation: Freq.  Value
              1  260000
            1,229  .
mean:        260000
std. dev:    .

percentiles:      10%      25%      50%      75%      90%
                  260000  260000  260000  260000  260000
    
```

hi2a **Since last interview, how much did the household sell rice of the previous produ**

```

type: numeric (double)

range: [0,3500]            units: .1
unique values: 46         missing .: 0/1,230
unique missing codes: 2   missing *: 40/1,230

tabulation: Freq.  Value
            1,119  0
              1    1
              1   1.5
              1    2
              1    3
              2    4
              1   50
              2   90
              1  120
              1  123
              1  125
              1  150
              1  200
              1  210
              1  225
              3  250
              1  270
              3  300
              1  333
              1  350
              1  375
              1  400
              2  450
              4  500
              1  510
              5  600
              1  625
              1  643
              1  667
    
```

```

      3 700
      5 750
      2 875
      3 900
      3 1000
      1 1050
      1 1200
      2 1250
      1 1350
      1 1365
      1 1420
      1 2000
      1 2500
      1 2700
      1 2750
      1 2800
      1 3500
      36 .c
      4 .d
    mean: 43.3248
  std. dev: 245.347

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

hi2b **Please specify the production unit**

```

      type: numeric (byte)
      label: hi2b

      range: [1,3]
unique values: 2
                units: 1
                missing .: 1,138/1,230

      tabulation: Freq.  Numeric  Label
                  85         1  Kilogram
                  7         3  Ton
                  1,138      .

```

hi2c **Value in Baht**

```

      type: numeric (long)

      range: [0,250000]
unique values: 62
unique missing codes: 2
                units: 1
                missing .: 1,110/1,230
                missing *: 6/1,230

      tabulation: Freq.  Value
                  16     0
                  1  1215
                  1  1225
                  1  1260
                  1  1750
                  1  1950
                  1  2000
                  1  2250
                  2  2500
                  1  2600
                  1  2700
                  1  2730
                  1  2800
                  6  3000
                  1  3105
                  1  3500
                  1  3600
                  2  4000
                  3  4500
                  1  4875
                  2  5000

```



```

range: [.,.]
unique values: 0
units: .
missing : 1,230/1,230

tabulation: Freq. Numeric Label
1,230 .
    
```

hi3ab **year (unavailable)**

```

type: numeric (int)
range: [.,.]
unique values: 0
units: .
missing : 1,230/1,230

tabulation: Freq. Value
1,230 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

hi3ac **Total value (THB)**

```

type: numeric (int)
range: [1200,21600]
unique values: 18
unique missing codes: 2
units: 100
missing : 1,164/1,230
missing *: 8/1,230

tabulation: Freq. Value
2 1200
1 1600
1 2000
1 2400
1 3000
1 3600
1 4200
5 4800
3 5400
4 6000
22 7200
1 7600
7 7800
2 8400
3 9000
1 12000
1 14400
1 21600
1,164 .
8 .c
mean: 6824.14
std. dev: 3039.64

percentiles: 10% 25% 50% 75% 90%
              3000 5400 7200 7800 9000
    
```

hi3ad **Please specify the reason why you have not received this (unavailable)**

```

type: string (str190), but longest is str0
unique values: 0
missing "": 1,230/1,230

tabulation: Freq. Value
1,230 ""
    
```

hi4 **Do you know of the low-income registration program?**

```

type: numeric (byte)
label: hi4

range: [1,3]
unique values: 2
units: 1
missing .: 0/1,230

tabulation: Freq.  Numeric  Label
             1,226    1      yes
             4        3      no
    
```

note **Interviewer note (unavailable)**

```

type: string (str1084), but longest is str0
unique values: 0
missing "": 1,230/1,230

tabulation: Freq.  Value
             1,230  ""
    
```

hi2a_kg **In the past 12 months, how much has the household sold rice which had been produ**

```

type: numeric (float)

range: [50,4000]
unique values: 43
unique missing codes: 2
units: 1
missing .: 1,155/1,230
missing *: 4/1,230

tabulation: Freq.  Value
             1      50
             2      90
             1     120
             1     123
             1     125
             1     150
             1     200
             1     210
             1     225
             3     250
             1     270
             3     300
             1     333
             1     350
             1     375
             1     400
             2     450
             4     500
             1     510
             5     600
             1     625
             1     643
             1     667
             3     700
             5     750
             2     875
             3     900
             4    1000
             1    1050
             1    1200
             2    1250
             1    1350
             1    1365
             1    1420
             1    1500
    
```

```

                2 2000
                1 2500
                1 2700
                1 2750
                1 2800
                1 3000
                1 3500
                2 4000
            1,155 .
                4 .d
    mean:      944.239
    std. dev:  916.146

    percentiles:    10%    25%    50%    75%    90%
                   200    333    667    1050   2500
    
```

other_income **Total other income (THB)**

```

    type: numeric (float)
    range: [0,1008200]
    unique values: 694
    mean:      28332
    std. dev:  59116.4
    percentiles:    10%    25%    50%    75%    90%
                   2700    9000   16875   28200   43750
    units: 1
    missing .: 0/1,230
    
```

hh_change **Sample has moved so that its household structure changed**

```

    type: numeric (float)
    label: hh_change
    range: [0,1]
    unique values: 2
    tabulation:
        Freq.  Numeric  Label
        1,224    0      no
           6      1      yes
    units: 1
    missing .: 0/1,230
    
```

survey_name **survey round**

```

    type: string (str12)
    unique values: 1
    tabulation:
        Freq.  Value
        1,230  "RESURVEY2019"
    missing "": 0/1,230
    
```

year_survey **year_survey**

```

    type: numeric (float)
    range: [2019,2019]
    unique values: 1
    tabulation:
        Freq.  Value
        1,230  2019
    mean:      2019
    std. dev:  0
    units: 1
    missing .: 0/1,230
    
```


percentiles:	10%	25%	50%	75%	90%
	2019	2019	2019	2019	2019

```
2 . log close
   name: <unnamed>
   log:  \\10.21.7.35\RIECE Thailand\\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey201
> 9/codebook\a7.scml
   log type: smcl
   closed on: 3 Oct 2024, 12:00:50
```
