



```

name: <unnamed>
log: \\10.21.7.35\RIECE Thailand\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey201
> 9/codebook\a7_table1.scml
log type: smcl
opened on: 3 Oct 2024, 12:00:51

```

1 . codebookr \_all,all

```

Dataset: \\10.21.7.35\RIECE Thailand\RIECE DATA\RIECE_RELEASE V5-2019\R
> esurvey2019/codebook\a7_table1_run.dta
Last saved: 3 Oct 2024 12:00

```

```

Label: [none]
Number of variables: 16
Number of observations: 5,798
Size: 1,490,086 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI

```

---

**hhid** **household id**

---

```

type: string (str15)
unique values: 1,230 missing "": 0/5,798
examples: "201591160419217"
           "201691130204096"
           "201691160104088"
           "201691161706078"

```

---

**iyear** **year**

---

```

type: string (str4)
unique values: 2 missing "": 0/5,798
tabulation: Freq. Value
             2,241 "2015"
             3,557 "2016"

```

---

**prov** **province**

---

```

type: string (str2)

```



```

34 "15"
159 "16"
60 "17"
48 "18"
133 "19"
4 "20"
78 "22"
25 "24"

```

---

**strucid** **structure ID**

---

```

type: string (str3)
unique values: 182           missing "": 0/5,798
examples: "010"
          "033"
          "069"
          "161"

```

---

**no** **Number**

---

```

type: string (str2)
unique values: 13           missing "": 4/5,798
tabulation: Freq. Value
              4  ""
            1,206 "1"
              30 "10"
              18 "11"
               4 "12"
               3 "13"
            1,105 "2"
            1,073 "3"
              854 "4"
              620 "5"
              441 "6"
              254 "7"
              129 "8"
               57 "9"

```

---

**hi4\_a** **Member id**

---

```

type: string (str3)
unique values: 13           missing "": 4/5,798
tabulation: Freq. Value
              4  ""
            1,206 "H1"
              30 "H10"
              18 "H11"
               4 "H12"
               3 "H13"
            1,105 "H2"
            1,073 "H3"
              853 "H4"
              620 "H5"
              441 "H6"
              254 "H7"
              130 "H8"
               57 "H9"

```

---

**hi4\_b** **Nickname (unavailable)**

---

type: string (**str33**), but longest is str0  
 unique values: 0 missing "": 5,798/5,798  
 tabulation: Freq. Value  
                   5,798 ""

---

**hi4\_c Since last interview, have you and your household members registered for the pro**

---

type: numeric (**byte**)  
 label: **hi4\_c**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 4/5,798  
 unique missing codes: 4 missing \*: 40/5,798  
 tabulation: Freq. Numeric Label  
                   2,213 1 yes  
                   3,541 3 no  
                   4 .  
                   1 .a  
                   1 .c  
                   38 .d

---

**hi4\_d Since last interview, how much money did you and your household members receive**

---

type: numeric (**int**)  
 range: [0,9100] units: 10  
 unique values: 85 missing .: 3,585/5,798  
 unique missing codes: 2 missing \*: 91/5,798  
 tabulation: Freq. Value  
                   542 0  
                   2 100  
                   2 300  
                   2 500  
                   5 600  
                   3 800  
                   4 900  
                   5 1000  
                   1 1100  
                   5 1200  
                   7 1300  
                   3 1400  
                   8 1500  
                   4 1600  
                   5 1700  
                   1 1750  
                   6 1800  
                   6 1900  
                   3 2000  
                   2 2100  
                   6 2200  
                   1 2300  
                   14 2400  
                   4 2500  
                   7 2600  
                   26 2700  
                   4 2800  
                   17 2900  
                   74 3000  
                   6 3100  
                   17 3200

```

5 3300
1 3350
27 3400
14 3500
2 3550
55 3600
15 3700
63 3800
19 3900
320 4000
40 4100
28 4200
3 4250
88 4300
2 4350
27 4400
1 4450
61 4500
57 4600
28 4700
41 4800
22 4900
121 5000
17 5100
25 5200
24 5300
24 5400
17 5500
26 5600
18 5800
6 5900
25 6000
6 6100
12 6200
2 6250
2 6300
6 6400
21 6500
9 6600
3 6700
6 6800
4 6900
16 7000
2 7100
1 7200
3 7400
3 7500
3 7600
1 7800
4 8000
1 8400
1 8800
1 8900
1 9100

```

```

3,585 .
91 .c
mean: 3173.8
std. dev: 2126.72

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0     4000   4600   5400

```

---

**note\_cleaner**

**Data note\_cleaner**

---

type: string (**str166**)

unique values: 1

missing "": 5,794/5,798

tabulation: Freq. Value  
 5,794 ""

เนื่องจากครัวเรือนไม่รู้จักโครงการ"

4 "ไม่'ม'ง'อ ม,ล ใน ต าร าน"

warning: variable has embedded blanks

---

**hh\_change** **Sample has moved so that its household structure changed**

---

type: numeric (float)  
 label: **hh\_change**  
 range: [0,1] units: 1  
 unique values: 2 missing .: 0/5,798

tabulation: Freq. Numeric Label  
 5,775 0 no  
 23 1 yes

---

**survey\_name** **survey round**

---

type: string (str12)  
 unique values: 1 missing "": 0/5,798

tabulation: Freq. Value  
 5,798 "RESURVEY2019"

---

**year\_survey** **year survey**

---

type: numeric (float)  
 range: [2019,2019] units: 1  
 unique values: 1 missing .: 0/5,798  
 tabulation: Freq. Value  
 5,798 2019  
 mean: 2019  
 std. dev: 0  
 percentiles: 10% 25% 50% 75% 90%  
 2019 2019 2019 2019 2019

```
2 . log close
   name: <unnamed>
   log: \\10.21.7.35\RIECE Thailand\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey201
> 9/codebook\a7_table1.scml
   log type: smcl
   closed on: 3 Oct 2024, 12:00:51
```

---