



```

name: <unnamed>
log: \\10.21.7.35\RIECE Thailand\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey201
> 9/codebook\a8.scml
log type: smcl
opened on: 3 Oct 2024, 12:00:54

```

```
1 . codebookr _all,all
```

```

Dataset: \\10.21.7.35\RIECE Thailand\RIECE DATA\RIECE_RELEASE V5-2019\R
> esurvey2019/codebook\a8_run.dta
Last saved: 3 Oct 2024 12:00

```

```

Label: [none]
Number of variables: 291
Number of observations: 1,230
Size: 15,652,980 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI

```

---

```
hhid household id
```

---

```

type: string (str15)
unique values: 1,230 missing "": 0/1,230
examples: "201591160419002"
           "201691130201104"
           "201691150908040"
           "201691161706017"

```

---

```
iyear year
```

---

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/1,230
tabulation: Freq. Value
              487 "2015"
              743 "2016"

```

---

```
prov province
```

---

```
type: string (str2)
```





---

**hc2\_A Value of producing: Rice, glutinous rice, flour, product from flour (THB)**

---

```

type: numeric (int)
range: [0,1556] units: 1
unique values: 379 missing .: 0/1,230
unique missing codes: 1 missing *: 14/1,230

mean: 215.858
std. dev: 199.09

percentiles:      10%      25%      50%      75%      90%
                  0        47      189      314      465
    
```

---

**hc3\_A Value of receiving: Rice, glutinous rice, flour, product from flour (THB)**

---

```

type: numeric (long)
range: [0,1102] units: 1
unique values: 48 missing .: 0/1,230
unique missing codes: 1 missing *: 29/1,230
    
```

```

tabulation: Freq. Value
1,130 0
1 7
2 8
1 9
2 12
3 16
2 18
3 19
2 23
1 27
2 28
1 30
3 31
1 32
2 33
1 37
1 38
1 44
2 46
2 47
1 48
1 49
1 50
2 52
1 53
2 55
1 60
1 62
5 93
1 99
1 112
1 138
2 147
1 149
3 151
2 174
1 186
1 195
1 209
1 212
1 233
1 279
1 320
1 325
1 329
    
```

```

          1  465
          1  843
          1 1102
          29 .c
    mean:   6.78102
  std. dev: 50.2527

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

---

**freq\_A** **Frequency: Weekly**

---

```

    type: numeric (byte)
    label: freq

    range: [5,5]
  unique values: 1
                    units: 1
                    missing .: 0/1,230

    tabulation: Freq.  Numeric  Label
                1,230      5    weekly
    
```

---

**no\_B** **no B**

---

```

    type: string (str2), but longest is str1

  unique values: 1
                    missing "": 0/1,230

    tabulation: Freq.  Value
                1,230  "2"
    
```

---

**description\_B**  
**Item of expenditure: food & materials, beverage (excluding alcohol drink) (not d**

---

```

    type: string (str269), but longest is str0

  unique values: 0
                    missing "": 1,230/1,230

    tabulation: Freq.  Value
                1,230  ""
    
```

---

**hc0\_B** **Code of Inseparable expenses**

---

```

    type: string (str46), but longest is str3

  unique values: 1
                    missing "": 1,228/1,230

    tabulation: Freq.  Value
                1,228  ""
                 2    "B,I"
    
```

---

**hc1\_B** **HH. expenses: Expenses on food, non-alcoholic beverages (THB)**

---

```

    type: numeric (long)

    range: [0,4970]
  unique values: 391
  unique missing codes: 1
                    units: 1
                    missing .: 0/1,230
                    missing *: 16/1,230

    mean:   1280.67
  std. dev: 739.901
    
```



unique values: 0 missing "": 1,230/1,230  
 tabulation: Freq. Value  
 1,230 ""

---

**hc0\_C** **Code of Inseparable expenses**

---

type: string (**str46**), but longest is str3  
 unique values: 2 missing "": 1,228/1,230  
 unique missing codes: 2 missing \*: 1/1,230  
 tabulation: Freq. Value  
 1,228 ""  
 1 "C,D"  
 1 "DK"

---

**hc1\_C** **HH. Expenses: Alcoholic beverages (THB)**

---

type: numeric (**long**)  
 range: [0,7200] units: 1  
 unique values: 97 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 296/1,230  
 tabulation: Freq. Value  
 636 0  
 1 5  
 1 8  
 1 10  
 1 21  
 1 29  
 1 30  
 1 35  
 1 40  
 1 45  
 3 50  
 2 55  
 6 60  
 3 65  
 1 67  
 2 70  
 1 75  
 1 80  
 9 100  
 2 110  
 4 120  
 1 130  
 10 150  
 1 151  
 1 155  
 2 167  
 1 170  
 1 172  
 1 180  
 11 200  
 3 210  
 1 215  
 10 250  
 4 258  
 2 280  
 19 300  
 1 323  
 1 344  
 9 350  
 1 358  
 1 360  
 2 375

```

1 387
2 400
3 430
9 450
12 500
2 516
2 550
1 559
17 600
3 650
1 700
2 750
1 753
1 774
1 800
2 860
14 900
1 903
16 1000
4 1050
1 1075
1 1095
1 1100
1 1110
1 1125
4 1200
1 1250
2 1290
1 1300
1 1350
10 1500
1 1505
1 1575
1 1650
1 1677
13 1800
1 1945
4 1950
3 2000
1 2100
2 2250
1 2500
1 2925
7 3000
1 3250
1 3300
2 3500
1 3600
1 3750
1 4300
3 4500
1 4800
1 5000
3 6000
1 7200

```

```

296 .c
mean: 294.747
std. dev: 771.61

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0     200    1000

```

---

**hc2\_C** **Value of producing: Alcoholic beverages (THB)**

---

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 2
units: 1
missing .: 0/1,230
missing *: 2/1,230

```



```

tabulation: Freq. Value
             1,228 0
             1 .c
             1 .d
mean:       0
std. dev:   0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

**hc3\_C** **Value of receiving: Alcoholic beverages (THB)**

```

type: numeric (long)

range: [0,0]          units: 1
unique values: 1      missing .: 0/1,230
unique missing codes: 2  missing *: 18/1,230

tabulation: Freq. Value
             1,212 0
             17 .c
             1 .d
mean:       0
std. dev:   0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

**freq\_C** **Frequency: Monthly**

```

type: numeric (byte)
label: freq

range: [9,9]          units: 1
unique values: 1      missing .: 0/1,230

tabulation: Freq.  Numeric  Label
             1,230      9  monthly
    
```

**no\_D** **code D**

```

type: string (str2), but longest is str1

unique values: 1      missing "": 0/1,230

tabulation: Freq. Value
             1,230  "4"
    
```

**description\_D** **Item of expenditure: cigarette, tobacco, baccy (not display)**

```

type: string (str269), but longest is str0

unique values: 0      missing "": 1,230/1,230

tabulation: Freq. Value
             1,230  ""
    
```

**hc0\_D** **Code of Inseparable expenses**

```

type: string (str46), but longest is str3
    
```

unique values: 2  
 unique missing codes: 2

missing "": 1,228/1,230  
 missing \*: 1/1,230

tabulation: Freq. Value  
 1,228 ""  
 1 "C,D"  
 1 "DK"

**hcl\_D**

**HH. Expenses: Tobacco, cigarett (THB)**

type: numeric (long)

range: [0,4500]  
 unique values: 80  
 unique missing codes: 1

units: 1  
 missing .: 0/1,230  
 missing \*: 252/1,230

tabulation: Freq. Value  
 607 0  
 3 10  
 6 20  
 1 22  
 2 25  
 2 26  
 4 30  
 1 33  
 1 34  
 4 35  
 5 40  
 1 42  
 12 43  
 2 45  
 6 50  
 3 52  
 4 60  
 4 65  
 4 67  
 2 70  
 8 75  
 1 77  
 6 80  
 9 86  
 1 90  
 28 100  
 1 103  
 1 108  
 3 120  
 3 129  
 1 133  
 34 150  
 1 151  
 2 155  
 5 180  
 1 194  
 16 200  
 1 210  
 4 215  
 3 225  
 3 240  
 3 250  
 46 300  
 1 330  
 1 350  
 6 360  
 1 375  
 4 400  
 1 420  
 4 430  
 11 450  
 15 500  
 1 516

```

      1 550
     16 600
      1 630
      1 645
      1 650
      1 720
      1 750
      9 900
      1 975
      4 1000
      1 1020
      3 1050
      1 1125
      3 1200
      1 1300
      1 1350
      3 1500
      1 1505
     13 1800
      4 1950
      1 2000
      3 2100
      1 2700
      2 3000
      1 3250
      2 3600
      1 4500
     252 .c
mean: 166.499
std. dev: 439.56

percentiles:    10%    25%    50%    75%    90%
                0      0      0     129     450

```

**hc2\_D** Value of producing: Tobacco, cigarett (THB)

```

type: numeric (int)
range: [0,150] units: 10
unique values: 2 missing .: 0/1,230
unique missing codes: 1 missing *: 1/1,230

tabulation: Freq. Value
            1,228 0
            1 150
            1 .c
mean: .12205
std. dev: 4.27873

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

**hc3\_D** Value of receiving: Tobacco, cigarett (THB)

```

type: numeric (long)
range: [0,0] units: 1
unique values: 1 missing .: 0/1,230
unique missing codes: 1 missing *: 3/1,230

tabulation: Freq. Value
            1,227 0
            3 .c
mean: 0
std. dev: 0

```



```

range: [0,0] units: 1
unique values: 1 missing .: 0/1,230
unique missing codes: 1 missing *: 1/1,230

tabulation: Freq. Value
             1,229 0
             1 .d
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

**hc3\_E Value of receiving: Utilities such as water, electricity, telephone and internet**

```

type: numeric (long)

range: [0,1290] units: 1
unique values: 17 missing .: 0/1,230
unique missing codes: 2 missing *: 20/1,230

tabulation: Freq. Value
             1,192 0
             1 17
             1 60
             2 100
             1 150
             1 200
             1 300
             1 340
             1 405
             1 450
             1 490
             2 600
             1 632
             1 650
             1 700
             1 860
             1 1290
             19 .c
             1 .d
mean: 6.56529
std. dev: 66.0982

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

**freq\_E Frequency: Monthly**

```

type: numeric (byte)
label: freq

range: [9,9] units: 1
unique values: 1 missing .: 0/1,230

tabulation: Freq. Numeric Label
             1,230 9 monthly
    
```

**no\_F code F**

```

type: string (str2), but longest is str1
unique values: 1 missing "": 0/1,230
    
```

tabulation: Freq. Value  
 1,230 "6"

---

**description\_F** **Item of expenditure: house rent (not display)**

---

type: string (**str269**), but longest is str0  
 unique values: 0 missing "": 1,230/1,230  
 tabulation: Freq. Value  
 1,230 ""

---

**hc0\_F** **Code of Inseparable expenses**

---

type: string (**str46**), but longest is str0  
 unique values: 0 missing "": 1,230/1,230  
 tabulation: Freq. Value  
 1,230 ""

---

**hc1\_F** **HH. Expenses: House rents (THB)**

---

type: numeric (**long**)  
 range: [0,1000] units: 10  
 unique values: 3 missing .: 0/1,230  
 tabulation: Freq. Value  
           1,227 0  
               1 10  
               2 1000  
 mean: 1.63415  
 std. dev: 40.3082  
 percentiles:           10%       25%       50%       75%       90%  
                           0           0           0           0           0

---

**hc2\_F** **Value of producing: House rents (THB)**

---

type: numeric (**int**)  
 range: [0,0] units: 1  
 unique values: 1 missing .: 0/1,230  
 tabulation: Freq. Value  
           1,230 0  
 mean: 0  
 std. dev: 0  
 percentiles:           10%       25%       50%       75%       90%  
                           0           0           0           0           0

---

**hc3\_F** **Value of receiving: House rents (THB)**

---

type: numeric (**long**)  
 range: [0,1000] units: 1000  
 unique values: 2 missing .: 0/1,230

```

tabulation: Freq. Value
             1,229  0
             1  1000
    mean:    .813008
    std. dev: 28.5133

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

---

**freq\_F** **Frequency: Monthly**

---

```

    type: numeric (byte)
    label: freq

    range: [9,9]
    unique values: 1
                    units: 1
                    missing.: 0/1,230

    tabulation: Freq. Numeric Label
                 1,230      9 monthly
    
```

---

**no\_G** **code G**

---

```

    type: string (str2), but longest is str1
    unique values: 1
                    missing "": 0/1,230

    tabulation: Freq. Value
                 1,230 "7"
    
```

---

**description\_G** **Item of expenditure: fuel and gasoline (not display)**

---

```

    type: string (str269), but longest is str0
    unique values: 0
                    missing "": 1,230/1,230

    tabulation: Freq. Value
                 1,230 ""
    
```

---

**hc0\_G** **Code of Inseparable expenses**

---

```

    type: string (str46), but longest is str3
    unique values: 1
                    missing "": 1,229/1,230

    tabulation: Freq. Value
                 1,229 ""
                 1  "300"
    
```

---

**hc1\_G** **HH. Expenses: Fuel such as gasoline and gas for private car (THB)**

---

```

    type: numeric (long)

    range: [0,15900]
    unique values: 144
    unique missing codes: 1
                    units: 1
                    missing.: 0/1,230
                    missing *: 172/1,230

    mean:    978.195
    std. dev: 1395.79

    percentiles:      10%      25%      50%      75%      90%
                     150      300      500      1000     2150
    
```

---

**hc2\_G Value of producing: Fuel such as gasoline and gas for private car (THB)**

---

```

type: numeric (int)
range: [0,0] units: 1
unique values: 1 missing.: 0/1,230
unique missing codes: 1 missing*: 1/1,230

tabulation: Freq. Value
             1,229 0
             1 .c
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

---

**hc3\_G Value of receiving: Fuel such as gasoline and gas for private car (THB)**

---

```

type: numeric (long)
range: [0,0] units: 1
unique values: 1 missing.: 0/1,230
unique missing codes: 1 missing*: 2/1,230

tabulation: Freq. Value
             1,228 0
             2 .c
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

---

**freq\_G Frequency: Monthly**

---

```

type: numeric (byte)
label: freq
range: [9,9] units: 1
unique values: 1 missing.: 0/1,230

tabulation: Freq. Numeric Label
             1,230 9 monthly
    
```

---

**no\_H code H**

---

```

type: string (str2), but longest is str1
unique values: 1 missing "": 0/1,230

tabulation: Freq. Value
             1,230 "8"
    
```

---

**description\_H Item of expenditure: cooking fuel and gasoline (not display)**

---

```

type: string (str269), but longest is str0
unique values: 0 missing "": 1,230/1,230
    
```



tabulation: Freq. Value  
 1,230 ""

---

**hc0\_H** **Code of Inseparable expenses**

---

type: string (**str46**), but longest is str3  
 unique values: 1 missing "": 1,229/1,230  
 tabulation: Freq. Value  
 1,229 ""  
 1 "133"

---

**hc1\_H** **HH. Expenses: Gas, firewood for cooking (THB)**

---

type: numeric (**long**)  
 range: [0,4000] units: 1  
 unique values: 302 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 19/1,230  
 mean: 269.694  
 std. dev: 244.837  
 percentiles: 10% 25% 50% 75% 90%  
 25 123 223 393 516

---

**hc2\_H** **Value of producing: Gas, firewood for cooking (THB)**

---

type: numeric (**int**)  
 range: [0,1300] units: 1  
 unique values: 67 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 163/1,230  
 tabulation: Freq. Value  
 793 0  
 1 5  
 1 13  
 1 25  
 1 33  
 1 34  
 1 38  
 4 40  
 3 43  
 2 48  
 4 50  
 7 60  
 6 65  
 3 70  
 15 75  
 1 80  
 1 87  
 14 100  
 27 120  
 24 130  
 1 133  
 9 140  
 1 145  
 27 150  
 2 160  
 1 180  
 3 200  
 1 206  
 1 220  
 2 225

```

1 238
13 240
1 246
4 250
14 260
7 280
14 300
1 320
1 323
2 325
1 340
1 350
3 360
3 375
3 390
1 400
2 420
1 430
10 450
2 480
1 500
1 516
3 520
1 525
1 538
1 540
2 559
2 600
2 602
1 650
1 660
1 675
1 688
3 750
1 900
1 1050
1 1300
163 .c
mean: 57.2962
std. dev: 134.042

percentiles:    10%    25%    50%    75%    90%
                0      0      0      40     240

```

---

**hc3\_H** Value of receiving: Gas, firewood for cooking (THB)

---

```

type: numeric (long)
range: [0,520]
unique values: 16
unique missing codes: 1

units: 1
missing .: 0/1,230
missing *: 16/1,230

tabulation: Freq. Value
1,198 0
1 38
1 50
1 53
1 60
1 100
1 120
1 130
1 140
2 150
1 210
1 240
1 300
1 360
1 400
1 520
16 .c

```

mean: 2.48847  
 std. dev: 26.6335  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**freq\_H** **Frequency: Monthly**

---

type: numeric (**byte**)  
 label: **freq**  
 range: [9,9] units: 1  
 unique values: 1 missing .: 0/1,230  
 tabulation: Freq. Numeric Label  
 1,230 9 monthly

---

**no\_I** **code I**

---

type: string (**str2**), but longest is str1  
 unique values: 1 missing "": 0/1,230  
 tabulation: Freq. Value  
 1,230 "9"

---

**description\_I** **Item of expenditure: household supplies (not display)**

---

type: string (**str269**), but longest is str0  
 unique values: 0 missing "": 1,230/1,230  
 tabulation: Freq. Value  
 1,230 ""

---

**hc0\_I** **Code of Inseparable expenses**

---

type: string (**str46**), but longest is str3  
 unique values: 4 missing "": 1,226/1,230  
 tabulation: Freq. Value  
 1,226 ""  
 1 "600"  
 1 "B,I"  
 1 "I,B"  
 1 "I,W"

---

**hc1\_I HH. Expenses: Household products such as soap, toothpaste, shampoo, laundry dete**

---

type: numeric (**long**)  
 range: [0,4000] units: 1  
 unique values: 70 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 70/1,230

```

tabulation:  Freq.  Value
              52    0
              1    39
              1    40
              2    60
              1    80
              1    83
              1    90
             16   100
              1   101
              1   110
              1   125
             14   150
              1   165
              1   170
              1   194
             53   200
              1   240
             30   250
              1   260
            162   300
              1   320
              2   340
              2   345
             27   350
              2   380
              3   390
             41   400
              2   420
              1   430
             38   450
              1   455
              1   480
            213   500
              1   520
             27   550
              1   565
             98   600
              1   608
              1   640
              2   645
             14   650
              1   680
             27   700
              1   710
             13   750
             18   800
              1   850
              1   860
             22   900
              1   945
              1   950
              1   963
            133  1000
              6   1100
             13  1200
              5  1250
              1  1292
              5  1300
              1  1400
             35  1500
              1  1600
              1  1650
              2  1700
             28  2000
              1  2200
              1  2250
              6  2500
              8  3000
              2  3500
              3  4000
             70  .c
    
```

mean: 630.099  
 std. dev: 518.076  
 percentiles: 10% 25% 50% 75% 90%  
 200 300 500 800 1100

---

**hc2\_I Value of producing: Household products such as soap, toothpaste, shampoo, laundr**

---

type: numeric (**int**)  
 range: [0,0] units: 1  
 unique values: 1 missing .: 0/1,230  
 tabulation: Freq. Value  
 1,230 0  
 mean: 0  
 std. dev: 0  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hc3\_I Value of receiving: Household products such as soap, toothpaste, shampoo, laundr**

---

type: numeric (**long**)  
 range: [0,12000] units: 10  
 unique values: 9 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 27/1,230  
 tabulation: Freq. Value  
 1,190 0  
 1 100  
 2 300  
 3 500  
 2 600  
 1 870  
 1 1000  
 2 1500  
 1 12000  
 27 .c  
 mean: 16.8495  
 std. dev: 355.109  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**freq\_I Frequency: Monthly**

---

type: numeric (**byte**)  
 label: **freq**  
 range: [9,9] units: 1  
 unique values: 1 missing .: 0/1,230  
 tabulation: Freq. Numeric Label  
 1,230 9 monthly

---

**no\_J code J**

---

type: string (**str2**)  
 unique values: 1 missing "": 0/1,230

tabulation: Freq. Value  
 1,230 "10"

---

**description\_J Item of expenditure: gambling activities as lotteries (not display)**

---

type: string (**str269**), but longest is str0  
 unique values: 0 missing "": 1,230/1,230  
 tabulation: Freq. Value  
 1,230 ""

---

**hc0\_J Code of Inseparable expenses**

---

type: string (**str46**), but longest is str3  
 unique values: 1 missing "": 1,229/1,230  
 tabulation: Freq. Value  
 1,229 ""  
 1 "600"

---

**hc1\_J HH. Expenses: Lottery such as illegal lottery, government lottery, gold lottery**

---

type: numeric (**long**)  
 range: [0,30000] units: 1  
 unique values: 107 missing .: 0/1,230  
 unique missing codes: 2 missing \*: 71/1,230  
 mean: 1044.82  
 std. dev: 1857.09  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 500 1100 2500

---

**hc2\_J Value of producing: Lottery such as illegal lottery, government lottery, gold lo**

---

type: numeric (**int**)  
 range: [0,0] units: 1  
 unique values: 1 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 5/1,230  
 tabulation: Freq. Value  
 1,225 0  
 5 .d  
 mean: 0  
 std. dev: 0  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hc3\_J Value of receiving: Lottery such as illegal lottery, government lottery, gold lo**

---

type: numeric (**long**)  
 range: [0,0] units: 1  
 unique values: 1 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 5/1,230

```

tabulation: Freq. Value
             1,225  0
             5    .d
    mean:    0
    std. dev: 0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

---

**freq\_J** **Frequency: Monthly**

---

```

    type: numeric (byte)
    label: freq

    range: [9,9]          units: 1
    unique values: 1      missing .: 0/1,230

    tabulation: Freq.  Numeric  Label
                1,230      9    monthly
    
```

---

**no\_K** **code K**

---

```

    type: string (str2)

    unique values: 1      missing "": 0/1,230

    tabulation: Freq. Value
                1,230  "11"
    
```

---

**description\_K** **Item of expenditure: pharmaceutical products (not display)**

---

```

    type: string (str269), but longest is str0

    unique values: 0      missing "": 1,230/1,230

    tabulation: Freq. Value
                1,230  ""
    
```

---

**hc0\_K** **Code of Inseparable expenses**

---

```

    type: string (str46), but longest is str3

    unique values: 1      missing "": 1,229/1,230

    tabulation: Freq. Value
                1,229  ""
                 1    "100"
    
```

---

**hc1\_K** **HH. Expenses: Expense on medicine THB)**

---

```

    type: numeric (long)

    range: [0,15000]      units: 1
    unique values: 91     missing .: 0/1,230
    unique missing codes: 1  missing *: 51/1,230
    
```

tabulation:	Freq.	Value
	636	0
	1	7
	3	10
	3	15
	18	20
	13	25
	1	29
	14	30
	5	35
	9	40
	3	45
	1	48
	20	50
	6	60
	4	70
	2	75
	1	80
	1	83
	2	90
	43	100
	1	105
	1	110
	1	117
	5	120
	1	144
	1	145
	1	146
	30	150
	1	156
	1	158
	2	170
	4	180
	1	190
	1	195
	48	200
	1	217
	4	240
	34	250
	1	271
	23	300
	2	310
	9	350
	3	360
	5	400
	22	450
	3	480
	41	500
	1	540
	3	550
	1	570
	7	600
	1	650
	1	700
	1	708
	2	750
	1	798
	1	850
	1	900
	36	1000
	1	1040
	1	1050
	11	1200
	1	1209
	1	1225
	3	1300
	1	1440
	9	1500
	1	1600
	1	1700
	1	1750
	5	1800



```

      7 2000
     11 2400
      5 2500
      2 2600
      8 3000
      3 3500
      2 3600
      1 4050
      1 4200
      2 4500
      1 5000
      1 5200
      1 5400
      1 5500
      1 5850
      1 7000
      2 7200
      1 10000
      2 13000
      1 15000
     51 .c
    mean: 336.905
   std. dev: 1057.29

percentiles:      10%      25%      50%      75%      90%
                  0         0         0        200       1000

```

---

**hc2\_K** **Value of producing: Expense on medicine (THB)**

---

```

      type: numeric (int)
      range: [0,0]
unique values: 1
      units: 1
      missing .: 0/1,230

tabulation: Freq. Value
             1,230  0
      mean: 0
      std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

---

**hc3\_K** **Value of receiving: Expense on medicine (THB)**

---

```

      type: numeric (long)
      range: [0,16800]
unique values: 6
unique missing codes: 1
      units: 100
      missing .: 0/1,230
      missing *: 12/1,230

tabulation: Freq. Value
             1,213  0
              1  200
              1  300
              1 12000
              1 15000
              1 16800
             12 .c
      mean: 36.3711
      std. dev: 730.686

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

---

**freq\_K** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing.: 0/1,230
tabulation: Freq. Numeric Label
             1,230      17  yearly
    
```

**no\_L** **code L**

```

type: string (str2)
unique values: 1
missing "": 0/1,230
tabulation: Freq. Value
             1,230 "12"
    
```

**description\_L** **Item of expenditure: seeing a doctor in clinic (not display)**

```

type: string (str269), but longest is str0
unique values: 0
missing "": 1,230/1,230
tabulation: Freq. Value
             1,230 ""
    
```

**hc0\_L** **Code of Inseparable expenses**

```

type: string (str46), but longest is str0
unique values: 0
missing "": 1,230/1,230
tabulation: Freq. Value
             1,230 ""
    
```

**hc1\_L** **HH. Expenses: Expense on doctor visit at medical clinic (THB)**

```

type: numeric (long)
range: [0,75000]
unique values: 155
unique missing codes: 1
units: 1
missing.: 0/1,230
missing *: 31/1,230
mean: 1122.73
std. dev: 3570.93
percentiles: 10% 25% 50% 75% 90%
              0 0 240 1000 2500
    
```

**hc2\_L** **Value of producing: Expense on doctor visit at medical clinic (THB)**

```

type: numeric (int)
range: [0,0]
unique values: 1
units: 1
missing.: 0/1,230
tabulation: Freq. Value
             1,230 0
mean: 0
std. dev: 0
    
```



---

**hcl\_M** **HH. Expenses: Expense on doctor visit at hospital (THB)**

---

```

type: numeric (long)
range: [0,300000]
unique values: 54
unique missing codes: 2
units: 1
missing .: 0/1,230
missing *: 22/1,230

```

```

tabulation: Freq. Value
1,083 0
20 30
1 45
14 60
3 90
2 100
1 103
5 105
1 110
1 113
9 120
1 130
1 140
4 150
6 180
2 195
1 200
2 210
1 225
2 240
1 250
4 300
1 360
1 420
3 500
1 520
1 600
1 650
1 690
1 750
1 800
2 1000
1 1100
1 1200
1 1400
1 1500
1 1560
1 2000
1 2100
1 2300
2 2500
1 2600
4 3000
1 3500
2 3600
1 4000
3 5000
1 5300
1 8000
1 8600
1 9000
2 15000
1 20000
1 300000
21 .c
1 .d

```

```

mean: 381.334
std. dev: 8689.43

```



tabulation: Freq. Value  
 1,230 ""

---

**hc0\_N** **Code of Inseparable expenses**

---

type: string (**str46**), but longest is str3

unique values: 1 missing "": 1,229/1,230

tabulation: Freq. Value  
 1,229 ""  
 1 "500"

---

**hc1\_N** **HH. Expenses: Donation (THB)**

---

type: numeric (**long**)

range: [0,36000] units: 1  
 unique values: 65 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 332/1,230

tabulation: Freq. Value

24	0
1	43
1	75
3	100
1	150
5	200
6	250
8	300
6	350
2	400
1	420
11	450
45	500
5	550
1	583
5	600
2	650
2	700
7	750
3	800
164	1000
7	1200
3	1250
1	1300
2	1350
1	1400
72	1500
3	1600
1	1800
1	1900
120	2000
87	2500
1	2650
1	2900
92	3000
1	3250
34	3500
4	3600
15	4000
27	4500
1	4800
30	5000
1	5200
2	5400
3	5500
5	6000

```

      1 6500
      1 6600
      4 7500
      1 8000
      1 9000
     42 10000
      3 12000
      2 13000
      1 14000
     11 15000
      1 16800
      1 17400
      1 18000
      1 19500
      3 20000
      3 24000
      1 26000
      1 30000
      1 36000
    332 .c
  mean: 2942.4
std. dev: 3667.24

percentiles:    10%    25%    50%    75%    90%
                500    1000   2000   3000   5400
  
```

---

**hc2\_N** **Value of producing: Donation (THB)**

---

```

      type: numeric (int)
      range: [0,0]
unique values: 1
unique missing codes: 1

      tabulation: Freq. Value
                  1,229  0
                  1 .c
      mean: 0
      std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
  
```

---

**hc3\_N** **Value of receiving: Donation (THB)**

---

```

      type: numeric (long)
      range: [0,0]
unique values: 1
unique missing codes: 1

      tabulation: Freq. Value
                  1,228  0
                  2 .c
      mean: 0
      std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
  
```

---

**freq\_N** **Frequency: Yearly**

---

```

      type: numeric (byte)
      label: freq
  
```

range: [17,17] units: 1  
 unique values: 1 missing .: 0/1,230  
 tabulation: Freq. Numeric Label  
 1,230 17 yearly

**no\_O** **code 0**

type: string (str2)  
 unique values: 1 missing "": 0/1,230  
 tabulation: Freq. Value  
 1,230 "15"

**description\_O** **Item of expenditure: performing ceremonies (not display)**

type: string (str269), but longest is str0  
 unique values: 0 missing "": 1,230/1,230  
 tabulation: Freq. Value  
 1,230 ""

**hc0\_O** **Code of Inseparable expenses**

type: string (str46), but longest is str0  
 unique values: 0 missing "": 1,230/1,230  
 tabulation: Freq. Value  
 1,230 ""

**hc1\_O** **HH. Expenses: Expense on ceremony (THB)**

type: numeric (long)  
 range: [0,500000] units: 100  
 unique values: 44 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 16/1,230  
 tabulation: Freq. Value  
 1,103 0  
 1 100  
 2 1500  
 2 2500  
 2 3000  
 1 4000  
 1 4500  
 1 5000  
 1 7500  
 8 10000  
 2 12000  
 7 15000  
 1 16500  
 4 20000  
 3 25000  
 7 30000  
 2 35000  
 1 45000  
 1 45500  
 5 50000  
 1 53000  
 3 55000



```

      3 60000
      3 65000
      2 70000
      1 74000
      1 75000
      1 80000
      1 90000
      1 95000
      9 100000
      1 112000
      1 120000
      2 130000
      9 150000
      1 165000
      1 170000
      1 180000
     10 200000
      3 250000
      1 300000
      1 350000
      1 400000
      1 500000
      16 .c
    mean: 8023.15
  std. dev: 37274.4

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

---

**hc2\_O** **Value of producing: Expense on ceremony (THB)**

---

```

      type: numeric (int)
      range: [0,0]
unique values: 1
      units: 1
      missing .: 0/1,230

      tabulation: Freq. Value
                  1,230  0
      mean: 0
      std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

---

**hc3\_O** **Value of receiving: Expense on ceremony (THB)**

---

```

      type: numeric (long)
      range: [0,350000]
unique values: 10
unique missing codes: 1
      units: 100
      missing .: 0/1,230
      missing *: 2/1,230

      tabulation: Freq. Value
                  1,218  0
                   1  1500
                   1  7000
                   1 10000
                   1 40000
                   1 70000
                   2 100000
                   1 150000
                   1 200000
                   1 350000
                   2 .c
      mean: 837.541
      std. dev: 13107

```

percentiles:            10%            25%            50%            75%            90%  
                                   0                    0                    0                    0                    0

---

**freq\_O** **Frequency: Yearly**

---

          type: numeric (**byte**)  
           label: **freq**  
           range: [17,17]                                   units: 1  
   unique values: 1                                       missing .: 0/1,230  
           tabulation: Freq.    Numeric    Label  
                           1,230            17    yearly

---

**no\_P** **code P**

---

          type: string (**str2**)  
   unique values: 1                                       missing "": 0/1,230  
           tabulation: Freq.    Value  
                           1,230    "16"

---

**description\_P** **Item of expenditure: dwelling maintenance (not display)**

---

          type: string (**str269**), but longest is str0  
   unique values: 0                                       missing "": 1,230/1,230  
           tabulation: Freq.    Value  
                           1,230    ""

---

**hc0\_P** **Code of Inseparable expenses**

---

          type: string (**str46**), but longest is str5  
   unique values: 1                                       missing "": 1,229/1,230  
           tabulation: Freq.    Value  
                           1,229    ""  
                                   1    "P,R,V"

---

**hc1\_P** **HH. Expenses: House restoration or construction (THB)**

---

          type: numeric (**long**)  
           range: [0,3030000]                               units: 10  
   unique values: 80                                       missing .: 0/1,230  
   unique missing codes: 1                               missing \*: 14/1,230  
           tabulation: Freq.    Value  
                           958    0  
                                   1    90  
                                   1    130  
                                   1    350  
                                   1    450  
                                   1    500  
                                   1    550  
                                   3    1000  
                                   5    1500  
                                   4    2000  
                                   1    2300

2 2500  
1 2700  
9 3000  
1 3300  
2 3500  
5 4000  
14 5000  
3 5500  
1 5600  
1 6000  
3 6500  
3 7000  
2 7500  
3 8000  
1 8500  
11 10000  
1 10500  
5 12000  
1 12700  
1 13000  
7 15000  
2 15500  
1 16000  
3 17000  
2 18000  
1 19000  
17 20000  
1 22000  
8 25000  
17 30000  
1 34500  
8 35000  
2 38000  
9 40000  
3 45000  
7 50000  
4 55000  
6 60000  
1 65000  
6 70000  
1 75000  
3 80000  
2 90000  
11 100000  
1 110000  
2 120000  
1 125000  
2 140000  
7 150000  
1 160000  
1 175000  
1 185000  
5 200000  
5 250000  
1 270000  
1 280000  
3 300000  
2 350000  
1 380000  
1 450000  
2 500000  
1 550000  
1 700000  
1 800000  
2 1000000  
1 1500000  
1 2500000  
1 3000000  
1 3030000  
14 .c

mean: 23306.5  
std. dev: 162612



tabulation: Freq. Value  
 1,230 "17"

**description\_Q**

Item of expenditure: Maintenance cost and registration cost of mothorcycle, car

type: string (str269), but longest is str0  
 unique values: 0 missing "": 1,230/1,230  
 tabulation: Freq. Value  
 1,230 ""

**hc0\_Q**

Code of Inseparable expenses

type: string (str46), but longest is str0  
 unique values: 0 missing "": 1,230/1,230  
 tabulation: Freq. Value  
 1,230 ""

**hc1\_Q HH. Expenses: Insurance, maintainance cost and registration cost of mothorcycle,**

type: numeric (long)  
 range: [0,100000] units: 1  
 unique values: 169 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 213/1,230  
 mean: 3217.94  
 std. dev: 7489.12  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 600 2800 8080

**hc2\_Q Value of producing: Insurance, maintainance cost and registration cost of mothor**

type: numeric (int)  
 range: [0,0] units: 1  
 unique values: 1 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 1/1,230  
 tabulation: Freq. Value  
 1,229 0  
 1 .c  
 mean: 0  
 std. dev: 0  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

**hc3\_Q Value of receiving: Insurance, maintainance cost and registration cost of mothor**

type: numeric (long)  
 range: [0,15000] units: 100  
 unique values: 4 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 18/1,230

```

tabulation: Freq. Value
             1,207 0
              3 500
              1 2500
              1 15000
             18 .c
mean:       15.6766
std. dev:   437.414

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

---

**freq\_Q** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq

range: [17,17]          units: 1
unique values: 1        missing .: 0/1,230

tabulation: Freq.  Numeric  Label
             1,230    17     yearly
    
```

---

**no\_R** **code R**

---

```

type: string (str2)

unique values: 1          missing "": 0/1,230

tabulation: Freq. Value
             1,230 "18"
    
```

---

**description\_R**  
**Item of expenditure: Furniture and house decoration (in case paid in cash) (not**

---

```

type: string (str269), but longest is str0

unique values: 0          missing "": 1,230/1,230

tabulation: Freq. Value
             1,230 ""
    
```

---

**hc0\_R** **Code of Inseparable expenses**

---

```

type: string (str46), but longest is str5

unique values: 1          missing "": 1,229/1,230

tabulation: Freq. Value
             1,229 ""
              1  "P,R,V"
    
```

---

**hc1\_R** **HH. Expenses: Furniture and house decoration (in case paid in cash) (THB)**

---

```

type: numeric (long)

range: [0,3000000]      units: 10
unique values: 50       missing .: 0/1,230
unique missing codes: 1  missing *: 20/1,230
    
```

```

tabulation:  Freq.  Value
              1,102  0
               1  200
               1  300
               1  450
               3  500
               2  600
               1  800
               1  900
               7 1000
               2 1200
               3 1500
               1 1700
               1 1800
               4 2000
               2 2200
               1 2400
               5 2500
               1 2700
               2 2800
               1 2900
              12 3000
               3 3500
               1 3900
               4 4000
               5 4500
               1 4700
               5 5000
               2 5500
               4 6000
               1 6400
               1 6500
               1 7200
               1 7500
               1 8000
               1 8200
               2 8500
               1 8600
               1 8700
               2 9000
               5 10000
               1 15000
               1 16000
               3 20000
               1 25000
               1 26900
               3 30000
               1 50000
               1 300000
               1 450000
               1 3000000
              20  .c
    mean:      3631.28
  std. dev:   87643.8

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

---

**hc2\_R Value of producing: Furniture and house decoration (in case paid in cash) (THB)**

---

```

    type: numeric (int)
    range: [0,0]
unique values: 1
           units: 1
           missing .: 0/1,230

    tabulation:  Freq.  Value
                  1,230  0
    mean:        0
    std. dev:    0

```

percentiles:           10%       25%       50%       75%       90%  
                           0           0           0           0           0

---

**hc3\_R Value of receiving: Furniture and house decoration (in case paid in cash) (THB)**

---

type: numeric (long)  
 range: [0,30000]                           units: 100  
 unique values: 6                           missing .: 0/1,230  
 unique missing codes: 1                   missing \*: 4/1,230

tabulation:   Freq.   Value  
               1,221   0  
               1    3000  
               1    4000  
               1    8300  
               1   12000  
               1   30000  
               4    .c  
 mean:        46.7374  
 std. dev:    962.654

percentiles:           10%       25%       50%       75%       90%  
                           0           0           0           0           0

---

**freq\_R** **Frequency: Yearly**

---

type: numeric (byte)  
 label: freq  
 range: [17,17]                           units: 1  
 unique values: 1                        missing .: 0/1,230

tabulation:   Freq.   Numeric   Label  
               1,230       17    yearly

---

**no\_S** **code S**

---

type: string (str2)  
 unique values: 1                        missing "": 0/1,230  
 tabulation:   Freq.   Value  
               1,230   "19"

---

**description\_S** **Item of expenditure: hobbies & entertainment (not display)**

---

type: string (str269), but longest is str0  
 unique values: 0                        missing "": 1,230/1,230  
 tabulation:   Freq.   Value  
               1,230   ""

---

**hc0\_S** **Code of Inseparable expenses**

---

type: string (str46), but longest is str0  
 unique values: 0                        missing "": 1,230/1,230



tabulation: Freq. Value  
 1,230 ""

---

**hc1\_S HH. Expenses: Recreational costs (Traveling to different locations) (THB)**

---

type: numeric (**long**)  
 range: [0,78000] units: 10  
 unique values: 59 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 62/1,230

tabulation: Freq. Value

904	0
1	40
1	100
2	150
5	200
2	250
3	300
1	350
1	360
1	400
4	450
8	500
2	550
3	600
1	650
2	700
25	1000
2	1200
1	1290
1	1350
1	1450
15	1500
1	1600
1	1660
26	2000
1	2100
1	2400
9	2500
24	3000
7	3500
8	4000
1	4140
6	4500
19	5000
1	5200
1	5400
6	5500
2	6000
1	6500
2	7000
2	7500
4	8000
2	9000
1	9100
29	10000
1	10500
1	12000
2	15000
1	17500
8	20000
1	22500
2	25000
1	27000
5	30000
1	34500
1	36000
1	45500
1	50000

```

          1 78000
          62 .c
    mean: 1343.57
    std. dev: 4852.97

    percentiles:      10%      25%      50%      75%      90%
                      0         0         0         0       3500
    
```

**hc2\_S Value of producing: Recreational costs (Traveling to different locations) (THB)**

```

    type: numeric (int)
    range: [0,0]
    unique values: 1
    units: 1
    missing .: 0/1,230

    tabulation: Freq. Value
                1,230 0
    mean: 0
    std. dev: 0

    percentiles:      10%      25%      50%      75%      90%
                      0         0         0         0         0
    
```

**hc3\_S Value of receiving: Recreational costs (Traveling to different locations) (THB)**

```

    type: numeric (long)
    range: [0,27000]
    unique values: 4
    unique missing codes: 1
    units: 100
    missing .: 0/1,230
    missing *: 17/1,230

    tabulation: Freq. Value
                1,207 0
                 4 1500
                 1 4500
                 1 27000
                 17 .c
    mean: 30.9151
    std. dev: 790.356

    percentiles:      10%      25%      50%      75%      90%
                      0         0         0         0         0
    
```

**freq\_S Frequency: Yearly**

```

    type: numeric (byte)
    label: freq
    range: [17,17]
    unique values: 1
    units: 1
    missing .: 0/1,230

    tabulation: Freq. Numeric Label
                1,230      17  yearly
    
```

**no\_T code T**

```

    type: string (str2)
    unique values: 1
    missing "": 0/1,230

    tabulation: Freq. Value
                1,230 "20"
    
```

---

**description\_T**  
**Item of expenditure: Land or shop rental fee (not include land rental fee in bus**

---

type: string (**str269**), but longest is str0  
 unique values: 0 missing "": 1,230/1,230  
 tabulation: Freq. Value  
 1,230 ""

---

**hc0\_T** **Code of Inseparable expenses**

---

type: string (**str46**), but longest is str0  
 unique values: 0 missing "": 1,230/1,230  
 tabulation: Freq. Value  
 1,230 ""

---

**hc1\_T HH. Expenses: Land or shop rental fee (excluding land rental fee in business sec**

---

type: numeric (**long**)  
 range: [0,120000] units: 1  
 unique values: 81 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 9/1,230  
 tabulation: Freq. Value  
 1,113 0  
 1 100  
 1 115  
 1 129  
 1 500  
 1 700  
 1 900  
 1 1000  
 1 1376  
 1 1750  
 1 1950  
 2 2000  
 1 2100  
 1 2500  
 1 2700  
 2 3000  
 1 3250  
 1 3360  
 2 3600  
 1 4000  
 1 4900  
 5 5000  
 1 5040  
 1 5200  
 1 5400  
 1 5429  
 1 5700  
 1 5790  
 3 6000  
 1 7000  
 2 7200  
 1 7325  
 1 7500  
 1 7540  
 1 7680  
 1 7840  
 3 8000  
 1 8625

```

1 9000
1 9750
3 10000
1 10350
1 10400
1 10500
1 10800
1 11000
1 11550
3 12000
1 12775
3 13000
1 13400
1 14000
1 14280
1 14500
4 15000
1 15300
1 15400
1 15500
1 16000
1 17000
1 17500
2 18000
1 18250
1 19500
1 19710
5 20000
1 22400
1 22750
1 23000
1 23800
1 24000
1 25740
1 27000
1 28000
3 30000
1 30375
1 36400
1 55000
1 65000
1 114000
1 120000
9 .c
mean: 1253.83
std. dev: 6595.88

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

---

**hc2\_T Value of producing: Land or shop rental fee (excluding land rental fee in busine**

---

```

type: numeric (int)
range: [0,8713]
unique values: 3
units: 1
missing .: 0/1,230

tabulation: Freq. Value
1,228 0
1 5200
1 8713
mean: 11.3114
std. dev: 289.213

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

---

**hc3\_T Value of receiving: Land or shop rental fee (excluding land rental fee in busine**

---

```

type: numeric (long)
range: [0,23400] units: 1
unique values: 5 missing .: 0/1,230

tabulation: Freq. Value
1,226 0
1 975
1 2145
1 8000
1 23400
mean: 28.065
std. dev: 708.051

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

---

**freq\_T** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq
range: [17,17] units: 1
unique values: 1 missing .: 0/1,230

tabulation: Freq. Numeric Label
1,230 17 yearly
    
```

---

**no\_U** **code U**

---

```

type: string (str2)
unique values: 2 missing "": 0/1,230

tabulation: Freq. Value
846 "."
384 "22"
    
```

---

**description\_U** **Item of expenditure: Other, please specify (not display)**

---

```

type: string (str269), but longest is str0
unique values: 0 missing "": 1,230/1,230

tabulation: Freq. Value
1,230 ""
    
```

---

**description\_U\_group** **Group of items: describtion\_U (not display)**

---

```

type: string (str40), but longest is str0
unique values: 0 missing "": 1,230/1,230

tabulation: Freq. Value
1,230 ""
    
```

---

**hc0\_U** **Code of Inseparable expenses**

---

```

type: string (str46), but longest is str0
unique values: 0 missing "": 1,230/1,230
tabulation: Freq. Value
             1,230 ""
    
```

---

**hc1\_U** **HH. Expenses: Others (THB)**

---

```

type: numeric (long)
range: [0,38000] units: 10
unique values: 11 missing .: 895/1,230
unique missing codes: 2 missing *: 1/1,230
    
```

```

tabulation: Freq. Value
             324 0
             1 500
             1 520
             1 1000
             1 2500
             1 7000
             1 7500
             1 12000
             1 18000
             1 21000
             1 38000
             895 .
             1 .c
mean: 323.413
std. dev: 2701.95

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

---

**hc2\_U** **Value of producing: others (THB)**

---

```

type: numeric (int)
range: [0,0] units: 1
unique values: 1 missing .: 895/1,230
    
```

```

tabulation: Freq. Value
             335 0
             895 .
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

---

**hc3\_U** **Value of receiving: others (THB)**

---

```

type: numeric (long)
range: [0,126140] units: 1
unique values: 88 missing .: 895/1,230
unique missing codes: 2 missing *: 146/1,230
    
```

```

tabulation:  Freq.  Value
              10    0
              1   150
              3   250
              1   300
              1   350
              2   360
              1   388
              1   400
              3   450
              7   500
              7   550
              2   600
              1   700
              1   750
              1   825
              3   850
              3   900
             11  1000
              1  1200
              1  1250
              1  1266
              1  1350
              1  1485
             10  1500
              1  1575
              1  1650
              1  1800
             12  2000
              1  2025
              1  2275
              1  2400
              1  2475
             12  2500
              1  2600
              5  3000
              2  3125
              1  3150
              2  3500
              3  3600
              2  3750
              3  4000
              1  4275
              5  4500
              1  4800
              5  5000
              1  5100
              1  5112
              1  5250
              1  5500
              1  5550
              3  6000
              1  6300
              1  6400
              1  6500
              1  6600
              1  6675
              3  7000
              1  7200
              1  7800
              2  8000
              1  8450
              2  9000
              1  9275
              1  9600
              2 10000
              1 10400
              2 10500
              1 10800
              1 12000
              1 14000
              1 14400
    
```

```

      1 15000
      1 16875
      3 18000
      1 19450
      1 22000
      1 23500
      1 24450
      1 25300
      1 25800
      1 30000
      1 30200
      1 32550
      1 40000
      1 54000
      1 60000
      1 71500
      1 126140
      895 .
      146 .c
    mean: 6295.16
  std. dev: 13141.7

percentiles:      10%      25%      50%      75%      90%
                  388      900      2500      6000      15000

```

---

**freq\_U** **Frequency: Yearly**

---

```

    type: numeric (byte)
    label: freq

    range: [17,17]           units: 1
unique values: 1           missing .: 895/1,230

    tabulation: Freq.  Numeric  Label
                 335      17    yearly
                 895      .

```

---

**no\_V** **code V**

---

```

    type: string (str2)

unique values: 2           missing "": 0/1,230

    tabulation: Freq.  Value
                 1,026  "."
                 204   "23"

```

---

**description\_V** **Item of expenditure: Other, please specify (not display)**

---

```

    type: string (str269), but longest is str0

unique values: 0           missing "": 1,230/1,230

    tabulation: Freq.  Value
                 1,230  ""

```

---

**description\_V\_group** **Group of items: description\_V (not display)**

---

```

    type: string (str31), but longest is str0

unique values: 0           missing "": 1,230/1,230

```



tabulation: Freq. Value  
 1,230 ""

---

**hc0\_v** **Code of Inseparable expenses**

---

type: string (**str46**), but longest is str5  
 unique values: 1 missing "": 1,229/1,230  
 tabulation: Freq. Value  
 1,229 ""  
 1 "P,R,V"

---

**hc1\_v** **HH. Expenses: Others (THB)**

---

type: numeric (**long**)  
 range: [0,66700] units: 100  
 unique values: 6 missing .: 1,171/1,230  
 unique missing codes: 2 missing \*: 2/1,230  
 tabulation: Freq. Value  
 52 0  
 1 2000  
 1 2400  
 1 3000  
 1 20000  
 1 66700  
 1,171 .  
 2 .c  
 mean: 1650.88  
 std. dev: 9173.24  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hc2\_v** **Value of producing: others (THB)**

---

type: numeric (**int**)  
 range: [0,0] units: 1  
 unique values: 1 missing .: 1,171/1,230  
 tabulation: Freq. Value  
 59 0  
 1,171 .  
 mean: 0  
 std. dev: 0  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hc3\_v** **Value of receiving: others (THB)**

---

type: numeric (**long**)  
 range: [0,24000] units: 1  
 unique values: 17 missing .: 1,171/1,230  
 unique missing codes: 2 missing \*: 33/1,230

```

tabulation:  Freq.  Value
              7    0
              1   225
              2   450
              1   750
              2  1000
              1  1500
              1  2175
              1  2500
              1  3000
              1  3500
              2  4000
              1  4950
              1  5400
              1  6000
              1  8500
              1 13000
              1 24000
1,171      .
          33  .c
mean:      3323.08
std. dev:  5250.89

percentiles:    10%    25%    50%    75%    90%
                0      0     1250   4000   8500
    
```

---

**freq\_V** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq

range: [17,17]          units: 1
unique values: 1        missing .: 1,171/1,230

tabulation:  Freq.  Numeric  Label
              59     17     yearly
1,171      .
    
```

---

**no\_W** **code W**

---

```

type: string (str2)

unique values: 1        missing "": 0/1,230

tabulation:  Freq.  Value
1,230      "21"
    
```

---

**description\_W** **Item of expenditure: Cosmetic & Skincare (not display)**

---

```

type: string (str269), but longest is str0

unique values: 0        missing "": 1,230/1,230

tabulation:  Freq.  Value
1,230      ""
    
```

---

**hc0\_W** **Code of Inseparable expenses**

---

```

type: string (str46), but longest is str3

unique values: 1        missing "": 1,229/1,230
    
```

```

tabulation: Freq. Value
            1,229 ""
            1 "I,W"
    
```

---

**hcl\_W**

**HH. Expenses: Other (THB)**

---

```

type: numeric (long)
range: [0,60000]
unique values: 92
unique missing codes: 1
units: 1
missing .: 0/1,230
missing *: 211/1,230
    
```

```

tabulation: Freq. Value
            629 0
            1 20
            1 50
            1 54
            1 59
            1 60
            1 75
            1 86
            4 100
            1 120
            9 150
            1 180
           16 200
            2 230
           10 250
            1 260
           13 300
            6 350
            1 390
            4 400
            5 450
            2 480
            1 490
           30 500
            1 520
            2 540
            2 550
            1 600
            2 650
            1 720
            1 778
            1 780
            2 800
           47 1000
            1 1100
            1 1176
           12 1200
            1 1278
            2 1300
            1 1440
            1 1464
           15 1500
            1 1600
            7 1800
            1 1900
            1 1920
            1 1950
           17 2000
            1 2028
            1 2043
            1 2100
           13 2400
            5 2500
            2 2600
            1 2786
           16 3000
            1 3250
    
```

```

      8 3600
      3 3750
      4 3900
      1 4000
      6 4200
      3 4500
      1 4550
      2 4800
      1 4900
      2 5000
      1 5200
      6 5400
      1 5850
     18 6000
      4 6500
      4 6600
      2 6750
      2 7000
      3 7200
      2 7500
      1 7700
      1 8000
      1 9350
      1 9600
      3 10000
     17 12000
      4 13000
      2 14000
      2 15000
      2 18000
      1 19500
      1 24000
      1 26000
      1 30000
      2 60000
    211 .c
  mean: 1304.79
std. dev: 3959.17

percentiles:      10%      25%      50%      75%      90%
                  0         0         0       1000       3900

```

---

**hc2\_W** **Value of producing: others (THB)**

---

```

      type: numeric (int)
      range: [0,0]
unique values: 1
      units: 1
      missing .: 0/1,230

  tabulation: Freq. Value
              1,230  0
      mean: 0
      std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

---

**hc3\_W** **Value of receiving: others (THB)**

---

```

      type: numeric (long)
      range: [0,12000]
unique values: 3
unique missing codes: 1
      units: 100
      missing .: 0/1,230
      missing *: 29/1,230

```

```

tabulation: Freq. Value
             1,199 0
             1 200
             1 12000
             29 .c
mean:       10.1582
std. dev:   346.309

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

---

**freq\_W** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq

range: [17,17]          units: 1
unique values: 1        missing .: 0/1,230

tabulation: Freq.  Numeric  Label
             1,230      17    yearly
    
```

---

**description\_1 Expenditures for Education: Transportation cost to school (not display)**

---

```

type: string (str109), but longest is str0
unique values: 0          missing "": 1,230/1,230

tabulation: Freq. Value
             1,230 ""
    
```

---

**freq\_1** **Frequency: Monthly**

---

```

type: numeric (byte)
label: freq

range: [9,9]          units: 1
unique values: 1        missing .: 0/1,230

tabulation: Freq.  Numeric  Label
             1,230      9    monthly
    
```

---

**hcla\_1** **Pre School**

---

```

type: numeric (long)

range: [0,2000]          units: 1
unique values: 30        missing .: 464/1,230
unique missing codes: 3  missing *: 9/1,230

tabulation: Freq. Value
             633 0
             1 50
             8 150
             3 200
             3 250
             18 300
             1 340
             9 350
             1 360
             1 390
             15 400
             3 450
             4 475
    
```

```

          9  500
          1  535
          1  550
         23  600
          1  650
          1  660
          2  700
          7  800
          1  900
          2  950
          2 1000
          1 1100
          1 1300
          1 1400
          1 1500
          2 1600
          1 2000
         464 .
          8  .c
          1  .d
    mean:   85.1849
  std. dev: 230.907

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0     400

```

---

**hclb\_1** **Primary School**

---

```

    type: numeric (long)
    range: [0,6000]
  unique values: 43
unique missing codes: 3
          units: 1
    missing .: 366/1,230
    missing *: 7/1,230

```

```

tabulation:  Freq.  Value
             638    0
              1    40
              1    50
              2   100
              2   150
              5   200
              1   210
              1   220
              3   250
             29   300
              1   340
             12   350
              1   360
              1   370
             37   400
              2   440
              7   450
              2   475
              1   490
             22   500
              1   528
              1   550
             29   600
              1   680
             10   700
              1   720
             13   800
              1   880
              1   900
              4  1000
              1  1070
              2  1100
              4  1200
              1  1300
              2  1400

```

```

                    5 1500
                    5 1600
                    1 1800
                    1 2000
                    1 2600
                    1 4000
                    1 4800
                    1 6000
                 366 .
                    5 .c
                    2 .d
    mean:          163.288
  std. dev:       425.403

percentiles:      10%      25%      50%      75%      90%
                  0         0         0        150        600

```

---

hc1c\_1

Secondary school/vocational

---

```

type: numeric (int)
range: [0,5400]
unique values: 37
unique missing codes: 3

units: 1
missing .: 970/1,230
missing *: 5/1,230

```

```

tabulation:  Freq.  Value
              142    0
               1    40
               2    150
               1    180
               2    200
               1    250
               9    300
               2    330
               1    350
               1    352
               1    380
              16    400
               1    430
              15    440
               3    450
               8    500
               1    520
               2    528
               1    550
              18    600
               1    650
               3    700
               1    750
               2    760
               3    800
               1    850
               3    880
               2    1000
               2    1100
               2    1300
               1    1400
               1    1800
               1    2100
               1    2200
               1    2400
               1    3440
               1    5400
              970 .
               4 .c
               1 .d
    mean:          289.286
  std. dev:       538.832

```





```

tabulation:  Freq.  Value
              547    0
              1    10
              6    20
              1    24
              1    29
              4    30
              4    40
              2    45
              9    50
              1    53
              1    60
              1    63
              1    66
              1    70
              1    75
              1    83
              1    88
              1    90
             29   100
              1   120
              1   125
              2   133
             13   150
              1   160
              1   167
              1   170
              1   180
              1   195
              1   199
             19   200
              1   240
             18   250
              1   270
             13   300
              1   315
              1   333
              5   350
              1   401
             10   450
             17   500
              1   600
              2   750
              3  1000
              1  1200
              1  1470
              2  2500
              2  3000
             463  .
              31  .c
              1  .d
    mean:      75.3224
std. dev:    249.764

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        20       250

```

---

**hclb\_2**

**Primary School**

---

```

type:  numeric (long)
range:  [0,3600]
unique values:  35
unique missing codes:  3
units:  1
missing .:  366/1,230
missing *:  39/1,230

```

```

tabulation:  Freq.  Value
              701    0
              1    15
              4    20
              1    25
              1    27
              3    40
             10    50
              1    60
              1    66
              1    67
              1    75
              2    80
              1    83
             15   100
              2   120
              1   125
              2   130
             10   150
              1   195
             16   200
              9   250
             11   300
              1   333
              3   350
              1   400
              1   401
              6   450
              8   500
              1   650
              1   667
              1   750
              1   800
              3  1000
              2  1500
              1  3600
             366  .
             38  .c
              1  .d
    mean:      42.6655
  std. dev:   183.668

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0       100
  
```

---

**hc1c\_2** **Secondary school/vocational**

---

```

type: numeric (int)
range: [0,150]          units: 10
unique values: 2        missing .: 971/1,230
unique missing codes: 3 missing *: 2/1,230
  
```

```

tabulation:  Freq.  Value
              256    0
              1    150
             971  .
              1  .c
              1  .d
    mean:      .583658
  std. dev:    9.35674

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
  
```

---

**hc1d\_2** **Higher than Secondary school/vocational**

---

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 2
units: 1
missing .: 1,212/1,230
missing *: 1/1,230

tabulation: Freq. Value
             17 0
             1,212 .
             1 .d
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

**hclnote\_2** Interviewer note of table 1 (unavailable)

```

type: string (str138), but longest is str0
unique values: 0
missing "": 1,230/1,230

tabulation: Freq. Value
             1,230 ""
    
```

**description\_3** Expenditures for Education: Poster e.g. ABC, mm, 0-9 (not display)

```

type: string (str109), but longest is str0
unique values: 0
missing "": 1,230/1,230

tabulation: Freq. Value
             1,230 ""
    
```

**freq\_3** Frequency: Yearly

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing .: 0/1,230

tabulation: Freq. Numeric Label
             1,230 17 yearly
    
```

**hcla\_3** Pre School

```

type: numeric (long)
range: [0,2500]
unique values: 29
unique missing codes: 3
units: 1
missing .: 461/1,230
missing *: 22/1,230
    
```

```

tabulation:  Freq.  Value
              685    0
              6    20
              3    30
              1    35
              1    39
              5    40
              1    45
              1    50
              1    59
              1    60
              1    78
              1    83
              1    88
             10   100
              1   120
              1   140
              5   150
              1   167
              1   177
              7   200
              2   250
              2   300
              1   350
              1   360
              1   450
              3   500
              1   650
              1  2000
              1  2500
             461   .
              21  .c
               1  .d
    mean:      18.2209
  std. dev:   129.797

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

---

**hclb\_3**

**Primary School**

---

```

type: numeric (long)
range: [0,450]
unique values: 20
unique missing codes: 3
units: 1
missing .: 368/1,230
missing *: 24/1,230

```

```

tabulation:  Freq.  Value
              794    0
               5    20
               1    30
               2    40
               5    50
               1    55
               2    60
               2    70
               2    80
               1    83
               1    99
               4   100
               2   120
               3   150
               4   200
               3   250
               1   300
               1   333
               3   350
               1   450
             368   .
              23  .c

```

```

                1 .d
    mean:      7.02864
    std. dev:  39.1274

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

---

**hc1c\_3** **Secondary school/vocational**

---

```

    type: numeric (int)

    range: [.,.]
    unique values: 0
    unique missing codes: 1

    units: .
    missing .: 0/1,230
    missing *: 1,230/1,230

    tabulation: Freq. Value
                1,230 .b
    mean:      .
    std. dev:  .

    percentiles:    10%    25%    50%    75%    90%
                   .      .      .      .      .
    
```

---

**hc1d\_3** **Higher than Secondary school/vocational**

---

```

    type: numeric (int)

    range: [.,.]
    unique values: 0
    unique missing codes: 1

    units: .
    missing .: 0/1,230
    missing *: 1,230/1,230

    tabulation: Freq. Value
                1,230 .b
    mean:      .
    std. dev:  .

    percentiles:    10%    25%    50%    75%    90%
                   .      .      .      .      .
    
```

---

**hc1note\_3** **Interviewer note of table 1 (unavailable)**

---

```

    type: string (str138), but longest is str0

    unique values: 0
    missing "": 1,230/1,230

    tabulation: Freq. Value
                1,230 ""
    
```

---

**description\_4** **Expenditures for Education: Writing exercises, number count (not display)**

---

```

    type: string (str109), but longest is str0

    unique values: 0
    missing "": 1,230/1,230

    tabulation: Freq. Value
                1,230 ""
    
```

---

**freq\_4** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing ..: 0/1,230

tabulation: Freq.   Numeric   Label
             1,230       17     yearly
    
```

---

hcla\_4

Pre School

---

```

type: numeric (long)
range: [0,2500]
unique values: 49
unique missing codes: 3
units: 1
missing ..: 461/1,230
missing *: 39/1,230
    
```

```

tabulation: Freq.   Value
             531     0
              4     10
              1     15
              8     20
              3     25
             11     30
             11     40
              9     50
              2     53
              3     55
              1     58
              1     59
              6     60
              2     65
              2     70
              4     75
              1     78
              1     80
              2     83
              1     87
              1     88
              1     90
             29    100
              1    120
              1    125
              2    133
              1    135
              1    140
             19    150
              1    160
              1    167
             19    200
              1    248
             13    250
              6    300
              2    350
              2    375
              1    400
              1    401
              1    480
             11    500
              1    600
              1    650
              1    700
              2    840
              3   1000
              1   1200
              1   1500
              1   2500
             461   .
             38   .c
              1   .d
    
```

mean: 54.026  
 std. dev: 167.929  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 30 150

---

**hclb\_4** **Primary School**

---

type: numeric (**long**)  
 range: [0,1500] units: 1  
 unique values: 36 missing .: 368/1,230  
 unique missing codes: 3 missing \*: 39/1,230

tabulation: Freq. Value  
 726 0  
 2 10  
 6 20  
 1 25  
 1 29  
 1 30  
 1 36  
 2 40  
 2 45  
 7 50  
 1 52  
 1 55  
 1 59  
 2 60  
 1 65  
 1 67  
 1 75  
 2 80  
 2 83  
 11 100  
 1 120  
 11 150  
 1 180  
 11 200  
 1 225  
 4 250  
 7 300  
 1 333  
 1 350  
 1 375  
 1 400  
 1 401  
 1 480  
 6 500  
 1 1000  
 2 1500  
 368 .  
 38 .c  
 1 .d  
 mean: 23.7096  
 std. dev: 106.514

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 45

---

**hclc\_4** **Secondary school/vocational**

---

type: numeric (**int**)  
 range: [.,.] units: .  
 unique values: 0 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 1,230/1,230

```

tabulation: Freq. Value
             1,230 .b
    mean:    .
    std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

**hcld\_4** **Higher than Secondary school/vocational**

```

type: numeric (int)

range: [.,.]
unique values: 0
unique missing codes: 1

units: .
missing .: 0/1,230
missing *: 1,230/1,230

tabulation: Freq. Value
             1,230 .b
    mean:    .
    std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

**hclnote\_4** **Interviewer note of table 1 (unavailable)**

```

type: string (str138), but longest is str0

unique values: 0
missing "": 1,230/1,230

tabulation: Freq. Value
             1,230 ""
    
```

**description\_5** **Expenditures for Education: Coloring book (not display)**

```

type: string (str109), but longest is str0

unique values: 0
missing "": 1,230/1,230

tabulation: Freq. Value
             1,230 ""
    
```

**freq\_5** **Frequency: Yearly**

```

type: numeric (byte)
label: freq

range: [17,17]
unique values: 1

units: 1
missing .: 0/1,230

tabulation: Freq. Numeric Label
             1,230    17    yearly
    
```

**hcla\_5** **Pre School**

```

type: numeric (long)

range: [0,5200]
unique values: 56
unique missing codes: 3

units: 1
missing .: 462/1,230
missing *: 66/1,230
    
```



```

tabulation:  Freq.  Value
              423    0
              1     5
              1    10
              4    15
              2    17
              1    18
             18    20
              3    25
             12    30
              3    35
             14    40
              2    45
             13    50
              1    53
              1    56
             16    60
              1    65
              1    68
              8    70
              4    75
              1    76
              2    80
              1    83
              1    87
              7    90
             52   100
              2   120
              2   125
              2   133
             23   150
              1   167
              2   175
             22   200
              1   225
              1   240
             11   250
              6   300
              1   347
              1   350
              2   375
              3   400
              1   401
              4   450
              1   480
              6   500
              3   520
              1   550
              2   600
              4  1000
              1  1200
              1  1400
              1  1560
              1  2500
              1  2580
              1  2600
              1  5200
             462   .
             65   .c
              1   .d
    mean:      81.8248
  std. dev:   295.291

percentiles:    10%    25%    50%    75%    90%
                0      0      0      75    200

```

---

hclb\_5

Primary School

---

type: numeric (long)

range: [0,2600] units: 1  
 unique values: 52 missing .: 369/1,230  
 unique missing codes: 3 missing \*: 62/1,230

tabulation: Freq. Value  
 559 0  
 3 10  
 1 13  
 3 15  
 1 18  
 20 20  
 2 24  
 4 25  
 9 30  
 1 33  
 1 35  
 1 36  
 15 40  
 4 45  
 14 50  
 1 55  
 14 60  
 1 67  
 3 70  
 4 75  
 1 79  
 2 80  
 1 83  
 1 85  
 1 90  
 32 100  
 1 120  
 1 125  
 16 150  
 2 160  
 1 173  
 2 175  
 26 200  
 2 225  
 1 240  
 9 250  
 1 260  
 9 300  
 1 333  
 2 350  
 1 360  
 1 375  
 1 401  
 3 450  
 1 480  
 9 500  
 2 520  
 1 720  
 3 1000  
 2 1200  
 1 1560  
 1 2600  
 369 .  
 61 .c  
 1 .d

mean: 52.6708  
 std. dev: 164.182

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 30 173

---

hclc\_5

Secondary school/vocational

---

type: numeric (int)

```

        range: [.,.]
unique values: 0
unique missing codes: 1
        units: .
        missing .: 0/1,230
        missing *: 1,230/1,230

tabulation: Freq. Value
             1,230 .b
        mean: .
        std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

**hcld\_5** **Higher than Secondary school/vocational**

```

        type: numeric (int)

        range: [.,.]
unique values: 0
unique missing codes: 1
        units: .
        missing .: 0/1,230
        missing *: 1,230/1,230

tabulation: Freq. Value
             1,230 .b
        mean: .
        std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

**hclnote\_5** **Interviewer note of table 1 (unavailable)**

```

        type: string (str138), but longest is str0
unique values: 0
               missing "": 1,230/1,230

tabulation: Freq. Value
             1,230 ""
    
```

**description\_6** **Expenditures for Education: LEGO (not display)**

```

        type: string (str109), but longest is str0
unique values: 0
               missing "": 1,230/1,230

tabulation: Freq. Value
             1,230 ""
    
```

**freq\_6** **Frequency: Yearly**

```

        type: numeric (byte)
        label: freq

        range: [17,17]
unique values: 1
               units: 1
               missing .: 0/1,230

tabulation: Freq. Numeric Label
             1,230      17  yearly
    
```

**hcla\_6** **Pre School**

```

        type: numeric (long)
    
```

range: [0,12000] units: 1  
 unique values: 52 missing .: 6/1,230  
 unique missing codes: 3 missing \*: 34/1,230

tabulation: Freq. Value  
 1,069 0  
 1 10  
 1 12  
 1 18  
 3 20  
 2 30  
 1 35  
 1 40  
 4 50  
 1 55  
 2 60  
 1 75  
 2 80  
 1 83  
 1 84  
 1 89  
 1 99  
 12 100  
 1 110  
 2 120  
 1 140  
 1 149  
 8 150  
 2 159  
 1 160  
 1 170  
 2 175  
 2 180  
 1 190  
 5 199  
 7 200  
 1 223  
 1 235  
 5 250  
 1 275  
 6 300  
 4 350  
 1 375  
 2 399  
 2 400  
 2 450  
 10 500  
 1 700  
 2 750  
 5 1000  
 2 1040  
 1 1300  
 1 2000  
 1 2500  
 1 3500  
 1 5400  
 1 12000  
 6 .  
 33 .c  
 1 .d

mean: 48.0824  
 std. dev: 420.049

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 15

---

hclb\_6

Primary School

---

type: numeric (long)

range: [0,7500] units: 1  
 unique values: 34 missing .: 6/1,230  
 unique missing codes: 4 missing \*: 404/1,230

tabulation: Freq. Value  
 731 0  
 1 9  
 1 10  
 1 13  
 4 20  
 1 25  
 1 30  
 6 50  
 2 75  
 1 84  
 1 89  
 1 99  
 11 100  
 1 120  
 1 130  
 12 150  
 1 175  
 2 199  
 12 200  
 1 250  
 1 275  
 1 297  
 2 300  
 4 350  
 4 400  
 1 450  
 3 500  
 4 1000  
 2 1040  
 1 1200  
 2 1300  
 1 1820  
 1 2000  
 1 7500  
 6 .  
 367 .b  
 36 .c  
 1 .d  
 mean: 42.1756  
 std. dev: 305.887  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 22.5

---

**hc1c\_6** **Secondary school/vocational**

---

type: numeric (int)  
 range: [.,.] units: .  
 unique values: 0 missing .: 6/1,230  
 unique missing codes: 2 missing \*: 1,224/1,230

tabulation: Freq. Value  
 6 .  
 1,224 .b  
 mean: .  
 std. dev: .  
 percentiles: 10% 25% 50% 75% 90%  
 . . . . .

---

**hc1d\_6** **Higher than Secondary school/vocational**

---

```

type: numeric (int)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 6/1,230
missing *: 1,224/1,230

tabulation: Freq. Value
              6 .
            1,224 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

**hclnote\_6** Interviewer note of table 1 (unavailable)

```

type: string (str138), but longest is str0
unique values: 0
missing "": 1,230/1,230

tabulation: Freq. Value
            1,230 ""
    
```

**description\_7** Expenditures for Education: Jigsaw (not display)

```

type: string (str109), but longest is str0
unique values: 0
missing "": 1,230/1,230

tabulation: Freq. Value
            1,230 ""
    
```

**freq\_7** Frequency: Yearly

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing .: 0/1,230

tabulation: Freq. Numeric Label
            1,230 17 yearly
    
```

**hcla\_7** Pre School

```

type: numeric (long)
range: [0,3000]
unique values: 20
unique missing codes: 3
units: 1
missing .: 468/1,230
missing *: 27/1,230

tabulation: Freq. Value
            695 0
              1 5
              1 10
              1 15
              1 18
              5 20
              2 30
              1 50
              5 100
              2 120
              3 150
    
```

```

          1 180
          2 199
          3 200
          4 250
          4 300
          1 500
          1 750
          1 2500
          1 3000
        468 .
         26 .c
          1 .d
    mean: 15.7497
  std. dev: 151.626

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0      0
    
```

---

**hclb\_7** **Primary School**

---

```

    type: numeric (long)
    range: [0,1500]
  unique values: 21
unique missing codes: 3
    units: 1
  missing .: 372/1,230
  missing *: 25/1,230
    
```

```

  tabulation:  Freq.  Value
                797    0
                 1    3
                 1    9
                 1   10
                 1   15
                 6   20
                 1   25
                 1   30
                 3   50
                 1   59
                 1   60
                 1   95
                 7  100
                 1  132
                 4  150
                 1  199
                 1  247
                 1  250
                 1  500
                 1  560
                 1 1500
                372 .
                 24 .c
                  1 .d
    mean: 6.31933
  std. dev: 61.5194
    
```

```

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0      0
    
```

---

**hclc\_7** **Secondary school/vocational**

---

```

    type: numeric (int)
    range: [.,.]
  unique values: 0
unique missing codes: 2
    units: .
  missing .: 6/1,230
  missing *: 1,224/1,230
    
```

```

tabulation:  Freq.  Value
              6      .
            1,224  .b
    mean:      .
    std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

---

**hc1d\_7** **Higher than Secondary school/vocational**

---

```

    type:  numeric (int)

    range:  [.,.]
    unique values:  0
    unique missing codes:  2

    units:  .
    missing .:  6/1,230
    missing *:  1,224/1,230

    tabulation:  Freq.  Value
                  6      .
                1,224  .b
    mean:      .
    std. dev:  .

    percentiles:  10%    25%    50%    75%    90%
                  .      .      .      .      .
    
```

---

**hc1note\_7** **Interviewer note of table 1 (unavailable)**

---

```

    type:  string (str138), but longest is str0

    unique values:  0
    missing "":  1,230/1,230

    tabulation:  Freq.  Value
                  1,230  ""
    
```

---

**description\_8** **Expenditures for Education: Wooden or plastic block (not display)**

---

```

    type:  string (str109), but longest is str0

    unique values:  0
    missing "":  1,230/1,230

    tabulation:  Freq.  Value
                  1,230  ""
    
```

---

**freq\_8** **Frequency: Yearly**

---

```

    type:  numeric (byte)
    label:  freq

    range:  [17,17]
    unique values:  1
    units:  1
    missing .:  0/1,230

    tabulation:  Freq.  Numeric  Label
                  1,230    17    yearly
    
```

---

**hc1a\_8** **Pre School**

---

```

    type:  numeric (long)
    
```



range: [0,10400] units: 1  
 unique values: 26 missing .: 6/1,230  
 unique missing codes: 4 missing \*: 475/1,230

tabulation: Freq. Value  
 703 0  
 1 18  
 1 20  
 1 40  
 1 60  
 1 80  
 4 100  
 1 130  
 4 150  
 1 160  
 1 188  
 1 199  
 6 200  
 1 250  
 3 300  
 1 333  
 3 500  
 1 550  
 1 600  
 2 650  
 1 750  
 6 1000  
 1 1200  
 1 1500  
 1 2500  
 1 10400  
 6 .  
 461 .b  
 13 .c  
 1 .d  
 mean: 41.2256  
 std. dev: 411.386

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

hclb\_8

Primary School

---

type: numeric (long)

range: [0,4290] units: 1  
 unique values: 23 missing .: 30/1,230  
 unique missing codes: 4 missing \*: 360/1,230

tabulation: Freq. Value  
 802 0  
 1 9  
 2 10  
 1 25  
 1 30  
 1 50  
 1 79  
 6 100  
 7 150  
 1 159  
 1 160  
 1 188  
 1 199  
 1 250  
 1 450  
 1 500  
 1 550  
 1 667  
 1 750  
 5 1000

```

          1 1200
          1 1400
          1 4290
          30 .
          342 .b
           17 .c
           1 .d
    mean: 20.9833
  std. dev: 184.672

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      0      0
    
```

---

**hc1c\_8** **Secondary school/vocational**

---

```

    type: numeric (int)

    range: [.,.]
  unique values: 0
unique missing codes: 2

    units: .
  missing .: 6/1,230
  missing *: 1,224/1,230

  tabulation: Freq. Value
                6 .
            1,224 .b
    mean: .
  std. dev: .

percentiles:    10%    25%    50%    75%    90%
                 .      .      .      .      .
    
```

---

**hc1d\_8** **Higher than Secondary school/vocational**

---

```

    type: numeric (int)

    range: [.,.]
  unique values: 0
unique missing codes: 2

    units: .
  missing .: 6/1,230
  missing *: 1,224/1,230

  tabulation: Freq. Value
                6 .
            1,224 .b
    mean: .
  std. dev: .

percentiles:    10%    25%    50%    75%    90%
                 .      .      .      .      .
    
```

---

**hc1note\_8** **Interviewer note of table 1 (unavailable)**

---

```

    type: string (str138), but longest is str0

  unique values: 0
  missing "": 1,230/1,230

  tabulation: Freq. Value
                1,230 ""
    
```

---

**description\_9** **Expenditures for Education: Clay (not display)**

---

```

    type: string (str109), but longest is str0

  unique values: 0
  missing "": 1,230/1,230
    
```

tabulation: Freq. Value  
 1,230 ""

---

**freq\_9** **Frequency: Yearly**

---

type: numeric (**byte**)  
 label: **freq**  
 range: [17,17] units: 1  
 unique values: 1 missing .: 0/1,230

tabulation: Freq. Numeric Label  
 1,230 17 yearly

---

**hcla\_9** **Pre School**

---

type: numeric (**long**)  
 range: [0,7200] units: 1  
 unique values: 65 missing .: 6/1,230  
 unique missing codes: 4 missing \*: 536/1,230

tabulation: Freq. Value

366	0
8	5
2	7
1	8
13	10
1	14
6	15
1	18
28	20
7	25
1	28
15	30
1	34
3	35
7	40
1	45
1	49
27	50
7	60
1	64
1	69
2	70
1	75
1	78
1	83
1	89
1	90
68	100
3	120
1	130
14	150
24	200
3	240
11	250
1	259
1	260
1	270
1	295
1	299
11	300
1	333
3	450
1	455
1	480
5	500

```

                2  516
                1  520
                1  550
                2  600
                1  650
                1  667
                1  700
                1  750
                3 1000
                5 1040
                3 1200
                3 1300
                1 2400
                1 2500
                1 2600
                1 2640
                1 2795
                1 2800
                1 4800
                1 7200
                6  .
            463  .b
                72  .c
                 1  .d
    mean:      118.406
    std. dev:   443.33

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0     100     250

```

---

**hclb\_9**

**Primary School**

---

```

    type: numeric (long)
    range: [0,10000]
    unique values: 55
    unique missing codes: 4
    units: 1
    missing .: 6/1,230
    missing *: 442/1,230

```

```

    tabulation: Freq. Value
                484  0
                 4  5
                 1  7
                 1  9
                10 10
                 1 13
                 1 14
                 3 15
                 1 17
                41 20
                 6 25
                 1 28
                16 30
                 2 35
                 1 38
                 8 40
                 7 45
                31 50
                 1 55
                11 60
                 1 75
                 1 80
                62 100
                 3 120
                 1 128
                12 150
                 1 160
                 1 167
                 1 180
                18 200
                 6 240

```

```

      7 250
      1 255
      1 259
      2 260
      1 270
      1 299
      6 300
      1 333
      1 360
      2 450
      1 480
      3 500
      1 520
      2 540
      2 600
      1 650
      1 667
      1 750
      2 1000
      1 1040
      3 1200
      1 1300
      1 2080
      1 10000
      6 .
    366 .b
     75 .c
      1 .d
  mean: 67.1535
std. dev: 389.079

percentiles:    10%    25%    50%    75%    90%
                0      0      0     45    150

```

---

**hclc\_9** **Secondary school/vocational**

---

```

      type: numeric (int)
      range: [.,.]
unique values: 0
unique missing codes: 2
      units: .
      missing : 6/1,230
      missing *: 1,224/1,230

  tabulation: Freq. Value
               6 .
            1,224 .b
      mean: .
      std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .

```

---

**hcl1d\_9** **Higher than Secondary school/vocational**

---

```

      type: numeric (int)
      range: [.,.]
unique values: 0
unique missing codes: 2
      units: .
      missing : 6/1,230
      missing *: 1,224/1,230

  tabulation: Freq. Value
               6 .
            1,224 .b
      mean: .
      std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .

```

---

**hclnote\_9** **Interviewer note of table 1 (unavailable)**

---

type: string (**str138**), but longest is str0  
 unique values: 0 missing "": 1,230/1,230  
 tabulation: Freq. Value  
                   1,230 ""

---

**description\_10** **Expenditures for Education: Tuition fee (not display)**

---

type: string (**str109**), but longest is str0  
 unique values: 0 missing "": 1,230/1,230  
 tabulation: Freq. Value  
                   1,230 ""

---

**freq\_10** **Frequency: Yearly**

---

type: numeric (**byte**)  
 label: **freq**  
 range: [17,17] units: 1  
 unique values: 1 missing .: 0/1,230  
 tabulation: Freq. Numeric Label  
                   1,230 17 yearly

---

**hcl1a\_10** **Pre School**

---

type: numeric (**long**)  
 range: [0,80000] units: 10  
 unique values: 70 missing .: 1/1,230  
 unique missing codes: 4 missing \*: 487/1,230  
 tabulation: Freq. Value  
                   602 0  
                   6 100  
                   1 130  
                   2 150  
                   6 200  
                   7 300  
                   8 500  
                   2 600  
                   2 800  
                   1 900  
                   1 920  
                   8 1000  
                   5 1200  
                   1 1300  
                   1 1400  
                   1 1500  
                   3 1600  
                   1 1650  
                   2 1800  
                   1 1900  
                   2 2000  
                   1 2300  
                   6 2500  
                   1 2600  
                   4 3000  
                   1 3200

```

1 3800
2 4000
1 4500
1 4800
1 5300
1 5400
1 5500
2 6000
1 6500
1 6700
1 6900
1 7000
1 7500
1 7600
1 7700
4 8000
1 8400
2 8500
1 8900
4 9000
2 9600
2 10000
1 11500
5 12000
1 12020
1 13000
1 13200
1 13400
2 13800
2 14000
1 15000
1 15200
1 15300
1 15400
3 16000
4 17000
1 18000
1 18400
1 20800
1 29400
1 40000
1 52000
1 56000
1 80000
1 .
465 .b
21 .c
1 .d
mean: 1338.44
std. dev: 5402.92

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      2500

```

---

**hclb\_10**

**Primary School**

---

```

type: numeric (long)
range: [0,210000]
unique values: 61
unique missing codes: 4

units: 1
missing .: 1/1,230
missing *: 399/1,230

```

```

tabulation:  Freq.  Value
              695    0
              1    35
              2   100
              1   170
              3   200
              1   250
              3   300
              2   350
              4   400
              1   450
              9   500
              4   800
             11  1000
              2  1100
              1  1200
              1  1300
              1  1400
              2  1600
              1  1800
             11  2000
              2  2320
              1  2400
              6  2500
              3  3000
              2  3200
              1  3350
              2  3500
              1  3900
              3  4000
              1  4130
              1  4500
              1  4600
              2  5000
              1  5300
              1  5500
              1  5550
              2  5700
              3  6000
              1  6100
              2  6400
              1  7000
              1  7200
              2  8000
              1  9000
              1  9700
              1 10000
              1 10500
              1 11000
              8 12000
              5 14000
              1 14600
              2 15000
              1 15640
              1 16000
              1 18000
              1 19500
              3 20000
              1 24000
              2 40000
              1 182000
              1 210000
              1  .
             365  .b
              33  .c
              1  .d
    mean:      1354.72
    std. dev:  10195.9

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0      2000

```



hclc\_10

Secondary school/vocational

type: numeric (int)  
 range: [0,28000] units: 10  
 unique values: 40 missing .: 974/1,230  
 unique missing codes: 3 missing \*: 31/1,230

tabulation:	Freq.	Value
	152	0
	1	400
	3	500
	2	1000
	1	1080
	1	1100
	1	1200
	1	1300
	1	1400
	1	1500
	2	1600
	1	1800
	7	2000
	1	2300
	2	2400
	4	2500
	2	2700
	1	2800
	6	3000
	1	3200
	1	3400
	2	3500
	2	4000
	1	4250
	3	4500
	1	4700
	1	4800
	5	5000
	1	5400
	1	5500
	1	5600
	1	5800
	1	6000
	3	7000
	2	7500
	1	9500
	4	10000
	1	12000
	1	15000
	1	28000
	974	.
	30	.c
	1	.d

mean: 1406.36  
 std. dev: 3071.04

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2000	5000

hcl1d\_10

Higher than Secondary school/vocational

type: numeric (int)  
 range: [0,20000] units: 100  
 unique values: 10 missing .: 1,212/1,230  
 unique missing codes: 3 missing \*: 3/1,230



```

tabulation:  Freq.  Value
              754    0
              1   1000
              1   1260
              1   3000
              1   3900
              2   4000
              1   6000
              1   8000
              1  12000
              1   .
            463  .b
              2   .c
              1   .d
    mean:    56.5662
    std. dev: 627.828

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

---

**hclb\_11** **Primary School**

---

```

type: numeric (long)

range: [0,15000]          units: 100
unique values: 10        missing .: 366/1,230
unique missing codes: 3  missing *: 5/1,230
    
```

```

tabulation:  Freq.  Value
              850    0
              1   1000
              1   1200
              1   1500
              1   1900
              1   2500
              1   3600
              1   4000
              1   8100
              1  15000
            366  .
              4   .c
              1   .d
    mean:    45.1688
    std. dev: 622.394

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

---

**hclc\_11** **Secondary school/vocational**

---

```

type: numeric (int)

range: [0,5500]          units: 100
unique values: 3        missing .: 1/1,230
unique missing codes: 3  missing *: 975/1,230
    
```

```

tabulation:  Freq.  Value
              252    0
              1   2500
              1   5500
              1   .
            974  .b
              1   .d
    mean:    31.4961
    std. dev: 378.514
    
```



```

tabulation:  Freq.  Value
              743    0
              1     1
              1   500
              1   700
              1  1200
              1  1500
              1  1800
              1  1900
              2  2000
              1  2400
              3  2500
              2  2900
              1  4500
              1 10400
              1     .
              463  .b
              5     .c
              1     .d
    mean:     55.5276
  std. dev:  495.934

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

---

hc1b\_12

Primary School

---

```

type:  numeric (long)
range: [0,7000]
unique values: 29
unique missing codes: 4
units: 1
missing .: 1/1,230
missing *: 382/1,230
    
```

```

tabulation:  Freq.  Value
              798    0
              1     1
              1   500
              1   900
              1  1000
              1  1200
              1  1300
              2  1400
              2  1500
              1  1550
              2  1600
              1  1700
              2  1800
              4  1900
              6  2000
              1  2200
              1  2300
              2  2400
              1  2500
              1  2900
              2  3000
              2  3500
              1  3900
              3  4000
              2  4900
              3  5000
              1  5900
              1  6000
              2  7000
              1     .
              365  .b
              16   .c
              1     .d
    mean:     158.974
  std. dev:  754.331
    
```

percentiles:           10%           25%           50%           75%           90%  
                          0            0            0            0            0

---

**hc1c\_12**

**Secondary school/vocational**

---

type: numeric (**int**)  
range: [0,19000]                               units: 10  
unique values: 28                              missing .: 1/1,230  
unique missing codes: 4                        missing \*: 978/1,230

tabulation:	Freq.	Value
	201	0
	1	1000
	1	1400
	1	1500
	1	1690
	1	1990
	6	2000
	1	2100
	1	2300
	3	2500
	1	2900
	1	3000
	1	3600
	1	3900
	5	4000
	3	4500
	7	4900
	3	5000
	1	5900
	2	6000
	1	7000
	1	7900
	1	8800
	1	9800
	2	12000
	1	13000
	1	15900
	1	19000
	1	.
	974	.b
	3	.c
	1	.d
mean:	999.92	
std. dev:	2611.84	

percentiles:           10%           25%           50%           75%           90%  
                          0            0            0            0           4000

---

**hc1d\_12**

**Higher than Secondary school/vocational**

---

type: numeric (**int**)  
range: [0,1800]                               units: 100  
unique values: 2                              missing .: 1/1,230  
unique missing codes: 3                        missing \*: 1,212/1,230

tabulation:	Freq.	Value
	16	0
	1	1800
	1	.
	1,211	.b
	1	.d
mean:	105.882	
std. dev:	436.564	

percentiles:           10%       25%       50%       75%       90%  
                           0           0           0           0           0

---

**hclnote\_12** **Interviewer note of table 1 (unavailable)**

---

type: string (**str138**), but longest is str0  
 unique values: 0                           missing "": 1,230/1,230  
 tabulation: Freq. Value  
                   1,230 ""

---

**description\_13**  
**Expenditures for Education: Notebook (paper), book and school supplies (not disp**

---

type: string (**str109**), but longest is str0  
 unique values: 0                           missing "": 1,230/1,230  
 tabulation: Freq. Value  
                   1,230 ""

---

**freq\_13** **Frequency: Yearly**

---

type: numeric (**byte**)  
 label: **freq**  
 range: [17,17]                           units: 1  
 unique values: 1                           missing .: 0/1,230  
 tabulation: Freq. Numeric Label  
                   1,230       17 yearly

---

**hcl1a\_13** **Pre School**

---

type: numeric (**long**)  
 range: [0,5000]  
 unique values: 44                           units: 1  
 unique missing codes: 4                   missing .: 3/1,230  
   missing \*: 500/1,230  
 tabulation: Freq. Value  
                   577 0  
                   1 10  
                   5 20  
                   1 21  
                   1 25  
                   1 30  
                   1 40  
                   1 45  
                   4 50  
                   1 56  
                   2 60  
                   1 75  
                   25 100  
                   2 120  
                   3 150  
                   1 160  
                   2 190  
                   2 195  
                   1 199  
                   16 200  
                   1 225  
                   12 250

```

10 300
1 350
3 360
2 400
5 450
1 490
13 500
2 600
1 650
1 750
1 760
1 800
11 1000
1 1200
3 1500
4 2000
1 2300
1 2500
1 3000
1 3800
1 4000
1 5000
3 .
465 .b
34 .c
1 .d
mean: 103.708
std. dev: 397.203

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      250
    
```

---

**hclb\_13**

**Primary School**

---

```

type: numeric (long)
range: [0,7200]
unique values: 61
unique missing codes: 4

units: 1
missing .: 3/1,230
missing *: 420/1,230

tabulation:  Freq.  Value
539 0
1 13
3 20
3 25
5 30
1 35
4 50
4 60
1 70
2 75
1 80
1 82
1 90
23 100
7 120
1 130
7 150
1 160
2 190
1 195
1 199
26 200
1 220
1 225
1 240
12 250
1 270
24 300
10 350
    
```



```

      2 360
      1 390
     14 400
      1 429
      1 449
      5 450
     26 500
      3 550
      5 600
      2 650
      6 700
      1 720
      2 750
      1 780
      2 800
     15 1000
      1 1160
      2 1200
      1 1269
      3 1300
      3 1500
      9 2000
      1 2100
      1 2390
      1 2400
      3 2500
      1 2600
      4 3000
      1 3580
      2 4000
      1 5000
      1 7200
      3 .
     365 .b
      54 .c
       1 .d
    mean: 201.91
  std. dev: 569.636

percentiles:      10%      25%      50%      75%      90%
                  0         0         0        190        500

```

---

hclc\_13

Secondary school/vocational

---

```

      type: numeric (int)
      range: [0,3000]
unique values: 22
unique missing codes: 4
      units: 10
      missing .: 3/1,230
      missing *: 999/1,230

      tabulation: Freq. Value
                  178 0
                   1 20
                   1 50
                   3 100
                   2 150
                   2 200
                   3 250
                   9 300
                   3 350
                   1 360
                   1 400
                   1 450
                   5 500
                   1 530
                   1 600
                   1 700
                   2 900
                   5 1000
                   3 1500

```

```

          1 1600
          3 2000
          1 3000
          3 .
        971 .b
         27 .c
          1 .d
    mean: 144.781
  std. dev: 401.246

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         500
    
```

---

**hc1d\_13** **Higher than Secondary school/vocational**

---

```

    type: numeric (int)
    range: [0,2000]
  unique values: 5
unique missing codes: 4
    units: 100
  missing .: 3/1,230
  missing *: 1,213/1,230

  tabulation: Freq. Value
              10 0
              1 200
              1 1000
              1 1500
              1 2000
              3 .
            1,210 .b
              2 .c
              1 .d
    mean: 335.714
  std. dev: 662.869

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         200      1500
    
```

---

**hc1note\_13** **Interviewer note of table 1 (unavailable)**

---

```

    type: string (str138), but longest is str0
  unique values: 0
                missing "": 1,230/1,230

  tabulation: Freq. Value
              1,230 ""
    
```

---

**description\_14** **Expenditures for Education: Other (not display)**

---

```

    type: string (str109), but longest is str0
  unique values: 0
                missing "": 1,230/1,230

  tabulation: Freq. Value
              1,230 ""
    
```

---

**freq\_14** **Frequency: Yearly**

---

```

    type: numeric (byte)
    label: freq
    range: [17,17]
  unique values: 1
    units: 1
  missing .: 1,213/1,230
    
```

```

tabulation:  Freq.  Numeric  Label
              17      17     yearly
              1,213      .
    
```

---

**hcla\_14** **Pre School**

---

```

type: numeric (long)
range: [0,995]
unique values: 3
units: 1
missing .: 1,227/1,230

tabulation:  Freq.  Value
              1      0
              1     300
              1     995
            1,227      .
mean:      431.667
std. dev:  510.4

percentiles:  10%    25%    50%    75%    90%
              0      0      300    995    995
    
```

---

**hclb\_14** **Primary School**

---

```

type: numeric (long)
range: [0,1300]
unique values: 3
units: 100
missing .: 1,227/1,230

tabulation:  Freq.  Value
              1      0
              1    1000
              1    1300
            1,227      .
mean:      766.667
std. dev:  680.686

percentiles:  10%    25%    50%    75%    90%
              0      0    1000    1300    1300
    
```

---

**hclc\_14** **Secondary school/vocational**

---

```

type: numeric (int)
range: [700,2500]
unique values: 2
units: 100
missing .: 1,228/1,230

tabulation:  Freq.  Value
              1     700
              1    2500
            1,228      .
mean:      1600
std. dev:  1272.79

percentiles:  10%    25%    50%    75%    90%
              700    700    1600    2500    2500
    
```

---

**hcl1d\_14** **Higher than Secondary school/vocational**

---

```

type: numeric (int)
range: [.,.]
unique values: 0
units: .
missing .: 1,230/1,230
    
```

```

tabulation: Freq. Value
             1,230 .
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

**hclnote\_14** Interviewer note of table 1 (unavailable)

```

type: string (str138), but longest is str0
unique values: 0 missing "": 1,230/1,230

tabulation: Freq. Value
             1,230 ""
    
```

**description\_15** Expenditures for Education: Toys e.g. jigsaw, wooden block, clay (not display)

```

type: string (str109), but longest is str0
unique values: 0 missing "": 1,230/1,230

tabulation: Freq. Value
             1,230 ""
    
```

**freq\_15** Frequency: Yearly

```

type: numeric (byte)
label: freq

range: [17,17] units: 1
unique values: 1 missing .: 1,224/1,230

tabulation: Freq. Numeric Label
             6         17  yearly
             1,224         .
    
```

**hcl1a\_15** Pre School

```

type: numeric (long)

range: [0,3000] units: 1
unique values: 3 missing .: 1,226/1,230

tabulation: Freq. Value
             2  0
             1  96
             1 3000
             1,226 .
      mean: 774
      std. dev: 1484.69

percentiles:      10%      25%      50%      75%      90%
                  0        0        48      1548     3000
    
```

**hcl1b\_15** Primary School

```

type: numeric (long)
    
```

range: [0,6000] units: 100  
 unique values: 3 missing .: 1,226/1,230

tabulation: Freq. Value  
                   2 0  
                   1 1800  
                   1 6000  
                   1,226 .

mean: 1950  
 std. dev: 2830.19

percentiles:           10%       25%       50%       75%       90%  
                           0           0        900       3900       6000

**hclc\_15** **Secondary school/vocational**

type: numeric (int)

range: [.,.] units: .  
 unique values: 0 missing .: 1,230/1,230

tabulation: Freq. Value  
                   1,230 .

mean: .  
 std. dev: .

percentiles:           10%       25%       50%       75%       90%  
                           .           .        .        .        .

**hclid\_15** **Higher than Secondary school/vocational**

type: numeric (int)

range: [.,.] units: .  
 unique values: 0 missing .: 1,230/1,230

tabulation: Freq. Value  
                   1,230 .

mean: .  
 std. dev: .

percentiles:           10%       25%       50%       75%       90%  
                           .           .        .        .        .

**hclnote\_15** **Interviewer note of table 1 (unavailable)**

type: string (str138), but longest is str0

unique values: 0 missing "": 1,230/1,230

tabulation: Freq. Value  
                   1,230 ""

**hcla\_num**  
**Number of children attending pre-primary school (Including children who are not**

type: numeric (double)

range: [0,3] units: 1  
 unique values: 4 missing .: 0/1,230

```

tabulation:  Freq.  Value
              784  0
              384  1
              55  2
              7   3
    mean:    .418699
    std. dev: .606025

percentiles: 10%    25%    50%    75%    90%
              0     0     0     1     1
    
```

---

**hc1b\_num** **Number of children attending primary school**

---

```

    type: numeric (double)
    range: [0,4]
    unique values: 5
    units: 1
    missing .: 0/1,230

    tabulation:  Freq.  Value
                  243  0
                  739  1
                  221  2
                   24  3
                   3   4
    mean:    1.02846
    std. dev: .690517

    percentiles: 10%    25%    50%    75%    90%
                  0     1     1     1     2
    
```

---

**hc1c\_num** **Number of children attending secondary school or vocational education**

---

```

    type: numeric (double)
    range: [0,4]
    unique values: 5
    units: 1
    missing .: 0/1,230

    tabulation:  Freq.  Value
                  789  0
                  384  1
                   54  2
                   1   3
                   2   4
    mean:    .408943
    std. dev: .59514

    percentiles: 10%    25%    50%    75%    90%
                  0     0     0     1     1
    
```

---

**hc1d\_num** **Number of children attending higher than secondary education or vocational educa**

---

```

    type: numeric (double)
    range: [0,2]
    unique values: 3
    units: 1
    missing .: 0/1,230

    tabulation:  Freq.  Value
                  1,171  0
                   58  1
                   1   2
    mean:    .04878
    std. dev: .21924
    
```



```

    mean: 2423.26
    std. dev: 19037.8
    percentiles:    10%    25%    50%    75%    90%
                   0      0      0    416.667  2816.67
    
```

---

**hh\_monthly\_exp\_education** **Household monthly expenditure for education**

---

```

    type: numeric (float)
    range: [0,20820.834]          units: 1.000e-08
    unique values: 627           missing .: 0/1,230
    mean: 495.842
    std. dev: 1123.93
    percentiles:    10%    25%    50%    75%    90%
                   0    9.16667  91.6667  600  1306.33
    
```

---

**hh\_monthly\_exp\_clothes** **Household monthly expenditure for clothes**

---

```

    type: numeric (double)
    range: [0,15000]             units: 1.000e-12
    unique values: 274           missing .: 0/1,230
    mean: 309.547
    std. dev: 598.599
    percentiles:    10%    25%    50%    75%    90%
                   0    66.6667  166.667  375  666.667
    
```

---

**note** **(unlabeled)**

---

```

    type: string (str954)
    unique values: 204           missing "": 1,026/1,230
    warning: variable has leading, embedded, and trailing blanks
    
```

---

**note\_tb** **(unlabeled)**

---

```

    type: string (str140), but longest is str136
    unique values: 4             missing "": 1,226/1,230
    tabulation:  Freq.  Value
                 1,226  ""
                 1    " H 6 ใ ม ' ส ำ ม 1
                 1    "ค่าใช้จ่ายด้านการศึกษาและเสื้อผ้า
                   ข้อมูลตกหล่น"
                 1    "ผู้ให้ข้อมูลไม่สามารถบอกได้ว่ากี่บาท"
                   1    "ช'ำข'ำงบ'ำนให'ข.ค นร. 3ข.ค"
    warning: variable has embedded blanks
    
```

---

**hh\_change** **Sample has moved so that its household structure changed**

---

```

    type: numeric (float)
    label: hh_change
    
```



```

range: [0,1] units: 1
unique values: 2 missing .: 0/1,230

tabulation: Freq. Numeric Label
1,224 0 no
6 1 yes
    
```

---

**survey\_name** **survey round**

---

```

type: string (str12)
unique values: 1 missing "": 0/1,230

tabulation: Freq. Value
1,230 "RESURVEY2019"
    
```

---

**year\_survey** **year survey**

---

```

type: numeric (int)
range: [2019,2019] units: 1
unique values: 1 missing .: 0/1,230

tabulation: Freq. Value
1,230 2019
mean: 2019
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
2019 2019 2019 2019 2019
    
```

```

2 . log close
name: <unnamed>
log: \\10.21.7.35\RIECE Thailand\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey201
> 9/codebook\a8.scml
log type: smcl
closed on: 3 Oct 2024, 12:01:35
    
```

---