



```

name: <unnamed>
log: \\10.21.7.35\RIECE Thailand\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey201
> 9/codebook\a8_table3.scm1
log type: smcl
opened on: 3 Oct 2024, 12:01:36

```

```
1 . codebookr _all,all
```

```

Dataset: \\10.21.7.35\RIECE Thailand\RIECE DATA\RIECE_RELEASE V5-2019\R
> esurvey2019/codebook\a8_table3_run.dta
Last saved: 3 Oct 2024 12:01

```

```

Label: [none]
Number of variables: 13
Number of observations: 5,825
Size: 541,725 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI

```

```
hhid household id
```

```

type: string (str15)
unique values: 1,230 missing "": 0/5,825
examples: "201591160601015"
           "201691130204999"
           "201691160104073"
           "201691161706078"

```

```
iyear year
```

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/5,825
tabulation: Freq. Value
            2,245 "2015"
            3,580 "2016"

```

```
prov province
```

```
type: string (str2)
```



```

34 "15"
159 "16"
60 "17"
48 "18"
133 "19"
4 "20"
79 "22"
25 "24"

```

strucid **structure ID**

```

type: string (str3)
unique values: 182           missing "": 0/5,825
examples: "010"
          "033"
          "069"
          "161"

```

hc2a **Member code**

```

type: string (str3)
unique values: 13           missing "": 0/5,825
tabulation: Freq. Value
            1,210 "H1"
              31  "H10"
              19  "H11"
               4  "H12"
               3  "H13"
            1,110 "H2"
            1,078 "H3"
              858 "H4"
              623 "H5"
              443 "H6"
              256 "H7"
              132 "H8"
               58 "H9"

```

hc2b **Nickname (unavailable)**

```

type: string (str33), but longest is str0
unique values: 0           missing "": 5,825/5,825
tabulation: Freq. Value
            5,825 ""

```

hc2c **Expenditures on cloths (Baht/year)**

```

type: numeric (int)
range: [0,25000]           units: 1
unique values: 134        missing .: 0/5,825
unique missing codes: 3   missing *: 1,054/5,825

mean: 872.725
std. dev: 1460.23

percentiles:      10%      25%      50%      75%      90%
                  0        0        500     1000     2000

```

hh_change **Sample has moved so that its household structure changed**

```

type: numeric (float)
label: hh_change

range: [0,1]
unique values: 2
units: 1
missing .: 0/5,825

tabulation: Freq. Numeric Label
             5,802      0 no
             23       1 yes
    
```

survey_name **survey round**

```

type: string (str12)
unique values: 1
missing "": 0/5,825

tabulation: Freq. Value
             5,825 "RESURVEY2019"
    
```

year_survey **year survey**

```

type: numeric (float)
range: [2019,2019]
unique values: 1
units: 1
missing .: 0/5,825

tabulation: Freq. Value
             5,825 2019
mean:      2019
std. dev:  0

percentiles: 10% 25% 50% 75% 90%
              2019 2019 2019 2019 2019
    
```

```

2 . log close
   name: <unnamed>
   log:  \\10.21.7.35\RIECE Thailand\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey201
> 9/codebook\a8_table3.scml
   log type: smcl
closed on:  3 Oct 2024, 12:01:36
    
```
