



```

name: <unnamed>
log: \\10.21.7.35\RIECE Thailand\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey201
> 9/codebook\b11.scml
log type: smcl
opened on: 3 Oct 2024, 13:06:38

```

```
1 . codebookr _all,all
```

```

Dataset: \\10.21.7.35\RIECE Thailand\RIECE DATA\RIECE_RELEASE V5-2019\R
> esurvey2019/codebook\b11_run.dta
Last saved: 3 Oct 2024 13:06

```

```

Label: [none]
Number of variables: 651
Number of observations: 1,434
Size: 7,998,852 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI

```

```
cid children id
```

```

type: string (str18)
unique values: 1,434 missing "": 0/1,434
examples: "201591160419002H7"
           "201593121510202H4"
           "201691150908055H1"
           "201691161706126H1"

```

```
iyear year
```

```

type: string (str4)
unique values: 2 missing "": 0/1,434
tabulation: Freq. Value
              573 "2015"
              861 "2016"

```

```
hhid household id
```

```
type: string (str15)
```

unique values: 1,244 missing "": 0/1,434
 examples: "201591160419002"
 "201593121510202"
 "201691150908055"
 "201691161706126"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,434
 tabulation: Freq. Value
 1,300 "91"
 134 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,434
 tabulation: Freq. Value
 1 "09"
 133 "12"
 264 "13"
 119 "14"
 144 "15"
 512 "16"
 39 "17"
 222 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,434
 tabulation: Freq. Value
 62 "01"
 206 "02"
 124 "04"
 54 "05"
 54 "06"
 65 "07"
 61 "08"
 100 "09"
 128 "10"
 93 "11"
 139 "13"
 50 "14"
 141 "15"
 99 "17"
 58 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,434

```

tabulation:  Freq.  Value
              157  "01"
              70  "02"
              138  "03"
              152  "04"
              114  "05"
              152  "06"
              79  "07"
              143  "08"
              82  "09"
              70  "10"
              53  "11"
              40  "12"
              39  "13"
              12  "14"
              11  "15"
              39  "16"
              12  "17"
              12  "18"
              30  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type:  string (str3)
unique values: 185           missing "": 0/1,434
examples: "010"
           "033"
           "071"
           "201"
    
```

td1_times **This child sleeps at night : since (hour:minute)**

```

type:  string (str5)
unique values: 14           missing "": 0/1,434
tabulation:  Freq.  Value
              1  "18.00"
              1  "18.30"
              25 "19.00"
              108 "19.30"
              2  "19.45"
              495 "20.00"
              291 "20.30"
              2  "20.40"
              4  "20.45"
              318 "21.00"
              99  "21.30"
              67  "22.00"
              18  "22.30"
              3  "23.00"
    
```

td1_timee **This child sleeps at night : until (hour:minute)**

```

type:  string (str5)
unique values: 21           missing "": 0/1,434
    
```

```

tabulation:  Freq.  Value
              5  "04.00"
              17  "04.30"
              109 "05.00"
               2  "05.15"
               1  "05.20"
              140 "05.30"
               8  "05.40"
               2  "05.45"
               6  "05.50"
              668 "06.00"
               2  "06.15"
               1  "06.20"
               1  "06.25"
              252 "06.30"
               2  "06.40"
               1  "06.45"
              173 "07.00"
               3  "07.10"
               2  "07.20"
              33  "07.30"
               6  "08.00"
    
```

td1_hr **This child sleeps at night for hours**

```

type: numeric (byte)
range: [5,12]
unique values: 8
units: 1
missing .: 0/1,434

tabulation:  Freq.  Value
              1  5
              2  6
             22  7
            179  8
            582  9
            538 10
            103 11
              7 12

mean: 9.37099
std. dev: .882739

percentiles: 10% 25% 50% 75% 90%
              8  9  9  10  10
    
```

td1_mi **This child sleeps at night for minutes**

```

type: numeric(double)
range: [0,55]
unique values: 13
units: 1
missing .: 0/1,434

tabulation:  Freq.  Value
            780  0
              1 10
              2 10
              6 15
              1 20
              2 20
            619 30
              7 40
              3 40
              3 45
              3 50
              6 50
              1 55

mean: 13.8006
std. dev: 15.2769
    
```



```

      2 "15.50"
    265 "16.00"
      2 "16.10"
      1 "16.15"
      1 "16.20"
    100 "16.30"
      1 "16.40"
      1 "16.44"
      3 "16.45"
     55 "17.00"
      1 "17.10"
      1 "17.20"
      1 "17.25"
     20 "17.30"
      1 "17.40"
      9 "18.00"
      1 "19.30"
      5 "NA"
  
```

td2_hr **Hours**

```

      type: numeric (byte)
      range: [4,13]
      unique values: 10
      unique missing codes: 1
      units: 1
      missing .: 0/1,434
      missing *: 5/1,434
  
```

```

      tabulation: Freq. Value
                  1 4
                  7 5
                 107 6
                 392 7
                 565 8
                 237 9
                 104 10
                  14 11
                   1 12
                   1 13
                   5 .b
      mean: 7.90553
      std. dev: 1.09309
      percentiles: 10% 25% 50% 75% 90%
                   7 7 8 8 9
  
```

td2_mi **Minutes**

```

      type: numeric(double)
      range: [0,57]
      unique values: 20
      unique missing codes: 1
      units: 1
      missing .: 0/1,434
      missing *: 5/1,434
  
```

```

      tabulation: Freq. Value
                  653 0
                   25 10
                    2 10
                   20 15
                    1 20
                   31 20
                    1 25
                    1 25
                   577 30
                    2 35
                   27 40
                    3 40
                    1 44
                   27 45
  
```



```

tabulation:  Freq.  Value
              971  "0"
               1  "00.00"
               1  "09.00"
               2  "11.30"
              40  "12.00"
              13  "12.30"
               1  "12.45"
               1  "12.50"
              77  "13.00"
              26  "13.30"
             101  "14.00"
              39  "14.30"
              91  "15.00"
              15  "15.30"
              33  "16.00"
               4  "16.30"
               5  "17.00"
               2  "17.30"
               4  "18.00"
               2  "DK"
               5  "NA"
    
```

td3b_hr **This child takes a nap (holidays) for hours**

```

type: numeric (byte)
range: [0,5]
unique values: 6
unique missing codes: 2
units: 1
missing .: 0/1,434
missing *: 7/1,434
    
```

```

tabulation:  Freq.  Value
              987  0
             179  1
             183  2
              64  3
              13  4
               1  5
               5  .b
               2  .c
mean: .556412
std. dev: .946763
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2
    
```

td3b_mi **This child takes a nap (holidays) for minutes**

```

type: numeric (double)
range: [0,50]
unique values: 4
unique missing codes: 2
units: 1
missing .: 0/1,434
missing *: 7/1,434
    
```

```

tabulation:  Freq.  Value
             1,328  0
              97  30
               1  45
               1  50
               5  .b
               2  .c
mean: 2.10582
std. dev: 7.74312
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

td5d **While watching TV, what activity does the child do?**

```

type: numeric (byte)
label: td5d

range: [1,3]
unique values: 2
unique missing codes: 1

units: 1
missing .: 0/1,434
missing *: 155/1,434

tabulation: Freq.  Numeric  Label
              437      1      no
              842      3      yes
              155      .d
    
```

td5d_des **Specify activity**

```

type: string (str166)

unique values: 254
missing "": 592/1,434

warning: variable has embedded and trailing blanks
    
```

note **Interviewer note (unavailable)**

```

type: string (str248), but longest is str0

unique values: 0
missing "": 1,434/1,434

tabulation: Freq.  Value
              1,434 ""
    
```

activity_A
Listening to a story book that adult reads (use a book while reading) (not displ

```

type: string (str147), but longest is str0

unique values: 0
missing "": 1,434/1,434

tabulation: Freq.  Value
              1,434 ""
    
```

c1_code_A **A : Frequency**

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 4
unique missing codes: 3

units: 1
missing .: 1/1,434
missing *: 289/1,434

tabulation: Freq.  Numeric  Label
              1,060      0      never
                5         5      at least once a week
               71         7      once a day
                8         9      more than once a day
                1         .
                1         .b
               288         .c
    
```

c1_hr_A **A : Hours**

```

type: numeric (float)
range: [0,10] units: 1
unique values: 8 missing .: 1,350/1,434

tabulation: Freq. Value
              33  0
              18  1
              19  2
               4  3
               1  4
               6  5
               1  9
               2 10
            1,350 .
mean: 1.55952
std. dev: 2.11905

percentiles: 10% 25% 50% 75% 90%
              0  0  1  2  5
    
```

c1_min_A **A : Minutes**

```

type: numeric (float)
range: [0,50] units: 1
unique values: 17 missing .: 1,350/1,434

tabulation: Freq. Value
              9  0
               1  2
               1  3
               2  5
               2  8
               1  9
               3 10
               2 11
               3 13
               7 15
               3 23
               6 25
              17 30
               2 38
              11 40
               2 45
              12 50
            1,350 .
mean: 25.8452
std. dev: 16.2662

percentiles: 10% 25% 50% 75% 90%
              0  12 30 40 50
    
```

c1_aa_A **A : Monday-Friday How many times**

```

type: numeric (double)
range: [1,4.42] units: .01
unique values: 6 missing .: 1,350/1,434
    
```

```

tabulation:  Freq.  Value
              71    1
              2    1.5
              5    2
              2    2.5
              3    3
              1    4.42
1,350      .
mean:       1.21929
std. dev:   .597758

percentiles: 10%    25%    50%    75%    90%
              1     1     1     1     2
    
```

c1_ab_A **A : Monday-Friday How many times per units**

```

type: string (str21), but longest is str4
unique values: 2          missing "": 1,350/1,434
tabulation:  Freq.  Value
              1,350  ""
              79    "day"
              5    "week"
    
```

c1_ac_A **A : Monday-Friday How many times per hours**

```

type: numeric (double)
range: [0,2]          units: 1
unique values: 3      missing .: 1,350/1,434
tabulation:  Freq.  Value
              76    0
              7    1
              1    2
1,350      .
mean:       .107143
std. dev:   .347724

percentiles: 10%    25%    50%    75%    90%
              0     0     0     0     0
    
```

c1_ad_A **A : Monday-Friday How many times per minutes**

```

type: numeric(double)
range: [0,45]        units: .1
unique values: 14    missing .: 1,350/1,434
tabulation:  Freq.  Value
              7    0
              1    1.5
              3    2
              3    2.5
              2    3
              2    4.5
              7    5
              6    7.5
              14   10
              5    15
              10   20
              3    25
              18   30
              3    45
1,350      .
    
```

mean: 15.1786
 std. dev: 11.9871
 percentiles: 10% 25% 50% 75% 90%
 2 5 10 27.5 30

c1_ba_A **A : People doing activity with (person 1)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 1,351/1,434
 unique missing codes: 2 missing *: 1/1,434

tabulation:	Freq.	Numeric	Label
	11	1	father
	23	3	mother
	34	5	grandparents
	3	7	uncle/aunt
	2	9	brother/sister/cousin
	1	11	outsider
	8	13	other household member
	1,351	.	
	1	.b	

c1_bb_A **A : People doing activity with (person 2)**

type: numeric (byte)
 label: c1_ba_A
 range: [3,11] units: 1
 unique values: 5 missing .: 1,398/1,434

tabulation:	Freq.	Numeric	Label
	7	3	mother
	3	5	grandparents
	1	7	uncle/aunt
	24	9	brother/sister/cousin
	1	11	outsider
	1,398	.	

c1_bc_A **A : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A
 range: [5,9] units: 1
 unique values: 2 missing .: 1,426/1,434

tabulation:	Freq.	Numeric	Label
	3	5	grandparents
	5	9	brother/sister/cousin
	1,426	.	

c1_ba_gen_A **A : Gender code**

type: numeric (byte)
 label: c1_ba_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 1,351/1,434

```

tabulation:  Freq.  Numeric  Label
              27      1  male
              56      3  female
            1,351      .
    
```

c1_bb_gen_A **A : Gender code**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,398/1,434

tabulation:  Freq.  Numeric  Label
              13      1  male
              23      3  female
            1,398      .
    
```

c1_bc_gen_A **A : Gender code**

```

type: numeric (byte)
label: c1_bc_gen

range: [3,3]
unique values: 1

units: 1
missing .: 1,426/1,434

tabulation:  Freq.  Numeric  Label
              8      3  female
            1,426      .
    
```

c2_code_A **A : Frequency**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 3

units: 1
missing .: 1/1,434
missing *: 289/1,434

tabulation:  Freq.  Numeric  Label
            1,075      0  never
              1      5  at least once a week
             61      7  once a day
              7      9  more than once a day
              1      .
              1      .b
             288      .c
    
```

c2_hr_A **A : Hours**

```

type: numeric (float)

range: [0,4]
unique values: 5
unique missing codes: 2

units: 1
missing .: 1,365/1,434
missing *: 1/1,434
    
```

```

tabulation:  Freq.  Value
              35  0
              19  1
              9  2
              3  3
              2  4
            1,365 .
              1  .c
    mean:    .794118
    std. dev: 1.03027

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      2
    
```

c2_min_A

A : Minutes

```

type: numeric (float)
range: [0,50]
unique values: 13
unique missing codes: 2
units: 1
missing .: 1,365/1,434
missing *: 1/1,434
    
```

```

tabulation:  Freq.  Value
              29  0
              1  2
              1  3
              1  4
              2  5
              1  9
              3  10
              9  20
              2  25
              8  30
              8  40
              1  45
              2  50
            1,365 .
              1  .c
    mean:    14.6029
    std. dev: 16.3151

percentiles:    10%    25%    50%    75%    90%
                0      0      7     30     40
    
```

c2_aa_A

Saturday-Sunday How many times

```

type: numeric (double)
range: [1,3]
unique values: 4
units: .1
missing .: 1,365/1,434
    
```

```

tabulation:  Freq.  Value
              62  1
              4  2
              2  2.5
              1  3
            1,365 .
    mean:    1.13043
    std. dev: .408118

percentiles:    10%    25%    50%    75%    90%
                1      1      1      1      2
    
```

c2_ab_A

Saturday-Sunday How many times per units

```

type: string (str21), but longest is str4
unique values: 2 missing "": 1,365/1,434
tabulation: Freq. Value
             1,365 ""
             68 "day"
             1 "week"
    
```

c2_ac_A **Saturday-Sunday How many times per hours**

```

type: numeric (double)
range: [0,2] units: 1
unique values: 3 missing .: 1,365/1,434
unique missing codes: 2 missing *: 1/1,434
tabulation: Freq. Value
             56 0
             11 1
             1 2
             1,365 .
             1 .c
mean: .191176
std. dev: .432188
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

c2_ad_A **Saturday-Sunday How many times per minutes**

```

type: numeric (double)
range: [0,45] units: .1
unique values: 14 missing .: 1,365/1,434
unique missing codes: 2 missing *: 1/1,434
tabulation: Freq. Value
             10 0
             1 1
             1 1.5
             1 2
             2 2.5
             1 4.5
             4 5
             1 7.5
             10 10
             5 15
             7 20
             4 25
             18 30
             3 45
             1,365 .
             1 .c
mean: 16.6397
std. dev: 12.853
percentiles: 10% 25% 50% 75% 90%
              0 5 15 30 30
    
```

c2_ba_A **A : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
    
```


range: [1,13] units: 1
 unique values: 6 missing .: 1,365/1,434
 unique missing codes: 2 missing *: 1/1,434

tabulation:	Freq.	Numeric	Label
	9	1	father
	22	3	mother
	26	5	grandparents
	4	7	uncle/aunt
	3	9	brother/sister/cousin
	4	13	other household member
	1,365	.	
	1	.b	

c2_bb_A **A : People doing activity with (person 2)**

type: numeric (byte)
 label: c1_ba_A
 range: [3,11] units: 1
 unique values: 5 missing .: 1,408/1,434

tabulation:	Freq.	Numeric	Label
	5	3	mother
	3	5	grandparents
	2	7	uncle/aunt
	15	9	brother/sister/cousin
	1	11	outsider
	1,408	.	

c2_bc_A **A : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A
 range: [5,11] units: 1
 unique values: 3 missing .: 1,426/1,434

tabulation:	Freq.	Numeric	Label
	3	5	grandparents
	3	9	brother/sister/cousin
	2	11	outsider
	1,426	.	

c2_ba_gen_A **A : Gender code**

type: numeric (byte)
 label: c2_ba_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 1,366/1,434

tabulation:	Freq.	Numeric	Label
	19	1	male
	49	3	female
	1,366	.	

c2_bb_gen_A **A : Gender code**

type: numeric (byte)
 label: c2_bb_gen

```

range: [1,3] units: 1
unique values: 2 missing .: 1,408/1,434

tabulation: Freq. Numeric Label
              9          1 male
              17         3 female
            1,408          .
    
```

c2_bc_gen_A A : Gender code

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3] units: 1
unique values: 2 missing .: 1,426/1,434

tabulation: Freq. Numeric Label
              1          1 male
              7          3 female
            1,426          .
    
```

c3_code_A A : Frequency

```

type: numeric (byte)
label: c3_code

range: [3,9] units: 1
unique values: 3 missing .: 1/1,434
unique missing codes: 2 missing *: 1,145/1,434

tabulation: Freq. Numeric Label
              42         3 at least once a month
             245         5 at least once a week
              1         9 more than once a day
              1          .
            1,145         .b
    
```

c3_hr_A A : hours

```

type: numeric (float)

range: [0,5] units: 1
unique values: 5 missing .: 1,188/1,434
unique missing codes: 2 missing *: 8/1,434

tabulation: Freq. Value
              169  0
              52  1
              12  2
               4  3
               1  5
            1,188  .
               8  .c
mean:       .390756
std. dev:   .725252

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      1
    
```

c3_min_A A : minutes

```

type: numeric (float)
    
```

range: [0,53] units: 1
 unique values: 28 missing .: 1,188/1,434
 unique missing codes: 2 missing *: 8/1,434

tabulation: Freq. Value

33	0
2	2
1	3
5	4
9	5
3	7
9	8
3	9
33	10
3	11
6	13
2	14
23	15
1	16
2	19
14	20
2	23
8	25
3	26
37	30
2	31
2	34
2	35
2	38
9	40
19	45
1	50
2	53
1,188	.
8	.c

mean: 18.5756
 std. dev: 14.2222

percentiles: 10% 25% 50% 75% 90%

0	8	15	30	40
---	---	----	----	----

c3_aa_A

Monday-Sunday How many times

type: numeric (double)

range: [1,5.5] units: .01
 unique values: 11 missing .: 1,188/1,434

tabulation: Freq. Value

49	1
4	1.16
33	1.5
70	2
34	2.5
31	3
13	3.5
7	4
2	4.5
2	5
1	5.5
1,188	.

mean: 2.11033
 std. dev: .895745

percentiles: 10% 25% 50% 75% 90%

1	1.5	2	2.5	3.5
---	-----	---	-----	-----

c3_ab_A **Monday-Sunday How many times per units**

```

type: string (str24), but longest is str4
unique values: 1 missing "": 1,188/1,434
tabulation: Freq. Value
              1,188 ""
              246 "week"
    
```

c3_ac_A **Monday-Sunday How many times per hours**

```

type: numeric (double)
range: [0,2] units: .1
unique values: 4 missing .: 1,189/1,434
unique missing codes: 2 missing *: 6/1,434
tabulation: Freq. Value
              219 0
              18 1
              1 1.5
              1 2
            1,189 .
              6 .c
mean: .089958
std. dev: .30621
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

c3_ad_A **Monday-Sunday How many times per minutes**

```

type: numeric (double)
range: [0,45] units: .1
unique values: 19 missing .: 1,189/1,434
unique missing codes: 2 missing *: 7/1,434
tabulation: Freq. Value
              20 0
              1 1
              5 2
              4 2.5
              1 3
              2 3.5
              3 4
              9 4.5
            38 5
              9 7.5
            40 10
              5 12.5
            18 15
              1 17.5
            21 20
              4 25
            52 30
              1 35
              4 45
          1,189 .
              7 .c
mean: 14.2269
std. dev: 11.2051
    
```



```

tabulation: Freq.  Numeric  Label
             69      1      male
             219     3      female
             1,146   .
    
```

c3_bb_gen_A **A : Gender code**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,327/1,434

tabulation: Freq.  Numeric  Label
             35      1      male
             72      3      female
             1,327   .
    
```

c3_bc_gen_A **A : Gender code**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,410/1,434

tabulation: Freq.  Numeric  Label
             16      1      male
             8       3      female
             1,410   .
    
```

activity_B
Listening to a story that adult tells (no book used while reading) (not display)

```

type: string (str147), but longest is str0
unique values: 0      missing "": 1,434/1,434

tabulation: Freq.  Value
             1,434  ""
    
```

c1_code_B **B : Frequency**

```

type: numeric (byte)
label: c1_code

range: [0,9]          units: 1
unique values: 3      missing .: 0/1,434
unique missing codes: 2  missing *: 481/1,434

tabulation: Freq.  Numeric  Label
             880     0      never
             68      7      once a day
             5       9      more than once a day
             1       .b
             480     .c
    
```

c1_hr_B **B : Hours**

```

type: numeric (float)
    
```

```

    range: [0,22]                units: 1
unique values: 6                missing .: 1,361/1,434

  tabulation: Freq.  Value
              36  0
              14  1
              18  2
               3  5
               1  6
               1  22
            1,361 .
    mean:    1.27397
std. dev:   2.79514

percentiles:    10%    25%    50%    75%    90%
                0      0      1      2      2
    
```

c1_min_B

B : Minutes

```

    type: numeric (float)

    range: [0,50]                units: 1
unique values: 15                missing .: 1,361/1,434

  tabulation: Freq.  Value
              3  0
              1  3
              1  5
              2  8
              1 10
              4 13
             12 15
              3 23
              9 25
             18 30
              1 31
              1 34
              1 38
              6 40
             10 50
            1,361 .
    mean:    26.6164
std. dev:   13.6907

percentiles:    10%    25%    50%    75%    90%
                10     15     30     31     50
    
```

c1_aa_B

Monday-Friday How many times

```

    type: numeric (double)

    range: [1,3]                units: .1
unique values: 4                missing .: 1,361/1,434

  tabulation: Freq.  Value
              68  1
               1 1.5
               3 2.5
               1  3
            1,361 .
    mean:    1.09589
std. dev:   .378755

percentiles:    10%    25%    50%    75%    90%
                1      1      1      1      1
    
```

c1_ab_B **Monday-Friday How many times per units**

```

type: string (str21), but longest is str3
unique values: 1 missing "": 1,361/1,434
tabulation: Freq. Value
             1,361 ""
             73  "day"
    
```

c1_ac_B **Monday-Friday How many times per hours**

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,361/1,434
tabulation: Freq. Value
             69 0
             4 1
             1,361 .
mean: .054795
std. dev: .229154
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

c1_ad_B **Monday-Friday How many times per minutes**

```

type: numeric (double)
range: [0,30] units: .1
unique values: 14 missing .: 1,361/1,434
tabulation: Freq. Value
             3 0
             1 1
             2 1.5
             1 2
             4 2.5
             4 3
             4 4.5
             9 5
             2 7.5
             10 10
             7 15
             6 20
             1 25
             19 30
             1,361 .
mean: 14.0548
std. dev: 11.0358
percentiles: 10% 25% 50% 75% 90%
              2.5 4.5 10 30 30
    
```

c1_ba_B **B : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13] units: 1
unique values: 7 missing .: 1,361/1,434
    
```



```

tabulation:  Freq.  Numeric  Label
              7      1  father
              12     3  mother
              44     5  grandparents
               1     7  uncle/aunt
               2     9  brother/sister/cousin
               2    11  outsider
               5    13  other household member
            1,361      .
    
```

c1_bb_B **B : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,11]          units: 1
unique values: 5      missing .. 1,404/1,434

tabulation:  Freq.  Numeric  Label
              2      1  father
              1      3  mother
              5      5  grandparents
             21      9  brother/sister/cousin
              1     11  outsider
            1,404      .
    
```

c1_bc_B **B : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [9,11]         units: 1
unique values: 2      missing .. 1,426/1,434

tabulation:  Freq.  Numeric  Label
              7      9  brother/sister/cousin
              1     11  outsider
            1,426      .
    
```

c1_ba_gen_B **B : Gender code**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .. 1,361/1,434

tabulation:  Freq.  Numeric  Label
              27     1  male
              46     3  female
            1,361      .
    
```

c1_bb_gen_B **B : Gender code**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .. 1,404/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              13      1  male
              17      3  female
              1,404      .
    
```

c1_bc_gen_B **B : Gender code**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,426/1,434

tabulation:  Freq.  Numeric  Label
              1      1  male
              7      3  female
              1,426      .
    
```

c2_code_B **B : Frequency**

```

type: numeric (byte)
label: c2_code

range: [0,9]          units: 1
unique values: 4      missing .: 0/1,434
unique missing codes: 2  missing *: 481/1,434

tabulation:  Freq.  Numeric  Label
              872      0  never
              2        5  at least once a week
              74       7  once a day
              5        9  more than once a day
              1        .b
              480      .c
    
```

c2_hr_B **B : Hours**

```

type: numeric (float)

range: [0,9]          units: 1
unique values: 4      missing .: 1,353/1,434

tabulation:  Freq.  Value
              56  0
              19  1
              5   2
              1   9
              1,353 .
mean: .469136
std. dev: 1.13012

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        1
    
```

c2_min_B **B : Minutes**

```

type: numeric (float)

range: [0,50]          units: 1
unique values: 15      missing .: 1,353/1,434
    
```

```

tabulation:  Freq.  Value
              24    0
              2    3
              1    4
              5    5
              5    6
              3    9
              9   10
              1   13
              1   14
              2   15
              9   20
              1   25
              9   30
              8   40
              1   50
            1,353  .
    mean:      13.3827
    std. dev:  13.8813

percentiles:      10%      25%      50%      75%      90%
                  0         0         10        20        40
    
```

c2_aa_B **Saturday-Sunday How many times**

```

    type:  numeric (double)
    range:  [1,3]
    unique values: 4
    units:  .1
    missing .: 1,353/1,434

    tabulation:  Freq.  Value
                  76    1
                  1    1.5
                  3    2.5
                  1    3
            1,353  .
    mean:      1.08642
    std. dev:  .36047

    percentiles:      10%      25%      50%      75%      90%
                    1         1         1         1         1
    
```

c2_ab_B **Saturday-Sunday How many times per units**

```

    type:  string (str21), but longest is str4
    unique values: 2
    missing "": 1,353/1,434

    tabulation:  Freq.  Value
                  1,353  ""
                  79   "day"
                  2   "week"
    
```

c2_ac_B **Saturday-Sunday How many times per hours**

```

    type:  numeric (double)
    range:  [0,1]
    unique values: 2
    units:  1
    missing .: 1,353/1,434
    
```

```

tabulation:  Freq.  Value
              76  0
              5  1
              1,353 .
    mean:    .061728
    std. dev: .242161

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

c2_ad_B **Saturday-Sunday How many times per minutes**

```

    type: numeric (double)
    range: [0,30]          units: .1
    unique values: 15      missing .: 1,353/1,434

    tabulation:  Freq.  Value
                  4  0
                  1  1
                  2  1.5
                  1  2
                  5  2.5
                  4  3
                  4  4.5
                  9  5
                  1  5.5
                  3  7.5
                  9  10
                  7  15
                  8  20
                  1  25
                  22 30
    mean:    14.3395
    std. dev: 11.1951

percentiles:    10%    25%    50%    75%    90%
                2.5    4.5    10     30     30
    
```

c2_ba_B **B : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A
    range: [1,13]          units: 1
    unique values: 7      missing .: 1,353/1,434
    unique missing codes: 2  missing *: 1/1,434

    tabulation:  Freq.  Numeric  Label
                  10     1  father
                  13     3  mother
                  43     5  grandparents
                   2     7  uncle/aunt
                   4     9  brother/sister/cousin
                   3    11  outsider
                   5    13  other household member
                  1,353 .
                   1     .b
    
```

c2_bb_B **B : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c1_ba_A
    
```

```

range: [1,11] units: 1
unique values: 5 missing .: 1,402/1,434

tabulation: Freq. Numeric Label
              2          1 father
              1          3 mother
              7          5 grandparents
              21         9 brother/sister/cousin
              1         11 outsider
            1,402          .
    
```

c2_bc_B **B : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [9,11] units: 1
unique values: 2 missing .: 1,426/1,434

tabulation: Freq. Numeric Label
              7          9 brother/sister/cousin
              1         11 outsider
            1,426          .
    
```

c2_ba_gen_B **B : Gender code**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3] units: 1
unique values: 2 missing .: 1,354/1,434

tabulation: Freq. Numeric Label
              30          1 male
              50          3 female
            1,354          .
    
```

c2_bb_gen_B **B : Gender code**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3] units: 1
unique values: 2 missing .: 1,402/1,434

tabulation: Freq. Numeric Label
              15          1 male
              17          3 female
            1,402          .
    
```

c2_bc_gen_B **B : Gender code**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3] units: 1
unique values: 2 missing .: 1,426/1,434

tabulation: Freq. Numeric Label
              1          1 male
              7          3 female
            1,426          .
    
```

c3_code_B **B : Frequency**

```

type: numeric (byte)
label: c3_code

range: [0,5]
unique values: 3
unique missing codes: 1

units: 1
missing .: 0/1,434
missing *: 952/1,434

tabulation: Freq.  Numeric  Label
              1          0  never
              127        3  at least once a month
              354        5  at least once a week
              952        .b
    
```

c3_hr_B **B : Hours**

```

type: numeric (float)

range: [0,4]
unique values: 5
unique missing codes: 2

units: 1
missing .: 1,080/1,434
missing *: 1/1,434

tabulation: Freq.  Value
              282    0
              53    1
              11    2
               4    3
               3    4
            1,080    .
               1    .c
mean:        .280453
std. dev:    .659793

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      1
    
```

c3_min_B **B : Minutes**

```

type: numeric (float)

range: [0,50]
unique values: 32
unique missing codes: 2

units: 1
missing .: 1,080/1,434
missing *: 1/1,434

tabulation: Freq.  Value
              37    0
               4    1
               5    2
              14    3
               6    4
              32    5
               5    6
               1    7
              10    8
               2    9
              40   10
              11   11
               1   12
               6   13
               1   14
              40   15
               1   18
               4   19
              26   20
               3   23
    
```

```

          9 25
          2 26
          1 28
         49 30
          1 31
          2 34
          4 35
          3 38
         10 40
          2 44
         17 45
          4 50
    1,080 .
          1 .c
    mean: 16.6119
    std. dev: 13.3536

    percentiles:      10%      25%      50%      75%      90%
                     0         5        15        30        38
    
```

c3_aa_B **Monday-Sunday How many times**

```

    type: numeric (double)
    range: [1,5.5]
    unique values: 10
    units: .001
    missing .: 1,080/1,434

    tabulation:
    Freq. Value
    132 1
     1 1.163
    42 1.5
    78 2
    44 2.5
    31 3
    14 3.5
     5 4
     6 4.5
     1 5.5
    1,080 .
    mean: 1.85498
    std. dev: .889036

    percentiles:      10%      25%      50%      75%      90%
                     1         1         2        2.5        3
    
```

c3_ab_B **Monday-Sunday How many times per units**

```

    type: string (str24), but longest is str4
    unique values: 1
    missing "": 1,080/1,434

    tabulation:
    Freq. Value
    1,080 ""
    354 "week"
    
```

c3_ac_B **Monday-Sunday How many times per hours**

```

    type: numeric (double)
    range: [0,1.5]
    unique values: 3
    unique missing codes: 2
    units: .1
    missing .: 1,080/1,434
    missing *: 1/1,434
    
```

```

tabulation:  Freq.  Value
              326  0
              26  1
              1  1.5
            1,080  .
              1  .c
    mean:     .077904
    std. dev: .272341

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

c3_ad_B **Monday-Sunday How many times per minutes**

```

type: numeric (double)
range: [0,45]
unique values: 22
unique missing codes: 2
units: .1
missing .: 1,080/1,434
missing *: 1/1,434

tabulation:  Freq.  Value
              27  0
              4  1
              3  1.5
              5  2
             13  2.5
              6  3
              9  3.5
              3  4
             14  4.5
             41  5
              2  5.5
             21  7.5
              1  9.5
             80  10
              8  12.5
             20  15
              4  17.5
             27  20
              1  22.5
              3  25
             60  30
              1  45
            1,080  .
              1  .c
    mean:     12.2125
    std. dev:  9.89979

percentiles:  10%    25%    50%    75%    90%
              2      5      10     20     30
    
```

c3_ba_B **B : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing .: 953/1,434
missing *: 2/1,434
    
```



```

tabulation:  Freq.  Numeric  Label
              30      1  father
              83      3  mother
             284      5  grandparents
              13      7  uncle/aunt
              34      9  brother/sister/cousin
               6     11  outsider
              29     13  other household member
             953      .
               2      .b
    
```

c3_bb_B **B : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7      missing .: 1,260/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              1      1  father
              9      3  mother
             26      5  grandparents
               5      7  uncle/aunt
             119      9  brother/sister/cousin
               2     11  outsider
              12     13  other household member
            1,260      .
    
```

c3_bc_B **B : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [3,13]          units: 1
unique values: 4      missing .: 1,392/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              3      3  mother
              7      5  grandparents
             30      9  brother/sister/cousin
               2     13  other household member
            1,392      .
    
```

c3_ba_gen_B **B : Gender code**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .: 955/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
             130      1  male
             349      3  female
             955      .
    
```

c3_bb_gen_B **B : Gender code**

```

type: numeric (byte)
label: c3_bb_gen
    
```

```

range: [1,3] units: 1
unique values: 2 missing .: 1,260/1,434

tabulation: Freq. Numeric Label
              74      1 male
              100     3 female
              1,260     .
    
```

c3_bc_gen_B

B : Gender code

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3] units: 1
unique values: 2 missing .: 1,391/1,434
unique missing codes: 2 missing *: 1/1,434

tabulation: Freq. Numeric Label
              19      1 male
              23      3 female
            1,391     .
              1      .b
    
```

activity_D

Playing sport, singing and dancing (not display)

```

type: string (str147), but longest is str0
unique values: 0 missing "": 1,434/1,434

tabulation: Freq. Value
            1,434 ""
    
```

c1_code_D

D : Frequency

```

type: numeric (byte)
label: c1_code

range: [0,9] units: 1
unique values: 4 missing .: 0/1,434
unique missing codes: 1 missing *: 450/1,434

tabulation: Freq. Numeric Label
              207     0 never
              4      5 at least once a week
              497     7 once a day
              276     9 more than once a day
              450     .c
    
```

c1_hr_D

D : Hours

```

type: numeric (float)

range: [0,50] units: 1
unique values: 21 missing .: 658/1,434
unique missing codes: 2 missing *: 3/1,434
    
```

```

tabulation:  Freq.  Value
              260    0
              102    1
              125    2
               27    3
               10    4
              129    5
               10    6
               34    7
                3    8
                1    9
               41   10
                4   11
               12   12
                1   13
                7   15
                1   16
                2   17
                1   18
                1   25
                1   32
                1   50
              658   .
                3   .c
    mean:     3.02717
    std. dev: 4.07323
    
```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      2      5      7
    
```

cl_min_D

D : Minutes

```

    type:  numeric (float)
    range:  [0,56]
    unique values: 34
    unique missing codes: 2
    units:  1
    missing .: 658/1,434
    missing *: 3/1,434
    
```

```

tabulation:  Freq.  Value
              177    0
                1    1
                1    2
               10    3
               14    5
                1    6
               20    8
               11   10
                2   11
               28   13
               58   15
                1   17
               14   18
                5   19
                9   20
               25   23
               43   25
                1   26
                2   28
              153   30
                2   31
               12   34
                4   35
               26   38
               44   40
                1   41
               20   45
                1   46
                1   48
                2   49
               61   50
    
```

```

          10  53
           7  55
           6  56
          658 .
           3 .c
    mean:   22.3713
    std. dev: 17.0687

percentiles:    10%    25%    50%    75%    90%
                0      5      25     34     50
    
```

c1_aa_D **Monday-Friday How many times**

```

    type: numeric (double)
    range: [1,15]
    unique values: 14
    unique missing codes: 2
    units: .1
    missing .: 657/1,434
    missing *: 39/1,434
    
```

```

    tabulation: Freq. Value
                499  1
                 1  1.4
                54  1.5
                 67  2
                 61  2.5
                 16  3
                 15  3.5
                  4  4
                 10  4.5
                  5  5
                  2  5.5
                  1  7.5
                  2  10
                  1  15
                657 .
                 39 .d
    
```

```

    mean: 1.50122
    std. dev: 1.08618
    
```

```

percentiles:    10%    25%    50%    75%    90%
                1      1      1      1.5    2.5
    
```

c1_ab_D **Monday-Friday How many times per units**

```

    type: string (str21), but longest is str4
    unique values: 3
    missing "": 657/1,434
    
```

```

    tabulation: Freq. Value
                657 ""
                773 "day"
                  1 "time"
                  3 "week"
    
```

c1_ac_D **Monday-Friday How many times per hours**

```

    type: numeric (double)
    range: [0,6]
    unique values: 7
    unique missing codes: 2
    units: .1
    missing .: 657/1,434
    missing *: 3/1,434
    
```

```

tabulation:  Freq.  Value
              563    0
              162    1
               5    1.5
              35    2
               4    2.5
               4    3
               1    6
              657    .
               3    .c
    mean:     .345607
    std. dev: .641191

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         1         1
    
```

c1_ad_D

Monday-Friday How many times per minutes

```

type: numeric (double)
range: [0,45]
unique values: 27
unique missing codes: 2
units: .01
missing : 657/1,434
missing *: 3/1,434
    
```

```

tabulation:  Freq.  Value
              186    0
               9    1
              19    1.5
              11    2
              34    2.5
              16    3
              18    3.5
               3    4
              34    4.5
              73    5
               1    5.5
               4    6
              33    7.5
               2    9.5
              83    10
               1    12
              35    15
               1    17.5
               1    18.93
              35    20
               3    25
             149    30
               7    35
               2    37.5
               1    39
               4    40
               9    45
             657    .
               3    .c
    mean:     11.1808
    std. dev: 12.1002

percentiles:      10%      25%      50%      75%      90%
                  0         1         5        20        30
    
```

c1_ba_D

D : People doing activity with (person 1)

```

type: numeric (byte)
label: c1_ba_A
    
```

range: [1,13] units: 1
 unique values: 7 missing .: 657/1,434
 unique missing codes: 2 missing *: 260/1,434

tabulation:	Freq.	Numeric	Label
	11	1	father
	15	3	mother
	28	5	grandparents
	6	7	uncle/aunt
	262	9	brother/sister/cousin
	190	11	outsider
	5	13	other household member
	657	.	.
	260	.b	.b

c1_bb_D **D : People doing activity with (person 2)**

type: numeric (byte)
 label: **c1_ba_A**

range: [1,13] units: 1
 unique values: 7 missing .: 1,094/1,434
 unique missing codes: 2 missing *: 17/1,434

tabulation:	Freq.	Numeric	Label
	7	1	father
	9	3	mother
	11	5	grandparents
	2	7	uncle/aunt
	81	9	brother/sister/cousin
	208	11	outsider
	5	13	other household member
	1,094	.	.
	17	.b	.b

c1_bc_D **D : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**

range: [1,13] units: 1
 unique values: 7 missing .: 1,225/1,434
 unique missing codes: 2 missing *: 8/1,434

tabulation:	Freq.	Numeric	Label
	1	1	father
	2	3	mother
	2	5	grandparents
	2	7	uncle/aunt
	32	9	brother/sister/cousin
	160	11	outsider
	2	13	other household member
	1,225	.	.
	8	.b	.b

c1_ba_gen_D **D : Gender code**

type: numeric (byte)
 label: **c1_ba_gen**

range: [1,3] units: 1
 unique values: 2 missing .: 915/1,434

```

tabulation:  Freq.  Numeric  Label
              256      1  male
              263      3  female
              915      .
    
```

c1_bb_gen_D D : Gender code

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,111/1,434

tabulation:  Freq.  Numeric  Label
              165      1  male
              158      3  female
              1,111      .
    
```

c1_bc_gen_D D : Gender code

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,233/1,434

tabulation:  Freq.  Numeric  Label
              112      1  male
              89       3  female
              1,233      .
    
```

c2_code_D D : Frequency

```

type: numeric (byte)
label: c2_code

range: [0,9]          units: 1
unique values: 4      missing .: 0/1,434
unique missing codes: 1  missing *: 450/1,434

tabulation:  Freq.  Numeric  Label
              203      0  never
              2       5  at least once a week
              462      7  once a day
              317      9  more than once a day
              450      .c
    
```

c2_hr_D D : Hours

```

type: numeric (float)

range: [0,30]         units: 1
unique values: 16     missing .: 654/1,434
unique missing codes: 2  missing *: 3/1,434
    
```

```

tabulation:  Freq.  Value
              366    0
              156    1
              134    2
               32    3
               47    4
               16    5
                8    6
                4    7
                1    8
                2    9
                4   10
                3   12
                1   13
                1   14
                1   20
                1   30
              654    .
                3    .c
    mean:     1.34234
  std. dev:   2.25299

percentiles:      10%      25%      50%      75%      90%
                  0         0         1         2         4
  
```

c2_min_D

D : Minutes

```

type: numeric (float)
range: [0,57]
unique values: 33
unique missing codes: 2
units: 1
missing .: 654/1,434
missing *: 3/1,434
  
```

```

tabulation:  Freq.  Value
              329    0
                4    2
               15    3
                5    4
               27    5
               11    6
               12    7
               10    8
               17    9
               48   10
                5   11
                5   12
                3   13
                9   14
               35   15
                3   16
                2   18
                1   19
               66   20
                7   23
                1   24
               12   25
                1   27
               61   30
                1   33
                3   35
                5   38
               46   40
               13   45
               15   50
                2   53
                2   55
                1   57
              654    .
                3    .c
    mean:     12.1197
  
```


std. dev: 14.6241
 percentiles: 10% 25% 50% 75% 90%
 0 0 6 20 40

c2_aa_D **Saturday-Sunday How many times**

type: numeric (double)
 range: [1,15] units: .1
 unique values: 13 missing .: 653/1,434
 unique missing codes: 2 missing *: 47/1,434

tabulation: Freq. Value
 462 1
 58 1.5
 78 2
 65 2.5
 16 3
 22 3.5
 8 4
 11 4.5
 7 5
 3 5.5
 1 7.5
 2 10
 1 15
 653 .
 47 .d
 mean: 1.59128
 std. dev: 1.14643

percentiles: 10% 25% 50% 75% 90%
 1 1 1 2 2.5

c2_ab_D **Saturday-Sunday How many times per units**

type: string (str21), but longest is str4
 unique values: 3 missing "": 653/1,434

tabulation: Freq. Value
 653 ""
 778 "day"
 1 "time"
 2 "week"

c2_ac_D **Saturday-Sunday How many times per hours**

type: numeric (double)
 range: [0,6] units: .1
 unique values: 10 missing .: 653/1,434
 unique missing codes: 2 missing *: 3/1,434

```

tabulation:  Freq.  Value
              569    0
              153    1
                6   1.5
              33    2
                6   2.5
                7    3
                1   3.5
                1    4
                1    5
                1    6
              653    .
                3   .c
    mean:     .363111
    std. dev: .704528
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         1         1
    
```

c2_ad_D

Saturday-Sunday How many times per minutes

```

type: numeric (double)
range: [0,45]
unique values: 27
unique missing codes: 2
units: .1
missing .: 653/1,434
missing *: 3/1,434
    
```

```

tabulation:  Freq.  Value
              185    0
               10    1
               21   1.5
               10    2
               33   2.5
               14    3
               17   3.5
                3    4
               30   4.5
               73    5
                1   5.5
                3    6
               38   7.5
                1    9
                2   9.5
               82   10
                1   12
               35   15
                1  17.5
               38   20
                5   25
              153   30
                7   35
                2  37.5
                1   39
                5   40
                7   45
              653    .
                3   .c
    mean:     11.3335
    std. dev: 12.0784
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0         1         5        20        30
    
```

c2_ba_D

D : People doing activity with (person 1)

```

type: numeric (byte)
label: c1_ba_A
    
```

range: [1,13] units: 1
 unique values: 7 missing .: 653/1,434
 unique missing codes: 2 missing *: 257/1,434

tabulation:	Freq.	Numeric	Label
	12	1	father
	16	3	mother
	26	5	grandparents
	6	7	uncle/aunt
	268	9	brother/sister/cousin
	188	11	outsider
	8	13	other household member
	653	.	.
	257	.b	.b

c2_bb_D **D : People doing activity with (person 2)**

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 7 missing .: 1,097/1,434
 unique missing codes: 2 missing *: 16/1,434

tabulation:	Freq.	Numeric	Label
	7	1	father
	8	3	mother
	11	5	grandparents
	3	7	uncle/aunt
	89	9	brother/sister/cousin
	197	11	outsider
	6	13	other household member
	1,097	.	.
	16	.b	.b

c2_bc_D **D : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 7 missing .: 1,228/1,434
 unique missing codes: 2 missing *: 8/1,434

tabulation:	Freq.	Numeric	Label
	2	1	father
	2	3	mother
	2	5	grandparents
	2	7	uncle/aunt
	39	9	brother/sister/cousin
	148	11	outsider
	3	13	other household member
	1,228	.	.
	8	.b	.b

c2_ba_gen_D **D : Gender code**

type: numeric (byte)
 label: c2_ba_gen

range: [1,3] units: 1
 unique values: 2 missing .: 908/1,434

```

tabulation:  Freq.  Numeric  Label
              252      1  male
              274      3  female
              908      .
    
```

c2_bb_gen_D D : Gender code

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,113/1,434

tabulation:  Freq.  Numeric  Label
              163      1  male
              158      3  female
              1,113      .
    
```

c2_bc_gen_D D : Gender code

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,236/1,434

tabulation:  Freq.  Numeric  Label
              106      1  male
              92       3  female
              1,236      .
    
```

c3_code_D D : Frequency

```

type: numeric (byte)
label: c3_code

range: [3,5]          units: 1
unique values: 2      missing .: 0/1,434
unique missing codes: 1  missing *: 984/1,434

tabulation:  Freq.  Numeric  Label
              20      3  at least once a month
              430     5  at least once a week
              984     .b
    
```

c3_hr_D D : Hours

```

type: numeric (float)

range: [0,10]         units: 1
unique values: 9      missing .: 1,004/1,434

tabulation:  Freq.  Value
              257    0
              92     1
              50     2
              19     3
               5     4
               3     5
               2     6
               1     7
               1    10
              1,004  .
mean:        .727907
    
```



```

tabulation:  Freq.  Value
              64    1
              59   1.5
              80    2
              96   2.5
              57    3
              30   3.5
              15    4
              10   4.5
              12    5
               5   5.5
               2    6
            1,004  .
      mean:    2.40233
  std. dev:    1.05931

percentiles:      10%      25%      50%      75%      90%
                  1        1.5      2.5      3        4
    
```

c3_ab_D **Monday-Sunday How many times per units**

```

type:  string (str24), but longest is str4
unique values:  1                missing "":  1,004/1,434

tabulation:  Freq.  Value
              1,004  ""
              430  "week"
    
```

c3_ac_D **Monday-Sunday How many times per hours**

```

type:  numeric (double)
range:  [0,3]                units:  .1
unique values:  5                missing .:  1,004/1,434

tabulation:  Freq.  Value
              341    0
              80    1
               6    2
               2   2.5
               1    3
            1,004  .
      mean:    .232558
  std. dev:    .488192

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1
    
```

c3_ad_D **Monday-Sunday How many times per minutes**

```

type:  numeric (double)
range:  [0,45]                units:  .1
unique values:  23                missing .:  1,004/1,434
    
```

```

tabulation:  Freq.  Value
              79    0
              7    1
              6    1.5
              6    2
              37   2.5
              12    3
              7    3.5
              16   4.5
              45    5
              6    5.5
              1    7
              17   7.5
              1    8
              41   10
              2   12.5
              21   15
              1   17.5
              24   20
              2   22.5
              2   25
              94   30
              1   35
              2   45
            1,004  .
      mean:    11.4907
    std. dev:  11.5848

percentiles:    10%    25%    50%    75%    90%
                0      2.5    5.25   20     30
    
```

c3_ba_D **D : People doing activity with (person 1)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [1,13]           units: 1
unique values: 7             missing .: 984/1,434
unique missing codes: 2     missing *: 146/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              13     1  father
              9     3  mother
              13     5  grandparents
              4     7  uncle/aunt
             148     9  brother/sister/cousin
             110    11  outsider
              7    13  other household member
             984     .
             146    .b
    
```

c3_bb_D **D : People doing activity with (person 2)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [1,13]           units: 1
unique values: 7             missing .: 1,228/1,434
unique missing codes: 2     missing *: 8/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              1         1  father
              3         3  mother
              6         5  grandparents
              2         7  uncle/aunt
             62         9  brother/sister/cousin
            123        11  outsider
              1        13  other household member
           1,228         .
              8         .b
    
```

c3_bc_D **D : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [5,13]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,334/1,434
missing *: 4/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              3         5  grandparents
             15         9  brother/sister/cousin
             77        11  outsider
              1        13  other household member
           1,334         .
              4         .b
    
```

c3_ba_gen_D **D : Gender code**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,130/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
             171         1  male
             133         3  female
           1,130         .
    
```

c3_bb_gen_D **D : Gender code**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,236/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
             91         1  male
            107         3  female
           1,236         .
    
```

c3_bc_gen_D **D : Gender code**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,338/1,434
    
```



```

tabulation:  Freq.  Numeric  Label
              46      1  male
              50      3  female
            1,338      .
    
```

activity_E **Playing a role play, selling things, playing Robot and car (not display)**

```

type:  string (str147), but longest is str0
unique values:  0                               missing "":  1,434/1,434
tabulation:  Freq.  Value
            1,434  ""
    
```

c1_code_E **E : Frequency**

```

type:  numeric (byte)
label:  c1_code

range:  [0,9]                               units:  1
unique values:  4                           missing .:  0/1,434
unique missing codes:  2                   missing *:  418/1,434

tabulation:  Freq.  Numeric  Label
              353      0  never
              2       5  at least once a week
              472      7  once a day
              189      9  more than once a day
              1       .b
              417      .c
    
```

c1_hr_E **E : Hours**

```

type:  numeric (float)

range:  [0,60]                               units:  1
unique values:  19                           missing .:  771/1,434

tabulation:  Freq.  Value
              96      0
              69      1
             125      2
              30      3
               6      4
             190      5
               7      6
              54      7
               4      8
               2      9
              43     10
               1     11
              16     12
               9     15
               2     17
               3     20
               2     22
               3     25
               1     60
             771      .
mean:      4.36501
std. dev:  4.48894

percentiles:      10%      25%      50%      75%      90%
                  0        2        5        5        10
    
```

cl_min_E

E : Minutes

type: numeric (**float**)
 range: [0,75] units: 1
 unique values: 29 missing .: 771/1,434

tabulation: Freq. Value

245	0
1	2
4	3
19	5
6	8
5	10
9	13
40	15
3	18
2	19
9	20
13	23
16	25
2	26
3	28
175	30
3	31
2	34
2	35
1	36
6	38
26	40
1	41
20	45
36	50
6	53
5	55
2	56
1	75
771	.

mean: 18.6078
 std. dev: 17.4245

percentiles: 10% 25% 50% 75% 90%
 0 0 18 30 45

cl_aa_E

Monday-Friday How many times

type: numeric (**double**)
 range: [1,10] units: .01
 unique values: 12 missing .: 771/1,434
 unique missing codes: 2 missing *: 18/1,434

tabulation: Freq. Value

472	1
35	1.5
66	2
33	2.5
13	3
16	3.5
1	4
4	4.5
1	4.88
1	5
1	5.5
2	10
771	.
18	.d

mean: 1.38198

std. dev: .861703
 percentiles: 10% 25% 50% 75% 90%
 1 1 1 1.5 2.5

c1_ab_E **Monday-Friday How many times per units**

type: string (**str21**), but longest is str4
 unique values: 2 missing "": 771/1,434
 tabulation: Freq. Value
 771 ""
 661 "day"
 2 "week"

c1_ac_E **Monday-Friday How many times per hours**

type: numeric (**double**)
 range: [0,5] units: .1
 unique values: 8 missing .: 771/1,434
 tabulation: Freq. Value
 367 0
 236 1
 16 1.5
 27 2
 8 2.5
 5 3
 3 4
 1 5
 771 .
 mean: .552036
 std. dev: .722904
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 1

c1_ad_E **Monday-Friday How many times per minutes**

type: numeric (**double**)
 range: [0,45] units: .1
 unique values: 23 missing .: 771/1,434
 tabulation: Freq. Value
 272 0
 1 1
 2 1.5
 4 2
 14 2.5
 4 3
 3 3.5
 10 4.5
 22 5
 3 5.5
 1 6
 1 6.5
 13 7.5
 50 10
 1 14.5
 42 15
 1 17.5
 33 20
 1 22.5

```

          13 25
          153 30
           5 35
          14 45
          771 .
    mean: 11.9389
    std. dev: 13.2547

    percentiles:    10%    25%    50%    75%    90%
                   0      0      5     30     30
    
```

c1_ba_E **E : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]
    unique values: 7
    unique missing codes: 2

                                units: 1
    missing .: 771/1,434
    missing *: 190/1,434
    
```

tabulation:	Freq.	Numeric	Label
	4	1	father
	1	3	mother
	7	5	grandparents
	3	7	uncle/aunt
	267	9	brother/sister/cousin
	181	11	outsider
	10	13	other household member
	771	.	
	190	.b	

c1_bb_E **E : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]
    unique values: 6
    unique missing codes: 2

                                units: 1
    missing .: 1,131/1,434
    missing *: 16/1,434
    
```

tabulation:	Freq.	Numeric	Label
	2	1	father
	3	3	mother
	3	5	grandparents
	74	9	brother/sister/cousin
	204	11	outsider
	1	13	other household member
	1,131	.	
	16	.b	

c1_bc_E **E : People doing activity with (person 3)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [3,13]
    unique values: 4
    unique missing codes: 2

                                units: 1
    missing .: 1,280/1,434
    missing *: 7/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              1       3  mother
              18      9  brother/sister/cousin
              127     11  outsider
              1      13  other household member
            1,280     .
              7       .b
    
```

c1_ba_gen_E **E : Gender code**

```

      type: numeric (byte)
      label: c1_ba_gen

      range: [1,3]
unique values: 2
                    units: 1
                    missing .: 961/1,434

      tabulation:  Freq.  Numeric  Label
                   222     1  male
                   251     3  female
                   961     .
    
```

c1_bb_gen_E **E : Gender code**

```

      type: numeric (byte)
      label: c1_bb_gen

      range: [1,3]
unique values: 2
                    units: 1
                    missing .: 1,147/1,434

      tabulation:  Freq.  Numeric  Label
                   131     1  male
                   156     3  female
                   1,147     .
    
```

c1_bc_gen_E **E : Gender code**

```

      type: numeric (byte)
      label: c1_bc_gen

      range: [1,3]
unique values: 2
                    units: 1
                    missing .: 1,287/1,434

      tabulation:  Freq.  Numeric  Label
                   58      1  male
                   89      3  female
                   1,287     .
    
```

c2_code_E **E : Frequency**

```

      type: numeric (byte)
      label: c2_code

      range: [0,9]
unique values: 4
unique missing codes: 2
                    units: 1
                    missing .: 0/1,434
                    missing *: 417/1,434

      tabulation:  Freq.  Numeric  Label
                   217     0  never
                   6      5  at least once a week
                   501     7  once a day
                   293     9  more than once a day
                   1      .b
                   416     .c
    
```

c2_hr_E

E : Hours

type: numeric (**float**)
 range: [0,24] units: 1
 unique values: 19 missing .: 634/1,434

tabulation: Freq. Value
 199 0
 159 1
 227 2
 73 3
 60 4
 28 5
 17 6
 10 7
 7 8
 3 9
 6 10
 1 11
 4 12
 1 14
 1 15
 1 17
 1 20
 1 22
 1 24
 634 .

mean: 2.1225
 std. dev: 2.51155

percentiles: 10% 25% 50% 75% 90%
 0 1 2 3 5

c2_min_E

E : Minutes

type: numeric (**float**)
 range: [0,58] units: 1
 unique values: 30 missing .: 634/1,434

tabulation: Freq. Value
 512 0
 1 2
 3 3
 3 4
 10 5
 2 6
 2 7
 2 8
 9 9
 21 10
 6 11
 2 12
 3 13
 2 14
 19 15
 1 18
 46 20
 1 21
 2 23
 5 25
 1 26
 81 30
 1 35
 3 38
 31 40
 11 45

```

        17 50
        1 53
        1 55
        1 58
        634 .
    mean: 9.1675
    std. dev: 14.5204

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      20     30
    
```

c2_aa_E **Saturday-Sunday How many times**

```

    type: numeric (double)
    range: [1,10]
    unique values: 12
    unique missing codes: 2
    units: .01
    missing .: 634/1,434
    missing *: 38/1,434
    
```

```

    tabulation:
    Freq. Value
    504 1
    48 1.5
    102 2
    50 2.5
    20 3
    25 3.5
    2 4
    4 4.5
    1 5
    2 5.5
    1 8.37
    3 10
    634 .
    38 .d
    mean: 1.48671
    std. dev: .96118

    percentiles:    10%    25%    50%    75%    90%
                   1      1      1      2     2.5
    
```

c2_ab_E **Saturday-Sunday How many times per units**

```

    type: string (str21), but longest is str4
    unique values: 2
    unique missing codes: 1
    missing "": 634/1,434

    tabulation:
    Freq. Value
    634 ""
    793 "day"
    7 "week"
    
```

c2_ac_E **Saturday-Sunday How many times per hours**

```

    type: numeric (double)
    range: [0,10]
    unique values: 10
    unique missing codes: 2
    units: .1
    missing .: 635/1,434
    missing *: 1/1,434
    
```

```

tabulation:  Freq.  Value
              419    0
              282    1
              25    1.5
              38    2
              14    2.5
              11    3
               2    3.5
               3    4
               3    5
               1   10
              635    .
               1    .c
    mean:     .635965
    std. dev: .868736

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      1.5
    
```

c2_ad_E **Saturday-Sunday How many times per minutes**

```

type: numeric (double)
range: [0,45]
unique values: 24
unique missing codes: 2
units: .1
missing .: 634/1,434
missing *: 1/1,434
    
```

```

tabulation:  Freq.  Value
              340    0
               1    1
               2    1.5
               5    2
              14    2.5
               3    3
               5    3.5
              10    4.5
              24    5
               3    5.5
               1    6
               1    6.5
              18    7.5
              56    10
               1   14.5
              51    15
               1   17.5
              32    20
               1   22.5
              15    25
             191    30
               4    35
               1    40
              19    45
             634    .
               1    .c
    mean:     11.97
    std. dev: 13.4729

percentiles:    10%    25%    50%    75%    90%
                0      0      5     30     30
    
```

c2_ba_E **E : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
    
```


range: [1,13] units: 1
 unique values: 7 missing .: 636/1,434
 unique missing codes: 2 missing *: 211/1,434

tabulation:	Freq.	Numeric	Label
	4	1	father
	2	3	mother
	8	5	grandparents
	5	7	uncle/aunt
	324	9	brother/sister/cousin
	232	11	outsider
	12	13	other household member
	636	.	.
	211	.b	.b

c2_bb_E **E : People doing activity with (person 2)**

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 6 missing .: 1,061/1,434
 unique missing codes: 2 missing *: 17/1,434

tabulation:	Freq.	Numeric	Label
	2	1	father
	3	3	mother
	3	5	grandparents
	91	9	brother/sister/cousin
	256	11	outsider
	1	13	other household member
	1,061	.	.
	17	.b	.b

c2_bc_E **E : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A

range: [3,13] units: 1
 unique values: 4 missing .: 1,238/1,434
 unique missing codes: 2 missing *: 8/1,434

tabulation:	Freq.	Numeric	Label
	1	3	mother
	23	9	brother/sister/cousin
	163	11	outsider
	1	13	other household member
	1,238	.	.
	8	.b	.b

c2_ba_gen_E **E : Gender code**

type: numeric (byte)
 label: c2_ba_gen

range: [1,3] units: 1
 unique values: 2 missing .: 846/1,434

tabulation:	Freq.	Numeric	Label
	279	1	male
	309	3	female
	846	.	.

c2_bb_gen_E **E : Gender code**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,078/1,434

tabulation: Freq.  Numeric  Label
              154      1  male
              202      3  female
              1,078      .
    
```

c2_bc_gen_E **E : Gender code**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,246/1,434

tabulation: Freq.  Numeric  Label
              75      1  male
              113     3  female
              1,246     .
    
```

c3_code_E **E : Frequency**

```

type: numeric (byte)
label: c3_code

range: [0,5]
unique values: 4
unique missing codes: 1
units: 1
missing ..: 0/1,434
missing *: 1,015/1,434

tabulation: Freq.  Numeric  Label
              1      0  never
              2      1  less than once a month
              24     3  at least once a month
              392    5  at least once a week
              1,015  .b
    
```

c3_hr_E **E : Hours**

```

type: numeric (float)

range: [0,85]
unique values: 10
unique missing codes: 2
units: 1
missing ..: 1,042/1,434
missing *: 2/1,434

tabulation: Freq.  Value
              172    0
              112    1
               52    2
               21    3
               13    4
                8    5
                4    6
                5    7
                2   12
                1   85
              1,042  .
                2   .c
mean:      1.38205
    
```

std. dev: 4.55587
 percentiles: 10% 25% 50% 75% 90%
 0 0 1 2 3

c3_min_E

E : Minutes

type: numeric (float)
 range: [0,55] units: 1
 unique values: 33 missing .: 1,042/1,434
 unique missing codes: 2 missing *: 2/1,434

tabulation:	Freq.	Value
	107	0
	2	2
	2	3
	8	4
	10	5
	8	6
	4	7
	4	8
	6	9
	12	10
	6	11
	6	13
	2	14
	42	15
	1	16
	2	18
	3	19
	14	20
	2	21
	2	23
	16	25
	2	26
	1	27
	3	28
	72	30
	1	35
	9	38
	3	40
	1	44
	27	45
	9	50
	2	53
	1	55
	1,042	.
	2	.c
mean:	17.2897	
std. dev:	15.4921	

percentiles: 10% 25% 50% 75% 90%
 0 0 15 30 44.5

c3_aa_E

Monday-Sunday How many times

type: numeric (double)
 range: [1,5.5] units: .1
 unique values: 10 missing .: 1,042/1,434

```

tabulation:  Freq.  Value
              60    1
              49   1.5
              87    2
              87   2.5
              48    3
              26   3.5
              18    4
               5   4.5
               6    5
               6   5.5
            1,042  .
    mean:     2.34056
    std. dev: .993309

percentiles:    10%    25%    50%    75%    90%
                1     1.5    2.25   3     3.5
    
```

c3_ab_E **Monday-Sunday How many times per units**

```

type: string (str24), but longest is str4
unique values: 1          missing "": 1,042/1,434

tabulation:  Freq.  Value
              1,042  ""
              392   "week"
    
```

c3_ac_E **Monday-Sunday How many times per hours**

```

type: numeric (double)
range: [0,15]          units: .1
unique values: 7       missing .: 1,042/1,434

tabulation:  Freq.  Value
              276    0
              83    1
               3   1.5
              22    2
               6   2.5
               1    5
               1   15
            1,042  .
    mean:     .424745
    std. dev: 1.0045

percentiles:    10%    25%    50%    75%    90%
                0     0     0     1     1
    
```

c3_ad_E **Monday-Sunday How many times per minutes**

```

type: numeric (double)
range: [0,45]          units: .1
unique values: 22      missing .: 1,042/1,434
unique missing codes: 2  missing *: 2/1,434
    
```

```

tabulation:  Freq.  Value
              103    0
               1    1.5
               4     2
              11    2.5
               9     3
               6    3.5
               9    4.5
              18     5
               1    5.5
               2    6.5
               4    7.5
               2    8.5
              47    10
               2   12.5
               1   14.5
              12   15
               4   17.5
              16   20
              10   25
             121   30
               3   35
               4   45
            1,042  .
               2  .c
    mean:      14.1679
    std. dev:  12.9807

percentiles:      10%      25%      50%      75%      90%
                  0         0         10         30         30
    
```

c3_ba_E **E : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 6       missing .: 1,015/1,434
unique missing codes: 2  missing *: 115/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              2         1  father
              3         3  mother
              2         5  grandparents
             160        9  brother/sister/cousin
             136        11  outsider
               1        13  other household member
            1,015        .
             115        .b
    
```

c3_bb_E **E : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [7,11]         units: 1
unique values: 3       missing .: 1,217/1,434
unique missing codes: 2  missing *: 10/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              1         7  uncle/aunt
              56        9  brother/sister/cousin
             150        11  outsider
            1,217        .
              10        .b
    
```

c3_bc_E **E : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [9,11]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,336/1,434
missing *: 1/1,434

tabulation: Freq.  Numeric  Label
              13      9  brother/sister/cousin
              84     11  outsider
            1,336     .
              1      .b
    
```

c3_ba_gen_E **E : Gender code**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,127/1,434

tabulation: Freq.  Numeric  Label
              138     1  male
              169     3  female
            1,127     .
    
```

c3_bb_gen_E **E : Gender code**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,227/1,434

tabulation: Freq.  Numeric  Label
              75     1  male
              132     3  female
            1,227     .
    
```

c3_bc_gen_E **E : Gender code**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,337/1,434

tabulation: Freq.  Numeric  Label
              34     1  male
              63     3  female
            1,337     .
    
```

activity_F **Practice reading-writing math, ABC and counting number (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,434/1,434
    
```

tabulation: Freq. Value
 1,434 ""

c1_code_F **F : Frequency**

type: numeric (**byte**)
 label: **c1_code**
 range: [0,9] units: 1
 unique values: 4 missing .: 0/1,434
 unique missing codes: 2 missing *: 500/1,434

tabulation:	Freq.	Numeric	Label
	537	0	never
	3	5	at least once a week
	321	7	once a day
	73	9	more than once a day
	1	.b	
	499	.c	

c1_hr_F **F : Hours**

type: numeric (**float**)
 range: [0,11] units: 1
 unique values: 12 missing .: 1,037/1,434
 unique missing codes: 2 missing *: 2/1,434

tabulation:	Freq.	Value			
	141	0			
	65	1			
	95	2			
	14	3			
	1	4			
	62	5			
	3	6			
	5	7			
	1	8			
	2	9			
	5	10			
	1	11			
	1,037	.			
	2	.c			
mean:	1.90127				
std. dev:	2.20126				
percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	5

c1_min_F **F : Minutes**

type: numeric (**float**)
 range: [0,55] units: 1
 unique values: 24 missing .: 1,037/1,434
 unique missing codes: 2 missing *: 2/1,434

```

tabulation:  Freq.  Value
              67    0
              1    2
              6    3
              9    5
              6    8
              6   10
              19   13
              31   15
              8   18
              3   19
              4   20
              3   23
              24   25
              3   28
              89   30
              2   31
              1   34
              9   38
              33   40
              2   44
              11   45
              52   50
              2   53
              4   55
            1,037  .
              2   .c
    mean:      24.9519
  std. dev:    16.9037

percentiles:      10%      25%      50%      75%      90%
                  0         13         30         40         50
  
```

c1_aa_F **Monday-friday How many times**

```

type: numeric (double)
range: [1,5.5]
unique values: 7
unique missing codes: 2
units: .1
missing .: 1,037/1,434
missing *: 3/1,434

tabulation:  Freq.  Value
              323    1
              17   1.5
              28    2
              14   2.5
              6    3
              4   3.5
              2   5.5
            1,037  .
              3   .d
    mean:      1.22462
  std. dev:    .582552

percentiles:      10%      25%      50%      75%      90%
                  1         1         1         1         2
  
```

c1_ab_F **Monday-friday How many times per units**

```

type: string (str21), but longest is str4
unique values: 2
missing "": 1,037/1,434

tabulation:  Freq.  Value
            1,037  ""
             395  "day"
              2   "week"
  
```

c1_ac_F **Monday-friday How many times per hours**

```

type: numeric (double)
range: [0,2]
unique values: 4
unique missing codes: 2
units: .1
missing .: 1,038/1,434
missing *: 1/1,434

tabulation: Freq. Value
              333  0
              56  1
               2  1.5
               4  2
            1,038 .
               1  .c
mean:        .16962
std. dev:    .406594

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

c1_ad_F **Monday-friday How many times per minutes**

```

type: numeric (double)
range: [0,45]
unique values: 21
unique missing codes: 2
units: .1
missing .: 1,038/1,434
missing *: 1/1,434

tabulation: Freq. Value
              62  0
               1  1
               5  1.5
               4  2
              24  2.5
               7  3
               9  3.5
               5  4.5
              32  5
               2  5.5
               1  6
              13  7.5
              58  10
               1  14.5
              23  15
              34  20
               7  25
              98  30
               4  35
               2  40
               3  45
            1,038 .
               1  .c
mean:        13.9633
std. dev:    11.9857

percentiles:    10%    25%    50%    75%    90%
                0      3      10     30     30
    
```

c1_ba_F **F : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
    
```

range: [1,13] units: 1
 unique values: 7 missing .: 1,037/1,434
 unique missing codes: 2 missing *: 98/1,434

tabulation:	Freq.	Numeric	Label
	30	1	father
	88	3	mother
	101	5	grandparents
	7	7	uncle/aunt
	52	9	brother/sister/cousin
	11	11	outsider
	10	13	other household member
	1,037	.	
	98	.b	

c1_bb_F **F : People doing activity with (person 2)**

type: numeric (byte)
 label: c1_ba_A

range: [1,11] units: 1
 unique values: 6 missing .: 1,318/1,434
 unique missing codes: 2 missing *: 15/1,434

tabulation:	Freq.	Numeric	Label
	3	1	father
	27	3	mother
	26	5	grandparents
	1	7	uncle/aunt
	34	9	brother/sister/cousin
	10	11	outsider
	1,318	.	
	15	.b	

c1_bc_F **F : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 7 missing .: 1,410/1,434
 unique missing codes: 2 missing *: 3/1,434

tabulation:	Freq.	Numeric	Label
	3	1	father
	2	3	mother
	7	5	grandparents
	1	7	uncle/aunt
	5	9	brother/sister/cousin
	2	11	outsider
	1	13	other household member
	1,410	.	
	3	.b	

c1_ba_gen_F **F : Gender code**

type: numeric (byte)
 label: c1_ba_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,133/1,434

```

tabulation:  Freq.  Numeric  Label
              90      1      male
              211     3      female
              1,133   .
    
```

c1_bb_gen_F **F : Gender code**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,332/1,434

tabulation:  Freq.  Numeric  Label
              28      1      male
              74      3      female
              1,332   .
    
```

c1_bc_gen_F **F : Gender code**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,412/1,434

tabulation:  Freq.  Numeric  Label
              8      1      male
              14     3      female
              1,412   .
    
```

c2_code_F **F : Frequency**

```

type: numeric (byte)
label: c2_code

range: [0,9]          units: 1
unique values: 4      missing .: 0/1,434
unique missing codes: 2  missing *: 499/1,434

tabulation:  Freq.  Numeric  Label
              535     0      never
              3      5      at least once a week
              313     7      once a day
              84      9      more than once a day
              1      .b
              498     .c
    
```

c2_hr_F **F : Hours**

```

type: numeric (float)

range: [0,8]          units: 1
unique values: 8      missing .: 1,034/1,434
unique missing codes: 2  missing *: 2/1,434
    
```

```

tabulation:  Freq.  Value
              210  0
              105  1
              62  2
              10  3
               8  4
               1  5
               1  7
               1  8
            1,034  .
               2  .c
    mean:     .781407
    std. dev:  1.0834

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2
    
```

c2_min_F

F : Minutes

```

type: numeric (float)
range: [0,50]
unique values: 23
unique missing codes: 2
units: 1
missing .: 1,034/1,434
missing *: 2/1,434
    
```

```

tabulation:  Freq.  Value
              161  0
               1  2
               5  3
               2  4
              14  5
               5  6
               8  7
               4  8
               5  9
              28 10
               2 11
               2 12
               2 13
               1 14
              10 15
               3 18
              55 20
               1 21
               8 25
              37 30
              36 40
               2 45
               6 50
            1,034  .
               2  .c
    mean:     12.7864
    std. dev:  14.2902

percentiles:      10%      25%      50%      75%      90%
                  0        0        8       20       40
    
```

c2_aa_F

Saturday-Sunday How many times

```

type: numeric (double)
range: [1,5.5]
unique values: 7
unique missing codes: 2
units: .1
missing .: 1,034/1,434
missing *: 4/1,434
    
```



```

tabulation:  Freq.  Value
              63    0
              1    1
              5    1.5
              4    2
              21   2.5
              8    3
              9    3.5
              7    4.5
              29   5
              2    5.5
              1    6
              11   7.5
              63   10
              23   15
              31   20
              5    25
             106   30
              4    35
              2    40
              3    45
            1,035  .
              1    .c
    mean:     14.2098
  std. dev:   12.1011

percentiles:      10%      25%      50%      75%      90%
                  0         3         10        30        30
  
```

c2_ba_F **F : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]          units: 1
  unique values: 7        missing .: 1,034/1,434
  unique missing codes: 2  missing *: 100/1,434

    tabulation:  Freq.  Numeric  Label
                 27     1  father
                 93     3  mother
                 96     5  grandparents
                   8     7  uncle/aunt
                 55     9  brother/sister/cousin
                 12    11  outsider
                   9    13  other household member
            1,034    .
             100    .b
  
```

c2_bb_F **F : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]          units: 1
  unique values: 7        missing .: 1,311/1,434
  unique missing codes: 2  missing *: 14/1,434
  
```

```

tabulation:  Freq.  Numeric  Label
              2       1  father
              24      3  mother
              28      5  grandparents
               1       7  uncle/aunt
              43      9  brother/sister/cousin
              10     11  outsider
               1     13  other household member
            1,311      .
              14      .b
    
```

c2_bc_F **F : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7       missing .: 1,411/1,434
unique missing codes: 2  missing *: 3/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              3       1  father
              2       3  mother
              7       5  grandparents
               1       7  uncle/aunt
               5       9  brother/sister/cousin
               1     11  outsider
               1     13  other household member
            1,411      .
               3       .b
    
```

c2_ba_gen_F **F : Gender code**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]          units: 1
unique values: 2       missing .: 1,132/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              87      1  male
             215      3  female
            1,132      .
    
```

c2_bb_gen_F **F : Gender code**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]          units: 1
unique values: 2       missing .: 1,325/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              31      1  male
              78      3  female
            1,325      .
    
```

c2_bc_gen_F **F : Gender code**

```

type: numeric (byte)
label: c2_bc_gen
    
```

```

range: [1,3] units: 1
unique values: 2 missing .: 1,413/1,434

tabulation: Freq. Numeric Label
              7         1 male
              14         3 female
            1,413         .
    
```

c3_code_F **F : Frequency**

```

type: numeric (byte)
label: c3_code

range: [0,5] units: 1
unique values: 3 missing .: 0/1,434
unique missing codes: 1 missing *: 934/1,434

tabulation: Freq. Numeric Label
              1         0 never
              16         3 at least once a month
              483         5 at least once a week
              934         .b
    
```

c3_hr_F **F : Hours**

```

type: numeric (float)

range: [0,5] units: 1
unique values: 6 missing .: 951/1,434
unique missing codes: 2 missing *: 2/1,434

tabulation: Freq. Value
              298  0
              128  1
               34  2
               14  3
                3  4
                4  5
               951  .
                2  .c
mean: .561331
std. dev: .897265

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         1         2
    
```

c3_min_F **F : Minutes**

```

type: numeric (float)

range: [0,53] units: 1
unique values: 32 missing .: 951/1,434
unique missing codes: 2 missing *: 2/1,434

tabulation: Freq. Value
              80  0
               1  1
               4  2
              13  3
              11  4
              21  5
              15  6
               2  7
               3  8
               4  9
              24 10
    
```



```

          9 11
         11 13
          2 14
         41 15
          1 16
          5 18
          5 19
         26 20
          6 23
          1 24
         16 25
         85 30
          1 31
          6 35
         18 38
         10 40
          1 41
          2 44
         39 45
         13 50
          5 53
        951 .
          2 .c
    mean: 19.632
  std. dev: 15.6309

percentiles:      10%      25%      50%      75%      90%
                  0         5         15         30         45

```

c3_aa_F **Monday-Sunday How many times**

```

    type: numeric (double)
    range: [1,6]
unique values: 11
    units: .1
    missing .: 951/1,434

  tabulation: Freq. Value
               66 1
               43 1.5
              105 2
              105 2.5
               83 3
               38 3.5
               18 4
               10 4.5
               10 5
                4 5.5
                1 6
              951 .
    mean: 2.44306
  std. dev: .983457

percentiles:      10%      25%      50%      75%      90%
                  1         2         2.5         3         3.5

```

c3_ab_F **Monday-Sunday How many times per units**

```

    type: string (str24), but longest is str4
unique values: 2
    missing "": 952/1,434

  tabulation: Freq. Value
               952 ""
                1 "day"
               481 "week"

```

c3_ac_F **Monday-Sunday How many times per hours**

```

type: numeric (double)
range: [0,2]
unique values: 4
unique missing codes: 2
units: .1
missing .: 951/1,434
missing *: 1/1,434

tabulation: Freq. Value
             429  0
             51  1
              1  1.5
              1  2
             951  .
              1  .c
mean:       .113071
std. dev:   .325901

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

c3_ad_F **Monday-Sunday How many times per minutes**

```

type: numeric (double)
range: [0,45]
unique values: 22
unique missing codes: 2
units: .1
missing .: 951/1,434
missing *: 2/1,434

tabulation: Freq. Value
             49  0
              7  1
              8  1.5
              6  2
             23  2.5
             10  3
              3  3.5
              3  4
             16  4.5
             34  5
              1  5.5
             13  7.5
              2  9.5
             77  10
              8  12.5
             36  15
              2  17.5
             36  20
             10  25
            133  30
              1  35
              3  45
             951  .
              2  .c
mean:       14.7193
std. dev:   11.5093

percentiles:    10%    25%    50%    75%    90%
                0      4.5    10     30     30
    
```

c3_ba_F **F : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
    
```

range: [1,13] units: 1
 unique values: 7 missing .: 935/1,434
 unique missing codes: 2 missing *: 124/1,434

tabulation:	Freq.	Numeric	Label
	30	1	father
	124	3	mother
	105	5	grandparents
	18	7	uncle/aunt
	77	9	brother/sister/cousin
	11	11	outsider
	10	13	other household member
	935	.	.
	124	.b	.b

c3_bb_F **F : People doing activity with (person 2)**

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 7 missing .: 1,295/1,434
 unique missing codes: 2 missing *: 9/1,434

tabulation:	Freq.	Numeric	Label
	7	1	father
	32	3	mother
	32	5	grandparents
	3	7	uncle/aunt
	48	9	brother/sister/cousin
	5	11	outsider
	3	13	other household member
	1,295	.	.
	9	.b	.b

c3_bc_F **F : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 7 missing .: 1,410/1,434
 unique missing codes: 2 missing *: 1/1,434

tabulation:	Freq.	Numeric	Label
	4	1	father
	2	3	mother
	3	5	grandparents
	1	7	uncle/aunt
	8	9	brother/sister/cousin
	3	11	outsider
	2	13	other household member
	1,410	.	.
	1	.b	.b

c3_ba_gen_F **F : Gender code**

type: numeric (byte)
 label: c3_ba_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,059/1,434

```

tabulation:  Freq.  Numeric  Label
              108      1  male
              267      3  female
              1,059      .
    
```

c3_bb_gen_F **F : Gender code**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,301/1,434

tabulation:  Freq.  Numeric  Label
              43      1  male
              90      3  female
              1,301      .
    
```

c3_bc_gen_F **F : Gender code**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,411/1,434

tabulation:  Freq.  Numeric  Label
              11      1  male
              12      3  female
              1,411      .
    
```

activity_G **Playing blocks or plasticine, drawing and painting (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,434/1,434

tabulation:  Freq.  Value
              1,434  ""
    
```

c1_code_G **G : Frequency**

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 4
unique missing codes: 1
units: 1
missing .: 0/1,434
missing *: 657/1,434

tabulation:  Freq.  Numeric  Label
              386      0  never
              1       5  at least once a week
              308      7  once a day
              82       9  more than once a day
              657      .c
    
```

c1_hr_G **G : Hours**

```

type: numeric (float)
    
```

range: [0,31] units: 1
 unique values: 16 missing .: 1,043/1,434

tabulation: Freq. Value
 131 0
 63 1
 85 2
 16 3
 5 4
 58 5
 5 6
 5 7
 1 8
 10 10
 5 12
 1 15
 1 16
 2 17
 2 18
 1 31

1,043 .
 mean: 2.44501
 std. dev: 3.44055

percentiles: 10% 25% 50% 75% 90%
 0 0 2 3 5

c1_min_G

G : Minutes

type: numeric (float)

range: [0,56] units: 1
 unique values: 25 missing .: 1,043/1,434

tabulation: Freq. Value
 69 0
 2 3
 9 5
 1 6
 9 8
 7 10
 1 11
 7 13
 37 15
 1 18
 12 20
 9 23
 20 25
 4 28
 85 30
 3 34
 11 38
 30 40
 1 41
 1 43
 9 45
 53 50
 3 53
 4 55
 3 56

1,043 .
 mean: 25.2916
 std. dev: 17.1448

percentiles: 10% 25% 50% 75% 90%
 0 11 30 40 50

c1_aa_G **Monday-Friday How many times**

```

type: numeric (double)
range: [1,4.5]
unique values: 8
unique missing codes: 2
units: .1
missing .: 1,043/1,434
missing *: 4/1,434

tabulation: Freq. Value
             308 1
             15 1.5
             33 2
             15 2.5
              3 3
              9 3.5
              2 4
              2 4.5
            1,043 .
              4 .d
mean: 1.27003
std. dev: .629648

percentiles:      10%      25%      50%      75%      90%
                  1         1         1         1         2
    
```

c1_ab_G **Monday-Friday How many times per units**

```

type: string (str21), but longest is str4
unique values: 2
missing "": 1,043/1,434

tabulation: Freq. Value
            1,043 ""
             390 "day"
              1  "week"
    
```

c1_ac_G **Monday-Friday How many times per hours**

```

type: numeric (double)
range: [0,3]
unique values: 5
units: .1
missing .: 1,043/1,434

tabulation: Freq. Value
             316 0
              62 1
               6 2
               4 2.5
               3 3
            1,043 .
mean: .237852
std. dev: .545094

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         1
    
```

c1_ad_G **Monday-Friday How many times per minutes**

```

type: numeric (double)
range: [0,50]
unique values: 24
units: .1
missing .: 1,043/1,434
    
```

```

tabulation:  Freq.  Value
              68    0
              3    1
              9   1.5
              5    2
              7   2.5
              7    3
              1   3.5
              3    4
              12   4.5
              24    5
              2   5.5
              14   7.5
              1   8.5
              63   10
              28   15
              1  17.5
              33   20
              7   25
              95   30
              1   35
              2   40
              1  42.5
              3   45
              1   50
              1,043 .
mean:        14
std. dev:   11.9963

percentiles:  10%    25%    50%    75%    90%
              0      3      10     30     30
    
```

c1_ba_G **G : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7        missing .: 1,043/1,434
unique missing codes: 2 missing *: 215/1,434

tabulation:  Freq.  Numeric  Label
              4      1  father
              7      3  mother
              16     5  grandparents
              1      7  uncle/aunt
              115    9  brother/sister/cousin
              29    11  outsider
              4     13  other household member
              1,043 .
              215   .b
    
```

c1_bb_G **G : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7        missing .: 1,327/1,434
unique missing codes: 2 missing *: 8/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              2       1  father
              6       3  mother
              5       5  grandparents
              1       7  uncle/aunt
             46       9  brother/sister/cousin
             38      11  outsider
              1      13  other household member
            1,327      .
              8       .b
    
```

c1_bc_G **G : People doing activity with (person 3)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [1,13]
unique values: 5
unique missing codes: 2

                        units: 1
                        missing .: 1,396/1,434
                        missing *: 1/1,434

      tabulation:  Freq.  Numeric  Label
                   1       1  father
                   2       5  grandparents
                   12      9  brother/sister/cousin
                   21     11  outsider
                   1     13  other household member
            1,396      .
                   1       .b
    
```

c1_ba_gen_G **G : Gender code**

```

      type: numeric (byte)
      label: c1_ba_gen

      range: [1,3]
unique values: 2

                        units: 1
                        missing .: 1,257/1,434

      tabulation:  Freq.  Numeric  Label
                   69       1  male
                  108       3  female
            1,257      .
    
```

c1_bb_gen_G **G : Gender code**

```

      type: numeric (byte)
      label: c1_bb_gen

      range: [1,3]
unique values: 2

                        units: 1
                        missing .: 1,335/1,434

      tabulation:  Freq.  Numeric  Label
                   40       1  male
                   59       3  female
            1,335      .
    
```

c1_bc_gen_G **G : Gender code**

```

      type: numeric (byte)
      label: c1_bc_gen

      range: [1,3]
unique values: 2

                        units: 1
                        missing .: 1,397/1,434
    
```



```

tabulation:  Freq.  Numeric  Label
              17      1  male
              20      3  female
            1,397      .
    
```

c2_code_G **G : Frequency**

```

type: numeric (byte)
label: c2_code

range: [0,9]          units: 1
unique values: 4      missing .: 0/1,434
unique missing codes: 1  missing *: 658/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              345      0  never
              6       5  at least once a week
              311      7  once a day
              114      9  more than once a day
              658      .c
    
```

c2_hr_G **G : Hours**

```

type: numeric (float)

range: [0,12]        units: 1
unique values: 10    missing .: 1,003/1,434
    
```

```

tabulation:  Freq.  Value
              202  0
              112  1
              75   2
              9    3
              12   4
              6    5
              7    6
              5    7
              1    8
              2   12
            1,003 .
mean: 1.10441
std. dev: 1.64126
    
```

```

percentiles:  10%    25%    50%    75%    90%
              0      0      1      2      2
    
```

c2_min_G **G : Minutes**

```

type: numeric (float)

range: [0,55]        units: 1
unique values: 26    missing .: 1,004/1,434
    
```

```

tabulation:  Freq.  Value
              181  0
              2   2
              9   3
              3   4
              6   5
              9   6
              1   7
              3   8
              6   9
              21  10
              3   11
              1   14
    
```

```

13 15
1 17
3 18
59 20
3 23
1 24
2 25
43 30
3 35
2 38
38 40
5 45
11 50
1 55
1,004 .
mean: 13.6721
std. dev: 15.384

percentiles:    10%    25%    50%    75%    90%
                0      0      9     23     40
    
```

c2_aa_G **Saturday-Sunday How many times**

```

type: numeric (double)

range: [1,4.5]          units: .1
unique values: 8        missing .: 1,003/1,434
unique missing codes: 2 missing *: 15/1,434

tabulation:  Freq.  Value
              316   1
              17   1.5
              41   2
              24   2.5
               3   3
              10   3.5
               1   4
               4   4.5
            1,003   .
              15   .d
mean: 1.32091
std. dev: .674685

percentiles:    10%    25%    50%    75%    90%
                1      1      1      1     2.5
    
```

c2_ab_G **Saturday-Sunday How many times per units**

```

type: string (str21), but longest is str4

unique values: 2          missing "": 1,003/1,434

tabulation:  Freq.  Value
              1,003  ""
              426   "day"
               5   "week"
    
```

c2_ac_G **Saturday-Sunday How many times per hours**

```

type: numeric (double)

range: [0,30]          units: .1
unique values: 7        missing .: 1,004/1,434
    
```

```

tabulation:  Freq.  Value
              336  0
              68  1
              3  1.5
              7  2
              5  2.5
              10  3
              1  30
            1,004  .
      mean:    .369767
    std. dev:  1.57575

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1
    
```

c2_ad_G **Saturday-Sunday How many times per minutes**

```

      type:  numeric (double)
      range: [0,50]
unique values: 23
      units: .1
      missing .: 1,004/1,434

      tabulation:  Freq.  Value
                   85  0
                   4  1
                   8  1.5
                   4  2
                   5  2.5
                   8  3
                   3  3.5
                   3  4
                   11 4.5
                   20 5
                   3  5.5
                   15 7.5
                   65 10
                   29 15
                   2  17.5
                   36 20
                   8  25
                   113 30
                   1  35
                   2  40
                   1  42.5
                   3  45
                   1  50
            1,004  .
      mean:    14.2651
    std. dev:  12.2069

percentiles:      10%      25%      50%      75%      90%
                  0        3        10       30       30
    
```

c2_ba_G **G : People doing activity with (person 1)**

```

      type:  numeric (byte)
      label: c1_ba_A

      range: [1,13]
unique values: 7
unique missing codes: 2
      units: 1
      missing .: 1,003/1,434
      missing *: 227/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              5      1  father
              9      3  mother
             16      5  grandparents
              1      7  uncle/aunt
             138      9  brother/sister/cousin
             30     11  outsider
              5     13  other household member
            1,003      .
             227     .b
    
```

c2_bb_G **G : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,304/1,434
missing *: 11/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              1      1  father
              6      3  mother
              6      5  grandparents
              1      7  uncle/aunt
             52      9  brother/sister/cousin
             52     11  outsider
              1     13  other household member
            1,304      .
             11     .b
    
```

c2_bc_G **G : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [5,13]
unique values: 5
unique missing codes: 2

units: 1
missing .: 1,385/1,434
missing *: 1/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              2      5  grandparents
              1      7  uncle/aunt
             13      9  brother/sister/cousin
             31     11  outsider
              1     13  other household member
            1,385      .
              1     .b
    
```

c2_ba_gen_G **G : Gender code**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,228/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
             88      1  male
            118      3  female
           1,228      .
    
```

c2_bb_gen_G **G : Gender code**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,315/1,434

tabulation: Freq.  Numeric  Label
              54         1  male
              65         3  female
            1,315         .
    
```

c2_bc_gen_G **G : Gender code**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,386/1,434

tabulation: Freq.  Numeric  Label
              24         1  male
              24         3  female
            1,386         .
    
```

c3_code_G **G : Frequency**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 1/1,434
missing *: 776/1,434

tabulation: Freq.  Numeric  Label
              62         3  at least once a month
              595        5  at least once a week
               1         .
              776        .b
    
```

c3_hr_G **G : Hours**

```

type: numeric (float)

range: [0,20]
unique values: 8
unique missing codes: 2
units: 1
missing ..: 839/1,434
missing *: 3/1,434

tabulation: Freq.  Value
              352    0
              151    1
               56    2
               16    3
                8    4
                4    5
                4    6
                1   20
              839    .
                3    .c
mean:         .6875
std. dev:     1.30804

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      2
    
```

c3_min_G

G : Minutes

type: numeric (**float**)
 range: [0,53] units: 1
 unique values: 34 missing .: 839/1,434
 unique missing codes: 2 missing *: 3/1,434

tabulation: Freq. Value
 101 0
 3 1
 7 2
 17 3
 12 4
 13 5
 10 6
 5 7
 15 8
 8 9
 44 10
 10 11
 2 13
 2 14
 57 15
 1 16
 2 17
 4 18
 4 19
 30 20
 14 23
 20 25
 3 26
 2 28
 118 30
 1 31
 3 35
 10 38
 22 40
 4 44
 32 45
 9 50
 1 51
 6 53
 839 .
 3 .c
 mean: 18.6689
 std. dev: 14.8199

percentiles: 10% 25% 50% 75% 90%
 0 5 15 30 40

c3_aa_G

Monday-Sunday How many times

type: numeric (**double**)
 range: [1,8.5] units: .01
 unique values: 13 missing .: 839/1,434
 unique missing codes: 2 missing *: 1/1,434

```

tabulation:  Freq.  Value
              121    1
              74    1.5
              130    2
              100    2.5
              99     3
              34    3.5
              12     4
              13    4.5
               6     5
               1    5.25
               2    5.5
               1     6
               1    8.5
             839    .
               1    .d
    mean:     2.23106
    std. dev: .993104

percentiles: 10%    25%    50%    75%    90%
              1     1.5    2     3     3.5
    
```

c3_ab_G **Monday-Sunday How many times per units**

```

type: string (str24), but longest is str4
unique values: 1 missing "": 839/1,434

tabulation:  Freq.  Value
              839    ""
              595    "week"
    
```

c3_ac_G **Monday-Sunday How many times per hours**

```

type: numeric (double)
range: [0,4] units: .1
unique values: 6 missing .: 839/1,434
unique missing codes: 2 missing *: 1/1,434

tabulation:  Freq.  Value
              495    0
              89    1
               6    2
               1    2.5
               2    3
               1    4
             839    .
               1    .c
    mean:     .191077
    std. dev: .47102

percentiles: 10%    25%    50%    75%    90%
              0     0     0     0     1
    
```

c3_ad_G **Monday-Sunday How many times per minutes**

```

type: numeric (double)
range: [0,45] units: .1
unique values: 26 missing .: 839/1,434
unique missing codes: 2 missing *: 3/1,434
    
```

```

tabulation:  Freq.  Value
              93    0
               4    1
               8    1.5
               8    2
              26    2.5
              11    3
               9    3.5
               1    4
              14    4.5
              39    5
               6    5.5
               1    6.5
              16    7.5
               2    9.5
              83   10
               1   11.5
               6   12.5
               1   14.5
              35   15
               4   17.5
              45   20
              10   25
             153   30
               3   35
               4   40
               9   45
             839  .
               3  .c
    mean:     14.4223
    std. dev: 12.2576

percentiles:    10%    25%    50%    75%    90%
                0      3      10     30     30
    
```

c3_ba_G **G : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]          units: 1
    unique values: 7       missing .: 777/1,434
    unique missing codes: 2  missing *: 299/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              7      1  father
              22     3  mother
              23     5  grandparents
               8     7  uncle/aunt
             217     9  brother/sister/cousin
              74    11  outsider
               7    13  other household member
             777  .
             299  .b
    
```

c3_bb_G **G : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]          units: 1
    unique values: 6       missing .: 1,259/1,434
    unique missing codes: 2  missing *: 14/1,434
    
```



```

tabulation:  Freq.  Numeric  Label
              3      1  father
              4      3  mother
              11     5  grandparents
              68     9  brother/sister/cousin
              74    11  outsider
              1     13  other household member
            1,259    .
              14     .b
    
```

c3_bc_G **G : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [3,11]          units: 1
unique values: 4      missing .: 1,374/1,434
unique missing codes: 2  missing *: 2/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              3      3  mother
              1      5  grandparents
              7      9  brother/sister/cousin
              47    11  outsider
            1,374    .
              2     .b
    
```

c3_ba_gen_G **G : Gender code**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,074/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              158     1  male
              202     3  female
            1,074    .
    
```

c3_bb_gen_G **G : Gender code**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,269/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              65      1  male
              100     3  female
            1,269    .
    
```

c3_bc_gen_G **G : Gender code**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,376/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              16      1  male
              42      3  female
            1,376      .
    
```

activity_H **Go to temple, library, zoo and museum (not display)**

```

type:  string (str147), but longest is str0
unique values:  0          missing "":  1,434/1,434
tabulation:  Freq.  Value
            1,434  ""
    
```

c1_code_H **H : Frequency**

```

type:  numeric (byte)
label:  c1_code

range:  [0,7]          units:  1
unique values:  2      missing .:  1/1,434
unique missing codes:  3      missing *:  883/1,434

tabulation:  Freq.  Numeric  Label
              543      0  never
              7       7  once a day
              1       .
              2       .b
            881       .c
    
```

c1_hr_H **H : Hours**

```

type:  numeric (float)

range:  [0,5]          units:  1
unique values:  4      missing .:  1,427/1,434

tabulation:  Freq.  Value
              2      0
              1      1
              2      2
              2      5
            1,427  .
mean:  2.14286
std. dev:  2.1157

percentiles:  10%    25%    50%    75%    90%
              0      0      2      5      5
    
```

c1_min_H **H : Minutes**

```

type:  numeric (float)

range:  [0,50]        units:  1
unique values:  5      missing .:  1,427/1,434
    
```

```

tabulation: Freq. Value
              2  0
              2 30
              1 38
              1 40
              1 50
            1,427 .
    mean:    26.8571
    std. dev: 19.557

percentiles:    10%    25%    50%    75%    90%
                0      0      30     40     50
    
```

c1_aa_H **Monday-Friday How many times**

```

type: numeric (double)
range: [1,1] units: 1
unique values: 1 missing.: 1,427/1,434

tabulation: Freq. Value
              7  1
            1,427 .
    mean:    1
    std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                1      1      1      1      1
    
```

c1_ab_H **Monday-Friday How many times per units**

```

type: string (str21), but longest is str3
unique values: 1 missing "": 1,427/1,434

tabulation: Freq. Value
            1,427 ""
              7 "day"
    
```

c1_ac_H **Monday-Friday How many times per hours**

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing.: 1,427/1,434

tabulation: Freq. Value
              5  0
              2  1
            1,427 .
    mean:    .285714
    std. dev: .48795

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      1
    
```

c1_ad_H **Monday-Friday How many times per minutes**

```

type: numeric (double)
range: [0,30] units: .1
unique values: 5 missing.: 1,427/1,434
    
```

```

tabulation:  Freq.  Value
              2    0
              1   7.5
              1   10
              1   20
              2   30
            1,427 .
      mean:   13.9286
    std. dev: 12.8984

percentiles:    10%    25%    50%    75%    90%
                0      0      10     30     30
    
```

c1_ba_H **H : People doing activity with (person 1)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [3,13]           units: 1
unique values: 4             missing .: 1,427/1,434

      tabulation:  Freq.  Numeric  Label
                  2      3  mother
                  3      5  grandparents
                  1      7  uncle/aunt
                  1     13  other household member
            1,427      .
    
```

c1_bb_H **H : People doing activity with (person 2)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [.,.]           units: .
unique values: 0             missing .: 1,433/1,434
unique missing codes: 2     missing *: 1/1,434

      tabulation:  Freq.  Numeric  Label
                  1,433      .
                  1      .b
    
```

c1_bc_H **H : People doing activity with (person 3)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [.,.]           units: .
unique values: 0             missing .: 1,434/1,434

      tabulation:  Freq.  Numeric  Label
                  1,434      .
    
```

c1_ba_gen_H **H : Gender code**

```

      type: numeric (byte)
      label: c1_ba_gen

      range: [3,3]           units: 1
unique values: 1             missing .: 1,427/1,434

      tabulation:  Freq.  Numeric  Label
                  7      3  female
            1,427      .
    
```

c1_bb_gen_H **H : Gender code**

```

type: numeric (byte)
label: c1_bb_gen

range: [.,.]
unique values: 0
units: .
missing ..: 1,434/1,434

tabulation: Freq.  Numeric  Label
              1,434      .
    
```

c1_bc_gen_H **H : Gender code**

```

type: numeric (byte)
label: c1_bc_gen

range: [.,.]
unique values: 0
units: .
missing ..: 1,434/1,434

tabulation: Freq.  Numeric  Label
              1,434      .
    
```

c2_code_H **H : Frequency**

```

type: numeric (byte)
label: c2_code

range: [0,7]
unique values: 3
unique missing codes: 3
units: 1
missing ..: 2/1,434
missing *: 882/1,434

tabulation: Freq.  Numeric  Label
              528      0  never
              4       5  at least once a week
              18      7  once a day
              2       .
              1       .b
              881     .c
    
```

c2_hr_H **H : Hours**

```

type: numeric (float)

range: [0,4]
unique values: 5
units: 1
missing ..: 1,412/1,434

tabulation: Freq.  Value
              1  0
              9  1
              8  2
              2  3
              2  4
            1,412  .
mean: 1.77273
std. dev: 1.02036

percentiles:      10%      25%      50%      75%      90%
                  1         1         2         2         3
    
```

c2_min_H **H : Minutes**

```

type: numeric (float)
range: [0,40]
unique values: 3
units: 10
missing .: 1,412/1,434

tabulation: Freq. Value
              20  0
              1  30
              1  40
            1,412 .
mean: 3.18182
std. dev: 10.4135

percentiles: 10% 25% 50% 75% 90%
              0  0  0  0  0
    
```

c2_aa_H **Saturday-Sunday How many times**

```

type: numeric (double)
range: [1,1]
unique values: 1
units: 1
missing .: 1,412/1,434

tabulation: Freq. Value
              22  1
            1,412 .
mean: 1
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              1  1  1  1  1
    
```

c2_ab_H **Saturday-Sunday How many times per units**

```

type: string (str21), but longest is str4
unique values: 2
missing "": 1,412/1,434

tabulation: Freq. Value
            1,412 ""
              17 "day"
               5 "week"
    
```

c2_ac_H **Saturday-Sunday How many times per hours**

```

type: numeric(double)
range: [0,2]
unique values: 3
units: 1
missing .: 1,412/1,434

tabulation: Freq. Value
              7  0
              12  1
               3  2
            1,412 .
mean: .818182
std. dev: .664499

percentiles: 10% 25% 50% 75% 90%
              0  0  1  1  2
    
```

c2_ad_H **Saturday-Sunday How many times per minutes**

```

type: numeric (double)
range: [0,30] units: 10
unique values: 3 missing .: 1,412/1,434

tabulation: Freq. Value
              12  0
              1  20
              9  30
            1,412 .
mean: 13.1818
std. dev: 14.9241

percentiles: 10% 25% 50% 75% 90%
              0  0  0  30  30
    
```

c2_ba_H H : People doing activity with (person 1)

```

type: numeric (byte)
label: c1_ba_A
range: [3,13] units: 1
unique values: 6 missing .: 1,412/1,434
unique missing codes: 2 missing *: 1/1,434

tabulation: Freq. Numeric Label
              4  3 mother
              11  5 grandparents
              2  7 uncle/aunt
              1  9 brother/sister/cousin
              1  11 outsider
              2  13 other household member
            1,412 .
              1 .b
    
```

c2_bb_H H : People doing activity with (person 2)

```

type: numeric (byte)
label: c1_ba_A
range: [9,9] units: 1
unique values: 1 missing .: 1,432/1,434
unique missing codes: 2 missing *: 1/1,434

tabulation: Freq. Numeric Label
              1  9 brother/sister/cousin
            1,432 .
              1 .b
    
```

c2_bc_H H : People doing activity with (person 3)

```

type: numeric (byte)
label: c1_ba_A
range: [.,.] units: .
unique values: 0 missing .: 1,434/1,434

tabulation: Freq. Numeric Label
            1,434 .
    
```

c2_ba_gen_H H : Gender code

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,413/1,434

tabulation: Freq.  Numeric  Label
              1          1  male
              20         3  female
            1,413          .
    
```

c2_bb_gen_H H : Gender code

```

type: numeric (byte)
label: c2_bb_gen

range: [3,3]
unique values: 1
units: 1
missing ..: 1,433/1,434

tabulation: Freq.  Numeric  Label
              1          3  female
            1,433          .
    
```

c2_bc_gen_H H : Gender code

```

type: numeric (byte)
label: c2_bc_gen

range: [.,.]
unique values: 0
units: .
missing ..: 1,434/1,434

tabulation: Freq.  Numeric  Label
            1,434          .
    
```

c3_code_H H : Frequency

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 3
unique missing codes: 2
units: 1
missing ..: 0/1,434
missing *: 553/1,434

tabulation: Freq.  Numeric  Label
              513         1  less than once a month
              255         3  at least once a month
              113         5  at least once a week
              552         .b
               1          .c
    
```

c3_hr_H H : Hours

```

type: numeric (float)

range: [0,13]
unique values: 9
unique missing codes: 2
units: 1
missing ..: 1,322/1,434
missing *: 3/1,434
    
```



```

tabulation:  Freq.  Value
              25  0
              44  1
              21  2
               9  3
               6  4
               1  5
               1  6
               1  8
               1 13
            1,322 .
               3  .c
    mean:     1.55046
    std. dev: 1.76638

percentiles:      10%      25%      50%      75%      90%
                  0         1         1         2         3
    
```

c3_min_H

H : Minutes

```

type: numeric (float)

range: [0,45]
unique values: 10
unique missing codes: 2

units: 1
missing .: 1,322/1,434
missing *: 3/1,434

tabulation:  Freq.  Value
              54  0
               1  1
               1  5
               1  8
               1 15
               1 19
               2 20
              44 30
               1 38
               3 45
            1,322 .
               3  .c
    mean:     14.5046
    std. dev: 15.415

percentiles:      10%      25%      50%      75%      90%
                  0         0         1         30         30
    
```

c3_aa_H

Monday-Sunday How many times

```

type: numeric(double)

range: [1,4.5]
unique values: 8

units: .1
missing .: 1,321/1,434

tabulation:  Freq.  Value
              77  1
               9 1.5
              11  2
               5 2.5
               5  3
               2 3.5
               2  4
               2 4.5
            1,321 .
    mean:     1.45133
    std. dev: .826364

percentiles:      10%      25%      50%      75%      90%
                  1         1         1         1.5         2.5
    
```

c3_ab_H **Monday-Sunday How many times per units**

```

type: string (str24), but longest is str4
unique values: 1 missing "": 1,321/1,434
tabulation: Freq. Value
             1,321 ""
             113 "week"
    
```

c3_ac_H **Monday-Sunday How many times per hours**

```

type: numeric (double)
range: [0,8] units: .1
unique values: 8 missing .: 1,321/1,434
unique missing codes: 2 missing *: 3/1,434
tabulation: Freq. Value
             28 0
             54 1
              6 1.5
             12 2
              5 2.5
              3 3
              1 3.5
              1 8
            1,321 .
              3 .c
mean: 1.09091
std. dev: 1.04526
percentiles: 10% 25% 50% 75% 90%
              0 0 1 1.5 2
    
```

c3_ad_H **Monday-Sunday How many times per minutes**

```

type: numeric (double)
range: [0,45] units: .1
unique values: 8 missing .: 1,321/1,434
unique missing codes: 2 missing *: 3/1,434
tabulation: Freq. Value
             74 0
              1 5
              1 5.5
              1 7.5
              1 15
              2 20
             29 30
              1 45
            1,321 .
              3 .c
mean: 8.98182
std. dev: 13.6763
percentiles: 10% 25% 50% 75% 90%
              0 0 0 30 30
    
```

c3_ba_H **H : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .. 559/1,434
missing *: 3/1,434

```

tabulation:	Freq.	Numeric	Label
	203	1	father
	216	3	mother
	340	5	grandparents
	32	7	uncle/aunt
	27	9	brother/sister/cousin
	24	11	outsider
	30	13	other household member
	559	.	.
	3	.b	.b

c3_bb_H **H : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7

units: 1
missing .. 881/1,434

```

tabulation:	Freq.	Numeric	Label
	34	1	father
	212	3	mother
	104	5	grandparents
	33	7	uncle/aunt
	137	9	brother/sister/cousin
	17	11	outsider
	16	13	other household member
	881	.	.

c3_bc_H **H : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .. 1,171/1,434
missing *: 1/1,434

```

tabulation:	Freq.	Numeric	Label
	10	1	father
	18	3	mother
	52	5	grandparents
	15	7	uncle/aunt
	143	9	brother/sister/cousin
	16	11	outsider
	8	13	other household member
	1,171	.	.
	1	.b	.b

c3_ba_gen_H **H : Gender code**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .. 561/1,434

```

```

tabulation:  Freq.  Numeric  Label
              290      1  male
              583      3  female
              561      .
    
```

c3_bb_gen_H **H : Gender code**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .: 881/1,434

tabulation:  Freq.  Numeric  Label
              141      1  male
              412      3  female
              881      .
    
```

c3_bc_gen_H **H : Gender code**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,171/1,434

tabulation:  Freq.  Numeric  Label
              105      1  male
              158      3  female
              1,171      .
    
```

activity_I **Go to department store (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,434/1,434

tabulation:  Freq.  Value
              1,434  ""
    
```

c1_code_I **I : Frequency**

```

type: numeric (byte)
label: c1_code

range: [0,7]
unique values: 3
unique missing codes: 2

units: 1
missing .: 0/1,434
missing *: 1,248/1,434

tabulation:  Freq.  Numeric  Label
              176      0  never
              1       5  at least once a week
              9       7  once a day
              1       .b
              1,247     .c
    
```

c1_hr_I **I : Hours**

```

type: numeric (float)
    
```

```

range: [1,10] units: 1
unique values: 4 missing .: 1,424/1,434

tabulation: Freq. Value
              1 1
              5 5
              2 7
              2 10
            1,424 .
mean: 6
std. dev: 2.66667

percentiles: 10% 25% 50% 75% 90%
              3 5 5 7 10
    
```

c1_min_I **I : Minutes**

```

type: numeric (float)

range: [0,30] units: 10
unique values: 2 missing .: 1,424/1,434

tabulation: Freq. Value
              7 0
              3 30
            1,424 .
mean: 9
std. dev: 14.4914

percentiles: 10% 25% 50% 75% 90%
              0 0 0 30 30
    
```

c1_aa_I **Monday-Friday How many times**

```

type: numeric (double)

range: [1,1] units: 1
unique values: 1 missing .: 1,424/1,434

tabulation: Freq. Value
              10 1
            1,424 .
mean: 1
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              1 1 1 1 1
    
```

c1_ab_I **Monday-Friday How many times per units**

```

type: string (str21), but longest is str4
unique values: 2 missing "": 1,424/1,434

tabulation: Freq. Value
            1,424 ""
              9 "day"
              1 "week"
    
```

c1_ac_I **Monday-Friday How many times per hours**

```

type: numeric (double)
    
```

```

range: [1,2] units: .1
unique values: 3 missing : 1,424/1,434

tabulation: Freq. Value
              6 1
              2 1.5
              2 2
            1,424 .
mean: 1.3
std. dev: .421637

percentiles: 10% 25% 50% 75% 90%
              1 1 1 1.5 2
    
```

c1_ad_I **Monday-Friday How many times per minutes**

```

type: numeric (double)
range: [0,30] units: 10
unique values: 2 missing : 1,424/1,434

tabulation: Freq. Value
              9 0
              1 30
            1,424 .
mean: 3
std. dev: 9.48683

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 15
    
```

c1_ba_I **I : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [3,13] units: 1
unique values: 4 missing : 1,424/1,434

tabulation: Freq. Numeric Label
              7 3 mother
              1 5 grandparents
              1 11 outsider
              1 13 other household member
            1,424 .
    
```

c1_bb_I **I : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13] units: 1
unique values: 6 missing : 1,428/1,434

tabulation: Freq. Numeric Label
              1 1 father
              1 3 mother
              1 7 uncle/aunt
              1 9 brother/sister/cousin
              1 11 outsider
              1 13 other household member
            1,428 .
    
```

c1_bc_I **I : People doing activity with (person 3)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [9,11]
    unique values: 2
                    units: 1
                    missing ..: 1,432/1,434

    tabulation: Freq.  Numeric  Label
                 1         9  brother/sister/cousin
                 1        11  outsider
                 1,432      .
    
```

c1_ba_gen_I **I : Gender code**

```

    type: numeric (byte)
    label: c1_ba_gen

    range: [1,3]
    unique values: 2
                    units: 1
                    missing ..: 1,424/1,434

    tabulation: Freq.  Numeric  Label
                 1         1  male
                 9         3  female
                 1,424      .
    
```

c1_bb_gen_I **I : Gender code**

```

    type: numeric (byte)
    label: c1_bb_gen

    range: [1,3]
    unique values: 2
                    units: 1
                    missing ..: 1,428/1,434

    tabulation: Freq.  Numeric  Label
                 2         1  male
                 4         3  female
                 1,428      .
    
```

c1_bc_gen_I **I : Gender code**

```

    type: numeric (byte)
    label: c1_bc_gen

    range: [1,3]
    unique values: 2
                    units: 1
                    missing ..: 1,432/1,434

    tabulation: Freq.  Numeric  Label
                 1         1  male
                 1         3  female
                 1,432      .
    
```

c2_code_I **I : Frequency**

```

    type: numeric (byte)
    label: c2_code

    range: [0,7]
    unique values: 3
    unique missing codes: 2
                    units: 1
                    missing ..: 0/1,434
                    missing *: 1,248/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              173      0      never
              4       5      at least once a week
              9       7      once a day
              1       .b
            1,247      .c
    
```

c2_hr_I **I : Hours**

```

type: numeric (float)
range: [1,8]
unique values: 5
units: 1
missing .: 1,421/1,434

tabulation:  Freq.  Value
              2      1
              5      2
              3      3
              2      4
              1      8
            1,421 .
mean: 2.84615
std. dev: 1.81871

percentiles:  10%    25%    50%    75%    90%
              1      2      2      3      4
    
```

c2_min_I **I : Minutes**

```

type: numeric (float)
range: [0,30]
unique values: 2
units: 10
missing .: 1,421/1,434

tabulation:  Freq.  Value
              11     0
              2     30
            1,421 .
mean: 4.61538
std. dev: 11.266

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      30
    
```

c2_aa_I **Saturday-Sunday How many times**

```

type: numeric (double)
range: [1,1]
unique values: 1
units: 1
missing .: 1,421/1,434

tabulation:  Freq.  Value
              13      1
            1,421 .
mean: 1
std. dev: 0

percentiles:  10%    25%    50%    75%    90%
              1      1      1      1      1
    
```

c2_ab_I **Saturday-Sunday How many times per units**

type: string (str21), but longest is str4

unique values: 2 missing "": 1,421/1,434

```

tabulation: Freq. Value
             1,421 ""
              11 "day"
               2 "week"
    
```

c2_ac_I **Saturday-Sunday How many times per hours**

```

type: numeric (double)
range: [1,4] units: .1
unique values: 5 missing .: 1,421/1,434

tabulation: Freq. Value
             7 1
             2 1.5
             2 2
             1 2.5
             1 4
             1,421 .
mean: 1.57692
std. dev: .886147

percentiles: 10% 25% 50% 75% 90%
              1 1 1 2 2.5
    
```

c2_ad_I **Saturday-Sunday How many times per minutes**

```

type: numeric (double)
range: [0,30] units: 10
unique values: 2 missing .: 1,421/1,434

tabulation: Freq. Value
             11 0
              2 30
             1,421 .
mean: 4.61538
std. dev: 11.266

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 30
    
```

c2_ba_I **I : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13] units: 1
unique values: 5 missing .: 1,421/1,434

tabulation: Freq. Numeric Label
             1 1 father
             7 3 mother
             3 5 grandparents
             1 11 outsider
             1 13 other household member
             1,421 .
    
```

c2_bb_I **I : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [3,13]
unique values: 6
units: 1
missing .: 1,426/1,434

tabulation: Freq.  Numeric  Label
              2          3  mother
              1          5  grandparents
              2          7  uncle/aunt
              1          9  brother/sister/cousin
              1         11  outsider
              1         13  other household member
            1,426          .
    
```

c2_bc_I **I : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [9,11]
unique values: 2
units: 1
missing .: 1,430/1,434

tabulation: Freq.  Numeric  Label
              3          9  brother/sister/cousin
              1         11  outsider
            1,430          .
    
```

c2_ba_gen_I **I : Gender code**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,421/1,434

tabulation: Freq.  Numeric  Label
              3          1  male
              10         3  female
            1,421          .
    
```

c2_bb_gen_I **I : Gender code**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,426/1,434

tabulation: Freq.  Numeric  Label
              2          1  male
              6          3  female
            1,426          .
    
```

c2_bc_gen_I **I : Gender code**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,430/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              2         1  male
              2         3  female
            1,430         .
    
```

c3_code_I **I : Frequency**

```

type: numeric (byte)
label: c3_code

range: [1,5]          units: 1
unique values: 3      missing .: 0/1,434
unique missing codes: 1  missing *: 183/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              438         1  less than once a month
              584         3  at least once a month
              229         5  at least once a week
              183         .b
    
```

c3_hr_I **I : Hours**

```

type: numeric (float)

range: [0,21]        units: 1
unique values: 15    missing .: 1,207/1,434
unique missing codes: 2  missing *: 3/1,434
    
```

```

tabulation:  Freq.  Value
              14     0
              68     1
              54     2
              38     3
              15     4
              11     5
               7     6
               4     7
               3     8
               1     9
               2    10
               3    11
               2    12
               1    17
               1    21
            1,207    .
               3    .c
mean:        2.78125
std. dev:    2.76937
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  1        1        2        3        6
    
```

c3_min_I **I : Minutes**

```

type: numeric (float)

range: [0,54]        units: 1
unique values: 12    missing .: 1,207/1,434
unique missing codes: 2  missing *: 3/1,434
    
```

```

tabulation:  Freq.  Value
              122    0
               1    2
               1    8
               1    9
              12   15
               1   20
               1   23
               1   25
              71   30
              11   45
               1   50
               1   54
            1,207  .
               3   .c
    mean:     13.375
std. dev:    15.8358

percentiles: 10%    25%    50%    75%    90%
              0      0      0      30     30
    
```

c3_aa_I **Monday-Sunday How many times**

```

type: numeric (double)
range: [1,6] units: .01
unique values: 12 missing .: 1,205/1,434

tabulation:  Freq.  Value
              125    1
               1   1.16
              19   1.5
              33    2
              13   2.5
              19    3
               6   3.5
               3    4
               2   4.5
               4    5
               3   5.5
               1    6
            1,205  .
    mean:     1.72341
std. dev:    1.07184

percentiles: 10%    25%    50%    75%    90%
              1      1      1      2      3
    
```

c3_ab_I **Monday-Sunday How many times per units**

```

type: string (str24), but longest is str4
unique values: 1 missing "": 1,205/1,434

tabulation:  Freq.  Value
            1,205  ""
              229  "week"
    
```

c3_ac_I **Monday-Sunday How many times per hours**

```

type: numeric (double)
range: [0,9] units: .1
unique values: 12 missing .: 1,207/1,434
unique missing codes: 2 missing *: 3/1,434
    
```

```

tabulation:  Freq.  Value
              23    0
              92    1
              19   1.5
              37    2
              25   2.5
              10    3
               4   3.5
               5    4
               2   4.5
               5    5
               1    7
               1    9
            1,207  .
               3   .c
    mean:     1.65625
    std. dev: 1.23301

percentiles:      10%      25%      50%      75%      90%
                  0         1         1         2         3
    
```

c3_ad_I **Monday-Sunday How many times per minutes**

```

type: numeric (double)
range: [0,45]
unique values: 8
unique missing codes: 2
units: .1
missing .: 1,207/1,434
missing *: 3/1,434

tabulation:  Freq.  Value
              166    0
               2    2
               1   3.5
               2   15
               2   20
               2   25
              45   30
               4   45
            1,207  .
               3   .c
    mean:     7.39955
    std. dev: 13.2

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         2.75     30
    
```

c3_ba_I **I : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13]
unique values: 7
units: 1
missing .: 185/1,434

tabulation:  Freq.  Numeric  Label
              441     1  father
              288     3  mother
              288     5  grandparents
               95     7  uncle/aunt
               60     9  brother/sister/cousin
               42    11  outsider
               35    13  other household member
              185     .
    
```

c3_bb_I **I : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7       missing .. 419/1,434

tabulation: Freq.  Numeric  Label
              73         1  father
              446        3  mother
              179        5  grandparents
              59         7  uncle/aunt
              191        9  brother/sister/cousin
              37         11  outsider
              30         13  other household member
              419         .
    
```

c3_bc_I **I : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7       missing .. 920/1,434
unique missing codes: 2  missing *: 2/1,434

tabulation: Freq.  Numeric  Label
              12         1  father
              32         3  mother
              58         5  grandparents
              39         7  uncle/aunt
              333        9  brother/sister/cousin
              23         11  outsider
              15         13  other household member
              920         .
              2          .b
    
```

c3_ba_gen_I **I : Gender code**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]          units: 1
unique values: 2       missing .. 185/1,434

tabulation: Freq.  Numeric  Label
              622        1  male
              627        3  female
              185         .
    
```

c3_bb_gen_I **I : Gender code**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]          units: 1
unique values: 2       missing .. 418/1,434

tabulation: Freq.  Numeric  Label
              219        1  male
              797        3  female
              418         .
    
```

c3_bc_gen_I **I : Gender code**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .. 922/1,434

tabulation: Freq. Numeric Label
             205      1  male
             307      3  female
             922      .
    
```

activity_K **Do housework (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,434/1,434

tabulation: Freq. Value
             1,434 ""
    
```

c1_code_K **K : Frequency**

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 4
unique missing codes: 1
units: 1
missing .. 0/1,434
missing *: 526/1,434

tabulation: Freq. Numeric Label
             687      0  never
             1      5  at least once a week
             176      7  once a day
             44      9  more than once a day
             526      .c
    
```

c1_hr_K **K : Hours**

```

type: numeric (float)
range: [0,12]
unique values: 9
units: 1
missing .. 1,213/1,434

tabulation: Freq. Value
             137  0
             38  1
             25  2
              1  3
             11  5
              3  6
              4  7
              1 10
              1 12
             1,213 .
mean: .968326
std. dev: 1.86203

percentiles: 10% 25% 50% 75% 90%
              0   0   0   1   2
    
```

c1_min_K **K : Minutes**

```

type: numeric (float)
    
```

range: [0,57] units: 1
 unique values: 20 missing .: 1,213/1,434

tabulation: Freq. Value
 12 0
 3 3
 12 5
 5 8
 7 10
 14 13
 21 15
 1 18
 1 20
 10 23
 27 25
 2 28
 29 30
 2 34
 13 38
 17 40
 1 45
 42 50
 1 56
 1 57

mean: 27.3529
 std. dev: 15.8603

percentiles: 10% 25% 50% 75% 90%
 5 15 25 40 50

c1_aa_K

Monday-Friday How many times

type: numeric (double)

range: [1,4] units: .1
 unique values: 6 missing .: 1,213/1,434
 unique missing codes: 2 missing *: 2/1,434

tabulation: Freq. Value
 176 1
 13 1.5
 21 2
 6 2.5
 2 3
 1 4
 1,213 .
 2 .d

mean: 1.19863
 std. dev: .459904

percentiles: 10% 25% 50% 75% 90%
 1 1 1 1 2

c1_ab_K

Monday-Friday How many times per units

type: string (str21), but longest is str4

unique values: 2 missing "": 1,213/1,434

tabulation: Freq. Value
 1,213 ""
 220 "day"
 1 "week"

c1_ac_K **Monday-Friday How many times per hours**

```

type: numeric (double)
range: [0,2] units: 1
unique values: 3 missing .: 1,213/1,434

tabulation: Freq. Value
              208 0
              11 1
               2 2
            1,213 .
mean: .067873
std. dev: .285895

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

c1_ad_K **Monday-Friday How many times per minutes**

```

type: numeric (double)
range: [0,45] units: .1
unique values: 17 missing .: 1,213/1,434

tabulation: Freq. Value
              10 0
              12 1
               5 1.5
               5 2
              16 2.5
               3 3
               1 3.5
              12 4.5
              35 5
               2 5.5
              12 7.5
              49 10
              14 15
              13 20
               1 25
              30 30
               1 45
            1,213 .
mean: 10.5973
std. dev: 9.56251

percentiles:      10%      25%      50%      75%      90%
                  1.5      4.5      7.5      15       30
    
```

c1_ba_K **K : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13] units: 1
unique values: 6 missing .: 1,213/1,434
unique missing codes: 2 missing *: 97/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              3       1  father
              31      3  mother
              44      5  grandparents
              4       7  uncle/aunt
              36      9  brother/sister/cousin
              6      13  other household member
            1,213      .
              97      .b
    
```

c1_bb_K **K : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 6       missing .: 1,390/1,434
unique missing codes: 2  missing *: 1/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              2       1  father
              6       3  mother
             18       5  grandparents
              2       7  uncle/aunt
             10       9  brother/sister/cousin
              5      13  other household member
            1,390      .
              1      .b
    
```

c1_bc_K **K : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [5,13]          units: 1
unique values: 2       missing .: 1,431/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              2       5  grandparents
              1      13  other household member
            1,431      .
    
```

c1_ba_gen_K **K : Gender code**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]          units: 1
unique values: 2       missing .: 1,310/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              30       1  male
              94       3  female
            1,310      .
    
```

c1_bb_gen_K **K : Gender code**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]          units: 1
unique values: 2       missing .: 1,391/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              14      1  male
              29      3  female
            1,391      .
    
```

c1_bc_gen_K

K : Gender code

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,431/1,434

tabulation:  Freq.  Numeric  Label
              1      1  male
              2      3  female
            1,431      .
    
```

c2_code_K

K : Frequency

```

type: numeric (byte)
label: c2_code

range: [0,9]          units: 1
unique values: 4      missing .: 0/1,434
unique missing codes: 1  missing *: 526/1,434

tabulation:  Freq.  Numeric  Label
              677      0  never
              3       5  at least once a week
              179      7  once a day
              49       9  more than once a day
              526      .c
    
```

c2_hr_K

K : Hours

```

type: numeric (float)

range: [0,6]          units: 1
unique values: 7      missing .: 1,203/1,434

tabulation:  Freq.  Value
              183    0
              23    1
              18    2
              3     3
              2     4
              1     5
              1     6
            1,203    .
mean:       .376623
std. dev:   .890124

percentiles: 10%    25%    50%    75%    90%
              0     0     0     0     2
    
```

c2_min_K

K : Minutes

```

type: numeric (float)

range: [0,50]         units: 1
unique values: 23     missing .: 1,203/1,434
    
```

```

tabulation:  Freq.  Value
              42    0
              1    1
              10    2
               3    3
               7    4
              15    5
               4    6
               2    7
               1    8
              12    9
              24   10
               2   11
               1   12
               1   14
              15   15
               1   18
              47   20
               2   23
               3   25
              18   30
               1   38
              17   40
               2   50
            1,203  .
      mean:    14.013
  std. dev:   12.2884

percentiles:    10%    25%    50%    75%    90%
                0      4      10     20     30
    
```

c2_aa_K **Saturday-Sunday How many times**

```

type: numeric (double)
range: [1,4]
unique values: 6
unique missing codes: 2
units: .1
missing .: 1,203/1,434
missing *: 2/1,434
    
```

```

tabulation:  Freq.  Value
              181    1
               13   1.5
               22    2
                8   2.5
                 4    3
                 1    4
            1,203  .
                 2   .d
      mean:    1.22489
  std. dev:   .498542

percentiles:    10%    25%    50%    75%    90%
                1      1      1      1      2
    
```

c2_ab_K **Saturday-Sunday How many times per units**

```

type: string (str21), but longest is str4
unique values: 2
missing "": 1,203/1,434

tabulation:  Freq.  Value
            1,203  ""
              228  "day"
               3   "week"
    
```

c2_ac_K **Saturday-Sunday How many times per hours**

```

type: numeric (double)
range: [0,3] units: 1
unique values: 4 missing .: 1,203/1,434

tabulation: Freq. Value
             214 0
             15 1
              1 2
              1 3
            1,203 .
mean: .08658
std. dev: .33795

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

c2_ad_K **Saturday-Sunday How many times per minutes**

```

type: numeric (double)
range: [0,45] units: .1
unique values: 19 missing .: 1,203/1,434

tabulation: Freq. Value
             15 0
             12 1
              5 1.5
              5 2
             15 2.5
              4 3
              2 3.5
              1 4
             12 4.5
             36 5
              2 5.5
             13 7.5
             53 10
             12 15
             13 20
              1 25
             28 30
              1 40
              1 45
            1,203 .
mean: 10.184
std. dev: 9.51896

percentiles: 10% 25% 50% 75% 90%
              1 3.5 7.5 10 30
    
```

c2_ba_K **K : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13] units: 1
unique values: 7 missing .: 1,203/1,434
unique missing codes: 2 missing *: 97/1,434
    
```

tabulation:	Freq.	Numeric	Label
	5	1	father
	31	3	mother
	46	5	grandparents
	5	7	uncle/aunt
	39	9	brother/sister/cousin
	1	11	outsider
	7	13	other household member
	1,203	.	
	97	.b	

c2_bb_K **K : People doing activity with (person 2)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 6 missing .: 1,386/1,434
 unique missing codes: 2 missing *: 1/1,434

tabulation:	Freq.	Numeric	Label
	2	1	father
	8	3	mother
	18	5	grandparents
	3	7	uncle/aunt
	11	9	brother/sister/cousin
	5	13	other household member
	1,386	.	
	1	.b	

c2_bc_K **K : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [5,13] units: 1
 unique values: 2 missing .: 1,431/1,434

tabulation:	Freq.	Numeric	Label
	2	5	grandparents
	1	13	other household member
	1,431	.	

c2_ba_gen_K **K : Gender code**

type: numeric (byte)
 label: **c2_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,300/1,434

tabulation:	Freq.	Numeric	Label
	34	1	male
	100	3	female
	1,300	.	

c2_bb_gen_K **K : Gender code**

type: numeric (byte)
 label: **c2_bb_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,387/1,434

```

tabulation:  Freq.  Numeric  Label
              15      1  male
              32      3  female
            1,387      .
    
```

c2_bc_gen_K

K : Gender code

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,431/1,434

tabulation:  Freq.  Numeric  Label
              1      1  male
              2      3  female
            1,431      .
    
```

c3_code_K

K : Frequency

```

type: numeric (byte)
label: c3_code

range: [0,7]          units: 1
unique values: 5      missing .: 1/1,434
unique missing codes: 2  missing *: 906/1,434

tabulation:  Freq.  Numeric  Label
              1      0  never
              1      1  less than once a month
              93     3  at least once a month
             431     5  at least once a week
              1      7  once a day
              1      .
             906     .b
    
```

c3_hr_K

K : Hours

```

type: numeric (float)

range: [0,7]          units: 1
unique values: 5      missing .: 1,003/1,434
unique missing codes: 2  missing *: 1/1,434

tabulation:  Freq.  Value
             383    0
             34    1
              9    2
              2    3
              2    7
            1,003  .
              1    .c
mean:       .167442
std. dev:   .636761

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      1
    
```

c3_min_K

K : Minutes

```

type: numeric (float)
    
```

range: [0,53] units: 1
 unique values: 32 missing .: 1,003/1,434
 unique missing codes: 2 missing *: 1/1,434

tabulation: Freq. Value

19	0
6	1
15	2
22	3
20	4
32	5
12	6
12	7
20	8
7	9
49	10
10	11
1	12
6	13
6	14
36	15
2	17
1	18
4	19
31	20
13	23
18	25
1	28
1	29
46	30
2	31
2	35
14	38
7	40
8	45
6	50
1	53
1,003	.
1	.c

mean: 15.4093
 std. dev: 12.2511

percentiles: 10% 25% 50% 75% 90%

3	5	11	23	30
---	---	----	----	----

c3_aa_K

Monday-Sunday How many times

type: numeric (double)

range: [1,6.5] units: .1
 unique values: 11 missing .: 1,002/1,434

tabulation: Freq. Value

107	1
59	1.5
91	2
74	2.5
67	3
13	3.5
11	4
3	4.5
5	5
1	5.5
1	6.5
1,002	.

mean: 2.09144
 std. dev: .930457

percentiles: 10% 25% 50% 75% 90%
 1 1.5 2 2.5 3

c3_ab_K **Monday-Sunday How many times per units**

type: string (**str24**), but longest is str4
 unique values: 2 missing "": 1,002/1,434
 tabulation: Freq. Value
 1,002 ""
 1 "time"
 431 "week"

c3_ac_K **Monday-Sunday How many times per hours**

type: numeric (**double**)
 range: [0,5] units: .1
 unique values: 4 missing .: 1,003/1,434
 tabulation: Freq. Value
 418 0
 11 1
 1 1.5
 1 5
 1,003 .
 mean: .040603
 std. dev: .295467
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

c3_ad_K **Monday-Sunday How many times per minutes**

type: numeric (**double**)
 range: [0,45] units: .1
 unique values: 23 missing .: 1,003/1,434
 tabulation: Freq. Value
 12 0
 15 1
 17 1.5
 17 2
 32 2.5
 13 3
 7 3.5
 2 4
 19 4.5
 69 5
 6 5.5
 1 6
 22 7.5
 100 10
 5 12.5
 29 15
 1 17.5
 17 20
 5 25
 39 30
 1 35
 1 40
 1 45
 1,003 .
 mean: 9.58353

std. dev: 8.62979
 percentiles: 10% 25% 50% 75% 90%
 1.5 3.5 7.5 10 25

c3_ba_K **K : People doing activity with (person 1)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 908/1,434
 unique missing codes: 2 missing *: 201/1,434

tabulation:	Freq.	Numeric	Label
	10	1	father
	87	3	mother
	143	5	grandparents
	12	7	uncle/aunt
	49	9	brother/sister/cousin
	6	11	outsider
	18	13	other household member
	908	.	
	201	.b	

c3_bb_K **K : People doing activity with (person 2)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 1,354/1,434
 unique missing codes: 2 missing *: 12/1,434

tabulation:	Freq.	Numeric	Label
	1	1	father
	12	3	mother
	14	5	grandparents
	1	7	uncle/aunt
	33	9	brother/sister/cousin
	3	11	outsider
	4	13	other household member
	1,354	.	
	12	.b	

c3_bc_K **K : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A
 range: [5,11] units: 1
 unique values: 3 missing .: 1,421/1,434
 unique missing codes: 2 missing *: 5/1,434

tabulation:	Freq.	Numeric	Label
	2	5	grandparents
	5	9	brother/sister/cousin
	1	11	outsider
	1,421	.	
	5	.b	

c3_ba_gen_K **K : Gender code**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,109/1,434

tabulation: Freq.  Numeric  Label
              45      1      male
              280     3      female
              1,109     .
    
```

c3_bb_gen_K **K : Gender code**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,366/1,434

tabulation: Freq.  Numeric  Label
              18      1      male
              50      3      female
              1,366     .
    
```

c3_bc_gen_K **K : Gender code**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,426/1,434

tabulation: Freq.  Numeric  Label
              1      1      male
              7      3      female
              1,426     .
    
```

activity_L **Do homework (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,434/1,434

tabulation: Freq.  Value
              1,434  ""
    
```

c1_code_L **L : Frequency**

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 6
unique missing codes: 1
units: 1
missing ..: 0/1,434
missing *: 338/1,434

tabulation: Freq.  Numeric  Label
              141     0      never
              1      1      less than once a month
              1      3      at least once a month
              58     5      at least once a week
              872    7      once a day
              23     9      more than once a day
              338     .c
    
```

cl_hr_L

L : Hours

```

type: numeric (float)
range: [0,37]
unique values: 11
unique missing codes: 2
units: 1
missing .: 481/1,434
missing *: 3/1,434

tabulation: Freq. Value
             248  0
             175  1
             326  2
              18  3
               9  4
             148  5
               1  6
              14  7
               9 10
               1 22
               1 37
             481 .
               3 .c
mean: 2.01053
std. dev: 2.32272

percentiles: 10% 25% 50% 75% 90%
              0  0  2  2  5
    
```

cl_min_L

L : Minutes

```

type: numeric (float)
range: [0,59]
unique values: 38
unique missing codes: 2
units: 1
missing .: 481/1,434
missing *: 3/1,434

tabulation: Freq. Value
             165  0
               2  2
               7  3
              24  5
               1  6
               1  8
               1  9
              15 10
              28 13
              74 15
               2 17
              13 18
               2 19
               8 20
               1 22
              11 23
               1 24
              42 25
               1 26
               3 27
               5 28
             306 30
               1 31
               2 33
               2 35
               9 38
              82 40
               2 44
              17 45
               1 49
             103 50
    
```

```

          3 52
          1 53
          1 54
          7 55
          1 56
          2 57
          3 59
        481 .
          3 .c
    mean: 25.1263
  std. dev: 16.2652

percentiles:    10%    25%    50%    75%    90%
                0      13     30     30     50
    
```

c1_aa_L **Monday-Friday How many times**

```

    type: numeric (double)
    range: [.81,6.28]
  unique values: 21
unique missing codes: 2
    units: .01
  missing .: 482/1,434
  missing *: 1/1,434
    
```

```

  tabulation: Freq. Value
              1 .81
              1 .93
            874 1
             10 1.5
             12 2
              1 2.32
              6 2.5
              1 2.71
              3 3
              1 3.02
              1 3.48
              3 3.5
              3 3.72
              6 3.95
              8 4
              2 4.4
              6 4.42
              5 4.65
              5 4.88
              1 5.12
              1 6.28
            482 .
              1 .d
    mean: 1.17981
  std. dev: .702916
    
```

```

percentiles:    10%    25%    50%    75%    90%
                1      1      1      1      1
    
```

c1_ab_L **Monday-Friday How many times per units**

```

    type: string (str21), but longest is str4
  unique values: 2
    missing "": 481/1,434

  tabulation: Freq. Value
              481 ""
              893 "day"
              60 "week"
    
```

c1_ac_L **Monday-Friday How many times per hours**

```

type: numeric (double)
range: [0,6]
unique values: 6
unique missing codes: 2
units: .1
missing .: 482/1,434
missing *: 3/1,434

```

```

tabulation: Freq. Value
             769  0
             163  1
              8  1.5
              7  2
              1  4.5
              1  6
             482  .
              3  .c
mean:       .210221
std. dev:   .485345

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      1

```

c1_ad_L

Monday-Friday How many times per minutes

```

type: numeric (double)
range: [0,50]
unique values: 31
unique missing codes: 2
units: .01
missing .: 482/1,434
missing *: 3/1,434

```

```

tabulation: Freq. Value
             174  0
              1  1
              1  1.5
              9  2
             27  2.5
             14  3
             12  3.5
              2  4
              1  4.29
             11  4.5
             42  5
              4  5.5
              2  6.5
              2  7
             16  7.5
              1  8
            113  10
              2  14
              1  14.5
             63  15
              3  17.5
             86  20
              1  22.5
             23  25
              1  27.5
            312  30
              6  35
              1  37.5
              3  40
             13  45
              2  50
             482  .
              3  .c
mean:       16.3839
std. dev:   12.6226

percentiles: 10%    25%    50%    75%    90%
              0      3.5    15     30     30

```

c1_ba_L **L : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 480/1,434
missing *: 265/1,434
    
```

tabulation:	Freq.	Numeric	Label
	73	1	father
	227	3	mother
	259	5	grandparents
	34	7	uncle/aunt
	48	9	brother/sister/cousin
	27	11	outsider
	21	13	other household member
	480	.	
	265	.b	

c1_bb_L **L : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,039/1,434
missing *: 63/1,434
    
```

tabulation:	Freq.	Numeric	Label
	22	1	father
	87	3	mother
	128	5	grandparents
	10	7	uncle/aunt
	56	9	brother/sister/cousin
	16	11	outsider
	13	13	other household member
	1,039	.	
	63	.b	

c1_bc_L **L : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,349/1,434
missing *: 13/1,434
    
```

tabulation:	Freq.	Numeric	Label
	8	1	father
	15	3	mother
	13	5	grandparents
	4	7	uncle/aunt
	20	9	brother/sister/cousin
	6	11	outsider
	6	13	other household member
	1,349	.	
	13	.b	

c1_ba_gen_L **L : Gender code**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 744/1,434

tabulation: Freq.   Numeric   Label
              174         1   male
              516         3   female
              744         .
    
```

c1_bb_gen_L L : Gender code

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,102/1,434

tabulation: Freq.   Numeric   Label
              71         1   male
              261        3   female
             1,102        .
    
```

c1_bc_gen_L L : Gender code

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,362/1,434

tabulation: Freq.   Numeric   Label
              24         1   male
              48         3   female
             1,362        .
    
```

c2_code_L L : Frequency

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 2
units: 1
missing .. 0/1,434
missing *: 343/1,434

tabulation: Freq.   Numeric   Label
              583         0   never
              28         5   at least once a week
              458         7   once a day
              22         9   more than once a day
               1         .b
              342         .c
    
```

c2_hr_L L : Hours

```

type: numeric (float)

range: [0,9]
unique values: 6
unique missing codes: 2
units: 1
missing .. 926/1,434
missing *: 3/1,434
    
```



```

tabulation:  Freq.  Value
              217    0
              176    1
              98     2
               7     3
               6     4
               1     9
              926    .
               3    .c
    mean:     .843564
    std. dev: .943484

percentiles:      10%      25%      50%      75%      90%
                  0         0         1         1         2
    
```

c2_min_L

L : Minutes

```

type: numeric (float)
range: [0,52]
unique values: 24
unique missing codes: 2
units: 1
missing .: 926/1,434
missing *: 3/1,434
    
```

```

tabulation:  Freq.  Value
              265    0
               1    2
               1    3
               2    4
               8    5
               5    6
               4    7
               3    8
               6    9
              27   10
               2   11
               5   15
               1   16
               2   18
              47   20
               6   25
               1   28
              55   30
               1   31
               1   35
              47   40
               1   47
              12   50
               2   52
              926    .
               3    .c
    mean:     12.0257
    std. dev: 15.4993

percentiles:      10%      25%      50%      75%      90%
                  0         0         0        20        40
    
```

c2_aa_L

Saturday-Sunday How many times

```

type: numeric (double)
range: [.23,2.5]
unique values: 7
unique missing codes: 2
units: .01
missing .: 926/1,434
missing *: 1/1,434
    
```

```

tabulation:  Freq.  Value
              1    .23
            479    1
              1    1.4
              5    1.5
              6    1.86
             10    2
              5    2.5
            926    .
              1    .d
    mean:     1.0489
    std. dev: .228755

percentiles:      10%      25%      50%      75%      90%
                  1         1         1         1         1
    
```

c2_ab_L **Saturday-Sunday How many times per units**

```

type: string (str21), but longest is str4
unique values: 2 missing "": 926/1,434

tabulation:  Freq.  Value
              926    ""
              480    "day"
              28    "week"
    
```

c2_ac_L **Saturday-Sunday How many times per hours**

```

type: numeric (double)
range: [0,4.5] units: .1
unique values: 5 missing .: 927/1,434
unique missing codes: 2 missing *: 3/1,434

tabulation:  Freq.  Value
              389    0
             106    1
              7    1.5
              1    2
              1    4.5
            927    .
              3    .c
    mean:     .244048
    std. dev: .480188

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         1
    
```

c2_ad_L **Saturday-Sunday How many times per minutes**

```

type: numeric (double)
range: [0,50] units: .1
unique values: 23 missing .: 926/1,434
unique missing codes: 2 missing *: 3/1,434
    
```

```

tabulation:  Freq.  Value
              113    0
               4    2
               7    2.5
               6    3
               5    3.5
               2    4
               5    4.5
              24    5
               2    5.5
               8    7.5
               1    8
              47   10
               1   14
              36   15
               1  17.5
              50   20
               1  22.5
              11   25
             163   30
               4   35
               4   40
               8   45
               2   50
             926   .
               3   .c
    mean:      16.395
    std. dev:  13.0341
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        3        15        30        30
    
```

c2_ba_L

L : People doing activity with (person 1)

```

    type: numeric (byte)
    label: c1_ba_A
    range: [1,13]
    unique values: 7
    unique missing codes: 2
    units: 1
    missing .: 927/1,434
    missing *: 130/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              44      1  father
             133      3  mother
             135      5  grandparents
              22      7  uncle/aunt
              22      9  brother/sister/cousin
              12     11  outsider
               9     13  other household member
             927      .
             130     .b
    
```

c2_bb_L

L : People doing activity with (person 2)

```

    type: numeric (byte)
    label: c1_ba_A
    range: [1,13]
    unique values: 7
    unique missing codes: 2
    units: 1
    missing .: 1,203/1,434
    missing *: 37/1,434
    
```

tabulation:	Freq.	Numeric	Label
	16	1	father
	50	3	mother
	69	5	grandparents
	7	7	uncle/aunt
	32	9	brother/sister/cousin
	12	11	outsider
	8	13	other household member
	1,203	.	
	37	.b	

c2_bc_L **L : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 7 missing .: 1,379/1,434
 unique missing codes: 2 missing *: 10/1,434

tabulation:	Freq.	Numeric	Label
	5	1	father
	11	3	mother
	11	5	grandparents
	2	7	uncle/aunt
	5	9	brother/sister/cousin
	5	11	outsider
	6	13	other household member
	1,379	.	
	10	.b	

c2_ba_gen_L **L : Gender code**

type: numeric (byte)
 label: **c2_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,057/1,434

tabulation:	Freq.	Numeric	Label
	97	1	male
	280	3	female
	1,057	.	

c2_bb_gen_L **L : Gender code**

type: numeric (byte)
 label: **c2_bb_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,240/1,434

tabulation:	Freq.	Numeric	Label
	45	1	male
	149	3	female
	1,240	.	

c2_bc_gen_L **L : Gender code**

type: numeric (byte)
 label: **c2_bc_gen**

```

range: [1,3] units: 1
unique values: 2 missing .: 1,389/1,434

tabulation: Freq. Numeric Label
             17      1 male
             28      3 female
            1,389      .
    
```

c3_code_L **L : Frequency**

```

type: numeric (byte)
label: c3_code

range: [3,5] units: 1
unique values: 2 missing .: 0/1,434
unique missing codes: 2 missing *: 1,097/1,434

tabulation: Freq. Numeric Label
             13      3 at least once a month
             324     5 at least once a week
            1,096     .b
              1      .c
    
```

c3_hr_L **L : Hours**

```

type: numeric (float)

range: [0,11] units: 1
unique values: 8 missing .: 1,111/1,434
unique missing codes: 2 missing *: 1/1,434

tabulation: Freq. Value
             132  0
             115  1
              35  2
              22  3
              11  4
               2  5
               4  6
               1 11
            1,111 .
              1  .c
mean:      1.0559
std. dev:  1.34997

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        1        3
    
```

c3_min_L **L : Minutes**

```

type: numeric (float)

range: [0,59] units: 1
unique values: 44 missing .: 1,111/1,434
unique missing codes: 2 missing *: 1/1,434
    
```

```

tabulation:  Freq.  Value
              71    0
               1    1
               4    2
               3    3
               4    4
               2    5
               5    6
              10    8
               1    9
              15   10
               4   11
               4   13
               4   14
              18   15
               4   17
               1   19
              15   20
               1   21
               1   22
               4   23
               3   24
               5   25
               1   26
               1   27
               2   28
               1   29
              67   30
               4   31
               1   33
               3   35
               2   38
              11   40
              26   45
               1   46
               2   47
               1   49
               7   50
               1   52
               5   53
               1   54
               1   55
               1   56
               1   58
               2   59
            1,111  .
               1  .c
    mean:      20.9534
std. dev:     16.8407

```

```

percentiles:      10%      25%      50%      75%      90%
                  0         4        20        30        45

```

c3_aa_L

Monday-Sunday How many times

```

type: numeric (double)
range: [1,11]
unique values: 28
unique missing codes: 2
units: .001
missing .: 1,110/1,434
missing *: 1/1,434

```

```

tabulation:  Freq.  Value
              28    1
              1    1.046
              14    1.5
              36    2
                2    2.32
              43    2.5
                2    2.79
              91    3
                2    3.02
                1    3.49
              29    3.5
                2    3.72
                2    3.95
              35    4
                3    4.42
                4    4.5
                5    4.65
                1    4.7
                1    4.88
                6    5
                1    5.3
                2    5.5
                1    5.58
                2    5.81
                5    6
                1    6.28
                2    6.51
                1    11
            1,110  .
                1  .c
    mean:      2.99389
    std. dev:  1.22617
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  1.5      2.32      3        3.5      4.42
    
```

c3_ab_L **Monday-Sunday How many times per units**

```

    type:  string (str24), but longest is str4
    unique values:  1          missing "":  1,112/1,434

    tabulation:  Freq.  Value
                  1,112  ""
                  322   "week"
    
```

c3_ac_L **Monday-Sunday How many times per hours**

```

    type:  numeric (double)
    range:  [0,2]
    unique values:  3          units:  1
    unique missing codes:  2      missing .:  1,112/1,434
                                missing *:  1/1,434

    tabulation:  Freq.  Value
                  266    0
                  52    1
                   3    2
            1,112  .
                   1  .c
    mean:      .180685
    std. dev:  .408963

    percentiles:      10%      25%      50%      75%      90%
                      0        0        0        0        1
    
```

c3_ad_L **Monday-Sunday How many times per minutes**

```

type: numeric (double)
range: [0,45]
unique values: 23
unique missing codes: 2
units: .01
missing .: 1,112/1,434
missing *: 1/1,434

tabulation: Freq. Value
              49  0
               1  1
               4  1.5
               1  2
              10  2.5
               1  3
               2  3.5
               1  4.29
               6  4.5
              16  5
               6  5.5
               1  6.5
               7  7.5
              32  10
               1  12.5
              20  15
               2  17.5
              32  20
               9  25
             110  30
               3  35
               3  40
               4  45
            1,112  .
               1  .c
mean: 17.0866
std. dev: 12.5025

percentiles:      10%      25%      50%      75%      90%
                  0         5         20         30         30
    
```

c3_ba_L **L : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing .: 1,097/1,434
missing *: 86/1,434

tabulation: Freq. Numeric Label
              26         1 father
              75         3 mother
              93         5 grandparents
               8         7 uncle/aunt
              25         9 brother/sister/cousin
               8         11 outsider
              16         13 other household member
            1,097         .
               86         .b
    
```

c3_bb_L **L : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A
    
```


range: [1,13] units: 1
 unique values: 7 missing .: 1,316/1,434
 unique missing codes: 2 missing *: 19/1,434

tabulation:	Freq.	Numeric	Label
	4	1	father
	32	3	mother
	35	5	grandparents
	3	7	uncle/aunt
	17	9	brother/sister/cousin
	4	11	outsider
	4	13	other household member
	1,316	.	
	19	.b	

c3_bc_L **L : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**

range: [3,13] units: 1
 unique values: 6 missing .: 1,410/1,434
 unique missing codes: 2 missing *: 5/1,434

tabulation:	Freq.	Numeric	Label
	6	3	mother
	3	5	grandparents
	1	7	uncle/aunt
	5	9	brother/sister/cousin
	3	11	outsider
	1	13	other household member
	1,410	.	
	5	.b	

c3_ba_gen_L **L : Gender code**

type: numeric (byte)
 label: **c3_ba_gen**

range: [1,3] units: 1
 unique values: 2 missing .: 1,183/1,434

tabulation:	Freq.	Numeric	Label
	62	1	male
	189	3	female
	1,183	.	

c3_bb_gen_L **L : Gender code**

type: numeric (byte)
 label: **c3_bb_gen**

range: [1,3] units: 1
 unique values: 2 missing .: 1,335/1,434

tabulation:	Freq.	Numeric	Label
	24	1	male
	75	3	female
	1,335	.	

c3_bc_gen_L **L : Gender code**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,415/1,434

tabulation: Freq. Numeric Label
              6         1 male
              13        3 female
            1,415        .
    
```

activity_M **Child reads a book byself (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,434/1,434

tabulation: Freq. Value
            1,434 ""
    
```

c1_code_M **M : Frequency**

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 4
unique missing codes: 1
units: 1
missing ..: 0/1,434
missing *: 236/1,434

tabulation: Freq. Numeric Label
              996        0 never
               2         5 at least once a week
             181         7 once a day
               19         9 more than once a day
             236         .c
    
```

c1_hr_M **M : Hours**

```

type: numeric (float)
range: [0,10]
unique values: 9
units: 1
missing ..: 1,232/1,434

tabulation: Freq. Value
              86  0
              37  1
              50  2
               4  3
               1  4
              16  5
               2  6
               2  7
               4 10
            1,232 .
mean:         1.4802
std. dev:     2.01539

percentiles: 10%    25%    50%    75%    90%
              0      0      1      2      5
    
```

c1_min_M **M : Minutes**

```

type: numeric (float)
    
```

range: [0,56] units: 1
 unique values: 18 missing .: 1,232/1,434

tabulation:

Freq.	Value
20	0
3	3
8	5
6	10
2	13
19	15
1	18
3	20
3	23
22	25
1	28
45	30
10	38
1	39
25	40
2	45
30	50
1	56
1,232	.

mean: 27.5248
 std. dev: 15.5647

percentiles:

10%	25%	50%	75%	90%
3	15	30	40	50

c1_aa_M **Monday-Friday How many times**

type: numeric (double)

range: [1,3] units: .1
 unique values: 5 missing .: 1,232/1,434
 unique missing codes: 2 missing *: 2/1,434

tabulation:

Freq.	Value
181	1
2	1.5
9	2
5	2.5
3	3
1,232	.
2	.d

mean: 1.1175
 std. dev: .388197

percentiles:

10%	25%	50%	75%	90%
1	1	1	1	1

c1_ab_M **Monday-Friday How many times per units**

type: string (str21), but longest is str4

unique values: 2 missing "": 1,232/1,434

tabulation:

Freq.	Value
1,232	"
200	"day"
2	"week"

c1_ac_M **Monday-Friday How many times per hours**

type: numeric (double)

```

    range: [0,2]                units: 1
unique values: 3                missing .: 1,232/1,434

  tabulation: Freq.  Value
              183    0
              15    1
               4    2
            1,232    .
    mean:     .113861
  std. dev:   .375766

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

c1_ad_M **Monday-Friday How many times per minutes**

```

    type: numeric (double)
    range: [0,45]                units: .1
unique values: 19                missing .: 1,232/1,434

  tabulation: Freq.  Value
              17    0
               1    1
               6    2
               4   2.5
               6    3
               1   3.5
               1    4
               3   4.5
              22    5
              14   7.5
              33   10
               9   15
               2  17.5
              27   20
               1  22.5
               6   25
              47   30
               1   32
               1   45
            1,232    .
    mean:     14.7351
  std. dev:  10.9304

percentiles:      10%      25%      50%      75%      90%
                  2        5       10       25       30

```

c1_ba_M **M : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A
    range: [.,.]                units: .
unique values: 0                missing .: 1,232/1,434
unique missing codes: 2         missing *: 202/1,434

  tabulation: Freq.  Numeric  Label
              1,232    .
               202     .b

```

c1_bb_M **M : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c1_ba_A

```

range: [..]
 unique values: 0
 unique missing codes: 2

units: .
 missing .: 1,232/1,434
 missing *: 202/1,434

tabulation:	Freq.	Numeric	Label
	1,232	.	
	202	.b	

c1_bc_M **M : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**

range: [..]
 unique values: 0
 unique missing codes: 2

units: .
 missing .: 1,232/1,434
 missing *: 202/1,434

tabulation:	Freq.	Numeric	Label
	1,232	.	
	202	.b	

c1_ba_gen_M **M : Gender code**

type: numeric (byte)
 label: **c1_ba_gen**

range: [..]
 unique values: 0

units: .
 missing .: 1,434/1,434

tabulation:	Freq.	Numeric	Label
	1,434	.	

c1_bb_gen_M **M : Gender code**

type: numeric (byte)
 label: **c1_bb_gen**

range: [..]
 unique values: 0

units: .
 missing .: 1,434/1,434

tabulation:	Freq.	Numeric	Label
	1,434	.	

c1_bc_gen_M **M : Gender code**

type: numeric (byte)
 label: **c1_bc_gen**

range: [..]
 unique values: 0

units: .
 missing .: 1,434/1,434

tabulation:	Freq.	Numeric	Label
	1,434	.	

c2_code_M **M : Frequency**

type: numeric (byte)
 label: **c2_code**

range: [0,9] units: 1
 unique values: 3 missing .: 0/1,434
 unique missing codes: 1 missing *: 236/1,434

tabulation:	Freq.	Numeric	Label
	1,031	0	never
	146	7	once a day
	21	9	more than once a day
	236	.c	

c2_hr_M

M : Hours

type: numeric (**float**)

range: [0,4] units: 1
 unique values: 5 missing .: 1,268/1,434

tabulation:	Freq.	Value
	110	0
	35	1
	16	2
	2	3
	3	4
	1,268	.

mean: .512048
 std. dev: .858031

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

c2_min_M

M : Minutes

type: numeric (**float**)

range: [0,50] units: 1
 unique values: 17 missing .: 1,267/1,434

tabulation:	Freq.	Value
	51	0
	1	2
	4	4
	2	5
	6	6
	2	8
	5	9
	20	10
	10	15
	29	20
	1	23
	3	25
	10	30
	1	35
	16	40
	1	44
	5	50
	1,267	.

mean: 14.503
 std. dev: 14.3652

percentiles:	10%	25%	50%	75%	90%
	0	0	10	20	40

c2_aa_M

Saturday-Sunday How many times

type: numeric (**double**)

range: [1,3] units: .1
 unique values: 5 missing .: 1,267/1,434
 unique missing codes: 2 missing *: 2/1,434

tabulation: Freq. Value
 147 1
 4 1.5
 8 2
 4 2.5
 2 3
 1,267 .
 2 .d
 mean: 1.12121
 std. dev: .37915

percentiles: 10% 25% 50% 75% 90%
 1 1 1 1 1.5

c2_ab_M Saturday-Sunday How many times per units

type: string (**str21**), but longest is str3
 unique values: 1 missing "": 1,267/1,434

tabulation: Freq. Value
 1,267 ""
 167 "day"

c2_ac_M Saturday-Sunday How many times per hours

type: numeric (**double**)
 range: [0,2] units: 1
 unique values: 3 missing .: 1,267/1,434

tabulation: Freq. Value
 150 0
 14 1
 3 2
 1,267 .
 mean: .11976
 std. dev: .377091

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

c2_ad_M Saturday-Sunday How many times per minutes

type: numeric (**double**)
 range: [0,32] units: .1
 unique values: 17 missing .: 1,267/1,434

tabulation: Freq. Value
 16 0
 1 1
 4 2
 4 2.5
 6 3
 1 4
 5 4.5
 19 5
 14 7.5
 29 10
 7 15
 2 17.5

```

                20 20
                1 22.5
                4 25
                33 30
                1 32
            1,267 .
    mean:      13.4012
    std. dev:   10.5
    
```

```

percentiles:    10%    25%    50%    75%    90%
                1      5      10     20     30
    
```

c2_ba_M **M : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [.,.]
    unique values: 0
    unique missing codes: 2

    units: .
    missing .: 1,267/1,434
    missing *: 167/1,434

    tabulation:  Freq.  Numeric  Label
                  1,267      .
                  167        .b
    
```

c2_bb_M **M : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [.,.]
    unique values: 0
    unique missing codes: 2

    units: .
    missing .: 1,267/1,434
    missing *: 167/1,434

    tabulation:  Freq.  Numeric  Label
                  1,267      .
                  167        .b
    
```

c2_bc_M **M : People doing activity with (person 3)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [.,.]
    unique values: 0
    unique missing codes: 2

    units: .
    missing .: 1,267/1,434
    missing *: 167/1,434

    tabulation:  Freq.  Numeric  Label
                  1,267      .
                  167        .b
    
```

c2_ba_gen_M **M : Gender code**

```

    type: numeric (byte)
    label: c2_ba_gen

    range: [.,.]
    unique values: 0

    units: .
    missing .: 1,434/1,434

    tabulation:  Freq.  Numeric  Label
                  1,434      .
    
```

c2_bb_gen_M **M : Gender code**

```

type: numeric (byte)
label: c2_bb_gen

range: [.,.]
unique values: 0
units: .
missing ..: 1,434/1,434

tabulation: Freq.  Numeric  Label
              1,434      .
    
```

c2_bc_gen_M **M : Gender code**

```

type: numeric (byte)
label: c2_bc_gen

range: [.,.]
unique values: 0
units: .
missing ..: 1,434/1,434

tabulation: Freq.  Numeric  Label
              1,434      .
    
```

c3_code_M **M : Frequency**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 1
units: 1
missing ..: 0/1,434
missing *: 1,198/1,434

tabulation: Freq.  Numeric  Label
              22      3  at least once a month
              214     5  at least once a week
              1,198    .b
    
```

c3_hr_M **M : Hours**

```

type: numeric (float)

range: [0,13]
unique values: 8
units: 1
missing ..: 1,220/1,434

tabulation: Freq.  Value
              143    0
              50    1
               8    2
               7    3
               1    4
               1    5
               3    6
               1   13
            1,220    .
mean:      .593458
std. dev:  1.34902

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        1
    
```

c3_min_M **M : Minutes**

```

type: numeric (float)
range: [0,50] units: 1
unique values: 30 missing .: 1,220/1,434

```

```

tabulation: Freq. Value
             25  0
              1  1
              1  2
              6  3
              6  4
              8  5
              3  6
              3  7
              8  8
              4  9
             14 10
              2 12
              7 13
              1 14
             35 15
              3 16
              1 18
             18 20
              2 23
              3 25
              1 28
             30 30
              5 35
              3 38
              9 40
              1 41
              1 43
              1 44
              8 45
              4 50

```

```

1,220 .
mean: 17.8972
std. dev: 13.5961

```

```

percentiles:      10%      25%      50%      75%      90%
                  0         8        15        30        40

```

c3_aa_M

Monday-Sunday How many times

```

type: numeric (double)
range: [1,6] units: .01
unique values: 11 missing .: 1,220/1,434

```

```

tabulation: Freq. Value
             30  1
             18 1.5
             40  2
             37 2.5
             46  3
             18 3.5
             10  4
              1 4.18
              5 4.5
              7  5
              2  6
            1,220 .

```

```

mean: 2.5429
std. dev: 1.05745

```

```

percentiles:      10%      25%      50%      75%      90%
                  1         2        2.5        3         4

```

c3_ab_M **Monday-Sunday How many times per units**

```

type: string (str24), but longest is str4
unique values: 1 missing "": 1,220/1,434
tabulation: Freq. Value
             1,220 ""
             214 "week"
    
```

c3_ac_M **Monday-Sunday How many times per hours**

```

type: numeric (double)
range: [0,5.5] units: .1
unique values: 6 missing .: 1,220/1,434
tabulation: Freq. Value
             193 0
             15 1
              2 1.5
              2 2
              1 4
              1 5.5
             1,220 .
mean: .147196
std. dev: .569628
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

c3_ad_M **Monday-Sunday How many times per minutes**

```

type: numeric (double)
range: [0,45] units: .1
unique values: 23 missing .: 1,220/1,434
tabulation: Freq. Value
             18 0
              1 1
              5 1.5
              4 2
             14 2.5
              2 3
              5 3.5
              3 4
              2 4.5
             27 5
              2 6.5
              1 7
              4 7.5
              1 9.5
             34 10
              1 12.5
             18 15
              1 17.5
             28 20
              3 25
             37 30
              1 40
              2 45
             1,220 .
mean: 13.1098
std. dev: 10.7392
    
```


tabulation: Freq. Numeric Label
 1,434 .

c3_bc_gen_M **M : Gender code**

type: numeric (**byte**)
 label: **c3_bc_gen**
 range: [.,.] units: .
 unique values: 0 missing .: 1,434/1,434
 tabulation: Freq. Numeric Label
 1,434 .

activity_N **Others (not display)**

type: string (**str147**), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

c1_code_N **N : Frequency**

type: numeric (**byte**)
 label: **c1_code**
 range: [0,0] units: 1
 unique values: 1 missing .: 1,421/1,434
 unique missing codes: 2 missing *: 1/1,434
 tabulation: Freq. Numeric Label
 12 0 never
 1,421 .
 1 .b

c1_hr_N **N : Hours**

type: numeric (**float**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,434/1,434
 tabulation: Freq. Value
 1,434 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c1_min_N **N : Minutes**

type: numeric (**float**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,434/1,434

```

tabulation: Freq. Value
             1,434 .
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

c1_aa_N **Monday-Friday How many times**

```

      type: numeric (double)
      range: [.,.]
unique values: 0
             units: .
             missing.: 1,434/1,434

      tabulation: Freq. Value
                  1,434 .
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

c1_ab_N **Monday-Friday How many times per units**

```

      type: string (str21), but longest is str0
unique values: 0
             missing "": 1,434/1,434

      tabulation: Freq. Value
                  1,434 ""
    
```

c1_ac_N **Monday-Friday How many times per hours**

```

      type: numeric (double)
      range: [.,.]
unique values: 0
             units: .
             missing.: 1,434/1,434

      tabulation: Freq. Value
                  1,434 .
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

c1_ad_N **Monday-Friday How many times per minutes**

```

      type: numeric (double)
      range: [.,.]
unique values: 0
             units: .
             missing.: 1,434/1,434

      tabulation: Freq. Value
                  1,434 .
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

c1_ba_N **N : People doing activity with (person 1)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [.,.]
unique values: 0
                units: .
                missing .: 1,434/1,434

      tabulation: Freq.  Numeric  Label
                  1,434      .
    
```

c1_bb_N **N : People doing activity with (person 2)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [.,.]
unique values: 0
                units: .
                missing .: 1,434/1,434

      tabulation: Freq.  Numeric  Label
                  1,434      .
    
```

c1_bc_N **N : People doing activity with (person 3)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [.,.]
unique values: 0
                units: .
                missing .: 1,434/1,434

      tabulation: Freq.  Numeric  Label
                  1,434      .
    
```

c1_ba_gen_N **N : Gender code**

```

      type: numeric (byte)
      label: c1_ba_gen

      range: [.,.]
unique values: 0
                units: .
                missing .: 1,434/1,434

      tabulation: Freq.  Numeric  Label
                  1,434      .
    
```

c1_bb_gen_N **N : Gender code**

```

      type: numeric (byte)
      label: c1_bb_gen

      range: [.,.]
unique values: 0
                units: .
                missing .: 1,434/1,434

      tabulation: Freq.  Numeric  Label
                  1,434      .
    
```

c1_bc_gen_N **N : Gender code**

```

      type: numeric (byte)
      label: c1_bc_gen
    
```

```

range: [.,.]
unique values: 0
units: .
missing ..: 1,434/1,434

tabulation: Freq. Numeric Label
1,434 .
    
```

c2_code_N **N : Frequency**

```

type: numeric (byte)
label: c2_code

range: [0,0]
unique values: 1
unique missing codes: 2
units: 1
missing ..: 1,421/1,434
missing *: 1/1,434

tabulation: Freq. Numeric Label
12 0 never
1,421 .
1 .b
    
```

c2_hr_N **N : Hours**

```

type: numeric (float)

range: [.,.]
unique values: 0
units: .
missing ..: 1,434/1,434

tabulation: Freq. Value
1,434 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

c2_min_N **N : Minutes**

```

type: numeric (float)

range: [.,.]
unique values: 0
units: .
missing ..: 1,434/1,434

tabulation: Freq. Value
1,434 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

c2_aa_N **Saturday-Sunday How many times**

```

type: numeric (double)

range: [.,.]
unique values: 0
units: .
missing ..: 1,434/1,434

tabulation: Freq. Value
1,434 .
mean: .
std. dev: .
    
```


tabulation: Freq. Numeric Label
 1,434 .

c2_bc_N **N : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**

range: [..] units: .
 unique values: 0 missing .: 1,434/1,434

tabulation: Freq. Numeric Label
 1,434 .

c2_ba_gen_N **N : Gender code**

type: numeric (byte)
 label: **c2_ba_gen**

range: [..] units: .
 unique values: 0 missing .: 1,434/1,434

tabulation: Freq. Numeric Label
 1,434 .

c2_bb_gen_N **N : Gender code**

type: numeric (byte)
 label: **c2_bb_gen**

range: [..] units: .
 unique values: 0 missing .: 1,434/1,434

tabulation: Freq. Numeric Label
 1,434 .

c2_bc_gen_N **N : Gender code**

type: numeric (byte)
 label: **c2_bc_gen**

range: [..] units: .
 unique values: 0 missing .: 1,434/1,434

tabulation: Freq. Numeric Label
 1,434 .

c3_code_N **N : Frequency**

type: numeric (byte)
 label: **c3_code**

range: [..] units: .
 unique values: 0 missing .: 1,421/1,434
 unique missing codes: 2 missing *: 13/1,434

tabulation: Freq. Numeric Label
 1,421 .
 13 .b

c3_hr_N **N : Hours**

```

type: numeric (float)
range: [.,.]
unique values: 0
units: .
missing ..: 1,434/1,434

tabulation: Freq. Value
1,434 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

c3_min_N **N : Minutes**

```

type: numeric (float)
range: [.,.]
unique values: 0
units: .
missing ..: 1,434/1,434

tabulation: Freq. Value
1,434 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

c3_aa_N **Monday-Sunday How many times**

```

type: numeric (double)
range: [.,.]
unique values: 0
units: .
missing ..: 1,434/1,434

tabulation: Freq. Value
1,434 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

c3_ab_N **Monday-Sunday How many times per units**

```

type: string (str24), but longest is str0
unique values: 0
missing "": 1,434/1,434

tabulation: Freq. Value
1,434 ""
    
```

c3_ac_N **Monday-Sunday How many times per hours**

```

type: numeric (double)
range: [.,.]
unique values: 0
units: .
missing ..: 1,434/1,434
    
```

```

tabulation: Freq. Value
             1,434 .
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

c3_ad_N **Monday-Sunday How many times per minutes**

```

      type: numeric (double)
      range: [.,.]
unique values: 0
             units: .
             missing .: 1,434/1,434

      tabulation: Freq. Value
                  1,434 .
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

c3_ba_N **N : People doing activity with (person 1)**

```

      type: numeric (byte)
      label: c1_ba_A
      range: [.,.]
unique values: 0
             units: .
             missing .: 1,434/1,434

      tabulation: Freq. Numeric Label
                  1,434 .
    
```

c3_bb_N **N : People doing activity with (person 2)**

```

      type: numeric (byte)
      label: c1_ba_A
      range: [.,.]
unique values: 0
             units: .
             missing .: 1,434/1,434

      tabulation: Freq. Numeric Label
                  1,434 .
    
```

c3_bc_N **N : People doing activity with (person 3)**

```

      type: numeric (byte)
      label: c1_ba_A
      range: [.,.]
unique values: 0
             units: .
             missing .: 1,434/1,434

      tabulation: Freq. Numeric Label
                  1,434 .
    
```

c3_ba_gen_N **N : Gender code**

```

      type: numeric (byte)
      label: c3_ba_gen
    
```

range: [.,.] units: .
 unique values: 0 missing .: 1,434/1,434
 tabulation: Freq. Numeric Label
 1,434 .

c3_bb_gen_N N : Gender code

type: numeric (byte)
 label: c3_bb_gen
 range: [3,3] units: 1
 unique values: 1 missing .: 1,433/1,434
 tabulation: Freq. Numeric Label
 1 3 female
 1,433 .

c3_bc_gen_N N : Gender code

type: numeric (byte)
 label: c3_bc_gen
 range: [.,.] units: .
 unique values: 0 missing .: 1,434/1,434
 tabulation: Freq. Numeric Label
 1,434 .

activity_0 Child plays computer, tablet, ipad, mobile phone (not display)

type: string (str147), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

c1_code_0 O : Frequency

type: numeric (byte)
 label: c1_code
 range: [0,9] units: 1
 unique values: 5 missing .: 1/1,434
 unique missing codes: 2 missing *: 247/1,434
 tabulation: Freq. Numeric Label
 311 0 never
 1 1 less than once a month
 2 5 at least once a week
 495 7 once a day
 377 9 more than once a day
 1 .
 247 .c

c1_hr_0 O : Hours

type: numeric (float)

range: [0,68] units: 1
 unique values: 29 missing .: 560/1,434
 unique missing codes: 2 missing *: 1/1,434

tabulation: Freq. Value
 59 0
 42 1
 131 2
 23 3
 3 4
 242 5
 11 6
 65 7
 7 8
 2 9
 125 10
 6 11
 37 12
 1 13
 40 15
 2 16
 17 17
 3 18
 26 20
 10 22
 6 25
 3 27
 4 30
 2 31
 2 37
 1 40
 1 45
 1 56
 1 68
 560 .
 1 .c
 mean: 7.30126
 std. dev: 6.72747

percentiles: 10% 25% 50% 75% 90%
 1 2 5 10 15

cl_min_0 **O : Minutes**

type: numeric (**float**)
 range: [0,55] units: 1
 unique values: 22 missing .: 560/1,434
 unique missing codes: 2 missing *: 1/1,434

tabulation: Freq. Value
 435 0
 11 5
 4 8
 6 10
 2 11
 1 12
 7 13
 34 15
 2 17
 1 18
 14 20
 6 23
 9 25
 247 30
 2 34
 7 38
 27 40
 21 45
 2 48

```

          30 50
          1 53
          4 55
          560 .
          1 .c
    mean: 15.0229
    std. dev: 16.7136

    percentiles:    10%    25%    50%    75%    90%
                   0      0      5     30     38
    
```

c1_aa_0 **Monday-Friday How many times**

```

    type: numeric (double)
    range: [1,5.5]
    unique values: 10
    unique missing codes: 2
    units: .1
    missing .: 560/1,434
    missing *: 59/1,434
    
```

```

    tabulation:
    Freq. Value
    495 1
    18 1.5
    194 2
    42 2.5
    36 3
    15 3.5
    3 4
    7 4.5
    2 5
    3 5.5
    560 .
    59 .d
    
```

```

    mean: 1.52822
    std. dev: .790648
    
```

```

    percentiles:    10%    25%    50%    75%    90%
                   1      1      1      2     2.5
    
```

c1_ab_0 **Monday-Friday How many times per units**

```

    type: string (str21), but longest is str4
    unique values: 3
    missing "": 560/1,434
    
```

```

    tabulation:
    Freq. Value
    560 ""
    871 "day"
    1 "time"
    2 "week"
    
```

c1_ac_0 **Monday-Friday How many times per hours**

```

    type: numeric (double)
    range: [0,6]
    unique values: 11
    unique missing codes: 2
    units: .1
    missing .: 560/1,434
    missing *: 1/1,434
    
```

```

tabulation:  Freq.  Value
              342    0
              375    1
              24    1.5
              75    2
              15    2.5
              16    3
              6    3.5
              14    4
              3    4.5
              2    5.5
              1    6
              560   .
              1    .c
    mean:     .863688
    std. dev: .939866

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        1        2

```

c1_ad_0

Monday-Friday How many times per minutes

```

type: numeric (double)
range: [0,50]
unique values: 26
unique missing codes: 2
units: .1
missing .: 560/1,434
missing *: 1/1,434

```

```

tabulation:  Freq.  Value
              474    0
              1    1
              2    1.5
              3    2
              9    2.5
              1    3
              1    3.5
              1    4
              8    4.5
              7    5
              1    6.5
              8    7.5
              1    9.5
              42   10
              22   15
              1   17.5
              25   20
              1   23
              13   25
              196  30
              2   32.5
              7   35
              2   38
              10  40
              33  45
              2   50
              560 .
              1   .c
    mean:     11.5195
    std. dev: 14.8036

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0       30       30

```

c1_ba_0

0 : People doing activity with (person 1)

```

type: numeric (byte)
label: c1_ba_A

```


range: [1,13] units: 1
 unique values: 7 missing .: 560/1,434
 unique missing codes: 2 missing *: 586/1,434

tabulation:	Freq.	Numeric	Label
	12	1	father
	32	3	mother
	19	5	grandparents
	8	7	uncle/aunt
	165	9	brother/sister/cousin
	43	11	outsider
	9	13	other household member
	560	.	
	586	.b	

c1_bb_0 O : People doing activity with (person 2)

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 7 missing .: 1,229/1,434
 unique missing codes: 2 missing *: 44/1,434

tabulation:	Freq.	Numeric	Label
	5	1	father
	17	3	mother
	6	5	grandparents
	2	7	uncle/aunt
	69	9	brother/sister/cousin
	59	11	outsider
	3	13	other household member
	1,229	.	
	44	.b	

c1_bc_0 O : People doing activity with (person 3)

type: numeric (byte)
 label: c1_ba_A

range: [3,13] units: 1
 unique values: 5 missing .: 1,368/1,434
 unique missing codes: 2 missing *: 10/1,434

tabulation:	Freq.	Numeric	Label
	2	3	mother
	1	5	grandparents
	16	9	brother/sister/cousin
	36	11	outsider
	1	13	other household member
	1,368	.	
	10	.b	

c1_ba_gen_0 O : Gender code

type: numeric (byte)
 label: c1_ba_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,144/1,434

tabulation:	Freq.	Numeric	Label
	140	1	male
	150	3	female
	1,144	.	

c1_bb_gen_0 **O : Gender code**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,273/1,434

tabulation: Freq.  Numeric  Label
              76      1  male
              85      3  female
            1,273      .
    
```

c1_bc_gen_0 **O : Gender code**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,378/1,434

tabulation: Freq.  Numeric  Label
              33      1  male
              23      3  female
            1,378      .
    
```

c2_code_0 **O : Frequency**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 2
units: 1
missing ..: 1/1,434
missing *: 249/1,434

tabulation: Freq.  Numeric  Label
              262      0  never
               4      5  at least once a week
             354      7  once a day
             564      9  more than once a day
               1      .
             249      .c
    
```

c2_hr_0 **O : Hours**

```

type: numeric (float)

range: [0,27]
unique values: 25
unique missing codes: 2
units: 1
missing ..: 512/1,434
missing *: 1/1,434

tabulation: Freq.  Value
              96      0
             134      1
             202      2
              61      3
             141      4
              56      5
              69      6
              31      7
              37      8
              20      9
              16     10
              11     11
    
```

```

                20 12
                 3 13
                 2 14
                 6 15
                 1 16
                 4 17
                 3 18
                 1 20
                 2 21
                 2 22
                 1 25
                 1 26
                 1 27
                512 .
                 1 .c
    mean:      3.98697
  std. dev:   3.79099

percentiles:   10%      25%      50%      75%      90%
                0         2         3         6         9
    
```

c2_min_0 **O : Minutes**

```

    type: numeric (float)
    range: [0,55]
  unique values: 22
unique missing codes: 2
    units: 1
  missing .: 512/1,434
  missing *: 1/1,434
    
```

```

  tabulation:  Freq.  Value
                722    0
                 3    3
                 2    4
                 8    5
                 1    7
                 1    8
                 3    9
                 6   10
                 2   13
                 1   14
                12   15
                 3   18
                 1   19
                35   20
                79   30
                 1   32
                 1   38
                26   40
                 3   45
                 7   50
                 3   53
                 1   55
                512  .
                 1  .c
    mean:      5.78827
  std. dev:   12.297
    
```

```

percentiles:   10%      25%      50%      75%      90%
                0         0         0         0         30
    
```

c2_aa_0 **Saturday-Sunday How many times**

```

    type: numeric (double)
    range: [1,8]
  unique values: 11
unique missing codes: 2
    units: .1
  missing .: 512/1,434
  missing *: 127/1,434
    
```

```

tabulation:  Freq.  Value
              360    1
              24    1.5
              213    2
              78    2.5
              60    3
              28    3.5
              6     4
              15    4.5
              4     5
              6     5.5
              1     8
              512   .
              127   .d
    mean:     1.82075
    std. dev: .969437
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  1        1        2        2        3
    
```

c2_ab_0 **Saturday-Sunday How many times per units**

```

    type:  string (str21), but longest is str4
unique values:  3                               missing "":  512/1,434
tabulation:  Freq.  Value
              512   ""
              916  "day"
              1    "time"
              5    "week"
    
```

c2_ac_0 **Saturday-Sunday How many times per hours**

```

    type:  numeric (double)
    range: [0,30]
unique values:  18                               units:  .1
unique missing codes:  2                       missing .:  512/1,434
                                                missing *:  1/1,434
    
```

```

tabulation:  Freq.  Value
              323    0
              353    1
              28    1.5
              105    2
              23    2.5
              36    3
              9     3.5
              15    4
              3     4.5
              11    5
              3     5.5
              4     6
              1     7
              2     7.5
              2     8
              1     9
              1    10
              1    30
              512   .
              1    .c
    mean:     1.14875
    std. dev: 1.60827
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        1.5      2.5
    
```

c2_ad_0 **Saturday-Sunday How many times per minutes**

```

type: numeric (double)
range: [0,45]
unique values: 21
unique missing codes: 2
units: .1
missing .: 512/1,434
missing *: 1/1,434
    
```

```

tabulation: Freq. Value
             524  0
              1  1
              1  1.5
              3  2
             10  2.5
              2  3.5
              7  4.5
              7  5
              9  7.5
              1  9.5
             36 10
             27 15
              1 17.5
             25 20
              1 23
              7 25
            215 30
              5 35
              1 38
              8 40
              30 45
            512 .
              1 .c
    
```

```

mean: 10.855
std. dev: 14.4462
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        30       30
    
```

c2_ba_0 **0 : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing .: 513/1,434
missing *: 600/1,434
    
```

```

tabulation: Freq. Numeric Label
             11         1 father
             41         3 mother
             19         5 grandparents
              8         7 uncle/aunt
            178         9 brother/sister/cousin
             54        11 outsider
             10        13 other household member
            513         .
            600        .b
    
```

c2_bb_0 **0 : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A
    
```

range: [1,13] units: 1
 unique values: 7 missing .: 1,208/1,434
 unique missing codes: 2 missing *: 48/1,434

tabulation:	Freq.	Numeric	Label
	7	1	father
	16	3	mother
	9	5	grandparents
	2	7	uncle/aunt
	74	9	brother/sister/cousin
	67	11	outsider
	3	13	other household member
	1,208	.	
	48	.b	

c2_bc_0 **O : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**

range: [3,13] units: 1
 unique values: 5 missing .: 1,359/1,434
 unique missing codes: 2 missing *: 11/1,434

tabulation:	Freq.	Numeric	Label
	2	3	mother
	1	5	grandparents
	18	9	brother/sister/cousin
	42	11	outsider
	1	13	other household member
	1,359	.	
	11	.b	

c2_ba_gen_0 **O : Gender code**

type: numeric (byte)
 label: **c2_ba_gen**

range: [1,3] units: 1
 unique values: 2 missing .: 1,109/1,434

tabulation:	Freq.	Numeric	Label
	155	1	male
	170	3	female
	1,109	.	

c2_bb_gen_0 **O : Gender code**

type: numeric (byte)
 label: **c2_bb_gen**

range: [1,3] units: 1
 unique values: 2 missing .: 1,256/1,434

tabulation:	Freq.	Numeric	Label
	87	1	male
	91	3	female
	1,256	.	

c2_bc_gen_0 **O : Gender code**

type: numeric (byte)
 label: **c2_bc_gen**

range: [1,3] units: 1
 unique values: 2 missing ..: 1,370/1,434

tabulation:	Freq.	Numeric	Label
	41	1	male
	23	3	female
	1,370	.	

c3_code_0 O : Frequency

type: numeric (**byte**)
 label: **c3_code**

range: [0,5] units: 1
 unique values: 4 missing ..: 4/1,434
 unique missing codes: 2 missing *: 1,182/1,434

tabulation:	Freq.	Numeric	Label
	1	0	never
	2	1	less than once a month
	31	3	at least once a month
	214	5	at least once a week
	4	.	
	1,182	.b	

c3_hr_0 O : Hours

type: numeric (**float**)

range: [0,10] units: 1
 unique values: 9 missing ..: 1,220/1,434

tabulation:	Freq.	Value
	71	0
	59	1
	37	2
	22	3
	8	4
	6	5
	5	6
	2	8
	4	10
	1,220	.

mean: 1.6215
 std. dev: 1.97204

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	4

c3_min_0 O : Minutes

type: numeric (**float**)

range: [0,53] units: 1
 unique values: 24 missing ..: 1,220/1,434

```

tabulation:  Freq.  Value
              79    0
              1    3
              2    4
              2    5
              3    6
              6    8
              6   10
              1   11
              2   12
              1   14
             15   15
              1   19
             12   20
              5   23
              4   25
              1   28
             49   30
              1   35
              4   38
              1   40
              1   44
             11   45
              2   50
              4   53
             1,220  .
    mean:     16.2196
std. dev:    15.7895

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      15     30     38

```

c3_aa_0

Monday-Sunday How many times

```

type: numeric (double)
range: [1,6]
unique values: 11
units: .01
missing .: 1,221/1,434

```

```

tabulation:  Freq.  Value
              33    1
              23   1.5
               1   1.63
              46    2
              31   2.5
              30    3
              21   3.5
              16    4
               7   4.5
               4    5
               1    6
             1,221  .
    mean:     2.45836
std. dev:    1.06152

```

```

percentiles:    10%    25%    50%    75%    90%
                1      1.5    2.5     3      4

```

c3_ab_0

Monday-Sunday How many times per units

```

type: string (str24), but longest is str4
unique values: 2
missing "": 1,221/1,434

```



```

tabulation: Freq. Value
            1,221 ""
              1 "day"
             212 "week"
    
```

c3_ac_0 **Monday-Sunday How many times per hours**

```

type: numeric (double)
range: [0,5]
unique values: 7
units: .1
missing .: 1,221/1,434

tabulation: Freq. Value
            125 0
             67 1
              4 1.5
             11 2
              1 2.5
              4 3
              1 5
            1,221 .
mean: .537559
std. dev: .770014

percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 1
    
```

c3_ad_0 **Monday-Sunday How many times per minutes**

```

type: numeric (double)
range: [0,45]
unique values: 18
units: .1
missing .: 1,221/1,434

tabulation: Freq. Value
            85 0
              3 2
              3 2.5
              1 3
              2 3.5
              2 4
              2 4.5
              5 5
              2 5.5
              1 7.5
             16 10
             11 15
             10 20
              4 25
             57 30
              1 34.5
              2 35
              6 45
            1,221 .
mean: 13.115
std. dev: 13.9755

percentiles: 10% 25% 50% 75% 90%
              0 0 10 30 30
    
```

c3_ba_0 **0 : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
    
```

range: [1,13] units: 1
 unique values: 7 missing .: 1,187/1,434
 unique missing codes: 2 missing *: 127/1,434

tabulation:	Freq.	Numeric	Label
	13	1	father
	16	3	mother
	7	5	grandparents
	4	7	uncle/aunt
	64	9	brother/sister/cousin
	13	11	outsider
	3	13	other household member
	1,187	.	
	127	.b	

c3_bb_0 O : People doing activity with (person 2)

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 6 missing .: 1,371/1,434
 unique missing codes: 2 missing *: 7/1,434

tabulation:	Freq.	Numeric	Label
	4	1	father
	12	3	mother
	3	5	grandparents
	24	9	brother/sister/cousin
	11	11	outsider
	2	13	other household member
	1,371	.	
	7	.b	

c3_bc_0 O : People doing activity with (person 3)

type: numeric (byte)
 label: c1_ba_A

range: [3,13] units: 1
 unique values: 5 missing .: 1,419/1,434
 unique missing codes: 2 missing *: 3/1,434

tabulation:	Freq.	Numeric	Label
	1	3	mother
	1	5	grandparents
	4	9	brother/sister/cousin
	4	11	outsider
	2	13	other household member
	1,419	.	
	3	.b	

c3_ba_gen_0 O : Gender code

type: numeric (byte)
 label: c3_ba_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,313/1,434

tabulation:	Freq.	Numeric	Label
	51	1	male
	70	3	female
	1,313	.	

c3_bb_gen_0 O : Gender code

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,378/1,434

tabulation: Freq.  Numeric  Label
              23         1  male
              33         3  female
             1,378         .
    
```

c3_bc_gen_0 O : Gender code

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,422/1,434

tabulation: Freq.  Numeric  Label
              6         1  male
              6         3  female
             1,422         .
    
```

activity_P Child watches TV (not display)

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,434/1,434

tabulation: Freq.  Value
             1,434  ""
    
```

c1_code_P P : Frequency

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 4
unique missing codes: 1
units: 1
missing .: 0/1,434
missing *: 152/1,434

tabulation: Freq.  Numeric  Label
              257         0  never
               4         5  at least once a week
              759         7  once a day
              262         9  more than once a day
              152         .c
    
```

c1_hr_P P : Hours

```

type: numeric (float)

range: [0,35]
unique values: 22
unique missing codes: 2
units: 1
missing .: 410/1,434
missing *: 1/1,434
    
```

```

tabulation:  Freq.  Value
              78    0
              44    1
             146    2
              34    3
               4    4
             327    5
               5    6
              90    7
               3    8
               1    9
             160   10
               4   11
              31   12
              47   15
               8   17
              20   20
               7   22
               7   25
               1   27
               4   30
               1   31
               1   35
             410   .
               1   .c
    mean:     6.43304
    std. dev: 5.21675

percentiles:    10%    25%    50%    75%    90%
                1      2      5     10     12
    
```

c1_min_P

P : Minutes

```

type: numeric (float)
range: [0,58]
unique values: 22
unique missing codes: 2

units: 1
missing .: 410/1,434
missing *: 1/1,434
    
```

```

tabulation:  Freq.  Value
              555    0
               1    3
               9    5
               5    8
               3   10
               8   13
              25   15
               1   19
              18   20
               2   23
              16   25
               2   26
               1   28
             270   30
               1   35
               9   38
              26   40
              21   45
              44   50
               1   53
               3   55
               2   58
             410   .
               1   .c
    mean:     14.172
    std. dev: 16.9342

percentiles:    10%    25%    50%    75%    90%
                0      0      0     30     38
    
```

c1_aa_P **Monday-Friday How many times**

```

type: numeric (double)
range: [1,5]
unique values: 9
unique missing codes: 2
units: .1
missing .: 409/1,434
missing *: 4/1,434
    
```

```

tabulation: Freq. Value
              760 1
              18 1.5
              213 2
               9 2.5
              15 3
               2 3.5
               2 4
               1 4.5
               1 5
              409 .
               4 .d
    
```

```

mean: 1.27816
std. dev: .521595
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  1        1        1        1.5      2
    
```

c1_ab_P **Monday-Friday How many times per units**

```

type: string (str21), but longest is str4
unique values: 2
missing "": 409/1,434
    
```

```

tabulation: Freq. Value
              409 ""
             1,021 "day"
               4 "week"
    
```

c1_ac_P **Monday-Friday How many times per hours**

```

type: numeric (double)
range: [0,5]
unique values: 9
unique missing codes: 2
units: .1
missing .: 409/1,434
missing *: 1/1,434
    
```

```

tabulation: Freq. Value
              375 0
              420 1
               47 1.5
              129 2
               12 2.5
               32 3
               7 4
               1 4.5
               1 5
              409 .
               1 .c
    
```

```

mean: .890625
std. dev: .856092
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        1        2
    
```

c1_ad_P

Monday-Friday How many times per minutes

```

type: numeric (double)
range: [0,57.5]
unique values: 33
unique missing codes: 2
units: .1
missing .: 409/1,434
missing *: 1/1,434
    
```

```

tabulation: Freq. Value
             565  0
              5  1.5
              1  2
              8  2.5
              1  3.5
              2  4
              3  4.5
             21  5
              1  5.5
              1  6.5
             10  7.5
             45  10
              1  12.5
             29  15
              3  17.5
             30  20
              6  25
              1  27
              1  27.5
            244  30
              1  32
              1  32.5
              2  33.5
              2  35
              1  37.5
              6  40
              1  43
             26  45
              1  47
              1  48.5
              1  50
              2  52.5
              1  57.5
            409  .
              1  .c
    
```

```

mean: 11.0557
std. dev: 14.4385
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         30         30
    
```

c1_ba_P

P : People doing activity with (person 1)

```

type: numeric (byte)
label: c1_ba_A
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing .: 410/1,434
missing *: 118/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              142      1  father
              91      3  mother
             414      5  grandparents
              16      7  uncle/aunt
             193      9  brother/sister/cousin
               8     11  outsider
              42     13  other household member
             410      .
             118     .b
    
```

c1_bb_P **P : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7       missing .: 626/1,434
unique missing codes: 2  missing *: 16/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              31      1  father
             166      3  mother
             349      5  grandparents
              14      7  uncle/aunt
             179      9  brother/sister/cousin
              13     11  outsider
              40     13  other household member
             626      .
              16     .b
    
```

c1_bc_P **P : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7       missing .: 986/1,434
unique missing codes: 2  missing *: 19/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              22      1  father
              37      3  mother
             100      5  grandparents
              19      7  uncle/aunt
             223      9  brother/sister/cousin
              10     11  outsider
              18     13  other household member
             986      .
              19     .b
    
```

c1_ba_gen_P **P : Gender code**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]          units: 1
unique values: 2       missing .: 528/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
             492      1  male
             414      3  female
             528      .
    
```

c1_bb_gen_P **P : Gender code**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 642/1,434

tabulation: Freq.  Numeric  Label
              228      1  male
              564      3  female
              642      .
    
```

c1_bc_gen_P **P : Gender code**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,005/1,434

tabulation: Freq.  Numeric  Label
              202      1  male
              227      3  female
            1,005      .
    
```

c2_code_P **P : Frequency**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 1
units: 1
missing ..: 0/1,434
missing *: 152/1,434

tabulation: Freq.  Numeric  Label
              233      0  never
               3      5  at least once a week
              636      7  once a day
              410      9  more than once a day
              152      .c
    
```

c2_hr_P **P : Hours**

```

type: numeric (float)

range: [0,30]
unique values: 23
unique missing codes: 2
units: 1
missing ..: 386/1,434
missing *: 5/1,434

tabulation: Freq.  Value
              110      0
              167      1
              292      2
               76      3
              184      4
               38      5
               57      6
                7      7
               53      8
               11      9
                9     10
                3     11
               14     12
    
```



```

                2 13
                3 14
                3 16
                2 17
                2 18
                3 19
                1 20
                1 21
                2 24
                3 30
            386 .
                5 .c
    mean:      3.38639
    std. dev:  3.4781

    percentiles:    10%    25%    50%    75%    90%
                   0      1      2      4      8
    
```

c2_min_P

P : Minutes

```

    type: numeric (float)

    range: [0,50]
    unique values: 16
    unique missing codes: 2

    units: 1
    missing .: 386/1,434
    missing *: 5/1,434

    tabulation:  Freq.  Value
                 864  0
                 2   3
                 1   4
                 10  5
                 4   8
                 2   9
                 16  10
                 2  11
                 1  12
                 8  15
                 50  20
                 2  25
                 1  26
                 48  30
                 27  40
                 5  50
            386 .
                 5 .c
    mean:      4.09396
    std. dev:  10.1728

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      20
    
```

c2_aa_P

Saturday-Sunday How many times

```

    type: numeric (double)

    range: [1,4.5]
    unique values: 7
    unique missing codes: 2

    units: .1
    missing .: 385/1,434
    missing *: 18/1,434
    
```

```

tabulation:  Freq.  Value
              641    1
              20    1.5
              313    2
              15    2.5
              35    3
              3    3.5
              4    4.5
              385    .
              18    .d
mean:        1.42386
std. dev:    .602803

percentiles: 10%    25%    50%    75%    90%
              1     1     1     2     2
    
```

c2_ab_P **Saturday-Sunday How many times per units**

```

type: string (str21), but longest is str4
unique values: 2 missing "": 385/1,434

tabulation:  Freq.  Value
              385    ""
            1,046    "day"
              3    "week"
    
```

c2_ac_P **Saturday-Sunday How many times per hours**

```

type: numeric (double)
range: [0,30] units: .1
unique values: 14 missing .: 385/1,434
unique missing codes: 2 missing *: 5/1,434

tabulation:  Freq.  Value
            346    0
            428    1
            53    1.5
            135    2
            17    2.5
            34    3
             2    3.5
            14    4
             3    4.5
             2    5
             2    5.5
             4    6
             3    15
             1    30
            385    .
             5    .c
mean:        1.07136
std. dev:    1.52949

percentiles: 10%    25%    50%    75%    90%
              0     0     1     1.5    2
    
```

c2_ad_P **Saturday-Sunday How many times per minutes**

```

type: numeric (double)
range: [0,57.5] units: .1
unique values: 27 missing .: 385/1,434
unique missing codes: 2 missing *: 5/1,434
    
```

```

tabulation:  Freq.  Value
              617    0
              1     1
              3    1.5
              1     2
              7    2.5
              1     3
              1    3.5
              2     4
              2    4.5
             16     5
              1    5.5
              1    6.5
              8    7.5
             41    10
             31    15
              3    16
              1   17.5
             34    20
              3    25
              1   27.5
            233    30
              2   33.5
              1    35
              4    40
             26    45
              2    50
              1   57.5
            385    .
              5    .c
    mean:     10.0603
    std. dev: 13.9961

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        30       30

```

c2_ba_P **P : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A
    range: [1,13]
    unique values: 7
    unique missing codes: 2
    units: 1
    missing .: 385/1,434
    missing *: 128/1,434

```

```

tabulation:  Freq.  Numeric  Label
             148     1  father
             96     3  mother
             410     5  grandparents
             16     7  uncle/aunt
             193     9  brother/sister/cousin
             15    11  outsider
             43    13  other household member
            385     .
            128    .b

```

c2_bb_P **P : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c1_ba_A
    range: [1,13]
    unique values: 7
    unique missing codes: 2
    units: 1
    missing .: 620/1,434
    missing *: 15/1,434

```

tabulation:	Freq.	Numeric	Label
	26	1	father
	169	3	mother
	349	5	grandparents
	15	7	uncle/aunt
	178	9	brother/sister/cousin
	20	11	outsider
	42	13	other household member
	620	.	
	15	.b	

c2_bc_P **P : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 7 missing .: 982/1,434
 unique missing codes: 2 missing *: 20/1,434

tabulation:	Freq.	Numeric	Label
	21	1	father
	33	3	mother
	98	5	grandparents
	17	7	uncle/aunt
	232	9	brother/sister/cousin
	14	11	outsider
	17	13	other household member
	982	.	
	20	.b	

c2_ba_gen_P **P : Gender code**

type: numeric (byte)
 label: **c2_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 513/1,434

tabulation:	Freq.	Numeric	Label
	496	1	male
	425	3	female
	513	.	

c2_bb_gen_P **P : Gender code**

type: numeric (byte)
 label: **c2_bb_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 635/1,434

tabulation:	Freq.	Numeric	Label
	225	1	male
	574	3	female
	635	.	

c2_bc_gen_P **P : Gender code**

type: numeric (byte)
 label: **c2_bc_gen**

range: [1,3] units: 1
 unique values: 2 missing .: 1,002/1,434

tabulation:	Freq.	Numeric	Label
	203	1	male
	229	3	female
	1,002	.	

c3_code_P **P : Frequency**

type: numeric (**byte**)
 label: **c3_code**

range: [0,5] units: 1
 unique values: 3 missing .: 5/1,434
 unique missing codes: 2 missing *: 1,276/1,434

tabulation:	Freq.	Numeric	Label
	1	0	never
	16	3	at least once a month
	136	5	at least once a week
	5	.	
	1,276	.b	

c3_hr_P **P : Hours**

type: numeric (**float**)

range: [0,12] units: 1
 unique values: 9 missing .: 1,298/1,434

tabulation:	Freq.	Value
	47	0
	46	1
	19	2
	10	3
	5	4
	6	5
	1	6
	1	7
	1	12
	1,298	.

mean: 1.38971
 std. dev: 1.73919

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	4

c3_min_P **P : Minutes**

type: numeric (**float**)

range: [0,53] units: 1
 unique values: 23 missing .: 1,298/1,434

```

tabulation:  Freq.  Value
              43    0
              1    2
              3    3
              1    4
              1    5
              1    7
              3    8
              1    9
              3   10
              2   11
              1   13
              9   15
              3   18
              2   20
              1   23
              2   25
              34   30
              2   35
              3   38
              6   40
              11   45
              2   50
              1   53
              1,298 .
    mean:     18.5221
    std. dev: 16.5753

percentiles:    10%    25%    50%    75%    90%
                0      0      15     30     45
    
```

c3_aa_P

Monday-Sunday How many times

```

    type:  numeric (double)
    range:  [1,5.5]
    unique values: 12
                    units: .01
                    missing .: 1,298/1,434

    tabulation:  Freq.  Value
                  18    1
                  2    1.16
                  13    1.5
                  34    2
                  15    2.5
                  18    3
                  1    3.49
                  20    3.5
                  7     4
                  2    4.5
                  5     5
                  1    5.5
                  1,298 .
    mean:     2.50228
    std. dev: 1.07176

percentiles:    10%    25%    50%    75%    90%
                1      2      2.5    3.5    4
    
```

c3_ab_P

Monday-Sunday How many times per units

```

    type:  string (str24), but longest is str4
    unique values: 2
                    missing "": 1,298/1,434
    
```

```

tabulation: Freq. Value
            1,298 ""
              2 "day"
            134 "week"
    
```

c3_ac_P **Monday-Sunday How many times per hours**

```

type: numeric (double)
range: [0,3] units: .1
unique values: 5 missing .. 1,298/1,434

tabulation: Freq. Value
            92 0
            37 1
              1 1.5
              5 2
              1 3
          1,298 .
mean: .378676
std. dev: .600914

percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 1
    
```

c3_ad_P **Monday-Sunday How many times per minutes**

```

type: numeric (double)
range: [0,45] units: .1
unique values: 15 missing .. 1,298/1,434

tabulation: Freq. Value
            36 0
              3 2
              1 2.5
              1 3
              2 3.5
              2 4.5
              7 5
              4 10
              9 15
              9 20
              2 25
            56 30
              2 35
              1 40
              1 45
          1,298 .
mean: 16.9301
std. dev: 13.618

percentiles: 10% 25% 50% 75% 90%
              0 0 20 30 30
    
```

c3_ba_P **P : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13] units: 1
unique values: 6 missing .. 1,282/1,434
unique missing codes: 2 missing *: 23/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              20      1  father
              20      3  mother
              51      5  grandparents
              27      9  brother/sister/cousin
               5     11  outsider
               6     13  other household member
            1,282      .
              23      .b
    
```

c3_bb_P **P : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7       missing .: 1,337/1,434
unique missing codes: 2 missing *: 3/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              4      1  father
             22      3  mother
             28      5  grandparents
               3      7  uncle/aunt
             30      9  brother/sister/cousin
               3     11  outsider
               4     13  other household member
            1,337      .
               3      .b
    
```

c3_bc_P **P : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7       missing .: 1,387/1,434
unique missing codes: 2 missing *: 3/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              1      1  father
              1      3  mother
             10      5  grandparents
               2      7  uncle/aunt
             23      9  brother/sister/cousin
               3     11  outsider
               4     13  other household member
            1,387      .
               3      .b
    
```

c3_ba_gen_P **P : Gender code**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]          units: 1
unique values: 2       missing .: 1,305/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              59      1  male
              70      3  female
            1,305      .
    
```

c3_bb_gen_P **P : Gender code**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,340/1,434

tabulation: Freq.  Numeric  Label
              33         1  male
              61         3  female
            1,340         .
    
```

c3_bc_gen_P **P : Gender code**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,390/1,434

tabulation: Freq.  Numeric  Label
              18         1  male
              26         3  female
            1,390         .
    
```

sleeptime_perday **Hours per day of a child's nighttime sleep**

```

type: numeric (float)

range: [5.5,12.5]
unique values: 29
units: 1.000e-06
missing ..: 0/1,434

tabulation: Freq.  Value
              1  5.5
              2  6.5
              8  7
             14  7.5
             49  8
            118  8.5
              5  8.666667
              3  8.75
              4  8.833333
            276  9
              1  9.166667
              3  9.25
              2  9.333333
            296  9.5
              2  9.666667
              2  9.833333
            362  10
              1  10.166667
              3  10.25
            165  10.5
              3  10.666667
              3  10.833333
              1  10.916667
             79  11
              1  11.166667
              1  11.333333
             22  11.5
              6  12
              1  12.5

mean: 9.601
std. dev: .8427
    
```



```

4 36.25
14 36.666668
1 37.083332
178 37.5
5 38.333332
8 38.75
16 39.166668
2 39.583332
254 40
11 40.833332
11 41.25
11 41.666668
239 42.5
2 42.916668
14 43.333332
5 43.75
15 44.166668
2 44.583332
1 44.75
143 45
6 45.833332
5 46.25
3 46.666668
66 47.5
4 48.333332
1 48.666668
4 48.75
5 49.166668
63 50
2 50.833332
1 51.666668
1 52.083332
24 52.5
3 53.333332
4 53.75
5 54.166668
1 54.583332
6 55
6 57.5
2 58.75
1 62.5
1 65

```

```

mean: 40.7872
std. dev: 5.91057

```

```

percentiles:      10%      25%      50%      75%      90%
                  35      37.5      40      44.5833  47.5

```

naptime_athome_perweek **Hours per week of a child's nap time at home**

```

type: numeric (float)
range: [0,21]
unique values: 18
units: 1.000e-07
missing .: 5/1,434

```

```

tabulation: Freq. Value
             974 0
              12 1
               1 1.5
               1 1.6666666
             125 2
              49 3
               1 3.5
             155 4
              24 5
              52 6
              12 7
               2 7.5
              14 8
               2 10

```

```

          1 11
          1 12
          2 14
          1 21
          5 .
    mean:  1.23909
  std. dev: 2.15355

percentiles:    10%    25%    50%    75%    90%
                0      0      0      2      4
    
```

atctivity_tv_dum **While a child watch TV, did the child participate in any activities**

```

    type: numeric (float)
    label: atctivity_tv_dum

    range: [0,1]
unique values: 2
                units: 1
                missing .: 155/1,434

    tabulation: Freq.  Numeric  Label
                436      0  do not
                843      1  do
                155      .
    
```

atctivity_tv_des **While a child watch TV, what activities did the child do**

```

    type: string (str166)

unique values: 252
                missing "": 598/1,434

    warning: variable has embedded and trailing blanks
    
```

reading_time_cl **Monday-Friday:Hours per week of reading to child**

```

    type: numeric (float)

    range: [0,10]
unique values: 24
                units: 1.000e-08
                missing .: 0/1,434

    tabulation: Freq.  Value
                1,350  0
                   1  .13333334
                   1  .15000001
                   2  .16666667
                   2  .18333334
                   3  .21666667
                   2  .25
                   2  .38333333
                   6  .41666666
                   2  .63333333
                  12  .83333331
                   1  1.0333333
                   1  1.05
                   5  1.25
                  11  1.6666666
                   2  2.0833333
                  17  2.5
                   1  3
                   1  3.1333334
                   2  3.75
                   1  4.1666665
                   6  5
                   1  9.3833332
                   2  10
    mean:  .116585
    
```

std. dev: .673094
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

reading_time_c2 Saturday-Sunday:Hours per week of reading to child

type: numeric (float)
 range: [0,4] units: 1.000e-09
 unique values: 19 missing : 0/1,434

tabulation: Freq. Value
 1,366 0
 1 .03333334
 1 .05
 1 .06666667
 2 .08333334
 1 .15000001
 3 .16666667
 9 .33333334
 2 .41666666
 6 .5
 7 .66666669
 2 .83333331
 16 1
 2 1.5
 1 1.6666666
 9 2
 2 3
 1 3.75
 2 4

mean: .049198
 std. dev: .298103

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

reading_time_c3 Monday-Sunday:Hours per week of reading to child

type: numeric (float)
 range: [0,5.5] units: 1.000e-09
 unique values: 40 missing : 0/1,434

tabulation: Freq. Value
 1,196 0
 1 .03333334
 1 .05
 5 .06666667
 9 .08333334
 3 .11666667
 9 .13333334
 3 .15000001
 31 .16666667
 3 .18333334
 6 .21666667
 2 .23333333
 12 .25
 1 .26666668
 2 .31666666
 13 .33333334
 2 .38333333
 8 .41666666
 3 .43333334
 20 .5
 2 .51666665
 2 .56666666

```

                2 .58333331
                2 .63333333
                9 .66666669
            15 .75
                1 .83333331
                2 .88333333
            24 1
                1 1.0333333
                2 1.1666666
            11 1.25
                1 1.3333334
            10 1.5
                3 1.75
                6 2
                6 2.5
                3 3
                1 3.75
                1 5.5
    mean:      .116237
    std. dev:  .392403

    percentiles:      10%      25%      50%      75%      90%
                       0        0        0        0      .333333

```

reading_time **Hours per week of reading to children**

```

    type: numeric (float)
    range: [0,14]
    unique values: 57
    units: 1.000e-09
    missing .: 0/1,434

```

```

    tabulation:
    Freq. Value
    1,099 0
        2 .03333334
        1 .05
        5 .06666667
        9 .08333334
        3 .11666667
        9 .13333334
        4 .15000001
        32 .16666667
        6 .18333334
        7 .21666667
        2 .23333333
        1 .23333335
        14 .25
        1 .26666668
        2 .30000001
        2 .31666666
        15 .33333334
        3 .38333333
        11 .41666666
        3 .43333334
        21 .5
        2 .51666665
        1 .5333333
        2 .56666666
        5 .58333331
        4 .63333333
        9 .66666669
        15 .75
        6 .83333331
        2 .88333333
        27 1
        1 1.0333333
        9 1.1666666
        11 1.25
        1 1.3333334
        1 1.4499999
        1 1.4666666

```

```

10 1.5
4 1.6666666
8 1.75
10 2
7 2.3333333
11 2.5
2 2.9166665
5 3
1 3.1333334
12 3.5
1 3.75
1 4
1 5
2 5.25
1 5.5
1 5.8333333
5 7
1 13.1333333
2 14
mean: .28202
std. dev: .986046
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 .833333

```

storytelling_time_c1 **Monday-Friday:Hours per week of storytelling to child**

```

type: numeric (float)
range: [0,22.5] units: 1.000e-08
unique values: 19 missing.: 0/1,434
tabulation: Freq. Value
1,361 0
2 .13333334
1 .16666667
4 .21666667
4 .25
3 .38333333
9 .41666666
1 .51666665
1 .56666666
1 .63333333
10 .83333331
1 1.05
7 1.25
6 1.6666666
1 2.0833333
17 2.5
3 5
1 6.25
1 22.5
mean: .087436
std. dev: .727817
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0

```

storytelling_time_c2 **Saturday-Sunday:Hours per week of storytelling to child**

```

type: numeric (float)
range: [0,9] units: 1.000e-09
unique values: 19 missing.: 0/1,434

```

```

tabulation:  Freq.  Value
              1,353  0
                2  .05
                1  .06666667
                5  .08333334
                5  .1
                3  .15000001
                9  .16666667
                1  .21666667
                1  .23333333
                2  .25
                9  .33333334
                1  .41666666
                8  .5
                8  .66666669
                1  .83333331
               19  1
                4  2
                1  2.5
                1  9
    mean:      .039098
    std. dev:  .299009

percentiles:  10%      25%      50%      75%      90%
               0        0        0        0        0
    
```

storytelling_time_c3 **Monday-Sunday:Hours per week of storytelling to child**

```

type:  numeric (float)
range: [0,4.5]
unique values: 44
units: 1.000e-09
missing .: 0/1,434
    
```

```

tabulation:  Freq.  Value
              1,081  0
                4  .01666667
                5  .03333334
               14  .05
                6  .06666667
               32  .08333334
                5  .1
                1  .11666667
                9  .13333334
                2  .15000001
               40  .16666667
               11  .18333334
                1  .2
                6  .21666667
                1  .23333333
               27  .25
                1  .30000001
                4  .31666666
               26  .33333334
                3  .38333333
                9  .41666666
                2  .43333334
               35  .5
                1  .51666665
                2  .56666666
                4  .58333331
                3  .63333333
               10  .66666669
                2  .73333335
               12  .75
                4  .83333331
               29  1
                1  1.1333333
               13  1.25
                1  1.4666667
                6  1.5
    
```



```

          3  1.75
          6  2
          4  2.5
          1  2.75
          2  3
          1  3.5
          1  3.75
          3  4.5
    mean:   .137192
    std. dev: .415341

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      .5
    
```

storytelling_time **Hours per week of storytelling to children**

```

    type: numeric (float)
    range: [0,31.5]
    unique values: 57
    units: 1.000e-09
    missing .: 0/1,434
    
```

```

    tabulation: Freq. Value
                998  0
                 4  .01666667
                 5  .03333334
                14  .05
                 6  .06666667
                33  .08333334
                 6  .1
                 1  .11666667
                 9  .13333334
                 2  .15000001
                40  .16666667
                13  .18333334
                 1  .2
                 6  .21666667
                 1  .23333333
                 1  .23333335
                28  .25
                 5  .30000001
                 4  .31666666
                26  .33333334
                 4  .34999999
                 3  .38333333
                 9  .41666666
                 2  .43333334
                36  .5
                 1  .51666665
                 3  .53333333
                 2  .56666666
                13  .58333331
                 3  .63333333
                13  .66666669
                 3  .73333335
                12  .75
                 1  .80000001
                 5  .83333331
                 1  .88333333
                31  1
                 1  1.1333333
                 9  1.1666666
                13  1.25
                 1  1.4666666
                 1  1.4666667
                 6  1.5
                 1  1.6666666
                10  1.75
                 7  2
                 5  2.3333333
                 4  2.5
    
```

```

          1  2.75
          1  2.9166665
           2  3
         18  3.5
           1  3.75
           3  4.5
           3  7
           1  8.75
           1  31.5
    mean:    .263726
    std. dev: 1.08536

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0    .133333    .666667
    
```

sport_time_c1 Monday-Friday:Hours per week of child's playing sport, singing, dancing

```

    type: numeric (float)
    range: [0,50]
    unique values: 72
    units: 1.000e-09
    missing .: 0/1,434
    
```

```

    tabulation: Freq. Value
                661  0
                 4  .08333334
                13  .13333334
                 6  .16666667
                 2  .18333334
                26  .21666667
                12  .25
                13  .30000001
                 5  .31666666
                 2  .33333334
                20  .38333333
                43  .41666666
                 1  .43333334
                 1  .46666667
                 4  .5
                 2  .51666665
                 7  .56666666
                 3  .58333331
                25  .63333333
                 3  .66666669
                 1  .75
                 1  .80000001
                60  .83333331
                 6  .93333334
                 3  1
                 1  1.0166667
                 1  1.0333333
                10  1.05
                 1  1.1333333
                30  1.25
                 1  1.4666667
                 5  1.5666667
                40  1.6666666
                 1  1.6833333
                 9  1.8833333
                10  2.0833333
                 3  2.25
               102  2.5
                 1  2.7666667
                 2  2.8166666
                 7  2.9166667
                 6  3.1333334
                 6  3.3333333
                15  3.75
                 5  4.1666665
                 3  4.3833332
                 1  4.5833335
    
```

```

      1 4.8833332
124 5
      1 5.0999999
      2 5.2166667
      1 5.6333332
      1 5.8333335
     10 6.25
      1 7.2833333
      1 7.3000002
     32 7.5
      1 8.3333333
      2 8.75
      1 9.3833332
     41 10
      3 11.25
      1 11.3833333
     12 12.5
      1 13.75
      7 15
      1 16.6666666
      2 17.5
      1 18.75
      1 25
      1 32.5
      1 50
    mean: 1.83279
  std. dev: 3.37443

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      .25   2.5    5

```

sport_time_c2

Saturday-Sunday:Hours per week of child's playing sport, singing, dancing

```

      type: numeric (float)
      range: [0,30]
unique values: 70
      units: 1.000e-09
missing .: 0/1,434

```

```

tabulation:  Freq.  Value
             657    0
              4   .03333334
             14   .05
              5   .06666667
             25   .08333334
             11   .1
             11   .11666667
              8   .13333334
             17   .15000001
             41   .16666667
              5   .18333334
              4   .2
              3   .21666667
              9   .23333333
             27   .25
              3   .26666668
              2   .30000001
              1   .31666666
             55   .33333334
              7   .38333333
              1   .40000001
             12   .41666666
              1   .44999999
             30   .5
              3   .58333331
              5   .63333333
             39   .66666669
              8   .75
             13   .83333331
              2   .88333333

```

```

101 1
1 1.1166667
2 1.1333333
7 1.1666666
1 1.2
6 1.25
9 1.3333334
15 1.5
6 1.6666666
5 1.75
2 1.8333334
1 1.95
119 2
1 2.05
2 2.0833333
1 2.25
1 2.3333333
8 2.5
2 2.9166667
29 3
1 3.25
1 3.3333333
1 3.5
41 4
5 4.5
1 4.5500002
15 5
1 5.5
7 6
1 6.6666665
3 7
1 7.5
1 8
2 9
4 10
3 12
1 13
1 14
1 20
1 30
mean: .836785
std. dev: 1.77962

percentiles:    10%    25%    50%    75%    90%
                  0      0    .116667    1      2

```

sport_time_c3 Monday-Sunday:Hours per week of child's playing sport, singing, dancing

```

type: numeric (float)
range: [0,10.5]
unique values: 59
units: 1.000e-09
missing .: 0/1,434

```

```

tabulation: Freq. Value
1,004 0
2 .01666667
3 .03333334
13 .05
8 .06666667
16 .08333334
23 .1
8 .11666667
13 .13333334
9 .15000001
19 .16666667
7 .18333334
2 .2
15 .21666667
4 .23333333
20 .25

```

```

3 .26666668
4 .30000001
4 .31666666
6 .33333334
3 .38333333
1 .40000001
8 .41666666
5 .43333334
22 .5
1 .51666665
2 .56666666
2 .58333331
6 .63333333
8 .66666669
1 .68333334
11 .75
6 .83333331
2 .88333333
31 1
2 1.1333333
1 1.1666666
15 1.25
4 1.3333334
27 1.5
1 1.6666666
10 1.75
1 1.8333334
18 2
3 2.25
26 2.5
1 2.6333334
2 2.75
15 3
3 3.5
1 3.75
4 4
1 4.5
2 5
1 5.5
1 6.25
1 6.75
1 7.5
1 10.5
mean: .304126
std. dev: .808847
percentiles: 10% 25% 50% 75% 90%
              0 0 0 .116667 1

```

sport_time Hours per week of child's playing sport, singing, dancing

```

type: numeric (float)
range: [0,70] units: 1.000e-09
unique values: 149 missing.: 0/1,434
mean: 2.9737
std. dev: 4.74604
percentiles: 10% 25% 50% 75% 90%
              0 .233333 1.16667 3.5 7

```

roleplay_time_c1 Monday-Friday:Hours per week of child's role play, selling play, playing with rob

```

type: numeric (float)

```

range: [0,60]
 unique values: 58

units: 1.000e-08
 missing .: 0/1,434

tabulation:	Freq.	Value
	771	0
	1	.13333334
	2	.16666667
	9	.21666667
	3	.25
	2	.30000001
	2	.31666666
	9	.38333333
	15	.41666666
	2	.43333334
	2	.46666667
	2	.5
	3	.51666665
	2	.58333331
	5	.63333333
	1	.68333334
	33	.83333331
	1	.88333333
	2	.93333334
	1	1.03333333
	4	1.05
	1	1.08333334
	30	1.25
	1	1.46666667
	2	1.56666667
	26	1.66666666
	4	1.88333333
	18	2.08333333
	1	2.41666667
	100	2.5
	1	2.59999999
	5	2.91666667
	5	3.13333334
	8	3.33333333
	16	3.75
	3	4.16666665
	1	4.25
	2	4.38333332
	1	4.5
	186	5
	1	5.63333332
	3	5.83333335
	6	6.25
	1	6.88333332
	1	7.30000002
	1	7.33333335
	52	7.5
	4	8.75
	2	9.38333332
	43	10
	1	11.25
	16	12.5
	9	15
	2	17.5
	3	20
	2	22.5
	3	25
	1	60

mean: 2.16152
 std. dev: 3.78822

percentiles:	10%	25%	50%	75%	90%
	0	0	0	3.75	6.25

roleplay_time_c2
Saturday-Sunday:Hours per week of child's role play, selling play, playing with

type: numeric (float)
 range: [0,24] units: 1.000e-09
 unique values: 67 missing .: 0/1,434

tabulation:	Freq.	Value
	634	0
	1	.05
	3	.06666667
	9	.08333334
	2	.1
	2	.11666667
	2	.13333334
	9	.15000001
	15	.16666667
	5	.18333334
	2	.2
	3	.21666667
	2	.23333333
	8	.25
	1	.30000001
	36	.33333334
	1	.34999999
	2	.38333333
	5	.41666666
	1	.43333334
	35	.5
	1	.58333331
	3	.63333333
	26	.66666669
	6	.75
	17	.83333331
	1	.88333333
	1	.96666664
	109	1
	1	1.0333333
	2	1.05
	6	1.1666666
	7	1.25
	7	1.3333334
	21	1.5
	4	1.6666666
	2	1.75
	205	2
	1	2.0833333
	3	2.25
	3	2.3333333
	12	2.5
	1	2.6666667
	1	2.75
	1	2.9166667
	65	3
	6	3.5
	2	3.75
	54	4
	1	4.1833334
	5	4.5
	27	5
	1	5.25
	17	6
	10	7
	7	8
	3	9
	6	10
	1	11
	3	12
	1	12.5

```

          1 14
          1 15
          1 17.5
          1 20
          1 22
          1 24
    mean: 1.26934
    std. dev: 2.13948
  
```

```

percentiles:    10%    25%    50%    75%    90%
                0      0    .333333    2    3.75
  
```

roleplay_time_c3
Monday-Sunday:Hours per week of child's role play, selling play, playing with ro

```

    type: numeric (float)
    range: [0,85.25]
    unique values: 61
    units: 1.000e-09
    missing .: 0/1,434
  
```

```

tabulation:  Freq.  Value
             1,044  0
              2    .03333334
              1    .05
              8    .06666667
             10    .08333334
              8    .1
              4    .11666667
              2    .13333334
              6    .15000001
             12    .16666667
              6    .18333334
              6    .21666667
              2    .23333333
             16    .25
              1    .26666668
              2    .30000001
              3    .31666666
             12    .33333334
              2    .34999999
              2    .38333333
             16    .41666666
              2    .43333334
             18    .5
              1    .58333331
              8    .63333333
              3    .66666669
              1    .73333335
              9    .75
              7    .83333331
              1    .88333333
              1    .91666669
             42    1
              1    1.05
              2    1.1333333
             20    1.25
              1    1.3333334
              1    1.45
              3    1.4666667
             29    1.5
             10    1.75
              2    1.8333334
              1    1.8833333
             31    2
              1    2.25
              1    2.3333333
             16    2.5
              1    2.6333334
              2    2.75
             13    3
  
```



```

      4 2.9166667
      1 3.1333334
      4 3.3333333
      9 3.75
      1 4.1666665
     61 5
      1 5.8333335
      1 6
      2 6.25
      5 7.5
      1 8.75
      2 9.1666667
      5 10
      1 11.25
    mean: .638261
    std. dev: 1.49845

    percentiles:      10%      25%      50%      75%      90%
                     0        0        0        .3       2.5

```

learning_time_c2
Saturday-Sunday:Hours per week of child's practice reading, writing alphabet, co

```

    type: numeric (float)
    range: [0,8]
    unique values: 40
    units: 1.000e-09
    missing .: 0/1,434

```

```

    tabulation: Freq. Value
                1,036 0
                  1 .03333334
                  5 .05
                  2 .06666667
                 14 .08333334
                  5 .1
                  8 .11666667
                  4 .13333334
                  5 .15000001
                 24 .16666667
                  2 .18333334
                  2 .2
                  2 .21666667
                  1 .23333333
                  9 .25
                  3 .30000001
                 50 .33333334
                  1 .34999999
                  8 .41666666
                 23 .5
                 33 .66666669
                  2 .75
                  6 .83333331
                 86 1
                  4 1.1666666
                  1 1.25
                  4 1.3333334
                  9 1.5
                  1 1.6666666
                 59 2
                  1 2.3333333
                  2 2.5
                  7 3
                  1 3.5
                  2 3.6666667
                  6 4
                  2 4.5
                  1 5
                  1 7
                  1 8
    mean: .276023

```

std. dev: .688611

percentiles: 10% 25% 50% 75% 90%
 0 0 0 .15 1

learning_time_c3

Monday-Sunday:Hours per week of child's practice reading, writing alphabet, coun

type: numeric (float)

range: [0,5.5]

units: 1.000e-09

unique values: 54

missing .: 0/1,434

tabulation:	Freq.	Value
	953	0
	1	.01666667
	4	.03333334
	11	.05
	11	.06666667
	21	.08333334
	15	.1
	2	.11666667
	2	.13333334
	4	.15000001
	23	.16666667
	9	.18333334
	11	.21666667
	2	.23333333
	14	.25
	1	.26666668
	5	.30000001
	5	.31666666
	24	.33333334
	5	.38333333
	1	.40000001
	16	.41666666
	36	.5
	1	.51666665
	6	.58333331
	18	.63333333
	8	.66666669
	1	.68333334
	2	.73333335
	22	.75
	13	.83333331
	4	.88333333
	48	1
	2	1.05
	1	1.1333333
	1	1.1666666
	23	1.25
	2	1.3333334
	34	1.5
	2	1.6666666
	14	1.75
	1	1.8833333
	19	2
	3	2.25
	10	2.5
	2	2.75
	8	3
	1	3.3833334
	4	3.5
	1	3.75
	3	4
	2	5
	1	5.25
	1	5.5

mean: .298036

std. dev: .659391


```

35 1.5
6 1.6666666
33 1.75
1 1.8833333
27 2
4 2.0833333
1 2.2166667
3 2.25
29 2.3333333
15 2.5
1 2.6333332
2 2.75
4 2.9166665
10 3
1 3.3833334
78 3.5
2 3.75
4 4
4 4.0833335
1 4.3833332
3 4.5
4 4.6666665
12 5
9 5.25
2 5.5
1 5.8333333
2 6
47 7
1 8.1666667
2 8.75
1 9
1 10
4 10.5
1 12
1 12.25
2 12.8333334
1 13
4 14
1 15.75
1 17
mean: 1.21232
std. dev: 2.07759

percentiles:    10%    25%    50%    75%    90%
                 0      0      .35    1.5    3.5

```

drawing_time_c1
Monday-Friday:Hours per week of child's palying blocks, plasticine, drawing, colo

```

type: numeric(float)
range: [0,31.25]
unique values: 51
units: 1.000e-09
missing .: 0/1,434

```

```

tabulation: Freq. Value
1,043 0
1 .08333334
1 .1
7 .13333334
4 .16666667
1 .18333334
7 .21666667
8 .25
1 .30000001
3 .33333334
7 .38333333
20 .41666666
1 .46666667
1 .56666666
10 .63333333

```

```

1 .68333334
1 .71666664
2 .75
52 .83333331
3 .93333334
1 1
2 1.05
25 1.25
3 1.4666667
2 1.5666667
28 1.6666666
2 1.8833333
7 2.0833333
74 2.5
4 2.9166667
2 3.1333334
8 3.3333333
6 3.75
3 4.1666665
2 4.3833332
56 5
1 5.6333332
1 5.8333335
3 6.25
2 6.6666665
1 7.0833335
4 7.5
1 8.3333333
10 10
5 12.5
1 15
1 16.8833333
2 17.5
1 18
1 18.75
1 31.25
mean: .781602
std. dev: 2.16174

percentiles:    10%    25%    50%    75%    90%
                  0      0      0     .333333  2.5

```

drawing_time_c2
Saturday-Sunday:Hours per week of child's palying blocks, plasticine, drawing, c

```

type: numeric (float)
range: [0,12.5]
unique values: 52
units: 1.000e-09
missing .: 0/1,434

tabulation: Freq. Value
1,003 0
2 .03333334
7 .05
3 .06666667
6 .08333334
9 .1
1 .11666667
3 .13333334
6 .15000001
17 .16666667
3 .18333334
1 .23333333
9 .25
1 .28333333
3 .30000001
49 .33333334
3 .38333333
1 .40000001
2 .41666666

```

```

26 .5
3 .58333331
2 .63333333
33 .66666669
2 .75
10 .83333331
83 1
2 1.05
4 1.1666666
3 1.25
8 1.3333334
7 1.5
3 1.6666666
2 1.75
63 2
1 2.25
1 2.3333333
6 2.5
2 2.6666667
1 2.8333333
1 2.9166667
8 3
1 3.3333333
10 4
2 4.5
6 5
6 6
1 6.75
4 7
1 7.5
1 8
1 12
1 12.5
mean: .400267
std. dev: 1.05396
percentiles: 10% 25% 50% 75% 90%
              0 0 0 .333333 1.16667

```

drawing_time_c3
Monday-Sunday:Hours per week of child's palying blocks, plasticine, drawing, col

```

type: numeric (float)
range: [0,20] units: 1.000e-09
unique values: 60 missing .: 0/1,434

```

```

tabulation: Freq. Value
842 0
3 .01666667
7 .03333334
14 .05
12 .06666667
13 .08333334
10 .1
5 .11666667
11 .13333334
7 .15000001
40 .16666667
10 .18333334
2 .21666667
2 .23333333
21 .25
1 .26666668
2 .28333333
4 .30000001
4 .31666666
30 .33333334
13 .38333333
18 .41666666

```

```

3 .43333334
47 .5
1 .51666665
3 .58333331
7 .63333333
21 .66666669
4 .73333335
21 .75
9 .83333331
1 .85000002
6 .88333333
49 1
2 1.05
4 1.1333333
1 1.15
4 1.1666666
30 1.25
2 1.4166666
2 1.4666667
49 1.5
1 1.6666666
7 1.75
26 2
1 2.05
6 2.25
19 2.5
3 2.6333334
1 2.75
12 3
1 3.3833334
1 3.5
2 3.75
6 4
2 4.5
4 5
3 6
1 6.75
1 20
mean: .412273
std. dev: .955755

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        .5       1.5

```

drawing_time Hours per week of child's palying blocks, plasticine, drawing, coloring

```

type: numeric (float)
range: [0,43.75] units: 1.000e-09
unique values: 111 missing .: 0/1,434

mean: 1.59414
std. dev: 3.06412

percentiles:      10%      25%      50%      75%      90%
                  0        0      .533333  1.75     4

```

fieldtrip_time_c1 Monday-Fiday:Hours per week of child's going to temple, library, zoo, museum

```

type: numeric (float)
range: [0,5] units: 1.000e-07
unique values: 6 missing .: 0/1,434

```



```

tabulation:  Freq.  Value
              1,427  0
              1    .63333333
              1    .83333331
              1    1.6666666
              2    2.5
              2    5
    mean:     .012645
    std. dev: .214844

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

fieldtrip_time_c2

Saturday-Sunday:Hours per week of child's going to temples, libraries, zoo, muse

```

type: numeric (float)
range: [0,4]
unique values: 7
units: 1.000e-07
missing .: 0/1,434

tabulation:  Freq.  Value
              1,412  0
              1    .66666669
              8    1
              1    1.5
              8    2
              2    3
              2    4
    mean:     .02801
    std. dev: .252785

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

fieldtrip_time_c3

Monday-Sunday:Hours per week of child's going to temples, libraries, zoo, museum

```

type: numeric (float)
range: [0,13.5]
unique values: 23
units: 1.000e-09
missing .: 0/1,434

tabulation:  Freq.  Value
              1,325  0
              1    .01666667
              1    .08333334
              1    .13333334
              1    .31666666
              2    .33333334
              17    .5
              2    .75
              27    1
              1    1.25
              15    1.5
              1    1.75
              12    2
              8    2.5
              1    2.6333334
              8    3
              1    3.5
              4    4
              2    4.5
              1    5
              1    6
              1    8
              1    13.5
    mean:     .136227
    
```

std. dev: .671117
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

fieldtrip_time Hours per week of child's going to temples, libraries, zoo, museums

type: numeric (float)
 range: [0,13.5] units: 1.000e-09
 unique values: 27 missing .: 0/1,434

tabulation: Freq. Value
 1,302 0
 1 .01666667
 1 .08333334
 1 .13333334
 1 .31666666
 2 .33333334
 17 .5
 1 .63333333
 2 .75
 33 1
 1 1.25
 16 1.5
 1 1.75
 18 2
 1 2.3333333
 8 2.5
 1 2.6333334
 10 3
 3 3.5
 5 4
 2 4.5
 1 4.8333335
 1 5
 1 6
 2 7
 1 8
 1 13.5

mean: .176883
 std. dev: .767957

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

shopping_time_c1 Monday-Friday:Hours per week of child's going to department store

type: numeric (float)
 range: [0,10] units: .1
 unique values: 5 missing .: 0/1,434

tabulation: Freq. Value
 1,424 0
 1 1.5
 5 5
 2 7.5
 2 10

mean: .042887
 std. dev: .552298

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

shopping_time_c2 Saturday-Sunday:Hours per week of child's going to department store

```

type: numeric (float)
range: [0,8] units: .1
unique values: 8 missing .: 0/1,434

tabulation: Freq. Value
1,421 0
1 1
1 1.5
4 2
1 2.5
3 3
2 4
1 8
mean: .026499
std. dev: .320821

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

shopping_time_c3 Monday-Sunday:Hours per week of child's going to department store

```

type: numeric (float)
range: [0,21] units: 1.000e-09
unique values: 38 missing .: 0/1,434

tabulation: Freq. Value
1,210 0
1 .03333334
1 .15000001
1 .33333334
1 .38333333
1 .41666666
5 .5
3 .75
1 .83333331
41 1
2 1.25
25 1.5
22 2
4 2.25
26 2.5
1 2.75
1 2.9000001
26 3
1 3.1333334
5 3.5
6 3.75
9 4
6 4.5
9 5
2 5.25
6 6
1 6.25
3 7
1 7.5
2 8.25
1 8.75
1 9
2 10.5
2 11
1 11.25
2 12
1 17.5
1 21
    
```

mean: .46927
 std. dev: 1.53734
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1.5

shopping_time Hours per week of child's going to department store

type: numeric (float)
 range: [0,21] units: 1.000e-09
 unique values: 40 missing .: 0/1,434

tabulation: Freq. Value
 1,194 0
 1 .03333334
 1 .15000001
 1 .33333334
 1 .38333333
 1 .41666666
 5 .5
 3 .75
 1 .83333331
 42 1
 2 1.25
 27 1.5
 22 2
 4 2.25
 27 2.5
 1 2.75
 1 2.9000001
 28 3
 1 3.1333334
 5 3.5
 6 3.75
 9 4
 6 4.5
 10 5
 2 5.25
 6 6
 1 6.25
 7 7
 2 7.5
 1 8
 2 8.25
 1 8.75
 1 9
 3 10.5
 2 11
 1 11.25
 2 12
 2 14
 1 17.5
 1 21

mean: .538656
 std. dev: 1.70377
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 2

housework_time_c1 Monday-Friday:Hours per week of child's doing housework

type: numeric (float)
 range: [0,12.5] units: 1.000e-09
 unique values: 32 missing .: 0/1,434

```

tabulation:  Freq.  Value
             1,213  0
             10   .08333334
              5   .13333334
              7   .16666667
             14   .21666667
              2   .25
              1   .30000001
             10   .38333333
             27   .41666666
              2   .46666667
              1   .5
              1   .56666666
             12   .63333333
              1   .75
             42   .83333331
              1   .93333334
              1   .94999999
              3   1.05
             18   1.25
              1   1.56666667
             16   1.66666666
              2   2.0833333
             23   2.5
              1   3.3333333
             10   5
              1   5.6333332
              1   6
              1   6.25
              1   6.6666665
              4   7.5
              1   10
              1   12.5
    mean:     .219491
    std. dev: .876133

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      .466667
    
```

housework_time_c2 **Saturday-Sunday:Hours per week of child's doing housework**

```

type: numeric (float)
range: [0,6]
unique values: 34
units: 1.000e-09
missing .: 0/1,434
    
```

```

tabulation:  Freq.  Value
             1,203  0
             10   .03333334
              3   .05
              7   .06666667
             15   .08333334
              4   .1
              2   .11666667
              1   .13333334
             12   .15000001
             24   .16666667
              2   .18333334
              1   .2
              1   .23333333
             13   .25
              1   .30000001
             46   .33333334
              2   .38333333
              3   .41666666
             17   .5
              1   .63333333
             16   .66666669
              2   .83333331
             20   1
    
```

```

          1  1.0166667
          1  1.25
          1  1.3333334
         15  2
          1  2.25
          1  2.5
          1  2.6666667
          3  3
          2  4
          1  5
          1  6
    mean:   .098291
  std. dev: .400854

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      .25
    
```

housework_time_c3 **Monday-Sunday:Hours per week of child's doing housework**

```

    type: numeric (float)
    range: [0,7.5]
unique values: 45
    units: 1.000e-09
missing .: 0/1,434
    
```

```

tabulation:  Freq.  Value
             1,004  0
               6  .01666667
              15  .03333334
              21  .05
              20  .06666667
              32  .08333334
              12  .1
              12  .11666667
              19  .13333334
               7  .15000001
              47  .16666667
              10  .18333334
               1  .2
               6  .21666667
               6  .23333333
              33  .25
               2  .28333333
               1  .30000001
               4  .31666666
              30  .33333334
              13  .38333333
              18  .41666666
               1  .48333332
              29  .5
               2  .51666665
               2  .58333331
              14  .63333333
               6  .66666669
               7  .75
               6  .83333331
               1  .88333333
              14  1
               1  1.05
               1  1.1333333
               2  1.1666666
               3  1.25
               1  1.3333334
               1  1.4666667
               9  1.5
               1  1.6666666
               1  1.75
               5  2
               4  2.5
               2  3.5
               2  7.5
    
```

mean: .12722
 std. dev: .420186
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 .083333 .383333

housework_time **Hours per week of child's doing housework**

type: numeric (**float**)
 range: [0,17.5] units: 1.000e-09
 unique values: 74 missing .: 0/1,434

tabulation: Freq. Value

763	0
6	.01666667
15	.03333334
21	.05
20	.06666667
33	.08333334
14	.1
13	.11666667
10	.11666667
20	.13333334
7	.15000001
48	.16666667
13	.18333334
1	.2
7	.21666667
6	.23333333
7	.23333335
34	.25
2	.28333333
2	.28333336
14	.30000001
4	.31666666
34	.33333334
2	.34999999
13	.38333333
20	.41666666
1	.41666669
1	.48333332
30	.5
2	.51666665
10	.53333333
25	.58333331
14	.63333333
2	.64999998
7	.66666669
1	.69999999
7	.75
1	.80000001
6	.83333331
13	.88333333
1	.91666663
15	1
1	1.0166667
2	1.05
1	1.1333333
44	1.1666666
6	1.25
1	1.3166666
1	1.3333333
1	1.3333334
3	1.4666666
1	1.4666667
9	1.5
2	1.6666666
17	1.75
9	2

```

      1  2.2
     15 2.3333333
      7  2.5
      2  2.9166665
     21  3.5
      1  4
      1  4.5
      1  4.6666665
      1  6
     10  7
      2  7.5
      1  7.8833332
      1  8.75
      1  9.333333
      3 10.5
      1 13.5
      1 14
      1 17.5
mean:    .445002
std. dev: 1.27841

percentiles:    10%    25%    50%    75%    90%
                  0      0      0    .333333  1.16667

```

homework_time_c1 **Monday-Friday:Hours per week of child's doing homework**

```

type: numeric (float)
range: [0,37.216667]
unique values: 69
units: 1.000e-09
missing .: 0/1,434

```

```

tabulation: Freq. Value
            484  0
              2  .08333334
              1  .13333334
              1  .15000001
             10  .16666667
             24  .21666667
             12  .25
              1  .28333333
             12  .30000001
              2  .31666666
              3  .33333334
              1  .36666667
             11  .38333333
             40  .41666666
              1  .43333334
              4  .46666667
              1  .5
              1  .55000001
              1  .58333331
              9  .63333333
              3  .66666669
              2  .73333335
              1  .75
              1  .81666666
            103  .83333331
              1  .98333335
              1  1
              2  1.0333333
              7  1.05
              1  1.1
              2  1.1666666
              2  1.2166667
             62  1.25
              1  1.3333334
              1  1.4
              1  1.45
              1  1.4666667
              4  1.5

```



```

1 1.5166667
1 1.55
1 1.5833334
79 1.6666666
3 1.75
2 1.8666667
1 1.9333333
2 1.9833333
5 2
22 2.0833333
1 2.2166667
1 2.3
1 2.3333333
2 2.45
286 2.5
1 2.9000001
7 2.9166667
3 3.3333333
13 3.75
2 3.95
2 4
3 4.1666665
2 4.4166665
1 4.8666668
1 4.8833332
148 5
1 6.2833333
14 7.5
9 10
1 22.5
1 37.216667
mean: 1.60937
std. dev: 2.12995

percentiles:    10%    25%    50%    75%    90%
                 0      0    .833333  2.5    5

```

homework_time_c2 **Saturday-Sunday:Hours per week of child's doing homework**

```

type: numeric (float)
range: [0,9]
unique values: 33
units: 1.000e-09
missing .: 0/1,434

```

```

tabulation: Freq. Value
929 0
1 .03333334
1 .05
2 .06666667
8 .08333334
5 .1
4 .11666667
3 .13333334
6 .15000001
22 .16666667
2 .18333334
5 .25
1 .26666668
2 .30000001
43 .33333334
6 .41666666
1 .46666667
45 .5
1 .51666665
1 .58333331
45 .66666669
1 .78333336
12 .83333331
153 1
5 1.1666666

```

```

          4 1.3333334
         10 1.5
          2 1.6666666
          2 1.8666667
         98 2
          7 3
          6 4
          1 9
    mean:   .367655
  std. dev: .693179

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      .5     1
  
```

homework_time_c3 **Monday-Sunday:Hours per week of child's doing homework**

```

    type: numeric (float)
    range: [0,11.633333]
unique values: 73
                units: 1.000e-09
                missing.: 0/1,434
  
```

```

tabulation:  Freq.  Value
            1,112  0
              3  .03333334
              1  .05
              4  .06666667
              2  .08333334
              4  .1
              8  .13333334
              1  .15000001
             11  .16666667
              4  .18333334
              2  .21666667
              4  .23333333
              2  .25
              3  .28333333
             10  .33333334
              1  .36666667
              4  .38333333
              5  .41666666
              1  .43333334
             20  .5
              1  .51666665
              1  .55000001
              3  .58333331
              1  .63333333
              6  .66666669
             12  .75
              1  .76666665
              2  .78333336
              1  .81666666
              7  .83333331
              4  .88333333
              1  .91666669
              1  .93333334
              1  .96666664
             28  1
              1  1.0166667
              2  1.05
              2  1.1333333
              4  1.1666666
             12  1.25
              1  1.3166667
              3  1.3333334
              3  1.4
              1  1.45
              2  1.4666667
             33  1.5
              2  1.5166667
              4  1.6666666
  
```

```

14 1.75
1 1.8666667
2 1.9833333
19 2
1 2.0333333
2 2.2166667
4 2.25
1 2.3333333
6 2.5
1 2.6666667
1 2.9000001
16 3
1 3.0999999
1 3.3333333
1 3.4833333
3 3.5
6 4
4 4.5
1 4.8833332
1 5.3499999
1 5.5
2 6
1 6.2833333
1 6.5166669
1 11.6333333
mean: .315516
std. dev: .85348
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1.25

```

homework_time **Hours per week of child's doing homework**

```

type: numeric (float)
range: [0,37.216667] units: 1.000e-09
unique values: 131 missing.: 0/1,434
mean: 2.29254
std. dev: 2.50579
percentiles: 10% 25% 50% 75% 90%
              0 .583333 1.66667 3.5 5.25

```

selfreading_c1 **Monday-Friday:Hours per week of child's reading**

```

type: numeric (float)
range: [0,10] units: 1.000e-09
unique values: 29 missing.: 0/1,434
tabulation: Freq. Value
1,232 0
1 .08333334
5 .16666667
2 .21666667
7 .25
1 .30000001
2 .33333334
3 .38333333
22 .41666666
1 .5
10 .63333333
1 .66666669
30 .83333331
1 .93333334
3 1.05
10 1.25

```

```

      1 1.4666667
     23 1.6666666
      7 2.0833333
     42 2.5
      1 2.6666667
      1 3.3333333
      1 3.6500001
      2 3.75
      1 4.1666665
     16 5
      2 6.25
      2 7.5
      4 10
    mean: .273129
  std. dev: .977841

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      .833333

```

selfreading_c2 **Saturday-Sunday:Hours per week of child's reading**

```

      type: numeric (float)
      range: [0,4]
unique values: 26
      units: 1.000e-09
      missing .: 0/1,434

tabulation: Freq. Value
            1,267 0
              1 .03333334
              3 .06666667
              2 .08333334
              6 .1
              2 .13333334
              5 .15000001
             20 .16666667
             10 .25
             28 .33333334
              1 .38333333
              3 .41666666
              8 .5
              1 .58333331
             15 .66666669
              1 .73333335
              5 .83333331
             31 1
              1 1.0666667
              1 1.3333334
              1 1.5
              1 1.6666666
             15 2
              1 2.5
              2 3
              3 4
    mean: .087424
  std. dev: .352883

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      .166667

```

selfreading_c3 **Monday-Sunday:Hours per week of child's reading**

```

      type: numeric (float)
      range: [0,13.5]
unique values: 49
      units: 1.000e-09
      missing .: 0/1,434

```

```

tabulation:  Freq.  Value
              1,220  0
                1  .03333334
                5  .05
                6  .06666667
                8  .08333334
                3  .1
                3  .11666667
                6  .13333334
                4  .15000001
               12  .16666667
                2  .2
                7  .21666667
                1  .23333333
               22  .25
                3  .26666668
                1  .30000001
               17  .33333334
                2  .38333333
                3  .41666666
                9  .5
                5  .58333331
                3  .63333333
                8  .66666669
                1  .68333334
                1  .71666664
                1  .73333335
                5  .75
                4  .83333331
               16  1
                1  1.0166667
                1  1.05
                2  1.1333333
                2  1.1666666
               11  1.25
                1  1.3333334
                1  1.4666667
               11  1.5
                1  1.6666666
                3  1.75
                1  2
                1  2.25
                6  2.5
                5  3
                2  3.5
                1  4
                1  5.5
                2  6
                1  6.25
                1  13.5

```

```

mean: .133078
std. dev: .609788

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        .25

```

selfreading_time **Hours per week of child's reading**

```

type: numeric (float)
range: [0,14]
unique values: 76
units: 1.000e-09
missing .: 0/1,434

```

```

tabulation:  Freq.  Value
              1,011  0
                1  .03333334
                5  .05
                6  .06666667
                8  .08333334
                3  .1
                3  .11666667
                1  .11666667
                6  .13333334
                6  .15000001
               14  .16666667
                2  .2
                7  .21666667
                1  .23333333
                3  .23333335
               22  .25
                3  .26666668
                4  .30000001
               19  .33333334
                6  .34999999
                2  .38333333
                6  .41666666
                1  .41666669
                2  .46666667
               11  .5
                3  .53333333
               24  .58333331
                3  .63333333
                9  .66666669
                1  .68333334
                1  .71666664
                1  .73333335
                5  .75
                9  .83333331
               10  .88333333
               16  1
                1  1.0166667
                1  1.05
                2  1.1333333
               27  1.1666666
               14  1.25
                1  1.3166666
                2  1.3333334
                3  1.4666666
                1  1.4666667
               11  1.5
                7  1.6666666
               10  1.75
                2  2
                1  2.05
                2  2.0833333
                1  2.25
               15  2.3333333
               18  2.5
                1  2.6666665
                5  2.9166665
                6  3
                1  3.3333333
               32  3.5
                1  3.7333336
                1  3.75
                1  4
                1  4.3833332
                1  5
                1  5.25
                1  5.5
                1  5.8333333
                2  6
                2  6.25
               15  7
                1  7.5
    
```

```

          1  8.75
          1  10
          1  10.5
          1  13.5
          3  14
    mean:  .493631
    std. dev: 1.3897

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      .233333  1.5
    
```

screen_time_c1

Monday-Friday:Hours per week of child's playing computer ,tablet, ipad and smart

```

    type: numeric (float)
    range: [0,68.75]
    unique values: 64
    units: 1.000e-08
    missing .: 0/1,434
    
```

```

    tabulation:
    Freq.  Value
    561    0
     2    .13333334
     2    .16666667
     7    .21666667
     1    .30000001
     1    .33333334
     5    .38333333
     7    .41666666
     1    .56666666
     4    .63333333
     1    .66666669
     2    .75
     1    .80000001
    25    .83333331
     1    1
    17    1.25
     1    1.5666667
    22    1.6666666
     1    1.8833333
    10    2.0833333
     2    2.1833334
    115    2.5
     4    2.9166667
     2    3.1333334
     8    3.3333333
    13    3.75
     3    4.1666665
    235    5
     2    5.4166665
     2    5.6333332
     3    5.8333335
     8    6.25
     3    6.6666665
     2    7.2833333
    63    7.5
     5    8.333333
     2    8.75
     1    9.166667
     1    9.3833332
    122    10
     1    10.2
     1    10.5
     1    10.8
     6    11.25
    37    12.5
     1    13.833333
    39    15
     1    15.833333
     1    16.633333
     1    16.666666
    
```

```

      1 17.083334
     16 17.5
      3 18.75
     26 20
     10 22.5
      6 25
      3 27.5
      4 30
      2 31.25
      2 37.5
      1 40
      1 45
      1 56.25
      1 68.75
    mean: 4.59734
  std. dev: 6.37724

  percentiles:      10%      25%      50%      75%      90%
                   0        0        2.5      7.5     12.5
  
```

screen_time_c2
 Saturday-Sunday:Hours per week of child's playing computer ,tablet, ipad and sma

```

    type: numeric (float)
    range: [0,27.5]
  unique values: 69
                    units: 1.000e-09
                    missing .: 0/1,434
  
```

```

  tabulation:  Freq.  Value
                513    0
                 2    .05
                 2    .06666667
                 7    .08333334
                 1    .11666667
                 1    .13333334
                 3    .15000001
                 3    .16666667
                 2    .21666667
                 1    .23333333
                 6    .25
                 3    .30000001
                 1    .31666666
                23    .33333334
                12    .5
                 1    .63333333
                18    .66666669
                 1    .75
                 6    .83333331
                 3    .88333333
                96    1
                 1    1.05
                 3    1.16666666
                 4    1.25
                 7    1.33333334
                16    1.5
                 4    1.66666666
                 2    1.75
                 1    1.83333334
               177    2
                 2    2.25
                 2    2.33333333
                17    2.5
                 3    2.66666667
                 1    2.91666667
                54    3
                 3    3.33333333
                 3    3.5
                 1    3.66666667
               129    4
                 1    4.08333335
  
```



```

11 4.5
55 5
1 5.5333333
68 6
1 6.5
27 7
4 7.5
37 8
20 9
14 10
2 10.5
11 11
14 12
6 12.5
3 13.5
2 14
6 15
1 16
2 17
2 17.5
3 18
1 20
2 21
1 22
1 22.5
1 25
1 26
1 27.5
mean: 2.62263
std. dev: 3.5879

percentiles:    10%    25%    50%    75%    90%
                0      0    1.33333    4      7

```

screen_time_c3
Monday-Sunday:Hours per week of child's playing computer ,tablet, ipad and smart

```

type: numeric (float)
range: [0,10.5]          units: 1.000e-09
unique values: 47       missing .: 0/1,434

```

```

tabulation: Freq. Value
1,220 0
1 .05
2 .06666667
2 .08333334
3 .1
4 .13333334
6 .16666667
1 .18333334
2 .2
1 .23333333
3 .25
1 .31666666
11 .33333334
3 .38333333
4 .41666666
9 .5
1 .58333331
3 .63333333
1 .66666669
8 .75
2 .83333331
3 .88333333
26 1
2 1.1333333
9 1.25
1 1.3333334
1 1.4666667

```

```

16 1.5
1 1.7333333
2 1.75
1 1.8833333
23 2
1 2.25
12 2.5
1 2.6333334
12 3
2 3.3833334
8 3.5
6 4
2 4.5
4 5
2 5.25
5 6
1 8
1 8.75
2 10
2 10.5
mean: .282322
std. dev: 1.00143
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 .883333

```

screen_time Hours per week of child's playing computer ,tablet, ipad and smart phone

```

type: numeric (float)
range: [0,96.25] units: 1.000e-09
unique values: 176 missing .: 0/1,434
mean: 7.50229
std. dev: 9.31823
percentiles: 10% 25% 50% 75% 90%
              0 .533333 4.31667 10.5 19

```

tv_time_c1 Hours per week of child's watching tv

```

type: numeric (float)
range: [0,35] units: 1.000e-08
unique values: 56 missing .: 0/1,434
tabulation: Freq. Value
             411 0
              4 .13333334
              1 .16666667
              7 .21666667
              1 .31666666
              2 .33333334
              2 .38333333
             13 .41666666
              1 .43333334
              1 .46666667
              7 .63333333
              1 .75
             38 .83333331
              1 1.05
              1 1.0833334
             16 1.25
              1 1.5
             25 1.6666666
              7 2.0833333
            134 2.5
              3 2.9166667

```

```

      2 2.9666667
     16 3.3333333
      1 3.4333334
     17 3.75
      2 4
      2 4.1666665
    322 5
      1 5.2166667
      1 5.25
      1 5.4166665
      2 5.6333332
      3 6.25
      1 6.6666665
      1 6.75
     89 7.5
      1 7.8833332
      1 8.1333332
      2 8.75
      1 9.583333
    154 10
      2 10.416667
      4 10.833333
      4 11.25
      1 12.083333
     30 12.5
     47 15
      8 17.5
     18 20
      2 20.833334
      7 22.5
      7 25
      1 27.5
      4 30
      1 31.25
      1 35
    mean: 4.75776
  std. dev: 5.27396
percentiles:      10%      25%      50%      75%      90%
                  0         0      4.58333      7.5      10

```

tv_time_c2 **Hours per week of child's watching tv**

```

      type: numeric (float)
      range: [0,30]
  unique values: 56
      units: 1.000e-09
  missing .: 0/1,434

```

```

tabulation: Freq. Value
            391 0
              2 .05
              1 .06666667
              6 .08333334
              3 .13333334
              2 .15000001
             13 .16666667
              2 .18333334
              1 .2
              5 .25
             30 .33333334
              2 .41666666
              1 .43333334
             13 .5
             25 .66666669
              4 .83333331
            122 1
              3 1.0833334
              2 1.1666666
             17 1.3333334
             22 1.5

```

```

      1 1.6666666
285 2
      1 2.0833333
      3 2.25
      1 2.3333333
      1 2.5
      1 2.6666667
      75 3
      1 3.8333333
174 4
      1 4.1333332
      1 4.1666665
      2 4.3333335
      6 4.5
      38 5
      57 6
      4 7
      3 7.5
      53 8
      11 9
      9 10
      3 11
      13 12
      1 12.5
      2 13
      3 14
      3 16
      2 17
      2 18
      1 19
      2 19.5
      1 20
      1 21
      2 24
      3 30
      mean: 2.51267
      std. dev: 3.31001
percentiles:      10%      25%      50%      75%      90%
                  0        0        2        4        6

```

tv_time_c3 **Hours per week of child's watching tv**

```

      type: numeric (float)
      range: [0,12.216666]
unique values: 43
      units: 1.000e-09
      missing .: 0/1,434

```

```

tabulation: Freq. Value
1,298 0
      3 .05
      1 .06666667
      1 .08333334
      1 .11666667
      2 .13333334
      1 .15000001
      2 .16666667
      2 .18333334
      1 .25
      3 .30000001
      1 .33333334
      1 .38333333
      2 .41666666
      11 .5
      2 .58333331
      3 .63333333
      5 .66666669
      3 .75
      2 .83333331
      20 1

```

```

1 1.1333333
1 1.1666666
5 1.25
1 1.3333334
9 1.5
8 1.75
1 1.8833333
10 2
1 2.0333333
1 2.25
6 2.5
1 2.6666667
6 3
4 3.5
2 4
3 4.5
3 5
2 5.25
1 5.5
1 6
1 7
1 12.216666
mean: .161076
std. dev: .717924

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

tv_time **Hours per week of child's watching tv**

```

type: numeric (float)
range: [0,52.5]
unique values: 146
mean: 7.43151
std. dev: 7.88206
units: 1.000e-09
missing .: 0/1,434

percentiles:      10%      25%      50%      75%      90%
                  0      1.16667      6.5      10.5      17.5
    
```

other_c1 **Monday-Friday:Hours per week of child's doing other activity**

```

type: numeric (float)
range: [0,0]
unique values: 1
tabulation: Freq. Value
              1,434  0
mean: 0
std. dev: 0
units: 1
missing .: 0/1,434

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

other_c2 **Saturday-Sunday:Hours per week of child's doing other activity**

```

type: numeric (float)
range: [0,0]
unique values: 1
units: 1
missing .: 0/1,434
    
```

```

tabulation: Freq. Value
             1,434  0
      mean:
      std. dev: 0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

other_c3 **Monday-Sunday:Hours per week of child's doing other activity**

```

type: numeric (float)
range: [0,0] units: 1
unique values: 1 missing .: 0/1,434

tabulation: Freq. Value
             1,434  0
      mean:
      std. dev: 0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

other_time **Hours per week of child's doing other activity**

```

type: numeric (float)
range: [0,0] units: 1
unique values: 1 missing .: 0/1,434

tabulation: Freq. Value
             1,434  0
      mean:
      std. dev: 0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

year_survey **year survey**

```

type: numeric (float)
range: [2019,2019] units: 1
unique values: 1 missing .: 0/1,434

tabulation: Freq. Value
             1,434  2019
      mean:
      std. dev: 0

percentiles: 10%    25%    50%    75%    90%
              2019  2019  2019  2019  2019
    
```

survey_name **survey round**

```

type: string (str12)
unique values: 1 missing "": 0/1,434

tabulation: Freq. Value
             1,434  "RESURVEY2019"
    
```

```
2 . log close
   name: <unnamed>
   log:  \\10.21.7.35\RIECE Thailand\\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey201
> 9/codebook\b11.scml
   log type: smcl
   closed on: 3 Oct 2024, 13:12:56
```
