



```

name: <unnamed>
log: \\10.21.7.35\RIECE Thailand\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey201
> 9/codebook\b2.scml
log type: smcl
opened on: 3 Oct 2024, 13:05:53

```

```
1 . codebookr _all,all
```

```

Dataset: \\10.21.7.35\RIECE Thailand\RIECE DATA\RIECE_RELEASE V5-2019\R
> esurvey2019/codebook\b2_run.dta
Last saved: 3 Oct 2024 13:05

```

```

Label: [none]
Number of variables: 193
Number of observations: 1,434
Size: 6,131,784 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI

```

```
cid children id
```

```

type: string (str18)
unique values: 1,434 missing "": 0/1,434
examples: "201591160419002H7"
           "201593121510202H4"
           "201691150908055H1"
           "201691161706126H1"

```

```
iyear year
```

```

type: string (str4)
unique values: 2 missing "": 0/1,434
tabulation: Freq. Value
              573 "2015"
              861 "2016"

```

```
hhid household id
```

```
type: string (str15)
```

unique values: 1,244 missing "": 0/1,434
 examples: "201591160419002"
 "201593121510202"
 "201691150908055"
 "201691161706126"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,434
 tabulation: Freq. Value
 1,300 "91"
 134 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,434
 tabulation: Freq. Value
 1 "09"
 133 "12"
 264 "13"
 119 "14"
 144 "15"
 512 "16"
 39 "17"
 222 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,434
 tabulation: Freq. Value
 62 "01"
 206 "02"
 124 "04"
 54 "05"
 54 "06"
 65 "07"
 61 "08"
 100 "09"
 128 "10"
 93 "11"
 139 "13"
 50 "14"
 141 "15"
 99 "17"
 58 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,434

```

tabulation:  Freq.  Value
              157  "01"
              70  "02"
              138  "03"
              152  "04"
              114  "05"
              152  "06"
              79  "07"
              143  "08"
              82  "09"
              70  "10"
              53  "11"
              40  "12"
              39  "13"
              12  "14"
              11  "15"
              39  "16"
              12  "17"
              12  "18"
              30  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,434
examples: "010"
          "033"
          "071"
          "201"
    
```

ccla **In the past month, did you feed the child with breast milk?**

```

type: numeric (byte)
label: ccla
range: [1,3]           units: 1
unique values: 2       missing .: 1,430/1,434
tabulation:  Freq.  Numeric  Label
              1      1      Yes
              3      3      No
            1,430      .
    
```

cclb **In the past month, did you feed the child with other milk?**

```

type: numeric (byte)
label: cclb
range: [1,1]           units: 1
unique values: 1       missing .: 1,426/1,434
tabulation:  Freq.  Numeric  Label
              8      1      Yes
            1,426      .
    
```

cclal **How old was the child when you stopped breast feeding ?**

```

type: numeric (byte)
    
```

```

        range: [28,48]                units: 1
unique values: 3                    missing .: 1,431/1,434

  tabulation:  Freq.  Value
                1    28
                1    40
                1    48
            1,431  .
    mean:      38.6667
  std. dev:   10.0664

percentiles:   10%    25%    50%    75%    90%
                28     28     40     48     48
    
```

cc1b1 **How old was the child when you started to feed him/her with other milk?**

```

        type: numeric (byte)
        range: [7,20]                units: 1
unique values: 3                    missing .: 1/1,434
unique missing codes: 3            missing *: 1,430/1,434

  tabulation:  Freq.  Value
                1    7
                1   17
                1   20
                1    .
            1,426  .b
                4    .d
    mean:      14.6667
  std. dev:   6.80686

percentiles:   10%    25%    50%    75%    90%
                7     7     17     20     20
    
```

cc15 **Do you think the child is malnourished?**

```

        type: numeric (byte)
        label: cc15
        range: [1,3]                units: 1
unique values: 2                    missing .: 0/1,434
unique missing codes: 1            missing *: 1/1,434

  tabulation:  Freq.  Numeric  Label
                193     1    Yes
            1,240     3    No
                 1     .c
    
```

cc15a **What action do you take if the child is malnourished? (not display)**

```

        type: string (str138), but longest is str0
unique values: 0                    missing "": 1,434/1,434

  tabulation:  Freq.  Value
            1,434  ""
    
```

cc3 **Since last interview, has the child had vitamin or supplementary food?**

```

        type: numeric (byte)
        label: cc3
    
```

range: [1,3] units: 1
 unique values: 2 missing .: 0/1,434

tabulation:	Freq.	Numeric	Label
	546	1	Yes
	888	3	No

cc3b Since the last interview , What vitamins did the child eat? (not display)

type: string (str120), but longest is str0
 unique values: 0 missing "": 1,434/1,434

tabulation:	Freq.	Value
	1,434	" "

cc3ca Since last interview, has the child had supplementary food e.g. chicken essence,

type: numeric (int)
 range: [0,168] units: 1
 unique values: 20 missing .: 888/1,434
 unique missing codes: 3 missing *: 20/1,434

tabulation:	Freq.	Value
	306	0
	135	1
	36	2
	15	3
	5	4
	6	5
	4	6
	2	7
	1	9
	2	10
	1	11
	1	12
	1	13
	1	14
	2	15
	2	20
	2	30
	1	40
	2	90
	1	168
	888	.
	12	.c
	8	.d
mean:	1.78137	
std. dev:	9.6808	

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

cc3cb Frequency of the child had supplementary food

type: string (str30), but longest is str22
 unique values: 8 missing "": 1,194/1,434
 unique missing codes: 3 missing *: 20/1,434

```

tabulation:  Freq.  Value
              1,194  ""
              12   "DK"
              8    "MI"
              89   "daily"
              38   "monthly"
              2   "one time in two months"
              1   "two times a year"
              54   "weekly"
              36   "yearly"
    
```

warning: variable has embedded blanks

cc3cc Code of frequency the child had supplementary food

```

type: numeric (byte)
label: cc3cc

range: [1,11]          units: 1
unique values: 6        missing .: 1,194/1,434
unique missing codes: 3 missing *: 20/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              89     1   every day
              54     3   every week
              38     5   every month
              1      7   every 6 months
              36     9   every year
              2     11  others
            1,194     .
              12     .c
              8      .d
    
```

cc4b Since last interview, has the child regularly drunk boiled, filtered or bottled

```

type: numeric (byte)
label: cc4b

range: [1,3]          units: 1
unique values: 2        missing .: 0/1,434
unique missing codes: 1 missing *: 3/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
            1,348     1   Yes
              83     3   No
              3      .d
    
```

cc5a4 Since last interview, has your child eaten vegetable (including cooked, dried, g

```

type: numeric (byte)
label: cc5a4

range: [1,3]          units: 1
unique values: 2        missing .: 0/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
            1,032     1   Yes
             402     3   No
    
```

cc5a6 Since last interview, has your child eaten eggs, meat and meat products?

```

type: numeric (byte)
label: cc5a6
    
```

```

    range: [1,3]                units: 1
unique values: 2                missing .: 0/1,434

    tabulation: Freq.  Numeric  Label
                1,432      1     Yes
                2           3     No
    
```

cc5a7 Since last interview, has your child eaten seafood such as mackerel, squid?

```

    type: numeric (byte)
    label: cc5a7

    range: [1,3]                units: 1
unique values: 2                missing .: 0/1,434

    tabulation: Freq.  Numeric  Label
                1,210      1     Yes
                224        3     No
    
```

cc5a8 Since last interview, has your child eaten softdrinks?

```

    type: numeric (byte)
    label: cc5a8

    range: [1,3]                units: 1
unique values: 2                missing .: 0/1,434

    tabulation: Freq.  Numeric  Label
                1,220      1     Yes
                214        3     No
    
```

cc5b4 How many days per month did your child have vegetable (including cooked, dried,

```

    type: numeric (byte)

    range: [1,30]              units: 1
unique values: 21             missing .: 402/1,434
unique missing codes: 2      missing *: 1/1,434

    tabulation: Freq.  Value
                4      1
                9      2
                18     3
               101     4
                5      5
                54     6
                7      7
               119     9
                3     10
               105    11
                97    13
                3     14
                44    15
                1     16
                23    17
                16    19
                 1     20
                36    22
                 1     24
                 1     28
               383    30
               402   .
                 1   .c
    mean:      17.6159
std. dev:     10.352
    
```

percentiles: 10% 25% 50% 75% 90%
 4 9 13 30 30

cc5b6 How many days per month did your child have eggs, meat and meat products?

 type: numeric (byte)

 range: [4,30] units: 1

unique values: 10 missing .: 2/1,434

tabulation: Freq. Value

3	4
1	6
9	9
12	11
13	13
8	15
11	17
2	19
5	22
1,368	30
2	.

 mean: 29.2563

 std. dev: 3.55558

percentiles: 10% 25% 50% 75% 90%
 30 30 30 30 30

cc5b7 How many days per month did your child have seafood such as mackerel, squid?

 type: numeric (byte)

 range: [1,30] units: 1

unique values: 20 missing .: 224/1,434

tabulation: Freq. Value

40	1
69	2
36	3
235	4
6	5
97	6
3	7
233	9
2	10
119	11
3	12
105	13
2	14
67	15
39	17
19	19
11	22
2	24
1	26
121	30
224	.

 mean: 10.4868

 std. dev: 7.95044

percentiles: 10% 25% 50% 75% 90%
 3 4 9 13 28

cc5b8 How many days per month did your child have softdrinks?


```

type: numeric (byte)
range: [1,30]
unique values: 21
unique missing codes: 2
units: 1
missing .: 214/1,434
missing *: 6/1,434

```

```

tabulation: Freq. Value
34 1
48 2
32 3
205 4
10 5
69 6
4 7
2 8
148 9
1 10
72 11
80 13
1 14
42 15
23 17
21 19
34 22
4 24
1 25
2 26
381 30
214 .
6 .c

```

```

mean: 15.2496
std. dev: 10.9848

```

```

percentiles: 10% 25% 50% 75% 90%
4 4 11 30 30

```

cc6a How many hours per week does the father take care of this child?

```

type: numeric (double)
range: [0,83]
unique values: 156
unique missing codes: 1
units: 1.000e-07
missing .: 0/1,434
missing *: 904/1,434

```

```

mean: 36.2628
std. dev: 18.6671

```

```

percentiles: 10% 25% 50% 75% 90%
10.5 21 36.5 51 60

```

cc6aa Starting time of caring time of this child by father : Before going to school on

```

type: string (str5)
unique values: 13
unique missing codes: 2
missing "": 208/1,434
missing *: 904/1,434

```

```

tabulation:  Freq.  Value
              208  ""
                1  "04.00"
                5  "04.30"
               21  "05.00"
               39  "05.30"
                1  "05.40"
                2  "05.50"
              155  "06.00"
                2  "06.20"
               50  "06.30"
                1  "06.40"
               36  "07.00"
                9  "07.30"
              904  "NA"
    
```

cc6ab Finishing time of caring time of this child by father : Before going to school o

```

type:  string (str5)
unique values:  21
unique missing codes:  2
missing "":  208/1,434
missing *:  904/1,434
    
```

```

tabulation:  Freq.  Value
              208  ""
                1  "04.30"
                6  "06.00"
                2  "06.10"
                2  "06.15"
                1  "06.20"
               29  "06.30"
                1  "06.35"
                1  "06.40"
                4  "06.50"
               91  "07.00"
                6  "07.10"
                4  "07.15"
                4  "07.20"
              124  "07.30"
                3  "07.40"
                2  "07.45"
                1  "07.50"
               36  "08.00"
                3  "08.30"
                1  "09.00"
              904  "NA"
    
```

cc6ac Starting time of caring time of this child by father : After school (until going

```

type:  string (str5)
unique values:  20
unique missing codes:  2
missing "":  120/1,434
missing *:  904/1,434
    
```

```

tabulation:  Freq.  Value
              120  ""
                2  "12.00"
                1  "14.00"
               18  "14.30"
               29  "15.00"
                1  "15.15"
               43  "15.30"
                1  "15.35"
               41  "16.00"
               28  "16.30"
              118  "17.00"
                1  "17.10"
               36  "17.30"
    
```


unique values: 6
 unique missing codes: 2

missing "": 67/1,434
 missing *: 904/1,434

tabulation: Freq. Value

67	"
2	"3"
1	"4"
347	"5"
88	"6"
25	"7"
904	"NA"

cc6ae Starting time of caring time of this child by father : on Saturday-Sunday or hol

type: string (str5)

unique values: 36
 unique missing codes: 2

missing "": 145/1,434
 missing *: 904/1,434

tabulation: Freq. Value

145	"
1	"04.00"
3	"04.30"
15	"05.00"
20	"05.30"
1	"05.40"
1	"05.45"
1	"05.50"
86	"06.00"
1	"06.20"
29	"06.30"
57	"07.00"
1	"07.20"
28	"07.30"
35	"08.00"
11	"08.30"
7	"09.00"
1	"09.30"
1	"10.00"
3	"12.00"
1	"13.00"
1	"13.30"
2	"14.00"
1	"15.00"
5	"15.30"
4	"16.00"
5	"16.30"
1	"16.40"
21	"17.00"
8	"17.30"
18	"18.00"
2	"18.30"
8	"19.00"
1	"19.30"
3	"20.00"
2	"20.30"
904	"NA"

cc6af Finishing time of caring time of this child by father : on Saturday-Sunday or ho

type: string (str5)

unique values: 19
 unique missing codes: 2

missing "": 145/1,434
 missing *: 904/1,434

```

tabulation:  Freq.  Value
              145  ""
              1  "07.30"
              3  "08.00"
              1  "08.30"
              1  "14.00"
              1  "14.30"
              4  "16.00"
              1  "17.00"
              3  "18.00"
              1  "18.30"
              5  "19.00"
             18  "19.30"
            125  "20.00"
             66  "20.30"
             80  "21.00"
             44  "21.30"
             21  "22.00"
              9  "22.30"
              1  "23.00"
            904  "NA"
    
```

cc6ai Hours of caring time of this child by father on Saturday-Sunday or holidays

```

type:  string (str4)
unique values:  28
unique missing codes:  2
missing "":  447/1,434
missing *:  904/1,434
    
```

```

tabulation:  Freq.  Value
              447  ""
              1  "0.5"
              9  "1"
              3  "1.5"
              1  "1.75"
              1  "11"
              2  "11.5"
              1  "13"
              1  "13.5"
              1  "14"
              1  "17"
              9  "2"
              1  "2.3"
              3  "2.5"
             11  "3"
              1  "3.3"
              5  "3.5"
              6  "4"
              1  "4.3"
              3  "4.5"
              4  "5"
              5  "5.5"
              1  "6"
              1  "6.3"
              2  "6.5"
              3  "7"
              2  "7.5"
              4  "8"
            904  "NA"
    
```

cc6aj Days of caring time of this child by father on Saturday-Sunday or holidays

```

type:  string (str2)
unique values:  6
unique missing codes:  2
missing "":  59/1,434
missing *:  904/1,434
    
```

```

tabulation:  Freq.  Value
              59    ""
              97    "1"
             335    "2"
               1    "3"
               1    "4"
              37    "7"
             904   "NA"
    
```

cc6b How many hours per week does the mother take care of this child?

```

type:  numeric (double)

range:  [0,115.5]          units:  1.000e-07
unique values:  199        missing .:  0/1,434
unique missing codes:  1   missing *:  732/1,434

mean:  49.2423
std. dev:  16.3058

percentiles:      10%      25%      50%      75%      90%
                  24.5    41.3333    53      60      65.5
    
```

cc6ba Starting time of caring time of this child by mother : Before going to school o

```

type:  string (str5)

unique values:  13          missing "":  95/1,434
unique missing codes:  2   missing *:  732/1,434

tabulation:  Freq.  Value
              95    ""
               2   "04.00"
               7   "04.30"
              32   "05.00"
              65   "05.30"
               5   "05.40"
               5   "05.50"
             262   "06.00"
             115   "06.30"
               3   "06.40"
              90   "07.00"
              20   "07.30"
               1   "08.00"
             732   "NA"
    
```

cc6bb Finishing time of caring time of this child by mother : Before going to school

```

type:  string (str5)

unique values:  23          missing "":  95/1,434
unique missing codes:  2   missing *:  732/1,434

tabulation:  Freq.  Value
              95    ""
              10   "06.00"
               2   "06.10"
               2   "06.15"
               1   "06.20"
              46   "06.30"
               1   "06.35"
               7   "06.40"
               3   "06.45"
               6   "06.50"
             151   "07.00"
               1   "07.03"
    
```

```

9 "07.10"
11 "07.15"
7 "07.20"
236 "07.30"
13 "07.40"
5 "07.45"
8 "07.50"
77 "08.00"
1 "08.10"
8 "08.30"
2 "09.00"
732 "NA"

```

cc6bc Starting time of caring time of this child by mother : After school (until going

```

type: string (str5)
unique values: 29
unique missing codes: 2
missing "": 64/1,434
missing *: 732/1,434

```

```

tabulation: Freq. Value
64 ""
1 "12.00"
9 "14.00"
2 "14.15"
1 "14.20"
50 "14.30"
76 "15.00"
1 "15.10"
3 "15.15"
2 "15.20"
122 "15.30"
4 "15.40"
1 "15.45"
103 "16.00"
1 "16.15"
1 "16.20"
54 "16.30"
1 "16.40"
2 "16.45"
108 "17.00"
1 "17.10"
35 "17.30"
30 "18.00"
7 "18.30"
4 "19.00"
4 "19.30"
8 "20.00"
6 "20.30"
1 "21.00"
732 "NA"

```

cc6bd Finishing time of caring time of this child by mother : After school (until goin

```

type: string (str5)
unique values: 15
unique missing codes: 2
missing "": 64/1,434
missing *: 732/1,434

```

```

tabulation:  Freq.  Value
              64  ""
              1  "15.00"
              1  "17.00"
              1  "18.00"
              1  "18.30"
              12  "19.00"
              35  "19.30"
             212  "20.00"
             125  "20.30"
              2  "20.45"
             152  "21.00"
              49  "21.30"
              37  "22.00"
              9  "22.30"
              1  "23.00"
             732  "NA"
    
```

cc6bg Hours of caring time of this child by mother on Monday-Friday(might include Sat)

```

type:  string (str2)

unique values:  6           missing "":  696/1,434
unique missing codes:  2     missing *:  732/1,434

tabulation:  Freq.  Value
              696  ""
              1  "1"
              2  "2"
              1  "4"
              1  "5"
              1  "6"
             732  "NA"
    
```

cc6bh Days of caring time of this child by mother on Monday-Friday(might include Sat)

```

type:  string (str2)

unique values:  6           missing "":  35/1,434
unique missing codes:  2     missing *:  732/1,434

tabulation:  Freq.  Value
              35  ""
              2  "1"
              1  "2"
             554  "5"
             104  "6"
              6  "7"
             732  "NA"
    
```

cc6be Starting time of caring time of this child by mother : on Saturday-Sunday or hol

```

type:  string (str5)

unique values:  34           missing "":  54/1,434
unique missing codes:  2     missing *:  732/1,434
    
```



```

tabulation:  Freq.  Value
              54  ""
              5  "04.30"
             29  "05.00"
             44  "05.30"
              1  "05.40"
              1  "05.45"
              1  "05.50"
            164  "06.00"
             77  "06.30"
            119  "07.00"
              1  "07.20"
             69  "07.30"
              1  "07.50"
             68  "08.00"
             18  "08.30"
             12  "09.00"
              2  "09.30"
              1  "10.30"
              3  "11.00"
              1  "12.00"
              1  "13.00"
              1  "13.30"
              1  "14.00"
              2  "15.00"
              3  "15.30"
              1  "16.00"
              3  "16.30"
              4  "17.00"
              4  "17.30"
              5  "18.00"
              2  "18.30"
              2  "19.00"
              1  "19.30"
              1  "20.00"
            732  "NA"
    
```

cc6bf Finishing time of caring time of this child by mother : on Saturday-Sunday or ho

type: string (str5)

unique values: 18
 unique missing codes: 2

missing "": 54/1,434
 missing *: 732/1,434

```

tabulation:  Freq.  Value
              54  ""
              1  "07.30"
              1  "10.00"
              1  "14.00"
              1  "14.30"
              1  "16.00"
              1  "17.00"
              1  "18.00"
              1  "18.30"
              8  "19.00"
             31  "19.30"
            201  "20.00"
            123  "20.30"
            152  "21.00"
             63  "21.30"
             45  "22.00"
             16  "22.30"
              1  "23.00"
            732  "NA"
    
```

cc6bi Hours of caring time of this child by mother on Saturday-Sunday or holidays

```

type: string (str3)
unique values: 22
unique missing codes: 2
missing "": 664/1,434
missing *: 732/1,434

```

```

tabulation: Freq. Value
664 ""
1 "1"
2 "1.5"
1 "11"
1 "12"
1 "14"
1 "15"
1 "17"
4 "2"
1 "2.3"
3 "3"
3 "3.5"
3 "4"
1 "4.3"
2 "4.5"
4 "5"
1 "5.5"
2 "6"
1 "6.5"
2 "7"
2 "7.3"
1 "8.5"
732 "NA"

```

cc6bj Days of caring time of this child by mother on Saturday-Sunday or holidays

```

type: string (str2)
unique values: 5
unique missing codes: 2
missing "": 16/1,434
missing *: 732/1,434

```

```

tabulation: Freq. Value
16 ""
116 "1"
553 "2"
1 "5"
16 "7"
732 "NA"

```

cc6c How many hours per week does the primary caregivers take care of this child?

```

type: numeric(double)
range: [7,87.833333]
units: 1.000e-07
unique values: 218
missing .: 0/1,434
unique missing codes: 1
missing *: 406/1,434

mean: 56.1934
std. dev: 10.2122

percentiles: 10% 25% 50% 75% 90%
44.5 52 57.5 62.3333 67.25

```

cc6ca Starting time of caring time this child by primary caregivers : Before going to

```

type: string (str5)
unique values: 22
unique missing codes: 2
missing "": 25/1,434
missing *: 406/1,434

```

```

tabulation:  Freq.  Value
              25  ""
              3  "04.00"
             12  "04.30"
             85  "05.00"
              2  "05.15"
              1  "05.20"
            104  "05.30"
              2  "05.40"
              1  "05.45"
              1  "05.50"
              1  "05.55"
            482  "06.00"
              1  "06.20"
              1  "06.25"
            169  "06.30"
              2  "06.40"
              1  "06.45"
            109  "07.00"
              3  "07.10"
              2  "07.20"
             16  "07.30"
              5  "08.00"
            406  "NA"
    
```

cc6cb Finishing time of caring time of the child by primary caregivers : Before going

```

type: string (str5)
unique values: 28
unique missing codes: 2
missing "": 25/1,434
missing *: 406/1,434
    
```

```

tabulation:  Freq.  Value
              25  ""
              1  "05.30"
             12  "06.00"
              1  "06.10"
              2  "06.15"
              3  "06.20"
             94  "06.30"
              3  "06.40"
              7  "06.45"
              7  "06.50"
            269  "07.00"
              1  "07.03"
              3  "07.05"
             11  "07.10"
             13  "07.15"
             11  "07.20"
              2  "07.25"
            393  "07.30"
              2  "07.35"
             18  "07.40"
              5  "07.45"
              4  "07.50"
              2  "07.55"
            110  "08.00"
              2  "08.10"
              2  "08.15"
             23  "08.30"
              2  "09.00"
            406  "NA"
    
```

cc6cc Starting time of caring time of this child by primary caregivers : After school

```

type: string (str5)
    
```

unique values: 33
 unique missing codes: 2

missing "": 4/1,434
 missing *: 406/1,434

tabulation:

Freq.	Value
4	"
1	"13.30"
36	"14.00"
1	"14.10"
1	"14.15"
1	"14.20"
113	"14.30"
6	"14.40"
1	"14.45"
176	"15.00"
3	"15.10"
2	"15.15"
9	"15.20"
269	"15.30"
1	"15.35"
5	"15.40"
3	"15.45"
2	"15.50"
172	"16.00"
1	"16.10"
73	"16.30"
1	"16.40"
1	"16.45"
72	"17.00"
1	"17.20"
1	"17.25"
24	"17.30"
1	"17.40"
33	"18.00"
5	"18.30"
6	"19.00"
2	"19.30"
1	"20.30"
406	"NA"

cc6cd Finishing time of caring time of this child by primary caregivers : After school

type: string (str5)

unique values: 16
 unique missing codes: 2

missing "": 4/1,434
 missing *: 406/1,434

tabulation:

Freq.	Value
4	"
1	"16.00"
1	"17.30"
4	"18.00"
24	"19.00"
96	"19.30"
2	"19.45"
380	"20.00"
205	"20.30"
2	"20.40"
2	"20.45"
202	"21.00"
63	"21.30"
32	"22.00"
9	"22.30"
1	"23.00"
406	"NA"

cc6cg Hours of caring time of this child by primary caregivers on Monday-Friday(might

```

type: string (str2)
unique values: 3
unique missing codes: 2
missing "": 1,026/1,434
missing *: 406/1,434

tabulation: Freq. Value
            1,026 ""
             1 "1"
             1 "2"
            406 "NA"
    
```

cc6ch Days of caring time of this child by primary caregivers on Monday-Friday (might i

```

type: string (str2)
unique values: 5
unique missing codes: 2
missing "": 1/1,434
missing *: 406/1,434

tabulation: Freq. Value
            1 ""
            1 "2"
           1,015 "5"
            10 "6"
             1 "7"
            406 "NA"
    
```

cc6ce Starting time of caring time of this child by primary caregivers : on Saturday-S

```

type: string (str5)
unique values: 29
unique missing codes: 2
missing "": 30/1,434
missing *: 406/1,434

tabulation: Freq. Value
            30 ""
             2 "04.00"
            10 "04.30"
            58 "05.00"
             1 "05.20"
            65 "05.30"
             2 "05.45"
             1 "05.55"
            302 "06.00"
             1 "06.25"
            116 "06.30"
            169 "07.00"
             1 "07.10"
             1 "07.15"
             1 "07.20"
            75 "07.30"
             1 "07.50"
            117 "08.00"
            35 "08.30"
            16 "09.00"
             5 "09.30"
             2 "10.00"
             4 "10.30"
             1 "11.00"
             2 "12.00"
             1 "14.30"
             1 "16.30"
             4 "17.00"
             4 "18.00"
            406 "NA"
    
```

cc6cf Finishing time of caring time of this child by primary caregivers : on Saturday-

type: string (str5)
 unique values: 16
 unique missing codes: 2
 missing "": 30/1,434
 missing *: 406/1,434

tabulation:	Freq.	Value
	30	" "
	1	"17.30"
	6	"18.00"
	23	"19.00"
	80	"19.30"
	2	"19.45"
	340	"20.00"
	196	"20.30"
	2	"20.40"
	206	"21.00"
	74	"21.30"
	1	"21.45"
	46	"22.00"
	16	"22.30"
	4	"23.00"
	1	"24.00"
	406	"NA"

cc6ci Hours of caring time of this child by primary caregivers on Saturday-Sunday or h

type: string (str4)
 unique values: 17
 unique missing codes: 2
 missing "": 1,009/1,434
 missing *: 406/1,434

tabulation:	Freq.	Value
	1,009	" "
	1	"1"
	1	"1.5"
	1	"10"
	1	"10.3"
	2	"12"
	1	"13"
	1	"3"
	3	"3.5"
	1	"4"
	1	"4.3"
	1	"4.5"
	1	"5"
	1	"5.5"
	1	"6"
	1	"7.5"
	1	"8.5"
	406	"NA"

cc6cj Days of caring time of this child by primary caregivers on Saturday-Sunday or ho

type: string (str2)
 unique values: 4
 unique missing codes: 2
 missing "": 12/1,434
 missing *: 406/1,434

```

tabulation:  Freq.  Value
              12    ""
              16    "1"
              999   "2"
               1    "5"
              406   "NA"
    
```

cc10g Do you still need to follow and feed the child

```

type: numeric (byte)
label: cc10g

range: [1,3] units: 1
unique values: 2 missing .: 1,219/1,434
unique missing codes: 2 missing *: 1/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              38     1    Yes
              176     3    No
             1,219     .
               1     .d
    
```

cc11i How often does the child watch television or mobile phone/ tablet/ iPad while ea

```

type: numeric (byte)
label: cc11i

range: [1,5] units: 1
unique values: 3 missing .: 0/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              446     1    never
              606     3    sometimes
              382     5    often
    
```

cc11c In the past week, did you restrict the television programs for the child?

```

type: numeric (byte)
label: cc11c

range: [1,5] units: 1
unique values: 3 missing .: 0/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              147     1    Yes (restricted)
             1,110     3    No (the child can watch any
                           program)
              177     5    Child did not watch television
    
```

cc11e Does your household connect to the internet via computer, Ipad, teblet, or mobil

```

type: numeric (byte)
label: cc11e

range: [1,3] units: 1
unique values: 2 missing .: 0/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
             1,130     1    Yes
              304     3    No
    
```

cc13a Since last interview, has the child's father participated in child rearing?

```

type: numeric (byte)
label: cc13a

range: [1,5]
unique values: 3
unique missing codes: 1

units: 1
missing .: 0/1,434
missing *: 2/1,434

tabulation: Freq.  Numeric  Label
              440      1  Never
              523      3  Sometime
              469      5  Often
              2         .b
    
```

cc13a_des How to get involved in parenting

```

type: string (str220), but longest is str177
unique values: 676
missing "": 443/1,434

warning: variable has embedded and trailing blanks
    
```

cc13b Since last interview, have you and your household members planned and discussed

```

type: numeric (byte)
label: cc13b

range: [1,5]
unique values: 3
unique missing codes: 1

units: 1
missing .: 0/1,434
missing *: 49/1,434

tabulation: Freq.  Numeric  Label
              763      1  Never
              419      3  Sometime
              203      5  Often
              49         .b
    
```

cc13b_des How to get planed and making an agreement in parenting

```

type: string (str287)
unique values: 437
unique missing codes: 2

missing "": 812/1,434
missing *: 5/1,434

warning: variable has embedded and trailing blanks
    
```

cc13i At present, how dangerous is the community to the child?

```

type: numeric (byte)
label: cc13i

range: [1,5]
unique values: 3
unique missing codes: 1

units: 1
missing .: 0/1,434
missing *: 1/1,434
    
```



```

tabulation: Freq.  Numeric  Label
             1,083      1  not at all
             217       3  somewhat
             133       5  much
             1         .d
    
```

cc14 **Interviewer note (unavailable)**

```

type: string (str781), but longest is str0
unique values: 0 missing "": 1,434/1,434
tabulation: Freq.  Value
             1,434  ""
    
```

cc2_1 **Powdered milk (not display)**

```

type: string (str84), but longest is str0
unique values: 0 missing "": 1,434/1,434
tabulation: Freq.  Value
             1,434  ""
    
```

cc2_1:
 1. subjected to a carryforward operation

cc2a_1 **In the past week, did you feed the child with powdered milk?**

```

type: numeric (byte)
label: cc2a_1
range: [1,3] units: 1
unique values: 2 missing .: 1,219/1,434
tabulation: Freq.  Numeric  Label
             20      1  Yes
             195     3  No
             1,219   .
    
```

cc2b_1 **Average quantity of milk per week (ounce)**

```

type: numeric (int)
range: [1,392] units: 1
unique values: 14 missing .: 1,414/1,434
tabulation: Freq.  Value
             1  1
             1  2
             2  5
             1 12
             1 14
             3 42
             3 56
             1 84
             2 95
             1 168
             1 196
             1 210
             1 280
             1 392
             1,414 .
mean: 92.65
    
```

std. dev: **105.463**
 percentiles: 10% 25% 50% 75% 90%
 3.5 13 56 131.5 245

cc2c_1 **Unit of quantity : Ounce**

type: string (**str35**), but longest is str5
 unique values: **1** missing "": **1,219/1,434**
 tabulation: Freq. Value
 1,219 ""
 215 "Ounce"

cc2_2 **Bag milk/Pasteurized milk (not display)**

type: string (**str84**), but longest is str0
 unique values: **0** missing "": **1,434/1,434**
 tabulation: Freq. Value
 1,434 ""

cc2_2:
 1. subjected to a carryforward operation

cc2a_2 **In the past week, did you feed the child with bag milk/pasteurized milk?**

type: numeric (**byte**)
 label: **cc2a_2**
 range: **[1,3]** units: **1**
 unique values: **2** missing .: **0/1,434**
 unique missing codes: **1** missing *: **1/1,434**
 tabulation: Freq. Numeric Label
 1,215 **1** Yes
 218 **3** No
 1 **.c**

cc2b_2 **Average quantity of milk per week (bag/bottle)**

type: numeric(**int**)
 range: **[1,112]** units: **1**
 unique values: **38** missing .: **219/1,434**
 unique missing codes: **2** missing *: **15/1,434**
 tabulation: Freq. Value
 5 **1**
 29 **2**
 26 **3**
 18 **4**
 581 **5**
 23 **6**
 142 **7**
 53 **8**
 11 **9**
 94 **10**
 27 **11**
 35 **12**
 12 **13**
 38 **14**

```

15 15
 8 16
 5 17
10 18
13 19
 1 20
12 21
 3 23
 3 24
 6 25
 7 26
 1 28
 1 30
 1 31
 3 32
 6 33
 3 35
 1 39
 2 40
 1 47
 1 70
 1 84
 1 96
 1 112
219 .
15 .c
mean: 8.12
std. dev: 7.31518

percentiles:    10%    25%    50%    75%    90%
                5      5      5      10     14

```

cc2c_2 Unit of quantity : Bag/Bottle

```

type: string (str35), but longest is str10
unique values: 1 missing "": 0/1,434
tabulation: Freq. Value
            1,434 "Bag/Bottle"

```

cc2_3 UHT milk (sterilize) (not display)

```

type: string (str84), but longest is str0
unique values: 0 missing "": 1,434/1,434
tabulation: Freq. Value
            1,434 ""

```

cc2_3:
1. subjected to a carryforward operation

cc2a_3 In the past week, did you feed the child with UHT milk (sterilized)?

```

type: numeric (byte)
label: cc2a_3

range: [1,3] units: 1
unique values: 2 missing .: 0/1,434

tabulation: Freq. Numeric Label
            831 1 Yes
            603 3 No

```

cc2b_3

Average quantity of milk per week (box)

```

type: numeric (int)
range: [1,112]
unique values: 43
unique missing codes: 2
units: 1
missing .: 603/1,434
missing *: 5/1,434
    
```

```

tabulation: Freq. Value
             27  1
             90  2
             84  3
             35  4
             71  5
             13  6
            189  7
              7  8
              4  9
             13 10
             31 11
              9 12
              1 13
             87 14
              6 15
              1 16
              4 17
             27 18
              2 19
              1 20
             42 21
              2 22
              4 24
             19 25
              1 26
             18 28
              7 32
              1 33
              4 35
              1 36
              3 39
              1 41
              8 42
              1 43
              1 46
              1 47
              1 49
              1 54
              2 56
              1 57
              3 70
              1 72
              1 112
            603 .
              5 .c
mean: 10.5702
std. dev: 10.7081
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  2         4         7         14         21
    
```

cc2c_3

Unit of quantity : Box

```

type: string (str35), but longest is str3
unique values: 1
missing "": 0/1,434
    
```

tabulation: Freq. Value
 1,434 "Box"

cc2_4 **Soy milk (not display)**

type: string (**str84**), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

cc2_4:
 1. subjected to a carryforward operation

cc2a_4 **In the past week, did you feed the child with soy milk?**

type: numeric (**byte**)
 label: **cc2a_4**
 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,434
 tabulation: Freq. Numeric Label
 666 1 Yes
 768 3 No

cc2b_4 **Average quantity of milk per week (bag/bottle/box)**

type: numeric (**int**)
 range: [1,112] units: 1
 unique values: 22 missing .: 768/1,434
 unique missing codes: 2 missing *: 4/1,434

tabulation: Freq. Value
 104 1
 161 2
 149 3
 51 4
 19 5
 14 6
 97 7
 1 9
 2 10
 11 11
 21 14
 8 18
 6 21
 4 25
 1 27
 2 28
 1 32
 3 35
 2 36
 3 42
 1 60
 1 112
 768 .
 4 .c

mean: 5.04381
 std. dev: 7.40913

percentiles: 10% 25% 50% 75% 90%
 1 2 3 6 9

cc2c_4 **Unit of quantity : Bag/Bottle/Box**

type: string (**str35**), but longest is str14
 unique values: 1 missing "": 0/1,434
 tabulation: Freq. Value
 1,434 "Bag/Bottle/Box"

cc2_5 **Curd/Yacult (not display)**

type: string (**str84**), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

cc2_5:
 1. subjected to a carryforward operation

cc2a_5 **In the past week, did you feed the child with drinking yogurt/yakult?**

type: numeric (**byte**)
 label: **cc2a_5**
 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,434
 tabulation: Freq. Numeric Label
 1,159 1 Yes
 275 3 No

cc2b_5 **Average quantity of milk per week (bottle/box)**

type: numeric (**byte**)
 range: [1,56] units: 1
 unique values: 28 missing .: 275/1,434
 unique missing codes: 3 missing *: 12/1,434
 tabulation: Freq. Value
 94 1
 175 2
 219 3
 88 4
 47 5
 26 6
 220 7
 6 8
 4 9
 10 10
 41 11
 16 12
 87 14
 2 15
 2 16
 1 17
 33 18
 1 20
 36 21
 3 24
 13 25
 7 28

```

                2 32
                3 35
                2 39
                5 42
                1 46
                3 56
            275 .
            11 .c
             1 .d
    mean:      7.09852
    std. dev:  7.11179

percentiles:   10%      25%      50%      75%      90%
                2         3         4         7         14
    
```

cc2c_5 **Unit of quantity : Bottle/Box**

```

    type: string (str35), but longest is str10
    unique values: 1          missing "": 0/1,434

    tabulation:  Freq.  Value
                 1,434  "Bottle/Box"
    
```

cc2_6 **Sweet condensed milk (not display)**

```

    type: string (str84), but longest is str0
    unique values: 0          missing "": 1,434/1,434

    tabulation:  Freq.  Value
                 1,434  ""
    
```

cc2_6:
 1. subjected to a carryforward operation

cc2a_6 **In the past week, did you feed the child with sweet condensed milk?**

```

    type: numeric (byte)
    label: cc2a_6

    range: [1,3]          units: 1
    unique values: 2      missing .: 1,219/1,434

    tabulation:  Freq.  Numeric  Label
                 4      1        Yes
                 211    3        No
                 1,219  .
    
```

cc2b_6 **Average quantity of milk per week (can)**

```

    type: numeric (byte)

    range: [2,7]          units: 1
    unique values: 2      missing .: 1,430/1,434

    tabulation:  Freq.  Value
                 2      2
                 2      7
            1,430 .
    mean:      4.5
    std. dev:  2.88675
    
```

percentiles: 10% 25% 50% 75% 90%
 2 2 4.5 7 7

cc2c_6 **Unit of quantity : Can**

type: string (**str35**), but longest is str3
 unique values: 1 missing "": 1,219/1,434
 tabulation: Freq. Value
 1,219 ""
 215 "Can"

cc2_7 **Condensed milk (not display)**

type: string (**str84**), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

cc2_7:
 1. subjected to a carryforward operation

cc2a_7 **In the past week, did you feed the child with evaporated milk?**

type: numeric (**byte**)
 label: **cc2a_7**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,219/1,434
 tabulation: Freq. Numeric Label
 1 1 Yes
 214 3 No
 1,219 .

cc2b_7 **Average quantity of milk per week (can)**

type: numeric (**byte**)
 range: [1,1] units: 1
 unique values: 1 missing .: 1,433/1,434
 tabulation: Freq. Value
 1 1
 1,433 .
 mean: 1
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%
 1 1 1 1 1

cc2c_7 **Unit of quantity : Can**

type: string (**str35**), but longest is str3
 unique values: 1 missing "": 1,219/1,434


```

tabulation: Freq. Value
            1,219 ""
            215  "Can"
    
```

cc2_8 **Yogurt (not display)**

```

type: string (str84), but longest is str0
unique values: 0 missing "": 1,434/1,434
tabulation: Freq. Value
            1,434 ""
    
```

cc2_8:
 1. subjected to a carryforward operation

cc2a_8 **In the past week, did you feed the child with yogurt?**

```

type: numeric (byte)
label: cc2a_8
range: [1,3] units: 1
unique values: 2 missing .: 0/1,434
tabulation: Freq. Numeric Label
            750 1 Yes
            684 3 No
    
```

cc2b_8 **Average quantity of milk per week (cup)**

```

type: numeric (byte)
range: [1,25] units: 1
unique values: 15 missing .: 684/1,434
unique missing codes: 2 missing *: 1/1,434
tabulation: Freq. Value
            256 1
            237 2
            113 3
             49 4
             12 5
              5 6
             59 7
              3 8
              1 9
              1 10
              2 11
              2 12
              6 14
              2 21
              1 25
            684 .
              1 .c
mean: 2.68091
std. dev: 2.47413
percentiles: 10% 25% 50% 75% 90%
              1 1 2 3 7
    
```

cc2c_8 **Unit of quantity : Cup**

```

type: string (str35), but longest is str3
    
```

unique values: 1 missing "": 0/1,434
 tabulation: Freq. Value
 1,434 "Cup"

cc2_9 **Other (not display)**

type: string (**str84**), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

cc2a_9 **In the past week, did you feed the child with other type of milk?**

type: numeric (**byte**)
 label: **cc2a_9**
 range: [1,1] units: 1
 unique values: 1 missing .: 1,423/1,434
 tabulation: Freq. Numeric Label
 11 1 Yes
 1,423 .

cc2b_9 **Average quantity of milk per week (box/bag/bottle/glass)**

type: numeric (**byte**)
 range: [2,7] units: 1
 unique values: 4 missing .: 1,423/1,434
 tabulation: Freq. Value
 1 2
 1 3
 1 5
 8 7
 1,423 .
 mean: 6
 std. dev: 1.84391
 percentiles: 10% 25% 50% 75% 90%
 3 5 7 7 7

cc2c_9 **Unit of quantity**

type: string (**str35**), but longest is str7
 unique values: 3 missing "": 1,423/1,434
 unique missing codes: 2 missing *: 3/1,434
 tabulation: Freq. Value
 1,423 ""
 2 "Glass"
 3 "MI"
 6 "Sachets"

cc7_1 **Childcare center (not display)**

type: string (**str127**), but longest is str0

unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

cc7a_1 At present, is the child receiving care from childcare center?

type: numeric (byte)
 label: cc7a_1
 range: [3,3] units: 1
 unique values: 1 missing .: 1,219/1,434
 tabulation: Freq. Numeric Label
 215 3 No
 1,219 .

cc7b_1 Childcare center : HH. Member ID

type: numeric (byte)
 range: [.,.] units: .
 unique values: 0 missing .: 1,434/1,434
 tabulation: Freq. Value
 1,434 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

cc7c_1 Childcare center: relationship with child (not display)

type: string (str56), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

cc7c_code_1 Childcare center : Relationship code

type: numeric (byte)
 label: cc7c_code_1
 range: [.,.] units: .
 unique values: 0 missing .: 1,434/1,434
 tabulation: Freq. Numeric Label
 1,434 .

cc7da_1 When did the child start to receive care from childcare center? (month)

type: numeric (byte)
 label: cc7da_1
 range: [.,.] units: .
 unique values: 0 missing .: 1,434/1,434


```

type: numeric (byte)
range: [.,.]
unique values: 0 units: .
missing ..: 1,434/1,434

tabulation: Freq. Value
1,434 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

cc7hb_1 **Number of teacher/caregiver in the classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0 units: .
missing ..: 1,434/1,434

tabulation: Freq. Value
1,434 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

cc7_2 **Babysitter (not display)**

```

type: string (str127), but longest is str0
unique values: 0 missing "": 1,434/1,434

tabulation: Freq. Value
1,434 ""

```

cc7a_2 **At present, is the child receiving care from babysitter?**

```

type: numeric (byte)
label: cc7a_2
range: [3,3]
unique values: 1 units: 1
missing ..: 1,219/1,434

tabulation: Freq. Numeric Label
215 3 No
1,219 .

```

cc7b_2 **Member ID : of babysitter**

```

type: numeric (byte)
range: [.,.]
unique values: 0 units: .
missing ..: 1,434/1,434

tabulation: Freq. Value
1,434 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

cc7c_2 **Babysitter: relationship with child (not display)**

type: string (**str56**), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

cc7c_code_2 **Relationship code (babysitter with the child)**

type: numeric (**byte**)
 label: **cc7c_code_1**
 range: [.,.] units: .
 unique values: 0 missing .: 1,434/1,434
 tabulation: Freq. Numeric Label
 1,434 .

cc7da_2 **When did the child start to receive care from babysitter? (month)**

type: numeric (**byte**)
 label: **cc7da_2**
 range: [.,.] units: .
 unique values: 0 missing .: 1,434/1,434
 tabulation: Freq. Numeric Label
 1,434 .

cc7db_2 **When did the child start to receive care from babysitter? (year)**

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,434/1,434
 tabulation: Freq. Value
 1,434 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

cc7e_2 **How many hours per week does child receive care from babysitter?**

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,434/1,434
 tabulation: Freq. Value
 1,434 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

cc7f_2 What is the monthly average amount the household member pays a babysitter?

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 1,434/1,434

tabulation: Freq. Value
1,434 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

cc7g_2 Does the expense include lunch meal?

```

type: numeric (byte)
label: cc7g_2
range: [.,.]
unique values: 0
units: .
missing ..: 1,434/1,434

tabulation: Freq. Numeric Label
1,434 .
    
```

cc7ha_2 Total number of children in the classroom

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 1,434/1,434

tabulation: Freq. Value
1,434 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

cc7hb_2 Number of teacher/caregiver in the classroom

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 1,434/1,434

tabulation: Freq. Value
1,434 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

cc7_3 Relatives outside household (not display)

```

type: string (str127), but longest is str0
unique values: 0
missing "": 1,434/1,434
    
```

tabulation: Freq. Value
 1,434 ""

cc7a_3 At present, is the child receiving care from relatives outside the household?

type: numeric (byte)
 label: cc7a_3
 range: [1,3] units: 1
 unique values: 2 missing .: 1,219/1,434

tabulation: Freq. Numeric Label
 54 1 Yes
 161 3 No
 1,219 .

cc7b_3 Member ID : of relatives outside the household

type: numeric (byte)
 range: [.,.] units: .
 unique values: 0 missing .: 1,380/1,434
 unique missing codes: 2 missing *: 54/1,434

tabulation: Freq. Value
 1,380 .
 54 .b
 mean: .
 std. dev: .

percentiles: 10% 25% 50% 75% 90%

cc7c_3 Relatives outside household: relationship with child (not display)

type: string (str56), but longest is str0
 unique values: 0 missing "": 1,434/1,434

tabulation: Freq. Value
 1,434 ""

cc7c_code_3 Relationship code (relatives outside the household with the child)

type: numeric (byte)
 label: cc7c_code_1
 range: [5,35] units: 1
 unique values: 7 missing .: 1,380/1,434

tabulation: Freq. Numeric Label
 1 5 Father / Mother
 1 13 Cousin
 2 15 Uncle and aunt: father side
 7 17 Uncle and aunt: mother side
 8 19 Grand parents: father side
 4 21 Grand parents: mother side
 31 35 Relatives of other kinds
 1,380 .

cc7da_3
When did the child start to receive care from relatives outside the household? (

```

type: numeric (byte)
label: cc7da_3

range: [1,12]
unique values: 12
unique missing codes: 2

units: 1
missing .: 1,380/1,434
missing *: 7/1,434
    
```

tabulation:	Freq.	Numeric	Label
	5	1	January
	4	2	February
	4	3	March
	4	4	April
	3	5	May
	3	6	June
	3	7	July
	7	8	August
	2	9	September
	5	10	October
	1	11	November
	6	12	December
	1,380	.	
	7	.c	

cc7db_3
When did the child start to receive care from relatives outside the household? (

```

type: numeric (int)

range: [2013,2019]
unique values: 7

units: 1
missing .: 1,380/1,434
    
```

tabulation:	Freq.	Value
	1	2013
	14	2014
	22	2015
	2	2016
	6	2017
	3	2018
	6	2019
	1,380	.

```

mean: 2015.57
std. dev: 1.67785
    
```

percentiles:	10%	25%	50%	75%	90%
	2014	2014	2015	2017	2019

cc7e_3
How many hours per week does child receive care from relatives outside the house

```

type: numeric (byte)

range: [1,64]
unique values: 24
unique missing codes: 2

units: 1
missing .: 1,380/1,434
missing *: 3/1,434
    
```

```

tabulation:  Freq.  Value
              1    1
              3    2
              4    3
              4    4
              5    5
              1    6
              5    7
              3   11
              2   13
              7   14
              1   15
              1   17
              1   18
              1   20
              1   21
              2   23
              1   25
              1   29
              1   35
              1   39
              2   43
              1   45
              1   52
              1   64
            1,380  .
              3   .c
    mean:      15.098
std. dev:     14.4489

percentiles:  10%    25%    50%    75%    90%
              3      5      11     20     39
    
```

cc7f_3 What is the monthly average amount the household member pays a relatives outsid

```

type: numeric (int)
range: [0,1000]
unique values: 5
unique missing codes: 2
units: 10
missing .: 1,380/1,434
missing *: 3/1,434

tabulation:  Freq.  Value
              47    0
              1    80
              1   150
              1   350
              1  1000
            1,380  .
              3   .d
    mean:      30.9804
std. dev:     148.489

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

cc7g_3 Does the expense include lunch meal?

```

type: numeric (byte)
label: cc7g_3
range: [1,3]
unique values: 2
unique missing codes: 3
units: 1
missing .: 1,380/1,434
missing *: 50/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              1       1      Yes
              3       3      No
            1,380      .
              47      .b
              3       .d
    
```

cc7ha_3 **Total number of children in the classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,380/1,434
missing *: 54/1,434

tabulation:  Freq.  Value
            1,380  .
             54   .b
mean:      .
std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cc7hb_3 **Number of teacher/caregiver in the classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,380/1,434
missing *: 54/1,434

tabulation:  Freq.  Value
            1,380  .
             54   .b
mean:      .
std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cc7_4 **Relatives inside household (not display)**

```

type: string (str127), but longest is str0
unique values: 0
missing "": 1,434/1,434

tabulation:  Freq.  Value
            1,434  ""
    
```

cc7a_4 **At present, is the child receiving care from relatives inside the household?**

```

type: numeric (byte)
label: cc7a_4
range: [1,3]
unique values: 2
units: 1
missing .: 1,219/1,434

tabulation:  Freq.  Numeric  Label
            151     1      Yes
             64     3      No
            1,219     .
    
```

cc7b_4 **Member ID : of relatives inside the household**

```

type: string (str5), but longest is str3
unique values: 8 missing "": 1,283/1,434
tabulation: Freq. Value
             1,283 ""
              2 "H10"
             69 "H2"
             42 "H3"
             17 "H4"
              9 "H5"
              7 "H6"
              4 "H7"
              1 "H8"
    
```

cc7c_4 **Relatives inside household: relationship with child (not display)**

```

type: string (str56), but longest is str0
unique values: 0 missing "": 1,434/1,434
tabulation: Freq. Value
             1,434 ""
    
```

cc7c_code_4 **Relationship code (relatives inside the household with the child)**

```

type: numeric (byte)
label: cc7c_code_1
range: [9,35] units: 1
unique values: 7 missing .: 1,283/1,434
tabulation: Freq. Numeric Label
             2 9 Brother / Sister
             1 13 Cousin
             4 15 Uncle and aunt: father side
             7 17 Uncle and aunt: mother side
            28 19 Grand parents: father side
            88 21 Grand parents: mother side
            21 35 Relatives of other kinds
           1,283 .
    
```

cc7da_4 **When did the child start to receive care from relatives inside the household? (m**

```

type: numeric (byte)
label: cc7da_4
range: [1,12] units: 1
unique values: 12 missing .: 1,283/1,434
unique missing codes: 2 missing *: 4/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              15      1  January
              16      2  February
              14      3  March
              15      4  April
              12      5  May
               7      6  June
               6      7  July
              12      8  August
              15      9  September
              15     10  October
               5     11  November
              15     12  December
            1,283      .
               4      .c
    
```

cc7db_4

When did the child start to receive care from relatives inside the household? (y

```

type:  numeric (int)
range:  [2013,2019]          units:  1
unique values:  7          missing .:  1,283/1,434

tabulation:  Freq.  Value
              2  2013
             49  2014
             85  2015
               6  2016
               3  2017
               5  2018
               1  2019
            1,283  .
mean:       2014.85
std. dev:   .940903

percentiles:  10%      25%      50%      75%      90%
              2014     2014     2015     2015     2015
    
```

cc7e_4

How many hours per week does child receive care from relatives inside the househ

```

type:  numeric (byte)
range:  [1,98]          units:  1
unique values:  51      missing .:  1,283/1,434

tabulation:  Freq.  Value
              1  1
               3  3
               5  4
               1  5
             15  7
               3  10
             12  11
               1  12
               1  13
               8  14
             10  18
               1  20
               7  21
               6  25
               1  26
               1  27
               2  28
               6  32
               1  33
               1  34
    
```

```

      4 35
      1 38
      2 39
      1 40
      2 42
      1 44
      1 46
      3 49
      3 50
      1 51
      4 53
      3 55
      4 56
      2 57
      3 58
      2 59
      3 61
      2 62
      4 63
      1 64
      3 65
      4 66
      2 67
      2 69
      1 70
      1 71
      1 72
      1 73
      1 76
      1 91
      1 98
    mean: 33.3377
    std. dev: 23.4282
percentiles:    10%    25%    50%    75%    90%
                7      11      27      56      65

```

cc7f_4 What is the monthly average amount the household member pays a relatives inside

```

      type: numeric (byte)
      range: [.,.]
      unique values: 0
      unique missing codes: 2
      units: .
      missing .: 1,283/1,434
      missing *: 151/1,434
      tabulation: Freq. Value
                  1,283 .
                  151 .b
      mean: .
      std. dev: .
percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .

```

cc7g_4 Does the expense include lunch meal?

```

      type: numeric (byte)
      label: cc7g_4
      range: [.,.]
      unique values: 0
      unique missing codes: 2
      units: .
      missing .: 1,283/1,434
      missing *: 151/1,434

```

```

tabulation: Freq.  Numeric  Label
             1,283      .
             151       .b
    
```

cc7ha_4 **Total number of children in the classroom**

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 1,283/1,434
unique missing codes: 2  missing *: 151/1,434

tabulation: Freq.  Value
             1,283  .
             151   .b

mean: .
std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

cc7hb_4 **Number of teacher/caregiver in the classroom**

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 1,283/1,434
unique missing codes: 2  missing *: 151/1,434

tabulation: Freq.  Value
             1,283  .
             151   .b

mean: .
std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

cc7_5 **Other (not display)**

```

type: string (str127), but longest is str0
unique values: 0      missing "": 1,434/1,434

tabulation: Freq.  Value
             1,434  ""
    
```

cc7a_5 **At present, is the child receiving care from others?**

```

type: numeric (byte)
label: cc7a_5

range: [1,1]          units: 1
unique values: 1      missing .: 1,389/1,434

tabulation: Freq.  Numeric  Label
             45     1      Yes
             1,389  .
    
```

cc7b_5 **Member ID : of others**

type: string (str5), but longest is str3
 unique values: 8 missing "": 1,389/1,434
 unique missing codes: 2 missing *: 8/1,434

tabulation:	Freq.	Value
	1,389	" "
	1	"H11"
	5	"H2"
	9	"H3"
	6	"H4"
	2	"H5"
	9	"H6"
	5	"H7"
	8	"NA"

cc7c_5 **Other: relationship with child (not display)**

type: string (str56), but longest is str0
 unique values: 0 missing "": 1,434/1,434

tabulation:	Freq.	Value
	1,434	" "

cc7c_code_5 **Relationship code (others with the child)**

type: numeric (byte)
 label: cc7c_code_1
 range: [9,37] units: 1
 unique values: 8 missing .: 1,389/1,434

tabulation:	Freq.	Numeric	Label
	2	9	Brother / Sister
	5	13	Cousin
	3	15	Uncle and aunt: father side
	11	17	Uncle and aunt: mother side
	5	19	Grand parents: father side
	12	21	Grand parents: mother side
	6	35	Relatives of other kinds
	1	37	Non-relatives
	1,389	.	.

cc7da_5 **When did the child start to receive care from others? (month)**

type: numeric (byte)
 label: cc7da_5
 range: [1,12] units: 1
 unique values: 12 missing .: 1,389/1,434
 unique missing codes: 2 missing *: 4/1,434

tabulation:	Freq.	Numeric	Label
	1	1	January
	4	2	February
	7	3	March
	6	4	April
	2	5	May
	2	6	June
	2	7	July
	4	8	August
	2	9	September
	6	10	October
	2	11	November
	3	12	December

1,389 .
4 .c

cc7db_5 **When did the child start to receive care from others? (year)**

```

type: numeric (int)
range: [2014,2018]           units: 1
unique values: 4             missing .: 1,389/1,434

tabulation: Freq.  Value
             15  2014
             21  2015
              6  2017
              3  2018
             1,389 .
mean:       2015.13
std. dev:   1.2173

percentiles:      10%      25%      50%      75%      90%
                  2014      2014      2015      2015      2017
    
```

cc7e_5 **How many hours per week does child receive care from others?**

```

type: numeric (byte)
range: [2,66]               units: 1
unique values: 23           missing .: 1,389/1,434

tabulation: Freq.  Value
             1  2
             2  4
             1  5
             1  6
            12  7
             1  9
             1 10
             2 11
             1 12
             1 13
             4 14
             5 18
             3 21
             1 25
             1 35
             1 40
             1 49
             1 52
             1 57
             1 62
             1 63
             1 64
             1 66
            1,389 .
mean:       19.8444
std. dev:   18.7665

percentiles:      10%      25%      50%      75%      90%
                  6        7        13       21       57
    
```

cc7f_5 **What is the monthly average amount the household member pays others?**

type: numeric (int)

```

range: [0,1290] units: 10
unique values: 2 missing .: 1,389/1,434
unique missing codes: 2 missing *: 37/1,434

tabulation: Freq. Value
              7 0
              1 1290
            1,389 .
              37 .b
mean: 161.25
std. dev: 456.084

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1290
    
```

cc7g_5 **Does the expense include lunch meal?**

```

type: numeric (byte)
label: cc7g_5

range: [3,3] units: 1
unique values: 1 missing .: 1,389/1,434
unique missing codes: 2 missing *: 44/1,434

tabulation: Freq. Numeric Label
              1 3 No
            1,389 .
              44 .b
    
```

cc7ha_5 **Total number of children in the classroom**

```

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 1,389/1,434
unique missing codes: 2 missing *: 45/1,434

tabulation: Freq. Value
            1,389 .
              45 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cc7hb_5 **Number of teacher/caregiver in the classroom**

```

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 1,389/1,434
unique missing codes: 2 missing *: 45/1,434

tabulation: Freq. Value
            1,389 .
              45 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cc7_6 **Other (not display)**

```

type: string (str127), but longest is str0
unique values: 0 missing "": 1,434/1,434
tabulation: Freq. Value
             1,434 ""
    
```

cc7a_6 **At present, is the child receiving care from others?**

```

type: numeric (byte)
label: cc7a_6
range: [1,1] units: 1
unique values: 1 missing .: 1,425/1,434
tabulation: Freq. Numeric Label
             9 1 Yes
             1,425 .
    
```

cc7b_6 **Member ID : of others**

```

type: string (str5), but longest is str2
unique values: 4 missing "": 1,425/1,434
unique missing codes: 2 missing *: 2/1,434
tabulation: Freq. Value
             1,425 ""
             1 "H4"
             4 "H7"
             2 "H8"
             2 "NA"
    
```

cc7c_6 **Other: relationship with child (not display)**

```

type: string (str56), but longest is str0
unique values: 0 missing "": 1,434/1,434
tabulation: Freq. Value
             1,434 ""
    
```

cc7c_code_6 **Relationship code (others with the child)**

```

type: numeric (byte)
label: cc7c_code_1
range: [17,35] units: 1
unique values: 4 missing .: 1,425/1,434
tabulation: Freq. Numeric Label
             3 17 Uncle and aunt: mother side
             1 19 Grand parents: father side
             1 21 Grand parents: mother side
             4 35 Relatives of other kinds
             1,425 .
    
```



```

type: numeric (byte)
range: [0,0]
unique values: 1
unique missing codes: 2
units: 1
missing .: 1,425/1,434
missing *: 7/1,434

tabulation: Freq. Value
              2 0
            1,425 .
              7 .b
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

cc7g_6 **Does the expense include lunch meal?**

```

type: numeric (byte)
label: cc7g_6
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,425/1,434
missing *: 9/1,434

tabulation: Freq. Numeric Label
              1,425 .
              9 .b
    
```

cc7ha_6 **Total number of children in the classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,425/1,434
missing *: 9/1,434

tabulation: Freq. Value
              1,425 .
              9 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cc7hb_6 **Number of teacher/caregiver in the classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,425/1,434
missing *: 9/1,434

tabulation: Freq. Value
              1,425 .
              9 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cc7_7 **Other (not display)**

type: string (**str127**), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

cc7a_7 **At present, is the child receiving care from others?**

type: numeric (**byte**)
 label: **cc7a_7**
 range: [1,1] units: 1
 unique values: 1 missing .: 1,432/1,434
 tabulation: Freq. Numeric Label
 2 1 Yes
 1,432 .

cc7b_7 **Member ID : of others**

type: string (**str5**), but longest is str3
 unique values: 2 missing "": 1,432/1,434
 unique missing codes: 2 missing *: 1/1,434
 tabulation: Freq. Value
 1,432 ""
 1 "H10"
 1 "NA"

cc7c_7 **Other: relationship with child (not display)**

type: string (**str56**), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

cc7c_code_7 **Relationship code (others with the child)**

type: numeric (**byte**)
 label: **cc7c_code_1**
 range: [5,35] units: 1
 unique values: 2 missing .: 1,432/1,434
 tabulation: Freq. Numeric Label
 1 5 Father / Mother
 1 35 Relatives of other kinds
 1,432 .

cc7da_7 **When did the child start to receive care from others? (month)**

type: numeric (**byte**)
 label: **cc7da_7**

range: [6,12] units: 1
 unique values: 2 missing .: 1,432/1,434

tabulation:	Freq.	Numeric	Label
	1	6	June
	1	12	December
	1,432	.	

cc7db_7 When did the child start to receive care from others? (year)

type: numeric (int)

range: [2018,2019] units: 1
 unique values: 2 missing .: 1,432/1,434

tabulation:	Freq.	Value
	1	2018
	1	2019
	1,432	.

mean: 2018.5
 std. dev: .707107

percentiles:	10%	25%	50%	75%	90%
	2018	2018	2018.5	2019	2019

cc7e_7 How many hours per week does child receive care from others?

type: numeric (byte)

range: [11,57] units: 1
 unique values: 2 missing .: 1,432/1,434

tabulation:	Freq.	Value
	1	11
	1	57
	1,432	.

mean: 34
 std. dev: 32.5269

percentiles:	10%	25%	50%	75%	90%
	11	11	34	57	57

cc7f_7 What is the monthly average amount the household member pays others?

type: numeric (byte)

range: [.,.] units: .
 unique values: 1 missing .: 1,432/1,434
 unique missing codes: 2 missing *: 1/1,434

tabulation:	Freq.	Value
	1	0
	1,432	.
	1	.b

mean: 0
 std. dev: .

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

cc7g_7 Does the expense include lunch meal?

```

type: numeric (byte)
label: cc7g_7
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,432/1,434
missing *: 2/1,434

tabulation: Freq. Numeric Label
             1,432 .
             2 .b
    
```

cc7ha_7 **Total number of children in the classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,432/1,434
missing *: 2/1,434

tabulation: Freq. Value
             1,432 .
             2 .b

mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cc7hb_7 **Number of teacher/caregiver in the classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,432/1,434
missing *: 2/1,434

tabulation: Freq. Value
             1,432 .
             2 .b

mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

survey_name **survey round**

```

type: string (str12)
unique values: 1
missing "": 0/1,434

tabulation: Freq. Value
             1,434 "RESURVEY2019"
    
```

year_survey **year survey**

```

type: numeric (float)
range: [2019,2019]
unique values: 1
units: 1
missing .: 0/1,434
    
```


tabulation: Freq. Value
 1,434 2019
 mean: **2019**
 std. dev: **0**

percentiles: 10% 25% 50% 75% 90%
 2019 2019 2019 2019 2019

2 . log close
 name: <unnamed>
 log: \\10.21.7.35\RIECE Thailand\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey201
> 9/codebook\b2.scml
 log type: smcl
 closed on: 3 Oct 2024, 13:06:13
