



```

name: <unnamed>
log: \\10.21.7.35\RIECE Thailand\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey201
> 9/codebook\b3.scml
log type: smcl
opened on: 3 Oct 2024, 13:06:14

```

1 . codebookr _all,all

```

Dataset: \\10.21.7.35\RIECE Thailand\RIECE DATA\RIECE_RELEASE V5-2019\R
> esurvey2019/codebook\b3_run.dta
Last saved: 3 Oct 2024 13:06

```

```

Label: [none]
Number of variables: 40
Number of observations: 1,434
Size: 1,309,242 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI

```

cid **children id**

```

type: string (str18)
unique values: 1,434 missing "": 0/1,434
examples: "201591160419002H7"
           "201593121510202H4"
           "201691150908055H1"
           "201691161706126H1"

```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,434
tabulation: Freq. Value
              573 "2015"
              861 "2016"

```

hhid **household id**

```

type: string (str15)

```

unique values: 1,244 missing "": 0/1,434
 examples: "201591160419002"
 "201593121510202"
 "201691150908055"
 "201691161706126"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,434
 tabulation: Freq. Value
 1,300 "91"
 134 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,434
 tabulation: Freq. Value
 1 "09"
 133 "12"
 264 "13"
 119 "14"
 144 "15"
 512 "16"
 39 "17"
 222 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,434
 tabulation: Freq. Value
 62 "01"
 206 "02"
 124 "04"
 54 "05"
 54 "06"
 65 "07"
 61 "08"
 100 "09"
 128 "10"
 93 "11"
 139 "13"
 50 "14"
 141 "15"
 99 "17"
 58 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,434

```

tabulation:  Freq.  Value
              157  "01"
              70  "02"
              138  "03"
              152  "04"
              114  "05"
              152  "06"
              79  "07"
              143  "08"
              82  "09"
              70  "10"
              53  "11"
              40  "12"
              39  "13"
              12  "14"
              11  "15"
              39  "16"
              12  "17"
              12  "18"
              30  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,434
examples: "010"
          "033"
          "071"
          "201"
    
```

ch1 **How is the child's health now?**

```

type: numeric (byte)
label: ch1
range: [1,9]           units: 1
unique values: 5       missing .: 0/1,434

tabulation:  Freq.  Numeric  Label
              175   1  Very good
              1,001 3  Good
              238   5  Somewhat good
              19    7  Somewhat bad
              1     9  Bad
    
```

ch2 **Since previous interview : Did the child ever visit a dentist to take care of hi**

```

type: numeric (byte)
label: ch2
range: [1,3]           units: 1
unique values: 2       missing .: 0/1,434

tabulation:  Freq.  Numeric  Label
              461   1  Yes
              973   3  No
    
```

ch2a **Number of times**

```

type: numeric (byte)
range: [1,8]
unique values: 7
unique missing codes: 3
units: 1
missing .: 973/1,434
missing *: 6/1,434

```

```

tabulation: Freq. Value
             241  1
             145  2
              46  3
              15  4
               5  5
               1  6
               2  8
             973  .
               5  .c
               1  .d
mean:       1.70549
std. dev:   .985061

```

```

percentiles:      10%      25%      50%      75%      90%
                  1         1         1         2         3

```

ch10 Since last interview, has the child ever visited a psychiatrist or doctor who pr

```

type: numeric (byte)
label: ch10
range: [1,3]
unique values: 2
units: 1
missing .: 0/1,434

```

```

tabulation: Freq. Numeric Label
             8         1 Yes
            1,426       3 No

```

ch4_des Name of place for the health check-ups (unavailable)

```

type: string (str114), but longest is str0
unique values: 0
missing "": 1,434/1,434
tabulation: Freq. Value
            1,434 ""

```

ch4 Since the last interview How many times do children receive health checkups that

```

type: numeric (byte)
range: [0,12]
unique values: 7
unique missing codes: 1
units: 1
missing .: 0/1,434
missing *: 5/1,434

```

```

tabulation: Freq. Value
            1,327  0
              79  1
              14  2
               3  3
               2  4
               2  5
               2 12
               5  .c
mean:       .110567
std. dev:   .600263

```



```

tabulation: Freq. Value
             1,434 .
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

ch4ab_des **District (unavailable)**

```

type: string (str42), but longest is str0
unique values: 0 missing "": 1,434/1,434

tabulation: Freq. Value
             1,434 ""
    
```

ch4ac **Province code (unavailable)**

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1,434/1,434

tabulation: Freq. Value
             1,434 .
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

ch4ac_des **Province (unavailable)**

```

type: string (str27), but longest is str0
unique values: 0 missing "": 1,434/1,434

tabulation: Freq. Value
             1,434 ""
    
```

ch5 Ever since the child was 2 years old until now, Has the child ever go to the doc

```

type: numeric (byte)
label: ch5
range: [1,3] units: 1
unique values: 2 missing .: 0/1,434

tabulation: Freq. Numeric Label
             200      1 Yes
             1,234    3 No
    
```

ch5a **Number of times**

```

type: numeric (byte)
range: [1,5] units: 1
unique values: 4 missing .: 1,234/1,434
unique missing codes: 2 missing *: 1/1,434
    
```

```

tabulation:  Freq.  Value
              172  1
              17  2
              9  3
              1  5
            1,234  .
              1  .d
    mean:    1.19598
  std. dev:  .556671

percentiles:    10%    25%    50%    75%    90%
                1      1      1      1      2
    
```

ch5b **What was the most severe injury?**

```

    type:  numeric (byte)
    label:  ch5b

    range:  [1,99]
unique values: 10
                units: 1
                missing .: 1,234/1,434

    tabulation:  Freq.  Numeric  Label
                 14      1  Cut or pierced by sharp object
                 90      3  Crash/Fall (with open wounds,
                 1      5  Burn (until skin blister)
                 4      7  Swallow, take or put things in
                 4      11  Bitten or stung by poisonous
                 25      13  Hurt by non
                 4      17  Car accident (the child is not
                 37      23  Bicycle injury
                 7      25  Motorcycle injury
                 14      99  Other (Specify in ch5ba)
            1,234  .
    
```

ch5ba **Detail of the most severe injury (not display)**

```

    type:  string (str97), but longest is str0
unique values: 0
                missing "": 1,434/1,434

    tabulation:  Freq.  Value
                 1,434  ""
    
```

ch5c **Where did the accident happen?**

```

    type:  numeric (byte)
    label:  ch5c

    range:  [1,99]
unique values: 6
unique missing codes: 2
                units: 1
                missing .: 1,234/1,434
                missing *: 2/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              67      1      Home
              29      3      House of others
              51      5      School;child center
               2      7      Playing field;playground
              29      9      Alley;road
              20     99      Other
            1,234      .
               2      .d
    
```

ch5ca **Detail : place of accident (unavailable)**

```

type: string (str63), but longest is str0
unique values: 0          missing "": 1,434/1,434
tabulation:  Freq.  Value
            1,434  ""
    
```

ch5e **How many days did the child miss school as a result of this injury?**

```

type: numeric (byte)
range: [0,22]          units: 1
unique values: 10      missing .: 1,234/1,434
unique missing codes: 2  missing *: 2/1,434
tabulation:  Freq.  Value
            115    0
             18    1
             18    2
             12    3
              2    4
             20    5
              1    8
              6   10
              2   15
              4   22
            1,234  .
               2   .c
mean:       1.93939
std. dev:   3.92524
percentiles: 10%    25%    50%    75%    90%
              0      0      0      2      5
    
```

ch5f **How many days was the child hospitalized because of this injury?**

```

type: numeric (byte)
range: [0,8]          units: 1
unique values: 6      missing .: 1,234/1,434
unique missing codes: 2  missing *: 1/1,434
tabulation:  Freq.  Value
            171    0
             14    1
              4    2
              8    3
              1    4
              1    8
            1,234  .
               1   .c
mean:       .291457
std. dev:   .913135
    
```


1,339 .
1 .d

ch9ba **Detail : the most severe disease (not display)**

type: string (**str84**), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

ch9c **How many days did the child miss school as a result of this acute disease?**

type: numeric (**byte**)
 range: [0,15] units: 1
 unique values: 12 missing .: 1,339/1,434
 unique missing codes: 3 missing *: 2/1,434
 tabulation: Freq. Value
 11 0
 4 1
 10 2
 15 3
 8 4
 35 5
 1 6
 2 7
 2 8
 3 10
 1 12
 1 15
 1,339 .
 1 .c
 1 .d
 mean: 3.96774
 std. dev: 2.6558
 percentiles: 10% 25% 50% 75% 90%
 0 2 4 5 6

ch9d **How many days was the child hospitalized because of this acute disease?**

type: numeric (**byte**)
 range: [1,9] units: 1
 unique values: 8 missing .: 1,339/1,434
 unique missing codes: 2 missing *: 1/1,434
 tabulation: Freq. Value
 11 1
 21 2
 30 3
 11 4
 6 5
 2 6
 12 7
 1 9
 1,339 .
 1 .d
 mean: 3.42553
 std. dev: 1.8808

