



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo
> k_sc\all.scml
log type: smcl
opened on: 6 Nov 2024, 15:18:52

```

```
1 . codebookr _all,all
```

```

Dataset: *\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\stata\s
> cramble/all_run.dta
Last saved: 6 Nov 2024 15:18

```

```

Label: [none]
Number of variables: 34
Number of observations: 1,666
Size: 734,706 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                          NA
                  .c                          DK
                  .d                          MI

```

---

```
pid personal id
```

---

```

type: string (str17)
unique values: 1,405 missing "": 10/1,666

```

---

```
cid Children id
```

---

```

type: string (str18)
unique values: 1,666 missing "": 0/1,666
examples: "201591160601205H1"
          "201691130216999H1"
          "201691160104180H1"
          "201691161706142H6"

```

---

```
iyear year
```

---

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/1,666

```

```

tabulation:  Freq.  Value
              626  "2015"
              1,040 "2016"
    
```

**hhid** **household id (RF 2 households)**

```

type:  string (str15)
unique values:  1,413           missing "":  0/1,666
examples:  "201591160601205"
            "201691130216999"
            "201691160104180"
            "201691161706142"
    
```

**prov** **province**

```

type:  string (str2)
unique values:  2           missing "":  0/1,666
tabulation:  Freq.  Value
              1,501  "91"
              165   "93"
    
```

**amp** **amphoe**

```

type:  string (str2)
unique values:  7           missing "":  0/1,666
tabulation:  Freq.  Value
              165  "12"
              308  "13"
              134  "14"
              164  "15"
              608  "16"
              45   "17"
              242  "18"
    
```

**tam** **tambon**

```

type:  string (str2)
unique values:  15           missing "":  0/1,666
tabulation:  Freq.  Value
              71   "01"
              259  "02"
              141  "04"
              65   "05"
              60   "06"
              69   "07"
              67   "08"
              109  "09"
              155  "10"
              96   "11"
              167  "13"
              52   "14"
              169  "15"
              116  "17"
              70   "19"
    
```

---

**moo** **moo**

---

```

type: string (str2)
unique values: 21                missing "": 0/1,666
tabulation:  Freq.  Value
              168  "01"
              75  "02"
              166  "03"
              172  "04"
              151  "05"
              175  "06"
              86  "07"
              173  "08"
              108  "09"
              84  "10"
              61  "11"
              51  "12"
              46  "13"
              14  "14"
              12  "15"
              41  "16"
              10  "17"
              14  "18"
              31  "19"
              21  "22"
              7  "24"
    
```

---

**strucid** **structure ID**

---

```

type: string (str3)
unique values: 182                missing "": 0/1,666
examples:    "011"
             "034"
             "071"
             "157"
    
```

---

**ctl** **Specify Member ID of respondent**

---

```

type: string (str2)
unique values: 11                missing "": 0/1,666
unique missing codes: 3          missing *: 10/1,666
tabulation:  Freq.  Value
              637  "H2"
              645  "H3"
              212  "H4"
              96  "H5"
              39  "H6"
              17  "H7"
              8  "H8"
              2  "H9"
              2  "MI"
              2  "NA"
              6  "RF"
    
```

---

**ctlala** **4-digits number answer**

---

```

type: numeric (int)
    
```

range: [445,7554] units: 1  
 unique values: 19 missing .: 9/1,666

tabulation: Freq. Value  
 1 445  
 1 547  
 2 744  
 1 745  
 1 4745  
 2 4747  
 2 4775  
 1 5445  
 2 7442  
 2 7443  
 1,619 7445  
 3 7446  
 1 7447  
 1 7448  
 2 7449  
 7 7454  
 5 7455  
 1 7544  
 3 7554  
 9 .

mean: 7415.49  
 std. dev: 403.779

percentiles: 10% 25% 50% 75% 90%  
 7445 7445 7445 7445 7445

**ct1a1** **4-digits number**

type: numeric (**byte**)  
 label: **ct1a1**

range: [1,3] units: 1  
 unique values: 2 missing .: 9/1,666

tabulation: Freq. Numeric Label  
 1,619 1 Tell all the number correctly on  
 the first try  
 38 3 incorrect  
 9 .

**ct1a2a** **5-digits number answer**

type: numeric (**long**)

range: [6,95395] units: 1  
 unique values: 76 missing .: 57/1,666  
 unique missing codes: 3 missing \*: 5/1,666

tabulation: Freq. Value  
 4 6  
 1 39  
 1 56  
 1 59  
 2 63  
 4 65  
 3 69  
 1 93  
 2 95  
 2 635  
 2 653  
 2 673  
 3 693  
 1 756  
 1 934

```

1 935
2 953
1 965
1 3595
1 3965
1 5395
1 6359
8 6395
2 6535
5 6539
2 6565
3 6593
1 6595
2 6599
1 9537
2 35695
2 36359
1 39535
1 53365
5 56395
1 56967
1 59345
2 60359
1 63395
1 63556
1 63565
1 63593
5 63595
1 63659
1 63695
1 63795
2 63935
2 63953
1 63957
1 64359
1 65325
1 65345
1 65356
16 65359
2 65363
1 65365
1 65379
5 65393
1 65394
1,452 65395
2 65396
3 65397
1 65475
2 65669
3 65795
5 65935
1 65965
1 67595
1 69334
1 69353
1 69359
1 69395
3 69535
1 79395
1 95365
1 95395
57 .
3 .c
2 .d

```

```

mean: 62895.3
std. dev: 12192.6

```

```

percentiles:      10%      25%      50%      75%      90%
                  65395      65395      65395      65395      65395

```

---

**ct1a2** **5-digits number**

---

```

type: numeric (byte)
label: ct1a1

range: [1,3]                units: 1
unique values: 2            missing .. 57/1,666

tabulation: Freq.  Numeric  Label
             1,453      1    Tell all the number correctly on
             156        3    the first try
             57         .    incorrect
    
```

---

**ct1a3a** **6-digits number answer**

---

```

type: numeric (long)

range: [1,952168]          units: 1
unique values: 122        missing .. 245/1,666
unique missing codes: 2   missing *: 8/1,666

mean: 549267
std. dev: 153957

percentiles:      10%      25%      50%      75%      90%
                  591265  591268  591268  591268  591268
    
```

---

**ct1a3** **6-digits number**

---

```

type: numeric (byte)
label: ct1a1

range: [1,3]                units: 1
unique values: 2            missing .. 245/1,666

tabulation: Freq.  Numeric  Label
             1,131      1    Tell all the number correctly on
             290        3    the first try
             245         .    incorrect
    
```

---

**ct1a4a** **7-digits number answer**

---

```

type: numeric (long)

range: [0,8970692]          units: 1
unique values: 181        missing .. 582/1,666
unique missing codes: 3   missing *: 11/1,666

mean: 6.3e+06
std. dev: 3.2e+06

percentiles:      10%      25%      50%      75%      90%
                  8029   8.0e+06  8.0e+06  8.0e+06  8.0e+06
    
```

---

**ct1a4** **7-digits number**

---

```

type: numeric (byte)
label: ct1a1
    
```

range: [1,3] units: 1  
 unique values: 2 missing .: 582/1,666

tabulation:	Freq.	Numeric	Label
	685	1	Tell all the number correctly on the first try
	399	3	incorrect
	582	.	

**ct1a5a** 8-digits number answer

type: numeric (long)

range: [3,89088951] units: 1  
 unique values: 127 missing .: 1,004/1,666  
 unique missing codes: 2 missing \*: 8/1,666

mean: 2.9e+07  
 std. dev: 1.5e+07

percentiles:	10%	25%	50%	75%	90%
	890352	3.5e+07	3.5e+07	3.5e+07	3.5e+07

**ct1a5** 8-digits number

type: numeric (byte)  
 label: ct1a1

range: [1,3] units: 1  
 unique values: 2 missing .: 1,004/1,666

tabulation:	Freq.	Numeric	Label
	392	1	Tell all the number correctly on the first try
	270	3	incorrect
	1,004	.	

**ct1a6a** 9-digits number answer

type: numeric (long)

range: [0,8.144e+08] units: 1  
 unique values: 116 missing .: 1,292/1,666  
 unique missing codes: 2 missing \*: 6/1,666

mean: 4.8e+08  
 std. dev: 3.3e+08

percentiles:	10%	25%	50%	75%	90%
	355714	7.1e+07	7.1e+08	7.1e+08	7.1e+08

**ct1a6** 9-digits number

type: numeric (byte)  
 label: ct1a1

range: [1,3] units: 1  
 unique values: 2 missing .: 1,292/1,666

```

tabulation:  Freq.  Numeric  Label
              154      1  Tell all the number correctly on
              220      3  the first try
              1,292      .  incorrect
    
```

---

ct1a7a

10-digits number answer

---

```

type:  numeric (double)
range:  [5,6.744e+09]
unique values:  54
unique missing codes:  2
units:  1
missing .:  1,517/1,666
missing *:  2/1,666
    
```

```

tabulation:  Freq.  Value
              2      5
              1     34
              2     39
              2    309
              1    358
              1    386
              1    394
              1    398
              2    674
              1   3984
              3   39687
              1   397144
              1   398614
              1   398704
              1   398714
              1   398744
              1   678394
              1   3986731
              1   3986744
              1   3987044
              1   3987644
              1   3987741
              1   39514442
              1   39844301
              1   39874451
              1   3.447e+08
              2   3.557e+08
              1   3.867e+08
              2   3.968e+08
              1   3.984e+08
              3   3.986e+08
              3   3.987e+08
              1   3.987e+08
              2   3.987e+08
              4   3.987e+08
              1   3.987e+08
              1   3.988e+08
              2   3.510e+09
              1   3.941e+09
              2   3.947e+09
              1   3.987e+09
              69  3.987e+09
              1   3.987e+09
              1   3.987e+09
              1   3.987e+09
              1   3.987e+09
              2   3.987e+09
              1   3.987e+09
              7   3.988e+09
              1   3.988e+09
              1   3.988e+09
              1   3.988e+09
              1   3.997e+09
              1   6.744e+09
              1,517  .
    
```



```

                2 .d
    mean:      2.6e+09
    std. dev:  1.9e+09

    percentiles:    10%    25%    50%    75%    90%
                   39687  4.0e+08  4.0e+09  4.0e+09  4.0e+09
    
```

---

**ct1a7** **10-digits number**

---

```

    type: numeric (byte)
    label: ct1a1

    range: [1,3]
    unique values: 2
    units: 1
    missing .: 1,517/1,666

    tabulation:
    Freq.   Numeric   Label
    69      1         Tell all the number correctly on
    80      3         the first try
    1,517   .         incorrect
    
```

---

**ct1a8a** **11-digits number answer**

---

```

    type: numeric (double)

    range: [5,5.103e+11]
    unique values: 29
    unique missing codes: 2
    units: 1
    missing .: 1,598/1,666
    missing *: 2/1,666

    tabulation:
    Freq.   Value
    1      5
    1     314
    3    5102
    1    5103
    2    51025
    1    510257
    1    510658
    2    51025187
    1    5.103e+08
    2    5.103e+09
    3    5.103e+09
    2    5.108e+09
    2    5.127e+09
    1    5.211e+09
    2    5.103e+10
    1    5.103e+10
    1    5.103e+10
    22   5.103e+10
    3    5.103e+10
    1    5.103e+10
    2    5.103e+10
    3    5.106e+10
    1    5.107e+10
    1    5.108e+10
    2    5.121e+10
    1    5.423e+10
    1    5.803e+10
    1    5.849e+10
    1    5.103e+11
    1,598 .
    2 .d
    mean:      4.1e+10
    std. dev:  6.3e+10

    percentiles:    10%    25%    50%    75%    90%
                   51025  5.1e+09  5.1e+10  5.1e+10  5.1e+10
    
```

---

**ct1a8** **11-digits number**

---

```

type: numeric (byte)
label: ct1a1

range: [1,3]                units: 1
unique values: 2            missing .: 1,598/1,666

tabulation: Freq.  Numeric  Label
              21      1      Tell all the number correctly on
              47      3      the first try
              1,598    .      incorrect
    
```

---

**ct2** **Interviewer note (unavailable)**

---

```

type: string (str221), but longest is str0
unique values: 0            missing "": 1,666/1,666

tabulation: Freq.  Value
              1,666  ""
    
```

---

**year\_survey** **year survey**

---

```

type: numeric (float)
range: [2016,2016]        units: 1
unique values: 1          missing .: 0/1,666

tabulation: Freq.  Value
              1,666  2016
mean:        2016
std. dev:    0

percentiles:    10%    25%    50%    75%    90%
                 2016  2016  2016  2016  2016
    
```

---

**note\_cleaner** **Data cleaner note (not display)**

---

```

type: string (str9), but longest is str0
unique values: 0            missing "": 1,666/1,666

tabulation: Freq.  Value
              1,666  ""
    
```

---

**hh\_change** **Sample has moved so that its household structure changed**

---

```

type: numeric (float)
label: hh_change

range: [0,1]                units: 1
unique values: 2            missing .: 1,043/1,666

tabulation: Freq.  Numeric  Label
              611      0      no
              12      1      yes
              1,043    .
    
```

---

**survey\_name** **survey round**

---

type: string (**str12**)  
 unique values: 2 missing "": 3/1,666  
 tabulation: Freq. Value  
                   3 ""  
                   1,040 "BASELINE2016"  
                   623 "RESURVEY2016"

---

**ctl\_rel\_des** **Relationship description (not display)**

---

type: string (**str68**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
                   1,666 ""

---

**ctl\_rel** **Relationship to the child code**

---

type: numeric (**byte**)  
 label: **cila**  
 range: [1,19] units: 1  
 unique values: 9 missing .: 8/1,666  
 tabulation: Freq. Numeric Label  
                   575 1 father / mother  
                   744 5 grand parent : mother side  
                   238 6 grand parent : father side  
                   1 7 siblings  
                   42 13 uncle / aunt  
                   2 14 cousin  
                   34 17 great-grandparents (Mother's side)  
                   9 18 great-grandparents (Father's side)  
                   13 19 relatives  
                   8 .

---

**fw\_adult** **Digits score**

---

type: numeric (**float**)  
 range: [3,11] units: 1  
 unique values: 9 missing .: 6/1,666  
 tabulation: Freq. Value  
                   39 3  
                   168 4  
                   323 5  
                   446 6  
                   292 7  
                   238 8  
                   85 9  
                   48 10  
                   21 11  
                   6 .  
 mean: 6.32771  
 std. dev: 1.64141

percentiles:	10%	25%	50%	75%	90%
	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>

```
2 . log close
   name: <unnamed>
   log: V:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo
> k_sc\all.scml
   log type: smcl
   closed on: 6 Nov 2024, 15:18:53
```

---