



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo
> k_sc\al2.scml
log type: smcl
opened on: 6 Nov 2024, 15:22:59

```

```
1 . codebookr _all,all
```

```

Dataset: *\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\stata\s
> cramble/al2_run.dta
Last saved: 6 Nov 2024 15:22

```

```

Label: [none]
Number of variables: 21
Number of observations: 1,411
Size: 255,391 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI

```

```
pid personal id
```

```

type: string (str17)
unique values: 688 missing "": 723/1,411

```

```
hhid household id
```

```

type: string (str15)
unique values: 1,411 missing "": 0/1,411
examples: "201591160601015"
           "201691130216999"
           "201691160104118"
           "201691161706053"

```

```
iyear year
```

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/1,411

```

```

tabulation:  Freq.  Value
              525  "2015"
              886  "2016"
    
```

prov **province**

```

type:  string (str2)
unique values:  2                missing "":  0/1,411
tabulation:  Freq.  Value
              1,270 "91"
              141  "93"
    
```

amp **amphoe**

```

type:  string (str2)
unique values:  7                missing "":  0/1,411
tabulation:  Freq.  Value
              141  "12"
              268  "13"
              114  "14"
              139  "15"
              519  "16"
              35   "17"
              195  "18"
    
```

tam **tambon**

```

type:  string (str2)
unique values:  15               missing "":  0/1,411
tabulation:  Freq.  Value
              61   "01"
              231  "02"
              121  "04"
              54   "05"
              52   "06"
              60   "07"
              53   "08"
              95   "09"
              133  "10"
              76   "11"
              133  "13"
              46   "14"
              145  "15"
              95   "17"
              56   "19"
    
```

moo **moo**

```

type:  string (str2)
unique values:  21               missing "":  0/1,411
    
```

```

tabulation:  Freq.  Value
              142  "01"
              65  "02"
              135  "03"
              152  "04"
              125  "05"
              154  "06"
              69  "07"
              143  "08"
              89  "09"
              73  "10"
              53  "11"
              42  "12"
              41  "13"
              12  "14"
              9  "15"
              35  "16"
              10  "17"
              13  "18"
              28  "19"
              15  "22"
              6  "24"
    
```

strucid **structure ID**

```

type:  string (str3)
unique values: 182          missing "": 0/1,411
examples: "010"
          "034"
          "070"
          "146"
    
```

nickname **Nickname (unavailable)**

```

type:  string (str30), but longest is str0
unique values: 0          missing "": 1,411/1,411
tabulation:  Freq.  Value
              1,411  ""
    
```

memberid **memberID**

```

type:  string (str2)
unique values: 8          missing "": 723/1,411
tabulation:  Freq.  Value
              723  ""
              287  "H2"
              260  "H3"
              89  "H4"
              29  "H5"
              15  "H6"
              5  "H7"
              2  "H8"
              1  "H9"
    
```

a12_a **Life Satisfaction**

```

type:  numeric (byte)
    
```

range: [0,10] units: 1
 unique values: 10 missing .: 723/1,411
 unique missing codes: 2 missing *: 1/1,411

tabulation: Freq. Value
 6 0
 1 2
 3 3
 9 4
 103 5
 64 6
 87 7
 131 8
 83 9
 200 10
 723 .
 1 .c

mean: 7.78748
 std. dev: 2.00618

percentiles: 10% 25% 50% 75% 90%
 5 6 8 10 10

a12_b1 **First: could not sleep**

type: numeric (byte)
 label: a12_b1

range: [1,7] units: 1
 unique values: 4 missing .: 723/1,411

tabulation: Freq. Numeric Label
 31 1 everyday
 64 3 almost everyday
 346 5 sometime but not often
 247 7 once or never felt this way in
 this month
 723 .

a12_b2 **Second: could not concentrate/distracted**

type: numeric (byte)
 label: a12_b2

range: [1,7] units: 1
 unique values: 4 missing .: 723/1,411

tabulation: Freq. Numeric Label
 19 1 everyday
 38 3 almost everyday
 312 5 sometime but not often
 319 7 once or never felt this way in
 this month
 723 .

a12_b3 **Third: irritability, anxious and over thinking**

type: numeric (byte)
 label: a12_b3

range: [1,7] units: 1
 unique values: 4 missing .: 723/1,411

```

tabulation:  Freq.  Numeric  Label
              35      1  everyday
              64      3  almost everyday
             364      5  sometime but not often
             225      7  once or never felt this way in
                   this month
              723      .
    
```

a12_b4

Fourth: bored

```

type:  numeric (byte)
label:  a12_b4

range:  [1,7]          units:  1
unique values:  4      missing .. 723/1,411
    
```

```

tabulation:  Freq.  Numeric  Label
              40      1  everyday
              43      3  almost everyday
             369      5  sometime but not often
             236      7  once or never felt this way in
                   this month
              723      .
    
```

a12_b5

Fifth: did not want to meet people/neighbor

```

type:  numeric (byte)
label:  a12_b5

range:  [1,7]          units:  1
unique values:  4      missing .. 723/1,411
    
```

```

tabulation:  Freq.  Numeric  Label
              12      1  everyday
              7       3  almost everyday
             135      5  sometime but not often
             534      7  once or never felt this way in
                   this month
              723      .
    
```

note

Interviewer note (unavailable)

```

type:  string (str2), but longest is str0
unique values:  0      missing "":  1,411/1,411

tabulation:  Freq.  Value
             1,411  ""
    
```

year_survey

year survey

```

type:  numeric (float)

range:  [2016,2016]    units:  1
unique values:  1      missing ..  0/1,411

tabulation:  Freq.  Value
             1,411  2016
mean:        2016
std. dev:    0

percentiles:      10%      25%      50%      75%      90%
                 2016      2016      2016      2016      2016
    
```

note_cleaner **Data cleaner note (not display)**

type: string (**str69**), but longest is str0
 unique values: 0 missing "": 1,411/1,411
 tabulation: Freq. Value
 1,411 ""

hh_change **Sample has moved so that its household structure changed**

type: numeric (**float**)
 label: **hh_change**
 range: [0,1] units: 1
 unique values: 2 missing .: 0/1,411
 tabulation: Freq. Numeric Label
 1,402 0 no
 9 1 yes

survey_name **survey round**

type: string (**str12**)
 unique values: 2 missing "": 0/1,411
 tabulation: Freq. Value
 886 "BASELINE2016"
 525 "RESURVEY2016"

```
2 . log close
   name: <unnamed>
   log: V:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo
> k_sc\al2.scml
   log type: smcl
   closed on: 6 Nov 2024, 15:22:59
```
