



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo
> k_sc\hh_member.scml
log type: smcl
opened on: 6 Nov 2024, 12:49:48

```

```
1 . codebookr _all,all
```

```

Dataset: *\Combine_baseline_resurvey2016\stata\scramble\hh_member_run.
> dta
Last saved: 6 Nov 2024 12:49

```

```

Label: [none]
Number of variables: 47
Number of observations: 8,439
Size: 4,827,108 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI

```

```
cid children id
```

```

type: string (str18)
unique values: 1,666 missing "": 0/8,439
examples: "201591160603209H1"
           "201691131001079H1"
           "201691160105105H1"
           "201691161708058H1"

```

```
iyear year
```

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/8,439
tabulation: Freq. Value
             3,148 "2015"
             5,291 "2016"

```

```
hhid household id
```

```
type: string (str15)
```

unique values: 1,413 missing "": 0/8,439

examples: "201591160603209"
 "201691131001079"
 "201691160105105"
 "201691161708058"

prov **province**

type: string (**str2**)

unique values: 2 missing "": 0/8,439

tabulation:	Freq.	Value
	7,651	"91"
	788	"93"

amp **amphoe**

type: string (**str2**)

unique values: 7 missing "": 0/8,439

tabulation:	Freq.	Value
	788	"12"
	1,446	"13"
	648	"14"
	863	"15"
	3,152	"16"
	226	"17"
	1,316	"18"

tam **tambon**

type: string (**str2**)

unique values: 15 missing "": 0/8,439

tabulation:	Freq.	Value
	380	"01"
	1,232	"02"
	739	"04"
	333	"05"
	302	"06"
	315	"07"
	354	"08"
	554	"09"
	746	"10"
	535	"11"
	898	"13"
	288	"14"
	827	"15"
	595	"17"
	341	"19"

moo **moo**

type: string (**str2**)

unique values: 21 missing "": 0/8,439

```

tabulation:  Freq.  Value
              846  "01"
              393  "02"
              844  "03"
              828  "04"
              755  "05"
              903  "06"
              457  "07"
              857  "08"
              589  "09"
              425  "10"
              319  "11"
              243  "12"
              216  "13"
               57  "14"
               55  "15"
              228  "16"
               44  "17"
               64  "18"
              164  "19"
              122  "22"
               30  "24"
    
```

strucid **structure ID**

```

type:  string (str3)
unique values:  182                missing "":  0/8,439
examples:  "011"
           "034"
           "071"
           "146"
    
```

pid **personal id**

```

type:  string (str18)
unique values:  6,846                missing "":  0/8,439
examples:  "201591160603209H3"
           "201691131001076H4"
           "201691160105105H2"
           "201691161708058H1"
    
```

no **order**

```

type:  numeric (byte)
range:  [1,13]                units:  1
unique values:  13                missing .:  0/8,439

tabulation:  Freq.  Value
              1,666  1
              1,658  2
              1,616  3
              1,343  4
              939   5
              619   6
              321   7
              149   8
               74   9
               36  10
               13  11
                3  12
                2  13
    
```

mean: 3.35123
 std. dev: 1.96301
 percentiles: 10% 25% 50% 75% 90%
 1 2 3 5 6

hh_a **Member id**

type: string (**str5**), but longest is str3
 unique values: 13 missing "": 0/8,439
 tabulation: Freq. Value
 1,666 "H1"
 36 "H10"
 13 "H11"
 3 "H12"
 2 "H13"
 1,658 "H2"
 1,616 "H3"
 1,343 "H4"
 939 "H5"
 618 "H6"
 322 "H7"
 148 "H8"
 75 "H9"

hh_b **Nickname (unavailable)**

type: string (**str45**), but longest is str0
 unique values: 0 missing "": 8,439/8,439
 tabulation: Freq. Value
 8,439 ""

hh_c **Title**

type: string (**str24**), but longest is str18
 unique values: 7 missing "": 0/8,439
 unique missing codes: 1 missing *: 2/8,439
 tabulation: Freq. Value
 2 "MI"
 1,600 "ค.ช."
 1,522 "ค.ญ."
 2,070 "นาง"
 798 "นางสาว"
 2,446 "นาย"
 1 "รท."

hh_d **Name (unavailable)**

type: string (**str45**), but longest is str0
 unique values: 0 missing "": 8,439/8,439
 tabulation: Freq. Value
 8,439 ""

hh_e **Surname (unavailable)**

type: string (**str51**), but longest is str0
 unique values: 0 missing "": 8,439/8,439
 tabulation: Freq. Value
 8,439 ""

hh_f **Relationship with household head (not display)**

type: string (**str75**), but longest is str0
 unique values: 0 missing "": 8,439/8,439
 tabulation: Freq. Value
 8,439 ""

hh_fcode **Code of relationship with household head**

type: numeric (**byte**)
 label: **hh_fcode**
 range: [1,37] units: 1
 unique values: 16 missing ..: 115/8,439
 tabulation: Freq. Numeric Label
 1,666 1 household head
 1,309 3 husband / wife
 142 5 father / mother
 1,568 7 son / daughter
 53 9 brother / sister / younger
 brother / younger sister
 2,631 11 grand son / grand daughter
 4 15 uncle, aunt of male head
 4 17 uncle, aunt of female head
 7 21 grand parent : mother side
 52 23 father/mother-in-law (of wife)
 5 25 father/mother-in-law (of
 husband)
 569 27 son/daughter-in-law
 12 29 sister-in-law / brother-in-law
 62 31 grand son/grand daughter-in-law
 238 35 relatives
 2 37 non relatives
 115 .

hh_ga **Household head**

type: numeric (**byte**)
 range: [1,1] units: 1
 unique values: 1 missing ..: 6,773/8,439
 tabulation: Freq. Value
 1,666 1
 6,773 .
 mean: 1
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 1 1 1 1 1

hh_ga:

1. subjected to a carryforward operation
2. subjected to a carryforward operation

hh_gb

Target child

```

type: numeric (byte)
range: [1,1]
unique values: 1
units: 1
missing .: 6,773/8,439

tabulation: Freq. Value
             1,666 1
             6,773 .
mean:       1
std. dev:   0

percentiles: 10% 25% 50% 75% 90%
              1  1  1  1  1
    
```

hh_gc

Primary caregiver

```

type: numeric (byte)
range: [1,1]
unique values: 1
units: 1
missing .: 6,573/8,439

tabulation: Freq. Value
             1,866 1
             6,573 .
mean:       1
std. dev:   0

percentiles: 10% 25% 50% 75% 90%
              1  1  1  1  1
    
```

hh_gd

Father / Mother of child

```

type: numeric (byte)
range: [1,1]
unique values: 1
units: 1
missing .: 6,822/8,439

tabulation: Freq. Value
             1,617 1
             6,822 .
mean:       1
std. dev:   0

percentiles: 10% 25% 50% 75% 90%
              1  1  1  1  1
    
```

hh_ge

Informant

```

type: numeric (byte)
range: [1,1]
unique values: 1
units: 1
missing .: 6,421/8,439
    
```

```

tabulation:  Freq.  Value
              2,018  1
              6,421  .
      mean:    1
      std. dev: 0

percentiles:  10%    25%    50%    75%    90%
              1      1      1      1      1
    
```

hh_h Contact number especially primary caregiver, father/mother Informant (unavailabl

```

type: string (str10), but longest is str0
unique values: 0 missing "": 8,439/8,439

tabulation:  Freq.  Value
              8,439  ""
    
```

hh1 Open the roster of household members and specify the number of members of last i

```

type: numeric (byte)
range: [2,13] units: 1
unique values: 11 missing .: 5,693/8,439

tabulation:  Freq.  Value
              40    2
              414   3
              661   4
              504   5
              615   6
              313   7
              96    8
              36    9
              30   10
              11   11
              26   13
              5,693 .
      mean:    5.17771
      std. dev: 1.78102

percentiles:  10%    25%    50%    75%    90%
              3      4      5      6      7
    
```

hh2 Since last interview, number of the new household members who moved in

```

type: numeric (byte)
range: [0,4] units: 1
unique values: 5 missing .: 5,693/8,439

tabulation:  Freq.  Value
              2,232  0
              271   1
              146   2
              49    3
              48    4
              5,693 .
      mean:    .328478
      std. dev: .802481

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      1
    
```

hh3 **Since last interview, number of members who moved out**

```

type: numeric (byte)
range: [0,4] units: 1
unique values: 5 missing .: 5,693/8,439

tabulation: Freq. Value
             2,260 0
             306 1
             112 2
              44 3
              24 4
             5,693 .
mean: .276038
std. dev: .694701

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

note **Interview note (unavailable)**

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 8,439/8,439

tabulation: Freq. Value
             8,439 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

hh_code **Status (code)**

```

type: numeric (byte)
label: hh_code
range: [1,5] units: 1
unique values: 3 missing .: 5,693/8,439

tabulation: Freq. Numeric Label
             2,487 1 old member
             144 3 new member
             115 5 move out of household
             5,693 .
    
```

hh_i **Do you have savings?**

```

type: numeric (byte)
label: hh_i
range: [1,3] units: 1
unique values: 2 missing .: 6,117/8,439
unique missing codes: 4 missing *: 45/8,439
    
```



```

tabulation:  Freq.  Numeric  Label
              570      1      yes
              1,707    3      no
              6,117    .
              3        .b
              12       .c
              30       .d
    
```

hh_j

Amount of deposit

```

type: numeric (int)
range: [3,20000]
unique values: 63
unique missing codes: 3
units: 1
missing .: 7,830/8,439
missing *: 377/8,439
    
```

```

tabulation:  Freq.  Value
              1      3
              1      70
              2      80
             12     100
              1     112
              1     140
              1     150
              4     160
              5     200
              2     250
              7     300
              1     340
              4     350
              1     360
              5     400
              2     432
              2     439
              1     450
              1     480
              7     500
              4     540
              2     550
              1     590
              7     600
              2     700
              3     800
              3     850
              4     900
             20    1000
              1    1020
              1    1040
              1    1100
              8    1200
              3    1300
              4    1400
              5    1500
              1    1780
              8    1800
              1    1810
              1    1960
             15    2000
              1    2475
             10    2500
              1    2600
              3    2900
             16    3000
              1    3400
              6    3500
              7    4000
              1    4200
              4    5000
              1    5500
              1    5600
    
```

```

          1 5610
          2 5870
          6 6000
          1 6200
          1 7000
          4 8500
          6 10000
          1 13000
          1 15000
          1 20000
    7,830 .
    347 .c
    30 .d
    mean: 2228.8
    std. dev: 2735.98

percentiles:    10%    25%    50%    75%    90%
                200    500    1200   3000   5610
    
```

blaf **Gender**

```

    type: numeric (byte)
    label: blaf

    range: [1,3]
    unique values: 2
                    units: 1
                    missing .: 115/8,439

    tabulation: Freq.  Numeric  Label
                3,982      1  male
                4,342      3  female
                115         .
    
```

blag **Nationality**

```

    type: numeric (byte)
    label: blag

    range: [1,3]
    unique values: 2
                    units: 1
                    missing .: 115/8,439

    tabulation: Freq.  Numeric  Label
                8,311      1  thai
                13         3  other
                115         .
    
```

blag_other **Others**

```

    type: string (str11)

    unique values: 4
                    missing "": 8,427/8,439

    tabulation: Freq.  Value
                8,427  ""
                2     "British"
                8     "Laos"
                1     "Myanmar"
                1     "Thai-Canada"
    
```

blah **Present/highest education level**

```

    type: string (str72)
    
```

unique values: 162
 unique missing codes: 2

missing "": 115/8,439
 missing *: 93/8,439

warning: variable has leading, embedded, and trailing blanks

blah_code **Present/highest education level code**

```

type: numeric (byte)
label: blah_code

range: [1,99]
unique values: 33
unique missing codes: 2

units: 1
missing .: 115/8,439
missing *: 97/8,439
    
```

tabulation:	Freq.	Numeric	Label
	799	1	No education
	360	3	Kindergarten 1
	282	5	Kindergarten 2
	85	7	Kindergarten 3
	115	9	Primary school 1
	134	11	Primary school 2
	124	13	Primary school 3
	1,867	15	Primary school 4
	87	17	Primary school 5
	986	19	Primary school 6
	44	21	Primary school 7 (old system)
	68	23	Lower secondary 1
	119	25	Lower secondary 2
	787	27	Lower secondary 3
	56	29	Upper secondary 1
	46	31	Upper secondary 2
	774	33	Upper secondary 3
	24	39	Lower secondary 3 (old system)
	15	43	Upper secondary 2 (old system)
	3	45	Vocational school year 1
	9	47	Vocational school year 2
	89	49	Vocational school year 3
	7	51	High vocational school year 1
	164	53	High vocational school year 2
	3	57	Technical vocational school 2
	2	59	Diploma
	1	61	Undergraduate school year 1
	7	63	Undergraduate school year 2
	1	65	Undergraduate school year 3
	245	67	Undergraduate school year 4
	26	69	Master's degree
	436	73	Child Development Center
	462	99	Other
	115	.	.
	97	.c	.c

blaj **Marital status**

```

type: numeric (byte)
label: blaj

range: [1,9]
unique values: 5

units: 1
missing .: 115/8,439
    
```

```

tabulation: Freq.  Numeric  Label
             3,528      1  single
             3,980      3  married (both registered and
                    non-registered)
             177       5  divorced
             356       7  widowed
             283       9  separate (but keep the
                    relationship)
             115       .
    
```

age **Age**

```

type: numeric (double)
range: [.01,94.25]          units: 1.000e-07
unique values: 1,002        missing .: 0/8,439
unique missing codes: 1     missing *: 89/8,439

mean: 29.844
std. dev: 23.1898

percentiles:    10%    25%    50%    75%    90%
                2.66   5.25  27.83  50.66  61.25
    
```

male **The member is male**

```

type: numeric (float)
label: male

range: [0,1]          units: 1
unique values: 2      missing .: 0/8,439

tabulation: Freq.  Numeric  Label
             4,374      0  no
             4,065      1  yes
    
```

female **The member is female**

```

type: numeric (float)
label: female

range: [0,1]          units: 1
unique values: 2      missing .: 0/8,439

tabulation: Freq.  Numeric  Label
             4,065      0  no
             4,374      1  yes
    
```

year_survey **year survey**

```

type: numeric (float)
range: [2016,2016]      units: 1
unique values: 1        missing .: 0/8,439

tabulation: Freq.  Value
             8,439  2016
mean: 2016
std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                2016  2016  2016  2016  2016
    
```

hh_1 **Relationship with child**

type: string (**str95**), but longest is str86
 unique values: **209** missing "": **428/8,439**
 unique missing codes: **2** missing *: **5/8,439**

 warning: variable has embedded blanks

hh_lcode **Code of relationship with child**

type: numeric (**byte**)
 label: **hh_lcode**

 range: **[0,21]** units: **1**
 unique values: **19** missing .: **428/8,439**
 unique missing codes: **2** missing *: **5/8,439**

tabulation:	Freq.	Numeric	Label
	1,666	0	Sample children
	1,618	1	father / mother
	18	2	Stepfather / Stepmother (a person)
	1	3	Adoptive father / Adoptive mother
	1	4	Stepfather / Stepmother (both of them)
	1,709	5	grand parent : mother side
	581	6	grand parent : father side
	763	7	siblings
	8	8	half-siblings(same father)
	115	9	half-siblings(same mother)
	1	11	Adoptive brother / Adoptive sister
	455	13	uncle / aunt
	452	14	cousin
	10	15	grand son / grand daughter
	2	16	sister in law / brother-in-law
	247	17	great-grandparents(Mother's side)
	74	18	great-grandparents(Father's side)
	283	19	relatives
	2	21	House tenant
	428	.	.
	5	.c	.c

child **The member is child (0-14 years)**

type: numeric (**float**)

 range: **[0,1]** units: **1**
 unique values: **2** missing .: **89/8,439**

tabulation:	Freq.	Value
	5,250	0
	3,100	1
	89	.
mean:	.371257	
std. dev:	.48317	

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	1

adult **The member is Adult (15-60 years)**

```

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 89/8,439

tabulation: Freq. Value
             4,046 0
             4,304 1
             89 .
mean: .515449
std. dev: .499791

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        1        1
    
```

elder **The member is Elder (61 years and older)**

```

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 89/8,439

tabulation: Freq. Value
             7,404 0
             946 1
             89 .
mean: .113293
std. dev: .31697

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1
    
```

hh_change **Sample has moved so that its household structure changed**

```

type: numeric (float)
label: hh_change
range: [0,1] units: 1
unique values: 2 missing .: 5,291/8,439

tabulation: Freq. Numeric Label
             3,064      0 no
             84       1 yes
             5,291      .
    
```

survey_name **survey name**

```

type: string (str12)
unique values: 2 missing "": 0/8,439

tabulation: Freq. Value
             5,291 "BASELINE2016"
             3,148 "RESURVEY2016"
    
```

```
2 . log close
   name: <unnamed>
   log: V:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo
> k_sc\hh_member.scml
   log type: smcl
   closed on: 6 Nov 2024, 12:49:52
```
