Statistics/Data analysis

```
      name:  <unnamed>
       log:  V:\\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2017\a10.scml
  log type:  smcl
 opened on:   7 Nov 2024, 11:38:19

1 . codebookr _all,all

                Dataset:  V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\a10_run.dta
             Last saved:   7 Nov 2024 11:38
                        DATA HAVE CHANGED SINCE LAST SAVED

                  Label:  [none]
    Number of variables:  45
Number of observations:  1,267
                   Size:  1,184,645 bytes ignoring labels, etc.
          Unique Values:  A list of all of the possible non-missing values
                          for the variable and the description of the values.
 Unique Missing Values:  There are four types of missing values


              .a or RF: The subject explicitly refused to answer the question
                        when he or she should have.
              .b or NA: The subject was never asked the question
                        for one reason or another. Usually this results
                        from "skip patterns" that occur.
              .c or DK: The subject was unable to answer the question
                        either because he or she had no opinion or because
                        the required information was not available.
              .d or MI: Items should be filled out but have no data entry found.
                        This is enumerator's own mistake. The circumstances
                        can be interviewers failing to ask a question
                        or forgetting to record a response


      Numeric Missing*:   .a                    String Missing*:   RF
                          .b                                       NA
                          .c                                       DK
                          .d                                       MI

-------------------------------------------------------------------------------
hhid                                                          household id
-------------------------------------------------------------------------------

                  type:  string (str15)

         unique values:  1,267                    missing "":  0/1,267

              examples:  "201591160604209"
                         "201691131001998"
                         "201691160105105"
                         "201691161706110"

-------------------------------------------------------------------------------
iyear                                                                    year
-------------------------------------------------------------------------------

                  type:  string (str4)

         unique values:  2                        missing "":  0/1,267

            tabulation:  Freq.  Value
                           459  "2015"
                           808  "2016"

-------------------------------------------------------------------------------
prov                                                                province
-------------------------------------------------------------------------------

                  type:  string (str2)
```

unique values: **2** missing "": **0/1,267**

tabulation:

Freq.	Value
1,145	**"91"**
122	**"93"**

---

amp **amphoe**

---

type: string (**str2**)

unique values: **8** missing "": **0/1,267**

tabulation:

Freq.	Value
1	**"09"**
122	**"12"**
226	**"13"**
106	**"14"**
124	**"15"**
475	**"16"**
32	**"17"**
181	**"18"**

---

tam **tambon**

---

type: string (**str2**)

unique values: **15** missing "": **0/1,267**

tabulation:

Freq.	Value
57	**"01"**
202	**"02"**
106	**"04"**
51	**"05"**
50	**"06"**
55	**"07"**
49	**"08"**
85	**"09"**
115	**"10"**
73	**"11"**
125	**"13"**
42	**"14"**
129	**"15"**
84	**"17"**
44	**"19"**

---

moo **moo**

---

type: string (**str2**)

unique values: **22** missing "": **0/1,267**

tabulation:

Freq.	Value
126	**"01"**
57	**"02"**
122	**"03"**
140	**"04"**
114	**"05"**
137	**"06"**
63	**"07"**
132	**"08"**
79	**"09"**
64	**"10"**
45	**"11"**
36	**"12"**
36	**"13"**
10	**"14"**

9	"15"
33	"16"
8	"17"
11	"18"
24	"19"
1	"20"
14	"22"
6	"24"

---

strucid **structure ID**

---

type: string (**str3**)

unique values: **185** missing "": **0/1,267**

examples: **"010"**
"034"
"070"
"142"

---

br1a **The amount of current outstanding debt of all household members : Bank loans**

---

type: numeric (**long**)

range: [**0,3800000**] units: **1**
unique values: **90** missing .: **1/1,267**
unique missing codes: **3** missing *: **31/1,267**

tabulation:

Freq.	Value
729	0
1	1000
1	1639
2	5000
1	9000
2	10000
2	15000
1	17000
13	20000
3	25000
1	27500
3	28000
22	30000
1	34000
2	35000
18	40000
1	41000
1	45000
32	50000
2	55000
1	57000
1	58000
14	60000
10	70000
1	75000
7	80000
1	85000
1	89000
8	90000
1	95000
56	100000
1	101000
6	110000
1	114000
1	115000
8	120000
3	130000
2	134000
8	140000

1	146000
24	150000
6	160000
1	168000
2	170000
8	180000
4	190000
50	200000
4	210000
3	220000
1	222000
1	226000
1	230000
1	240000
13	250000
2	260000
2	270000
2	280000
31	300000
2	320000
1	330000
7	350000
1	370000
2	380000
17	400000
1	420000
3	430000
5	450000
1	467900
2	470000
3	480000
14	500000
2	550000
8	600000
1	620000
6	700000
1	750000
6	800000
1	830000
1	850000
8	1000000
3	1100000
3	1200000
1	1300000
1	1550000
1	1600000
1	1690000
1	1800000
1	2200000
3	3000000
1	3800000
1	.
9	.a
22	.c

mean: 106374
std. dev: 275621

percentiles:	10%	25%	50%	75%	90%
	0	0	0	100000	300000

---

br1b The amount of current outstanding debt of all household members : Cooperatives l

---

type: numeric (**long**)

range: [**0,2800000**] units: **100**
unique values: **61** missing .: **1/1,267**
unique missing codes: **3** missing *: **10/1,267**

tabulation:	Freq.	Value
	1,042	0
	1	1500
	1	3000
	1	4000
	2	5000
	1	6000
	1	7000
	1	8000
	3	10000
	1	12000
	1	15000
	8	20000
	1	23000
	1	27000
	9	30000
	2	35000
	7	40000
	1	44000
	21	50000
	1	52000
	1	53000
	1	55000
	9	60000
	8	70000
	4	80000
	1	90000
	1	92700
	22	100000
	2	110000
	5	120000
	3	130000
	9	140000
	12	150000
	3	160000
	1	165000
	2	170000
	1	180000
	14	200000
	1	210000
	1	220000
	5	250000
	2	260000
	2	270000
	1	280000
	12	300000
	1	310000
	1	350000
	4	400000
	5	500000
	3	550000
	1	580000
	2	700000
	1	800000
	1	930000
	2	1000000
	1	1100000
	1	1344000
	1	1450000
	1	1500000
	1	2500000
	1	2800000
	1	.
	1	.a
	9	.c
mean:	34754.9	
std. dev:	158164	

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	92700

br1c The amount of current outstanding debt of all household members : Village Funds

type: numeric (**long**)

range: [**0,300000**] units: **10**
unique values: **85** missing .: **1/1,267**
unique missing codes: **3** missing *: **32/1,267**

tabulation: Freq.	Value
386	0
1	1500
1	2000
3	3000
2	3500
4	4000
7	5000
3	6000
4	7000
1	7550
7	8000
1	8600
1	9000
1	9500
79	10000
1	10600
7	11000
6	12000
3	13000
3	14000
30	15000
8	16000
1	16500
4	17000
10	18000
128	20000
2	21000
1	22000
1	22500
1	23000
25	25000
5	26000
6	27000
5	28000
3	29000
123	30000
1	31000
1	32000
2	33000
23	35000
3	36000
1	38000
1	38500
1	38800
1	39000
1	39100
73	40000
1	44000
10	45000
1	46000
3	48000
71	50000
1	52000
1	52300
11	55000
1	57000
1	58000
2	59000
42	60000
1	62000
4	65000

1	66000
1	68000
29	70000
2	75000
17	80000
1	83000
1	85000
9	90000
1	96000
20	100000
1	102000
1	102500
1	105000
1	110000
1	120000
2	125000
2	150000
2	160000
1	170000
3	200000
1	230000
1	250000
1	280000
2	300000
1	.
5	.a
27	.c

mean: 25968.4
std. dev: 31929.1

percentiles:	10%	25%	50%	75%	90%
	0	0	20000	40000	60000

---

br1d The amount of current outstanding debt of all household members : Relatives loan

---

type: numeric (**long**)

range: [**0,300000**] units: **100**
unique values: **41** missing .: **1/1,267**
unique missing codes: **3** missing *: **14/1,267**

tabulation:	Freq.	Value
	1,097	0
	1	800
	5	1000
	1	1500
	5	2000
	2	2500
	4	3000
	1	4000
	9	5000
	1	5500
	4	6000
	1	7000
	18	10000
	1	11500
	1	12000
	1	12500
	1	13000
	1	13500
	4	15000
	1	18000
	22	20000
	1	22000
	1	25000
	11	30000
	1	32000
	2	35000
	1	36000
	9	40000

2	45000
18	50000
1	55000
3	60000
1	69000
3	70000
2	80000
6	100000
1	120000
3	150000
3	200000
1	260000
1	300000
1	.
2	.a
12	.c

mean: 4592.09
std. dev: 20613.3

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	6000

---

br1e The amount of current outstanding debt of all household members : Illegal loan

---

type: numeric (**long**)

range: [**0,900000**] units: **100**
unique values: **28** missing .: **1/1,267**
unique missing codes: **3** missing *: **4/1,267**

tabulation:	Freq.	Value
	1,204	0
	2	2000
	3	5000
	1	5200
	3	6000
	2	7000
	2	10000
	1	11000
	2	12000
	4	15000
	5	20000
	1	22000
	2	25000
	6	30000
	7	40000
	2	55000
	1	60000
	1	70000
	1	73000
	4	100000
	1	160000
	1	200000
	1	260000
	1	350000
	1	400000
	1	450000
	1	500000
	1	900000
	1	.
	2	.a
	2	.c

mean: 3752.93
std. dev: 37172.7

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

---

br1f The amount of current outstanding debt of all household members : Advanced wag

---

type: numeric (**long**)

range: [**0,20000**] units: **100**
unique values: **9** missing .: **1/1,267**
unique missing codes: **3** missing *: **3/1,267**

tabulation:	Freq.	Value
	1,251	**0**
	1	**500**
	2	**4000**
	1	**5000**
	1	**6000**
	2	**8000**
	1	**10000**
	1	**15000**
	3	**20000**
	1	**.**
	2	**.a**
	1	**.c**

mean: **95.4078**
std. dev: **1172.44**

percentiles:	10%	25%	50%	75%	90%
	0	**0**	**0**	**0**	**0**

---

br1g Pawn: The amount of current outstanding debt

---

type: numeric (**long**)

range: [**0,130000**] units: **10**
unique values: **31** missing .: **1/1,267**
unique missing codes: **3** missing *: **4/1,267**

tabulation:	Freq.	Value
	1,210	**0**
	3	**2000**
	1	**3000**
	1	**3500**
	8	**4000**
	2	**5000**
	1	**6900**
	1	**7700**
	3	**8000**
	3	**10000**
	2	**12000**
	1	**13760**
	2	**15000**
	2	**16000**
	2	**18000**
	1	**20000**
	1	**24000**
	1	**25000**
	1	**26000**
	1	**28000**
	1	**28950**
	3	**30000**
	1	**33000**
	1	**36000**
	1	**38000**
	3	**40000**
	1	**50000**
	1	**60000**
	1	**70000**
	1	**120000**
	1	**130000**
	1	**.**

	2	**.a**
	2	**.c**
mean:	**917.441**	
std. dev:	**6861.23**	

percentiles:	10%	25%	50%	75%	90%
	0	**0**	**0**	**0**	**0**

---

br1g_1a — **Pawn: Number of repayment tranches**

---

type:	numeric (**byte**)		
range:	[.,.]	units:	.
unique values:	**0**	missing .:	**1,267/1,267**

tabulation:	Freq.	Value
	1,267	.
mean:	.	
std. dev:	.	

percentiles:	10%	25%	50%	75%	90%
	.	.	.	.	.

---

br1g_1b — **Pawn: Number of repayment tranches paid**

---

type:	numeric (**byte**)		
range:	[.,.]	units:	.
unique values:	**0**	missing .:	**1,267/1,267**

tabulation:	Freq.	Value
	1,267	.
mean:	.	
std. dev:	.	

percentiles:	10%	25%	50%	75%	90%
	.	.	.	.	.

---

br1g_1c — **Pawn: Amount of money to repay in each tranche**

---

type:	numeric (**byte**)		
range:	[.,.]	units:	.
unique values:	**0**	missing .:	**1,267/1,267**

tabulation:	Freq.	Value
	1,267	.
mean:	.	
std. dev:	.	

percentiles:	10%	25%	50%	75%	90%
	.	.	.	.	.

---

br1g_2a — **Pawn: Number of repayment tranches**

---

type:	numeric (**byte**)		
range:	[.,.]	units:	.
unique values:	**0**	missing .:	**1,267/1,267**

tabulation:	Freq.	Value
	1,267	.
mean:		.
std. dev:		.

percentiles:	10%	25%	50%	75%	90%
	.	.	.	.	.

---

br1g_2b **Pawn: Number of repayment tranches paid**

---

type: numeric (**byte**)

range: [.,.] units: .
unique values: **0** missing .: **1,267/1,267**

tabulation:	Freq.	Value
	1,267	.
mean:		.
std. dev:		.

percentiles:	10%	25%	50%	75%	90%
	.	.	.	.	.

---

br1g_2c **Pawn: Amount of money to repay in each tranche**

---

type: numeric (**byte**)

range: [.,.] units: .
unique values: **0** missing .: **1,267/1,267**

tabulation:	Freq.	Value
	1,267	.
mean:		.
std. dev:		.

percentiles:	10%	25%	50%	75%	90%
	.	.	.	.	.

---

br1h **Installment purchase for car/goods: The amount of current outstanding debt**

---

type: numeric (**long**)

range: [**0,6260000**] units: **1**
unique values: **375** missing .: **1/1,267**
unique missing codes: **4** missing *: **43/1,267**

mean: **89883.9**
std. dev: **282903**

percentiles:	10%	25%	50%	75%	90%
	0	**0**	**0**	**41080**	**312400**

---

br1h_1a **Installment purchase for car/goods: Number of repayment tranches**

---

type: numeric (**byte**)

range: [**72,72**] units: **1**
unique values: **1** missing .: **1,264/1,267**
unique missing codes: **2** missing *: **1/1,267**

```
      tabulation:  Freq.  Value
                      2  72
                  1,264  .
                      1  .c
            mean:        72
       std. dev:         0

     percentiles:       10%       25%       50%       75%       90%
                         72        72        72        72        72
```

---

br1h_1b Installment purchase for car/goods: Number of repayment tranches paid

---

```
             type:  numeric (byte)

            range:  [3,36]                       units:  1
      unique values:  2                      missing .:  1,264/1,267
  unique missing codes:  2                   missing *:  1/1,267

      tabulation:  Freq.  Value
                      1  3
                      1  36
                  1,264  .
                      1  .c
            mean:     19.5
       std. dev:   23.3345

     percentiles:       10%       25%       50%       75%       90%
                          3         3      19.5        36        36
```

---

br1h_1c Installment purchase for car/goods: Amount of money to repay in each tranche

---

```
             type:  numeric (int)

            range:  [1600,8000]                  units:  100
      unique values:  3                      missing .:  1,264/1,267

      tabulation:  Freq.  Value
                      1  1600
                      1  6400
                      1  8000
                  1,264  .
            mean:   5333.33
       std. dev:   3330.67

     percentiles:       10%       25%       50%       75%       90%
                       1600      1600      6400      8000      8000
```

---

br1h_2a Installment purchase for car/goods: Number of repayment tranches

---

```
             type:  numeric (byte)

            range:  [.,.]                        units:  .
      unique values:  0                      missing .:  1,267/1,267

      tabulation:  Freq.  Value
                  1,267  .
            mean:        .
       std. dev:         .

     percentiles:       10%       25%       50%       75%       90%
                          .         .         .         .         .
```

---

br1h_2b Installment purchase for car/goods: Number of repayment tranches paid

---

type: numeric (**byte**)

range: [.,.] units: .
unique values: **0** missing .: **1,267/1,267**

tabulation: Freq. Value
1,267 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

---

br1h_2c Installment purchase for car/goods: Amount of money to repay in each tranche

---

type: numeric (**int**)

range: [.,.] units: .
unique values: **0** missing .: **1,267/1,267**

tabulation: Freq. Value
1,267 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

---

br1h_3a Installment purchase for car/goods: Number of repayment tranches

---

type: numeric (**byte**)

range: [.,.] units: .
unique values: **0** missing .: **1,267/1,267**

tabulation: Freq. Value
1,267 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

---

br1h_3b Installment purchase for car/goods: Number of repayment tranches paid

---

type: numeric (**byte**)

range: [.,.] units: .
unique values: **0** missing .: **1,267/1,267**

tabulation: Freq. Value
1,267 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

---

br1h_3c Installment purchase for car/goods: Amount of money to repay in each tranche

---

type: numeric (**byte**)

range:	[.,.]	units:	.
unique values:	**0**	missing .:	**1,267/1,267**

tabulation:

Freq.	Value
1,267	.

mean: .
std. dev: .

percentiles:	10%	25%	50%	75%	90%
	.	.	.	.	.

---

br1i_des — **Others, please identify (not display)**

---

type:	string (**str146**), but longest is str0		
unique values:	**0**	missing "":	**1,267/1,267**

tabulation:

Freq.	Value
1,267	""

---

br1i — **The amount of current outstanding debt**

---

type:	numeric (**double**)		
range:	[**0,2000000**]	units:	**.01**
unique values:	**59**	missing .:	**1/1,267**
unique missing codes:	**3**	missing *:	**31/1,267**

tabulation:

Freq.	Value
1,158	**0**
1	**200**
1	**300**
1	**750**
1	**1200**
1	**1375**
1	**1500**
1	**1650**
1	**1860**
1	**2400**
1	**2600**
3	**3000**
1	**3480**
1	**4200**
1	**4920**
1	**4950**
1	**6500**
2	**8000**
1	**10000**
1	**10943.65**
1	**11500**
1	**13000**
1	**15000**
1	**16000**
1	**17000**
1	**18000**
1	**18300**
1	**19200**
1	**19700**
4	**20000**
1	**23000**
1	**24000**
1	**25000**
1	**26000**
3	**30000**
1	**34000**
1	**39000**
1	**44400**
1	**45000**

```
                        4  50000
                        1  61000
                        1  67000
                        1  70000
                        3  80000
                        2  90000
                        1  99540
                        1  100000
                        1  105700
                        3  120000
                        1  140000
                        2  150000
                        2  170000
                        1  200000
                        1  246200
                        2  250000
                        1  275000
                        1  400000
                        1  900000
                        1  2000000
                        1  .
                       15  .b
                       16  .c
              mean:   6029.45
         std. dev:   66748.5

      percentiles:        10%       25%       50%       75%       90%
                            0         0         0         0         0
```

---

br1j_des — **Others, please identify (not display)**

```
              type:  string (str69), but longest is str0

     unique values:  0                        missing "":  1,267/1,267

        tabulation:  Freq.  Value
                     1,267  ""
```

---

br1j — **The amount of current outstanding debt**

```
              type:  numeric (byte)

             range:  [.,.]                        units:  .
     unique values:  1                        missing .:  1,266/1,267

        tabulation:  Freq.  Value
                         1  0
                     1,266  .
              mean:         0
         std. dev:         .

      percentiles:        10%       25%       50%       75%       90%
                            0         0         0         0         0
```

---

br2 In the past 12 months, did household members have any outstanding loans, both pr

---

```
              type:  numeric (byte)
             label:  br2

             range:  [1,3]                        units:  1
     unique values:  2                        missing .:  1/1,267
```

tabulation:	Freq.	Numeric	Label
	162	**1**	yes
	1,104	**3**	no
	1	**.**	

---

br2a In the future, do you think the household members will be able to repay this loa

---

type:	numeric (**byte**)		
label:	**br2a**		
range:	[**1,5**]	units:	**1**
unique values:	**3**	missing .:	**1,105/1,267**

tabulation:	Freq.	Numeric	Label
	132	**1**	yes
	9	**3**	no
	21	**5**	not sure
	1,105	**.**	

---

br3 Have household members ever tried to take loans, installment purchase or get ad

---

type:	numeric (**byte**)		
label:	**br3**		
range:	[**1,3**]	units:	**1**
unique values:	**2**	missing .:	**1/1,267**

tabulation:	Freq.	Numeric	Label
	98	**1**	yes
	1,168	**3**	never
	1	**.**	

---

br3a **Why not? (not display)**

---

type:	string (**str244**), but longest is str0		
unique values:	**0**	missing "":	**1,267/1,267**

tabulation:	Freq.	Value
	1,267	""

---

br4 **Have any household members ever been rejected by lender?**

---

type:	numeric (**byte**)		
label:	**br4**		
range:	[**1,3**]	units:	**1**
unique values:	**2**	missing .:	**1/1,267**

tabulation:	Freq.	Numeric	Label
	65	**1**	yes
	1,201	**3**	never
	1	**.**	

---

br5 The total value of money/ items that all household members lent to outside house

---

type:	numeric (**long**)		
range:	[**0,2000000**]	units:	**1**
unique values:	**69**	missing .:	**2/1,267**
unique missing codes:	**5**	missing *:	**17/1,267**

tabulation:	Freq.	Value
	1,009	0
	1	100
	2	300
	2	450
	3	500
	1	616
	6	1000
	1	1100
	1	1400
	3	1500
	8	2000
	2	2500
	1	2700
	4	3000
	3	4000
	17	5000
	2	5500
	1	6000
	1	6500
	2	7000
	5	8000
	1	9100
	1	9600
	17	10000
	3	12000
	1	13000
	6	15000
	1	17500
	1	18000
	24	20000
	1	22000
	7	25000
	1	27000
	1	28000
	15	30000
	1	33000
	1	34170
	3	35000
	1	37000
	1	37500
	9	40000
	3	45000
	1	49500
	17	50000
	1	51000
	1	55000
	1	57000
	2	60000
	2	70000
	6	80000
	13	100000
	1	120000
	1	130000
	3	150000
	1	160000
	1	170000
	3	180000
	1	190000
	1	199500
	4	200000
	4	300000
	3	400000
	1	420000
	1	450000
	1	488000
	1	500000
	1	600000
	1	1200000
	1	2000000
	2	.
	3	.a

	1	**.b**
	11	**.c**
	2	**.d**
mean:	**13168.1**	
std. dev:	**80498.2**	

percentiles:	10%	25%	50%	75%	90%
	0	**0**	**0**	**0**	**20000**

---

note — **Interviewer note (unavailable)**

---

type: string (**str317**), but longest is str0

unique values: **0** missing "": **1,267**/**1,267**

tabulation:

Freq.	Value
1,267	""

---

note_cleaner — **data cleaner note (not display)**

---

type: string (**str43**), but longest is str0

unique values: **0** missing "": **1,267**/**1,267**

tabulation:

Freq.	Value
1,267	""

---

hh_change — **Sample has moved so that its household structure changed**

---

type: numeric (**float**)
label: **hh_change**

range: [**0,1**] units: **1**
unique values: **2** missing .: **0**/**1,267**

tabulation:

Freq.	Numeric	Label
1,254	**0**	no
13	**1**	yes

---

survey_name — **survey round**

---

type: string (**str12**)

unique values: **1** missing "": **0**/**1,267**

tabulation:

Freq.	Value
1,267	**"RESURVEY2017"**

---

year_survey — **year survey**

---

type: numeric (**float**)

range: [**2017,2017**] units: **1**
unique values: **1** missing .: **0**/**1,267**

tabulation:

Freq.	Value
1,267	**2017**

mean: **2017**
std. dev: **0**

percentiles:	10%	25%	50%	75%	90%
	2017	**2017**	**2017**	**2017**	**2017**

```
2 . log close
      name:  <unnamed>
       log:  V:\\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2017\a10.scml
  log type:  smcl
 closed on:   7 Nov 2024, 11:38:21
```