



```

name: <unnamed>
log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\a7.smcl
log type: smcl
opened on: 7 Nov 2024, 10:31:39
    
```

1 . codebookr _all,all

```

Dataset: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\a7_run.dta
Last saved: 7 Nov 2024 10:31
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 57
Number of observations: 1,267
Size: 2,712,647 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

hhid **household id**

```

type: string (str15)
unique values: 1,267 missing "": 0/1,267
examples: "201591160604209"
           "201691131001998"
           "201691160105105"
           "201691161706110"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,267
tabulation: Freq. Value
             459 "2015"
             808 "2016"
    
```

prov **province**

```

type: string (str2)
    
```

unique values: 2 missing "": 0/1,267
 tabulation: Freq. Value
 1,145 "91"
 122 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,267
 tabulation: Freq. Value
 1 "09"
 122 "12"
 226 "13"
 106 "14"
 124 "15"
 475 "16"
 32 "17"
 181 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,267
 tabulation: Freq. Value
 57 "01"
 202 "02"
 106 "04"
 51 "05"
 50 "06"
 55 "07"
 49 "08"
 85 "09"
 115 "10"
 73 "11"
 125 "13"
 42 "14"
 129 "15"
 84 "17"
 44 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,267
 tabulation: Freq. Value
 126 "01"
 57 "02"
 122 "03"
 140 "04"
 114 "05"
 137 "06"
 63 "07"
 132 "08"
 79 "09"
 64 "10"
 45 "11"
 36 "12"
 36 "13"
 10 "14"

```

    9 "15"
   33 "16"
    8 "17"
   11 "18"
   24 "19"
    1 "20"
   14 "22"
    6 "24"

```

strucid **structure ID**

```

    type: string (str3)
unique values: 185           missing "": 0/1,267
  examples: "010"
            "034"
            "070"
            "142"

```

hilb1 **Since last interview, household has received other rents such as cars or items**

```

    type: numeric (byte)
    label: hilb1
    range: [1,3]           units: 1
unique values: 2           missing .: 0/1,267
  tabulation: Freq.   Numeric  Label
               9         1   yes
            1,258       3   no

```

hilc1 **Other rents, such as cars or items. How much is the total income per year from t**

```

    type: numeric (long)
    range: [1000,420000]   units: 1
unique values: 7           missing .: 1,258/1,267
unique missing codes: 3   missing *: 2/1,267
  tabulation: Freq.  Value
               1    1000
               1    3000
               1    4000
               1   18000
               1   19125
               1  320000
               1  420000
            1,258  .
               1    .c
               1    .d
    mean:      112161
    std. dev:  178632
  percentiles:    10%    25%    50%    75%    90%
                  1000   3000   18000  320000  420000

```

hilb2 **In the past 12 months, household has received the state aid, such as premiums fo**

```

    type: numeric (byte)
    label: hilb2

```

```

        range: [1,3]                units: 1
    unique values: 2                missing .: 0/1,267
    unique missing codes: 1        missing *: 1/1,267

    tabulation:  Freq.  Numeric  Label
                  579      1     yes
                  687      3     no
                   1         .c
    
```

hilc2 State aids, such as premiums for seniors, for disability. How much is the total

```

        type: numeric (long)

        range: [0,53800]            units: 1
    unique values: 221            missing .: 490/1,267
    unique missing codes: 2      missing *: 3/1,267

        mean: 16038.9
    std. dev: 12926.5

    percentiles:    10%    25%    50%    75%    90%
                   0      0     16200  26000  33400
    
```

hilb3 Since last interview, household has received aids from other non-governmental o

```

        type: numeric (byte)
    label: hilb3

        range: [1,3]                units: 1
    unique values: 2                missing .: 0/1,267

    tabulation:  Freq.  Numeric  Label
                  6      1     yes
                 1,261    3     no
    
```

hilc3 How much is the total income per year from non-government organizations?

```

        type: numeric (int)

        range: [19200,19200]        units: 100
    unique values: 1                missing .: 1,261/1,267
    unique missing codes: 2        missing *: 5/1,267

    tabulation:  Freq.  Value
                  1     19200
                 1,261 .
                   5     .c
        mean: 19200
    std. dev: .

    percentiles:    10%    25%    50%    75%    90%
                   19200  19200  19200  19200  19200
    
```

hilb4 Since last interview, household has received scholarship

```

        type: numeric (byte)
    label: hilb4

        range: [1,3]                units: 1
    unique values: 2                missing .: 0/1,267
    
```

```

tabulation:  Freq.  Numeric  Label
              134      1  yes
              1,133    3  no
    
```

hilc4 **How much is the total income per year from scholarships**

```

type: numeric (int)
range: [50,4000]
unique values: 23
unique missing codes: 2
units: 10
missing .: 1,133/1,267
missing *: 2/1,267
    
```

```

tabulation:  Freq.  Value
              1  50
              1 100
              1 150
              8 200
             14 300
              1 360
              7 400
             42 500
              1 550
              2 600
              4 700
              1 800
              1 900
             22 1000
              1 1100
              1 1200
              6 1500
              1 1750
              7 2000
              1 2100
              1 2600
              7 3000
              1 4000
            1,133 .
              2  .c
mean: 873.182
std. dev: 764.362
    
```

```

percentiles: 10% 25% 50% 75% 90%
              300 450 500 1000 2000
    
```

hilb6 **Since last interview, household has received interest on deposit**

```

type: numeric (byte)
label: hilb7
range: [1,3]
unique values: 2
unique missing codes: 1
units: 1
missing .: 0/1,267
missing *: 5/1,267
    
```

```

tabulation:  Freq.  Numeric  Label
              166      1  yes
             1,096    3  no
              5      .c
    
```

hilc6 **How much is the total income per year from interest on deposit?**

```

type: numeric (int)
label: hilc6, but label does not exist
    
```

range: [20,5000] units: 1
 unique values: 15 missing .: 1,101/1,267
 unique missing codes: 3 missing *: 148/1,267

tabulation: Freq. Value
 1 20
 2 50
 1 75
 1 80
 1 100
 1 120
 1 150
 2 250
 2 400
 1 500
 1 600
 1 1000
 1 1080
 1 1500
 1 5000
 1,101 .
 2 .a
 146 .c
 mean: 645.833
 std. dev: 1163.87

percentiles: 10% 25% 50% 75% 90%
 50 80 250 600 1500

hilb7 Since last interview, household has received dividend from investment shares, m

type: numeric (byte)
 label: **hilb7**

range: [1,3] units: 1
 unique values: 2 missing .: 0/1,267
 unique missing codes: 1 missing *: 5/1,267

tabulation: Freq. Numeric Label
 227 1 yes
 1,035 3 no
 5 .c

hilc7 How much is the total income per year from dividend of investment shares, mutual

type: numeric (long)
 label: **hilc7**, but label does not exist

range: [30,60000] units: 1
 unique values: 72 missing .: 1,040/1,267
 unique missing codes: 2 missing *: 61/1,267

tabulation: Freq. Value
 1 30
 1 35
 1 45
 1 60
 1 65
 2 75
 1 80
 9 100
 2 120
 6 150
 1 170
 4 200
 1 250
 1 260
 4 300

```

1 345
1 350
3 400
1 413
1 450
1 482
7 500
1 510
2 550
3 600
1 660
7 700
1 750
2 800
1 900
11 1000
2 1060
1 1100
5 1200
1 1250
1 1270
1 1300
1 1350
2 1400
10 1500
2 1600
2 1800
1 1900
5 2000
1 2030
1 2140
2 2200
1 2300
4 2500
1 2650
5 3000
1 3200
1 3500
7 4000
2 4500
2 5000
1 5500
1 6000
2 7000
1 7500
1 8500
4 10000
1 10300
1 12000
1 14000
1 17000
4 20000
1 25000
1 27000
1 34000
1 35000
2 60000

```

```

1,040 .
61 .c
mean: 3819.61
std. dev: 8517.06

```

```

percentiles:      10%      25%      50%      75%      90%
                  100      413      1150      3000      10000

```

hilb8 Since last interview, household has received dividend from investment in villag

```

type: numeric (byte)
label: hilb8

```

```

range: [1,3] units: 1
unique values: 2 missing .: 0/1,267
unique missing codes: 1 missing *: 1/1,267

tabulation: Freq. Numeric Label
              710      1 yes
              556      3 no
              1       .c
    
```

hilc8 How much is the total income per year from dividend of investment in village fun

```

type: numeric (long)

range: [16,10000] units: 1
unique values: 114 missing .: 557/1,267
unique missing codes: 2 missing *: 129/1,267

mean: 567.47
std. dev: 1024.8

percentiles: 10% 25% 50% 75% 90%
              100 150 300 500 1200
    
```

hilb9 Since last interview, household has received pension fund

```

type: numeric (byte)
label: hilb9

range: [1,3] units: 1
unique values: 2 missing .: 0/1,267

tabulation: Freq. Numeric Label
              6      1 yes
            1,261      3 no
    
```

hilc9 How much is the total income per year from pension fund?

```

type: numeric (long)

range: [16000,480000] units: 100
unique values: 5 missing .: 1,261/1,267
unique missing codes: 2 missing *: 1/1,267

tabulation: Freq. Value
              1 16000
              1 72000
              1 110000
              1 137500
              1 480000
            1,261 .
              1 .c
mean: 163100
std. dev: 182920

percentiles: 10% 25% 50% 75% 90%
              16000 72000 110000 137500 480000
    
```

hilb10 Since last interview, household has received government lottery prize money

```

type: numeric (byte)
label: hilb10
    
```


range: [1,3] units: 1
 unique values: 2 missing .: 0/1,267

tabulation: Freq. Numeric Label
 72 1 yes
 1,195 3 no

hi1c10 How much is the total income per year from government lottery prize money?

type: numeric (long)

range: [2000,100000] units: 10
 unique values: 19 missing .: 1,195/1,267
 unique missing codes: 2 missing *: 3/1,267

tabulation: Freq. Value
 15 2000
 2 2500
 1 3800
 1 3950
 16 4000
 2 5000
 4 6000
 11 8000
 4 10000
 1 10500
 2 12000
 1 14000
 1 16000
 1 20000
 1 25000
 3 40000
 1 70000
 1 80000
 1 100000

1,195 .
 3 .c

mean: 10844.2
 std. dev: 17788.6

percentiles: 10% 25% 50% 75% 90%
 2000 3800 4000 8000 25000

hi1b11 Since last interview, household has received illegal lottery prize money

type: numeric (byte)
 label: hi1b11

range: [1,3] units: 1
 unique values: 2 missing .: 0/1,267

tabulation: Freq. Numeric Label
 311 1 yes
 956 3 no

hi1c11 How much is the total income per year from illegal lottery prize money?

type: numeric (long)

range: [500,300000] units: 1
 unique values: 65 missing .: 956/1,267
 unique missing codes: 3 missing *: 24/1,267

```

tabulation:  Freq.  Value
              1    500
              7    700
              1    750
              1    800
              6   1000
              1   1300
             21   1400
              3   1500
              1   1600
              1   1700
              1   1750
              2   1800
             33   2000
              7   2100
              4   2500
              1  2625
              7   2800
             14   3000
             11   3500
             10   4000
              5   4200
              3   4500
             19   5000
              1  5250
              4   5500
              1  5600
             10   6000
              2   6250
              2   6300
              1   6500
              1   6750
             12   7000
              2   7500
              1   8000
              1   8500
              1   8750
             23  10000
              2  12000
              1  12500
              3  13000
              2  14000
              8  15000
              1  16000
              1  17000
              1  17500
             10  20000
              1  21000
              1  22000
              3  25000
              1  26000
              1  28000
              7  30000
              1  32500
              5  35000
              2  40000
              2  50000
              1  55000
              1  60000
              4  70000
              1  80000
              1  90000
              1 100000
              1 200000
              1 263500
              1 300000
             956 .
              1  .a
             23  .c
    mean:      12464
    std. dev:  29261

```

percentiles:	10%	25%	50%	75%	90%
	1400	2000	5000	10000	30000

hilb12

Since last interview, household has received income from organizing various even

```

type: numeric (byte)
label: hilb12

range: [1,3]
unique values: 2
units: 1
missing .: 0/1,267

tabulation: Freq.  Numeric  Label
              81      1  yes
              1,186    3  no

```

hilc12

How much is the total income per year from organizing various events such as wed

```

type: numeric (long)
label: hilc12, but label does not exist

range: [100,220000]
unique values: 35
unique missing codes: 3
units: 100
missing .: 1,186/1,267
missing *: 19/1,267

tabulation: Freq.  Value
              1  100
              1  200
              1  300
              3  1000
              2  1500
              1  1600
              3  2000
              1  3400
              1  7000
              1  7500
              2  10000
              1  11000
              1  13500
              1  14000
              1  15000
              4  20000
              1  23000
              4  30000
              4  40000
              3  50000
              2  60000
              2  65000
              1  68000
              2  70000
              4  80000
              1  85000
              2  90000
              3  100000
              1  105500
              1  106000
              1  134000
              2  150000
              1  190000
              1  200000
              1  220000
1,186      .
              1  .a
              18  .c
mean:      52211.3
std. dev:  52884.1

```

percentiles: 10% 25% 50% 75% 90%
 1500 10000 40000 80000 106000

hi1b13 **Other income (or not?)**

type: numeric (**byte**)
 label: **hi1b13**
 range: [1,1] units: 1
 unique values: 1 missing .: 673/1,267
 tabulation: Freq. Numeric Label
 594 1 yes
 673 .

hi1b13_des **Description of other income (not display)**

type: string (**str262**), but longest is str0
 unique values: 0 missing "": 1,267/1,267
 tabulation: Freq. Value
 1,267 ""

hi1c13 **How much is the total income per year from other sources**

type: numeric (**long**)
 label: **hi1c13**, but label does not exist
 range: [10,1018300] units: 1
 unique values: 111 missing .: 1,115/1,267
 unique missing codes: 2 missing *: 11/1,267
 mean: 57648.4
 std. dev: 133187
 percentiles: 10% 25% 50% 75% 90%
 1000 3096 15000 31500 152000

hi2a **Since last interview, how much did the household sell rice of the previous produ**

type: numeric (**int**)
 range: [0,3750] units: 1
 unique values: 56 missing .: 0/1,267
 unique missing codes: 1 missing *: 30/1,267
 tabulation: Freq. Value
 1,125 0
 5 1
 2 2
 3 3
 1 4
 1 5
 1 75
 1 100
 1 125
 1 135
 2 140
 2 150
 1 175
 1 190
 2 210
 1 224

```

2 225
7 250
1 270
1 275
6 300
1 320
3 350
1 375
1 390
1 400
2 450
1 495
8 500
1 550
1 560
7 600
1 667
1 675
1 700
9 750
1 760
1 778
2 800
1 875
3 900
1 980
4 1000
3 1050
1 1200
1 1250
1 1350
2 1400
1 1600
1 1650
1 1700
3 1750
1 2000
1 2240
1 3400
1 3750
30 .c
      mean: 57.9313
      std. dev: 262.623
percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

hi2b **Please specify the production unit**

```

      type: numeric(byte)
      label: hi2b
      range: [1,3]
unique values: 2
unique missing codes: 2
      units: 1
      missing .: 1,155/1,267
      missing *: 2/1,267
      tabulation: Freq.  Numeric  Label
                  100      1  kilogram
                  10       3  ton
                  1,155    .
                  2        .d

```

hi2c **Value in Baht**

```

      type: numeric (long)

```

range: [900,70000]
 unique values: 76
 unique missing codes: 3

units: 1
 missing .: 1,125/1,267
 missing *: 13/1,267

tabulation:	Freq.	Value
	1	900
	1	1030
	1	1250
	1	1350
	1	1400
	1	1470
	1	1500
	1	1540
	1	1575
	1	1800
	1	1900
	1	1950
	1	2000
	1	2100
	1	2125
	2	2250
	1	2400
	1	2430
	1	2464
	2	2500
	1	2750
	1	2800
	1	2875
	9	3000
	1	3300
	1	3500
	2	3600
	2	3850
	2	4000
	1	4290
	1	4480
	7	4500
	1	4875
	5	5000
	1	5250
	1	5445
	2	5500
	4	6000
	1	6080
	1	6413
	1	6500
	1	6750
	2	7000
	1	7080
	1	7200
	3	8000
	2	8250
	1	8700
	1	8750
	1	8800
	1	9600
	1	9625
	1	9660
	1	9750
	9	10000
	1	10500
	5	11000
	1	11200
	1	12000
	1	13000
	3	15000
	2	15750
	1	16000
	1	16500
	1	16800
	1	18900
	7	20000

```

          1 21000
          1 21500
          2 22400
          1 23000
          1 36000
          1 40000
          1 41250
          1 50000
          1 70000
    1,125 .
         11 .c
          2 .d
    mean: 9341.14
  std. dev: 9903.07

  percentiles:      10%      25%      50%      75%      90%
                   2000     3000     6000     11000    20000
    
```

hi3a In the past 12 months, has the household received subsidy for a newborn baby

```

      type: numeric (byte)
      label: hi3a

      range: [1,3]
  unique values: 2
                                units: 1
                                missing.: 0/1,267

      tabulation:  Freq.  Numeric  Label
                  23      1  yes
                  1,244    3  no
    
```

hi3aa Since month (unavailable)

```

      type: numeric (byte)
      label: hi3aa, but label does not exist

      range: [.,.]
  unique values: 0
                                units: .
                                missing.: 1,267/1,267

      tabulation:  Freq.  Value
                  1,267  .
      mean:      .
      std. dev:  .

  percentiles:  10%      25%      50%      75%      90%
                .      .      .      .      .
    
```

hi3ab year (unavailable)

```

      type: numeric (int)

      range: [.,.]
  unique values: 0
                                units: .
                                missing.: 1,267/1,267

      tabulation:  Freq.  Value
                  1,267  .
      mean:      .
      std. dev:  .

  percentiles:  10%      25%      50%      75%      90%
                .      .      .      .      .
    
```

hi3ac Total value (THB)

```

type: numeric (int)
range: [3500,10200]
unique values: 11
unique missing codes: 2
units: 100
missing .: 1,244/1,267
missing *: 2/1,267

tabulation: Freq. Value
             1 3500
             2 3600
             1 4600
             4 4800
             1 4900
             2 5400
             2 6000
             4 6600
             2 7200
             1 8400
             1 10200
1,244 .
           2 .c
mean: 5790.48
std. dev: 1646.48

percentiles:      10%      25%      50%      75%      90%
                  3600      4800      5400      6600      7200

```

hi3ad Please specify the reason why you have not received this (unavailable)

```

type: string (str303), but longest is str0
unique values: 0
missing "": 1,267/1,267

tabulation: Freq. Value
            1,267 ""

```

hi4 Do you know of the low-income registration program?

```

type: numeric (byte)
label: hi4
range: [1,3]
unique values: 2
units: 1
missing .: 0/1,267

tabulation: Freq. Numeric Label
            1,255      1 yes
             12       3 no

```

note Interviewer note (unavailable)

```

type: string (str893), but longest is str0
unique values: 0
missing "": 1,267/1,267

tabulation: Freq. Value
            1,267 ""

```

note_cleaner Data cleaner note (not display)

```

type: string (str304), but longest is str0
unique values: 0
missing "": 1,267/1,267

```


tabulation: Freq. Value
 1,267 ""

hilb2f **hilb2f**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,267/1,267
 tabulation: Freq. Value
 1,267 ""

hilb2g **hilb2g**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,267/1,267
 tabulation: Freq. Value
 1,267 ""

hilb2h **hilb2h**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,267/1,267
 tabulation: Freq. Value
 1,267 ""

hilb14 **hilb14**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,267/1,267
 tabulation: Freq. Value
 1,267 ""

hilb14_des **hilb14_des**

type: string (**str223**), but longest is str0
 unique values: 0 missing "": 1,267/1,267
 tabulation: Freq. Value
 1,267 ""

hilc2f **hilc2f**

type: string (**str5**), but longest is str2
 unique values: 1 missing "": 1,266/1,267
 tabulation: Freq. Value
 1,266 ""
 1 "-7"

hi1c2g **hi1c2g**

```

type: string (str6), but longest is str2
unique values: 1 missing "": 1,266/1,267
tabulation: Freq. Value
              1,266 ""
              1  "-7"
    
```

hi1c2h **hi1c2h**

```

type: string (str5), but longest is str2
unique values: 1 missing "": 1,266/1,267
tabulation: Freq. Value
              1,266 ""
              1  "-7"
    
```

hi1c14 **hi1c14**

```

type: string (str6), but longest is str0
unique values: 0 missing "": 1,267/1,267
tabulation: Freq. Value
              1,267 ""
    
```

hi2a_kg
In the past 12 months, how much has the household sold rice which had been produ

```

type: numeric (float)
range: [3,5000] units: 1
unique values: 54 missing .: 1,155/1,267
tabulation: Freq. Value
              2 3
              1 75
              1 100
              1 125
              1 135
              2 140
              2 150
              1 175
              1 190
              2 210
              1 224
              2 225
              7 250
              1 270
              1 275
              6 300
              1 320
              3 350
              1 375
              1 390
              1 400
              2 450
              1 495
              8 500
              1 550
              1 560
    
```

```

          7  600
          1  667
          1  675
          1  700
          9  750
          1  760
          1  778
          2  800
          1  875
          3  900
          1  980
          9 1000
          3 1050
          1 1200
          1 1250
          1 1350
          2 1400
          1 1600
          1 1650
          1 1700
          3 1750
          3 2000
          1 2240
          1 3000
          1 3400
          1 3750
          1 4000
          1 5000
    1,155  .
    mean:  827.143
    std. dev: 826.219

    percentiles:      10%      25%      50%      75%      90%
                     190      300      600      1000     1750

```

```

other_income Total other income (THB)


---


    type: numeric (float)
    range: [0,1033800] units: 1
    unique values: 713 missing .: 0/1,267
    mean: 29138.1
    std. dev: 58633.3
    percentiles:      10%      25%      50%      75%      90%
                     675      9000     18300     29267     44000

```

```

hh_change Sample has moved so that its household structure changed


---


    type: numeric (float)
    label: hh_change
    range: [0,1] units: 1
    unique values: 2 missing .: 0/1,267
    tabulation:
    Freq.   Numeric   Label
    1,254     0   no
     13      1   yes

```

```

survey_name survey round


---


    type: string (str12)
    unique values: 1 missing "": 0/1,267

```

tabulation: Freq. Value
1,267 "RESURVEY2017"

year_survey **year_survey**

type: numeric (**float**)
range: [2017,2017] units: 1
unique values: 1 missing .: 0/1,267
tabulation: Freq. Value
1,267 2017
mean: 2017
std. dev: 0
percentiles: 10% 25% 50% 75% 90%
2017 2017 2017 2017 2017

2 . log close
name: <unnamed>
log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018\\codebook\\2017\\a7.scml
log type: smcl
closed on: 7 Nov 2024, 10:31:41
