



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2017\a7_table1.scml
log type: smcl
opened on: 7 Nov 2024, 10:32:38
    
```

1 . codebookr \_all,all

```

> un.dta
Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\a7_table1_r
Last saved: 7 Nov 2024 10:32
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 17
Number of observations: 5,937
Size: 700,566 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                          NA
                  .c                          DK
                  .d                          MI
    
```

---

**pid** **personal id**

---

```

type: string (str18)
unique values: 5,937 missing "": 0/5,937
examples: "201591161006207H2"
           "201691131006130H4"
           "201691160106069H3"
           "201691161708041H2"
    
```

---

**hhid** **household id**

---

```

type: string (str15)
unique values: 1,255 missing "": 0/5,937
examples: "201591161006207"
           "201691131006130"
           "201691160106069"
           "201691161708041"
    
```

---

**iyear** **year**

---

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/5,937
tabulation: Freq. Value
              2,099 "2015"
              3,838 "2016"
    
```

---

**prov** **province**

---

```

type: string (str2)
unique values: 2 missing "": 0/5,937
tabulation: Freq. Value
              5,385 "91"
              552  "93"
    
```

---

**amp** **amphoe**

---

```

type: string (str2)
unique values: 8 missing "": 0/5,937
tabulation: Freq. Value
              4  "09"
              552 "12"
              994 "13"
              484 "14"
              604 "15"
              2,239 "16"
              140 "17"
              920 "18"
    
```

---

**tam** **tambon**

---

```

type: string (str2)
unique values: 15 missing "": 0/5,937
tabulation: Freq. Value
              283 "01"
              886 "02"
              492 "04"
              235 "05"
              243 "06"
              249 "07"
              246 "08"
              407 "09"
              518 "10"
              371 "11"
              620 "13"
              200 "14"
              579 "15"
              400 "17"
              208 "19"
    
```

---

**moo** **moo**

---

```

type: string (str2)
unique values: 22 missing "": 0/5,937
    
```

```

tabulation:  Freq.  Value
              592  "01"
              288  "02"
              559  "03"
              640  "04"
              520  "05"
              644  "06"
              302  "07"
              620  "08"
              400  "09"
              293  "10"
              224  "11"
              159  "12"
              160  "13"
               37  "14"
               38  "15"
              154  "16"
               37  "17"
               46  "18"
              116  "19"
                4  "20"
               78  "22"
               26  "24"
    
```

---

**strucid** **structure ID**

---

```

type: string (str3)
unique values: 184           missing "": 0/5,937
examples: "011"
          "034"
          "069"
          "137"
    
```

---

**no** **order**

---

```

type: numeric (byte)
range: [1,11]           units: 1
unique values: 11       missing .: 0/5,937

tabulation:  Freq.  Value
              1,251  1
              1,203  2
              1,175  3
               910  4
               632  5
               409  6
               212  7
                87  8
                35  9
                 18 10
                 5 11
mean: 3.22823
std. dev: 1.88293

percentiles:      10%      25%      50%      75%      90%
                  1         2         3         4         6
    
```

---

**hi4\_a** **Member ID**

---

```

type: string (str5), but longest is str3
unique values: 11           missing "": 0/5,937
    
```

```

tabulation: Freq. Value
            1,251 "H1"
              18 "H10"
               5 "H11"
            1,202 "H2"
            1,175 "H3"
               910 "H4"
               632 "H5"
               410 "H6"
               212 "H7"
                87 "H8"
                35 "H9"
    
```

---

**hi4\_b** **Nickname (unavailable)**

---

```

type: string (str33), but longest is str0
unique values: 0 missing "": 5,937/5,937
tabulation: Freq. Value
            5,937 ""
    
```

---

**hi4\_c Since last interview, have you and your household members registered for the pro**

---

```

type: numeric (byte)
label: hi4_c
range: [1,3] units: 1
unique values: 2 missing .: 2/5,937
unique missing codes: 3 missing *: 13/5,937
tabulation: Freq. Numeric Label
            2,000 1 yes
            3,922 3 no
               2 .
               3 .c
               10 .d
    
```

---

**hi4\_d Since last interview, how much money did you and your household members receive**

---

```

type: numeric (long)
range: [0,3000] units: 100
unique values: 6 missing .: 3,937/5,937
unique missing codes: 3 missing *: 16/5,937
tabulation: Freq. Value
            1,128 0
              272 1500
               1 2000
               1 2400
               3 2500
              579 3000
            3,937 .
               10 .c
                6 .d
mean: 1087.15
std. dev: 1329.79
percentiles: 10% 25% 50% 75% 90%
              0 0 0 3000 3000
    
```

---

**note\_cleaner** **Data note cleaner**

---

```

type: string (str1), but longest is str0
unique values: 0 missing "": 5,937/5,937
tabulation: Freq. Value
5,937 ""

```

---

**hh\_change** **Sample has moved so that its household structure changed**

---

```

type: numeric (float)
label: hh_change
range: [0,1] units: 1
unique values: 2 missing .: 0/5,937
tabulation: Freq. Numeric Label
5,887 0 no
50 1 yes

```

---

**survey\_name** **survey round**

---

```

type: string (str12)
unique values: 1 missing "": 0/5,937
tabulation: Freq. Value
5,937 "RESURVEY2017"

```

---

**year\_survey** **year survey**

---

```

type: numeric (float)
range: [2017,2017] units: 1
unique values: 1 missing .: 0/5,937
tabulation: Freq. Value
5,937 2017
mean: 2017
std. dev: 0
percentiles: 10% 25% 50% 75% 90%
2017 2017 2017 2017 2017

```

```

2 . log close
name: <unnamed>
log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\2017\a7_table1.scml
log type: smcl
closed on: 7 Nov 2024, 10:32:38

```

---