



```

name: <unnamed>
log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\a8.smcl
log type: smcl
opened on: 7 Nov 2024, 10:34:04
    
```

1 . codebookr \_all,all

```

Dataset: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\a8_run.dta
Last saved: 7 Nov 2024 10:32
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 289
Number of observations: 1,267
Size: 18,311,951 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                    NA
                  .c                    DK
                  .d                    MI
    
```

---

**hhid** **household id**

---

```

type: string (str15)
unique values: 1,267 missing "": 0/1,267
examples: "201591160604209"
           "201691131001998"
           "201691160105105"
           "201691161706110"
    
```

---

**iyear** **year**

---

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/1,267
tabulation: Freq. Value
              459 "2015"
              808 "2016"
    
```

---

**prov** **province**

---

```

type: string (str2)
    
```

unique values: 2 missing "": 0/1,267

tabulation:	Freq.	Value
	1,145	"91"
	122	"93"

---

amp

amphoe

---

type: string (str2)

unique values: 8 missing "": 0/1,267

tabulation:	Freq.	Value
	1	"09"
	122	"12"
	226	"13"
	106	"14"
	124	"15"
	475	"16"
	32	"17"
	181	"18"

---

tam

tambon

---

type: string (str2)

unique values: 15 missing "": 0/1,267

tabulation:	Freq.	Value
	57	"01"
	202	"02"
	106	"04"
	51	"05"
	50	"06"
	55	"07"
	49	"08"
	85	"09"
	115	"10"
	73	"11"
	125	"13"
	42	"14"
	129	"15"
	84	"17"
	44	"19"

---

moo

moo

---

type: string (str2)

unique values: 22 missing "": 0/1,267

tabulation:	Freq.	Value
	126	"01"
	57	"02"
	122	"03"
	140	"04"
	114	"05"
	137	"06"
	63	"07"
	132	"08"
	79	"09"
	64	"10"
	45	"11"
	36	"12"
	36	"13"
	10	"14"

```

9 "15"
33 "16"
8 "17"
11 "18"
24 "19"
1 "20"
14 "22"
6 "24"

```

---

**strucid** **structure ID**

---

```

type: string (str3)
unique values: 185           missing "": 0/1,267
examples: "010"
           "034"
           "070"
           "142"

```

---

**no\_A** **no A**

---

```

type: numeric (byte)
range: [1,1]           units: 1
unique values: 1       missing .: 0/1,267

tabulation: Freq. Value
            1,267  1
mean:      1
std. dev:  0

percentiles: 10%    25%    50%    75%    90%
              1      1      1      1      1

```

---

**description\_A** **Item of expenditure: rice & flour (not display)**

---

```

type: string (str292), but longest is str0
unique values: 0           missing "": 1,267/1,267

tabulation: Freq. Value
            1,267  ""

```

**description\_A:**

1. subjected to a carryforward operation

---

**hc0\_A** **Code of Inseparable expenses**

---

```

type: string (str58), but longest is str0
unique values: 0           missing "": 1,267/1,267

tabulation: Freq. Value
            1,267  ""

```

---

**hc1\_A** **HH. Expenses: Rice, glutinous rice, flour, product from flour (THB)**

---

```

type: numeric (long)

```

range: [0,1079] units: 1  
 unique values: 175 missing .: 0/1,267  
 unique missing codes: 2 missing \*: 8/1,267  
  
 mean: 38.0874  
 std. dev: 110.006  
  
 percentiles: 10% 25% 50% 75% 90%  
                   0 0 0 0 129

**hc2\_A Value of producing: Rice, glutinous rice, flour, product from flour (THB)**

type: numeric (int)  
  
 range: [0,1650] units: 1  
 unique values: 387 missing .: 0/1,267  
 unique missing codes: 2 missing \*: 9/1,267  
  
 mean: 223.38  
 std. dev: 183.01  
  
 percentiles: 10% 25% 50% 75% 90%  
                   0 101 198 309 439

**hc3\_A Value of receiving: Rice, glutinous rice, flour, product from flour (THB)**

type: numeric (long)  
  
 range: [0,808] units: 1  
 unique values: 66 missing .: 0/1,267  
 unique missing codes: 2 missing \*: 36/1,267

tabulation:

Freq.	Value
1,142	0
1	3
3	6
1	7
1	10
2	13
3	14
2	16
2	17
1	19
1	20
1	21
1	23
1	24
2	26
2	29
1	30
1	31
2	33
1	34
1	38
1	42
1	47
3	52
1	56
1	61
1	63
1	66
2	70
2	77
1	81
1	84
2	85
3	93
1	98

```

1 99
1 101
1 102
1 105
1 108
1 116
1 125
1 131
5 153
1 157
1 163
1 165
1 171
1 174
1 175
1 195
3 209
1 223
1 233
1 260
1 262
1 265
1 269
2 279
1 302
1 349
1 360
1 372
1 491
1 500
1 808
1 .a
35 .c
mean: 8.78635
std. dev: 47.2777
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0

```

---

**freq\_A** **Frequency: Weekly**

---

```

type: numeric (byte)
label: freq
range: [5,5] units: 1
unique values: 1 missing.: 1/1,267
tabulation: Freq. Numeric Label
            1,266 5 weekly
            1 .

```

---

**no\_B** **no B**

---

```

type: numeric (byte)
range: [2,2] units: 1
unique values: 1 missing.: 0/1,267
tabulation: Freq. Value
            1,267 2
mean: 2
std. dev: 0
percentiles: 10% 25% 50% 75% 90%
              2 2 2 2 2

```

---

**description\_B**

Item of expenditure: food & materials, beverage (excluding alcohol drink) (not d

---

type: string (**str292**), but longest is str0  
 unique values: 0 missing "": 1,267/1,267  
 tabulation: Freq. Value  
 1,267 ""

**description\_B:**

1. subjected to a carryforward operation

---

**hc0\_B**

Code of Inseparable expenses

---

type: string (**str58**), but longest is str13  
 unique values: 1 missing "": 1,266/1,267  
 tabulation: Freq. Value  
 1,266 ""  
 1 "200/฿"

---

**hc1\_B**

HH. expenses: Expenses on food, non-alcoholic beverages (THB)

---

type: numeric (**long**)  
 range: [0,7030] units: 1  
 unique values: 323 missing .: 0/1,267  
 unique missing codes: 2 missing \*: 14/1,267  
 mean: 1238.44  
 std. dev: 700.672  
 percentiles: 10% 25% 50% 75% 90%  
 500 720 1085 1470 2140

---

**hc2\_B**

Value of producing: Expenses on food, non-alcoholic beverages (THB)

---

type: numeric (**int**)  
 range: [0,291] units: 1  
 unique values: 5 missing .: 0/1,267  
 unique missing codes: 2 missing \*: 6/1,267  
 tabulation: Freq. Value  
 1,257 0  
 1 28  
 1 100  
 1 210  
 1 291  
 1 .a  
 5 .c  
 mean: .49881  
 std. dev: 10.5127  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hc3\_B**

Value of receiving: Expenses on food, non-alcoholic beverages (THB)

---

```

type: numeric (long)
range: [0,3500]
unique values: 11
unique missing codes: 2
units: 1
missing .: 0/1,267
missing *: 133/1,267

```

```

tabulation: Freq. Value
1,124 0
1 11
1 15
1 36
1 39
1 58
1 111
1 700
1 1250
1 2700
1 3500
1 .a
132 .c
mean: 7.42504
std. dev: 137.91

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0

```

---

**freq\_B** **Frequency: Weekly**

---

```

type: numeric (byte)
label: freq
range: [5,5]
unique values: 1
units: 1
missing .: 1/1,267

tabulation: Freq. Numeric Label
1,266 5 weekly
1 .

```

---

**no\_C** **code C**

---

```

type: numeric (byte)
range: [3,3]
unique values: 1
units: 1
missing .: 0/1,267

tabulation: Freq. Value
1,267 3
mean: 3
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
3 3 3 3 3

```

---

**description\_C** **Item of expenditure: alcohol drinks (not display)**

---

```

type: string (str292), but longest is str0
unique values: 0
missing "": 1,267/1,267

tabulation: Freq. Value
1,267 ""

```

**description\_C:**  
1. subjected to a carryforward operation

---

**hc0\_C** **Code of Inseparable expenses**

---

```

type: string (str58), but longest is str4
unique values: 2 missing "": 1,263/1,267
tabulation: Freq. Value
             1,263 ""
             1 "C ,D"
             3 "C,D"
warning: variable has embedded blanks
    
```

---

**hc1\_C** **HH. Expenses: Alcoholic beverages (THB)**

---

```

type: numeric (long)
range: [0,10000] units: 1
unique values: 74 missing .: 0/1,267
unique missing codes: 2 missing *: 301/1,267
    
```

```

tabulation: Freq. Value
             640 0
             1 30
             1 40
             1 43
             2 45
             6 50
             9 60
             1 65
             1 70
             1 86
             1 90
            15 100
             1 115
             2 120
             1 129
             1 138
             7 150
             1 193
            22 200
             2 215
             1 225
             2 237
            12 250
             6 258
            27 300
             1 340
             6 350
             1 360
             2 387
             6 400
             6 430
            10 450
            18 500
             7 550
            11 600
             1 615
             2 645
             1 688
             4 700
             1 720
             1 750
             1 800
             5 860
            22 900
            12 1000
             1 1020
    
```



```

      4 1050
      1 1150
      3 1200
      1 1290
      1 1473
      8 1500
      1 1575
      1 1692
      1 1695
      1 1750
     20 1800
      1 1935
      1 1950
      7 2000
      4 2100
      1 2150
      1 2500
     12 3000
      1 3180
      1 3500
      2 3600
      1 4350
      1 5100
      1 5400
      1 7200
      2 7500
      3 9000
      1 10000
      1 .a
     300 .c
    mean: 332.788
   std. dev: 946.14

percentiles:      10%      25%      50%      75%      90%
                  0         0         0       250       900

```

---

**hc2\_C** **Value of producing: Alcoholic beverages (THB)**

---

```

      type: numeric (int)

      range: [0,0]
unique values: 1
unique missing codes: 1

      tabulation: Freq. Value
                  1,266 0
                  1 .a
      mean: 0
      std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

---

**hc3\_C** **Value of receiving: Alcoholic beverages (THB)**

---

```

      type: numeric (long)

      range: [0,0]
unique values: 1
unique missing codes: 2

      tabulation: Freq. Value
                  1,223 0
                  1 .a
                  43 .c
      mean: 0
      std. dev: 0

      units: 1
missing .: 0/1,267
missing *: 44/1,267

```

percentiles:           10%       25%       50%       75%       90%  
                           0           0           0           0           0

---

**freq\_C** **Frequency: Monthly**

---

type: numeric (**byte**)  
 label: **freq**  
 range: [9,9]                                   units: 1  
 unique values: 1                               missing .: 1/1,267  
 tabulation: Freq.   Numeric   Label  
               1,266        9   monthly  
                   1           .

---

**no\_D** **code D**

---

type: numeric (**byte**)  
 range: [4,4]                                   units: 1  
 unique values: 1                               missing .: 0/1,267  
 tabulation: Freq.   Value  
               1,267    4  
 mean:           4  
 std. dev:       0  
 percentiles:    10%       25%       50%       75%       90%  
                   4           4           4           4           4

---

**description\_D**                   **Item of expenditure: cigarette, tobacco, baccy (not display)**

---

type: string (**str292**), but longest is str0  
 unique values: 0                               missing "": 1,267/1,267  
 tabulation: Freq.   Value  
               1,267    "

**description\_D:**  
 1. subjected to a carryforward operation

---

**hc0\_D** **Code of Inseparable expenses**

---

type: string (**str58**), but longest is str4  
 unique values: 2                               missing "": 1,263/1,267  
 tabulation: Freq.   Value  
               1,263    "  
                   1    "C, D"  
                   3    "C,D"  
 warning: variable has embedded blanks

---

**hc1\_D** **HH. Expenses: Tobacco, cigarett (THB)**

---

type: numeric (**long**)

range: [0,4500]  
 unique values: 91  
 unique missing codes: 2

units: 1  
 missing .: 0/1,267  
 missing \*: 274/1,267

tabulation:	Freq.	Value
	586	0
	2	5
	1	10
	1	18
	5	20
	1	21
	5	22
	5	26
	1	27
	5	30
	1	33
	3	35
	3	36
	1	38
	2	40
	1	42
	7	43
	1	44
	3	45
	2	48
	9	50
	2	52
	10	60
	3	65
	1	67
	6	72
	11	75
	2	77
	12	86
	5	90
	28	100
	1	103
	1	105
	1	108
	4	120
	1	123
	51	150
	1	151
	1	159
	1	168
	1	172
	1	175
	20	180
	1	195
	9	200
	2	215
	2	225
	2	250
	37	300
	3	350
	9	360
	1	375
	1	390
	2	400
	3	430
	2	450
	1	473
	1	480
	9	500
	1	540
	1	550
	12	600
	2	700
	5	750
	2	800
	2	825
	1	860

```

7 900
1 945
2 975
8 1000
2 1050
5 1200
1 1275
1 1290
5 1350
1 1355
12 1500
5 1650
3 1800
3 1950
3 2000
2 2100
1 2150
1 2500
3 2700
3 3000
1 3300
1 3900
1 4000
1 4500
1 .a
273 .c
mean: 189.626
std. dev: 485.356

percentiles:    10%    25%    50%    75%    90%
                0      0      0     150     500

```

---

**hc2\_D** **Value of producing: Tobacco, cigarett (THB)**

---

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 1

units: 1
missing .: 0/1,267
missing *: 1/1,267

tabulation: Freq. Value
             1,266 0
             1 .a
mean: 0
std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

---

**hc3\_D** **Value of receiving: Tobacco, cigarett (THB)**

---

```

type: numeric (long)
range: [0,0]
unique values: 1
unique missing codes: 2

units: 1
missing .: 0/1,267
missing *: 3/1,267

tabulation: Freq. Value
             1,264 0
             1 .a
             2 .c
mean: 0
std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

---

**freq\_D** **Frequency: Monthly**

---

```

type: numeric (byte)
label: freq
range: [9,9]
unique values: 1
units: 1
missing ..: 1/1,267

tabulation: Freq.  Numeric  Label
             1,266    9      monthly
             1         .
    
```

---

**no\_E** **code E**

---

```

type: numeric (byte)
range: [5,5]
unique values: 1
units: 1
missing ..: 0/1,267

tabulation: Freq.  Value
             1,267  5
mean:      5
std. dev:  0

percentiles: 10%    25%    50%    75%    90%
              5     5     5     5     5
    
```

---

**description\_E**  
 Item of expenditure: eliecticity, plumbing, phone, internet connect etc. (not d

---

```

type: string (str292), but longest is str0
unique values: 0
missing "": 1,267/1,267

tabulation: Freq.  Value
             1,267  ""
    
```

**description\_E:**  
 1. subjected to a carryforward operation

---

**hc0\_E** **Code of Inseparable expenses**

---

```

type: string (str58), but longest is str0
unique values: 0
missing "": 1,267/1,267

tabulation: Freq.  Value
             1,267  ""
    
```

---

**hc1\_E HH. Expenses: Utilities such as water, electricity, telephone and internet (THB)**

---

```

type: numeric (long)
range: [0,13200]
unique values: 511
unique missing codes: 2
units: 1
missing ..: 0/1,267
missing *: 6/1,267

mean: 1006.48
std. dev: 866.582
    
```

percentiles:	10%	25%	50%	75%	90%
	350	525	775	1200	1875

---

**hc2\_E Value of producing: Utilities such as water, electricity, telephone and internet**

---

type: numeric (int)

range:	[0,0]	units:	1
unique values:	1	missing .:	0/1,267
unique missing codes:	1	missing *:	1/1,267

  

tabulation:	Freq.	Value
	1,266	0
	1	.a

mean: 0

std. dev: 0

  

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

---

**hc3\_E Value of receiving: Utilities such as water, electricity, telephone and internet**

---

type: numeric (long)

range:	[0,5600]	units:	10
unique values:	9	missing .:	0/1,267
unique missing codes:	2	missing *:	38/1,267

  

tabulation:	Freq.	Value
	1,207	0
	2	50
	8	100
	1	200
	4	300
	2	400
	3	600
	1	700
	1	5600
	1	.a
	37	.c

mean: 9.1131

std. dev: 165.494

  

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

---

**freq\_E Frequency: Monthly**

---

type: numeric (byte)

label: freq

range:	[9,9]	units:	1
unique values:	1	missing .:	1/1,267

  

tabulation:	Freq.	Numeric	Label
	1,266	9	monthly
	1	.	

---

**no\_F code F**

---

type: numeric (byte)

range: [6,6] units: 1  
 unique values: 1 missing .: 0/1,267

tabulation:	Freq.	Value			
	1,267	6			
mean:		6			
std. dev:		0			

percentiles:	10%	25%	50%	75%	90%
	6	6	6	6	6

---

**description\_F** **Item of expenditure: house rent (not display)**

---

type: string (**str292**), but longest is str0  
 unique values: 0 missing "": 1,267/1,267

tabulation:	Freq.	Value
	1,267	" "

**description\_F:**  
 1. subjected to a carryforward operation

---

**hc0\_F** **Code of Inseparable expenses**

---

type: string (**str58**), but longest is str0  
 unique values: 0 missing "": 1,267/1,267

tabulation:	Freq.	Value
	1,267	" "

---

**hc1\_F** **HH. Expenses: House rents (THB)**

---

type: numeric (**long**)

range: [0,2500] units: 1  
 unique values: 10 missing .: 0/1,267  
 unique missing codes: 2 missing \*: 3/1,267

tabulation:	Freq.	Value			
	1,253	0			
	1	150			
	2	300			
	1	500			
	1	600			
	1	900			
	1	962			
	1	1000			
	1	2000			
	2	2500			
	1	.a			
	2	.c			

mean: 9.26582  
 std. dev: 125.648

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

---

**hc2\_F** **Value of producing: House rents (THB)**

---

type: numeric (**int**)

```

        range: [0,0]                units: 1
    unique values: 1                missing .: 0/1,267
    unique missing codes: 1        missing *: 1/1,267

    tabulation:  Freq.  Value
                 1,266  0
                 1     .a
    mean:        0
    std. dev:    0

    percentiles: 10%    25%    50%    75%    90%
                 0      0      0      0      0
    
```

**hc3\_F** **Value of receiving: House rents (THB)**

```

        type: numeric (long)

        range: [0,0]                units: 1
    unique values: 1                missing .: 0/1,267
    unique missing codes: 2        missing *: 2/1,267

    tabulation:  Freq.  Value
                 1,265  0
                 1     .a
                 1     .c
    mean:        0
    std. dev:    0

    percentiles: 10%    25%    50%    75%    90%
                 0      0      0      0      0
    
```

**freq\_F** **Frequency: Monthly**

```

        type: numeric (byte)
    label:  freq

        range: [9,9]                units: 1
    unique values: 1                missing .: 1/1,267

    tabulation:  Freq.  Numeric  Label
                 1,266    9    monthly
                 1         .
    
```

**no\_G** **code G**

```

        type: numeric (byte)

        range: [7,7]                units: 1
    unique values: 1                missing .: 0/1,267

    tabulation:  Freq.  Value
                 1,267  7
    mean:        7
    std. dev:    0

    percentiles: 10%    25%    50%    75%    90%
                 7      7      7      7      7
    
```

**description\_G** **Item of expenditure: fuel and gasoline (not display)**

```

        type: string (str292), but longest is str0
    unique values: 0                missing "": 1,267/1,267
    
```



tabulation: Freq. Value  
 1,267 ""

**description\_G:**

1. subjected to a carryforward operation

---

**hc0\_G** **Code of Inseparable expenses**

---

type: string (**str58**), but longest is str23  
 unique values: 1 missing "": 1,266/1,267  
 tabulation: Freq. Value  
 1,266 ""  
 1 "400-500/เดือน"

---

**hc1\_G** **HH. Expenses: Fuel such as gasoline and gas for private car (THB)**

---

type: numeric (**long**)  
 range: [0,20000] units: 1  
 unique values: 170 missing .: 0/1,267  
 unique missing codes: 2 missing \*: 77/1,267  
 mean: 1124.38  
 std. dev: 1602.55  
 percentiles: 10% 25% 50% 75% 90%  
 150 300 527 1290 2700

---

**hc2\_G** **Value of producing: Fuel such as gasoline and gas for private car (THB)**

---

type: numeric (**int**)  
 range: [0,0] units: 1  
 unique values: 1 missing .: 0/1,267  
 unique missing codes: 1 missing \*: 1/1,267  
 tabulation: Freq. Value  
 1,266 0  
 1 .a  
 mean: 0  
 std. dev: 0  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hc3\_G** **Value of receiving: Fuel such as gasoline and gas for private car (THB)**

---

type: numeric (**long**)  
 range: [0,0] units: 1  
 unique values: 1 missing .: 0/1,267  
 unique missing codes: 1 missing \*: 1/1,267  
 tabulation: Freq. Value  
 1,266 0  
 1 .a  
 mean: 0  
 std. dev: 0  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**freq\_G** **Frequency: Monthly**

---

```

type: numeric (byte)
label: freq

range: [9,9]                units: 1
unique values: 1            missing .: 1/1,267

tabulation: Freq.  Numeric  Label
             1,266    9      monthly
             1        .
    
```

---

**no\_H** **code H**

---

```

type: numeric (byte)

range: [8,8]                units: 1
unique values: 1            missing .: 0/1,267

tabulation: Freq.  Value
             1,267  8
             mean:  8
             std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                8      8      8      8      8
    
```

---

**description\_H** **Item of expenditure: cooking fuel and gasoline (not display)**

---

```

type: string (str292), but longest is str0

unique values: 0            missing "": 1,267/1,267

tabulation: Freq.  Value
             1,267  ""
    
```

**description\_H:**

1. subjected to a carryforward operation

---

**hc0\_H** **Code of Inseparable expenses**

---

```

type: string (str58), but longest is str29

unique values: 1            missing "": 1,266/1,267

tabulation: Freq.  Value
             1,266  ""
             1    "250฿ 2เดือน"

warning: variable has embedded blanks
    
```

---

**hc1\_H** **HH. Expenses: Gas, firewood for cooking (THB)**

---

```

type: numeric (long)

range: [0,2775]            units: 1
unique values: 268        missing .: 0/1,267
unique missing codes: 2    missing *: 10/1,267

mean: 256.414
std. dev: 219.806
    
```



```

          1  900
          1  910
          1 1000
          1  .a
        330  .c
    mean:   62.9925
    std. dev: 145.436

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      250
    
```

---

**hc3\_H** **Value of receiving: Gas, firewood for cooking (THB)**

---

```

    type: numeric (long)
    range: [0,240]
    unique values: 9
    unique missing codes: 2
    units: 1
    missing .: 0/1,267
    missing *: 8/1,267
    
```

```

    tabulation: Freq. Value
                1,249  0
                 2    10
                 1    38
                 1    60
                 1    65
                 2    75
                 1   114
                 1   140
                 1   240
                 1  .a
                 7  .c
    mean:   .656871
    std. dev: 9.36674
    
```

```

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

---

**freq\_H** **Frequency: Monthly**

---

```

    type: numeric (byte)
    label: freq
    range: [9,9]
    unique values: 1
    units: 1
    missing .: 1/1,267

    tabulation: Freq. Numeric Label
                1,266      9 monthly
                 1          .
    
```

---

**no\_I** **code I**

---

```

    type: numeric (byte)
    range: [9,9]
    unique values: 1
    units: 1
    missing .: 0/1,267

    tabulation: Freq. Value
                1,267  9
    mean:   9
    std. dev: 0

    percentiles:    10%    25%    50%    75%    90%
                   9      9      9      9      9
    
```

---

**description\_I** **Item of expenditure: household supplies (not display)**

---

```

type: string (str292), but longest is str0
unique values: 0 missing "": 1,267/1,267
tabulation: Freq. Value
             1,267 ""
    
```

**description\_I:**

1. subjected to a carryforward operation

---

**hc0\_I** **Code of Inseparable expenses**

---

```

type: string (str58), but longest is str19
unique values: 1 missing "": 1,266/1,267
tabulation: Freq. Value
             1,266 ""
             1 "150/เดือน"
    
```

---

**hc1\_I HH. Expenses: Household products such as soap, toothpaste, shampoo, laundry dete**

---

```

type: numeric (long)
range: [0,6450] units: 1
unique values: 72 missing .: 0/1,267
unique missing codes: 2 missing *: 74/1,267
tabulation: Freq. Value
             81 0
             4 50
             1 55
             2 83
             1 86
            30 100
             1 112
             2 120
            18 150
             1 155
             3 167
             1 175
             1 180
             1 186
             1 188
            86 200
             1 210
             1 238
            33 250
             1 255
             1 259
             1 260
             1 285
           102 300
             1 333
            28 350
             1 360
             1 370
             1 380
            37 400
             1 420
             2 430
            33 450
           234 500
            23 550
    
```

```

11 600
2 645
13 650
1 680
16 700
8 750
13 800
2 850
2 860
1 933
1 950
231 1000
3 1075
1 1100
1 1150
12 1200
3 1250
1 1290
1 1350
1 1429
1 1450
48 1500
1 1505
1 1700
2 1750
44 2000
2 2150
6 2500
15 3000
2 3500
1 4000
1 4300
3 4500
2 5000
1 5500
1 6000
1 6450
1 .a
73 .c
mean: 700.039
std. dev: 692.317

percentiles:      10%      25%      50%      75%      90%
                  112      300      500      1000     1500

```

---

**hc2\_I Value of producing: Household products such as soap, toothpaste, shampoo, laundr**

---

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 1

units: 1
missing .: 0/1,267
missing *: 1/1,267

tabulation: Freq. Value
1,266 0
1 .a
mean: 0
std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

---

**hc3\_I Value of receiving: Household products such as soap, toothpaste, shampoo, laundr**

---

```

type: numeric (long)

```

range: [0,14000] units: 1  
 unique values: 13 missing .: 0/1,267  
 unique missing codes: 2 missing \*: 79/1,267

tabulation: Freq. Value  
 1,168 0  
 1 42  
 1 200  
 1 300  
 1 477  
 5 500  
 1 600  
 4 1000  
 2 1250  
 1 1500  
 1 2500  
 1 3000  
 1 14000  
 1 .a  
 78 .c  
 mean: 26.6153  
 std. dev: 432.224

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**freq\_I** **Frequency: Monthly**

---

type: numeric (**byte**)  
 label: **freq**  
 range: [9,9] units: 1  
 unique values: 1 missing .: 1/1,267  
 tabulation: Freq. Numeric Label  
 1,266 9 monthly  
 1 .

---

**no\_J** **code J**

---

type: numeric (**byte**)  
 range: [10,10] units: 1  
 unique values: 1 missing .: 0/1,267  
 tabulation: Freq. Value  
 1,267 10  
 mean: 10  
 std. dev: 0  
 percentiles: 10% 25% 50% 75% 90%  
 10 10 10 10 10

---

**description\_J** **Item of expenditure: gambling activities as lotteries (not display)**

---

type: string (**str292**), but longest is str0  
 unique values: 0 missing "": 1,267/1,267  
 tabulation: Freq. Value  
 1,267 ""

**description\_J:**  
 1. subjected to a carryforward operation

---

hc0\_J

Code of Inseparable expenses

---

```

type: string (str58), but longest is str19
unique values: 1 missing "": 1,266/1,267
tabulation: Freq. Value
             1,266 ""
             1 "ငဘဏ် 200"
warning: variable has embedded blanks
    
```

---

hc1\_J HH. Expenses: Lottery such as illegal lottery, government lottery, gold lottery

---

```

type: numeric (long)
range: [0,30000] units: 1
unique values: 100 missing .: 0/1,267
unique missing codes: 3 missing *: 41/1,267
tabulation: Freq. Value
            400 0
            1 5
            2 8
            1 10
            1 17
            1 25
            1 27
            1 29
            1 30
            1 33
            1 35
            7 40
            1 42
            1 43
            1 45
            3 50
            1 67
            1 71
            1 75
            3 80
            2 83
           15 100
            1 110
            2 115
            1 120
            2 125
            1 128
            1 133
            1 136
            4 150
           12 160
           59 200
            1 208
            1 227
            1 231
            2 240
           14 250
            1 273
            1 280
            1 290
            1 292
           47 300
            1 310
            2 320
            1 340
            8 350
            1 361
    
```



```

1 380
50 400
10 450
73 500
8 550
1 560
47 600
4 650
1 680
12 700
4 750
20 800
1 821
1 833
1 860
17 900
114 1000
9 1100
1 1160
9 1200
3 1250
5 1300
4 1400
30 1500
2 1550
2 1600
1 1700
1 1720
1 1800
2 1900
75 2000
1 2200
1 2400
6 2500
1 2600
1 2800
1 2900
35 3000
3 3500
1 3600
22 4000
1 4100
2 4500
6 5000
1 5500
10 6000
1 6500
1 7000
3 8000
1 9000
1 10000
2 20000
1 30000
1 .a
36 .c
4 .d

```

```

mean: 830.203
std. dev: 1655.15

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      355.5  1000   2000

```

---

**hc2\_J Value of producing: Lottery such as illegal lottery, government lottery, gold lo**

---

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 2
units: 1
missing .: 0/1,267
missing *: 5/1,267

```

```

tabulation: Freq. Value
             1,262  0
             1   .a
             4   .d
mean:       0
std. dev:   0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

**hc3\_J Value of receiving: Lottery such as illegal lottery, government lottery, gold lo**

```

type: numeric (long)
range: [0,0] units: 1
unique values: 1 missing.: 0/1,267
unique missing codes: 2 missing*: 5/1,267

tabulation: Freq. Value
             1,262  0
             1   .a
             4   .d
mean:       0
std. dev:   0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

**freq\_J Frequency: Monthly**

```

type: numeric (byte)
label: freq
range: [9,9] units: 1
unique values: 1 missing.: 1/1,267

tabulation: Freq. Numeric Label
             1,266      9 monthly
             1           .
    
```

**no\_K code K**

```

type: numeric (byte)
range: [11,11] units: 1
unique values: 1 missing.: 0/1,267

tabulation: Freq. Value
             1,267  11
mean:       11
std. dev:   0

percentiles: 10%    25%    50%    75%    90%
              11     11     11     11     11
    
```

**description\_K Item of expenditure: pharmaceutical products (not display)**

```

type: string (str292), but longest is str0
unique values: 0 missing "": 1,267/1,267

tabulation: Freq. Value
             1,267 ""
    
```

**description\_K:**

1. subjected to a carryforward operation

---

**hc0\_K** **Code of Inseparable expenses**

---

type: string (**str58**), but longest is str0  
 unique values: 0 missing "": 1,267/1,267  
 tabulation: Freq. Value  
 1,267 ""

---

**hcl\_K** **HH. Expenses: Expense on medicine THB)**

---

type: numeric (**long**)  
 range: [0,220000] units: 1  
 unique values: 87 missing .: 0/1,267  
 unique missing codes: 2 missing \*: 53/1,267

tabulation:	Freq.	Value
	591	0
	2	10
	1	15
	1	18
	12	20
	1	23
	8	25
	14	30
	5	35
	6	40
	4	45
	27	50
	1	51
	1	53
	1	54
	5	55
	12	60
	2	70
	2	71
	2	72
	2	90
	84	100
	1	110
	5	120
	1	125
	2	130
	1	138
	3	140
	24	150
	1	160
	3	165
	1	180
	1	188
	41	200
	2	210
	1	215
	3	220
	1	230
	1	240
	33	250
	27	300
	9	350
	2	390
	6	400
	1	420
	22	450
	1	490

```

78 500
1 525
1 540
5 550
7 600
6 650
4 750
1 770
71 1000
1 1100
4 1200
4 1300
1 1460
11 1500
1 1560
1 1650
1 1800
1 1950
11 2000
1 2030
1 2100
1 2200
1 2400
4 2500
2 2600
1 2700
1 2838
2 3000
1 3500
2 3600
1 3650
1 4000
1 4500
1 5000
1 5200
1 5625
1 6000
1 10000
1 15600
1 220000
1 .a
52 .c
mean: 471.35
std. dev: 6354.8

percentiles:    10%    25%    50%    75%    90%
                 0      0    21.5   300   1000

```

---

**hc2\_K** **Value of producing: Expense on medicine (THB)**

---

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 1

units: 1
missing .: 0/1,267
missing *: 1/1,267

tabulation: Freq. Value
             1,266 0
             1 .a
mean: 0
std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      0      0

```

---

**hc3\_K** **Value of receiving: Expense on medicine (THB)**

---

```

type: numeric (long)
range: [0,200]
unique values: 3
unique missing codes: 2
units: 100
missing : 0/1,267
missing *: 9/1,267

tabulation: Freq. Value
            1,256 0
              1 100
              1 200
              1 .a
              8 .c
mean: .238474
std. dev: 6.30241

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

---

**freq\_K** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing : 1/1,267

tabulation: Freq. Numeric Label
            1,266 17 yearly
              1 .
    
```

---

**no\_L** **code L**

---

```

type: numeric (byte)
range: [12,12]
unique values: 1
units: 1
missing : 0/1,267

tabulation: Freq. Value
            1,267 12
mean: 12
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              12 12 12 12 12
    
```

---

**description\_L** **Item of expenditure: seeing a doctor in clinic (not display)**

---

```

type: string (str292), but longest is str0
unique values: 0
missing "": 1,267/1,267

tabulation: Freq. Value
            1,267 ""
    
```

**description\_L:**  
 1. subjected to a carryforward operation

---

**hc0\_L** **Code of Inseparable expenses**

---

```

type: string (str58), but longest is str1
unique values: 1
missing "": 1,266/1,267
    
```

```

tabulation: Freq. Value
             1,266 ""
             1 "0"
    
```

---

**hc1\_L** **HH. Expenses: Expense on doctor visit at medical clinic (THB)**

---

```

type: numeric (long)
range: [0,48000] units: 1
unique values: 154 missing.: 0/1,267
unique missing codes: 2 missing*: 28/1,267

mean: 1036.95
std. dev: 2406.82

percentiles: 10% 25% 50% 75% 90%
              0 0 300 1150 2500
    
```

---

**hc2\_L** **Value of producing: Expense on doctor visit at medical clinic (THB)**

---

```

type: numeric (int)
range: [0,0] units: 1
unique values: 1 missing.: 0/1,267
unique missing codes: 1 missing*: 1/1,267

tabulation: Freq. Value
             1,266 0
             1 .a
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

---

**hc3\_L** **Value of receiving: Expense on doctor visit at medical clinic (THB)**

---

```

type: numeric (long)
range: [0,200] units: 100
unique values: 3 missing.: 0/1,267
unique missing codes: 2 missing*: 7/1,267

tabulation: Freq. Value
             1,258 0
             1 100
             1 200
             1 .a
             6 .c
mean: .238095
std. dev: 6.29741

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

---

**freq\_L** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq
range: [17,17] units: 1
unique values: 1 missing.: 1/1,267
    
```

```

tabulation:  Freq.  Numeric  Label
              1,266    17     yearly
              1         .
    
```

**no\_M** **code M**

```

type:  numeric (byte)
range: [13,13]
unique values: 1
units: 1
missing .: 0/1,267

tabulation:  Freq.  Value
              1,267  13
mean:        13
std. dev:    0

percentiles:  10%    25%    50%    75%    90%
              13    13    13    13    13
    
```

**description\_M** **Item of expenditure: seeing a doctor in hospital (not display)**

```

type:  string (str292), but longest is str0
unique values: 0
missing "": 1,267/1,267

tabulation:  Freq.  Value
              1,267  ""
    
```

**description\_M:**

1. subjected to a carryforward operation

**hc0\_M** **Code of Inseparable expenses**

```

type:  string (str58), but longest is str0
unique values: 0
missing "": 1,267/1,267

tabulation:  Freq.  Value
              1,267  ""
    
```

**hc1\_M** **HH. Expenses: Expense on doctor visit at hospital (THB)**

```

type:  numeric (long)
range: [0,172400]
unique values: 57
unique missing codes: 2
units: 1
missing .: 0/1,267
missing *: 31/1,267

tabulation:  Freq.  Value
              1,010  0
               45    30
               1    45
               25    60
               6    75
               1    83
               11   90
               3   100
               3   105
               2   110
               26  120
               3   130
               1   140
               4   150
               3   165
    
```





---

**hc3\_M** **Value of receiving: Expense on doctor visit at hospital (THB)**

---

```

type: numeric (long)
range: [0,180]
unique values: 4
unique missing codes: 2
units: 1
missing .: 0/1,267
missing *: 708/1,267

tabulation: Freq. Value
             555  0
             2   30
             1   73
             1  180
             1   .a
             707   .c
mean:       .559928
std. dev:   8.398

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

---

**freq\_M** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing .: 1/1,267

tabulation: Freq. Numeric Label
             1,266    17  yearly
             1         .
    
```

---

**no\_N** **code N**

---

```

type: numeric (byte)
range: [14,14]
unique values: 1
units: 1
missing .: 0/1,267

tabulation: Freq. Value
             1,267  14
mean:       14
std. dev:   0

percentiles: 10%    25%    50%    75%    90%
              14    14    14    14    14
    
```

---

**description\_N** **Item of expenditure: household donating/charity (not display)**

---

```

type: string (str292), but longest is str0
unique values: 0
missing "": 1,267/1,267

tabulation: Freq. Value
             1,267  ""
    
```

**description\_N:**  
 1. subjected to a carryforward operation

---

**hc0\_N** **Code of Inseparable expenses**

---

```

type: string (str58), but longest is str0
unique values: 0 missing "": 1,267/1,267
tabulation: Freq. Value
             1,267 ""
    
```

---

**hcl\_N**

**HH. Expenses: Donation (THB)**

---

```

type: numeric (long)
range: [0,33000] units: 1
unique values: 68 missing .: 0/1,267
unique missing codes: 2 missing *: 155/1,267
    
```

```

tabulation: Freq. Value
             19 0
             1 50
             1 60
             2 100
             1 150
             6 200
             5 250
             8 300
             6 350
             4 400
            10 450
            48 500
             1 540
            11 550
             6 600
             1 650
             5 700
             5 750
             1 800
             1 900
           210 1000
             1 1118
             1 1150
            10 1200
             5 1250
             1 1300
             3 1400
             2 1450
          101 1500
             3 1550
             1 1600
             1 1650
             1 1833
          195 2000
            81 2500
             2 2600
            93 3000
             1 3300
            46 3500
             1 3900
            25 4000
             1 4200
            35 4500
            65 5000
             5 5500
            15 6000
             1 6060
             2 6500
             4 7000
             1 7150
             1 7500
             1 7800
             1 8000
             1 8800
    
```

```

      1  9600
     30 10000
      1 10500
      4 12000
      1 13000
      2 14000
      4 15000
      2 19500
      3 20000
      1 24000
      1 25000
      1 26000
      1 30000
      1 33000
      1  .a
     154  .c
mean:    2696.91
std. dev: 3043.81

percentiles:    10%    25%    50%    75%    90%
                 540    1000   2000   3000   5000
    
```

---

**hc2\_N** **Value of producing: Donation (THB)**

---

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 1

units: 1
missing .: 0/1,267
missing *: 1/1,267

tabulation: Freq. Value
             1,266  0
             1    .a
mean:       0
std. dev:   0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

---

**hc3\_N** **Value of receiving: Donation (THB)**

---

```

type: numeric (long)
range: [0,0]
unique values: 1
unique missing codes: 1

units: 1
missing .: 0/1,267
missing *: 1/1,267

tabulation: Freq. Value
             1,266  0
             1    .a
mean:       0
std. dev:   0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

---

**freq\_N** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq

range: [17,17]
unique values: 1

units: 1
missing .: 1/1,267
    
```

```

tabulation: Freq.  Numeric  Label
            1,266    17     yearly
            1         .
    
```

**no\_O** **code 0**

```

type: numeric (byte)
range: [15,15]           units: 1
unique values: 1         missing .: 0/1,267

tabulation: Freq.  Value
            1,267  15
mean:      15
std. dev:  0

percentiles: 10%    25%    50%    75%    90%
              15    15     15     15     15
    
```

**description\_O** **Item of expenditure: performing ceremonies (not display)**

```

type: string (str292), but longest is str0
unique values: 0           missing "": 1,267/1,267

tabulation: Freq.  Value
            1,267  ""
    
```

**description\_O:**

1. subjected to a carryforward operation

**hc0\_O** **Code of Inseparable expenses**

```

type: string (str58), but longest is str0
unique values: 0           missing "": 1,267/1,267

tabulation: Freq.  Value
            1,267  ""
    
```

**hc1\_O** **HH. Expenses: Expense on ceremony (THB)**

```

type: numeric (long)
range: [0,500000]       units: 10
unique values: 43       missing .: 0/1,267
unique missing codes: 2 missing *: 8/1,267

tabulation: Freq.  Value
            1,140  0
              3    300
              1    400
              1    450
              5    500
             12   1000
              1   1200
              4   1500
              1   1600
              3   2000
              5   3000
              1   4000
              4   5000
              1   6000
              1   6500
    
```

```

      8 10000
      1 17500
      1 18000
      6 20000
      3 25000
      4 30000
      2 33000
      3 35000
      4 40000
      1 45000
      2 50000
      3 55000
      1 60000
      1 70000
      1 81500
      1 85000
      2 90000
      7 100000
      5 120000
      2 130000
      5 150000
      1 170000
      6 200000
      1 250000
      1 270000
      2 300000
      1 340000
      1 500000
      1 .a
      7 .c
    mean: 5774.86
   std. dev: 31807.2

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

---

**hc2\_O** **Value of producing: Expense on ceremony (THB)**

---

```

    type: numeric (int)
    range: [0,0]
unique values: 1
unique missing codes: 1
    units: 1
missing .: 0/1,267
missing *: 1/1,267

tabulation: Freq. Value
             1,266 0
             1 .a
    mean: 0
   std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

---

**hc3\_O** **Value of receiving: Expense on ceremony (THB)**

---

```

    type: numeric (long)
    range: [0,150000]
unique values: 2
unique missing codes: 1
    units: 10000
missing .: 0/1,267
missing *: 1/1,267

tabulation: Freq. Value
             1,265 0
             1 150000
             1 .a
    mean: 118.483
   std. dev: 4215.75

```

percentiles:           10%       25%       50%       75%       90%  
                           0           0           0           0           0

---

**freq\_O** **Frequency: Yearly**

---

type: numeric (**byte**)  
 label: **freq**  
 range: [17,17]                           units: 1  
 unique values: 1                           missing .: 1/1,267

tabulation:	Freq.	Numeric	Label
	1,266	17	yearly
	1	.	

---

**no\_P** **code P**

---

type: numeric (**byte**)  
 range: [16,16]                           units: 1  
 unique values: 1                           missing .: 0/1,267

tabulation:	Freq.	Value
	1,267	16
mean:		16
std. dev:		0

percentiles:           10%       25%       50%       75%       90%  
                           16       16       16       16       16

---

**description\_P** **Item of expenditure: dwelling maintenance (not display)**

---

type: string (**str292**), but longest is str0  
 unique values: 0                           missing "": 1,267/1,267

tabulation:	Freq.	Value
	1,267	" "

**description\_P:**  
 1. subjected to a carryforward operation

---

**hc0\_P** **Code of Inseparable expenses**

---

type: string (**str58**), but longest is str0  
 unique values: 0                           missing "": 1,267/1,267

tabulation:	Freq.	Value
	1,267	" "

---

**hc1\_P** **HH. Expenses: House restoration or construction (THB)**

---

type: numeric (**long**)  
 range: [0,1000000]                       units: 10  
 unique values: 69                       missing .: 0/1,267  
 unique missing codes: 2               missing \*: 9/1,267

```

tabulation:  Freq.  Value
              1,021  0
                2  100
                1  450
                2  500
                1  650
                1  700
                1  750
                6 1000
                1 1100
                1 1200
                5 1500
                5 2000
                6 2500
                4 3000
                2 3500
                5 4000
                1 4200
                1 4500
                7 5000
                6 6000
                5 7000
                1 7500
                1 7600
                4 8000
                2 9000
               12 10000
                1 11000
                4 13000
                2 14000
               10 15000
                1 16000
                1 18000
               21 20000
                1 20800
               11 25000
                1 26500
                1 27000
                1 28000
               18 30000
                3 35000
                7 40000
                2 45000
               11 50000
                1 55000
                1 57000
                8 60000
                1 65000
                4 70000
                1 70500
                2 75000
                2 80000
                1 90000
                9 100000
                1 120000
                1 130000
                3 150000
                1 170000
                1 180000
                4 200000
                1 220000
                3 250000
                1 290000
                2 300000
                1 400000
                1 550000
                1 650000
                3 700000
                1 780000
                3 1000000
                1  .a
                8  .c
    
```

mean: 13130.5  
 std. dev: 73765.7  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 20000

---

**hc2\_P Value of producing: House restoration or construction (THB)**

---

type: numeric (**int**)  
 range: [0,0] units: 1  
 unique values: 1 missing .: 0/1,267  
 unique missing codes: 1 missing \*: 1/1,267  
 tabulation: Freq. Value  
 1,266 0  
 1 .a  
 mean: 0  
 std. dev: 0  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hc3\_P Value of receiving: House restoration or construction (THB)**

---

type: numeric (**long**)  
 range: [0,1100000] units: 100  
 unique values: 9 missing .: 0/1,267  
 unique missing codes: 2 missing \*: 4/1,267  
 tabulation: Freq. Value  
 1,255 0  
 1 5000  
 1 10000  
 1 17500  
 1 18000  
 1 50000  
 1 145000  
 1 300000  
 1 1100000  
 1 .a  
 3 .c  
 mean: 1302.85  
 std. dev: 32367.4  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**freq\_P Frequency: Yearly**

---

type: numeric (**byte**)  
 label: **freq**  
 range: [17,17] units: 1  
 unique values: 1 missing .: 1/1,267  
 tabulation: Freq. Numeric Label  
 1,266 17 yearly  
 1 .

---

**no\_Q code Q**

---



```

type: numeric (byte)
range: [17,17] units: 1
unique values: 1 missing .: 0/1,267

tabulation: Freq. Value
1,267 17
mean: 17
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
17 17 17 17 17
    
```

**description\_Q**  
**Item of expenditure: Maintenance cost and registration cost of mothorcycle, car**

```

type: string (str292), but longest is str0
unique values: 0 missing "": 1,267/1,267

tabulation: Freq. Value
1,267 ""
    
```

**description\_Q:**  
 1. subjected to a carryforward operation

**hc0\_Q** **Code of Inseparable expenses**

```

type: string (str58), but longest is str0
unique values: 0 missing "": 1,267/1,267

tabulation: Freq. Value
1,267 ""
    
```

**hc1\_Q HH. Expenses: Insurance, maintainance cost and registration cost of mothorcycle,**

```

type: numeric (long)
range: [0,310000] units: 1
unique values: 183 missing .: 0/1,267
unique missing codes: 2 missing *: 128/1,267

mean: 3681.12
std. dev: 11755.7

percentiles: 10% 25% 50% 75% 90%
0 0 1000 3000 10000
    
```

**hc2\_Q Value of producing: Insurance, maintainance cost and registration cost of mothor**

```

type: numeric (int)
range: [0,0] units: 1
unique values: 1 missing .: 0/1,267
unique missing codes: 2 missing *: 2/1,267

tabulation: Freq. Value
1,265 0
1 .a
1 .c
mean: 0
std. dev: 0
    
```

percentiles:           10%           25%           50%           75%           90%  
                           0            0            0            0            0

---

**hc3\_Q Value of receiving: Insurance, maintainance cost and registration cost of mothor**

---

type: numeric (**long**)  
 range: [0,17950]                           units: 10  
 unique values: 6                           missing .: 0/1,267  
 unique missing codes: 2                   missing \*: 9/1,267

tabulation:   Freq.   Value  
               1,253   0  
               1   560  
               1   900  
               1   2200  
               1   10000  
               1   17950  
               1   .a  
               8   .c  
 mean:        25.1272  
 std. dev:    583.09

percentiles:           10%           25%           50%           75%           90%  
                           0            0            0            0            0

---

**freq\_Q** **Frequency: Yearly**

---

type: numeric (**byte**)  
 label: **freq**  
 range: [17,17]                           units: 1  
 unique values: 1                           missing .: 1/1,267

tabulation:   Freq.   Numeric   Label  
               1,266   17   yearly  
               1        .

---

**no\_R** **code R**

---

type: numeric (**byte**)  
 range: [18,18]                           units: 1  
 unique values: 1                           missing .: 0/1,267

tabulation:   Freq.   Value  
               1,267   18  
 mean:        18  
 std. dev:    0

percentiles:           10%           25%           50%           75%           90%  
                           18            18            18            18            18

---

**description\_R**  
**Item of expenditure: Furniture and house decoration (in case paid in cash) (not**

---

type: string (**str292**), but longest is str0  
 unique values: 0                           missing "": 1,267/1,267

tabulation:   Freq.   Value  
               1,267   "

**description\_R:**

1. subjected to a carryforward operation

---

**hc0\_R** **Code of Inseparable expenses**

---

type: string (**str58**), but longest is str0  
 unique values: 0 missing "": 1,267/1,267  
 tabulation: Freq. Value  
 1,267 ""

---

**hc1\_R** **HH. Expenses: Furniture and house decoration (in case paid in cash) (THB)**

---

type: numeric (**long**)  
 range: [0,100000] units: 1  
 unique values: 47 missing .: 0/1,267  
 unique missing codes: 2 missing \*: 7/1,267

tabulation: Freq. Value  
 1,171 0  
 1 20  
 1 60  
 1 400  
 1 500  
 1 550  
 1 625  
 1 750  
 1 800  
 3 1000  
 6 1500  
 8 2000  
 2 2200  
 1 2300  
 3 2500  
 1 2600  
 1 2700  
 9 3000  
 1 3300  
 3 3500  
 1 3600  
 1 3800  
 1 4000  
 1 4200  
 1 4400  
 2 4500  
 1 4600  
 6 5000  
 2 5500  
 1 5600  
 1 6000  
 1 6450  
 2 6500  
 1 6800  
 1 7000  
 1 7500  
 1 8000  
 1 8400  
 1 9000  
 7 10000  
 2 10500  
 1 12290  
 1 14500  
 2 15000  
 1 20000  
 1 30000  
 1 100000

```

          1 .a
          6 .c
    mean:  430.274
    std. dev: 3327.36
    
```

```

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      0      0
    
```

**hc2\_R Value of producing: Furniture and house decoration (in case paid in cash) (THB)**

```

    type: numeric (int)
    range: [0,0]
    unique values: 1
    unique missing codes: 1
    units: 1
    missing .: 0/1,267
    missing *: 1/1,267
    
```

```

    tabulation: Freq. Value
                 1,266  0
                 1 .a
    mean: 0
    std. dev: 0
    
```

```

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      0      0
    
```

**hc3\_R Value of receiving: Furniture and house decoration (in case paid in cash) (THB)**

```

    type: numeric (long)
    range: [0,50000]
    unique values: 4
    unique missing codes: 2
    units: 1000
    missing .: 0/1,267
    missing *: 6/1,267
    
```

```

    tabulation: Freq. Value
                 1,258  0
                 1  2000
                 1  8000
                 1  50000
                 1 .a
                 5 .c
    mean: 47.5813
    std. dev: 1426.82
    
```

```

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      0      0
    
```

**freq\_R Frequency: Yearly**

```

    type: numeric (byte)
    label: freq
    range: [17,17]
    unique values: 1
    units: 1
    missing .: 1/1,267
    
```

```

    tabulation: Freq. Numeric Label
                 1,266      17 yearly
                 1          .
    
```

**no\_S code S**

```

    type: numeric (byte)
    
```



```

      4 3500
      2 3600
     10 4000
      6 4500
     16 5000
      3 5500
      3 6000
      4 7000
      2 7500
      1 8000
      1 9000
     23 10000
      2 12000
      6 15000
      1 18000
      3 20000
      4 25000
      2 30000
      1 40000
      2 45000
      1 60000
      1 150000
      1 160000
      1 .a
     17 .c
    mean: 1257.47
   std. dev: 7328.52

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0       2500

```

---

**hc2\_S Value of producing: Recreational costs (Traveling to different locations) (THB)**

---

```

      type: numeric (int)
      range: [0,0]
    unique values: 1
  unique missing codes: 1
      units: 1
    missing .: 0/1,267
    missing *: 1/1,267

  tabulation:  Freq.  Value
                1,266  0
                1     .a
    mean:      0
   std. dev:   0

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

---

**hc3\_S Value of receiving: Recreational costs (Traveling to different locations) (THB)**

---

```

      type: numeric (long)
      range: [0,50000]
    unique values: 11
  unique missing codes: 2
      units: 1
    missing .: 0/1,267
    missing *: 32/1,267

  tabulation:  Freq.  Value
                1,224  0
                 1  1000
                 1  2000
                 1  4500
                 1  5325
                 1  7000
                 1  8000
                 2 10000
                 1 15000
                 1 30000
                 1 50000

```

1 .a  
 31 .c  
 mean: 115.648  
 std. dev: 1794.8

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**freq\_S** **Frequency: Yearly**

---

type: numeric (**byte**)  
 label: **freq**  
 range: [17,17] units: 1  
 unique values: 1 missing .: 1/1,267  
 tabulation: Freq. Numeric Label  
 1,266 17 yearly  
 1 .

---

**no\_T** **code T**

---

type: numeric (**byte**)  
 range: [20,20] units: 1  
 unique values: 1 missing .: 0/1,267  
 tabulation: Freq. Value  
 1,267 20  
 mean: 20  
 std. dev: 0  
 percentiles: 10% 25% 50% 75% 90%  
 20 20 20 20 20

---

**description\_T**  
 Item of expenditure: Land or shop rental fee (not include land rental fee in bus

---

type: string (**str292**), but longest is str0  
 unique values: 0 missing "": 1,267/1,267  
 tabulation: Freq. Value  
 1,267 ""

**description\_T:**  
 1. subjected to a carryforward operation

---

**hc0\_T** **Code of Inseparable expenses**

---

type: string (**str58**), but longest is str0  
 unique values: 0 missing "": 1,267/1,267  
 tabulation: Freq. Value  
 1,267 ""

---

**hc1\_T HH. Expenses: Land or shop rental fee (excluding land rental fee in business sec**

---

type: numeric (**long**)

range: [0,72500]  
 unique values: 86  
 unique missing codes: 3

units: 1  
 missing .: 0/1,267  
 missing \*: 4/1,267

tabulation:	Freq.	Value
	1,142	0
	1	106
	1	120
	1	250
	1	330
	1	500
	2	700
	2	1000
	1	1125
	2	1200
	3	1350
	1	1500
	1	1800
	1	1950
	3	2000
	1	2100
	1	2500
	1	2970
	1	3000
	1	3300
	1	3500
	1	3575
	1	3640
	1	3750
	1	3960
	4	4000
	1	4200
	2	4500
	1	4800
	1	4875
	2	4950
	2	5000
	1	5400
	1	5775
	1	6000
	3	6600
	1	6667
	1	6750
	3	7000
	1	7095
	1	7200
	2	7500
	1	7590
	1	7925
	1	7986
	3	8000
	1	8100
	2	8250
	1	8340
	1	8370
	1	8866
	1	9000
	1	9300
	2	9450
	1	9900
	4	10000
	1	10650
	1	11550
	2	12000
	1	12375
	1	13000
	1	13200
	1	14000
	3	15000
	1	16000
	2	16500
	2	17500



```

          3 18000
          1 18975
          1 19000
          1 19500
          4 20000
          1 21500
          1 22500
          1 23460
          2 24000
          1 24750
          1 25800
          1 27500
          1 27550
          1 29750
          1 30000
          1 30800
          1 31675
          1 49600
          1 72500
          1 .a
          1 .b
          2 .c
    mean: 1017.18
    std. dev: 4480.13

    percentiles:      10%      25%      50%      75%      90%
                     0         0         0         0         0

```

---

**hc2\_T Value of producing: Land or shop rental fee (excluding land rental fee in busine**

---

```

    type: numeric (int)

    range: [0,7200]
    unique values: 3
    unique missing codes: 2

    units: 100
    missing .: 0/1,267
    missing *: 2/1,267

    tabulation: Freq. Value
                1,263 0
                 1 6600
                 1 7200
                 1 .a
                 1 .b
    mean: 10.9091
    std. dev: 274.51

    percentiles:      10%      25%      50%      75%      90%
                     0         0         0         0         0

```

---

**hc3\_T Value of receiving: Land or shop rental fee (excluding land rental fee in busine**

---

```

    type: numeric (long)

    range: [0,31100]
    unique values: 3
    unique missing codes: 3

    units: 100
    missing .: 0/1,267
    missing *: 6/1,267

    tabulation: Freq. Value
                1,259 0
                 1 5000
                 1 31100
                 1 .a
                 1 .b
                 4 .c
    mean: 28.6281
    std. dev: 886.932

```



---

**hc1\_U** **HH. Expenses: Others (THB)**

---

```

type: numeric (long)
range: [0,1200]           units: 10
unique values: 5          missing .: 1,074/1,267

tabulation: Freq. Value
             188  0
             1   130
             1   600
             2  1000
             1  1200
             1,074 .
mean:       20.3627
std. dev:   139.509

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

---

**hc2\_U** **Value of producing: others (THB)**

---

```

type: numeric (int)
range: [0,0]           units: 1
unique values: 1       missing .: 1,074/1,267

tabulation: Freq. Value
             193  0
             1,074 .
mean:       0
std. dev:   0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

---

**hc3\_U** **Value of receiving: others (THB)**

---

```

type: numeric (long)
range: [0,63000]       units: 1
unique values: 71      missing .: 1,074/1,267
unique missing codes: 2 missing *: 81/1,267

tabulation: Freq. Value
             5  0
             1  250
             1  300
             1  450
             1  500
             1  550
             1  600
             2  625
             1  800
             1  900
             5 1000
             1 1050
             2 1200
             1 1375
             1 1400
             1 1500
             1 1600
             1 1700
             1 1725
             1 1800
             2 1950
    
```

```

6 2000
1 2050
1 2100
1 2475
5 3000
2 3250
1 3300
1 3400
2 3500
1 3750
5 4000
2 4050
1 4400
3 4500
1 4800
3 5000
1 5250
1 5325
2 5500
3 6000
1 6250
1 6800
1 7000
1 7150
2 7500
1 8000
1 8250
1 9000
1 10000
1 10500
3 11000
1 11200
1 11405
2 12000
1 12500
1 13000
2 14000
1 15175
1 16903
1 18000
1 19250
1 20000
2 21000
1 24000
1 26000
1 39000
1 48000
1 52520
2 60000
1 63000

```

```

1,074 .
81 .c
mean: 8186.63
std. dev: 12395.4

```

```

percentiles:      10%      25%      50%      75%      90%
                  625     1712.5   4000     9500    19250

```

---

**freq\_U** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing .: 1,074/1,267

```

```

tabulation: Freq.  Numeric  Label
             193      17     yearly
             1,074      .

```

---

**no\_V** **code V**

---

```

type: numeric (byte)
range: [22,22] units: 1
unique values: 1 missing .: 1,085/1,267

tabulation: Freq. Value
             182 22
             1,085 .
mean:       22
std. dev:   0

percentiles: 10%    25%    50%    75%    90%
              22     22     22     22     22
    
```

---

**description\_V** **Item of expenditure: Other, please specify (not display)**

---

```

type: string (str292), but longest is str0
unique values: 0 missing "": 1,267/1,267

tabulation: Freq. Value
             1,267 ""
    
```

**description\_V:**

1. subjected to a carryforward operation

---

**description\_V\_group** **Group of items: description\_V**

---

```

type: string (str31)
unique values: 12 missing "": 1,182/1,267

tabulation: Freq. Value
             1,182 ""
             30 "clothes;education;"
             19 "food;clothes;"
             10 "food;clothes;education;"
              1 "food;clothes;other;"
              4 "food;education;"
              1 "food;health;education;"
              2 "food;utility;clothes;education;"
              1 "food;utility;education;"
              1 "health;clothes;education;"
              8 "other;"
              6 "utility;clothes;"
              2 "utility;clothes;education;"
    
```

---

**hc0\_V** **Code of Inseparable expenses**

---

```

type: string (str58), but longest is str0
unique values: 0 missing "": 1,267/1,267

tabulation: Freq. Value
             1,267 ""
    
```

---

**hcl\_V** **HH. Expenses: Others (THB)**

---

```

type: numeric (long)
    
```

```

range: [0,4800] units: 10
unique values: 6 missing .: 1,181/1,267

tabulation: Freq. Value
             81  0
             1  300
             1  750
             1 1500
             1 2000
             1 4800
             1,181 .
mean: 108.721
std. dev: 583.357

percentiles: 10% 25% 50% 75% 90%
              0  0  0  0  0
    
```

---

**hc2\_v** **Value of producing: others (THB)**

---

```

type: numeric (int)

range: [0,0] units: 1
unique values: 1 missing .: 1,181/1,267

tabulation: Freq. Value
             86  0
             1,181 .
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0  0  0  0  0
    
```

---

**hc3\_v** **Value of receiving: others (THB)**

---

```

type: numeric (long)

range: [0,27500] units: 1
unique values: 34 missing .: 1,181/1,267
unique missing codes: 2 missing *: 39/1,267

tabulation: Freq. Value
             4  0
             2  450
             1  500
             1  600
             1  650
             1  800
             2 1000
             1 1050
             1 1200
             1 1290
             2 1500
             1 1650
             1 1800
             2 1950
             5 2000
             1 2300
             2 2500
             1 2700
             1 3250
             1 3500
             1 3750
             1 4275
             1 5500
             1 6050
             1 6700
             1 6950
    
```

```

          1  7000
          1  9000
          1 13500
          1 14800
          1 20000
          2 22000
          1 26000
          1 27500
    1,181  .
          39  .c
    mean:   5130.11
    std. dev: 7194.84

    percentiles:      10%      25%      50%      75%      90%
                     450      1000     2000     6050     20000
    
```

---

**freq\_V** **Frequency: Yearly**

---

```

    type: numeric (byte)
    label: freq

    range: [17,17]
    unique values: 1
    units: 1
    missing .: 1,181/1,267

    tabulation: Freq.  Numeric  Label
                 86      17     yearly
                 1,181      .
    
```

---

**no\_W** **\_W no**

---

```

    type: numeric (byte)

    range: [21,21]
    unique values: 1
    units: 1
    missing .: 1,266/1,267

    tabulation: Freq.  Value
                 1     21
                 1,266  .
    mean:       21
    std. dev:   .

    percentiles:      10%      25%      50%      75%      90%
                     21       21       21       21       21
    
```

---

**description\_W** **\_W description**

---

```

    type: string (str292), but longest is str130
    unique values: 1
    missing "": 1,266/1,267

    tabulation: Freq.  Value
                 1,266  ""

    และแบ่งบัพ"

    warning: variable has embedded blanks
    
```

**description\_W:**  
 1. subjected to a carryforward operation

---

**hc0\_W** **\_W hc0**

---

```

    type: string (str58), but longest is str0
    
```

unique values: 0 missing "": 1,267/1,267  
 tabulation: Freq. Value  
 1,267 ""

**hc1\_W** **\_W hc1**

type: numeric (**long**)  
 range: [.,.] units: .  
 unique values: 0 missing .: 1,266/1,267  
 unique missing codes: 2 missing \*: 1/1,267  
 tabulation: Freq. Value  
 1,266 .  
 1 .d  
 mean: .  
 std. dev: .  
 percentiles: 10% 25% 50% 75% 90%  
 . . . . .

**hc2\_W** **\_W hc2**

type: numeric (**int**)  
 range: [.,.] units: .  
 unique values: 0 missing .: 1,266/1,267  
 unique missing codes: 2 missing \*: 1/1,267  
 tabulation: Freq. Value  
 1,266 .  
 1 .d  
 mean: .  
 std. dev: .  
 percentiles: 10% 25% 50% 75% 90%  
 . . . . .

**hc3\_W** **\_W hc3**

type: numeric (**long**)  
 range: [.,.] units: .  
 unique values: 0 missing .: 1,266/1,267  
 unique missing codes: 2 missing \*: 1/1,267  
 tabulation: Freq. Value  
 1,266 .  
 1 .d  
 mean: .  
 std. dev: .  
 percentiles: 10% 25% 50% 75% 90%  
 . . . . .

**freq\_W** **\_W freq**

type: numeric (**byte**)  
 label: **freq**  
 range: [17,17] units: 1  
 unique values: 1 missing .: 1,266/1,267



```

tabulation: Freq.  Numeric  Label
              1         17  yearly
            1,266         .
    
```

**description\_1 Expenditures for Education: Transportation cost to school (not display)**

```

type: string (str109), but longest is str0
unique values: 0 missing "": 1,267/1,267
tabulation: Freq.  Value
            1,267  ""
    
```

**description\_1:**

1. subjected to a carryforward operation

**freq\_1 Frequency: Monthly**

```

type: numeric (byte)
label: freq
range: [9,9] units: 1
unique values: 1 missing .: 0/1,267
tabulation: Freq.  Numeric  Label
            1,267         9  monthly
    
```

**hcla\_1 Pre School**

```

type: numeric (long)
range: [0,3200] units: 1
unique values: 30 missing .: 2/1,267
unique missing codes: 4 missing *: 19/1,267
tabulation: Freq.  Value
            1,107  0
              11  100
               1  150
               1  195
               5  200
               1  215
               2  220
               1  225
               4  270
              20  300
               1  338
               2  340
               8  350
              24  400
               2  440
               2  450
              12  500
               1  550
               1  588
              16  600
              11  700
               1  780
               2  800
               1  950
               3 1000
               2 1200
               1 1500
               1 1700
               1 2400
               1 3200
    
```

```

                2 .
                1 .a
               17 .b
                1 .c
    mean:      54.2303
    std. dev:  199.514

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      200
    
```

**hclb\_1** **Primary School**

```

    type: numeric (long)
    range: [0,4500]
    unique values: 29
    unique missing codes: 3
    units: 1
    missing .: 35/1,267
    missing *: 767/1,267
    
```

```

    tabulation:  Freq.  Value
                 358    0
                 1    100
                 1    150
                 2    200
                 1    220
                 2    250
                19    300
                 6    350
                 1    380
                 1    390
                17    400
                 2    440
                 1    450
                 1    470
                 8    500
                11    600
                 8    700
                 1    713
                 8    800
                 1    850
                 1    900
                 3   1000
                 1   1167
                 4   1200
                 1   1400
                 2   1600
                 1   2000
                 1   2400
                 1   4500
    
```

```

    mean:      142.086
    std. dev:  363.837
    
```

```

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      500
    
```

**hclc\_1** **Secondary school/vocational**

```

    type: numeric (long)
    range: [0,1500]
    unique values: 30
    unique missing codes: 4
    units: 1
    missing .: 22/1,267
    missing *: 1,043/1,267
    
```

```

tabulation:  Freq.  Value
              123    0
              1    50
              1   100
              2   150
              1   249
              2   250
             13   300
              3   330
              2   350
              1   353
              1   375
             13   400
              1   420
              9   440
              3   450
              1   460
              1   500
              1   510
              2   528
              6   600
              1   660
              5   700
              1   720
              1   770
              2   880
              1   900
              1  1080
              1  1290
              1  1400
              1  1500
             22   .
              1   .a
            1,036  .b
              6   .c
    mean:      188.876
  std. dev:   286.4

percentiles:  10%    25%    50%    75%    90%
              0      0      0     400     600
    
```

---

**hc1d\_1** **Higher than Secondary school/vocational**

---

```

    type:  numeric (long)
    range:  [0,0]
  unique values:  1
unique missing codes:  4
           units:  1
           missing .:  19/1,267
           missing *:  1,236/1,267

    tabulation:  Freq.  Value
                  12    0
                  19   .
                   1   .a
                 1,233  .b
                   2   .c
    mean:        0
  std. dev:     0

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

---

**hc1note\_1** **Interviewer note of table 1 (unavailable)**

---

```

    type:  string (str270), but longest is str0
  unique values:  0
           missing "":  1,267/1,267
    
```

tabulation: Freq. Value  
 1,267 ""

**description\_2**

**Expenditures for Education: Story book/picture book for kids (not display)**

type: string (**str109**), but longest is str0  
 unique values: 0 missing "": 1,267/1,267  
 tabulation: Freq. Value  
 1,267 ""

**description\_2:**

1. subjected to a carryforward operation

**freq\_2**

**Frequency: Yearly**

type: numeric (**byte**)  
 label: **freq**  
 range: [17,17] units: 1  
 unique values: 1 missing .: 0/1,267  
 tabulation: Freq. Numeric Label  
 1,267 17 yearly

**hcla\_2**

**Pre School**

type: numeric (**long**)  
 range: [0,15000] units: 1  
 unique values: 52 missing .: 2/1,267  
 unique missing codes: 4 missing \*: 52/1,267  
 tabulation: Freq. Value  
 869 0  
 1 5  
 1 10  
 3 15  
 13 20  
 3 25  
 4 30  
 1 32  
 1 33  
 4 35  
 16 40  
 1 44  
 2 45  
 22 50  
 1 53  
 13 60  
 2 70  
 3 75  
 4 80  
 1 87  
 3 90  
 85 100  
 1 105  
 1 118  
 1 120  
 6 125  
 20 150  
 1 167  
 2 175  
 1 180

```

39 200
1 210
1 216
1 220
1 225
15 250
2 280
17 300
1 330
6 350
3 400
2 450
15 500
4 600
1 667
1 800
11 1000
1 1450
1 1500
2 2000
1 10000
1 15000
2 .
1 .a
17 .b
34 .c
mean: 78.0602
std. dev: 541.307

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      40     200

```

---

**hclb\_2**

**Primary School**

---

```

type: numeric (long)
range: [0,2000]
unique values: 21
unique missing codes: 4

units: 1
missing .: 36/1,267
missing *: 777/1,267

tabulation:  Freq.  Value
              416    0
                1    10
                2    20
                1    30
                1    31
                1    45
                3    50
                1    60
                1    75
                8   100
                1   110
                2   125
                2   150
                1   175
                4   200
                1   225
                1   250
                4   300
                1   333
                1   500
                1  2000
               36    .
                1   .a
               765   .b
                11   .c
mean: 16.2643
std. dev: 106.047

```



---

**freq\_3** **Frequency: Yearly**

---

```

    type: numeric (byte)
    label: freq

    range: [17,17]
    unique values: 1
    units: 1
    missing .: 0/1,267

    tabulation: Freq.  Numeric  Label
                1,267      17    yearly
    
```

---

**hcla\_3** **Pre School**

---

```

    type: numeric (long)

    range: [0,5000]
    unique values: 36
    unique missing codes: 4
    units: 1
    missing .: 2/1,267
    missing *: 38/1,267

    tabulation: Freq.  Value
                1,071  0
                  2    10
                  1    15
                 10    20
                  1    25
                  6    30
                  1    31
                  1    33
                  1    39
                 24    40
                 22    50
                  1    55
                  6    60
                  1    75
                  4    80
                  1    87
                  1    90
                  1    98
                 32   100
                  1   105
                  1   118
                  1   125
                  1   140
                  5   150
                  1   160
                  1   167
                 10   200
                  1   220
                  1   242
                  4   250
                  4   300
                  1   333
                  1   350
                  4   500
                  2  1000
                  1  5000
                  2   .
                  1   .a
                 17   .b
                  20   .c
    mean: 18.5803
    std. dev: 155.543

    percentiles:      10%      25%      50%      75%      90%
                     0         0         0         0         40
    
```

---

**hclb\_3** **Primary School**

---

```

type: numeric (long)
range: [0,200]
unique values: 6
unique missing codes: 4
units: 1
missing .: 38/1,267
missing *: 771/1,267

tabulation: Freq. Value
             451  0
             1   10
             1   31
             2   50
             1  100
             2  200
             38  .
             1  .a
             765 .b
             5  .c
mean: 1.39956
std. dev: 14.4304

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

---

**hclc\_3** **Secondary school/vocational**

---

```

type: numeric (long)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 0/1,267
missing *: 1,267/1,267

tabulation: Freq. Value
             1  .a
             1,266 .b
mean: .
std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

---

**hclid\_3** **Higher than Secondary school/vocational**

---

```

type: numeric (long)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 0/1,267
missing *: 1,267/1,267

tabulation: Freq. Value
             1  .a
             1,266 .b
mean: .
std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

---

**hclnote\_3** **Interviewer note of table 1 (unavailable)**

---

type: string (str270), but longest is str0



unique values: 0 missing "": 1,267/1,267  
 tabulation: Freq. Value  
 1,267 ""

**description\_4**  
**Expenditures for Education: Writing exercises, number count (not display)**

type: string (**str109**), but longest is str0  
 unique values: 0 missing "": 1,267/1,267  
 tabulation: Freq. Value  
 1,267 ""

**description\_4:**  
 1. subjected to a carryforward operation

**freq\_4** **Frequency: Yearly**

type: numeric (**byte**)  
 label: **freq**  
 range: [17,17] units: 1  
 unique values: 1 missing .: 0/1,267  
 tabulation: Freq. Numeric Label  
 1,267 17 yearly

**hcla\_4** **Pre School**

type: numeric (**long**)  
 range: [0,3000] units: 1  
 unique values: 57 missing .: 2/1,267  
 unique missing codes: 4 missing \*: 57/1,267  
 tabulation: Freq. Value  
 749 0  
 1 8  
 8 10  
 29 20  
 8 25  
 1 28  
 13 30  
 1 31  
 2 33  
 4 35  
 42 40  
 5 45  
 29 50  
 32 60  
 1 67  
 3 70  
 5 75  
 1 78  
 10 80  
 1 87  
 4 90  
 1 98  
 115 100  
 1 105  
 1 110  
 1 116  
 1 118  
 6 120

```

      2 125
      2 135
     18 150
      2 160
      1 167
      1 175
      3 180
     43 200
      1 210
      1 216
      1 225
     13 250
      1 260
      1 280
     13 300
      2 350
      1 390
      1 400
      1 420
      2 450
     14 500
      2 520
      1 602
      1 700
      1 780
      1 790
      1 1000
      1 2000
      1 3000
      2 .
      1 .a
     17 .b
     39 .c
    mean: 51.8435
  std. dev: 142.308

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         60        150

```

---

**hclb\_4**

**Primary School**

---

```

      type: numeric (long)
      range: [0,500]
  unique values: 15
unique missing codes: 4
      units: 1
missing .: 37/1,267
missing *: 775/1,267

```

```

tabulation:  Freq.  Value
              420    0
               2    20
               1    30
               1    31
               4    50
               1    60
               1    75
               1    78
              10   100
               1   125
               1   133
               1   199
               6   200
               4   300
               1   500
              37   .
               1   .a
              765   .b
               9   .c
    mean: 10.7055
  std. dev: 46.9027

```



```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing ..: 0/1,267

tabulation: Freq.   Numeric   Label
             1,267       17     yearly
    
```

---

hcla\_5

Pre School

---

```

type: numeric (long)
range: [0,3000]
unique values: 62
unique missing codes: 4
units: 1
missing ..: 2/1,267
missing *: 67/1,267
    
```

```

tabulation: Freq.   Value
             719     0
             16     10
              1     15
             53     20
             14     25
              1     27
             12     30
              1     31
              2     33
              3     35
             38     40
              1     44
              3     45
              1     48
             36     50
              1     53
              4     55
              1     59
             22     60
              2     63
              1     69
              2     70
              2     75
              1     78
              6     80
              2     88
              2     90
            123    100
              1    105
              1    110
              3    120
              4    125
              1    138
             17    150
              1    166
              2    175
              1    180
             35    200
              1    217
              1    225
              1    240
             13    250
              1    260
              2    280
             13    300
              1    350
              1    400
              1    428
              4    450
              1    480
              8    500
              1    520
    
```

```

                2  550
                1  602
                1  780
                1  900
                1  946
                2 1000
                2 1200
                1 1560
                1 2400
                1 3000
                2  .
                1  .a
               17  .b
                49  .c
    mean:       54.1311
    std. dev:   162.692

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      50    125
    
```

---

**hclb\_5** **Primary School**

---

```

    type: numeric (long)
    range: [0,1560]
    unique values: 25
    unique missing codes: 4
    units: 1
    missing .: 37/1,267
    missing *: 776/1,267
    
```

```

    tabulation:  Freq.  Value
                 391    0
                 1    10
                 4    20
                 2    25
                 3    30
                 1    32
                 1    35
                 2    40
                 6    50
                 1    59
                 2    60
                 1    75
                 1    80
                 1    90
                 14   100
                 2   120
                 3   125
                 1   135
                 3   150
                 1   156
                 5   200
                 3   250
                 3   300
                 1   500
                 1  1560
                 37  .
                 1  .a
                765  .b
                 10  .c
    mean:       18.87
    std. dev:   88.6753
    
```

```

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0     50
    
```

---

**hclc\_5** **Secondary school/vocational**

---

type: numeric (long)

```

        range: [.,.]                units: .
    unique values: 0                missing .: 0/1,267
    unique missing codes: 2        missing *: 1,267/1,267

    tabulation: Freq.  Value
                1     .a
                1,266 .b
    mean:      .
    std. dev:  .

    percentiles:    10%    25%    50%    75%    90%
                   .      .      .      .      .
    
```

**hc1d\_5** **Higher than Secondary school/vocational**

```

        type: numeric (long)

        range: [.,.]                units: .
    unique values: 0                missing .: 0/1,267
    unique missing codes: 2        missing *: 1,267/1,267

    tabulation: Freq.  Value
                1     .a
                1,266 .b
    mean:      .
    std. dev:  .

    percentiles:    10%    25%    50%    75%    90%
                   .      .      .      .      .
    
```

**hc1note\_5** **Interviewer note of table 1 (unavailable)**

```

        type: string (str270), but longest is str0
    unique values: 0                missing "": 1,267/1,267

    tabulation: Freq.  Value
                1,267 ""
    
```

**description\_6** **Expenditures for Education: LEGO (not display)**

```

        type: string (str109), but longest is str0
    unique values: 0                missing "": 1,267/1,267

    tabulation: Freq.  Value
                1,267 ""
    
```

**description\_6:**

- 1. subjected to a carryforward operation

**freq\_6** **Frequency: Yearly**

```

        type: numeric (byte)
    label:  freq

        range: [17,17]                units: 1
    unique values: 1                missing .: 0/1,267

    tabulation: Freq.  Numeric  Label
                1,267    17     yearly
    
```

hcla\_6

Pre School

```

type: numeric (long)
range: [0,10000]
unique values: 61
unique missing codes: 3
units: 1
missing .: 0/1,267
missing *: 55/1,267
    
```

```

tabulation: Freq. Value
            964  0
              8  20
               1  30
               2  39
               6  40
               2  49
              11  50
               8  60
               1  69
               6  80
               3  90
               1  92
               3  99
              29 100
               5 120
               3 130
               1 135
               1 140
               9 150
               2 159
               1 170
               2 179
               4 180
               1 185
               2 190
               2 198
              11 199
              36 200
               9 250
               1 260
               1 263
               1 279
               1 289
               1 290
               1 298
               3 299
              21 300
               1 316
               3 350
               1 380
               1 390
               1 398
               1 399
               6 400
               1 450
               9 500
               1 597
               2 600
               1 700
               2 750
               1 800
               5 1000
               1 1320
               2 1400
               2 1500
               1 2000
               1 2080
               1 2400
               2 3000
               1 3500
               1 10000
    
```

```

          1 .a
          17 .b
          37 .c
    mean: 69.7863
    std. dev: 372.222

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      0     200
    
```

**hc1b\_6** **Primary School**

```

    type: numeric (long)

    range: [0,1000]          units: 1
    unique values: 18        missing .: 0/1,267
    unique missing codes: 3  missing *: 803/1,267

    tabulation:  Freq.  Value
                  438    0
                  1    20
                  1    30
                  1    35
                  3    50
                  1    60
                  1    69
                  1    99
                  1   100
                  1   150
                  1   199
                  5   200
                  2   250
                  2   300
                  1   400
                  2   500
                  1   779
                  1  1000
                  1   .a
                  794   .b
                  8   .c
    mean: 13.3427
    std. dev: 77.6202

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      0      0
    
```

**hc1c\_6** **Secondary school/vocational**

```

    type: numeric (long)

    range: [.,.]          units: .
    unique values: 0      missing .: 0/1,267
    unique missing codes: 2  missing *: 1,267/1,267

    tabulation:  Freq.  Value
                  1    .a
                  1,266 .b
    mean: .
    std. dev: .

percentiles:    10%    25%    50%    75%    90%
                 .      .      .      .      .
    
```

**hc1d\_6** **Higher than Secondary school/vocational**

```

    type: numeric (long)
    
```





```

tabulation:  Freq.  Value
              1,154  0
                1  10
                9  20
                2  25
                4  30
                1  35
                2  39
                3  40
                1  49
                4  50
                2  59
                1  70
                2  80
                3  99
               16 100
                2 120
                2 130
                2 150
                1 159
                1 190
                2 199
                6 200
                1 250
                1 262
                3 300
                1 350
                1 500
                1 829
                1 2000
                2  .
                1  .a
               17  .b
                17  .c
    mean:      8.88211
    std. dev:  70.4288

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

---

**hclb\_7**

**Primary School**

---

```

    type: numeric (long)
    range: [0,300]
    unique values: 9
    unique missing codes: 4
    units: 1
    missing .: 37/1,267
    missing *: 773/1,267

    tabulation:  Freq.  Value
                  444  0
                   1  30
                   1  50
                   1  59
                   1  60
                   1  79
                   4 100
                   3 200
                   1 300
                  37  .
                   1  .a
                  765  .b
                   7  .c
    mean:      3.45295
    std. dev:  23.9367

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

---

**hclc\_7** **Secondary school/vocational**

---

```

type: numeric (long)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 0/1,267
missing *: 1,267/1,267

tabulation: Freq. Value
              1 .a
            1,266 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

---

**hcl1d\_7** **Higher than Secondary school/vocational**

---

```

type: numeric (long)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 0/1,267
missing *: 1,267/1,267

tabulation: Freq. Value
              1 .a
            1,266 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

---

**hclnote\_7** **Interviewer note of table 1 (unavailable)**

---

```

type: string (str270), but longest is str0
unique values: 0
missing "": 1,267/1,267

tabulation: Freq. Value
            1,267 ""
    
```

---

**description\_8** **Expenditures for Education: Wooden or plastic block (not display)**

---

```

type: string (str109), but longest is str0
unique values: 0
missing "": 1,267/1,267

tabulation: Freq. Value
            1,267 ""
    
```

**description\_8:**  
 1. subjected to a carryforward operation

---

**freq\_8** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq
    
```

range: [17,17] units: 1  
 unique values: 1 missing .: 0/1,267

tabulation: Freq. Numeric Label  
 1,267 17 yearly

---

**hcla\_8**

**Pre School**

---

type: numeric (long)

range: [0,3000] units: 1  
 unique values: 21 missing .: 0/1,267  
 unique missing codes: 3 missing \*: 37/1,267

tabulation: Freq. Value  
 1,174 0  
           1 20  
           2 50  
           7 100  
           1 120  
           5 150  
           1 160  
           1 195  
           3 199  
          10 200  
           3 250  
           6 300  
           2 350  
           1 400  
           2 450  
           2 500  
           3 1000  
           1 1200  
           1 1500  
           1 2000  
           3 3000  
           1 .a  
          19 .b  
          17 .c

mean: 21.8634  
 std. dev: 180.236

percentiles:           10%       25%       50%       75%       90%  
                           0           0           0           0           0

---

**hclb\_8**

**Primary School**

---

type: numeric(long)

range: [0,500] units: 1  
 unique values: 5 missing .: 0/1,267  
 unique missing codes: 3 missing \*: 809/1,267

tabulation: Freq. Value  
 454 0  
           1 150  
           1 195  
           1 200  
           1 500  
           1 .a  
          802 .b  
           6 .c

mean: 2.28166  
 std. dev: 27.6006

percentiles:           10%       25%       50%       75%       90%  
                           0           0           0           0           0

---

**hclc\_8** **Secondary school/vocational**

---

```

type: numeric (long)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing : 0/1,267
missing *: 1,267/1,267

tabulation: Freq. Value
              1 .a
            1,266 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

---

**hcl1d\_8** **Higher than Secondary school/vocational**

---

```

type: numeric (long)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing : 0/1,267
missing *: 1,267/1,267

tabulation: Freq. Value
              1 .a
            1,266 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

---

**hclnote\_8** **Interviewer note of table 1 (unavailable)**

---

```

type: string (str270), but longest is str0
unique values: 0
missing "": 1,267/1,267

tabulation: Freq. Value
            1,267 ""
    
```

---

**description\_9** **Expenditures for Education: Clay (not display)**

---

```

type: string (str109), but longest is str0
unique values: 0
missing "": 1,267/1,267

tabulation: Freq. Value
            1,267 ""
    
```

**description\_9:**  
 1. subjected to a carryforward operation

---

**freq\_9** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq
    
```

```

range: [17,17] units: 1
unique values: 1 missing .: 0/1,267

tabulation: Freq. Numeric Label
1,267 17 yearly
    
```

---

hcla\_9

Pre School

---

```

type: numeric (long)

range: [0,3950] units: 1
unique values: 84 missing .: 0/1,267
unique missing codes: 3 missing *: 80/1,267
    
```

```

tabulation: Freq. Value
645 0
5 5
1 7
1 8
18 10
5 15
1 18
74 20
1 23
12 25
27 30
1 32
1 33
3 35
2 39
17 40
1 44
4 45
71 50
3 55
12 60
1 63
1 67
1 68
3 70
1 72
1 79
4 80
1 83
6 90
1 95
1 98
106 100
1 109
3 120
2 125
2 130
16 150
1 160
1 180
1 195
1 196
33 200
1 225
1 233
2 240
7 250
1 258
4 260
1 275
1 280
19 300
1 320
3 350
1 360
    
```

```

1 390
1 399
3 400
1 410
1 440
1 450
1 473
2 480
10 500
4 520
1 540
1 550
1 578
3 600
3 602
1 720
1 800
1 860
1 946
1 960
5 1000
1 1300
1 1440
1 1800
1 2100
1 2500
1 2600
1 3600
1 3950
1 .a
19 .b
60 .c
mean: 75.0977
std. dev: 244.08

percentiles:    10%    25%    50%    75%    90%
                0      0      0      55     200

```

---

**hclb\_9** **Primary School**

---

```

type: numeric (long)
range: [0,2400]
unique values: 29
unique missing codes: 3

units: 1
missing .: 0/1,267
missing *: 817/1,267

tabulation:  Freq.  Value
356  0
2    5
1    8
2   10
1   15
11  20
4   25
2   30
1   35
2   40
18  50
2   60
1   67
1   90
20 100
2  125
1  133
6  150
1  158
1  167
6  200
2  250
1  260

```

```

                1  275
                1  280
                1  467
                1  500
                1 1300
                1 2400
                1  .a
               802  .b
                14  .c
    mean:       27.8111
    std. dev:   138.974

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0     100
    
```

---

**hc1c\_9** **Secondary school/vocational**

---

```

    type: numeric (long)
    range: [.,.]
    unique values: 0
    unique missing codes: 2
    units: .
    missing .: 0/1,267
    missing *: 1,267/1,267

    tabulation: Freq. Value
                1  .a
               1,266 .b
    mean:       .
    std. dev:   .

    percentiles:    10%    25%    50%    75%    90%
                   .      .      .      .      .
    
```

---

**hc1d\_9** **Higher than Secondary school/vocational**

---

```

    type: numeric (long)
    range: [.,.]
    unique values: 0
    unique missing codes: 2
    units: .
    missing .: 0/1,267
    missing *: 1,267/1,267

    tabulation: Freq. Value
                1  .a
               1,266 .b
    mean:       .
    std. dev:   .

    percentiles:    10%    25%    50%    75%    90%
                   .      .      .      .      .
    
```

---

**hc1note\_9** **Interviewer note of table 1 (unavailable)**

---

```

    type: string (str270), but longest is str0
    unique values: 0
    missing "": 1,267/1,267

    tabulation: Freq. Value
               1,267 ""
    
```

---

**description\_10** **Expenditures for Education: Tuition fee (not display)**

---

```

    type: string (str109), but longest is str0
    unique values: 0
    missing "": 1,267/1,267
    
```



tabulation: Freq. Value  
 1,267 ""

**description\_10:**

1. subjected to a carryforward operation

---

**freq\_10**

**Frequency: Yearly**

type: numeric (**byte**)  
 label: **freq**  
 range: [17,17] units: 1  
 unique values: 1 missing .: 0/1,267  
 tabulation: Freq. Numeric Label  
 1,267 17 yearly

---

**hcla\_10**

**Pre School**

type: numeric (**long**)  
 range: [0,32500] units: 1  
 unique values: 84 missing .: 0/1,267  
 unique missing codes: 3 missing \*: 35/1,267

tabulation: Freq. Value  
 989 0  
 1 17  
 6 100  
 1 120  
 1 130  
 4 150  
 1 180  
 20 200  
 2 250  
 14 300  
 4 350  
 1 360  
 12 400  
 1 420  
 5 450  
 1 490  
 16 500  
 1 550  
 1 560  
 9 600  
 2 620  
 12 700  
 1 740  
 1 760  
 1 790  
 2 800  
 1 900  
 16 1000  
 1 1020  
 4 1200  
 1 1250  
 2 1400  
 1 1480  
 4 1500  
 1 1533  
 1 1550  
 1 1800  
 4 2000  
 1 2350  
 4 2500  
 1 2600  
 1 2700

```

1 2900
8 3000
1 3500
1 3800
1 3810
1 3900
1 4000
1 4100
2 5000
2 5500
1 5700
5 6000
4 6500
1 6900
7 7000
1 7500
1 7600
3 8000
1 8400
2 8600
2 9000
1 9500
4 10000
1 10600
1 11000
1 11063
1 11120
5 12000
1 12640
2 13000
1 13200
2 14000
2 15000
1 15400
1 17800
1 18000
2 20000
1 24000
1 25000
1 28500
1 30000
1 32500
1 .a
19 .b
15 .c
      mean: 713.087
      std. dev: 2863.84

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        800

```

---

hclb\_10

Primary School

---

```

      type: numeric (long)
      range: [0,60000]
      unique values: 42
      unique missing codes: 3
      units: 1
      missing .: 0/1,267
      missing *: 814/1,267

```

```

tabulation:  Freq.  Value
              384    0
              1    100
              2    200
              3    300
              2    360
              5    500
              1    600
              1    800
              9   1000
              1   1200
              3   1500
              1   1800
              2   2000
              1   2200
              1   2300
              1   2333
              1   2500
              1   2700
              1   2850
              3   3000
              1   3400
              1   3500
              2   4000
              1   4030
              1   5400
              1   5500
              1   6000
              1   6500
              1   7000
              1   8500
              2  10000
              1  12000
              2  13000
              1  13400
              4  14000
              1  15900
              1  16000
              1  18000
              1  19800
              2  25000
              1  30000
              1  60000
              1   .a
            802   .b
             11   .c
    mean:      983.075
    std. dev:  4364.25

    percentiles:      10%      25%      50%      75%      90%
                      0         0         0         0      1000

```

---

**hcl1c\_10**

**Secondary school/vocational**

---

```

    type:  numeric (long)
    range:  [0,46000]
    unique values:  41
    unique missing codes:  4
    units:  1
    missing .:  22/1,267
    missing *:  1,061/1,267

```

```

tabulation:  Freq.  Value
              119    0
              1    150
              1    350
              1    580
              1    700
              1    710
              1   1000
              3   1200
              1   1250
              2   1400
              3   1500
              1   1600
              3   1700
              1   1750
              2   1800
              1   1900
              1   1980
              3   2000
              1   2085
              1   2190
              6   2500
              1   2600
              1   2700
              1   2850
              1   2995
              4   3000
              2   3700
              1   3800
              1   4050
              3   4500
              3   5000
              1   5600
              1   6500
              1   7000
              1   9000
              1  10000
              1  11910
              1  12000
              1  14000
              3  15000
              1  46000
              22   .
              1   .a
            1,037 .b
              23   .c
    mean:      1580.16
    std. dev:  4363.36

percentiles:    10%    25%    50%    75%    90%
                0      0      0     1725   4050
    
```

---

**hcl1d\_10**

**Higher than Secondary school/vocational**

---

```

type: numeric (long)
range: [0,120000]
unique values: 8
unique missing codes: 4

units: 100
missing .: 20/1,267
missing *: 1,234/1,267
    
```

```

tabulation:  Freq.  Value
              4      0
              1    2500
              1    3900
              1    4000
              3    7500
              1   26000
              1   30000
              1  120000
              20      .
              1    .a
            1,232  .b
              1    .c
    mean:     16069.2
    std. dev: 32692.2

percentiles:    10%    25%    50%    75%    90%
                0      0     4000   7500   30000
    
```

---

**hclnote\_10** **Interviewer note of table 1 (unavailable)**

---

```

type: string (str270), but longest is str0
unique values: 0 missing "": 1,267/1,267

tabulation:  Freq.  Value
            1,267 ""
    
```

---

**description\_11** **Expenditures for Education: Tablet/Ipad (not display)**

---

```

type: string (str109), but longest is str0
unique values: 0 missing "": 1,267/1,267

tabulation:  Freq.  Value
            1,267 ""
    
```

**description\_11:**  
 1. subjected to a carryforward operation

---

**freq\_11** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq

range: [17,17] units: 1
unique values: 1 missing .: 0/1,267

tabulation:  Freq.  Numeric  Label
            1,267    17     yearly
    
```

---

**hcla\_11** **Pre School**

---

```

type: numeric (long)

range: [0,4000] units: 100
unique values: 16 missing .: 0/1,267
unique missing codes: 3 missing *: 21/1,267
    
```

```

tabulation:  Freq.  Value
              1,219  0
              1    200
              1   1000
              3   1200
              2   1400
              3   1500
              2   1600
              1   1700
              4   1900
              2   2000
              1   2400
              3   2500
              1   2600
              1   3500
              1   3800
              1   4000
              1   .a
              19   .b
              1   .c
mean:        42.0546
std. dev:    308.17

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

---

**hclb\_11**

**Primary School**

---

```

type: numeric (long)
range: [0,2000]
unique values: 5
unique missing codes: 3
units: 100
missing .: 38/1,267
missing *: 765/1,267

tabulation:  Freq.  Value
              460  0
              1   500
              1   1000
              1   1900
              1   2000
              38  .
              1   .a
              764 .b
mean:        11.6379
std. dev:    137.842

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

---

**hclc\_11**

**Secondary school/vocational**

---

```

type: numeric (long)
range: [0,200]
unique values: 2
unique missing codes: 2
units: 100
missing .: 0/1,267
missing *: 1,060/1,267

tabulation:  Freq.  Value
              206  0
              1   200
              1   .a
              1,059 .b
mean:        .966184
std. dev:    13.901

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

---

**hclid\_11** **Higher than Secondary school/vocational**

---

```

type: numeric (long)
range: [0,0]
unique values: 1
unique missing codes: 2
units: 1
missing .: 0/1,267
missing *: 1,254/1,267

tabulation: Freq. Value
             13  0
             1  .a
             1,253 .b
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0  0  0  0  0
    
```

---

**hclnote\_11** **Interviewer note of table 1 (unavailable)**

---

```

type: string (str270), but longest is str0
unique values: 0
missing "": 1,267/1,267

tabulation: Freq. Value
             1,267 ""
    
```

---

**description\_12** **Expenditures for Education: Cell phone (not display)**

---

```

type: string (str109), but longest is str0
unique values: 0
missing "": 1,267/1,267

tabulation: Freq. Value
             1,267 ""
    
```

**description\_12:**  
 1. subjected to a carryforward operation

---

**freq\_12** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing .: 0/1,267

tabulation: Freq. Numeric Label
             1,267 17 yearly
    
```

---

**hcla\_12** **Pre School**

---

```

type: numeric (long)
range: [0,9500]
unique values: 23
unique missing codes: 2
units: 1
missing .: 0/1,267
missing *: 20/1,267
    
```

```

tabulation:  Freq.  Value
              1,217  0
                2  100
                1  200
                2  300
                2  500
                1  550
                1  590
                1  600
                1  660
                1  699
                1  700
                2  800
                1  890
                5 1000
                1 1200
                1 1700
                1 1900
                1 2400
                1 2500
                1 3200
                1 4000
                1 6000
                1 9500
                1  .a
                19  .b
    mean:     36.6391
    std. dev: 381.139

```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

---

**hclb\_12**

**Primary School**

---

```

type: numeric (long)
range: [0,29000]
unique values: 23
unique missing codes: 3
units: 100
missing .: 0/1,267
missing *: 805/1,267

```

```

tabulation:  Freq.  Value
              416  0
                1  100
                4  500
                1  600
                2  700
                2  800
                3 1000
                1 1100
                2 1200
                2 1500
                1 1900
                5 2000
                1 2300
                1 2400
                2 2500
                3 2600
                1 2900
                7 3000
                2 3500
                1 4500
                2 5000
                1 19000
                1 29000
                1  .a
              802  .b
                2  .c
    mean:     298.701
    std. dev: 1748.63

```







```

      1 170
      1 174
      1 180
      1 195
     48 200
      1 210
      1 220
     14 250
      1 260
      1 275
     28 300
      8 350
      1 380
      9 400
      3 450
      2 475
     28 500
      1 550
      2 600
      1 650
      2 700
      2 750
      1 800
      1 810
      1 850
      1 860
      1 900
     13 1000
      1 1080
      3 1200
      1 1300
      5 1500
      1 1730
      4 2000
      2 2500
      1 2750
      2 3500
      1 5000
      1 7000
      1 20000
      1 .a
     19 .b
     28 .c
      1 .d
    mean: 128.705
  std. dev: 686.873

percentiles:      10%      25%      50%      75%      90%
                  0         0         0        100        300

```

---

**hclb\_13**

**Primary School**

---

```

      type: numeric (long)
      range: [0,7600]
  unique values: 42
  unique missing codes: 3
      units: 1
  missing .: 0/1,267
  missing *: 824/1,267

  tabulation:  Freq.  Value
                237    0
                 3    20
                 1    30
                 8    50
                 2    70
                 1    80
                25   100
                 3   120
                 3   125
                 1   130
                13   150

```

```

      1 167
      2 170
      2 180
     25 200
     11 250
      1 267
      1 275
     19 300
      2 333
      6 350
      1 360
      1 390
     11 400
     21 500
      1 550
      6 600
      1 700
      2 800
      1 895
      1 900
     11 1000
      1 1200
      3 1500
      1 1700
      8 2000
      1 2300
      1 2500
      1 2750
      1 4000
      1 6000
      1 7600
      1 .a
     803 .b
      20 .c
    mean: 241.749
  std. dev: 630.175

percentiles:      10%      25%      50%      75%      90%
                  0         0         0        250        500

```

---

hclc\_13

Secondary school/vocational

---

```

      type: numeric (long)
      range: [0,5500]
  unique values: 20
unique missing codes: 3
      units: 1
  missing .: 0/1,267
  missing *: 1,078/1,267

  tabulation:  Freq.  Value
                113    0
                 1    60
                 11   100
                  4   150
                  1  166
                  5   200
                  3   250
                  1   280
                 14   300
                  3   400
                 12   500
                  1   600
                  1   700
                  2   750
                  7  1000
                  1  1200
                  6  1500
                  1  2000
                  1  3000
                  1  5500
                  1   .a

```



---

**hcla\_14** **Pre School**

---

```

type: numeric (long)
range: [0,3500] units: 1
unique values: 7 missing .: 1,252/1,267

tabulation: Freq. Value
             8 0
             1 300
             2 1000
             1 1250
             1 1533
             1 2500
             1 3500
             1,252 .
mean: 738.867
std. dev: 1079.48

percentiles: 10% 25% 50% 75% 90%
              0 0 0 1250 2500
    
```

---

**hclb\_14** **Primary School**

---

```

type: numeric (long)
range: [0,8600] units: 1
unique values: 6 missing .: 1,253/1,267
unique missing codes: 3 missing *: 5/1,267

tabulation: Freq. Value
             2 0
             1 500
             3 600
             1 2333
             1 7800
             1 8600
             1,253 .
             4 .b
             1 .d
mean: 2337
std. dev: 3398.87

percentiles: 10% 25% 50% 75% 90%
              0 500 600 2333 8600
    
```

---

**hclc\_14** **Secondary school/vocational**

---

```

type: numeric (long)
range: [33,1250] units: 1
unique values: 2 missing .: 1,252/1,267
unique missing codes: 2 missing *: 13/1,267

tabulation: Freq. Value
             1 33
             1 1250
             1,252 .
             13 .b
mean: 641.5
std. dev: 860.549

percentiles: 10% 25% 50% 75% 90%
              33 33 641.5 1250 1250
    
```

---

**hclid\_14** **Higher than Secondary school/vocational**

---

```

type: numeric (long)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,252/1,267
missing *: 15/1,267

tabulation: Freq. Value
             1,252 .
             15 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

---

**hclnote\_14** **Interviewer note of table 1 (unavailable)**

---

```

type: string (str270), but longest is str0
unique values: 0
missing "": 1,267/1,267

tabulation: Freq. Value
             1,267 ""
    
```

---

**description\_15**  
**Expenditures for Education: Toys e.g. jigsaw, wooden block, clay (not display)**

---

```

type: string (str109), but longest is str0
unique values: 0
missing "": 1,267/1,267

tabulation: Freq. Value
             1,267 ""
    
```

**description\_15:**  
1. subjected to a carryforward operation

---

**freq\_15** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq
range: [.,.]
unique values: 0
units: .
missing .: 1,267/1,267

tabulation: Freq. Numeric Label
             1,267 .
    
```

---

**hcla\_15** **Pre School**

---

```

type: numeric (long)
range: [.,.]
unique values: 0
units: .
missing .: 1,267/1,267

tabulation: Freq. Value
             1,267 .
mean: .
std. dev: .
    
```





```

    range: [0,4]                units: 1
unique values: 5                missing .: 0/1,267

  tabulation: Freq. Value
                28  0
                967  1
                242  2
                 25  3
                  5  4
    mean:      1.22021
  std. dev:    .528465

percentiles:    10%    25%    50%    75%    90%
                1      1      1      1      2
  
```

**hclb\_num** Number of children attending primary school

```

    type: numeric (double)

    range: [0,4]                units: 1
unique values: 5                missing .: 0/1,267

  tabulation: Freq. Value
                802  0
                405  1
                 55  2
                  3  3
                  2  4
    mean:      .41989
  std. dev:    .60319

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      1
  
```

**hclc\_num** Number of children attending secondary school or vocational education

```

    type: numeric (double)

    range: [0,3]                units: 1
unique values: 4                missing .: 0/1,267

  tabulation: Freq. Value
                1,043  0
                 201  1
                  21  2
                   2  3
    mean:      .196527
  std. dev:    .447977

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
  
```

**hcld\_num** Number of children attending higher than secondary education or vocational educa

```

    type: numeric (double)

    range: [0,1]                units: 1
unique values: 2                missing .: 0/1,267

  tabulation: Freq. Value
                1,257  0
                  10  1
    mean:      .007893
  std. dev:    .088524
  
```



mean: 1323.09  
 std. dev: 6818.58  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 270.833 2083.33

---

**hh\_monthly\_exp\_education** Household monthly expenditure for education

---

type: numeric (float)  
 range: [0,10000] units: 1.000e-08  
 unique values: 627 missing .. 1/1,267  
 mean: 348.633  
 std. dev: 778.648  
 percentiles: 10% 25% 50% 75% 90%  
 0 12.5 58.3333 358.333 1011.08

---

**hh\_monthly\_exp\_clothes** Household monthly expenditure for clothes

---

type: numeric (double)  
 range: [0,5208.3333] units: 1.000e-14  
 unique values: 260 missing .. 1/1,267  
 mean: 355.471  
 std. dev: 469.707  
 percentiles: 10% 25% 50% 75% 90%  
 0 95.8333 233.333 458.333 750

---

**hh\_change** Sample has moved so that its household structure changed

---

type: numeric (float)  
 label: hh\_change  
 range: [0,1] units: 1  
 unique values: 2 missing .. 0/1,267  
 tabulation: Freq. Numeric Label  
 1,254 0 no  
 13 1 yes

---

**survey\_name** survey round

---

type: string (str12)  
 unique values: 1 missing "": 0/1,267  
 tabulation: Freq. Value  
 1,267 "RESURVEY2017"

---

**year\_survey** year survey

---

type: numeric (int)  
 range: [2017,2017] units: 1  
 unique values: 1 missing .. 0/1,267

```
tabulation:  Freq.  Value
              1,267  2017
      mean:    2017
      std. dev: 0
percentiles:  10%    25%    50%    75%    90%
              2017  2017    2017    2017    2017
```

```
2 . log close
   name: <unnamed>
   log:  V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018\\codebook\\2017\\a8.scml
   log type: smcl
   closed on: 7 Nov 2024, 10:34:50
```

---