



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2017\b11.smcl
log type: smcl
opened on: 7 Nov 2024, 11:50:47
    
```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b11_run.dta
Last saved: 7 Nov 2024 11:40
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 755
Number of observations: 1,510
Size: 15,501,660 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

cid **children id**

```

type: string (str18)
unique values: 1,510 missing "": 0/1,510
examples: "201591160604209H1"
           "201691131001997H1"
           "201691160105067H1"
           "201691161708058H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,510
tabulation: Freq. Value
             553 "2015"
             957 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,286 missing "": 0/1,510
 examples: "201591160604209"
 "201691131001097"
 "201691160105068"
 "201691161708058"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,510
 tabulation: Freq. Value
 1,365 "91"
 145 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,510
 tabulation: Freq. Value
 1 "09"
 145 "12"
 266 "13"
 129 "14"
 148 "15"
 557 "16"
 40 "17"
 224 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,510
 tabulation: Freq. Value
 65 "01"
 229 "02"
 123 "04"
 63 "05"
 57 "06"
 66 "07"
 64 "08"
 97 "09"
 138 "10"
 93 "11"
 154 "13"
 47 "14"
 151 "15"
 106 "17"
 57 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,510

```

tabulation:  Freq.  Value
              158  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              157  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8  "17"
              12  "18"
              26  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type:  string (str3)
unique values: 185          missing "": 0/1,510
examples: "011"
          "035"
          "071"
          "149"
    
```

td1_times **At night, the child sleeps : since (hour:minute)**

```

type:  string (str6), but longest is str5
unique values: 19          missing "": 0/1,510
tabulation:  Freq.  Value
              1  "03.00"
              1  "06.30"
              1  "07.30"
              1  "17.30"
              6  "18.00"
              1  "18.30"
              50 "19.00"
              87 "19.30"
              4  "19.45"
              517 "20.00"
              1  "20.15"
              297 "20.30"
              1  "20.45"
              1  "20.50"
              359 "21.00"
              82  "21.30"
              83  "22.00"
              15  "22.30"
              2  "23.00"
    
```

td1_timee **At night, the child sleeps : until (hour:minute)**

```

type:  string (str6), but longest is str5
    
```

unique values: 21 missing "": 0/1,510

```

tabulation: Freq. Value
              1 "03.00"
              10 "04.00"
               7 "04.30"
             124 "05.00"
             113 "05.30"
               2 "05.40"
               5 "05.45"
               3 "05.50"
             620 "06.00"
               3 "06.15"
               1 "06.20"
             264 "06.30"
               4 "06.40"
               2 "06.50"
            243 "07.00"
               2 "07.15"
               2 "07.20"
             78 "07.30"
             23 "08.00"
               1 "12.00"
               2 "20.30"
    
```

td1_hr **At night, the child sleeps for hours**

```

type: numeric (byte)
range: [6,14] units: 1
unique values: 9 missing .: 0/1,510

tabulation: Freq. Value
              1 6
             22 7
            156 8
            533 9
            608 10
            174 11
             12 12
               2 13
               2 14
mean: 9.53444
std. dev: .93376

percentiles: 10% 25% 50% 75% 90%
              8 9 10 10 11
    
```

td1_mi **At night, the child sleeps for minutes**

```

type: numeric (byte)
range: [0,50] units: 1
unique values: 9 missing .: 0/1,510

tabulation: Freq. Value
            889 0
              1 5
              2 10
              8 15
              3 20
            591 30
               5 40
               6 45
               5 50
mean: 12.3543
std. dev: 14.9509
    
```

```
percentiles:    10%    25%    50%    75%    90%
                0      0      0      30     30
```

```
td2_times    The child goes to school/child development center : since (hour:minute)
```

```
type: string (str17), but longest is str5
```

```
unique values:  26                      missing "":  0/1,510
unique missing codes:  1                 missing *: 147/1,510
```

```
tabulation:  Freq.  Value
              7  "06.00"
              1  "06.15"
              2  "06.20"
              1  "06.21"
             47  "06.30"
              4  "06.40"
              2  "06.45"
              2  "06.50"
            189  "07.00"
              9  "07.10"
              8  "07.15"
             10  "07.20"
              1  "07.25"
            571  "07.30"
             29  "07.40"
              7  "07.45"
              7  "07.50"
            326  "08.00"
              2  "08.10"
              1  "08.15"
            122  "08.30"
              1  "08.45"
             12  "09.00"
              1  "09.30"
              1  "13.00"
            147  "NA"
```

```
td2_timee    The child goes to school/child development center : until (hour:minute)
```

```
type: string (str6), but longest is str5
```

```
unique values:  28                      missing "":  0/1,510
unique missing codes:  1                 missing *: 147/1,510
```

```
tabulation:  Freq.  Value
              1  "11.00"
              2  "12.00"
              4  "13.00"
              7  "13.30"
              1  "13.40"
            208  "14.00"
              2  "14.15"
              5  "14.20"
              1  "14.25"
            371  "14.30"
              3  "14.40"
              2  "14.45"
              3  "14.50"
            380  "15.00"
              2  "15.15"
              4  "15.20"
            189  "15.30"
              4  "15.40"
              1  "15.45"
             91  "16.00"
              2  "16.10"
              1  "16.20"
```

36 "16.30"
1 "16.40"
31 "17.00"
9 "17.30"
2 "18.00"
147 "NA"

td2_hr **The child goes to school/child development center for hours**

 type: numeric (**byte**)
 range: [1,11] units: 1
 unique values: 9 missing .: 0/1,510
 unique missing codes: 1 missing *: 147/1,510

 tabulation: Freq. Value
 1 1
 4 4
 46 5
 359 6
 586 7
 248 8
 71 9
 42 10
 6 11
 147 .b
 mean: 7.05209
 std. dev: 1.0897

 percentiles: 10% 25% 50% 75% 90%
 6 6 7 8 8

td2_mi **The child goes to school/child development center for minutes**

 type: numeric (**byte**)
 range: [0,55] units: 1
 unique values: 11 missing .: 0/1,510
 unique missing codes: 1 missing *: 147/1,510

 tabulation: Freq. Value
 639 0
 1 5
 9 10
 13 15
 24 20
 615 30
 1 39
 19 40
 13 45
 27 50
 2 55
 147 .b
 mean: 16.1878
 std. dev: 15.8364

 percentiles: 10% 25% 50% 75% 90%
 0 0 20 30 30

td3_times **The child takes a nap (weekdays) : since (hour:minute)**

 type: string (**str11**)

 unique values: 18 missing "": 0/1,510
 unique missing codes: 1 missing *: 1,296/1,510

```

tabulation:  Freq.  Value
              68  "0"
              1  "08.00"
             10  "09.00"
              3  "09.00-10.30"
              4  "09.00-11.00"
              1  "09.00-12.00"
              1  "09.30"
              1  "09.30-11.00"
             28  "10.00"
              3  "10.00-11.00"
              2  "10.00-12.00"
              3  "10.30"
             40  "11.00"
              2  "11.30"
             28  "12.00"
             16  "13.00"
              3  "14.00"
           1,296  "NA"
    
```

td3_timee **The child takes a nap (weekdays) : until (hour:minute)**

```

type: string (str11)
unique values: 21
unique missing codes: 1
missing "": 0/1,510
missing *: 1,296/1,510
    
```

```

tabulation:  Freq.  Value
              68  "0"
              1  "03.00"
              5  "11.00"
             17  "12.00"
              7  "12.30"
             32  "13.00"
              1  "13.00-15.00"
              5  "13.30"
             32  "14.00"
              3  "14.00-15.00"
              4  "14.00-16.00"
              8  "14.30"
              2  "14.30-15.30"
             19  "15.00"
              1  "15.00-15.30"
              1  "15.00-16.00"
              1  "15.00-16.30"
              3  "15.30"
              2  "16.00"
              2  "17.00"
           1,296  "NA"
    
```

td3_hr **The child takes a nap (weekdays) for hours**

```

type: numeric (byte)
range: [0,15]
unique values: 7
unique missing codes: 1
units: 1
missing .: 0/1,510
missing *: 1,296/1,510
    
```

```

tabulation:  Freq.  Value
              69    0
              18    1
              65    2
              44    3
              15    4
               2    5
               1   15
            1,296  .b
      mean:    1.70561
    std. dev:  1.63077

percentiles:      10%      25%      50%      75%      90%
                  0         0         2         3         3
    
```

td3_mi **The child takes a nap (weekdays) for minutes**

```

type: numeric (byte)
range: [0,30]
unique values: 3
unique missing codes: 1
units: 1
missing .: 0/1,510
missing *: 1,296/1,510
    
```

```

tabulation:  Freq.  Value
              185    0
               1   15
              28   30
            1,296  .b
      mean:    3.99533
    std. dev:  10.1651

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         30
    
```

td3b_times **The child takes a nap (holidays) : since (hour:minute)**

```

type: string (str20)
unique values: 33
unique missing codes: 1
missing "": 0/1,510
missing *: 1/1,510
    
```

```

tabulation:  Freq.  Value
              435  "0"
               1  "08.00"
              16  "09.00"
               1  "09.00-10.00"
               3  "09.00-10.30"
               4  "09.00-11.00"
               1  "09.00-12.00"
               2  "09.30"
               1  "09.30-11.00"
               1  "09.40"
               1  "1-2 ชม."
               1  "1-2ชม./วัน"
               1  "1.30 ชม."
              82  "10.00"
               3  "10.00-11.00"
               2  "10.00-12.00"
              11  "10.30"
               1  "10.40"
             212  "11.00"
              22  "11.30"
               1  "11.45"
             366  "12.00"
              10  "12.30"
             242  "13.00"
               4  "13.30"
              67  "14.00"
    
```



```

6 "14.30"
6 "15.00"
1 "16.00"
2 "17.00"
1 "2-3pm."
2 "30min"
1 "DK"

```

warning: variable has embedded blanks

td3b_timee **The child takes a nap (holidays) : util (hour:minute)**

type: string (**str11**)

unique values: 32 missing "": 0/1,510
 unique missing codes: 2 missing *: 7/1,510

tabulation:	Freq.	Value
	435	"00.00"
	1	"03.00"
	1	"10.00"
	1	"10.30"
	14	"11.00"
	4	"11.30"
	79	"12.00"
	1	"12.15"
	29	"12.30"
	196	"13.00"
	1	"13.00-14.30"
	1	"13.00-15.00"
	57	"13.30"
	1	"13.40"
	283	"14.00"
	1	"14.00-14.40"
	3	"14.00-15.00"
	4	"14.00-16.00"
	67	"14.30"
	2	"14.30-15.30"
	201	"15.00"
	1	"15.00-15.30"
	1	"15.00-16.00"
	1	"15.00-16.30"
	34	"15.30"
	65	"16.00"
	7	"16.30"
	8	"17.00"
	2	"17.30"
	2	"18.00"
	1	"DK"
	6	"NA"

td3b_hr **The child takes a nap (holidays) for hours**

type: numeric (**byte**)

range: [0,15] units: 1
 unique values: 7 missing .: 0/1,510

```

tabulation:  Freq.  Value
              450    0
              340    1
              486    2
              186    3
               43    4
               4     5
               1    15
    mean:     1.3755
    std. dev: 1.18363

percentiles: 10%    25%    50%    75%    90%
              0     0     1     2     3
    
```

td3b_mi **The child takes a nap (holidays) for minutes**

```

    type: numeric (byte)
    range: [0,50]          units: 1
unique values: 6          missing .: 0/1,510

    tabulation:  Freq.  Value
                  1,284  0
                   3    15
                   1    20
                  220    30
                   1    40
                   1    50
    mean:     4.47351
    std. dev: 10.7059

percentiles: 10%    25%    50%    75%    90%
              0     0     0     0     30
    
```

td5d **While watching TV, what activity does the child do?**

```

    type: numeric (byte)
    label: td5d
    range: [1,3]          units: 1
unique values: 2          missing .: 102/1,510

    tabulation:  Freq.  Numeric  Label
                  293     1    no
                  1,115   3    yes
                   102     .
    
```

td5d_des **Activities to do while children watch TV**

```

    type: string (str168)
unique values: 368          missing "": 392/1,510

    warning: variable has embedded and trailing blanks
    
```

activity_A **Listening to a story book that adult reads (use a book while reading) (not displ**

```

    type: string (str147), but longest is str0
unique values: 0          missing "": 1,510/1,510
    
```

tabulation: Freq. Value
 1,510 ""

detail_A **A : Identify the books**

type: string (**str238**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

c1_code_A **A : Frequency (Monday - Friday)**

type: numeric (**byte**)
 label: **c1_code**
 range: [0,9] units: 1
 unique values: 4 missing .: 0/1,510
 unique missing codes: 1 missing *: 487/1,510

tabulation:	Freq.	Numeric	Label
	884	0	never
	2	5	at least once a week
	130	7	once a day
	7	9	more than once a day
	487	.c	

c1_hr_A **A : Hours per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,12] units: 1
 unique values: 6 missing .: 1,371/1,510

tabulation:	Freq.	Value
	92	0
	18	1
	19	2
	1	3
	8	5
	1	12
	1,371	.
mean:	.798561	
std. dev:	1.61146	

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

c1_min_A **A : Minutes per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,50] units: 1
 unique values: 14 missing .: 1,371/1,510

```

tabulation:  Freq.  Value
              8    0
              1    5
              1    8
              4   13
              8   15
              1   18
              1   23
             22   25
             23   30
              1   33
              6   38
             12   40
              1   45
             50   50
             1,371 .
    mean:     34.1871
    std. dev: 15.0817

percentiles: 10%    25%    50%    75%    90%
              13     25     33     50     50
    
```

c1_aa_A **A :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str3
unique values: 5 missing "": 1,371/1,510

tabulation:  Freq.  Value
             1,371 ""
             130  "1"
              2  "1.5"
              4  "2"
              1  "2.5"
              2  "4"
    
```

c1_ab_A **A :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str4
unique values: 2 missing "": 1,371/1,510

tabulation:  Freq.  Value
             1,371 ""
             137  "day"
              2  "week"
    
```

c1_ac_A **A :Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,371/1,510

tabulation:  Freq.  Value
             131    0
              8    1
             1,371 .
    mean:     .057554
    std. dev: .23374

percentiles: 10%    25%    50%    75%    90%
              0     0     0     0     0
    
```

c1_ad_A **A : Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,45] units: .1
unique values: 16 missing .: 1,371/1,510

tabulation: Freq. Value
             8 0
             1 1.5
             4 2.5
             2 3
             1 3.5
             2 4
             1 4.5
            22 5
             1 6.5
             8 7.5
            53 10
             6 15
             9 20
             1 25
            19 30
             1 45
            1,371 .
mean: 11.8705
std. dev: 9.15474

percentiles: 10% 25% 50% 75% 90%
              3 5 10 15 30
    
```

c1_ba_A **A : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13] units: 1
unique values: 7 missing .: 1,371/1,510

tabulation: Freq. Numeric Label
             17 1 father
             46 3 mother
             52 5 grandparents
             5 7 uncle/aunt
            14 9 brother/sister/cousin
             1 11 outsider
             4 13 other household member
            1,371 .
    
```

c1_bb_A **A : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13] units: 1
unique values: 6 missing .: 1,442/1,510

tabulation: Freq. Numeric Label
             7 1 father
            14 3 mother
            15 5 grandparents
             1 7 uncle/aunt
            30 9 brother/sister/cousin
             1 13 other household member
            1,442 .
    
```

c1_bc_A **A : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,9]
unique values: 5
units: 1
missing .. 1,484/1,510

tabulation: Freq.   Numeric   Label
              2           1   father
              3           3   mother
              3           5   grandparents
              1           7   uncle/aunt
              17          9   brother/sister/cousin
            1,484          .
    
```

c1_ba_gen_A **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,371/1,510

tabulation: Freq.   Numeric   Label
              28           1   male
              111          3   female
            1,371          .
    
```

c1_bb_gen_A **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,442/1,510

tabulation: Freq.   Numeric   Label
              33           1   male
              35           3   female
            1,442          .
    
```

c1_bc_gen_A **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,484/1,510

tabulation: Freq.   Numeric   Label
              12           1   male
              14           3   female
            1,484          .
    
```

c2_code_A **A : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code
    
```

range: [0,9] units: 1
 unique values: 4 missing .: 0/1,510
 unique missing codes: 1 missing *: 487/1,510

tabulation:	Freq.	Numeric	Label
	920	0	never
	1	5	at least once a week
	95	7	once a day
	7	9	more than once a day
	487	.c	

c2_hr_A **A : Hours per week (Saturday - Sunday)**

type: numeric (float)
 range: [0,5] units: 1
 unique values: 4 missing .: 1,407/1,510

tabulation:	Freq.	Value
	79	0
	15	1
	8	2
	1	5
	1,407	.
mean:	.349515	
std. dev:	.763233	

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1

c2_min_A **A : Minutes per week (Saturday - Sunday)**

type: numeric (float)
 range: [0,40] units: 1
 unique values: 10 missing .: 1,407/1,510

tabulation:	Freq.	Value
	23	0
	2	3
	3	5
	1	6
	10	10
	2	12
	6	15
	36	20
	8	30
	12	40
	1,407	.
mean:	16.3204	
std. dev:	12.5762	

percentiles:	10%	25%	50%	75%	90%
	0	5	20	20	40

c2_aa_A **A : Monday-Friday How many times (Saturday - Sunday)**

type: string (str30), but longest is str3
 unique values: 4 missing "": 1,407/1,510

```

tabulation: Freq. Value
            1,407 ""
             96 "1"
              2 "1.5"
              4 "2"
              1 "2.5"
    
```

c2_ab_A **A :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 2 missing "": 1,407/1,510
tabulation: Freq. Value
            1,407 ""
             102 "day"
              1 "week"
    
```

c2_ac_A **A :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,407/1,510
tabulation: Freq. Value
            95 0
             8 1
          1,407 .
mean: .07767
std. dev: .26896
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

c2_ad_A **A :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,45] units: .1
unique values: 12 missing .: 1,407/1,510
tabulation: Freq. Value
             8 0
              2 1.5
              3 2.5
              1 3
              2 4
             10 5
              6 7.5
             39 10
              6 15
              9 20
             16 30
              1 45
          1,407 .
mean: 12.6359
std. dev: 9.64116
percentiles: 10% 25% 50% 75% 90%
              2.5 5 10 20 30
    
```

c2_ba_A **A : People doing activity with (person 1)**


```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 6      missing .. 1,407/1,510

tabulation: Freq.   Numeric  Label
             11      1      father
             42      3      mother
             35      5      grandparents
              2      7      uncle/aunt
              9      9      brother/sister/cousin
              4      13     other household member
            1,407      .
    
```

c2_bb_A **A : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 6      missing .. 1,467/1,510

tabulation: Freq.   Numeric  Label
             6      1      father
             8      3      mother
             8      5      grandparents
              1      7      uncle/aunt
             19      9      brother/sister/cousin
              1      13     other household member
            1,467      .
    
```

c2_bc_A **A : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,9]           units: 1
unique values: 4      missing .. 1,494/1,510

tabulation: Freq.   Numeric  Label
             1      1      father
             3      3      mother
             1      5      grandparents
             11     9      brother/sister/cousin
            1,494      .
    
```

c2_ba_gen_A **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]           units: 1
unique values: 2      missing .. 1,407/1,510

tabulation: Freq.   Numeric  Label
             17      1      male
             86      3      female
            1,407      .
    
```

c2_bb_gen_A **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,467/1,510

tabulation: Freq.  Numeric  Label
              19         1  male
              24         3  female
            1,467         .
    
```

c2_bc_gen_A **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,494/1,510

tabulation: Freq.  Numeric  Label
              8         1  male
              8         3  female
            1,494         .
    
```

c3_code_A **A : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 3
unique missing codes: 2
units: 1
missing ..: 0/1,510
missing *: 1,023/1,510

tabulation: Freq.  Numeric  Label
              1         1  less than once a month
              75         3  at least once a month
             411         5  at least once a week
            1,022         .b
              1         .c
    
```

c3_hr_A **A : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,14]
unique values: 6
units: 1
missing ..: 1,099/1,510

tabulation: Freq.  Value
              356    0
              36    1
               8    2
               7    3
               2    4
               2   14
            1,099    .
mean:       .265207
std. dev:   1.13276

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

c3_min_A **A : Minutes per week (Monday - Sunday)**

```

type: numeric (float)
range: [0,54]
unique values: 32
units: 1
missing .: 1,099/1,510

```

```

tabulation: Freq. Value
             26  0
              3  2
             13  3
              6  4
             20  5
             17  6
              8  7
             14  8
              5  9
             63 10
              6 11
              2 12
             14 13
              2 14
             43 15
              1 16
              1 17
              4 18
              3 19
             32 20
              8 23
             17 25
              5 26
             53 30
              1 34
              9 35
              3 38
              7 40
             14 45
              9 50
              1 53
              1 54

```

```

mean: 17.3236
std. dev: 12.6281

```

```

percentiles: 10% 25% 50% 75% 90%
              3   8  15  26  35

```

c3_aa_A **A :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 10
missing "": 1,099/1,510

```

```

tabulation: Freq. Value
             1,099 ""
             116 "1"
              43 "1.5"
              93 "2"
              60 "2.5"
              55 "3"
              23 "3.5"
              10 "4"
               5 "4.5"
               5 "5"
               1 "6"

```

c3_ab_A **A :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4

```

unique values: 1 missing "": 1,100/1,510
 tabulation: Freq. Value
 1,100 ""
 410 "week"

c3_ac_A A :Monday-Friday How many times per hours (Monday - Sunday)

type: numeric (double)
 range: [0,3] units: 1
 unique values: 3 missing .: 1,099/1,510
 tabulation: Freq. Value
 394 0
 15 1
 2 3
 1,099 .
 mean: .051095
 std. dev: .279053
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

c3_ad_A A :Monday-Friday How many times per minutes (Monday - Sunday)

type: numeric (double)
 range: [1,53] units: .1
 unique values: 22 missing .: 1,114/1,510
 tabulation: Freq. Value
 1 1
 1 1.5
 7 2
 15 2.5
 18 3
 1 3.5
 5 4
 15 4.5
 73 5
 6 5.5
 23 7.5
 126 10
 1 12
 3 12.5
 16 15
 4 17.5
 13 20
 3 22.5
 1 25
 62 30
 1 45
 1 53
 1,114 .
 mean: 11.8674
 std. dev: 9.30874
 percentiles: 10% 25% 50% 75% 90%
 3 5 10 15 30

c3_ba_A A : People doing activity with (person 1)

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 7 missing : 1,022/1,510

tabulation:	Freq.	Numeric	Label
	40	1	father
	171	3	mother
	196	5	grandparents
	24	7	uncle/aunt
	47	9	brother/sister/cousin
	4	11	outsider
	6	13	other household member
	1,022	.	

c3_bb_A **A : People doing activity with (person 2)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,11] units: 1
 unique values: 6 missing : 1,291/1,510

tabulation:	Freq.	Numeric	Label
	13	1	father
	36	3	mother
	41	5	grandparents
	9	7	uncle/aunt
	119	9	brother/sister/cousin
	1	11	outsider
	1,291	.	

c3_bc_A **A : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,9] units: 1
 unique values: 4 missing : 1,449/1,510

tabulation:	Freq.	Numeric	Label
	2	1	father
	7	3	mother
	9	5	grandparents
	43	9	brother/sister/cousin
	1,449	.	

c3_ba_gen_A **Gender code (person 1)**

type: numeric (byte)
 label: c3_ba_gen
 range: [1,3] units: 1
 unique values: 2 missing : 1,022/1,510

tabulation:	Freq.	Numeric	Label
	99	1	male
	389	3	female
	1,022	.	

c3_bb_gen_A **Gender code (person 2)**

type: numeric (byte)
 label: c3_bb_gen

```

range: [1,3] units: 1
unique values: 2 missing ..: 1,291/1,510

tabulation: Freq. Numeric Label
             87      1 male
             132     3 female
             1,291 .
    
```

c3_bc_gen_A **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3] units: 1
unique values: 2 missing ..: 1,449/1,510

tabulation: Freq. Numeric Label
             24      1 male
             37      3 female
             1,449 .
    
```

activity_B
Listening to a story that adult tells (no book used while reading) (not display)

```

type: string (str147), but longest is str0
unique values: 0 missing "": 1,510/1,510

tabulation: Freq. Value
             1,510 ""
    
```

detail_B **B : Identify the stories**

```

type: string (str238), but longest is str0
unique values: 0 missing "": 1,510/1,510

tabulation: Freq. Value
             1,510 ""
    
```

c1_code_B **B : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9] units: 1
unique values: 3 missing ..: 0/1,510
unique missing codes: 1 missing *: 680/1,510

tabulation: Freq. Numeric Label
             716      0 never
             105      7 once a day
              9      9 more than once a day
             680      .c
    
```

c1_hr_B **B : Hours per week (Monday - Friday)**

```

type: numeric (float)

range: [0,12] units: 1
unique values: 7 missing ..: 1,396/1,510
    
```

```

tabulation:  Freq.  Value
              60    0
              14    1
              24    2
              12    5
               1    6
               2    7
               1   12
            1,396  .
      mean:    1.35088
    std. dev:  2.06094

percentiles:    10%    25%    50%    75%    90%
                0      0      0      2      5
    
```

c1_min_B **B : Minutes per week (Monday - Friday)**

```

      type:  numeric (float)
      range: [0,53]
unique values: 16
                units: 1
                missing : 1,396/1,510

tabulation:  Freq.  Value
              12    0
               2    3
               4    5
               1   10
               2   13
               9   15
               1   18
               2   20
               3   23
              14   25
              23   30
               1   31
               8   38
               4   40
              27   50
               1   53
            1,396  .
      mean:    28.614
    std. dev:  16.4626

percentiles:    10%    25%    50%    75%    90%
                0     15     30     40     50
    
```

c1_aa_B **B :Monday-Friday How many times (Monday - Friday)**

```

      type:  string (str27), but longest is str10
unique values: 5
                missing "": 1,396/1,510

tabulation:  Freq.  Value
            1,396  ""
             105  "1"
               2  "1.5"
               2  "2"
               3  "2.5"
               2  "many times"

warning:  variable has embedded blanks
    
```

c1_ab_B **B :Monday-Friday How many times per units (Monday - Friday)**

```

type:  string (str21), but longest is str3
    
```

unique values: 1 missing "": 1,396/1,510

tabulation: Freq. Value
 1,396 ""
 114 "day"

c1_ac_B B :Monday-Friday How many times per hours (Monday - Friday)

type: numeric (double)
 range: [0,2.5] units: .1
 unique values: 4 missing .: 1,396/1,510

tabulation: Freq. Value
 100 0
 11 1
 2 1.5
 1 2.5
 1,396 .

mean: .144737
 std. dev: .413937

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

c1_ad_B B :Monday-Friday How many times per minutes (Monday - Friday)

type: numeric (double)
 range: [0,30] units: .1
 unique values: 15 missing .: 1,396/1,510

tabulation: Freq. Value
 13 0
 1 2
 3 2.5
 1 3
 1 3.5
 2 4
 3 4.5
 15 5
 9 7.5
 29 10
 5 15
 4 20
 1 22.5
 4 25
 23 30
 1,396 .

mean: 12.6096
 std. dev: 10.4003

percentiles: 10% 25% 50% 75% 90%
 0 5 10 20 30

c1_ba_B B : People doing activity with (person 1)

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 6 missing .: 1,396/1,510


```

tabulation:  Freq.  Numeric  Label
              11      1  father
              24      3  mother
              59      5  grandparents
               4      7  uncle/aunt
               7      9  brother/sister/cousin
               9     13  other household member
            1,396      .
    
```

c1_bb_B **B : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 6      missing .: 1,458/1,510

tabulation:  Freq.  Numeric  Label
              1      1  father
              8      3  mother
             17      5  grandparents
               2      7  uncle/aunt
             23      9  brother/sister/cousin
               1     13  other household member
            1,458      .
    
```

c1_bc_B **B : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,9]          units: 1
unique values: 4      missing .: 1,495/1,510

tabulation:  Freq.  Numeric  Label
              1      1  father
              5      5  grandparents
               1      7  uncle/aunt
               8      9  brother/sister/cousin
            1,495      .
    
```

c1_ba_gen_B **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,396/1,510

tabulation:  Freq.  Numeric  Label
              38      1  male
              76      3  female
            1,396      .
    
```

c1_bb_gen_B **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,458/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              17      1  male
              35      3  female
            1,458      .
    
```

c1_bc_gen_B **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,495/1,510

tabulation:  Freq.  Numeric  Label
              9      1  male
              6      3  female
            1,495      .
    
```

c2_code_B **B : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]          units: 1
unique values: 4      missing .: 0/1,510
unique missing codes: 1  missing *: 680/1,510

tabulation:  Freq.  Numeric  Label
              710    0  never
               1     5  at least once a week
              109    7  once a day
               10    9  more than once a day
               680    .c
    
```

c2_hr_B **B : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,5]          units: 1
unique values: 5      missing .: 1,390/1,510

tabulation:  Freq.  Value
              82     0
              20     1
              15     2
               2     3
               1     5
            1,390    .
mean:        .508333
std. dev:    .879226

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2
    
```

c2_min_B **B : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,50]          units: 1
unique values: 16      missing .: 1,390/1,510
    
```

```

tabulation:  Freq.  Value
              37    0
              1    4
              1    5
              3    6
              1    7
              2    8
              3    9
             15   10
              2   13
              8   15
             27   20
              2   25
              9   30
              4   40
              1   45
              4   50
             1,390 .
    mean:      13.65
    std. dev:  13.1005

percentiles:  10%    25%    50%    75%    90%
              0     0     10     20     30
    
```

c2_aa_B **B :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str10
unique values: 5 missing "": 1,390/1,510

tabulation:  Freq.  Value
             1,390 ""
             110  "1"
              2  "1.5"
              2  "2"
              4  "2.5"
              2  "many times"

warning: variable has embedded blanks
    
```

c2_ab_B **B :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 2 missing "": 1,390/1,510

tabulation:  Freq.  Value
             1,390 ""
             119  "day"
              1  "week"
    
```

c2_ac_B **B :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,2.5] units: .1
unique values: 4 missing .: 1,390/1,510
    
```

```

tabulation:  Freq.  Value
              105    0
              12    1
              2    1.5
              1    2.5
            1,390    .
    mean:     .145833
    std. dev: .411983

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         1
    
```

c2_ad_B **B :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,30]
unique values: 15
units: .1
missing .: 1,390/1,510
    
```

```

tabulation:  Freq.  Value
              15    0
              1    2
              3    2.5
              3    3
              1    3.5
              2    4
              3    4.5
              15    5
              9    7.5
              30   10
              6    15
              4    20
              1   22.5
              4    25
              23   30
            1,390    .
    mean:     12.2375
    std. dev: 10.3394

percentiles:      10%      25%      50%      75%      90%
                  0         5         10        20        30
    
```

c2_ba_B **B : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13]
unique values: 6
units: 1
missing .: 1,390/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              11      1  father
              25      3  mother
              63      5  grandparents
              4       7  uncle/aunt
              8       9  brother/sister/cousin
              9      13  other household member
            1,390    .
    
```

c2_bb_B **B : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A
    
```

range: [1,13] units: 1
 unique values: 6 missing .: 1,455/1,510

tabulation:	Freq.	Numeric	Label
	1	1	father
	8	3	mother
	17	5	grandparents
	3	7	uncle/aunt
	25	9	brother/sister/cousin
	1	13	other household member
	1,455	.	

c2_bc_B **B : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,9] units: 1
 unique values: 4 missing .: 1,494/1,510

tabulation:	Freq.	Numeric	Label
	1	1	father
	5	5	grandparents
	1	7	uncle/aunt
	9	9	brother/sister/cousin
	1,494	.	

c2_ba_gen_B **Gender code (person 1)**

type: numeric (byte)
 label: **c2_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,390/1,510

tabulation:	Freq.	Numeric	Label
	40	1	male
	80	3	female
	1,390	.	

c2_bb_gen_B **Gender code (person 2)**

type: numeric (byte)
 label: **c2_bb_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,455/1,510

tabulation:	Freq.	Numeric	Label
	18	1	male
	37	3	female
	1,455	.	

c2_bc_gen_B **Gender code (person 3)**

type: numeric (byte)
 label: **c2_bc_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,494/1,510

```

tabulation:  Freq.  Numeric  Label
              10      1  male
              6       3  female
            1,494      .
    
```

c3_code_B **B : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]                units: 1
unique values: 2            missing .: 0/1,510
unique missing codes: 2    missing *: 827/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              138    3  at least once a month
              545    5  at least once a week
              826    .b
              1     .c
    
```

c3_hr_B **B : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,4]                units: 1
unique values: 5            missing .: 965/1,510
    
```

```

tabulation:  Freq.  Value
              456    0
              73    1
              12    2
              3     3
              1     4
              965    .
    
```

```

mean: .201835
std. dev: .510547
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1
    
```

c3_min_B **B : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,56]              units: 1
unique values: 31         missing .: 965/1,510
    
```

```

tabulation:  Freq.  Value
              40    0
              2    1
              6    2
              19    3
              12    4
              50    5
              12    6
              8    7
              35    8
              6    9
              74   10
              13   11
              2   12
              8   13
              2   14
              63   15
              3   16
              7   18
    
```

```

          9 19
         34 20
          7 23
          6 25
         75 30
          1 31
          1 33
         10 35
          6 38
         13 40
         14 45
          6 50
          1 56
         965 .
    mean: 15.6862
    std. dev: 12.2291

    percentiles:      10%      25%      50%      75%      90%
                     3         6        11        23        30

```

c3_aa_B **B :Monday-Friday How many times (Monday - Sunday)**

```

    type: string (str6), but longest is str3
    unique values: 9          missing "": 964/1,510
    tabulation:
      Freq. Value
      964 ""
      159 "1"
       69 "1.5"
      129 "2"
       62 "2.5"
       77 "3"
       21 "3.5"
       15 "4"
        9 "4.5"
        5 "5"

```

c3_ab_B **B :Monday-Friday How many times per units (Monday - Sunday)**

```

    type: string (str22), but longest is str5
    unique values: 2          missing "": 965/1,510
    tabulation:
      Freq. Value
      965 ""
        1 "month"
      544 "week"

```

c3_ac_B **B :Monday-Friday How many times per hours (Monday - Sunday)**

```

    type: numeric (double)
    range: [0,1.5]          units: .1
    unique values: 3          missing .: 965/1,510
    tabulation:
      Freq. Value
      527 0
       17 1
        1 1.5
      965 .
    mean: .033945
    std. dev: .185018

```

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0

c3_ad_B B :Monday-Friday How many times per minutes (Monday - Sunday)

```

type: numeric (double)
range: [1,40]           units: .1
unique values: 22      missing .: 982/1,510

  tabulation: Freq.  Value
               2      1
               4     1.5
              12      2
              29     2.5
              18      3
               6     3.5
               5      4
              23     4.5
             108      5
               3     5.5
               2     6.5
              32     7.5
             123     10
               5    12.5
              34     15
               4    17.5
              36     20
               1    22.5
               4     25
              71     30
               3     35
               3     40
              982 .
      mean:      11.7093
   std. dev:      9.24489

percentiles: 10% 25% 50% 75% 90%
               3    5   10  15  30

```

c3_ba_B B : People doing activity with (person 1)

```

type: numeric (byte)
label: c1_ba_A
range: [1,13]           units: 1
unique values: 7      missing .: 827/1,510
unique missing codes: 2 missing *: 1/1,510

  tabulation: Freq.  Numeric  Label
               54       1  father
              147       3  mother
              405       5  grandparents
               19       7  uncle/aunt
               30       9  brother/sister/cousin
               6       11  outsider
               21      13  other household member
              827 .
               1       .b

```

c3_bb_B B : People doing activity with (person 2)

type: numeric (byte)
label: c1_ba_A

range: [1,13] units: 1
 unique values: 7 missing : 1,220/1,510

tabulation:	Freq.	Numeric	Label
	12	1	father
	32	3	mother
	82	5	grandparents
	5	7	uncle/aunt
	151	9	brother/sister/cousin
	6	11	outsider
	2	13	other household member
	1,220	.	

c3_bc_B **B : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 6 missing : 1,443/1,510

tabulation:	Freq.	Numeric	Label
	1	1	father
	2	3	mother
	6	5	grandparents
	56	9	brother/sister/cousin
	1	11	outsider
	1	13	other household member
	1,443	.	

c3_ba_gen_B **Gender code (person 1)**

type: numeric (byte)
 label: c3_ba_gen

range: [1,3] units: 1
 unique values: 2 missing : 828/1,510

tabulation:	Freq.	Numeric	Label
	189	1	male
	493	3	female
	828	.	

c3_bb_gen_B **Gender code (person 2)**

type: numeric (byte)
 label: c3_bb_gen

range: [1,3] units: 1
 unique values: 2 missing : 1,220/1,510

tabulation:	Freq.	Numeric	Label
	111	1	male
	179	3	female
	1,220	.	

c3_bc_gen_B **Gender code (person 3)**

type: numeric (byte)
 label: c3_bc_gen

range: [1,3] units: 1
 unique values: 2 missing : 1,442/1,510

```

tabulation:  Freq.  Numeric  Label
              30      1  male
              38      3  female
            1,442      .
    
```

activity_C **Running outside the house (not display)**

```

type:  string (str147), but longest is str0
unique values:  0                               missing "":  1,510/1,510
tabulation:  Freq.  Value
            1,510  ""
    
```

detail_C **C: detail**

```

type:  string (str238), but longest is str0
unique values:  0                               missing "":  1,510/1,510
tabulation:  Freq.  Value
            1,510  ""
    
```

c1_code_C **C : Frequency (Monday - Friday)**

```

type:  numeric (byte)
label:  c1_code

range:  [0,9]                               units:  1
unique values:  4                           missing .:  1/1,510
unique missing codes:  2                     missing *:  237/1,510

tabulation:  Freq.  Numeric  Label
            237      0  never
              3      5  at least once a week
            697      7  once a day
            335      9  more than once a day
              1      .
            237      .c
    
```

c1_hr_C **C : Hours per week (Monday - Friday)**

```

type:  numeric (float)

range:  [0,33]                               units:  1
unique values:  23                           missing .:  475/1,510
unique missing codes:  2                     missing *:  1/1,510

tabulation:  Freq.  Value
            43      0
            50      1
           162      2
            15      3
             8      4
           343      5
            22      6
           106      7
             8      8
           132      10
             4      11
            59      12
             1      13
            36      15
            16      17
    
```

```

          1 18
          7 20
         10 22
          5 25
          1 27
          1 30
          1 31
          3 33
         475 .
          1 .c
    mean:  6.47099
    std. dev: 4.89538

    percentiles:    10%    25%    50%    75%    90%
                   2      3      5      10     12
    
```

c1_min_C **C : Minutes per week (Monday - Friday)**

```

    type: numeric (float)
    range: [0,56]
    unique values: 28
    unique missing codes: 2
    units: 1
    missing .: 475/1,510
    missing *: 1/1,510
    
```

```

    tabulation:  Freq.  Value
                 528    0
                   1    1
                   1    2
                   2    3
                  15    5
                   5    8
                   4   10
                   1   11
                   2   13
                  43   15
                   3   18
                   1   19
                   2   20
                   1   21
                   6   23
                   6   25
                   1   28
                  329  30
                   1   31
                   1   34
                   1   36
                   5   38
                  23   40
                  20   45
                  18   50
                   6   53
                   6   55
                   2   56
                  475 .
                   1 .c
    mean:  14.4458
    std. dev: 16.3477

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0     30     30
    
```

c1_aa_C **C :Monday-Friday How many times (Monday - Friday)**

```

    type: string (str27), but longest is str18
    unique values: 16
    unique missing codes: 2
    missing "": 475/1,510
    missing *: 2/1,510
    
```

```

tabulation:  Freq.  Value
              475  ""
              696  "1"
               15  "1.5"
                1  "10"
               72  "2"
               49  "2.5"
               12  "3"
               20  "3.5"
                1  "4"
                7  "4.5"
                1  "5"
                2  "5.5"
                1  "6.5"
                2  "DK"
             148  "many times"
                7  "more than 1 time"
                1  "more than 10 times"
    
```

warning: variable has embedded blanks

c1_ab_C **C :Monday-Friday How many times per units (Monday - Friday)**

type: string (str21), but longest is str4

unique values: 3 missing "": 477/1,510

```

tabulation:  Freq.  Value
              477  ""
             1,029  "day"
                1  "time"
                3  "week"
    
```

c1_ac_C **C :Monday-Friday How many times per hours (Monday - Friday)**

type: numeric (double)

range: [0,6] units: .1
 unique values: 11 missing .: 476/1,510

```

tabulation:  Freq.  Value
              337  0
              417  1
               54  1.5
             144  2
               25  2.5
               37  3
                4  3.5
               10  4
                2  4.5
                3  5
                1  6
             476  .
    mean:     1.00919
    std. dev: .939178
    
```

percentiles: 10% 25% 50% 75% 90%

 0 0 1 1.5 2

c1_ad_C **C :Monday-Friday How many times per minutes (Monday - Friday)**

type: numeric (double)

range: [0,45] units: .1
 unique values: 18 missing .: 476/1,510

```

tabulation:  Freq.  Value
              607  0
              1  1
              2  1.5
              7  2.5
              3  3
              2  3.5
              3  4.5
             10  5
             16  7.5
             28  10
             29  15
              3  17.5
             23  20
              9  25
            276  30
              3  35
              1  40
             11  45
             476  .
    mean:     10.2452
    std. dev: 13.697

percentiles: 10%    25%    50%    75%    90%
              0      0      0      30     30
    
```

c1_ba_C **C : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7       missing .: 475/1,510
unique missing codes: 2 missing *: 19/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              10      1  father
              25      3  mother
             111      5  grandparents
              15      7  uncle/aunt
             250      9  brother/sister/cousin
             597     11  outsider
              8      13  other household member
             475      .
              19      .b
    
```

c1_bb_C **C : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7       missing .: 634/1,510
unique missing codes: 2 missing *: 1/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              3      1  father
              5      3  mother
             35      5  grandparents
             15      7  uncle/aunt
            154      9  brother/sister/cousin
             659     11  outsider
              4      13  other household member
             634      .
              1      .b
    
```

c1_bc_C **C : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [3,13]
unique values: 6
units: 1
missing .. 929/1,510

tabulation: Freq.  Numeric  Label
              6         3  mother
              11        5  grandparents
              8         7  uncle/aunt
              101       9  brother/sister/cousin
              454      11  outsider
              1        13  other household member
              929       .
    
```

c1_ba_gen_C **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 494/1,510

tabulation: Freq.  Numeric  Label
              477       1  male
              539       3  female
              494       .
    
```

c1_bb_gen_C **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .. 634/1,510

tabulation: Freq.  Numeric  Label
              393       1  male
              483       3  female
              634       .
    
```

c1_bc_gen_C **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .. 930/1,510

tabulation: Freq.  Numeric  Label
              265       1  male
              315       3  female
              930       .
    
```

c2_code_C **C : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code
    
```

range: [0,9] units: 1
 unique values: 4 missing .: 1/1,510
 unique missing codes: 2 missing *: 239/1,510

tabulation:	Freq.	Numeric	Label
	264	0	never
	3	5	at least once a week
	451	7	once a day
	552	9	more than once a day
	1	.	
	239	.c	

c2_hr_C

C : Hours per week (Saturday - Sunday)

type: numeric (float)

range: [0,24] units: 1
 unique values: 22 missing .: 504/1,510
 unique missing codes: 2 missing *: 1/1,510

tabulation:	Freq.	Value
	81	0
	118	1
	247	2
	88	3
	136	4
	68	5
	79	6
	44	7
	31	8
	24	9
	34	10
	8	11
	18	12
	2	13
	4	14
	4	15
	9	16
	1	17
	5	18
	1	20
	2	22
	1	24
	504	.
	1	.c
mean:	4.11045	
std. dev:	3.57904	

percentiles:	10%	25%	50%	75%	90%
	1	2	3	6	9

c2_min_C

C : Minutes per week (Saturday - Sunday)

type: numeric (float)

range: [0,55] units: 1
 unique values: 22 missing .: 504/1,510
 unique missing codes: 2 missing *: 1/1,510

```

tabulation:  Freq.  Value
              841    0
              1     2
              2     5
              1     6
              1     7
              2     8
              1     9
              9    10
              1    12
              1    13
              9    15
             15    20
              2    23
              3    25
             67    30
              1    35
              2    38
             22    40
             12    45
              7    50
              1    53
              4    55
             504    .
              1    .c
    mean:     4.8607
    std. dev: 12.0216

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      30
    
```

c2_aa_C **C :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str18
unique values: 15
unique missing codes: 2
missing "": 504/1,510
missing *: 1/1,510
    
```

```

tabulation:  Freq.  Value
             504    ""
            453    "1"
             21    "1.5"
              1    "10"
            124    "2"
             76    "2.5"
             25    "3"
             25    "3.5"
              4    "4"
             10    "4.5"
              3    "5"
              4    "5.5"
              1    "DK"
            252    "many times"
              6    "more than 1 time"
              1    "more than 10 times"
    
```

warning: variable has embedded blanks

c2_ab_C **C :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 3
missing "": 506/1,510
    
```



```

tabulation: Freq. Value
             506 ""
             1,000 "day"
              1 "time"
              3 "week"
    
```

c2_ac_C C :Monday-Friday How many times per hours (Saturday - Sunday)

```

type: numeric (double)
range: [0,12] units: .1
unique values: 18 missing .: 505/1,510

tabulation: Freq. Value
             276 0
             329 1
              48 1.5
             124 2
              32 2.5
              80 3
              15 3.5
              33 4
              10 4.5
              29 5
               4 5.5
               8 6
               4 7
               6 8
               4 9
               1 10
               1 11
               1 12
             505 .
mean: 1.55075
std. dev: 1.65603

percentiles: 10% 25% 50% 75% 90%
              0 0 1 2 4
    
```

c2_ad_C C :Monday-Friday How many times per minutes (Saturday - Sunday)

```

type: numeric (double)
range: [0,45] units: .1
unique values: 17 missing .: 504/1,510

tabulation: Freq. Value
             644 0
               2 1.5
               6 2.5
               2 3
               1 3.5
               2 4.5
               9 5
              17 7.5
              24 10
              22 15
               1 17.5
              19 20
               9 25
             229 30
               2 35
               2 40
              15 45
             504 .
mean: 9.04225
std. dev: 13.4589
    
```

```

percentiles:          10%          25%          50%          75%          90%
                    0             0             0            25            30
  
```

c2_ba_C C : People doing activity with (person 1)

```

      type: numeric (byte)
      label: c1_ba_A
           range: [1,13]          units: 1
      unique values: 7             missing .: 504/1,510
      unique missing codes: 2     missing *: 20/1,510
  
```

tabulation:	Freq.	Numeric	Label
	11	1	father
	24	3	mother
	110	5	grandparents
	14	7	uncle/aunt
	232	9	brother/sister/cousin
	587	11	outsider
	8	13	other household member
	504	.	
	20	.b	

c2_bb_C C : People doing activity with (person 2)

```

      type: numeric (byte)
      label: c1_ba_A
           range: [1,13]          units: 1
      unique values: 7             missing .: 654/1,510
      unique missing codes: 2     missing *: 1/1,510
  
```

tabulation:	Freq.	Numeric	Label
	4	1	father
	7	3	mother
	35	5	grandparents
	14	7	uncle/aunt
	154	9	brother/sister/cousin
	637	11	outsider
	4	13	other household member
	654	.	
	1	.b	

c2_bc_C C : People doing activity with (person 3)

```

      type: numeric (byte)
      label: c1_ba_A
           range: [3,13]          units: 1
      unique values: 6             missing .: 958/1,510
  
```

tabulation:	Freq.	Numeric	Label
	6	3	mother
	12	5	grandparents
	6	7	uncle/aunt
	94	9	brother/sister/cousin
	433	11	outsider
	1	13	other household member
	958	.	

c2_ba_gen_C Gender code (person 1)

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 524/1,510

tabulation: Freq.   Numeric   Label
             455         1   male
             531         3   female
             524         .
    
```

c2_bb_gen_C **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 655/1,510

tabulation: Freq.   Numeric   Label
             385         1   male
             470         3   female
             655         .
    
```

c2_bc_gen_C **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 958/1,510

tabulation: Freq.   Numeric   Label
             250         1   male
             302         3   female
             958         .
    
```

c3_code_C **C : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 3
units: 1
missing ..: 1/1,510
missing *: 1,273/1,510

tabulation: Freq.   Numeric   Label
             8         3   at least once a month
            228         5   at least once a week
             1         .
          1,271         .b
             2         .c
    
```

c3_hr_C **C : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,20]
unique values: 17
units: 1
missing ..: 1,282/1,510
    
```

```

tabulation:  Freq.  Value
              43    0
              76    1
              33    2
              29    3
               8    4
              15    5
               9    6
               2    7
               2    8
               1    9
               1   10
               4   12
               1   15
               1   16
               1   17
               1   18
               1   20
              1,282  .
    mean:      2.51316
  std. dev:    3.20583

percentiles:      10%      25%      50%      75%      90%
                  0         1         1         3         6
    
```

c3_min_C **C : Minutes per week (Monday - Sunday)**

```

    type:  numeric (float)
    range: [0,53]
unique values: 17
                units: 1
                missing .: 1,282/1,510

    tabulation:  Freq.  Value
                  90    0
                   2    3
                   2    8
                   2   10
                   2   13
                  35   15
                   3   20
                   1   22
                   3   25
                   1   26
                  60   30
                   1   35
                   1   38
                   6   40
                  14   45
                   2   50
                   3   53
                  1,282  .
    mean:      16.5702
  std. dev:    16.0173

percentiles:      10%      25%      50%      75%      90%
                  0         0         15         30         40
    
```

c3_aa_C **C :Monday-Friday How many times (Monday - Sunday)**

```

    type:  string (str6), but longest is str3
unique values: 11
                missing "": 1,282/1,510
    
```

```

tabulation: Freq. Value
            1,282 ""
             24 "1"
             18 "1.5"
             49 "2"
             47 "2.5"
              1 "2.9"
             43 "3"
             20 "3.5"
             11 "4"
              5 "4.5"
              9 "5"
              1 "6"
    
```

c3_ab_C **C :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4
unique values: 1 missing "": 1,282/1,510
tabulation: Freq. Value
            1,282 ""
             228 "week"
    
```

c3_ac_C **C :Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,9] units: .1
unique values: 10 missing .: 1,282/1,510
tabulation: Freq. Value
            116 0
             65 1
              9 1.5
             18 2
              7 2.5
              5 3
              3 3.5
              2 5
              2 8
              1 9
            1,282 .
mean: .844298
std. dev: 1.29251
percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 2
    
```

c3_ad_C **C :Monday-Friday How many times per minutes (Monday - Sunday)**

```

type: numeric (double)
range: [0,45] units: .1
unique values: 12 missing .: 1,378/1,510
    
```

```

tabulation:  Freq.  Value
              2    0
              1    3
              4    5
              4   7.5
              9   10
              4   15
             16   20
              1  22.5
              2   25
             82   30
              1   35
              6   45
             1,378 .
    mean:     25.4583
    std. dev:  9.536

percentiles:    10%    25%    50%    75%    90%
                10     20     30     30     30
    
```

c3_ba_C **C : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]                units: 1
    unique values: 7              missing .: 1,274/1,510
    unique missing codes: 2       missing *: 5/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              9      1  father
             11      3  mother
             40      5  grandparents
              8      7  uncle/aunt
             55      9  brother/sister/cousin
            106     11  outsider
              2     13  other household member
           1,274     .
              5     .b
    
```

c3_bb_C **C : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,11]                units: 1
    unique values: 6              missing .: 1,333/1,510
    unique missing codes: 2       missing *: 1/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              1      1  father
              4      3  mother
             12      5  grandparents
              6      7  uncle/aunt
             32      9  brother/sister/cousin
            121     11  outsider
           1,333     .
              1     .b
    
```

c3_bc_C **C : People doing activity with (person 3)**

```

    type: numeric (byte)
    label: c1_ba_A
    
```

```

    range: [5,11]                units: 1
unique values: 4                missing .. 1,410/1,510

  tabulation: Freq.  Numeric  Label
                1          5  grandparents
                1          7  uncle/aunt
                14         9  brother/sister/cousin
                84        11  outsider
            1,410          .

```

c3_ba_gen_C **Gender code (person 1)**

```

    type: numeric (byte)
    label: c3_ba_gen

    range: [1,3]                units: 1
unique values: 2                missing .. 1,279/1,510

  tabulation: Freq.  Numeric  Label
                102         1  male
                129         3  female
            1,279          .

```

c3_bb_gen_C **Gender code (person 2)**

```

    type: numeric (byte)
    label: c3_bb_gen

    range: [1,3]                units: 1
unique values: 2                missing .. 1,334/1,510

  tabulation: Freq.  Numeric  Label
                68         1  male
                108        3  female
            1,334          .

```

c3_bc_gen_C **Gender code (person 3)**

```

    type: numeric (byte)
    label: c3_bc_gen

    range: [1,3]                units: 1
unique values: 2                missing .. 1,410/1,510

  tabulation: Freq.  Numeric  Label
                50         1  male
                50         3  female
            1,410          .

```

activity_D **Playing sport, singing and dancing (not display)**

```

    type: string (str147), but longest is str0
unique values: 0                missing "": 1,510/1,510

  tabulation: Freq.  Value
            1,510  ""

```

detail_D **D: detail**

```

    type: string (str238), but longest is str0

```

unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

c1_code_D **D : Frequency (Monday - Friday)**

type: numeric (**byte**)
 label: **c1_code**
 range: [0,9] units: 1
 unique values: 4 missing .: 0/1,510
 unique missing codes: 1 missing *: 545/1,510

tabulation:	Freq.	Numeric	Label
	216	0	never
	1	5	at least once a week
	388	7	once a day
	360	9	more than once a day
	545	.c	

c1_hr_D **D : Hours per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,20] units: 1
 unique values: 14 missing .: 761/1,510
 unique missing codes: 2 missing *: 4/1,510

tabulation:	Freq.	Value
	258	0
	114	1
	159	2
	21	3
	4	4
	123	5
	8	6
	20	7
	17	10
	2	11
	12	12
	4	15
	2	17
	1	20
	761	.
	4	.c

mean: 2.36779
 std. dev: 3.00475

percentiles:	10%	25%	50%	75%	90%
	0	0	2	5	5

c1_min_D **D : Minutes per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,56] units: 1
 unique values: 33 missing .: 761/1,510
 unique missing codes: 2 missing *: 4/1,510

c1_ab_D **D :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str4
unique values: 2 missing "": 761/1,510
tabulation: Freq. Value
              761 ""
              747 "day"
              2 "week"
    
```

c1_ac_D **D :Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [0,3] units: .1
unique values: 6 missing .: 761/1,510
unique missing codes: 2 missing *: 2/1,510
tabulation: Freq. Value
              581 0
              133 1
              6 1.5
              19 2
              5 2.5
              3 3
              761 .
              2 .c
mean: .269746
std. dev: .55089
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

c1_ad_D **D :Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,45] units: .1
unique values: 23 missing .: 761/1,510
unique missing codes: 2 missing *: 1/1,510
tabulation: Freq. Value
              158 0
              3 1
              11 1.5
              17 2
              35 2.5
              13 3
              16 3.5
              4 4
              18 4.5
              92 5
              4 5.5
              1 6.5
              46 7.5
              1 9
              85 10
              27 15
              3 17.5
              39 20
              10 25
              159 30
              1 35
              3 40
              2 45
    
```

761 .
 1 .c
 mean: 11.4011
 std. dev: 11.5399

percentiles: 10% 25% 50% 75% 90%
 0 2 7.5 20 30

c1_ba_D **D : People doing activity with (person 1)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 7 missing .: 761/1,510
 unique missing codes: 2 missing *: 289/1,510

tabulation:	Freq.	Numeric	Label
	21	1	father
	31	3	mother
	44	5	grandparents
	10	7	uncle/aunt
	247	9	brother/sister/cousin
	104	11	outsider
	3	13	other household member
	761	.	.
	289	.b	.b

c1_bb_D **D : People doing activity with (person 2)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 7 missing .: 1,173/1,510
 unique missing codes: 2 missing *: 13/1,510

tabulation:	Freq.	Numeric	Label
	10	1	father
	20	3	mother
	50	5	grandparents
	7	7	uncle/aunt
	108	9	brother/sister/cousin
	127	11	outsider
	2	13	other household member
	1,173	.	.
	13	.b	.b

c1_bc_D **D : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 7 missing .: 1,359/1,510
 unique missing codes: 2 missing *: 3/1,510

```

tabulation:  Freq.  Numeric  Label
              3        1  father
              8        3  mother
             17        5  grandparents
              1        7  uncle/aunt
             35        9  brother/sister/cousin
             82       11  outsider
              2       13  other household member
            1,359      .
              3        .b
    
```

c1_ba_gen_D **Gender code (person 1)**

```

      type: numeric (byte)
      label: c1_ba_gen

      range: [1,3]
unique values: 2
                        units: 1
                        missing .: 1,050/1,510

      tabulation:  Freq.  Numeric  Label
                   199        1  male
                   261        3  female
                  1,050      .
    
```

c1_bb_gen_D **Gender code (person 2)**

```

      type: numeric (byte)
      label: c1_bb_gen

      range: [1,3]
unique values: 2
                        units: 1
                        missing .: 1,186/1,510

      tabulation:  Freq.  Numeric  Label
                   143        1  male
                   181        3  female
                  1,186      .
    
```

c1_bc_gen_D **Gender code (person 3)**

```

      type: numeric (byte)
      label: c1_bc_gen

      range: [1,3]
unique values: 2
                        units: 1
                        missing .: 1,362/1,510

      tabulation:  Freq.  Numeric  Label
                   63        1  male
                   85        3  female
                  1,362      .
    
```

c2_code_D **D : Frequency (Saturday - Sunday)**

```

      type: numeric (byte)
      label: c2_code

      range: [0,9]
unique values: 4
unique missing codes: 1
                        units: 1
                        missing .: 0/1,510
                        missing *: 545/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              203      0      never
              2       5      at least once a week
              377      7      once a day
              383      9      more than once a day
              545      .c
    
```

c2_hr_D

D : Hours per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,8]
unique values: 9
unique missing codes: 2
units: 1
missing .: 748/1,510
missing *: 4/1,510
    
```

```

tabulation:  Freq.  Value
              398      0
              156      1
              131      2
               20      3
               26      4
               15      5
                6      6
                4      7
                2      8
              748      .
               4      .c
mean:       .972296
std. dev:   1.3956

percentiles: 10%    25%    50%    75%    90%
              0     0     0     2     2
    
```

c2_min_D

D : Minutes per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,57]
unique values: 32
unique missing codes: 2
units: 1
missing .: 748/1,510
missing *: 4/1,510
    
```

```

tabulation:  Freq.  Value
              321      0
                1      2
                3      3
                9      4
               24      5
                9      6
                8      7
               10      8
                7      9
               64     10
                1     11
                1     12
                8     13
                8     14
               30     15
                9     18
               73     20
                1     21
                3     23
               19     25
                2     27
                2     28
               54     30
                1     33
                7     35
                8     38
    
```



```

tabulation:  Freq.  Value
              582  0
              133  1
               6  1.5
              26  2
               5  2.5
               6  3
               1  3.5
               1  4
             748  .
               2  .c
  mean:      .305263
std. dev:    .621506

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0      1
    
```

c2_ad_D **D : Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type:  numeric (double)
range:  [0,45]
unique values:  23
unique missing codes:  2

units:  .1
missing .:  748/1,510
missing *:  1/1,510
    
```

```

tabulation:  Freq.  Value
              170  0
               3  1
              11  1.5
              17  2
              36  2.5
              13  3
              16  3.5
               4  4
              17  4.5
              92  5
               2  5.5
               1  6.5
              45  7.5
               1  9
              87  10
              29  15
               3  17.5
              41  20
              12  25
             156  30
               1  35
               3  40
               1  45
             748  .
               1  .c
  mean:      11.1859
std. dev:    11.4323

percentiles:    10%    25%    50%    75%    90%
                  0      2      5.5    20    30
    
```

c2_ba_D **D : People doing activity with (person 1)**

```

type:  numeric (byte)
label:  c1_ba_A

range:  [1,13]
unique values:  7
unique missing codes:  2

units:  1
missing .:  748/1,510
missing *:  289/1,510
    
```

tabulation:	Freq.	Numeric	Label
	21	1	father
	31	3	mother
	44	5	grandparents
	12	7	uncle/aunt
	255	9	brother/sister/cousin
	107	11	outsider
	3	13	other household member
	748	.	
	289	.b	

c2_bb_D **D : People doing activity with (person 2)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 7 missing .: 1,162/1,510
 unique missing codes: 2 missing *: 13/1,510

tabulation:	Freq.	Numeric	Label
	10	1	father
	21	3	mother
	49	5	grandparents
	7	7	uncle/aunt
	111	9	brother/sister/cousin
	135	11	outsider
	2	13	other household member
	1,162	.	
	13	.b	

c2_bc_D **D : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 7 missing .: 1,353/1,510
 unique missing codes: 2 missing *: 3/1,510

tabulation:	Freq.	Numeric	Label
	3	1	father
	8	3	mother
	17	5	grandparents
	1	7	uncle/aunt
	35	9	brother/sister/cousin
	88	11	outsider
	2	13	other household member
	1,353	.	
	3	.b	

c2_ba_gen_D **Gender code (person 1)**

type: numeric (byte)
 label: **c2_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,037/1,510

tabulation:	Freq.	Numeric	Label
	208	1	male
	265	3	female
	1,037	.	

c2_bb_gen_D **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,175/1,510

tabulation: Freq.  Numeric  Label
              149      1  male
              186      3  female
              1,175      .
    
```

c2_bc_gen_D **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,357/1,510

tabulation: Freq.  Numeric  Label
              67      1  male
              86      3  female
              1,357      .
    
```

c3_code_D **D : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 3
unique missing codes: 2
units: 1
missing ..: 0/1,510
missing *: 966/1,510

tabulation: Freq.  Numeric  Label
              2      1  less than once a month
              27     3  at least once a month
              515     5  at least once a week
              963     .b
              3      .c
    
```

c3_hr_D **D : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,9]
unique values: 9
unique missing codes: 2
units: 1
missing ..: 996/1,510
missing *: 1/1,510

tabulation: Freq.  Value
              335  0
              99  1
              36  2
              25  3
               4  4
               4  5
               2  6
               7  7
               1  9
              996  .
               1  .c
mean: .68616
std. dev: 1.31582
    
```

percentiles: 10% 25% 50% 75% 90%
0 0 0 1 2

c3_min_D

D : Minutes per week (Monday - Sunday)

type: numeric (float)
range: [0,53] units: 1
unique values: 31 missing .: 995/1,510
unique missing codes: 2 missing *: 1/1,510

tabulation: Freq. Value
76 0
9 2
13 3
6 4
24 5
20 6
7 7
20 8
7 9
15 10
13 11
9 13
4 14
45 15
3 16
10 18
5 19
38 20
8 23
23 25
5 26
1 28
84 30
1 34
8 35
9 38
9 40
1 44
23 45
14 50
4 53
995 .
1 .c
mean: 18.0175
std. dev: 14.2987
percentiles: 10% 25% 50% 75% 90%
0 6 15 30 38

c3_aa_D

D :Monday-Friday How many times (Monday - Sunday)

type: string (str6), but longest is str3
unique values: 10 missing "": 995/1,510

```

tabulation:  Freq.  Value
              995   ""
              67   "1"
              62   "1.5"
              98   "2"
              1   "2.3"
            103   "2.5"
              72   "3"
              51   "3.5"
              31   "4"
              15   "4.5"
              15   "5"
    
```

c3_ab_D D :Monday-Friday How many times per units (Monday - Sunday)

```

type:  string (str22), but longest is str4
unique values:  1             missing "":  995/1,510
tabulation:  Freq.  Value
              995   ""
              515  "week"
    
```

c3_ac_D D :Monday-Friday How many times per hours (Monday - Sunday)

```

type:  numeric (double)
range:  [0,2.5]             units:  .1
unique values:  5           missing .:  995/1,510
unique missing codes:  2    missing *:  1/1,510
tabulation:  Freq.  Value
              438   0
              63   1
              3   1.5
              7   2
              3   2.5
            995   .
              1   .c
mean:  .173152
std. dev:  .443909
percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0      1
    
```

c3_ad_D D :Monday-Friday How many times per minutes (Monday - Sunday)

```

type:  numeric (double)
range:  [0,50]             units:  .01
unique values:  25         missing .:  1,063/1,510
unique missing codes:  2    missing *:  1/1,510
tabulation:  Freq.  Value
              2   0
              8   1
              4   1.5
            10   2
            20   2.5
            22   3
            11   3.5
              1   4
            15   4.5
            66   5
              5   5.5
              1   6
    
```

```

                22  7.5
                1  9
                75 10
                5 12.5
                22 15
                1 17.5
                39 20
                4 25
                1 26.25
               102 30
                1 35
                7 45
                1 50
            1,063 .
                1 .c
    mean:      14.1788
std. dev:    11.2533

percentiles:   10%      25%      50%      75%      90%
                3         5         10       26.25     30
    
```

c3_ba_D **D : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]
unique values: 7
unique missing codes: 2

                                units: 1
                                missing .: 966/1,510
                                missing *: 144/1,510
    
```

tabulation:	Freq.	Numeric	Label
	18	1	father
	34	3	mother
	27	5	grandparents
	5	7	uncle/aunt
	196	9	brother/sister/cousin
	117	11	outsider
	3	13	other household member
	966	.	.
	144	.b	.b

c3_bb_D **D : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]
unique values: 7
unique missing codes: 2

                                units: 1
                                missing .: 1,241/1,510
                                missing *: 8/1,510
    
```

tabulation:	Freq.	Numeric	Label
	2	1	father
	16	3	mother
	14	5	grandparents
	9	7	uncle/aunt
	97	9	brother/sister/cousin
	119	11	outsider
	4	13	other household member
	1,241	.	.
	8	.b	.b

c3_bc_D **D : People doing activity with (person 3)**

```

    type: numeric (byte)
    label: c1_ba_A
    
```

range: [1,11] units: 1
 unique values: 5 missing .: 1,379/1,510
 unique missing codes: 2 missing *: 2/1,510

tabulation:	Freq.	Numeric	Label
	1	1	father
	4	3	mother
	4	5	grandparents
	33	9	brother/sister/cousin
	87	11	outsider
	1,379	.	
	2	.b	

c3_ba_gen_D Gender code (person 1)

type: numeric (byte)
 label: c3_ba_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 1,110/1,510

tabulation:	Freq.	Numeric	Label
	189	1	male
	211	3	female
	1,110	.	

c3_bb_gen_D Gender code (person 2)

type: numeric (byte)
 label: c3_bb_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 1,249/1,510

tabulation:	Freq.	Numeric	Label
	118	1	male
	143	3	female
	1,249	.	

c3_bc_gen_D Gender code (person 3)

type: numeric (byte)
 label: c3_bc_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 1,381/1,510

tabulation:	Freq.	Numeric	Label
	61	1	male
	68	3	female
	1,381	.	

activity_E Playing a role play, selling things, playing Robot and car (not display)

type: string (str147), but longest is str0
 unique values: 0 missing "": 1,510/1,510

tabulation:	Freq.	Value
	1,510	" "

detail_E **E: detail**

type: string (**str238**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

c1_code_E **E : Frequency (Monday - Friday)**

type: numeric (**byte**)
 label: **c1_code**
 range: [0,9] units: 1
 unique values: 4 missing .: 0/1,510
 unique missing codes: 2 missing *: 411/1,510
 tabulation: Freq. Numeric Label
 115 0 never
 3 5 at least once a week
 579 7 once a day
 402 9 more than once a day
 1 .a
 410 .c

c1_hr_E **E : Hours per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,42] units: 1
 unique values: 20 missing .: 526/1,510
 unique missing codes: 2 missing *: 2/1,510
 tabulation: Freq. Value
 106 0
 86 1
 234 2
 30 3
 18 4
 282 5
 16 6
 59 7
 9 8
 1 9
 61 10
 4 11
 35 12
 17 15
 6 17
 6 20
 5 22
 4 25
 1 31
 2 42
 526 .
 2 .c
 mean: 4.67617
 std. dev: 4.54595
 percentiles: 10% 25% 50% 75% 90%
 0 2 5 5 10

c1_min_E **E : Minutes per week (Monday - Friday)**

```

type: numeric (float)
range: [0,56]
unique values: 25
unique missing codes: 2
units: 1
missing .: 526/1,510
missing *: 2/1,510
    
```

```

tabulation: Freq. Value
             367  0
              6  3
             21  5
              6  8
             18 10
             11 13
             58 15
              1 18
              3 19
             11 20
             13 23
             17 25
              1 26
              2 28
            315 30
              6 34
              3 35
             11 38
             30 40
              1 44
             25 45
             47 50
              5 53
              3 55
              1 56
            526 .
              2 .c
mean:      18.1741
std. dev:  16.6875

percentiles:      10%      25%      50%      75%      90%
                  0        0       19.5      30       40
    
```

c1_aa_E **E :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str16
unique values: 10
missing "": 526/1,510
    
```

```

tabulation: Freq. Value
            526 ""
            578 "1"
             36 "1.5"
            113 "2"
             72 "2.5"
             24 "3"
             22 "3.5"
              3 "4.5"
              3 "5.5"
            131 "many times"
              2 "more than 1 time"
    
```

warning: variable has embedded blanks

c1_ab_E **E :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str4
unique values: 3 missing "": 526/1,510
tabulation: Freq. Value
              526 ""
              977 "day"
                1 "time"
                6 "week"
    
```

cl_ac_E E :Monday-Friday How many times per hours (Monday - Friday)

```

type: numeric (double)
range: [0,5] units: .1
unique values: 9 missing .: 526/1,510
unique missing codes: 2 missing *: 2/1,510
tabulation: Freq. Value
              558 0
              324 1
               19 1.5
               47 2
               10 2.5
               11 3
                2 3.5
                8 4
                3 5
              526 .
                2 .c
mean: .568737
std. dev: .798897
percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 1.5
    
```

cl_ad_E E :Monday-Friday How many times per minutes (Monday - Friday)

```

type: numeric (double)
range: [0,50] units: .1
unique values: 22 missing .: 526/1,510
unique missing codes: 2 missing *: 2/1,510
tabulation: Freq. Value
              385 0
                6 1.5
                6 2
               14 2.5
                2 3
                2 3.5
                1 4
                7 4.5
               24 5
                4 5.5
               25 7.5
               56 10
               48 15
               55 20
                1 24
               15 25
                1 26
              315 30
                3 35
                1 40
                9 45
                2 50
              526 .
    
```



```

                2 .c
    mean:      13.5835
    std. dev:  13.6316

    percentiles:    10%    25%    50%    75%    90%
                   0      0      10     30     30
    
```

c1_ba_E **E : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]
    unique values: 7
    unique missing codes: 2

    units: 1
    missing .: 526/1,510
    missing *: 418/1,510
    
```

tabulation:	Freq.	Numeric	Label
	2	1	father
	9	3	mother
	20	5	grandparents
	4	7	uncle/aunt
	332	9	brother/sister/cousin
	195	11	outsider
	4	13	other household member
	526	.	
	418	.b	

c1_bb_E **E : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,11]
    unique values: 6
    unique missing codes: 2

    units: 1
    missing .: 1,024/1,510
    missing *: 31/1,510
    
```

tabulation:	Freq.	Numeric	Label
	2	1	father
	9	3	mother
	28	5	grandparents
	2	7	uncle/aunt
	149	9	brother/sister/cousin
	265	11	outsider
	1,024	.	
	31	.b	

c1_bc_E **E : People doing activity with (person 3)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,11]
    unique values: 6
    unique missing codes: 2

    units: 1
    missing .: 1,278/1,510
    missing *: 9/1,510
    
```

tabulation:	Freq.	Numeric	Label
	3	1	father
	2	3	mother
	8	5	grandparents
	4	7	uncle/aunt
	47	9	brother/sister/cousin
	159	11	outsider
	1,278	.	
	9	.b	

c1_ba_gen_E **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .. 942/1,510

tabulation: Freq.   Numeric   Label
              268         1   male
              300         3   female
              942         .
    
```

c1_bb_gen_E **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .. 1,054/1,510

tabulation: Freq.   Numeric   Label
              232         1   male
              224         3   female
             1,054         .
    
```

c1_bc_gen_E **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2

units: 1
missing .. 1,287/1,510

tabulation: Freq.   Numeric   Label
              102         1   male
              121         3   female
             1,287         .
    
```

c2_code_E **E : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 2

units: 1
missing .. 0/1,510
missing *: 411/1,510

tabulation: Freq.   Numeric   Label
              68         0   never
              3          5   at least once a week
             518         7   once a day
             510         9   more than once a day
              1          .a
             410         .c
    
```

c2_hr_E **E : Hours per week (Saturday - Sunday)**

```

type: numeric (float)
    
```

range: [0,20] units: 1
 unique values: 14 missing .: 479/1,510
 unique missing codes: 2 missing *: 2/1,510

tabulation: Freq. Value
 192 0
 258 1
 294 2
 69 3
 93 4
 47 5
 38 6
 10 7
 7 8
 6 9
 6 10
 5 12
 2 16
 2 20
 479 .
 2 .c
 mean: 2.19631
 std. dev: 2.24439

percentiles: 10% 25% 50% 75% 90%
 0 1 2 3 5

c2_min_E **E : Minutes per week (Saturday - Sunday)**

type: numeric (float)

range: [0,50] units: 1
 unique values: 24 missing .: 479/1,510
 unique missing codes: 2 missing *: 2/1,510

tabulation: Freq. Value
 740 0
 1 2
 1 3
 4 4
 10 5
 1 6
 3 8
 6 9
 18 10
 2 11
 2 12
 1 13
 20 15
 1 18
 52 20
 1 21
 1 23
 5 25
 79 30
 2 33
 7 38
 45 40
 8 45
 19 50
 479 .
 2 .c
 mean: 7.51506
 std. dev: 13.7456

percentiles: 10% 25% 50% 75% 90%
 0 0 0 10 30

c2_aa_E **E :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str16
unique values: 11 missing "": 480/1,510
tabulation: Freq. Value
              480 ""
              517 "1"
               40 "1.5"
              143 "2"
               78 "2.5"
               34 "3"
               22 "3.5"
                1 "4"
                6 "4.5"
                4 "5.5"
              183 "many times"
                2 "more than 1 time"
warning: variable has embedded blanks
    
```

c2_ab_E **E :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 3 missing "": 481/1,510
tabulation: Freq. Value
              481 ""
            1,021 "day"
                 1 "time"
                 7 "week"
    
```

c2_ac_E **E :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,10] units: .1
unique values: 12 missing .: 479/1,510
unique missing codes: 2 missing *: 2/1,510
tabulation: Freq. Value
              545 0
              334 1
               26 1.5
               65 2
               17 2.5
               23 3
                3 3.5
                6 4
                5 5
                1 6
                2 8
                2 10
              479 .
                2 .c
mean: .695821
std. dev: 1.02938
percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 2
    
```

c2_ad_E **E : Monday-Friday How many times per minutes (Saturday - Sunday)**

type: numeric (double)
 range: [0,50] units: .01
 unique values: 24 missing .: 479/1,510
 unique missing codes: 2 missing *: 2/1,510

tabulation:

Freq.	Value
441	0
4	1.5
5	2
13	2.5
2	3
1	3.5
1	4
7	4.5
25	5
4	5.5
24	7.5
51	10
47	15
2	17.14
56	20
1	24
13	25
1	26
314	30
2	35
1	40
11	45
1	48
2	50
479	.
2	.c

mean: 12.9619
 std. dev: 13.7296

percentiles: 10% 25% 50% 75% 90%

0	0	7.5	30	30
---	---	-----	----	----

c2_ba_E **E : People doing activity with (person 1)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 479/1,510
 unique missing codes: 2 missing *: 417/1,510

tabulation:

Freq.	Numeric	Label
2	1	father
9	3	mother
20	5	grandparents
4	7	uncle/aunt
362	9	brother/sister/cousin
213	11	outsider
4	13	other household member
479	.	
417	.b	

c2_bb_E **E : People doing activity with (person 2)**

type: numeric (byte)
 label: c1_ba_A

range: [1,11] units: 1
 unique values: 6 missing .: 997/1,510
 unique missing codes: 2 missing *: 31/1,510

tabulation:	Freq.	Numeric	Label
	2	1	father
	9	3	mother
	26	5	grandparents
	2	7	uncle/aunt
	155	9	brother/sister/cousin
	288	11	outsider
	997	.	.
	31	.b	.

c2_bc_E **E : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,11] units: 1
 unique values: 6 missing .: 1,261/1,510
 unique missing codes: 2 missing *: 10/1,510

tabulation:	Freq.	Numeric	Label
	3	1	father
	2	3	mother
	8	5	grandparents
	4	7	uncle/aunt
	50	9	brother/sister/cousin
	172	11	outsider
	1,261	.	.
	10	.b	.

c2_ba_gen_E **Gender code (person 1)**

type: numeric (byte)
 label: **c2_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 894/1,510

tabulation:	Freq.	Numeric	Label
	279	1	male
	337	3	female
	894	.	.

c2_bb_gen_E **Gender code (person 2)**

type: numeric (byte)
 label: **c2_bb_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,027/1,510

tabulation:	Freq.	Numeric	Label
	237	1	male
	246	3	female
	1,027	.	.

c2_bc_gen_E **Gender code (person 3)**

type: numeric (byte)
 label: **c2_bc_gen**

```

range: [1,3] units: 1
unique values: 2 missing .: 1,271/1,510

tabulation: Freq. Numeric Label
             109      1 male
             130      3 female
             1,271      .
    
```

c3_code_E **E : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5] units: 1
unique values: 2 missing .: 0/1,510
unique missing codes: 3 missing *: 1,101/1,510

tabulation: Freq. Numeric Label
             11      3 at least once a month
             398     5 at least once a week
              1      .a
             1,099   .b
              1      .c
    
```

c3_hr_E **E : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,9] units: 1
unique values: 9 missing .: 1,112/1,510

tabulation: Freq. Value
             150  0
             133  1
              60  2
              32  3
               7  4
               8  5
               4  6
               2  8
               2  9
             1,112 .
mean: 1.19347
std. dev: 1.45469

percentiles:      10%      25%      50%      75%      90%
                  0         0         1         2         3
    
```

c3_min_E **E : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,53] units: 1
unique values: 26 missing .: 1,112/1,510
    
```

```

tabulation:  Freq.  Value
              104    0
               3    2
               4    3
               3    4
               4    5
               2    6
              10    8
               2    9
              10   10
               5   11
               2   13
              52   15
               2   18
               2   19
              19   20
               3   23
               3   25
               3   26
             107   30
               1   31
               7   35
               6   38
               4   40
              29   45
               6   50
               5   53
             1,112  .
    mean:      18.9472
    std. dev:  15.4661

percentiles:      10%      25%      50%      75%      90%
                  0         0         15         30         45
    
```

c3_aa_E **E :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 9 missing "": 1,112/1,510

tabulation:  Freq.  Value
             1,112  ""
              50   "1"
              44   "1.5"
              82   "2"
              83   "2.5"
              63   "3"
              38   "3.5"
              21   "4"
               8   "4.5"
               9   "5"
    
```

c3_ab_E **E :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4
unique values: 2 missing "": 1,113/1,510

tabulation:  Freq.  Value
             1,113  ""
               3   "day"
             394   "week"
    
```

c3_ac_E **E :Monday-Friday How many times per hours (Monday - Sunday)**


```

type: numeric (double)
range: [0,3] units: .1
unique values: 6 missing .: 1,112/1,510

tabulation: Freq. Value
             274 0
             107 1
              6 1.5
              7 2
              1 2.5
              3 3
            1,112 .
mean: .355528
std. dev: .575404

percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 1
    
```

c3_ad_E E : Monday-Friday How many times per minutes (Monday - Sunday)

```

type: numeric (double)
range: [0,53] units: .1
unique values: 22 missing .: 1,224/1,510

tabulation: Freq. Value
             7 0
             2 1
             3 1.5
             5 2.5
             6 3
             4 4
             3 4.5
            15 5
             1 5.5
            12 7.5
            37 10
             4 12.5
            18 15
             1 18
            22 20
             4 25
           133 30
             1 35
             2 40
             4 45
             1 50
             1 53
          1,224 .
mean: 20.535
std. dev: 11.5819

percentiles: 10% 25% 50% 75% 90%
              4.5 10 25 30 30
    
```

c3_ba_E E : People doing activity with (person 1)

```

type: numeric (byte)
label: c1_ba_A
range: [1,11] units: 1
unique values: 6 missing .: 1,100/1,510
unique missing codes: 2 missing *: 147/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              1      1      father
              4      3      mother
              9      5      grandparents
              3      7      uncle/aunt
             153     9      brother/sister/cousin
              93     11     outsider
             1,100   .
              147   .b
    
```

c3_bb_E **E : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,11]          units: 1
unique values: 6       missing .: 1,309/1,510
unique missing codes: 2  missing *: 8/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              1      1      father
              3      3      mother
              4      5      grandparents
              1      7      uncle/aunt
              61     9      brother/sister/cousin
             123     11     outsider
             1,309   .
              8      .b
    
```

c3_bc_E **E : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,11]          units: 1
unique values: 5       missing .: 1,408/1,510
unique missing codes: 2  missing *: 4/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              1      1      father
              1      3      mother
              1      7      uncle/aunt
              17     9      brother/sister/cousin
              78     11     outsider
             1,408   .
              4      .b
    
```

c3_ba_gen_E **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]          units: 1
unique values: 2       missing .: 1,248/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
             110     1      male
             152     3      female
            1,248   .
    
```

c3_bb_gen_E **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,317/1,510

tabulation: Freq.  Numeric  Label
              70         1  male
              123        3  female
              1,317        .
    
```

c3_bc_gen_E **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,412/1,510

tabulation: Freq.  Numeric  Label
              46         1  male
              52         3  female
              1,412        .
    
```

activity_F **Practice reading-writing num, ABC and counting number (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.  Value
              1,510  ""
    
```

detail_F **F: detail**

```

type: string (str238), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.  Value
              1,510  ""
    
```

c1_code_F **F : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 3
unique missing codes: 3
units: 1
missing ..: 0/1,510
missing *: 565/1,510

tabulation: Freq.  Numeric  Label
              443        0  never
              425         7  once a day
              77          9  more than once a day
              1           .a
              1           .b
              563         .c
    
```

c1_hr_F **F : Hours per week (Monday - Friday)**

```

type: numeric (float)
range: [0,17]
unique values: 13
unique missing codes: 2
units: 1
missing .: 1,008/1,510
missing *: 1/1,510

```

```

tabulation: Freq. Value
             178  0
             96  1
            130  2
              5  3
              2  4
             74  5
              3  6
              5  7
              1  8
              1  9
              3 10
              2 12
              1 17
            1,008 .
              1 .c

```

```

mean: 1.77645
std. dev: 2.16193

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        2        5

```

cl_min_F

F : Minutes per week (Monday - Friday)

```

type: numeric (float)
range: [0,56]
unique values: 29
unique missing codes: 2
units: 1
missing .: 1,008/1,510
missing *: 1/1,510

```

```

tabulation: Freq. Value
             74  0
              1  1
              2  3
             16  5
              1  8
              2  9
              5 10
              1 11
             10 13
             32 15
              9 18
              1 19
              5 20
              9 23
             33 25
              1 27
              1 28
            121 30
              1 31
              2 34
              1 35
             21 38
             64 40
              4 45
              2 49
             78 50
              1 53
              1 55
              2 56
            1,008 .
              1 .c

```

```

mean: 27.2894
std. dev: 16.4536

```

percentiles: 10% 25% 50% 75% 90%
 0 15 30 40 50

cl_aa_F F :Monday-Friday How many times (Monday - Friday)

type: string (**str27**), but longest is str10
 unique values: **8** missing "": **1,008/1,510**
 tabulation: Freq. Value
 1,008 "**"**
 426 "**1**"
 16 "**1.5**"
 30 "**2**"
 15 "**2.5**"
 1 "**3**"
 4 "**3.5**"
 2 "**4.5**"
 8 "**many times**"
 warning: variable has embedded blanks

cl_ab_F F :Monday-Friday How many times per units (Monday - Friday)

type: string (**str21**), but longest is str4
 unique values: **2** missing "": **1,008/1,510**
 tabulation: Freq. Value
 1,008 "**"**
 501 "**day**"
 1 "**time**"

cl_ac_F F :Monday-Friday How many times per hours (Monday - Friday)

type: numeric (**double**)
 range: [0,3] units: **.1**
 unique values: **5** missing .: **1,008/1,510**
 unique missing codes: **2** missing *: **1/1,510**
 tabulation: Freq. Value
 426 **0**
 69 **1**
 1 **1.5**
 4 **2**
 1 **3**
 1,008 **.**
 1 **.c**
 mean: **.162675**
 std. dev: **.407411**
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

cl_ad_F F :Monday-Friday How many times per minutes (Monday - Friday)

type: numeric (**double**)
 range: [0,45] units: **.1**
 unique values: **19** missing .: **1,008/1,510**
 unique missing codes: **2** missing *: **1/1,510**

```

tabulation:  Freq.  Value
              71    0
              2    1.5
              5    2
             15    2.5
              6    3
             11    3.5
              3    4
              9    4.5
             36    5
              2    5.5
              1    6.5
             22    7.5
             85    10
             25    15
              2    17.5
             60    20
             16    25
            128    30
              2    45
          1,008    .
              1    .c
    mean:     14.5948
  std. dev:   11.3179

percentiles:    10%    25%    50%    75%    90%
                0      5      10     30     30
    
```

c1_ba_F **F : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]
unique values: 7
unique missing codes: 2

                                units: 1
                                missing .: 1,008/1,510
                                missing *: 54/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              52     1  father
             133     3  mother
             162     5  grandparents
              7     7  uncle/aunt
              71     9  brother/sister/cousin
              5    11  outsider
              18    13  other household member
          1,008     .
              54    .b
    
```

c1_bb_F **F : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]
unique values: 7
unique missing codes: 2

                                units: 1
                                missing .: 1,266/1,510
                                missing *: 9/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              21     1  father
              65     3  mother
              68     5  grandparents
              10     7  uncle/aunt
              63     9  brother/sister/cousin
              3    11  outsider
              5    13  other household member
          1,266     .
              9     .b
    
```

c1_bc_F **F : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [3,13]
unique values: 6
unique missing codes: 2

units: 1
missing ..: 1,449/1,510
missing *: 4/1,510

tabulation: Freq.  Numeric  Label
              6          3  mother
              14         5  grandparents
              7          7  uncle/aunt
              26         9  brother/sister/cousin
              2         11  outsider
              2         13  other household member
1,449         .
4             .b
    
```

c1_ba_gen_F **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,062/1,510

tabulation: Freq.  Numeric  Label
              112         1  male
              336         3  female
1,062         .
    
```

c1_bb_gen_F **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,275/1,510

tabulation: Freq.  Numeric  Label
              69         1  male
              166         3  female
1,275         .
    
```

c1_bc_gen_F **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,453/1,510

tabulation: Freq.  Numeric  Label
              20         1  male
              37         3  female
1,453         .
    
```

c2_code_F **F : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 3

units: 1
missing .: 0/1,510
missing *: 565/1,510
    
```

tabulation:	Freq.	Numeric	Label
	431	0	never
	1	5	at least once a week
	423	7	once a day
	90	9	more than once a day
	1	.a	
	1	.b	
	563	.c	

c2_hr_F

F : Hours per week (Saturday - Sunday)

```

type: numeric (float)

range: [0,7]
unique values: 8
unique missing codes: 2

units: 1
missing .: 996/1,510
missing *: 1/1,510
    
```

tabulation:	Freq.	Value
	284	0
	125	1
	88	2
	7	3
	4	4
	3	5
	1	6
	1	7
	996	.
	1	.c
mean:		.71345
std. dev:		.991051

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

c2_min_F

F : Minutes per week (Saturday - Sunday)

```

type: numeric (float)

range: [0,50]
unique values: 24
unique missing codes: 2

units: 1
missing .: 996/1,510
missing *: 1/1,510
    
```

tabulation:	Freq.	Value
	211	0
	1	3
	4	4
	10	5
	4	6
	7	7
	6	8
	7	9
	33	10
	2	12
	1	13
	4	14
	19	15
	1	16
	81	20
	2	23
	3	25
	2	28


```

                29 30
                2 35
                1 38
                64 40
                3 45
                16 50
                996 .
                1 .c
    mean:      14.1267
    std. dev:  15.5515

    percentiles:    10%    25%    50%    75%    90%
                   0      0      10     20     40
    
```

c2_aa_F **F :Monday-Friday How many times (Saturday - Sunday)**

```

    type: string (str30), but longest is str10
    unique values: 8          missing "": 996/1,510

    tabulation:  Freq.  Value
                 996  ""
                 425  "1"
                  16  "1.5"
                   41  "2"
                   16  "2.5"
                    1  "3"
                    4  "3.5"
                    2  "4.5"
                    9  "many times"

    warning: variable has embedded blanks
    
```

c2_ab_F **F :Monday-Friday How many times per units (Saturday - Sunday)**

```

    type: string (str21), but longest is str4
    unique values: 3          missing "": 996/1,510

    tabulation:  Freq.  Value
                 996  ""
                 511  "day"
                    1  "time"
                    2  "week"
    
```

c2_ac_F **F :Monday-Friday How many times per hours (Saturday - Sunday)**

```

    type: numeric (double)
    range: [0,3]
    unique values: 5          units: .1
    unique missing codes: 2    missing .: 996/1,510
                               missing *: 1/1,510

    tabulation:  Freq.  Value
                 428  0
                  76  1
                   2  1.5
                   6  2
                   1  3
                 996  .
                   1  .c
    mean:      .183236
    std. dev:  .433634
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

c2_ad_F **F :Monday-Friday How many times per minutes (Saturday - Sunday)**

type: numeric (double)
 range: [0,45] units: .1
 unique values: 19 missing .: 996/1,510
 unique missing codes: 2 missing *: 1/1,510

tabulation: Freq. Value

81	0
2	1.5
5	2
14	2.5
6	3
11	3.5
3	4
9	4.5
39	5
2	5.5
1	6.5
20	7.5
83	10
24	15
2	17.5
60	20
16	25
133	30
2	45
996	.
1	.c

mean: 14.4727
 std. dev: 11.4687

percentiles: 10% 25% 50% 75% 90%
 0 4.5 10 30 30

c2_ba_F **F : People doing activity with (person 1)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 996/1,510
 unique missing codes: 2 missing *: 55/1,510

tabulation: Freq. Numeric Label

52	1	father
136	3	mother
158	5	grandparents
11	7	uncle/aunt
77	9	brother/sister/cousin
7	11	outsider
18	13	other household member
996	.	
55	.b	

c2_bb_F **F : People doing activity with (person 2)**

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 7 missing .: 1,261/1,510
 unique missing codes: 2 missing *: 9/1,510

tabulation:	Freq.	Numeric	Label
	21	1	father
	67	3	mother
	68	5	grandparents
	10	7	uncle/aunt
	64	9	brother/sister/cousin
	4	11	outsider
	6	13	other household member
	1,261	.	
	9	.b	

c2_bc_F **F : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A

range: [3,13] units: 1
 unique values: 6 missing .: 1,445/1,510
 unique missing codes: 2 missing *: 4/1,510

tabulation:	Freq.	Numeric	Label
	6	3	mother
	16	5	grandparents
	7	7	uncle/aunt
	27	9	brother/sister/cousin
	3	11	outsider
	2	13	other household member
	1,445	.	
	4	.b	

c2_ba_gen_F **Gender code (person 1)**

type: numeric (byte)
 label: c2_ba_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,051/1,510

tabulation:	Freq.	Numeric	Label
	115	1	male
	344	3	female
	1,051	.	

c2_bb_gen_F **Gender code (person 2)**

type: numeric (byte)
 label: c2_bb_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,270/1,510

tabulation:	Freq.	Numeric	Label
	69	1	male
	171	3	female
	1,270	.	

c2_bc_gen_F **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,449/1,510

tabulation: Freq. Numeric Label
              20      1 male
              41      3 female
              1,449      .
    
```

c3_code_F **F : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 3
units: 1
missing ..: 0/1,510
missing *: 947/1,510

tabulation: Freq. Numeric Label
              23      3 at least once a month
              540     5 at least once a week
              1      .a
              945     .b
              1      .c
    
```

c3_hr_F **F : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,9]
unique values: 7
unique missing codes: 2
units: 1
missing ..: 970/1,510
missing *: 1/1,510

tabulation: Freq. Value
              373  0
              110  1
              36  2
              16  3
              1  4
              1  6
              2  9
              970  .
              1  .c
mean: .478664
std. dev: .952891

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2
    
```

c3_min_F **F : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,56]
unique values: 33
unique missing codes: 2
units: 1
missing ..: 970/1,510
missing *: 1/1,510
    
```

```

tabulation:  Freq.  Value
              58    0
              1    1
              6    2
              9    3
              6    4
             13    5
              9    6
              1    7
             11    8
              6    9
             35   10
             15   11
              2   12
              8   13
              1   14
             55   15
              4   16
              2   18
              7   19
             37   20
              9   23
             20   25
              5   26
              1   28
            128   30
             15   35
              7   38
             14   40
              2   44
             31   45
             14   50
              6   53
              1   56
            970   .
              1   .c
    mean:      21.1503
  std. dev:   14.2108
  
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        10       20       30       44
  
```

c3_aa_F **F :Monday-Friday How many times (Monday - Sunday)**

```

    type:  string (str6), but longest is str3
unique values:  10                missing "":  969/1,510
  
```

```

tabulation:  Freq.  Value
              969   ""
              75   "1"
              60   "1.5"
              86   "2"
             100   "2.5"
             118   "3"
              54   "3.5"
              27   "4"
              11   "4.5"
               9   "5"
               1   "6"
  
```

c3_ab_F **F :Monday-Friday How many times per units (Monday - Sunday)**

```

    type:  string (str22), but longest is str5
unique values:  2                missing "":  969/1,510
  
```

```

tabulation:  Freq.  Value
              969  ""
              1   "month"
              540  "week"
    
```

c3_ac_F **F : Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,2]
unique values: 4
unique missing codes: 2
units: .1
missing .: 970/1,510
missing *: 1/1,510
    
```

```

tabulation:  Freq.  Value
              484  0
              50  1
               2  1.5
               3  2
              970  .
               1  .c
    
```

```

mean: .109462
std. dev: .334068
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1
    
```

c3_ad_F **F : Monday-Friday How many times per minutes (Monday - Sunday)**

```

type: numeric (double)
range: [0,45]
unique values: 21
unique missing codes: 2
units: .1
missing .: 1,022/1,510
missing *: 1/1,510
    
```

```

tabulation:  Freq.  Value
              1  0
               3  1
               9  1.5
               4  2
              12  2.5
              10  3
               6  3.5
               4  4
              15  4.5
              54  5
               2  5.5
              27  7.5
             135  10
               4  12.5
              35  15
               2  17.5
              46  20
               4  25
             108  30
               3  40
               3  45
            1,022  .
               1  .c
    
```

```

mean: 14.6766
std. dev: 10.1695
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  4       7.5      10      20      30
    
```

c3_ba_F **F : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing ..: 947/1,510
missing *: 42/1,510
    
```

tabulation:	Freq.	Numeric	Label
	54	1	father
	164	3	mother
	194	5	grandparents
	17	7	uncle/aunt
	79	9	brother/sister/cousin
	6	11	outsider
	7	13	other household member
	947	.	
	42	.b	

c3_bb_F **F : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing ..: 1,250/1,510
missing *: 14/1,510
    
```

tabulation:	Freq.	Numeric	Label
	14	1	father
	55	3	mother
	58	5	grandparents
	10	7	uncle/aunt
	98	9	brother/sister/cousin
	7	11	outsider
	4	13	other household member
	1,250	.	
	14	.b	

c3_bc_F **F : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,11]
unique values: 6
unique missing codes: 2

units: 1
missing ..: 1,439/1,510
missing *: 3/1,510
    
```

tabulation:	Freq.	Numeric	Label
	5	1	father
	6	3	mother
	15	5	grandparents
	5	7	uncle/aunt
	33	9	brother/sister/cousin
	4	11	outsider
	1,439	.	
	3	.b	

c3_ba_gen_F **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 989/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              134      1  male
              387      3  female
              989      .
    
```

c3_bb_gen_F **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,262/1,510

tabulation:  Freq.  Numeric  Label
              76      1  male
              172     3  female
            1,262     .
    
```

c3_bc_gen_F **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,442/1,510

tabulation:  Freq.  Numeric  Label
              27      1  male
              41      3  female
            1,442     .
    
```

activity_G **Playing blocks or plasticine, drawing and painting (not display)**

```

type: string (str147), but longest is str0

unique values: 0      missing "": 1,510/1,510

tabulation:  Freq.  Value
            1,510  ""
    
```

detail_G **G: detail**

```

type: string (str238), but longest is str0

unique values: 0      missing "": 1,510/1,510

tabulation:  Freq.  Value
            1,510  ""
    
```

c1_code_G **G : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9]          units: 1
unique values: 4      missing .: 0/1,510
unique missing codes: 3  missing *: 709/1,510
    
```



```

tabulation:  Freq.  Numeric  Label
              368      0      never
              1       5      at least once a week
              312      7      once a day
              120      9      more than once a day
              1       .a
              1       .b
              707      .c
    
```

c1_hr_G

G : Hours per week (Monday - Friday)

```

type: numeric (float)
range: [0,30]          units: 1
unique values: 17      missing .: 1,077/1,510

tabulation:  Freq.  Value
              146   0
              68   1
              93   2
               8   3
               1   4
              77   5
               2   6
               6   7
               1   8
              17  10
               1  11
               6  12
               3  15
               1  17
               1  20
               1  22
               1  30
            1,077 .
mean:        2.57737
std. dev:    3.54849

percentiles: 10%    25%    50%    75%    90%
              0     0     2     5     5
    
```

c1_min_G

G : Minutes per week (Monday - Friday)

```

type: numeric (float)
range: [0,56]          units: 1
unique values: 21      missing .: 1,077/1,510

tabulation:  Freq.  Value
              100   0
               1   2
               7   3
               9   5
               4  10
               5  13
              27  15
               4  18
               1  19
               5  20
              11  23
              20  25
               5  28
             100  30
               4  35
              14  38
              36  40
               5  45
              71  50
    
```

```

          1  53
          3  56
    mean: 1,077 .
    std. dev: 24.873
          17.8849
percentiles:      10%      25%      50%      75%      90%
                  0         5         30         40         50
    
```

c1_aa_G **G :Monday-Friday How many times (Monday - Friday)**

```

    type: string (str27), but longest is str10
unique values: 9          missing "": 1,077/1,510
tabulation:
  Freq.  Value
  1,077  ""
   312   "1"
   15   "1.5"
   45   "2"
   14   "2.5"
    5   "3"
    2   "3.5"
    3   "4"
    2   "4.5"
   35  "many times"
warning: variable has embedded blanks
    
```

c1_ab_G **G :Monday-Friday How many times per units (Monday - Friday)**

```

    type: string (str21), but longest is str4
unique values: 2          missing "": 1,077/1,510
tabulation:
  Freq.  Value
  1,077  ""
   431  "day"
    2   "week"
    
```

c1_ac_G **G :Monday-Friday How many times per hours (Monday - Friday)**

```

    type: numeric (double)
    range: [0,6]          units: .1
unique values: 10        missing .: 1,077/1,510
tabulation:
  Freq.  Value
   331   0
    85   1
    1  1.5
    9   2
    1  2.5
    2   3
    1  3.5
    1   4
    1  4.5
    1   6
  1,077 .
    mean: .30254
    std. dev: .667304
percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         1
    
```

c1_ad_G **G : Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,45]
unique values: 19
unique missing codes: 2
units: .1
missing .: 1,077/1,510
missing *: 1/1,510

tabulation: Freq. Value
             99  0
              3  2
              6  2.5
              7  3
              8  3.5
             11  4.5
             33  5
              2  5.5
              2  6.5
             24  7.5
             74  10
              1 12.5
             18  15
              2 17.5
             39  20
              3  25
             98  30
              1  40
              1  45
            1,077 .
              1  .c
mean:      12.5602
std. dev:  11.411

percentiles:      10%      25%      50%      75%      90%
                  0       2.75      10       20       30
    
```

c1_ba_G **G : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing .: 1,077/1,510
missing *: 211/1,510

tabulation: Freq. Numeric Label
             14         1 father
             29         3 mother
             37         5 grandparents
              2         7 uncle/aunt
             112         9 brother/sister/cousin
             26         11 outsider
              2         13 other household member
            1,077         .
             211         .b
    
```

c1_bb_G **G : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing .: 1,352/1,510
missing *: 11/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              7       1  father
              13      3  mother
              20      5  grandparents
               1       7  uncle/aunt
              66      9  brother/sister/cousin
              38     11  outsider
               2     13  other household member
            1,352      .
              11     .b
    
```

c1_bc_G **G : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [3,11]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,470/1,510
missing *: 3/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              3       3  mother
               2       5  grandparents
              16      9  brother/sister/cousin
              16     11  outsider
            1,470      .
               3     .b
    
```

c1_ba_gen_G **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,288/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              95      1  male
              127     3  female
            1,288      .
    
```

c1_bb_gen_G **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,362/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              55      1  male
              93      3  female
            1,362      .
    
```

c1_bc_gen_G **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,473/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              17      1  male
              20      3  female
            1,473      .
    
```

c2_code_G **G : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]          units: 1
unique values: 4      missing .: 0/1,510
unique missing codes: 3  missing *: 709/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              356      0  never
              2       5  at least once a week
             304      7  once a day
             139      9  more than once a day
              1       .a
              1       .b
             707      .c
    
```

c2_hr_G **G : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,12]        units: 1
unique values: 10    missing .: 1,065/1,510
    
```

```

tabulation:  Freq.  Value
              217    0
              87    1
              97    2
               7    3
              18    4
              12    5
               4    6
               1    7
               1    9
               1   12
            1,065  .
    
```

```

mean: 1.09213
std. dev: 1.51064
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        2        2
    
```

c2_min_G **G : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,50]        units: 1
unique values: 21    missing .: 1,065/1,510
    
```

```

tabulation:  Freq.  Value
              204    0
               3    4
               5    5
               4    6
               4    7
               1    8
               9    9
              20   10
               2   11
               1   12
               4   14
              15   15
               1   18
              77   20
               3   23
               7   25
               3   26
              34   30
               3   35
              38   40
               7   50
              1,065 .
    mean:     12.5124
    std. dev: 14.2272
    
```

```

percentiles:    10%    25%    50%    75%    90%
                  0      0      9     20     40
    
```

c2_aa_G **G :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str10
unique values: 10 missing "": 1,065/1,510
    
```

```

tabulation:  Freq.  Value
              1,065 ""
               305 "1"
                16 "1.5"
                49 "2"
                18 "2.5"
                 5 "3"
                 3 "3.5"
                 2 "4"
                 3 "4.5"
                 2 "5.5"
                42 "many times"
    
```

warning: variable has embedded blanks

c2_ab_G **G :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 2 missing "": 1,065/1,510
    
```

```

tabulation:  Freq.  Value
              1,065 ""
               442 "day"
                 3 "week"
    
```

c2_ac_G **G :Monday-Friday How many times per hours (Saturday - Sunday)**

type: numeric (double)

range: [0,6] units: .1
 unique values: 9 missing .: 1,065/1,510

tabulation: Freq. Value
 331 0
 93 1
 1 1.5
 13 2
 1 2.5
 3 3
 1 3.5
 1 4.5
 1 6
 1,065 .
 mean: .32809
 std. dev: .672997

percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 1

c2_ad_G G : Monday-Friday How many times per minutes (Saturday - Sunday)

type: numeric (double)

range: [0,45] units: .1
 unique values: 18 missing .: 1,065/1,510

tabulation: Freq. Value
 108 0
 4 2
 6 2.5
 5 3
 8 3.5
 9 4.5
 30 5
 2 5.5
 2 6.5
 25 7.5
 77 10
 17 15
 2 17.5
 42 20
 3 25
 101 30
 1 40
 3 45
 1,065 .
 mean: 12.6921
 std. dev: 11.6617

percentiles: 10% 25% 50% 75% 90%
 0 2 10 20 30

c2_ba_G G : People doing activity with (person 1)

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 7 missing .: 1,065/1,510
 unique missing codes: 2 missing *: 211/1,510

tabulation:	Freq.	Numeric	Label
	14	1	father
	28	3	mother
	37	5	grandparents
	2	7	uncle/aunt
	126	9	brother/sister/cousin
	25	11	outsider
	2	13	other household member
	1,065	.	
	211	.b	

c2_bb_G **G : People doing activity with (person 2)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 7 missing .: 1,350/1,510
 unique missing codes: 2 missing *: 11/1,510

tabulation:	Freq.	Numeric	Label
	6	1	father
	13	3	mother
	20	5	grandparents
	2	7	uncle/aunt
	68	9	brother/sister/cousin
	38	11	outsider
	2	13	other household member
	1,350	.	
	11	.b	

c2_bc_G **G : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [3,11] units: 1
 unique values: 4 missing .: 1,469/1,510
 unique missing codes: 2 missing *: 3/1,510

tabulation:	Freq.	Numeric	Label
	3	3	mother
	2	5	grandparents
	16	9	brother/sister/cousin
	17	11	outsider
	1,469	.	
	3	.b	

c2_ba_gen_G **Gender code (person 1)**

type: numeric (byte)
 label: **c2_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,277/1,510

tabulation:	Freq.	Numeric	Label
	97	1	male
	136	3	female
	1,277	.	

c2_bb_gen_G **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,360/1,510

tabulation: Freq.  Numeric  Label
              55      1  male
              95      3  female
             1,360      .
    
```

c2_bc_gen_G **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,472/1,510

tabulation: Freq.  Numeric  Label
              17      1  male
              21      3  female
             1,472      .
    
```

c3_code_G **G : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 3
unique missing codes: 3
units: 1
missing ..: 0/1,510
missing *: 802/1,510

tabulation: Freq.  Numeric  Label
              1      1  less than once a month
              47      3  at least once a month
             660      5  at least once a week
              1      .a
             800      .b
              1      .c
    
```

c3_hr_G **G : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,8]
unique values: 9
units: 1
missing ..: 850/1,510

tabulation: Freq.  Value
              418  0
              168  1
               48  2
               13  3
                6  4
                2  5
                1  6
                3  7
                1  8
               850  .
mean: .563636
std. dev: 1.00101

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2
    
```

c3_min_G

G : Minutes per week (Monday - Sunday)

type: numeric (float)
 range: [0,53] units: 1
 unique values: 33 missing .: 850/1,510

tabulation: Freq. Value
 109 0
 4 1
 10 2
 16 3
 3 4
 34 5
 9 6
 2 7
 15 8
 6 9
 51 10
 9 11
 2 12
 7 13
 1 14
 78 15
 2 18
 6 19
 55 20
 9 23
 11 25
 5 26
 3 28
 124 30
 1 31
 1 33
 9 35
 8 38
 23 40
 1 44
 31 45
 11 50
 4 53
 850 .
 mean: 17.9909
 std. dev: 14.2273

percentiles: 10% 25% 50% 75% 90%
 0 5 15 30 40

c3_aa_G

G :Monday-Friday How many times (Monday - Sunday)

type: string (str6), but longest is str3
 unique values: 11 missing "": 850/1,510

tabulation: Freq. Value
 850 ""
 148 "1"
 1 "1.3"
 68 "1.5"
 166 "2"
 99 "2.5"
 86 "3"
 45 "3.5"
 20 "4"
 14 "4.5"
 11 "5"
 2 "5.5"

c3_ab_G **G :Monday-Friday How many times per units (Monday - Sunday)**

type: string (**str22**), but longest is str4
 unique values: 1 missing "": 850/1,510
 tabulation: Freq. Value
 850 ""
 660 "week"

c3_ac_G **G :Monday-Friday How many times per hours (Monday - Sunday)**

type: numeric (**double**)
 range: [0,3] units: .1
 unique values: 5 missing .: 850/1,510
 tabulation: Freq. Value
 570 0
 80 1
 3 1.5
 6 2
 1 3
 850 .
 mean: .150758
 std. dev: .398688
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

c3_ad_G **G :Monday-Friday How many times per minutes (Monday - Sunday)**

type: numeric (**double**)
 range: [0,45] units: .1
 unique values: 22 missing .: 931/1,510
 tabulation: Freq. Value
 7 0
 8 1
 3 1.5
 9 2
 14 2.5
 15 3
 7 3.5
 5 4
 4 4.5
 61 5
 2 5.5
 27 7.5
 138 10
 8 12.5
 40 15
 1 17.5
 58 20
 15 25
 151 30
 2 35
 1 40
 3 45
 931 .
 mean: 15.715
 std. dev: 10.4889

```
percentiles:    10%    25%    50%    75%    90%
                3.5    7.5    10     30     30
```

```
c3_ba_G                G : People doing activity with (person 1)
```

```
type: numeric (byte)
label: c1_ba_A

range: [1,11]                units: 1
unique values: 6             missing .: 802/1,510
unique missing codes: 2     missing *: 293/1,510
```

tabulation:	Freq.	Numeric	Label
	15	1	father
	34	3	mother
	39	5	grandparents
	3	7	uncle/aunt
	265	9	brother/sister/cousin
	59	11	outsider
	802	.	.
	293	.b	.b

```
c3_bb_G                G : People doing activity with (person 2)
```

```
type: numeric (byte)
label: c1_ba_A

range: [1,11]                units: 1
unique values: 6             missing .: 1,291/1,510
unique missing codes: 2     missing *: 15/1,510
```

tabulation:	Freq.	Numeric	Label
	4	1	father
	18	3	mother
	22	5	grandparents
	9	7	uncle/aunt
	91	9	brother/sister/cousin
	60	11	outsider
	1,291	.	.
	15	.b	.b

```
c3_bc_G                G : People doing activity with (person 3)
```

```
type: numeric (byte)
label: c1_ba_A

range: [1,13]                units: 1
unique values: 7             missing .: 1,436/1,510
unique missing codes: 2     missing *: 6/1,510
```

tabulation:	Freq.	Numeric	Label
	1	1	father
	4	3	mother
	7	5	grandparents
	1	7	uncle/aunt
	27	9	brother/sister/cousin
	27	11	outsider
	1	13	other household member
	1,436	.	.
	6	.b	.b

```
c3_ba_gen_G           Gender code (person 1)
```

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,095/1,510

tabulation: Freq.  Numeric  Label
              173      1  male
              242      3  female
              1,095      .
    
```

c3_bb_gen_G **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,306/1,510

tabulation: Freq.  Numeric  Label
              84      1  male
              120     3  female
              1,306      .
    
```

c3_bc_gen_G **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,442/1,510

tabulation: Freq.  Numeric  Label
              31      1  male
              37      3  female
              1,442      .
    
```

activity_J
 Go to work with the household members e.g. go to field,farm, sell goods (not dis

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.  Value
              1,510  ""
    
```

detail_J **_J detail**

```

type: string (str238), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.  Value
              1,510  ""
    
```

c1_code_J **J : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code
    
```

range: [0,9] units: 1
 unique values: 4 missing .: 1/1,510
 unique missing codes: 4 missing *: 527/1,510

tabulation:	Freq.	Numeric	Label
	744	0	never
	9	5	at least once a week
	212	7	once a day
	17	9	more than once a day
	1	.	.
	1	.a	.a
	1	.b	.b
	525	.c	.c

c1_hr_J **J : Hours per week (Monday - Friday)**

type: numeric (float)
 range: [0,60] units: 1
 unique values: 22 missing .: 1,271/1,510

tabulation:	Freq.	Value
	5	0
	6	1
	31	2
	3	3
	1	4
	56	5
	5	6
	17	7
	48	10
	16	12
	19	15
	4	17
	9	20
	4	22
	3	25
	1	32
	2	35
	1	42
	4	45
	1	47
	2	55
	1	60

mean: 10.1213
 std. dev: 9.88282

percentiles:	10%	25%	50%	75%	90%
	2	5	7	12	20

c1_min_J **J : Minutes per week (Monday - Friday)**

type: numeric (float)
 range: [0,56] units: 1
 unique values: 11 missing .: 1,271/1,510


```

tabulation:  Freq.  Value
              44    0
              66    1
               8   1.5
              63    2
               8   2.5
              24    3
              11    4
               2   4.5
               2    5
               1    6
               2    7
               1    8
               4    9
               2   11
               1   12
1,271      .
      mean:  1.91213
      std. dev: 1.94748

percentiles:      10%      25%      50%      75%      90%
                  0         1         2         2         4
    
```

c1_ad_J **J : Monday-Friday How many times per minutes (Monday - Friday)**

```

      type:  numeric (double)
      range:  [0,45]
unique values: 10
      units:  .1
      missing.: 1,271/1,510

      tabulation:  Freq.  Value
                   168    0
                    1    1
                    1   2.5
                    2   7.5
                    1   10
                    2   15
                    4   20
                    1   25
                   56   30
                    3   45
1,271      .
      mean:  8.27824
      std. dev: 13.4401

percentiles:      10%      25%      50%      75%      90%
                  0         0         0        25        30
    
```

c1_ba_J **J : People doing activity with (person 1)**

```

      type:  numeric (byte)
      label:  c1_ba_A
      range:  [1,13]
unique values: 6
      units:  1
      missing.: 1,271/1,510

      tabulation:  Freq.  Numeric  Label
                   50         1  father
                   30         3  mother
                   136        5  grandparents
                    7         7  uncle/aunt
                    7         9  brother/sister/cousin
                    9        13  other household member
1,271      .
    
```

c1_bb_J **J : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7      missing .: 1,325/1,510

tabulation: Freq.  Numeric  Label
              7          1  father
              42         3  mother
              103        5  grandparents
               2         7  uncle/aunt
               24         9  brother/sister/cousin
               2         11  outsider
               5         13  other household member
            1,325          .
    
```

c1_bc_J **J : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 6      missing .: 1,436/1,510

tabulation: Freq.  Numeric  Label
              2          1  father
              3          3  mother
              13         5  grandparents
               2         7  uncle/aunt
               53         9  brother/sister/cousin
               1         13  other household member
            1,436          .
    
```

c1_ba_gen_J **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,271/1,510

tabulation: Freq.  Numeric  Label
              146         1  male
               93         3  female
            1,271          .
    
```

c1_bb_gen_J **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,325/1,510

tabulation: Freq.  Numeric  Label
              48         1  male
              137        3  female
            1,325          .
    
```

c1_bc_gen_J **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,436/1,510

tabulation: Freq.  Numeric  Label
              40         1  male
              34         3  female
            1,436         .
    
```

c2_code_J **J : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 5
unique missing codes: 4
units: 1
missing .. 1/1,510
missing *: 527/1,510

tabulation: Freq.  Numeric  Label
              480         0  never
               4         3  at least once a month
              49         5  at least once a week
             418         7  once a day
              31         9  more than once a day
               1         .
               1         .a
               1         .b
             525         .c
    
```

c2_hr_J **J : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,44]
unique values: 29
units: .1
missing .. 1,012/1,510

tabulation: Freq.  Value
              18     0
              39     1
              82     2
              23     3
              28     4
              17     5
              37     6
               9     7
              21     8
              19     9
              24    10
               5    11
               1    11.6
              17    12
               7    13
              21    14
               6    15
              43    16
               5    17
              37    18
              11    19
              16    20
               1    21
               4    22
               3    24
    
```

```

                1 25
                1 26
                1 28
                1 44
            1,012 .
    mean:      8.73614
    std. dev:  6.84259

    percentiles:    10%    25%    50%    75%    90%
                   1      2      7     15     18
    
```

c2_min_J **J : Minutes per week (Saturday - Sunday)**

```

    type: numeric (float)

    range: [0,50]          units: 1
    unique values: 8      missing .: 1,012/1,510

    tabulation: Freq. Value
                464  0
                 1  9
                 3 15
                 1 19
                 2 20
                18 30
                 7 40
                 2 50
            1,012 .
    mean:      2.0743
    std. dev:  8.04593

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

c2_aa_J **J : Monday-Friday How many times (Saturday - Sunday)**

```

    type: string (str30), but longest is str10

    unique values: 11      missing "": 1,012/1,510

    tabulation: Freq. Value
                1,012 ""
                 1 "0.9"
                463 "1"
                 1 "1.2"
                 3 "1.5"
                14 "2"
                 2 "2.5"
                 1 "3"
                 1 "4"
                 1 "4.5"
                 1 "5"
                10 "many times"

    warning: variable has embedded blanks
    
```

c2_ab_J **J : Monday-Friday How many times per units (Saturday - Sunday)**

```

    type: string (str21), but longest is str4

    unique values: 2      missing "": 1,012/1,510
    
```

```

tabulation: Freq. Value
             1,012 ""
             453  "day"
             45  "week"
    
```

c2_ac_J J :Monday-Friday How many times per hours (Saturday - Sunday)

```

type: numeric (double)

range: [0,14] units: .1
unique values: 22 missing .: 1,012/1,510

tabulation: Freq. Value
             53 0
             91 1
             14 1.5
             31 2
             15 2.5
             40 3
             6 3.5
             21 4
             13 4.5
             21 5
             5 5.5
             24 6
             1 6.5
             26 7
             1 7.5
             53 8
             53 9
             19 10
             5 11
             4 12
             1 13
             1 14
             1,012 .
mean: 4.39458
std. dev: 3.41591

percentiles: 10% 25% 50% 75% 90%
              0 1 3.5 8 9
    
```

c2_ad_J J :Monday-Friday How many times per minutes (Saturday - Sunday)

```

type: numeric (double)

range: [0,45] units: .1
unique values: 10 missing .: 1,012/1,510

tabulation: Freq. Value
             394 0
             1 1
             3 7.5
             3 10
             1 11.6
             4 15
             7 20
             2 25
             81 30
             2 45
             1,012 .
mean: 5.69297
std. dev: 11.5555

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 30
    
```

c2_ba_J **J : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7      missing .. 1,008/1,510

tabulation: Freq.  Numeric  Label
             105      1      father
             57       3      mother
             285      5      grandparents
             17       7      uncle/aunt
             20       9      brother/sister/cousin
             2        11     outsider
             16       13     other household member
1,008          .
    
```

c2_bb_J **J : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7      missing .. 1,090/1,510

tabulation: Freq.  Numeric  Label
             11      1      father
             89      3      mother
             236     5      grandparents
             9       7      uncle/aunt
             58      9      brother/sister/cousin
             3       11     outsider
             14      13     other household member
1,090          .
    
```

c2_bc_J **J : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7      missing .. 1,335/1,510

tabulation: Freq.  Numeric  Label
             6       1      father
             10      3      mother
             40      5      grandparents
             5       7      uncle/aunt
             109     9      brother/sister/cousin
             2       11     outsider
             3       13     other household member
1,335          .
    
```

c2_ba_gen_J **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .. 1,008/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              318      1  male
              184      3  female
              1,008      .
    
```

c2_bb_gen_J **Gender code (person 2)**

```

type:  numeric (byte)
label:  c2_bb_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,090/1,510

tabulation:  Freq.  Numeric  Label
              111      1  male
              309      3  female
              1,090      .
    
```

c2_bc_gen_J **Gender code (person 3)**

```

type:  numeric (byte)
label:  c2_bc_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,335/1,510

tabulation:  Freq.  Numeric  Label
              82      1  male
              93      3  female
              1,335      .
    
```

c3_code_J **J : Frequency (Monday - Sunday)**

```

type:  numeric (byte)
label:  c3_code

range:  [1,5]
unique values:  3
unique missing codes:  4

units:  1
missing .:  1/1,510
missing *:  983/1,510

tabulation:  Freq.  Numeric  Label
              6      1  less than once a month
              222     3  at least once a month
              298     5  at least once a week
              1      .
              1      .a
              980     .b
              2      .c
    
```

c3_hr_J **J : Hours per week (Monday - Sunday)**

```

type:  numeric (float)

range:  [0,32]
unique values:  25

units:  .1
missing .:  1,212/1,510
    
```

```

tabulation:  Freq.  Value
              40    0
              63    1
              54    2
              32    3
              20    4
              13    5
              16    6
              11    7
               2    8
              15    9
               5   10
               2   11
               6   12
               2   13
               2   14
               3   15
               2   16
               1   17
               2   18
               1   22
               1   25
               1  27.9
               1   28
               1   30
               2   32
              1,212 .
    mean:     4.23121
    std. dev: 5.32268

```

```

percentiles:    10%    25%    50%    75%    90%
                0      1      2      6     10

```

c3_min_J **J : Minutes per week (Monday - Sunday)**

```

type: numeric (float)
range: [0,53]
unique values: 16
units: 1
missing .: 1,212/1,510

```

```

tabulation:  Freq.  Value
              157    0
               1    5
               2    8
               3   10
               1   11
               1   13
              21   15
               1   19
               2   20
               1   23
               1   25
              86   30
               1   35
              18   45
               1   50
               1   53
              1,212 .
    mean:     13.5067
    std. dev: 15.7637

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0     30     30

```

c3_aa_J **J :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str4

```

unique values: 12 missing "": 1,212/1,510

```

tabulation: Freq. Value
1,212 ""
101 "1"
31 "1.5"
60 "2"
1 "2.1"
27 "2.5"
37 "3"
1 "3.49"
14 "3.5"
8 "4"
8 "4.5"
8 "5"
2 "5.5"
    
```

c3_ab_J J :Monday-Friday How many times per units (Monday - Sunday)

type: string (str22), but longest is str5

unique values: 2 missing "": 1,211/1,510

```

tabulation: Freq. Value
1,211 ""
2 "month"
297 "week"
    
```

c3_ac_J J :Monday-Friday How many times per hours (Monday - Sunday)

type: numeric (double)

range: [0,27.9] units: .1
 unique values: 16 missing .: 1,212/1,510

```

tabulation: Freq. Value
70 0
90 1
13 1.5
31 2
14 2.5
21 3
4 3.5
5 4
8 4.5
9 5
7 6
7 7
7 8
10 9
1 10
1 27.9
1,212 .
mean: 2.21275
std. dev: 2.7877
    
```

percentiles: 10% 25% 50% 75% 90%
 0 1 1 3 6

c3_ad_J J :Monday-Friday How many times per minutes (Monday - Sunday)

type: numeric (double)

range: [0,45] units: .1
 unique values: 11 missing .: 1,411/1,510


```

tabulation:  Freq.  Value
              8    0
              1    1
              5    5
              1   7.5
              6   10
              8   15
              1   20
              1   25
              1   29
              65  30
              2   45
            1,411 .
      mean:   23.5101
    std. dev: 11.1933

percentiles:      10%      25%      50%      75%      90%
                  5        15        30        30        30
    
```

c3_ba_J **J : People doing activity with (person 1)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [1,13]          units: 1
unique values: 7          missing .: 984/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              82     1  father
              64     3  mother
             327     5  grandparents
              17     7  uncle/aunt
              14     9  brother/sister/cousin
               5    11  outsider
              17    13  other household member
             984     .
    
```

c3_bb_J **J : People doing activity with (person 2)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [1,13]          units: 1
unique values: 7          missing .: 1,130/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              23     1  father
              73     3  mother
             214     5  grandparents
               8     7  uncle/aunt
              50     9  brother/sister/cousin
               1    11  outsider
              11    13  other household member
            1,130     .
    
```

c3_bc_J **J : People doing activity with (person 3)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [1,13]          units: 1
unique values: 7          missing .: 1,371/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              6         1  father
              8         3  mother
             22         5  grandparents
              2         7  uncle/aunt
             98         9  brother/sister/cousin
              1        11  outsider
              2        13  other household member
            1,371         .
    
```

c3_ba_gen_J **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .. 985/1,510

tabulation:  Freq.  Numeric  Label
              289         1  male
              236         3  female
              985         .
    
```

c3_bb_gen_J **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .. 1,131/1,510

tabulation:  Freq.  Numeric  Label
              108         1  male
              271         3  female
             1,131         .
    
```

c3_bc_gen_J **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2

units: 1
missing .. 1,371/1,510

tabulation:  Freq.  Numeric  Label
              48         1  male
              91         3  female
             1,371         .
    
```

activity_K **Do housework (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation:  Freq.  Value
            1,510  ""
    
```

detail_K **K: detail**

```

type: string (str238), but longest is str0
    
```

unique values: 0 missing "": 1,510/1,510

tabulation: Freq. Value
1,510 ""

c1_code_K **K : Frequency (Monday - Friday)**

type: numeric (byte)
label: c1_code
range: [0,9] units: 1
unique values: 3 missing .: 0/1,510
unique missing codes: 2 missing *: 458/1,510

tabulation:	Freq.	Numeric	Label
	925	0	never
	79	7	once a day
	48	9	more than once a day
	1	.a	
	457	.c	

c1_hr_K **K : Hours per week (Monday - Friday)**

type: numeric (float)
range: [0,7] units: 1
unique values: 7 missing .: 1,383/1,510

tabulation:	Freq.	Value
	90	0
	19	1
	11	2
	1	3
	2	4
	3	5
	1	7
	1,383	.
mean:	.582677	
std. dev:	1.21133	

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

c1_min_K **K : Minutes per week (Monday - Friday)**

type: numeric(float)
range: [0,56] units: 1
unique values: 19 missing .: 1,383/1,510

tabulation:	Freq.	Value
	3	0
	2	3
	3	5
	1	8
	6	10
	5	13
	13	15
	3	18
	4	20
	2	23
	32	25
	1	28
	10	30
	1	34
	15	38

```

          5 40
          1 44
          17 50
           3 56
    1,383 .
    mean: 27.7402
    std. dev: 14.0499

    percentiles:    10%    25%    50%    75%    90%
                   10     15     25     38     50

```

c1_aa_K **K :Monday-Friday How many times (Monday - Friday)**

```

    type: string (str27), but longest is str10
    unique values: 7          missing "": 1,383/1,510

    tabulation: Freq. Value
                1,383 ""
                 79 "1"
                 21 "1.5"
                 11 "2"
                  6 "2.5"
                  1 "3"
                  2 "3.5"
                  7 "many times"

    warning: variable has embedded blanks

```

c1_ab_K **K :Monday-Friday How many times per units (Monday - Friday)**

```

    type: string (str21), but longest is str3
    unique values: 1          missing "": 1,383/1,510

    tabulation: Freq. Value
                1,383 ""
                 127 "day"

```

c1_ac_K **K :Monday-Friday How many times per hours (Monday - Friday)**

```

    type: numeric (double)
    range: [0,1]          units: 1
    unique values: 2          missing .: 1,383/1,510

    tabulation: Freq. Value
                124 0
                  3 1
    1,383 .
    mean: .023622
    std. dev: .15247

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0

```

c1_ad_K **K :Monday-Friday How many times per minutes (Monday - Friday)**

```

    type: numeric (double)
    range: [0,30]        units: .1
    unique values: 15     missing .: 1,383/1,510

```



```

tabulation:  Freq.  Numeric  Label
              2      5      grandparents
              2      9      brother/sister/cousin
              1,506      .
    
```

c1_ba_gen_K **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,395/1,510

tabulation:  Freq.  Numeric  Label
              13     1      male
              102    3      female
              1,395      .
    
```

c1_bb_gen_K **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,475/1,510

tabulation:  Freq.  Numeric  Label
              5      1      male
              30     3      female
              1,475      .
    
```

c1_bc_gen_K **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,506/1,510

tabulation:  Freq.  Numeric  Label
              2      1      male
              2      3      female
              1,506      .
    
```

c2_code_K **K : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]          units: 1
unique values: 3      missing .: 0/1,510
unique missing codes: 2      missing *: 458/1,510

tabulation:  Freq.  Numeric  Label
              922    0      never
              80     7      once a day
              50     9      more than once a day
              1      .a
              457    .c
    
```

c2_hr_K **K : Hours per week (Saturday - Sunday)**

```

type: numeric (float)
range: [0,3]
unique values: 4
units: 1
missing .: 1,380/1,510

tabulation: Freq. Value
             114 0
              12 1
               3 2
               1 3
            1,380 .
mean:       .161538
std. dev:   .479079

percentiles: 10% 25% 50% 75% 90%
              0  0  0  0  1
    
```

c2_min_K

K : Minutes per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,50]
unique values: 20
units: 1
missing .: 1,380/1,510

tabulation: Freq. Value
             13 0
              1 2
              1 3
              5 4
              5 5
              2 6
              3 7
              3 8
              2 9
             32 10
              1 14
             16 15
              2 18
             17 20
              3 23
              2 25
             12 30
              1 35
              7 40
              2 50
            1,380 .
mean:       15.1462
std. dev:   11.3008

percentiles: 10% 25% 50% 75% 90%
              1  8  10  20  30
    
```

c2_aa_K

K :Monday-Friday How many times (Saturday - Sunday)

```

type: string (str30), but longest is str10
unique values: 7
missing "": 1,380/1,510

tabulation: Freq. Value
            1,380 ""
              80 "1"
              23 "1.5"
              10 "2"
               6 "2.5"
               1 "3"
               3 "3.5"
               7 "many times"
    
```

warning: variable has embedded blanks

c2_ab_K **K :Monday-Friday How many times per units (Saturday - Sunday)**

type: string (**str21**), but longest is str3
 unique values: 1 missing "": 1,380/1,510
 tabulation: Freq. Value
 1,380 ""
 130 "day"

c2_ac_K **K :Monday-Friday How many times per hours (Saturday - Sunday)**

type: numeric (**double**)
 range: [0,1] units: 1
 unique values: 2 missing .: 1,380/1,510
 tabulation: Freq. Value
 128 0
 2 1
 1,380 .
 mean: .015385
 std. dev: .123553
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

c2_ad_K **K :Monday-Friday How many times per minutes (Saturday - Sunday)**

type: numeric (**double**)
 range: [0,30] units: .1
 unique values: 15 missing .: 1,380/1,510
 tabulation: Freq. Value
 2 0
 1 1
 2 1.5
 6 2
 8 2.5
 2 3
 3 3.5
 2 4
 3 4.5
 52 5
 8 7.5
 19 10
 4 15
 9 20
 9 30
 1,380 .
 mean: 8.41538
 std. dev: 7.5074
 percentiles: 10% 25% 50% 75% 90%
 2.5 5 5 10 20

c2_ba_K **K : People doing activity with (person 1)**

type: numeric (**byte**)
 label: **c1_ba_A**

range: [1,13] units: 1
 unique values: 6 missing .: 1,380/1,510
 unique missing codes: 2 missing *: 11/1,510

tabulation:	Freq.	Numeric	Label
	2	1	father
	28	3	mother
	67	5	grandparents
	1	7	uncle/aunt
	17	9	brother/sister/cousin
	4	13	other household member
	1,380	.	
	11	.b	

c2_bb_K **K : People doing activity with (person 2)**

type: numeric (byte)
 label: c1_ba_A
 range: [3,13] units: 1
 unique values: 5 missing .: 1,470/1,510

tabulation:	Freq.	Numeric	Label
	9	3	mother
	12	5	grandparents
	2	7	uncle/aunt
	16	9	brother/sister/cousin
	1	13	other household member
	1,470	.	

c2_bc_K **K : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A
 range: [5,9] units: 1
 unique values: 2 missing .: 1,506/1,510

tabulation:	Freq.	Numeric	Label
	2	5	grandparents
	2	9	brother/sister/cousin
	1,506	.	

c2_ba_gen_K **Gender code (person 1)**

type: numeric (byte)
 label: c2_ba_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 1,391/1,510

tabulation:	Freq.	Numeric	Label
	13	1	male
	106	3	female
	1,391	.	

c2_bb_gen_K **Gender code (person 2)**

type: numeric (byte)
 label: c2_bb_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 1,470/1,510

```

tabulation:  Freq.  Numeric  Label
              5      1  male
              35     3  female
            1,470     .
    
```

c2_bc_gen_K **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,506/1,510

tabulation:  Freq.  Numeric  Label
              2      1  male
              2      3  female
            1,506     .
    
```

c3_code_K **K : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]          units: 1
unique values: 2      missing .: 0/1,510
unique missing codes: 3  missing *: 1,053/1,510

tabulation:  Freq.  Numeric  Label
              61     3  at least once a month
              396    5  at least once a week
               1     .a
            1,051    .b
               1     .c
    
```

c3_hr_K **K : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,3]          units: 1
unique values: 4      missing .: 1,114/1,510

tabulation:  Freq.  Value
              364    0
               27    1
                 3    2
                 2    3
            1,114    .
mean:        .098485
std. dev:    .366851

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

c3_min_K **K : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,53]          units: 1
unique values: 31      missing .: 1,114/1,510
    
```

```

tabulation:  Freq.  Value
              18    0
               2    1
              13    2
              32    3
              13    4
              38    5
              12    6
               6    7
              23    8
               6    9
              48   10
              12   11
              10   13
               2   14
              30   15
               1   17
               3   18
               4   19
              32   20
               9   23
              14   25
               1   26
               1   28
              29   30
               1   31
              12   35
               5   38
              11   40
               2   45
               4   50
               2   53
            1,114  .
      mean:    14.351
  std. dev:   11.7394
  
```

```

percentiles:      10%      25%      50%      75%      90%
                  3         5         10        20        30
  
```

c3_aa_K **K :Monday-Friday How many times (Monday - Sunday)**

```

type:  string (str6), but longest is str3
unique values:  11                missing "":  1,114/1,510
  
```

```

tabulation:  Freq.  Value
            1,114  ""
             113  "1"
              45  "1.5"
              94  "2"
              53  "2.5"
              50  "3"
              22  "3.5"
               9  "4"
               6  "4.5"
               1  "4.9"
               2  "5"
               1  "5.5"
  
```

c3_ab_K **K :Monday-Friday How many times per units (Monday - Sunday)**

```

type:  string (str22), but longest is str4
unique values:  1                missing "":  1,114/1,510
  
```

```

tabulation: Freq. Value
             1,114 ""
             396 "week"
    
```

c3_ac_K **K : Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,2.4]
unique values: 3
units: .1
missing .: 1,114/1,510

tabulation: Freq. Value
             388 0
             7 1
             1 2.4
             1,114 .
mean: .023737
std. dev: .178154

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

c3_ad_K **K : Monday-Friday How many times per minutes (Monday - Sunday)**

```

type: numeric (double)
range: [1,35]
unique values: 21
units: .1
missing .: 1,122/1,510

tabulation: Freq. Value
             9 1
             7 1.5
             24 2
             31 2.5
             19 3
             7 3.5
             13 4.5
             91 5
             1 5.5
             1 6
             1 6.5
             21 7.5
             93 10
             2 12.5
             16 15
             1 17
             1 17.5
             22 20
             2 25
             25 30
             1 35
             1,122 .
mean: 8.81443
std. dev: 7.51169

percentiles: 10% 25% 50% 75% 90%
              2 4 5 10 20
    
```

c3_ba_K **K : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
    
```

range: [1,13] units: 1
 unique values: 7 missing .: 1,053/1,510
 unique missing codes: 2 missing *: 94/1,510

tabulation:	Freq.	Numeric	Label
	6	1	father
	129	3	mother
	165	5	grandparents
	10	7	uncle/aunt
	43	9	brother/sister/cousin
	1	11	outsider
	9	13	other household member
	1,053	.	
	94	.b	

c3_bb_K **K : People doing activity with (person 2)**

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 6 missing .: 1,411/1,510
 unique missing codes: 2 missing *: 4/1,510

tabulation:	Freq.	Numeric	Label
	4	1	father
	15	3	mother
	37	5	grandparents
	4	7	uncle/aunt
	31	9	brother/sister/cousin
	4	13	other household member
	1,411	.	
	4	.b	

c3_bc_K **K : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 5 missing .: 1,494/1,510

tabulation:	Freq.	Numeric	Label
	1	1	father
	2	3	mother
	4	5	grandparents
	8	9	brother/sister/cousin
	1	13	other household member
	1,494	.	

c3_ba_gen_K **Gender code (person 1)**

type: numeric (byte)
 label: c3_ba_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,148/1,510

tabulation:	Freq.	Numeric	Label
	39	1	male
	323	3	female
	1,148	.	

c3_bb_gen_K **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,413/1,510

tabulation: Freq.  Numeric  Label
              19      1  male
              78      3  female
            1,413      .
    
```

c3_bc_gen_K **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,495/1,510

tabulation: Freq.  Numeric  Label
              5      1  male
             10      3  female
            1,495      .
    
```

activity_L **Do homework (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.  Value
            1,510  ""
    
```

detail_L **L: detail**

```

type: string (str238), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.  Value
            1,510  ""
    
```

c1_code_L **L : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 6
unique missing codes: 2
units: 1
missing ..: 0/1,510
missing *: 184/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              568      0      never
              1       1      less than once a month
              2       3      at least once a month
              53      5      at least once a week
              690     7      once a day
              12     9      more than once a day
              2      .a
              182     .c
    
```

cl_hr_L

L : Hours per week (Monday - Friday)

```

type: numeric (float)
range: [0,25]
unique values: 15
unique missing codes: 2
units: .1
missing .: 755/1,510
missing *: 2/1,510
    
```

```

tabulation:  Freq.  Value
              266    0
              149    1
              1    1.6
              207    2
              7     3
              105    5
              4     7
              1    7.4000001
              1     8
              1     9
              4    10
              4    12
              1    15
              1    20
              1    25
              755    .
              2     .c
    
```

```

mean: 1.74104
std. dev: 2.30829
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        2        5
    
```

cl_min_L

L : Minutes per week (Monday - Friday)

```

type: numeric (float)
range: [0,56]
unique values: 34
unique missing codes: 2
units: .1
missing .: 755/1,510
missing *: 2/1,510
    
```

```

tabulation:  Freq.  Value
              124    0
              1    1.9
              2     2
              4     3
              7     5
              2     8
              1     9
              6    10
              8    13
              1    14
              59    15
              1    16
              1    17
              6    18
              1    19
              6    20
              5    23
    
```

```

58 25
 2 27
 8 28
212 30
 1 34.900002
 4 35
15 38
79 40
 2 42
 6 45
 1 45.299999
 1 46
 1 47
123 50
 2 53
 2 55
 1 56
755 .
 2 .c
mean: 27.1489
std. dev: 16.392

percentiles:    10%    25%    50%    75%    90%
                0      15     30     40     50

```

c1_aa_L **L :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str4
unique values: 28 missing "": 755/1,510

```

```

tabulation: Freq. Value
755 ""
697 "1"
 2 "1.5"
 1 "1.6"
 1 "1.8"
10 "2"
 1 "2.3"
 1 "2.32"
 5 "2.5"
 1 "2.79"
 1 "2.8"
 7 "3"
 1 "3.02"
 1 "3.3"
 1 "3.48"
 2 "3.49"
 1 "3.5"
 1 "3.7"
 1 "3.72"
 2 "3.9"
 8 "4"
 1 "4.2"
 2 "4.4"
 2 "4.42"
 1 "4.5"
 1 "4.65"
 1 "4.9"
 1 "5.1"
 1 "5.8"

```

c1_ab_L **L :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str4
unique values: 2 missing "": 755/1,510

```


tabulation: Freq. Value
755 ""
703 "day"
52 "week"

c1_ac_L **L :Monday-Friday How many times per hours (Monday - Friday)**

type: numeric (double)
range: [0,30] units: .1
unique values: 9 missing .: 755/1,510
unique missing codes: 2 missing *: 2/1,510

tabulation: Freq. Value
625 0
116 1
1 1.5
6 2
1 2.5
1 3
1 4
1 7.4
1 30
755 .
2 .c
mean: .234263
std. dev: 1.20225

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 1

c1_ad_L **L :Monday-Friday How many times per minutes (Monday - Friday)**

type: numeric (double)
range: [0,56] units: .1
unique values: 23 missing .: 755/1,510
unique missing codes: 2 missing *: 2/1,510

tabulation: Freq. Value
122 0
4 1
1 1.5
5 2
8 2.5
9 3
7 3.5
4 4
6 4.5
65 5
4 5.5
1 7
23 7.5
127 10
48 15
4 17.5
83 20
2 25
219 30
2 35
2 40
6 45
1 56
755 .
2 .c
mean: 15.2357
std. dev: 11.869


```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 953/1,510

tabulation: Freq.   Numeric   Label
              141         1   male
              416         3   female
              953         .
    
```

c1_bb_gen_L **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,202/1,510

tabulation: Freq.   Numeric   Label
              97         1   male
              211        3   female
             1,202        .
    
```

c1_bc_gen_L **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,438/1,510

tabulation: Freq.   Numeric   Label
              25         1   male
              47         3   female
             1,438        .
    
```

c2_code_L **L : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 3
units: 1
missing .. 1/1,510
missing *: 184/1,510

tabulation: Freq.   Numeric   Label
              1,002        0   never
              14          5   at least once a week
              303         7   once a day
              6           9   more than once a day
              1           .
              2           .a
              182         .c
    
```

c2_hr_L **L : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,5]
unique values: 6
units: 1
missing .. 1,187/1,510
    
```

```

tabulation:  Freq.  Value
              178    0
              87    1
              47    2
               3    3
               5    4
               3    5
            1,187  .
    mean:     .696594
    std. dev: .965662

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      2
    
```

c2_min_L **L : Minutes per week (Saturday - Sunday)**

```

    type: numeric (float)
    range: [0,40]
    unique values: 15
    units: 1
    missing .: 1,187/1,510

    tabulation:  Freq.  Value
                  142    0
                   2    2
                   2    3
                   2    4
                   4    5
                   3    6
                   5    7
                   5    8
                  29   10
                   1   12
                   5   15
                  55   20
                   3   25
                  27   30
                  38   40
            1,187  .
    mean:     12.4241
    std. dev: 14.111

percentiles:    10%    25%    50%    75%    90%
                0      0      8     20     40
    
```

c2_aa_L **L :Monday-Friday How many times (Saturday - Sunday)**

```

    type: string (str30), but longest is str10
    unique values: 3
    missing "": 1,187/1,510

    tabulation:  Freq.  Value
                  1,187  ""
                   318  "1"
                   4    "2"
                   1    "many times"

    warning: variable has embedded blanks
    
```

c2_ab_L **L :Monday-Friday How many times per units (Saturday - Sunday)**

```

    type: string (str21), but longest is str4
    unique values: 2
    missing "": 1,187/1,510
    
```

```

tabulation: Freq. Value
            1,187 ""
            309 "day"
            14 "week"
    
```

c2_ac_L L :Monday-Friday How many times per hours (Saturday - Sunday)

```

type: numeric (double)
range: [0,2.5] units: .1
unique values: 5 missing .: 1,187/1,510

tabulation: Freq. Value
            263 0
            53 1
             2 1.5
             4 2
             1 2.5
            1,187 .
mean: .205882
std. dev: .452937

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

c2_ad_L L :Monday-Friday How many times per minutes (Saturday - Sunday)

```

type: numeric (double)
range: [0,40] units: .1
unique values: 16 missing .: 1,187/1,510

tabulation: Freq. Value
            57 0
             2 1
             1 1.5
             2 2
             2 2.5
             5 3
             4 3.5
             4 4
             1 4.5
            27 5
            10 7.5
            55 10
            23 15
            38 20
            89 30
             3 40
            1,187 .
mean: 14.6037
std. dev: 11.6002

percentiles: 10% 25% 50% 75% 90%
              0 5 10 30 30
    
```

c2_ba_L L : People doing activity with (person 1)

```

type: numeric (byte)
label: c1_ba_A
range: [1,13] units: 1
unique values: 7 missing .: 1,187/1,510
unique missing codes: 2 missing *: 86/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              28      1  father
              67      3  mother
              94      5  grandparents
              11      7  uncle/aunt
              31      9  brother/sister/cousin
               1     11  outsider
               5     13  other household member
            1,187      .
              86      .b
    
```

c2_bb_L **L : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7        missing .: 1,374/1,510
unique missing codes: 2  missing *: 10/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              15      1  father
              29      3  mother
              33      5  grandparents
               8      7  uncle/aunt
              31      9  brother/sister/cousin
               4     11  outsider
               6     13  other household member
            1,374      .
              10      .b
    
```

c2_bc_L **L : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,11]          units: 1
unique values: 6        missing .: 1,478/1,510
unique missing codes: 2  missing *: 1/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
               6      1  father
               6      3  mother
              12      5  grandparents
               1      7  uncle/aunt
               4      9  brother/sister/cousin
               2     11  outsider
            1,478      .
               1     .b
    
```

c2_ba_gen_L **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]          units: 1
unique values: 2        missing .: 1,273/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              57      1  male
              180     3  female
            1,273      .
    
```

c2_bb_gen_L **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,383/1,510

tabulation: Freq.  Numeric  Label
              39         1  male
              88         3  female
            1,383         .
    
```

c2_bc_gen_L **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,479/1,510

tabulation: Freq.  Numeric  Label
              13         1  male
              18         3  female
            1,479         .
    
```

c3_code_L **L : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 3
unique missing codes: 4
units: 1
missing ..: 1/1,510
missing *: 1,328/1,510

tabulation: Freq.  Numeric  Label
              2         1  less than once a month
              18         3  at least once a month
             161         5  at least once a week
              1         .
              2         .a
            1,325         .b
              1         .c
    
```

c3_hr_L **L : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,6]
unique values: 7
unique missing codes: 2
units: .1
missing ..: 1,349/1,510
missing *: 2/1,510

tabulation: Freq.  Value
            104  0
             33  1
             10  2
              2  2.4000001
              7  3
              2  4
              1  6
            1,349  .
              2  .c
mean:       .583648
std. dev:   1.01057
    
```

c3_ab_L **L :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4
unique values: 1 missing "": 1,349/1,510
tabulation: Freq. Value
             1,349 ""
             161 "week"
    
```

c3_ac_L **L :Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,2.4] units: .1
unique values: 4 missing .: 1,349/1,510
unique missing codes: 2 missing *: 1/1,510
tabulation: Freq. Value
             139 0
             19 1
              1 2
              1 2.4
            1,349 .
              1 .c
mean: .14625
std. dev: .399195
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

c3_ad_L **L :Monday-Friday How many times per minutes (Monday - Sunday)**

```

type: numeric (double)
range: [1,40] units: .1
unique values: 17 missing .: 1,370/1,510
unique missing codes: 2 missing *: 2/1,510
tabulation: Freq. Value
             1 1
             1 2
             4 2.5
             7 3
             1 3.5
             2 4.5
            19 5
             2 5.5
             3 7.5
             1 9.5
            37 10
             3 12.5
             4 15
            16 20
             2 25
            34 30
             1 40
            1,370 .
              2 .c
mean: 15.087
std. dev: 10.2693
percentiles: 10% 25% 50% 75% 90%
              3.5 5 10 30 30
    
```

c3_ba_L **L : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,329/1,510
missing *: 42/1,510

tabulation: Freq.   Numeric   Label
              10         1   father
              48         3   mother
              60         5   grandparents
              1         7   uncle/aunt
              17         9   brother/sister/cousin
              3         13  other household member
            1,329         .
              42         .b
    
```

c3_bb_L **L : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,450/1,510
missing *: 4/1,510

tabulation: Freq.   Numeric   Label
              4         1   father
              12        3   mother
              21        5   grandparents
              2         7   uncle/aunt
              15        9   brother/sister/cousin
              2         13  other household member
            1,450         .
              4         .b
    
```

c3_bc_L **L : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [3,11]
unique values: 4

units: 1
missing .: 1,501/1,510

tabulation: Freq.   Numeric   Label
              2         3   mother
              1         5   grandparents
              5         9   brother/sister/cousin
              1        11  outsider
            1,501         .
    
```

c3_ba_gen_L **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,371/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              34      1  male
              105     3  female
              1,371   .
    
```

c3_bb_gen_L **Gender code (person 2)**

```

type:  numeric (byte)
label:  c3_bb_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,454/1,510

tabulation:  Freq.  Numeric  Label
              13      1  male
              43      3  female
              1,454   .
    
```

c3_bc_gen_L **Gender code (person 3)**

```

type:  numeric (byte)
label:  c3_bc_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,501/1,510

tabulation:  Freq.  Numeric  Label
              3      1  male
              6      3  female
              1,501   .
    
```

activity_M **Child reads a book byself (not display)**

```

type:  string (str147), but longest is str0

unique values:  0
missing "":  1,510/1,510

tabulation:  Freq.  Value
              1,510  ""
    
```

detail_M **M: detail**

```

type:  string (str238), but longest is str0

unique values:  0
missing "":  1,510/1,510

tabulation:  Freq.  Value
              1,510  ""
    
```

c1_code_M **M : Frequency (Monday - Friday)**

```

type:  numeric (byte)
label:  c1_code

range:  [0,9]
unique values:  3
unique missing codes:  2

units:  1
missing .:  0/1,510
missing *:  36/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              1,438      0  never
              32       7  once a day
              4       9  more than once a day
              1       .a
              35       .c
    
```

c1_hr_M **M : Hours per week (Monday - Friday)**

```

type: numeric (float)
range: [0,5] units: 1
unique values: 4 missing .: 1,474/1,510

tabulation:  Freq.  Value
              15  0
              11  1
               6  2
               4  5
            1,474 .
mean: 1.19444
std. dev: 1.54586

percentiles:  10%    25%    50%    75%    90%
              0     0     1     2     5
    
```

c1_min_M **M : Minutes per week (Monday - Friday)**

```

type: numeric (float)
range: [0,50] units: 1
unique values: 13 missing .: 1,474/1,510

tabulation:  Freq.  Value
              4  0
              3  3
              1  5
              1  8
              1 10
              1 20
              1 23
              4 25
              5 30
              1 34
              1 38
              7 40
              6 50
            1,474 .
mean: 27.1389
std. dev: 17.2629

percentiles:  10%    25%    50%    75%    90%
              0     9    30    40    50
    
```

c1_aa_M **M :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str10
unique values: 5 missing "": 1,474/1,510
    
```

```

tabulation: Freq. Value
             1,474 ""
              32 "1"
               1 "2"
               1 "2.5"
               1 "4"
               1 "many times"
    
```

warning: variable has embedded blanks

c1_ab_M **M :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str3
unique values: 1 missing "": 1,474/1,510
tabulation: Freq. Value
             1,474 ""
              36 "day"
    
```

c1_ac_M **M :Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,474/1,510
tabulation: Freq. Value
             32 0
              4 1
            1,474 .
mean: .111111
std. dev: .318728
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

c1_ad_M **M :Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,30] units: .1
unique values: 11 missing .: 1,474/1,510
tabulation: Freq. Value
             4 0
              1 1
              1 1.5
              1 2
              1 4.5
              4 5
              1 7
              5 7.5
              7 10
              6 20
              5 30
            1,474 .
mean: 11.4861
std. dev: 9.7222
percentiles: 10% 25% 50% 75% 90%
              0 5 8.75 20 30
    
```

c1_ba_M **M : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [...]
unique values: 0
unique missing codes: 2

units: .
missing ..: 1,474/1,510
missing *: 36/1,510

tabulation: Freq.  Numeric  Label
              1,474      .
              36         .b
    
```

c1_bb_M **M : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [...]
unique values: 0

units: .
missing ..: 1,510/1,510

tabulation: Freq.  Numeric  Label
              1,510      .
    
```

c1_bc_M **M : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [...]
unique values: 0

units: .
missing ..: 1,510/1,510

tabulation: Freq.  Numeric  Label
              1,510      .
    
```

c1_ba_gen_M **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [...]
unique values: 0
unique missing codes: 2

units: .
missing ..: 1,509/1,510
missing *: 1/1,510

tabulation: Freq.  Numeric  Label
              1,509      .
              1         .b
    
```

c1_bb_gen_M **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [...]
unique values: 0

units: .
missing ..: 1,510/1,510

tabulation: Freq.  Numeric  Label
              1,510      .
    
```

c1_bc_gen_M **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [.,.]
unique values: 0
units: .
missing ..: 1,510/1,510

tabulation: Freq.  Numeric  Label
              1,510      .
    
```

c2_code_M **M : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 2
units: 1
missing ..: 0/1,510
missing *: 36/1,510

tabulation: Freq.  Numeric  Label
              1,443      0 never
               1         5 at least once a week
               26         7 once a day
                 4         9 more than once a day
                 1         .a
                 35         .c
    
```

c2_hr_M **M : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,2]
unique values: 3
units: 1
missing ..: 1,479/1,510

tabulation: Freq.  Value
              23  0
               5  1
               3  2
            1,479 .
mean:       .354839
std. dev:   .660726

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         1         1
    
```

c2_min_M **M : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,56]
unique values: 12
units: 1
missing ..: 1,479/1,510
    
```

```

tabulation:  Freq.  Value
              8    0
              1    2
              1    3
              1    4
              1    9
              4   10
              1   15
              5   20
              3   25
              1   38
              4   40
              1   56
            1,479  .
      mean:    16.1935
    std. dev:  15.7701

percentiles:      10%      25%      50%      75%      90%
                  0         0         10         25         40
    
```

c2_aa_M **M :Monday-Friday How many times (Saturday - Sunday)**

```

      type:  string (str30), but longest is str10
unique values:  5                missing "":  1,479/1,510

tabulation:  Freq.  Value
            1,479  ""
              26  "1"
               2  "2"
               1  "2.5"
               1  "4"
               1  "many times"

warning:  variable has embedded blanks
    
```

c2_ab_M **M :Monday-Friday How many times per units (Saturday - Sunday)**

```

      type:  string (str21), but longest is str4
unique values:  2                missing "":  1,479/1,510

tabulation:  Freq.  Value
            1,479  ""
              30  "day"
               1  "week"
    
```

c2_ac_M **M :Monday-Friday How many times per hours (Saturday - Sunday)**

```

      type:  numeric (double)
      range:  [0,1]                units:  1
unique values:  2                missing .:  1,479/1,510

tabulation:  Freq.  Value
              28    0
               3    1
            1,479  .
      mean:    .096774
    std. dev:  .300537

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

c2_ad_M **M : Monday-Friday How many times per minutes (Saturday - Sunday)**

type: numeric (**double**)
 range: [0,30] units: .1
 unique values: 11 missing .: 1,479/1,510

tabulation: Freq. Value
 3 0
 1 1
 1 1.5
 1 2
 1 4.5
 4 5
 1 7
 5 7.5
 6 10
 3 20
 5 30
 1,479 .
 mean: 11.0806
 std. dev: 9.91892

percentiles: 10% 25% 50% 75% 90%
 1 5 7.5 20 30

c2_ba_M **M : People doing activity with (person 1)**

type: numeric (**byte**)
 label: **c1_ba_A**
 range: [.,.] units: .
 unique values: 0 missing .: 1,479/1,510
 unique missing codes: 2 missing *: 31/1,510

tabulation: Freq. Numeric Label
 1,479 .
 31 .b

c2_bb_M **M : People doing activity with (person 2)**

type: numeric (**byte**)
 label: **c1_ba_A**
 range: [.,.] units: .
 unique values: 0 missing .: 1,510/1,510

tabulation: Freq. Numeric Label
 1,510 .

c2_bc_M **M : People doing activity with (person 3)**

type: numeric (**byte**)
 label: **c1_ba_A**
 range: [.,.] units: .
 unique values: 0 missing .: 1,510/1,510

tabulation: Freq. Numeric Label
 1,510 .

c2_ba_gen_M **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [3,3]
unique values: 1
unique missing codes: 2

units: 1
missing .: 1,492/1,510
missing *: 1/1,510

tabulation: Freq.   Numeric   Label
              17         3   female
              1,492       .
              1         .b
    
```

c2_bb_gen_M **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [.,.]
unique values: 0

units: .
missing .: 1,510/1,510

tabulation: Freq.   Numeric   Label
              1,510       .
    
```

c2_bc_gen_M **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [.,.]
unique values: 0

units: .
missing .: 1,510/1,510

tabulation: Freq.   Numeric   Label
              1,510       .
    
```

c3_code_M **M : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 3

units: 1
missing .: 0/1,510
missing *: 1,476/1,510

tabulation: Freq.   Numeric   Label
              2         3   at least once a month
              32        5   at least once a week
              1         .a
              1,474     .b
              1         .c
    
```

c3_hr_M **M : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,2]
unique values: 3

units: 1
missing .: 1,478/1,510
    
```

```

tabulation: Freq. Value
             27  0
             2  1
             3  2
           1,478 .
    mean:    .25
    std. dev: .622171

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

c3_min_M **M : Minutes per week (Monday - Sunday)**

```

type: numeric (float)
range: [0,53]
unique values: 14
units: 1
missing .: 1,478/1,510

tabulation: Freq. Value
             4  0
             1  2
             1  3
             2  6
             1 10
             1 11
             5 20
             1 23
             1 24
             2 25
             6 30
             3 38
             3 45
             1 53
           1,478 .
    mean:    22.4063
    std. dev: 15.2524

percentiles:    10%    25%    50%    75%    90%
                0      8     23.5   30     45
    
```

c3_aa_M **M :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 8
missing "": 1,478/1,510

tabulation: Freq. Value
           1,478 ""
             3 "1"
             6 "1.5"
             9 "2"
             7 "2.5"
             4 "3"
             1 "3.5"
             1 "4"
             1 "5"
    
```

c3_ab_M **M :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4
unique values: 1
missing "": 1,478/1,510
    
```

```

tabulation: Freq. Value
            1,478 ""
            32  "week"
    
```

c3_ac_M M : Monday-Friday How many times per hours (Monday - Sunday)

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,478/1,510

tabulation: Freq. Value
            28 0
            4 1
            1,478 .
mean: .125
std. dev: .336011

percentiles: 10% 25% 50% 75% 90%
             0 0 0 0 1
    
```

c3_ad_M M : Monday-Friday How many times per minutes (Monday - Sunday)

```

type: numeric (double)
range: [1,30] units: .1
unique values: 12 missing .: 1,482/1,510

tabulation: Freq. Value
            1 1
            1 1.5
            1 2.5
            1 3
            1 4.5
            1 5
            1 7.5
            1 8
            8 10
            6 15
            3 20
            3 30
            1,482 .
mean: 12.6071
std. dev: 8.12786

percentiles: 10% 25% 50% 75% 90%
             2.5 7.75 10 15 30
    
```

c3_ba_M M : People doing activity with (person 1)

```

type: numeric (byte)
label: c1_ba_A
range: [.,.] units: .
unique values: 0 missing .: 1,476/1,510
unique missing codes: 2 missing *: 34/1,510

tabulation: Freq. Numeric Label
            1,476 .
            34 .b
    
```

c3_bb_M M : People doing activity with (person 2)

```

type: numeric (byte)
label: c1_ba_A

range: [...]
unique values: 0
unique missing codes: 2

units: .
missing ..: 1,477/1,510
missing *: 33/1,510

tabulation: Freq. Numeric Label
             1,477      .
             33       .b
    
```

c3_bc_M **M : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [...]
unique values: 0
unique missing codes: 2

units: .
missing ..: 1,477/1,510
missing *: 33/1,510

tabulation: Freq. Numeric Label
             1,477      .
             33       .b
    
```

c3_ba_gen_M **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [...]
unique values: 0

units: .
missing ..: 1,510/1,510

tabulation: Freq. Numeric Label
             1,510      .
    
```

c3_bb_gen_M **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [...]
unique values: 0

units: .
missing ..: 1,510/1,510

tabulation: Freq. Numeric Label
             1,510      .
    
```

c3_bc_gen_M **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [...]
unique values: 0

units: .
missing ..: 1,510/1,510

tabulation: Freq. Numeric Label
             1,510      .
    
```

activity_N **Others (not display)**

type: string (str147), but longest is str0

unique values: 0 missing "": 1,510/1,510

tabulation: Freq. Value
1,510 ""

detail_N

Identify frequent activities (not display)

type: string (**str238**), but longest is str0

unique values: 0 missing "": 1,510/1,510

tabulation: Freq. Value
1,510 ""

c1_code_N

N : Frequency (Monday - Friday)

type: numeric (**byte**)
label: **c1_code**

range: [7,9] units: 1
unique values: 2 missing .: 1,502/1,510
unique missing codes: 2 missing *: 3/1,510

tabulation:	Freq.	Numeric	Label
	4	7	once a day
	1	9	more than once a day
	1,502	.	
	3	.c	

c1_hr_N

N : Hours per week (Monday - Friday)

type: numeric (**float**)

range: [0,5] units: 1
unique values: 3 missing .: 1,505/1,510

tabulation:	Freq.	Value
	3	0
	1	1
	1	5
	1,505	.
mean:		1.2
std. dev:		2.16795

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	5

c1_min_N

N : Minutes per week (Monday - Friday)

type: numeric (**float**)

range: [0,50] units: 1
unique values: 4 missing .: 1,505/1,510

tabulation:	Freq.	Value
	1	0
	1	15
	1	38
	2	50
	1,505	.
mean:		30.6
std. dev:		22.289


```

type: numeric (byte)
label: c1_ba_A

range: [3,5]
unique values: 2
units: 1
missing .. 1,505/1,510

tabulation: Freq.   Numeric   Label
              1         3   mother
              4         5   grandparents
            1,505         .
    
```

c1_bb_N **N : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,5]
unique values: 2
units: 1
missing .. 1,508/1,510

tabulation: Freq.   Numeric   Label
              1         1   father
              1         5   grandparents
            1,508         .
    
```

c1_bc_N **N : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [3,3]
unique values: 1
units: 1
missing .. 1,509/1,510

tabulation: Freq.   Numeric   Label
              1         3   mother
            1,509         .
    
```

c1_ba_gen_N **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,505/1,510

tabulation: Freq.   Numeric   Label
              2         1   male
              3         3   female
            1,505         .
    
```

c1_bb_gen_N **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,508/1,510

tabulation: Freq.   Numeric   Label
              1         1   male
              1         3   female
            1,508         .
    
```

c1_bc_gen_N **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [3,3]
unique values: 1
units: 1
missing ..: 1,509/1,510

tabulation: Freq.  Numeric  Label
              1         3  female
            1,509         .
    
```

c2_code_N **N : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [7,9]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 1,502/1,510
missing *: 3/1,510

tabulation: Freq.  Numeric  Label
              4         7  once a day
              1         9  more than once a day
            1,502         .
              3         .c
    
```

c2_hr_N **N : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,2]
unique values: 2
units: 1
missing ..: 1,505/1,510

tabulation: Freq.  Value
              4         0
              1         2
            1,505         .
mean: .4
std. dev: .894427

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      2
    
```

c2_min_N **N : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,30]
unique values: 4
units: 1
missing ..: 1,505/1,510

tabulation: Freq.  Value
              1         0
              1        15
              2        20
              1        30
            1,505         .
mean: 17
std. dev: 10.9545

percentiles: 10%    25%    50%    75%    90%
              0     15     20     20     30
    
```

c2_aa_N **N :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str3
unique values: 2 missing "": 1,505/1,510
tabulation: Freq. Value
              1,505 ""
                4 "1"
                1 "1.5"
    
```

c2_ab_N **N :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str3
unique values: 1 missing "": 1,505/1,510
tabulation: Freq. Value
              1,505 ""
                5 "day"
    
```

c2_ac_N **N :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,505/1,510
tabulation: Freq. Value
              4 0
              1 1
            1,505 .
mean: .2
std. dev: .447214
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

c2_ad_N **N :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,10] units: .1
unique values: 3 missing .: 1,505/1,510
tabulation: Freq. Value
              1 0
              1 7.5
              3 10
            1,505 .
mean: 7.5
std. dev: 4.33013
percentiles: 10% 25% 50% 75% 90%
              0 7.5 10 10 10
    
```

c2_ba_N **N : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
    
```

range: [3,5] units: 1
 unique values: 2 missing .: 1,505/1,510

tabulation:	Freq.	Numeric	Label
	1	3	mother
	4	5	grandparents
	1,505	.	

c2_bb_N **N : People doing activity with (person 2)**

type: numeric (byte)
 label: **c1_ba_A**

range: [1,5] units: 1
 unique values: 2 missing .: 1,508/1,510

tabulation:	Freq.	Numeric	Label
	1	1	father
	1	5	grandparents
	1,508	.	

c2_bc_N **N : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**

range: [3,3] units: 1
 unique values: 1 missing .: 1,509/1,510

tabulation:	Freq.	Numeric	Label
	1	3	mother
	1,509	.	

c2_ba_gen_N **Gender code (person 1)**

type: numeric (byte)
 label: **c2_ba_gen**

range: [1,3] units: 1
 unique values: 2 missing .: 1,505/1,510

tabulation:	Freq.	Numeric	Label
	2	1	male
	3	3	female
	1,505	.	

c2_bb_gen_N **Gender code (person 2)**

type: numeric (byte)
 label: **c2_bb_gen**

range: [1,3] units: 1
 unique values: 2 missing .: 1,508/1,510

tabulation:	Freq.	Numeric	Label
	1	1	male
	1	3	female
	1,508	.	

c2_bc_gen_N **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [3,3]
unique values: 1
units: 1
missing ..: 1,509/1,510

tabulation: Freq. Numeric Label
              1      3 female
            1,509      .
    
```

c3_code_N **N : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 1,502/1,510
missing *: 5/1,510

tabulation: Freq. Numeric Label
              1      1 less than once a month
              2      5 at least once a week
            1,502      .
              5      .b
    
```

c3_hr_N **N : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,0]
unique values: 1
units: 1
missing ..: 1,508/1,510

tabulation: Freq. Value
              2      0
            1,508      .
mean:          0
std. dev:      0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

c3_min_N **N : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [8,10]
unique values: 2
units: 1
missing ..: 1,508/1,510

tabulation: Freq. Value
              1      8
              1     10
            1,508      .
mean:          9
std. dev:      1.41421

percentiles: 10%    25%    50%    75%    90%
              8      8      9      10    10
    
```

c3_aa_N **N : Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 2
missing "": 1,508/1,510
    
```

```

tabulation: Freq. Value
            1,508 ""
            1 "1"
            1 "1.5"
    
```

c3_ab_N **N :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4
unique values: 1 missing "": 1,508/1,510
tabulation: Freq. Value
            1,508 ""
            2 "week"
    
```

c3_ac_N **N :Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,0] units: 1
unique values: 1 missing ..: 1,508/1,510
tabulation: Freq. Value
            2 0
            1,508 .
mean: 0
std. dev: 0
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

c3_ad_N **N :Monday-Friday How many times per minutes (Monday - Sunday)**

```

type: numeric (double)
range: [5,10] units: 1
unique values: 2 missing ..: 1,508/1,510
tabulation: Freq. Value
            1 5
            1 10
            1,508 .
mean: 7.5
std. dev: 3.53553
percentiles: 10% 25% 50% 75% 90%
              5 5 7.5 10 10
    
```

c3_ba_N **N : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [3,13] units: 1
unique values: 3 missing ..: 1,507/1,510
tabulation: Freq. Numeric Label
            1 3 mother
            1 5 grandparents
            1 13 other household member
            1,507 .
    
```

c3_bb_N **N : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [9,13]
unique values: 2
units: 1
missing .. 1,508/1,510

tabulation: Freq.  Numeric  Label
              1          9  brother/sister/cousin
              1          13  other household member
              1,508          .
    
```

c3_bc_N **N : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [9,9]
unique values: 1
units: 1
missing .. 1,509/1,510

tabulation: Freq.  Numeric  Label
              1          9  brother/sister/cousin
              1,509          .
    
```

c3_ba_gen_N **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,507/1,510

tabulation: Freq.  Numeric  Label
              1          1  male
              2          3  female
              1,507          .
    
```

c3_bb_gen_N **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [3,3]
unique values: 1
units: 1
missing .. 1,508/1,510

tabulation: Freq.  Numeric  Label
              2          3  female
              1,508          .
    
```

c3_bc_gen_N **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,1]
unique values: 1
units: 1
missing .. 1,509/1,510

tabulation: Freq.  Numeric  Label
              1          1  male
              1,509          .
    
```

activity_0 **Child plays computer, tablet, ipad, mobile phone (not display)**

type: string (**str147**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

detail_0 **O: detail**

type: string (**str238**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

c1_code_0 **O : Frequency (Monday - Friday)**

type: numeric (**byte**)
 label: **c1_code**
 range: [0,9] units: 1
 unique values: 4 missing .: 0/1,510
 unique missing codes: 2 missing *: 403/1,510
 tabulation: Freq. Numeric Label
 393 0 never
 3 5 at least once a week
 365 7 once a day
 346 9 more than once a day
 1 .a
 402 .c

c1_hr_0 **O : Hours per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,27] units: 1
 unique values: 18 missing .: 796/1,510
 unique missing codes: 2 missing *: 1/1,510
 tabulation: Freq. Value
 75 0
 54 1
 107 2
 23 3
 6 4
 210 5
 8 6
 58 7
 12 8
 72 10
 6 11
 32 12
 26 15
 8 17
 5 20
 5 22
 5 25
 1 27
 796 .
 1 .c

```

    mean: 5.63675
    std. dev: 4.77719

    percentiles:    10%    25%    50%    75%    90%
                   0      2      5      7     12
    
```

c1_min_0 **0 : Minutes per week (Monday - Friday)**

```

    type: numeric (float)
    range: [0,63]
    unique values: 26
    unique missing codes: 2

    units: 1
    missing .: 797/1,510
    missing *: 1/1,510
    
```

```

    tabulation: Freq. Value
                311  0
                 1  2
                 2  3
                 8  5
                 3  8
                 9 10
                 6 13
                41 15
                 4 18
                10 20
                 1 23
                13 25
               201 30
                 1 31
                 3 34
                 1 35
                 5 38
                 1 39
                23 40
                 1 44
                24 45
                34 50
                 1 53
                 4 55
                 3 56
                 1 63
               797 .
                 1 .c
    
```

```

    mean: 17.0646
    std. dev: 17.3524
    
```

```

    percentiles:    10%    25%    50%    75%    90%
                   0      0     15     30     40
    
```

c1_aa_0 **0 :Monday-Friday How many times (Monday - Friday)**

```

    type: string (str27), but longest is str10
    unique values: 9
    missing "": 796/1,510
    
```

```

    tabulation: Freq. Value
                796 ""
                367 "1"
                 31 "1.5"
                102 "2"
                 40 "2.5"
                 26 "3"
                 20 "3.5"
                  6 "4"
                  4 "4.5"
                118 "many times"
    
```


warning: variable has embedded blanks

c1_ab_0 O :Monday-Friday How many times per units (Monday - Friday)

type: string (**str21**), but longest is str4
 unique values: 3 missing "": 796/1,510
 tabulation: Freq. Value
 796 ""
 709 "day"
 1 "time"
 4 "week"

c1_ac_0 O :Monday-Friday How many times per hours (Monday - Friday)

type: numeric (**double**)
 range: [0,10] units: .1
 unique values: 10 missing .: 796/1,510
 unique missing codes: 2 missing *: 1/1,510
 tabulation: Freq. Value
 345 0
 254 1
 22 1.5
 60 2
 9 2.5
 16 3
 1 3.5
 4 4
 1 5
 1 10
 796 .
 1 .c
 mean: .718093
 std. dev: .900481
 percentiles: 10% 25% 50% 75% 90%
 0 0 1 1 2

c1_ad_0 O :Monday-Friday How many times per minutes (Monday - Friday)

type: numeric (**double**)
 range: [0,50] units: .1
 unique values: 24 missing .: 796/1,510
 unique missing codes: 2 missing *: 1/1,510
 tabulation: Freq. Value
 336 0
 2 1
 3 2
 8 2.5
 4 3
 5 3.5
 2 4
 2 4.5
 23 5
 1 5.5
 14 7.5
 33 10
 25 15
 1 17.5
 28 20
 11 25


```

tabulation:  Freq.  Numeric  Label
              3        1  father
              11       3  mother
              7        5  grandparents
              2        7  uncle/aunt
              9        9  brother/sister/cousin
              9       11  outsider
            1,464      .
              5        .b
    
```

c1_ba_gen_0 **Gender code (person 1)**

```

      type: numeric (byte)
      label: c1_ba_gen

      range: [1,3]
unique values: 2
                        units: 1
                        missing .: 1,225/1,510

      tabulation:  Freq.  Numeric  Label
                   115     1  male
                   170     3  female
                  1,225     .
    
```

c1_bb_gen_0 **Gender code (person 2)**

```

      type: numeric (byte)
      label: c1_bb_gen

      range: [1,3]
unique values: 2
                        units: 1
                        missing .: 1,335/1,510

      tabulation:  Freq.  Numeric  Label
                   70     1  male
                   105    3  female
                  1,335     .
    
```

c1_bc_gen_0 **Gender code (person 3)**

```

      type: numeric (byte)
      label: c1_bc_gen

      range: [1,3]
unique values: 2
                        units: 1
                        missing .: 1,469/1,510

      tabulation:  Freq.  Numeric  Label
                   13     1  male
                   28     3  female
                  1,469     .
    
```

c2_code_0 **0 : Frequency (Saturday - Sunday)**

```

      type: numeric (byte)
      label: c2_code

      range: [0,9]
unique values: 3
unique missing codes: 2
                        units: 1
                        missing .: 0/1,510
                        missing *: 403/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              379      0      never
              311      7      once a day
              417      9      more than once a day
               1      .a
              402      .c
    
```

c2_hr_0

0 : Hours per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,21]
unique values: 16
unique missing codes: 2
units: 1
missing .: 782/1,510
missing *: 1/1,510
    
```

```

tabulation:  Freq.  Value
              123    0
              122    1
              191    2
               62    3
              100    4
               39    5
               41    6
               13    7
               13    8
                7    9
                8   10
                2   11
                1   12
                3   15
                1   17
                1   21
              782   .
                1   .c
    
```

```

mean: 2.73177
std. dev: 2.54348
    
```

```

percentiles: 10% 25% 50% 75% 90%
              0   1   2   4   6
    
```

c2_min_0

0 : Minutes per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,55]
unique values: 26
unique missing codes: 2
units: 1
missing .: 783/1,510
missing *: 1/1,510
    
```

```

tabulation:  Freq.  Value
              527    0
                1    2
                3    4
                7    5
                3    6
                3    7
                3    8
                1    9
               17   10
                1   12
                1   13
                1   14
               10   15
                2   18
               38   20
                1   22
                1   23
                5   25
                1   28
    
```

```

        62 30
        4 38
        27 40
        1 42
        1 45
        4 50
        1 55
        783 .
        1 .c
    mean: 6.76033
    std. dev: 12.5613

percentiles:    10%    25%    50%    75%    90%
                0      0      0      8     30

```

c2_aa_0 **O :Monday-Friday How many times (Saturday - Sunday)**

```

    type: string (str30), but longest is str10
unique values: 10                            missing "": 782/1,510

    tabulation: Freq. Value
                782 ""
                312 "1"
                 28 "1.5"
                 114 "2"
                 50 "2.5"
                 28 "3"
                 26 "3.5"
                  5 "4"
                  6 "4.5"
                  1 "6"
                158 "many times"

warning: variable has embedded blanks

```

c2_ab_0 **O :Monday-Friday How many times per units (Saturday - Sunday)**

```

    type: string (str21), but longest is str4
unique values: 3                            missing "": 782/1,510

    tabulation: Freq. Value
                782 ""
                725 "day"
                  1 "time"
                  2 "week"

```

c2_ac_0 **O :Monday-Friday How many times per hours (Saturday - Sunday)**

```

    type: numeric (double)

    range: [0,10]                            units: .1
unique values: 13                            missing .: 782/1,510
unique missing codes: 2                    missing *: 1/1,510

```

```

tabulation:  Freq.  Value
              323    0
              245    1
               20   1.5
               71    2
               16   2.5
               29    3
                4   3.5
                9    4
                2   4.5
                3    5
                2   5.5
                2    7
                1   10
              782    .
                1   .c
    mean:     .898212
    std. dev: 1.12293

percentiles:    10%    25%    50%    75%    90%
                0      0      1      1      2
    
```

c2_ad_0 **0 : Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,45]
unique values: 22
unique missing codes: 2
units: .1
missing .: 782/1,510
missing *: 1/1,510
    
```

```

tabulation:  Freq.  Value
              368    0
                2    1
                3    2
                9   2.5
                4    3
                6   3.5
                1    4
                2   4.5
               22    5
                1   5.5
               13   7.5
               31   10
                1  14.2
               21   15
               29   20
                9   25
              194   30
                2   35
                1   36
                1  37.5
                1   40
                6   45
              782    .
                1   .c
    mean:     11.014
    std. dev: 13.4896

percentiles:    10%    25%    50%    75%    90%
                0      0      0     30     30
    
```

c2_ba_0 **0 : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
    
```

range: [1,13] units: 1
 unique values: 7 missing .: 782/1,510
 unique missing codes: 2 missing *: 433/1,510

tabulation:	Freq.	Numeric	Label
	33	1	father
	49	3	mother
	27	5	grandparents
	12	7	uncle/aunt
	156	9	brother/sister/cousin
	14	11	outsider
	4	13	other household member
	782	.	
	433	.b	

c2_bb_0 O : People doing activity with (person 2)

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 7 missing .: 1,313/1,510
 unique missing codes: 2 missing *: 20/1,510

tabulation:	Freq.	Numeric	Label
	14	1	father
	41	3	mother
	24	5	grandparents
	9	7	uncle/aunt
	69	9	brother/sister/cousin
	18	11	outsider
	2	13	other household member
	1,313	.	
	20	.b	

c2_bc_0 O : People doing activity with (person 3)

type: numeric (byte)
 label: c1_ba_A

range: [1,11] units: 1
 unique values: 6 missing .: 1,464/1,510
 unique missing codes: 2 missing *: 5/1,510

tabulation:	Freq.	Numeric	Label
	3	1	father
	12	3	mother
	7	5	grandparents
	2	7	uncle/aunt
	8	9	brother/sister/cousin
	9	11	outsider
	1,464	.	
	5	.b	

c2_ba_gen_0 Gender code (person 1)

type: numeric (byte)
 label: c2_ba_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,215/1,510

```

tabulation:  Freq.  Numeric  Label
              123      1  male
              172      3  female
              1,215      .
    
```

c2_bb_gen_0 **Gender code (person 2)**

```

type:  numeric (byte)
label:  c2_bb_gen

range:  [1,3]
unique values:  2

units:  1
missing :  1,333/1,510

tabulation:  Freq.  Numeric  Label
              73      1  male
              104      3  female
              1,333      .
    
```

c2_bc_gen_0 **Gender code (person 3)**

```

type:  numeric (byte)
label:  c2_bc_gen

range:  [1,3]
unique values:  2

units:  1
missing :  1,469/1,510

tabulation:  Freq.  Numeric  Label
              13      1  male
              28      3  female
              1,469      .
    
```

c3_code_0 **0 : Frequency (Monday - Sunday)**

```

type:  numeric (byte)
label:  c3_code

range:  [1,5]
unique values:  3
unique missing codes:  3

units:  1
missing :  0/1,510
missing *:  1,110/1,510

tabulation:  Freq.  Numeric  Label
              1      1  less than once a month
              52      3  at least once a month
              347      5  at least once a week
              1      .a
              1,108      .b
              1      .c
    
```

c3_hr_0 **0 : Hours per week (Monday - Sunday)**

```

type:  numeric (float)

range:  [0,9]
unique values:  10

units:  1
missing :  1,162/1,510
    
```



```

tabulation:  Freq.  Value
              142    0
              98    1
              45    2
              33    3
              17    4
               6    5
               3    6
               2    7
               1    8
               1    9
              1,162  .
    mean:     1.24713
    std. dev: 1.52477

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        2        3
    
```

c3_min_0 **0 : Minutes per week (Monday - Sunday)**

```

    type: numeric (float)
    range: [0,56]
    unique values: 30
                    units: 1
                    missing .: 1,162/1,510
    
```

```

tabulation:  Freq.  Value
              109    0
               3    3
               2    4
               6    5
               1    6
               1    7
               4    8
               1    9
               9   10
               4   11
               6   13
               1   14
              25   15
               2   19
              14   20
               4   23
               5   25
               1   26
              93   30
               2   31
               1   33
               6   35
               2   38
              10   40
               1   44
              19   45
               1   49
               8   50
               6   53
               1   56
              1,162  .
    mean:     18.8391
    std. dev: 16.4002

percentiles:      10%      25%      50%      75%      90%
                  0        0      19.5      30      45
    
```

c3_aa_0 **0 :Monday-Friday How many times (Monday - Sunday)**

type: string (str6), but longest is str3

unique values: 12 missing "": 1,162/1,510

tabulation:

Freq.	Value
1,162	""
70	"1"
2	"1.2"
37	"1.5"
1	"1.6"
61	"2"
48	"2.5"
60	"3"
25	"3.5"
23	"4"
9	"4.5"
11	"5"
1	"5.5"

c3_ab_O O :Monday-Friday How many times per units (Monday - Sunday)

type: string (str22), but longest is str4

unique values: 1 missing "": 1,162/1,510

tabulation:

Freq.	Value
1,162	""
348	"week"

c3_ac_O O :Monday-Friday How many times per hours (Monday - Sunday)

type: numeric (double)

range: [0,5] units: .1
 unique values: 8 missing .: 1,162/1,510

tabulation:

Freq.	Value
215	0
102	1
11	1.5
14	2
3	2.5
1	3
1	3.5
1	5
1,162	.

mean: .475575
 std. dev: .697964

percentiles:

	10%	25%	50%	75%	90%
	0	0	0	1	1

c3_ad_O O :Monday-Friday How many times per minutes (Monday - Sunday)

type: numeric (double)

range: [0,49] units: .1
 unique values: 19 missing .: 1,287/1,510

```

tabulation:  Freq.  Value
              4      0
              1      1
              2     1.5
              3      2
              3      3
              2     3.5
              4     4.5
             14      5
              8     7.5
             38     10
              5    12.5
             18     15
              2    17.5
             24     20
              2     25
             90     30
              1     35
              1     45
              1     49
             1,287 .
      mean:    19.1951
  std. dev:   10.7239

percentiles:    10%    25%    50%    75%    90%
                5      10      20      30      30
    
```

c3_ba_0 **O : People doing activity with (person 1)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [1,13]
unique values: 7
unique missing codes: 2

                        units: 1
      missing .: 1,109/1,510
      missing *: 164/1,510

tabulation:  Freq.  Numeric  Label
              32      1  father
              48      3  mother
              24      5  grandparents
              14      7  uncle/aunt
             109      9  brother/sister/cousin
              9      11  outsider
              1      13  other household member
             1,109 .
              164     .b
    
```

c3_bb_0 **O : People doing activity with (person 2)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [1,13]
unique values: 7
unique missing codes: 2

                        units: 1
      missing .: 1,393/1,510
      missing *: 7/1,510

tabulation:  Freq.  Numeric  Label
              8      1  father
             25      3  mother
              5      5  grandparents
              1      7  uncle/aunt
             65      9  brother/sister/cousin
              5      11  outsider
              1      13  other household member
             1,393 .
              7      .b
    
```

c3_bc_0 **O : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,11]
unique values: 6
unique missing codes: 2

units: 1
missing ..: 1,494/1,510
missing *: 1/1,510

tabulation: Freq.  Numeric  Label
              1          1  father
              4          3  mother
              1          5  grandparents
              1          7  uncle/aunt
              6          9  brother/sister/cousin
              2         11  outsider
            1,494         .
              1          .b
    
```

c3_ba_gen_0 **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,272/1,510

tabulation: Freq.  Numeric  Label
              106         1  male
              132         3  female
            1,272         .
    
```

c3_bb_gen_0 **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,399/1,510

tabulation: Freq.  Numeric  Label
              38         1  male
              73         3  female
            1,399         .
    
```

c3_bc_gen_0 **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,494/1,510

tabulation: Freq.  Numeric  Label
              7          1  male
              9          3  female
            1,494         .
    
```

activity_P **Child watches TV (not display)**

```

type: string (str147), but longest is str0
    
```

unique values: 0 missing "": 1,510/1,510

tabulation: Freq. Value
1,510 ""

detail_P

Identify frequent activities (not display)

type: string (**str238**), but longest is str0

unique values: 0 missing "": 1,510/1,510

tabulation: Freq. Value
1,510 ""

c1_code_P

P : Frequency (Monday - Friday)

type: numeric (**byte**)
label: **c1_code**

range: [0,9] units: 1
unique values: 3 missing .: 0/1,510
unique missing codes: 2 missing *: 115/1,510

tabulation:	Freq.	Numeric	Label
	152	0	never
	871	7	once a day
	372	9	more than once a day
	1	.a	
	114	.c	

c1_hr_P

P : Hours per week (Monday - Friday)

type: numeric (**double**)

range: [0,50] units: 1
unique values: 25 missing .: 0/1,510

tabulation:	Freq.	Value
	347	0
	45	1
	177	2
	24	3
	4	4
	454	5
	3	6
	80	7
	1	9
	216	10
	1	11
	26	12
	66	15
	2	16
	12	17
	3	18
	28	20
	8	22
	4	25
	1	27
	2	30
	2	32
	1	35
	2	37
	1	50

mean: 5.46556
std. dev: 5.47685

percentiles: 10% 25% 50% 75% 90%
 0 1 5 7 12

c1_min_P P : Minutes per week (Monday - Friday)

type: numeric (double)
 range: [0,56] units: 1
 unique values: 23 missing .: 0/1,510

tabulation:

Freq.	Value
1,031	0
1	3
12	5
1	8
4	10
4	13
25	15
2	18
13	20
2	23
18	25
1	26
1	28
290	30
1	35
1	36
7	38
28	40
15	45
44	50
2	53
6	55
1	56

mean: 9.87285
 std. dev: 15.5571

percentiles: 10% 25% 50% 75% 90%
 0 0 0 30 30

c1_aa_P P :Monday-Friday How many times (Monday - Friday)

type: string (str27), but longest is str10
 unique values: 8 missing "": 267/1,510

tabulation:

Freq.	Value
267	" "
871	"1"
19	"1.5"
272	"2"
13	"2.5"
14	"3"
5	"3.5"
1	"4"
48	"many times"

warning: variable has embedded blanks

c1_ab_P P :Monday-Friday How many times per units (Monday - Friday)

type: string (str21), but longest is str3
 unique values: 1 missing "": 267/1,510

percentiles: 10% 25% 50% 75% 90%
 0 0 0 30 30

c1_ba_P **P : People doing activity with (person 1)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 7 missing .: 266/1,510
 unique missing codes: 2 missing *: 98/1,510

tabulation:	Freq.	Numeric	Label
	181	1	father
	115	3	mother
	495	5	grandparents
	23	7	uncle/aunt
	275	9	brother/sister/cousin
	11	11	outsider
	46	13	other household member
	266	.	.
	98	.b	.b

c1_bb_P **P : People doing activity with (person 2)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 7 missing .: 490/1,510
 unique missing codes: 2 missing *: 14/1,510

tabulation:	Freq.	Numeric	Label
	60	1	father
	206	3	mother
	432	5	grandparents
	34	7	uncle/aunt
	217	9	brother/sister/cousin
	16	11	outsider
	41	13	other household member
	490	.	.
	14	.b	.b

c1_bc_P **P : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 7 missing .: 950/1,510
 unique missing codes: 2 missing *: 12/1,510

tabulation:	Freq.	Numeric	Label
	21	1	father
	71	3	mother
	117	5	grandparents
	47	7	uncle/aunt
	262	9	brother/sister/cousin
	6	11	outsider
	24	13	other household member
	950	.	.
	12	.b	.b

c1_ba_gen_P **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 364/1,510

tabulation: Freq.  Numeric  Label
              597      1  male
              549      3  female
              364      .
    
```

c1_bb_gen_P **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 504/1,510

tabulation: Freq.  Numeric  Label
              279      1  male
              727      3  female
              504      .
    
```

c1_bc_gen_P **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 962/1,510

tabulation: Freq.  Numeric  Label
              226      1  male
              322      3  female
              962      .
    
```

c2_code_P **P : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 3
unique missing codes: 2

units: 1
missing ..: 0/1,510
missing *: 117/1,510

tabulation: Freq.  Numeric  Label
              119      0  never
              677      7  once a day
              597      9  more than once a day
               1      .a
              116      .c
    
```

c2_hr_P **P : Hours per week (Saturday - Sunday)**

```

type: numeric (double)

range: [0,28]
unique values: 22

units: 1
missing ..: 0/1,510
    
```

```

tabulation:  Freq.  Value
              354    0
              162    1
              357    2
               68    3
              255    4
               37    5
              103    6
               22    7
               64    8
               19    9
               20   10
                2   11
               18   12
                4   13
                6   14
                2   15
                4   16
                2   17
                4   18
                3   20
                3   22
                1   28
    mean:     3.09139
    std. dev: 3.32345

percentiles:  10%    25%    50%    75%    90%
              0      1      2      4      8
    
```

c2_min_P **P : Minutes per week (Saturday - Sunday)**

```

    type:  numeric (byte)
    range: [0,55]
unique values: 20
    units: 1
missing .: 0/1,510

tabulation:  Freq.  Value
              1,334  0
                1    2
                2    3
                2    4
                5    5
                3    6
                2    7
                1    8
               24   10
                1   14
                7   15
               48   20
                1   23
                2   25
               37   30
               26   40
                3   45
                9   50
                1   52
                1   55
    mean:     2.85762
    std. dev: 9.00896

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0     10
    
```

c2_aa_P **P :Monday-Friday How many times (Saturday - Sunday)**

type: string (str30), but longest is str10

unique values: 10 missing "": 237/1,510

```

tabulation: Freq. Value
             237 ""
             679 "1"
             23 "1.5"
             390 "2"
             23 "2.5"
             32 "3"
             8 "3.5"
             3 "4"
             1 "4.5"
             1 "5.5"
             113 "many times"
    
```

warning: variable has embedded blanks

c2_ab_P P :Monday-Friday How many times per units (Saturday - Sunday)

type: string (str21), but longest is str3

unique values: 1 missing "": 237/1,510

```

tabulation: Freq. Value
             237 ""
             1,273 "day"
    
```

c2_ac_P P :Monday-Friday How many times per hours (Saturday - Sunday)

type: numeric (double)

range: [0,14] units: .1
 unique values: 18 missing .: 237/1,510

```

tabulation: Freq. Value
             361 0
             544 1
             29 1.5
             195 2
             11 2.5
             78 3
             4 3.5
             16 4
             4 4.5
             13 5
             4 6
             2 6.5
             2 7
             2 8
             3 9
             3 10
             1 11
             1 14
             237 .
    mean: 1.21681
    std. dev: 1.34488
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 1 2 3

c2_ad_P P :Monday-Friday How many times per minutes (Saturday - Sunday)

type: numeric (double)

range: [0,45] units: .1
 unique values: 23 missing .: 237/1,510

tabulation: Freq. Value
 793 0
 3 1
 1 1.5
 2 2
 3 2.5
 3 3
 3 3.5
 23 5
 10 7.5
 40 10
 37 15
 3 17.5
 34 20
 14 25
 262 30
 2 32.5
 2 35
 1 36
 1 37.5
 4 40
 1 42.5
 1 43
 30 45
 237 .
 mean: 9.36921
 std. dev: 13.706

percentiles: 10% 25% 50% 75% 90%
 0 0 0 20 30

c2_ba_P P : People doing activity with (person 1)

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 235/1,510
 unique missing codes: 2 missing *: 109/1,510

tabulation: Freq. Numeric Label
 182 1 father
 118 3 mother
 493 5 grandparents
 25 7 uncle/aunt
 289 9 brother/sister/cousin
 13 11 outsider
 46 13 other household member
 235 .
 109 .b

c2_bb_P P : People doing activity with (person 2)

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 481/1,510
 unique missing codes: 2 missing *: 14/1,510

tabulation:	Freq.	Numeric	Label
	59	1	father
	206	3	mother
	431	5	grandparents
	35	7	uncle/aunt
	223	9	brother/sister/cousin
	22	11	outsider
	39	13	other household member
	481	.	
	14	.b	

c2_bc_P **P : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 7 missing .: 948/1,510
 unique missing codes: 2 missing *: 13/1,510

tabulation:	Freq.	Numeric	Label
	23	1	father
	71	3	mother
	118	5	grandparents
	46	7	uncle/aunt
	259	9	brother/sister/cousin
	9	11	outsider
	23	13	other household member
	948	.	
	13	.b	

c2_ba_gen_P **Gender code (person 1)**

type: numeric (byte)
 label: **c2_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 344/1,510

tabulation:	Freq.	Numeric	Label
	607	1	male
	559	3	female
	344	.	

c2_bb_gen_P **Gender code (person 2)**

type: numeric (byte)
 label: **c2_bb_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 495/1,510

tabulation:	Freq.	Numeric	Label
	277	1	male
	738	3	female
	495	.	

c2_bc_gen_P **Gender code (person 3)**

type: numeric (byte)
 label: **c2_bc_gen**

```

range: [1,3] units: 1
unique values: 2 missing .. 961/1,510

tabulation: Freq. Numeric Label
             227      1 male
             322      3 female
             961      .
    
```

c3_code_P **P : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,7] units: 1
unique values: 3 missing .. 0/1,510
unique missing codes: 3 missing *: 1,397/1,510

tabulation: Freq. Numeric Label
             6      3 at least once a month
            106     5 at least once a week
              1     7 once a day
              1     .a
            1,395   .b
              1     .c
    
```

c3_hr_P **P : Hours per week (Monday - Sunday)**

```

type: numeric (double)

range: [0,7] units: 1
unique values: 8 missing .. 0/1,510

tabulation: Freq. Value
            1,449  0
              28  1
              11  2
              12  3
               4  4
               2  5
               1  6
               3  7
mean:      .092053
std. dev:  .554639

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

c3_min_P **P : Minutes per week (Monday - Sunday)**

```

type: numeric (byte)

range: [0,53] units: 1
unique values: 17 missing .. 0/1,510

tabulation: Freq. Value
            1,434  0
               3  3
               2  4
               2  5
               1  6
               1  8
               5 10
               1 11
               1 15
               5 20
               1 23
    
```

```

          33 30
           2 38
           8 40
           7 45
           2 50
           2 53
    mean:   1.42185
    std. dev: 6.84546

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

c3_aa_P **P :Monday-Friday How many times (Monday - Sunday)**

```

    type: string (str6), but longest is str3
    unique values: 11          missing "": 1,403/1,510
    tabulation:
    Freq. Value
    1,403 ""
     16 "1"
     6 "1.5"
     1 "1.6"
    25 "2"
    12 "2.5"
    21 "3"
    10 "3.5"
     7 "4"
     3 "4.5"
     5 "5"
     1 "6"
    
```

c3_ab_P **P :Monday-Friday How many times per units (Monday - Sunday)**

```

    type: string (str22), but longest is str4
    unique values: 2          missing "": 1,403/1,510
    tabulation:
    Freq. Value
    1,403 ""
     1 "day"
    106 "week"
    
```

c3_ac_P **P :Monday-Friday How many times per hours (Monday - Sunday)**

```

    type: numeric(double)
    range: [0,2.5]          units: .1
    unique values: 5          missing .: 1,404/1,510
    tabulation:
    Freq. Value
     70 0
     30 1
     4 1.5
     1 2
     1 2.5
    1,404 .
    mean: .382075
    std. dev: .567165

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      1      1
    
```

c3_ad_P **P : Monday-Friday How many times per minutes (Monday - Sunday)**

type: numeric (double)
 range: [0,45] units: .1
 unique values: 13 missing .: 1,437/1,510

tabulation:

Freq.	Value
3	0
3	2
2	2.5
2	3
1	4.5
4	5
1	7.5
9	10
5	15
16	20
3	25
23	30
1	45
1,437	.

mean: 18.411
 std. dev: 10.8651

percentiles:

10%	25%	50%	75%	90%
2.5	10	20	30	30

c3_ba_P **P : People doing activity with (person 1)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 6 missing .: 1,397/1,510
 unique missing codes: 2 missing *: 10/1,510

tabulation:

Freq.	Numeric	Label
18	1	father
21	3	mother
32	5	grandparents
26	9	brother/sister/cousin
2	11	outsider
4	13	other household member
1,397	.	
10	.b	

c3_bb_P **P : People doing activity with (person 2)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 1,441/1,510
 unique missing codes: 2 missing *: 1/1,510


```

tabulation:  Freq.  Numeric  Label
              6      1  father
              18     3  mother
              24     5  grandparents
               2     7  uncle/aunt
              13     9  brother/sister/cousin
               3    11  outsider
               2    13  other household member
            1,441    .
               1     .b
    
```

c3_bc_P **P : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7      missing .: 1,471/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              2      1  father
              5      3  mother
             11     5  grandparents
               1     7  uncle/aunt
             15     9  brother/sister/cousin
               3    11  outsider
               2    13  other household member
            1,471    .
    
```

c3_ba_gen_P **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,407/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              46     1  male
              57     3  female
            1,407    .
    
```

c3_bb_gen_P **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,442/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              22     1  male
              46     3  female
            1,442    .
    
```

c3_bc_gen_P **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,471/1,510
    
```

```

tabulation: Freq.  Numeric  Label
             12         1  male
             27         3  female
            1,471        .
    
```

activity_H **Go to temple, library, zoo and museum (not display)**

```

type: string (str97), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq.  Value
            1,510 ""
    
```

detail_H **H: detail**

```

type: string (str1), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq.  Value
            1,510 ""
    
```

clb_code_H **H : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: clb_code
range: [0,7] units: 1
unique values: 2 missing .: 4/1,510
unique missing codes: 2 missing *: 1,160/1,510
tabulation: Freq.  Numeric  Label
             329         0  never
              17         7  once a day
               4         .
            1,160        .c
    
```

clb_hr_H **H : Hours per week (Monday - Friday)**

```

type: numeric (float)
range: [1,10] units: 1
unique values: 4 missing .: 1,493/1,510
tabulation: Freq.  Value
             1  1
             6  2
             9  5
             1 10
            1,493 .
mean: 4
std. dev: 2.20794
percentiles: 10% 25% 50% 75% 90%
              2  2  5  5  5
    
```

clb_min_H **H : Minutes per week (Monday - Friday)**

```

type: numeric (float)
    
```

```

range: [0,30] units: 1
unique values: 3 missing .: 1,493/1,510

tabulation: Freq. Value
             10  0
             1  15
             6  30
1,493 .
mean: 11.4706
std. dev: 14.5521

percentiles: 10% 25% 50% 75% 90%
              0  0  0  30  30
    
```

clb_aa_H H :Monday-Friday How many times (Monday - Friday)

```

type: string (str1)
unique values: 1 missing "": 1,493/1,510

tabulation: Freq. Value
             1,493 ""
             17  "1"
    
```

clb_ab_H H :Monday-Friday How many times per units (Monday - Friday)

```

type: string (str9), but longest is str3
unique values: 1 missing "": 1,493/1,510

tabulation: Freq. Value
             1,493 ""
             17  "day"
    
```

clb_ac_H H :Monday-Friday How many times per hours (Monday - Friday)

```

type: numeric (double)
range: [0,2] units: 1
unique values: 3 missing .: 1,493/1,510

tabulation: Freq. Value
             7  0
             9  1
             1  2
1,493 .
mean: .647059
std. dev: .606339

percentiles: 10% 25% 50% 75% 90%
              0  0  1  1  1
    
```

clb_ad_H H :Monday-Friday How many times per minutes (Monday - Friday)

```

type: numeric (byte)
range: [0,30] units: 1
unique values: 3 missing .: 1,493/1,510
    
```

```

tabulation:  Freq.  Value
              10    0
              1   15
              6   30
            1,493  .
    mean:    11.4706
    std. dev: 14.5521

percentiles:  10%    25%    50%    75%    90%
              0      0      0      30     30
    
```

clb_ba_H **H : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: clb_ba

    range: [3,13]
unique values: 4
                units: 1
                missing.: 1,493/1,510

    tabulation:  Freq.  Numeric  Label
                  3      3    mother
                  7      5  grandparents
                  1     11  outside-household-person
                  6     13  other household member
            1,493  .
    
```

clb_bb_H **H : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c2b_bb

    range: [5,9]
unique values: 2
                units: 1
                missing.: 1,506/1,510

    tabulation:  Freq.  Numeric  Label
                  1      5    grandparents
                  3      9  brother/sister/cousin
            1,506  .
    
```

clb_bc_H **H : People doing activity with (person 3)**

```

    type: numeric (byte)
    label: clb_bc

    range: [.,.]
unique values: 0
                units: .
                missing.: 1,510/1,510

    tabulation:  Freq.  Numeric  Label
            1,510  .
    
```

clb_ba_gen_H **Gender code (person 1)**

```

    type: numeric (byte)
    label: clb_ba_gen

    range: [1,3]
unique values: 2
                units: 1
                missing.: 1,493/1,510

    tabulation:  Freq.  Numeric  Label
                  4      1    male
                  13     3    female
            1,493  .
    
```

c1b_bb_gen_H **Gender code (person 2)**

```

type: numeric (byte)
label: c1b_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,506/1,510

tabulation: Freq.  Numeric  Label
              2         1  male
              2         3  female
            1,506         .
    
```

c1b_bc_gen_H **Gender code (person 3)**

```

type: numeric (byte)
label: c1b_bc_gen

range: [.,.]
unique values: 0
units: .
missing ..: 1,510/1,510

tabulation: Freq.  Numeric  Label
              1,510         .
    
```

c2b_code_H **H : Frequency (Saturday - Sunday)**

```

type: numeric (byte)

range: [0,9]
unique values: 5
unique missing codes: 2
units: 1
missing ..: 4/1,510
missing *: 1,160/1,510

tabulation: Freq.  Value
              296    0
              1     3
              4     5
              42    7
              3     9
              4     .
            1,160    .c
mean: .99422
std. dev: 2.4483

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         7
    
```

c2b_hr_H **H : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,8]
unique values: 7
units: 1
missing ..: 1,461/1,510
    
```

```

tabulation:  Freq.  Value
              3      0
              15     1
              27     2
               1     3
               1     4
               1     6
               1     8
            1,461 .
      mean:   1.83673
    std. dev: 1.31255

percentiles:      10%      25%      50%      75%      90%
                  1         1         2         2         2
    
```

c2b_min_H **H : Minutes per week (Saturday - Sunday)**

```

      type:  numeric (float)
      range: [0,30]
unique values: 4
                units: 1
                missing.: 1,461/1,510

      tabulation:  Freq.  Value
                   45     0
                    1     7
                    1    20
                    2    30
            1,461 .
      mean:   1.77551
    std. dev: 6.60576

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

c2b_aa_H **H :Monday-Friday How many times (Saturday - Sunday)**

```

      type:  string (str6), but longest is str3
unique values: 3
                missing "": 1,461/1,510

      tabulation:  Freq.  Value
                   1,461  ""
                    46   "1"
                     1  "1.5"
                     2   "2"
    
```

c2b_ab_H **H :Monday-Friday How many times per units (Saturday - Sunday)**

```

      type:  string (str21), but longest is str4
unique values: 2
                missing "": 1,461/1,510

      tabulation:  Freq.  Value
                   1,461  ""
                    45   "day"
                     4   "week"
    
```

c2b_ac_H **H :Monday-Friday How many times per hours (Saturday - Sunday)**

```

      type:  numeric (double)
      range: [0,3]
unique values: 5
                units: .1
                missing.: 1,461/1,510
    
```

c2b_bc_H **H : People doing activity with (person 3)**

```

type: numeric (byte)
label: c2b_bc

range: [3,9]
unique values: 2
units: 1
missing ..: 1,508/1,510

tabulation: Freq.  Numeric  Label
              1         3  mother
              1         9  brother/sister/cousin
            1,508         .
    
```

c2b_ba_gen_H **Gender code (person 1)**

```

type: numeric (byte)
label: c2b_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,460/1,510

tabulation: Freq.  Numeric  Label
              6         1  male
             44         3  female
            1,460         .
    
```

c2b_bb_gen_H **Gender code (person 2)**

```

type: numeric (byte)
label: c2b_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,492/1,510

tabulation: Freq.  Numeric  Label
              3         1  male
             15         3  female
            1,492         .
    
```

c2b_bc_gen_H **Gender code (person 3)**

```

type: numeric (byte)
label: c2b_bc_gen

range: [3,3]
unique values: 1
units: 1
missing ..: 1,508/1,510

tabulation: Freq.  Numeric  Label
              2         3  female
            1,508         .
    
```

c3b_code_H **H : Frequency (Monday - Sunday)**

```

type: numeric (byte)

range: [1,5]
unique values: 3
unique missing codes: 2
units: 1
missing ..: 4/1,510
missing *: 344/1,510
    
```



```

tabulation:  Freq.  Value
              417  1
              496  3
              249  5
               4  .
              344  .b
    mean:    2.71084
    std. dev: 1.48691

percentiles:    10%    25%    50%    75%    90%
                1      1      3      3      5
    
```

c3b_hr_H **H : Hours per week (Monday - Sunday)**

```

    type: numeric (float)
    range: [0,6]
    unique values: 8
    units: .1
    missing .: 1,261/1,510

    tabulation:  Freq.  Value
                  57  0
                  146  1
                   33  2
                    5  3
                    3  4
                    1  4.5999999
                    3  5
                    1  6
    mean:    1.06265
    std. dev: .946093

    percentiles:    10%    25%    50%    75%    90%
                   0      1      1      1      2
    
```

c3b_min_H **H : Minutes per week (Monday - Sunday)**

```

    type: numeric (float)
    range: [0,56]
    unique values: 13
    units: 1
    missing .: 1,261/1,510

    tabulation:  Freq.  Value
                  151  0
                   1  6
                   1  8
                   2  10
                   7  15
                   1  18
                   5  20
                   1  25
                  59  30
                   1  38
                  18  45
                   1  50
                   1  56
    mean:    12.0723
    std. dev: 16.2099

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0     30     30
    
```

c3b_aa_H **H : Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 11 missing "": 1,261/1,510
tabulation: Freq. Value
             1,261 ""
             172 "1"
             16  "1.5"
             28  "2"
             14  "2.5"
             4   "3"
             7   "3.5"
             2   "4"
             2   "4.5"
             1   "4.6"
             1   "5"
             2   "5.5"

```

c3b_ab_H H :Monday-Friday How many times per units (Monday - Sunday)

```

type: string (str21), but longest is str4
unique values: 1 missing "": 1,261/1,510
tabulation: Freq. Value
             1,261 ""
             249 "week"

```

c3b_ac_H H :Monday-Friday How many times per hours (Monday - Sunday)

```

type: numeric (double)
range: [0,5] units: .1
unique values: 8 missing .: 1,261/1,510
tabulation: Freq. Value
             77 0
             153 1
             9  1.5
             5  2
             2  3
             1  4.5
             1  4.6
             1  5
             1,261 .
mean: .789558
std. dev: .702624
percentiles: 10% 25% 50% 75% 90%
              0 0 1 1 1

```

c3b_ad_H H :Monday-Friday How many times per minutes (Monday - Sunday)

```

type: numeric (double)
range: [0,50] units: .1
unique values: 13 missing .: 1,261/1,510

```

```

tabulation:  Freq.  Value
              169    0
              1     6
              1    7.5
              5    10
              2    15
              1   17.5
              5    20
              1   22.5
              1    25
              60    30
              1    35
              1    45
              1    50
              1,261  .
    mean:      8.78916
  std. dev:   13.4696

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         30         30
    
```

c3b_ba_H **H : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c3b_ba

    range: [1,13]          units: 1
  unique values: 7        missing .: 348/1,510

  tabulation:  Freq.  Numeric  Label
                185    1  father
                257    3  mother
                603    5  grandparents
                 31    7  uncle/aunt
                 39    9  brother/sister/cousin
                 11   11  outside-household-person
                 36   13  other household member
                348    .
    
```

c3b_bb_H **H : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c3b_bb

    range: [1,13]          units: 1
  unique values: 7        missing .: 839/1,510
  unique missing codes: 2  missing *: 1/1,510

  tabulation:  Freq.  Numeric  Label
                52    1  father
                223    3  mother
                173    5  grandparents
                 41    7  uncle/aunt
                157    9  brother/sister/cousin
                 9    11  outside-household-person
                15   13  other household member
                839    .
                 1    .b
    
```

c3b_bc_H **H : People doing activity with (person 3)**

```

    type: numeric (byte)
    label: c3b_bc
    
```

range: [1,13] units: 1
 unique values: 7 missing .: 1,213/1,510
 unique missing codes: 2 missing *: 1/1,510

tabulation:	Freq.	Numeric	Label
	10	1	father
	21	3	mother
	60	5	grandparents
	17	7	uncle/aunt
	180	9	brother/sister/cousin
	7	11	outside-household-person
	1	13	other household member
	1,213	.	
	1	.b	

c3b_ba_gen_H Gender code (person 1)

type: numeric (byte)
 label: **c3b_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 348/1,510

tabulation:	Freq.	Numeric	Label
	297	1	male
	865	3	female
	348	.	

c3b_bb_gen_H Gender code (person 2)

type: numeric (byte)
 label: **c3b_bb_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 840/1,510

tabulation:	Freq.	Numeric	Label
	167	1	male
	503	3	female
	840	.	

c3b_bc_gen_H Gender code (person 3)

type: numeric (byte)
 label: **c3b_bc_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,213/1,510

tabulation:	Freq.	Numeric	Label
	120	1	male
	177	3	female
	1,213	.	

activity_I Go to department store (not display)

type: string (str97), but longest is str0
 unique values: 0 missing "": 1,510/1,510

tabulation:	Freq.	Value
	1,510	" "

detail_I **I: detail**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

clb_code_I **I : Frequency (Monday - Friday)**

type: numeric (**byte**)
 label: **clb_code**
 range: [0,7] units: 1
 unique values: 2 missing .: 4/1,510
 unique missing codes: 2 missing *: 1,260/1,510
 tabulation: Freq. Numeric Label
 237 0 never
 9 7 once a day
 4 .
 1,260 .c

clb_hr_I **I : Hours per week (Monday - Friday)**

type: numeric (**float**)
 range: [2,12] units: 1
 unique values: 5 missing .: 1,501/1,510
 tabulation: Freq. Value
 1 2
 5 5
 1 7
 1 10
 1 12
 1,501 .
 mean: 6.22222
 std. dev: 3.03223
 percentiles: 10% 25% 50% 75% 90%
 2 5 5 7 12

clb_min_I **I : Minutes per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,30] units: 10
 unique values: 2 missing .: 1,501/1,510
 tabulation: Freq. Value
 6 0
 3 30
 1,501 .
 mean: 10
 std. dev: 15
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 30 30

clb_aa_I I :Monday-Friday How many times (Monday - Friday)

```

type: string (str1)
unique values: 1 missing "": 1,501/1,510
tabulation: Freq. Value
             1,501 ""
              9 "1"
    
```

clb_ab_I I :Monday-Friday How many times per units (Monday - Friday)

```

type: string (str9), but longest is str3
unique values: 1 missing "": 1,501/1,510
tabulation: Freq. Value
             1,501 ""
              9 "day"
    
```

clb_ac_I I :Monday-Friday How many times per hours (Monday - Friday)

```

type: numeric (double)
range: [0,5] units: .1
unique values: 5 missing .: 1,501/1,510
tabulation: Freq. Value
             1 0
             4 1
             1 1.5
             2 2
             1 5
1,501 .
mean: 1.61111
std. dev: 1.40929
percentiles: 10% 25% 50% 75% 90%
              0 1 1 2 5
    
```

clb_ad_I I :Monday-Friday How many times per minutes (Monday - Friday)

```

type: numeric (byte)
range: [0,30] units: 10
unique values: 2 missing .: 1,501/1,510
tabulation: Freq. Value
             7 0
             2 30
1,501 .
mean: 6.66667
std. dev: 13.2288
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 30
    
```

clb_ba_I I : People doing activity with (person 1)

```

type: numeric (byte)
label: clb_ba
    
```

```

range: [1,11] units: 1
unique values: 4 missing : 1,501/1,510

tabulation: Freq. Numeric Label
              4          1 father
              2          3 mother
              2          5 grandparents
              1         11 outside-household-person
1,501          .
    
```

clb_bb_I I : People doing activity with (person 2)

```

type: numeric (byte)
label: c2b_bb

range: [3,5] units: 1
unique values: 2 missing : 1,505/1,510

tabulation: Freq. Numeric Label
              3          3 mother
              2          5 grandparents
1,505          .
    
```

clb_bc_I I : People doing activity with (person 3)

```

type: numeric (byte)
label: clb_bc

range: [9,9] units: 1
unique values: 1 missing : 1,509/1,510

tabulation: Freq. Numeric Label
              1          9 brother/sister/cousin
1,509          .
    
```

clb_ba_gen_I Gender code (person 1)

```

type: numeric (byte)
label: clb_ba_gen

range: [1,3] units: 1
unique values: 2 missing : 1,501/1,510

tabulation: Freq. Numeric Label
              4          1 male
              5          3 female
1,501          .
    
```

clb_bb_gen_I Gender code (person 2)

```

type: numeric (byte)
label: clb_bb_gen

range: [1,3] units: 1
unique values: 2 missing : 1,505/1,510

tabulation: Freq. Numeric Label
              2          1 male
              3          3 female
1,505          .
    
```

c1b_bc_gen_I **Gender code (person 3)**

```

type: numeric (byte)
label: c1b_bc_gen

range: [3,3]
unique values: 1
units: 1
missing .. 1,509/1,510

tabulation: Freq.  Numeric  Label
              1         3  female
            1,509         .
    
```

c2b_code_I **I : Frequency (Saturday - Sunday)**

```

type: numeric (byte)

range: [0,7]
unique values: 3
unique missing codes: 2
units: 1
missing .. 4/1,510
missing *: 1,260/1,510

tabulation: Freq.  Value
              233  0
               4  5
               9  7
               4  .
            1,260  .c
mean:       .337398
std. dev:   1.44702

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

c2b_hr_I **I : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [1,6]
unique values: 6
units: 1
missing .. 1,497/1,510

tabulation: Freq.  Value
              2  1
              5  2
              1  3
              2  4
              2  5
              1  6
            1,497  .
mean:       3
std. dev:   1.63299

percentiles:      10%      25%      50%      75%      90%
                  1         2         2         4         5
    
```

c2b_min_I **I : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,33]
unique values: 3
units: 1
missing .. 1,497/1,510
    
```



```

tabulation: Freq. Value
             11  0
             1  30
             1  33
             1,497 .
mean:       4.84615
std. dev:   11.8452

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      30
    
```

c2b_aa_I I :Monday-Friday How many times (Saturday - Sunday)

```

type: string (str6), but longest is str4
unique values: 2 missing "": 1,497/1,510

tabulation: Freq. Value
             1,497 ""
             1  "0.47"
             12  "1"
    
```

c2b_ab_I I :Monday-Friday How many times per units (Saturday - Sunday)

```

type: string (str21), but longest is str4
unique values: 2 missing "": 1,497/1,510

tabulation: Freq. Value
             1,497 ""
             9  "day"
             4  "week"
    
```

c2b_ac_I I :Monday-Friday How many times per hours (Saturday - Sunday)

```

type: numeric (double)
range: [0,5] units: .1
unique values: 7 missing .: 1,497/1,510

tabulation: Freq. Value
             1  0
             5  1
             1  1.5
             2  2
             1  3
             1  4
             2  5
             1,497 .
mean:       2.11538
std. dev:   1.63495

percentiles:    10%    25%    50%    75%    90%
                1      1      1.5    3      5
    
```

c2b_ad_I I :Monday-Friday How many times per minutes (Saturday - Sunday)

```

type: numeric (double)
range: [0,30] units: 10
unique values: 2 missing .: 1,497/1,510
    
```

```

tabulation:  Freq.  Value
              9    0
              4   30
1,497      .
  mean:      9.23077
  std. dev:  14.4115

percentiles:    10%    25%    50%    75%    90%
                0      0      0      30     30
    
```

c2b_ba_I **I : People doing activity with (person 1)**

```

  type: numeric (byte)
  label: c2b_ba

  range: [1,11]
unique values: 5
                units: 1
                missing .. 1,497/1,510

  tabulation:  Freq.  Numeric  Label
                4      1  father
                5      3  mother
                2      5  grandparents
                1      7  uncle/aunt
                1     11  outside-household-person
1,497          .
    
```

c2b_bb_I **I : People doing activity with (person 2)**

```

  type: numeric (byte)
  label: c2b_bb

  range: [3,7]
unique values: 3
                units: 1
                missing .. 1,502/1,510

  tabulation:  Freq.  Numeric  Label
                4      3  mother
                3      5  grandparents
                1      7  uncle/aunt
1,502          .
    
```

c2b_bc_I **I : People doing activity with (person 3)**

```

  type: numeric (byte)
  label: c2b_bc

  range: [9,9]
unique values: 1
                units: 1
                missing .. 1,508/1,510

  tabulation:  Freq.  Numeric  Label
                2      9  brother/sister/cousin
1,508          .
    
```

c2b_ba_gen_I **Gender code (person 1)**

```

  type: numeric (byte)
  label: c2b_ba_gen

  range: [1,3]
unique values: 2
                units: 1
                missing .. 1,497/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              4        1  male
              9        3  female
            1,497      .
    
```

c2b_bb_gen_I **Gender code (person 2)**

```

type: numeric (byte)
label: c2b_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,502/1,510

tabulation:  Freq.  Numeric  Label
              2        1  male
              6        3  female
            1,502      .
    
```

c2b_bc_gen_I **Gender code (person 3)**

```

type: numeric (byte)
label: c2b_bc_gen

range: [3,3]          units: 1
unique values: 1      missing .: 1,508/1,510

tabulation:  Freq.  Numeric  Label
              2        3  female
            1,508      .
    
```

c3b_code_I **I : Frequency (Monday - Sunday)**

```

type: numeric (byte)

range: [1,5]          units: 1
unique values: 3      missing .: 4/1,510
unique missing codes: 2  missing *: 244/1,510

tabulation:  Freq.  Value
            433    1
            597    3
            232    5
             4     .
            244    .b
mean:       2.68146
std. dev:   1.417

percentiles:      10%      25%      50%      75%      90%
                  1        1        3        3        5
    
```

c3b_hr_I **I : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,16]         units: 1
unique values: 14     missing .: 1,278/1,510
    
```

```

tabulation:  Freq.  Value
              21    0
              82    1
              66    2
              21    3
              10    4
              10    5
               7    6
               3    7
               4    8
               3    9
               1   10
               2   11
               1   12
               1   16
              1,278  .
    mean:     2.36638
    std. dev: 2.35934

percentiles:      10%      25%      50%      75%      90%
                  1         1         2         3         5
    
```

c3b_min_I **I : Minutes per week (Monday - Sunday)**

```

    type: numeric (float)
    range: [0,45]
    unique values: 8
    units: 1
    missing .: 1,278/1,510

    tabulation:  Freq.  Value
                  136    0
                   1    2
                   2    5
                   3   10
                  12   15
                   1   24
                  72   30
                   5   45
                  1,278  .
    mean:     11.3405
    std. dev: 14.5224

percentiles:      10%      25%      50%      75%      90%
                  0         0         0        30        30
    
```

c3b_aa_I **I :Monday-Friday How many times (Monday - Sunday)**

```

    type: string (str6), but longest is str3
    unique values: 10
    missing "": 1,278/1,510

    tabulation:  Freq.  Value
                  1,278  ""
                  146  "1"
                   14  "1.5"
                    1  "1.6"
                   26  "2"
                   12  "2.5"
                   16  "3"
                    8  "3.5"
                    5  "4"
                    2  "4.5"
                    2  "5"
    
```

c3b_ab_I **I :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 1 missing "": 1,278/1,510
tabulation: Freq. Value
             1,278 ""
             232 "week"
    
```

c3b_ac_I I : Monday-Friday How many times per hours (Monday - Sunday)

```

type: numeric (double)
range: [0,8] units: .1
unique values: 11 missing .: 1,279/1,510
tabulation: Freq. Value
             28 0
             97 1
             15 1.5
             54 2
             11 2.5
             11 3
              3 3.5
              4 4
              4 4.5
              2 5
              2 8
             1,279 .
mean: 1.55195
std. dev: 1.17562
percentiles: 10% 25% 50% 75% 90%
              0 1 1 2 3
    
```

c3b_ad_I I : Monday-Friday How many times per minutes (Monday - Sunday)

```

type: numeric (double)
range: [0,30] units: 1
unique values: 5 missing .: 1,279/1,510
tabulation: Freq. Value
             174 0
              2 5
              4 10
              5 15
             46 30
             1,279 .
mean: 6.51515
std. dev: 12.009
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 30
    
```

c3b_ba_I I : People doing activity with (person 1)

```

type: numeric (byte)
label: c3b_ba
range: [1,13] units: 1
unique values: 7 missing .: 248/1,510
unique missing codes: 3 missing *: 2/1,510
    
```

tabulation:	Freq.	Numeric	Label
	525	1	father
	309	3	mother
	273	5	grandparents
	81	7	uncle/aunt
	44	9	brother/sister/cousin
	14	11	outside-household-person
	14	13	other household member
	248	.	
	1	.b	
	1	.d	

c3b_bb_I **I : People doing activity with (person 2)**

type: numeric (byte)
 label: **c3b_bb**

range: [1,13] units: 1
 unique values: 7 missing .: 407/1,510

tabulation:	Freq.	Numeric	Label
	104	1	father
	547	3	mother
	215	5	grandparents
	51	7	uncle/aunt
	157	9	brother/sister/cousin
	13	11	outside-household-person
	16	13	other household member
	407	.	

c3b_bc_I **I : People doing activity with (person 3)**

type: numeric (byte)
 label: **c3b_bc**

range: [1,13] units: 1
 unique values: 7 missing .: 926/1,510

tabulation:	Freq.	Numeric	Label
	22	1	father
	37	3	mother
	93	5	grandparents
	46	7	uncle/aunt
	371	9	brother/sister/cousin
	10	11	outside-household-person
	5	13	other household member
	926	.	

c3b_ba_gen_I **Gender code (person 1)**

type: numeric (byte)
 label: **c3b_ba_gen**

range: [1,3] units: 1
 unique values: 2 missing .: 250/1,510

tabulation:	Freq.	Numeric	Label
	697	1	male
	563	3	female
	250	.	

c3b_bb_gen_I **Gender code (person 2)**

```

type: numeric (byte)
label: c3b_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 407/1,510

tabulation: Freq. Numeric Label
             253      1  male
             850      3  female
             407      .
    
```

c3b_bc_gen_I **Gender code (person 3)**

```

type: numeric (byte)
label: c3b_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 927/1,510

tabulation: Freq. Numeric Label
             234      1  male
             349      3  female
             927      .
    
```

note **Interviewer note (unavailable)**

```

type: string (str517), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq. Value
             1,510 ""
    
```

sleeptime_perday **Hours per day of a child's nighttime sleep**

```

type: numeric (float)
range: [6.5,14.5]
unique values: 33
units: 1.000e-06
missing ..: 0/1,510

tabulation: Freq. Value
             1  6.5
             7  7
            15  7.5
            61  8
             1  8.333333
            89  8.5
             2  8.666667
             1  8.75
             2  8.833333
           249  9
             2  9.166667
             7  9.25
           269  9.5
             1  9.666667
             2  9.75
             3  9.833333
           420  10
             1  10.083333
             1  10.25
             1  10.333333
           182  10.5
             1  10.666667
             2  10.75
           138  11
             1  11.333333
    
```

```

          33  11.5
           1  11.666667
           1  11.75
          11  12
           1  12.5
           2  13
           1  14
           1  14.5
    mean:    9.74034
    std. dev: .897524

    percentiles:    10%    25%    50%    75%    90%
                   8.5     9     10    10.0833    11
    
```

sleeptime_perweek **Hours per week of a child's nighttime sleep**

```

    type: numeric (float)
    range: [45.5,101.5]
    unique values: 33
    units: 1.000e-06
    missing .: 0/1,510
    
```

```

    tabulation: Freq.  Value
                 1  45.5
                 7  49
                15  52.5
                61  56
                 1  58.333332
                89  59.5
                 2  60.666668
                 1  61.25
                 2  61.833332
                249  63
                 2  64.166664
                 7  64.75
                269  66.5
                 1  67.666664
                 2  68.25
                 3  68.833336
                420  70
                 1  70.583336
                 1  71.75
                 1  72.333336
                182  73.5
                 1  74.666664
                 2  75.25
                138  77
                 1  79.333336
                33  80.5
                 1  81.666664
                 1  82.25
                11  84
                 1  87.5
                 2  91
                 1  98
                 1  101.5
    
```

```

    mean:    68.1824
    std. dev: 6.28267

    percentiles:    10%    25%    50%    75%    90%
                   59.5    63     70    70.5833    77
    
```

schooltime_perweek **Hours per week of a child's going to school**

```

    type: numeric (float)
    range: [0,57.5]
    unique values: 50
    units: 1.000e-06
    missing .: 0/1,510
    
```



```

tabulation:  Freq.  Value
              147    0
               1    5
               3   20
               1  22.5
              10   25
              32  27.5
               1  28.75
               2 29.166666
               1 29.583334
             125   30
               4 30.833334
               3 31.25
               6 31.666666
            209 32.5
               2 33.333332
               3 33.75
               6 34.166668
               1 34.583332
            273 35
               4 35.833332
               6 36.25
              16 36.666668
            263 37.5
               7 38.333332
               5 38.75
              12 39.166668
            162 40
               1 40.833332
               1 41.25
              69 42.5
               7 43.333332
               3 43.75
               5 44.166668
              42 45
               1 45.416668
               2 46.25
               1 46.666668
              22 47.5
               2 48.333332
               1 49.166668
              18 50
               1 51.25
               1 51.666668
              18 52.5
               1 53.25
               1 53.333332
               1 53.75
               1 54.166668
               5 55
               1 57.5

```

```

mean: 33.0455
std. dev: 12.0052

```

```

percentiles:      10%      25%      50%      75%      90%
                  21.25    32.5    35     39.1667  42.5

```

naptime_athome_perweek **Hours per week of a child's nap time at home**

```

type: numeric (float)
range: [0,75.5]
unique values: 32
units: 1.000e-09
missing .: 3/1,510

```

```

tabulation:  Freq.  Value
              441    0
              1    .00833333
              10    .01666667
              1    .02222222
             218    .03333334
              1    .04444445
             99    .05
            363    .06666667
              1    .075
             53    .08333334
              1    .09444444
            124    .1
             17    .11666667
             22    .13333334
              6    .15000001
              3    .16666667
              1    2.5166667
             10    5.0333333
              8    7.5500002
             51    10.066667
              1    10.1
              1    11.325
             12    12.583333
             38    15.1
              1    15.133333
              5    17.616667
              1    20.066668
             12    20.133333
              2    22.65
              1    25.033333
              1    25.166666
              1    75.5
              3    .
    mean:      1.30638
  std. dev:   4.39918
  
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        .05     .066667   .15
  
```

atctivity_tv_dum While a child watch TV, did the child participate in any activities

```

    type: numeric (float)
    label: atctivity_tv_dum

    range: [0,1]
unique values: 2
                units: 1
                missing.: 0/1,510

    tabulation:  Freq.  Numeric  Label
                 392    0    do not
                 1,118  1    do
  
```

atctivity_tv_des While a child watch TV, what activities did the child do

```

    type: string (str168)
unique values: 368
                missing "": 392/1,510

    warning: variable has embedded and trailing blanks
  
```

reading_time_c1 Monday-Fiday:Hours per week of reading to child

```

    type: numeric (float)
  
```

range: [0,12.5] units: 1.000e-08
 unique values: 18 missing .: 0/1,510

tabulation: Freq. Value
 1,371 0
 1 .13333334
 4 .21666667
 2 .25
 1 .30000001
 1 .38333333
 22 .41666666
 4 .5
 1 .55000001
 6 .63333333
 50 .83333331
 6 1.25
 12 1.6666666
 1 2.0833333
 18 2.5
 1 3.75
 8 5
 1 12.5

mean: .12596
 std. dev: .60302

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

reading_time_c2 Saturday-Sunday:Hours per week of reading to child

type: numeric (float)

range: [0,5] units: 1.000e-09
 unique values: 14 missing .: 0/1,510

tabulation: Freq. Value
 1,407 0
 2 .05
 3 .08333334
 1 .1
 10 .16666667
 2 .2
 6 .25
 36 .33333334
 7 .5
 12 .66666669
 14 1
 1 1.5
 8 2
 1 5

mean: .042395
 std. dev: .233662

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

reading_time_c3 Monday-Sunday:Hours per week of reading to child

type: numeric (float)

range: [0,14] units: 1.000e-09
 unique values: 46 missing .: 0/1,510

```

tabulation:  Freq.  Value
              1,099  0
                3  .03333334
               13  .05
                6  .06666667
               20  .08333334
               16  .1
                8  .11666667
               14  .13333334
                5  .15000001
               62  .16666667
                6  .18333334
                2  .2
               14  .21666667
                2  .23333333
               33  .25
                1  .26666668
                1  .28333333
                4  .30000001
                3  .31666666
               32  .33333334
                8  .38333333
               17  .41666666
                5  .43333334
               40  .5
                1  .56666666
                9  .58333331
                3  .63333333
                7  .66666669
               10  .75
                9  .83333331
                1  .88333333
                1  .89999998
               13  1
                1  1.16666666
                9  1.25
                9  1.5
                4  1.75
                5  2
                1  2.25
                2  2.5
                5  3
                1  3.0999999
                1  3.5
                1  4
                1  4.5
                2  14
          mean:  .150773
    std. dev:  .633467

percentiles:      10%      25%      50%      75%      90%
                  0        0        0      .083333  .416667
    
```

reading_time

Hours per week of reading to children

```

type: numeric (float)
range: [0,17.5]
unique values: 56
units: 1.000e-09
missing .: 0/1,510
    
```

```

tabulation:  Freq.  Value
              951    0
                3   .03333334
               14   .05
                6   .06666667
               20   .08333334
               16   .1
                8   .11666667
               14   .13333334
                5   .15000001
               62   .16666667
                7   .18333334
                2   .2
               15   .21666667
                2   .23333333
               36   .25
                1   .26666668
                1   .28333333
                8   .30000001
                3   .31666666
               34   .33333334
                1   .34999999
                9   .38333333
               29   .41666666
                5   .43333334
               44   .5
                1   .55000001
                1   .56666666
               19   .58333331
                5   .63333333
                8   .66666669
                2   .69999999
               10   .75
               25   .83333331
                5   .88333333
                1   .89999998
               13   1
               35   1.1666666
               10   1.25
                9   1.5
                1   1.6666666
                9   1.75
                6   2
                1   2.0833333
                1   2.25
               11   2.3333333
                6   2.5
                5   3
                1   3.0999999
               15   3.5
                1   4
                1   4.5
                1   5
                1   5.25
                7   7
                2   14
                1   17.5

```

```

mean: .319128
std. dev: 1.01118

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        .25     .833333

```

storytelling_time_c1 **Monday-Fiday:Hours per week of storytelling to child**

```

type: numeric (float)
range: [0,12.5]
unique values: 21
units: 1.000e-08
missing .: 0/1,510

```

```

tabulation:  Freq.  Value
              1,396  0
                1  .16666667
                2  .21666667
                1  .25
                1  .30000001
                2  .33333334
                3  .38333333
               14  .41666666
                1  .51666665
                8  .63333333
               27  .83333331
                2  1.05
                7  1.25
                4  1.6666666
                1  1.8833333
                4  2.0833333
               20  2.5
               12  5
                1  6.25
                2  7.5
                1  12.5
    
```

```

mean: .137991
std. dev: .716563
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

storytelling_time_c2 **Saturday-Sunday:Hours per week of storytelling to child**

```

type: numeric (float)
range: [0,5]
unique values: 21
units: 1.000e-09
missing .: 0/1,510
    
```

```

tabulation:  Freq.  Value
              1,390  0
                1  .06666667
                1  .08333334
                3  .1
                1  .11666667
                2  .13333334
                3  .15000001
               15  .16666667
                2  .21666667
                8  .25
               27  .33333334
                2  .41666666
                8  .5
                4  .66666669
                1  .75
                4  .83333331
               20  1
               14  2
                1  2.5
                2  3
                1  5
    
```

```

mean: .058477
std. dev: .295449
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

storytelling_time_c3 **Monday-Sunday:Hours per week of storytelling to child**

```

type: numeric (float)
    
```

range: [0,4] units: 1.000e-09
 unique values: 46 missing .: 0/1,510

tabulation: Freq. Value
 965 0
 2 .01666667
 6 .03333334
 16 .05
 12 .06666667
 50 .08333334
 12 .1
 8 .11666667
 34 .13333334
 6 .15000001
 69 .16666667
 13 .18333334
 2 .2
 8 .21666667
 2 .23333333
 48 .25
 3 .26666668
 7 .30000001
 9 .31666666
 30 .33333334
 7 .38333333
 6 .41666666
 56 .5
 1 .51666665
 1 .55000001
 10 .58333331
 6 .63333333
 12 .66666669
 13 .75
 6 .83333331
 1 .93333334
 29 1
 3 1.05
 1 1.1333333
 5 1.1666666
 14 1.25
 4 1.3333334
 15 1.5
 1 1.6666666
 1 1.75
 8 2
 1 2.25
 3 2.5
 2 3
 1 3.5
 1 4

mean: .167208
 std. dev: .38301

percentiles: 10% 25% 50% 75% 90%
 0 0 0 .166667 .5

storytelling_time Hours per week of storytelling to children

type: numeric (float)
 range: [0,17.5] units: 1.000e-09
 unique values: 62 missing .: 0/1,510

```

tabulation:  Freq.  Value
              845    0
                2   .01666667
                6   .03333334
               16   .05
               12   .06666667
               50   .08333334
               14   .1
                8   .11666667
               34   .13333334
                6   .15000001
               70   .16666667
               13   .18333334
                2   .2
                8   .21666667
                2   .23333333
                1   .23333335
               48   .25
                3   .26666668
                8   .30000001
                9   .31666666
               30   .33333334
                1   .34999999
                7   .38333333
                6   .41666666
                1   .41666669
                1   .43333334
                2   .46666667
               57   .5
                1   .51666665
                3   .53333333
                1   .55000001
               24   .58333331
                6   .63333333
               12   .66666669
                1   .73333335
               13   .75
                6   .83333331
                8   .88333333
                1   .93333334
               29   1
                3   1.05
                1   1.1333333
               32   1.1666666
               14   1.25
                4   1.3333334
                2   1.4666666
               15   1.5
                1   1.6666666
                8   1.75
               10   2
                1   2.25
                4   2.3333333
                3   2.5
                1   2.6333332
                4   2.9166665
                2   3
               21   3.5
                1   4
               12   7
                1   8.75
                2   10.5
                1   17.5

```

```

mean: .363675
std. dev: 1.04478

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        .25      1

```

outdoorplaying_time_c1 **Monday-Friday:Hours per week of child's outdoor play**

type: numeric (float)
 range: [0,33.75] units: 1.000e-09
 unique values: 60 missing .: 0/1,510

tabulation:	Freq.	Value
	476	0
	1	.08333334
	1	.13333334
	2	.21666667
	2	.25
	1	.30000001
	1	.31666666
	2	.38333333
	6	.41666666
	1	.5
	1	.51666665
	5	.63333333
	18	.83333331
	2	.93333334
	1	1
	1	1.0333333
	2	1.05
	16	1.25
	1	1.35
	1	1.4666667
	1	1.5666667
	23	1.6666666
	4	1.8833333
	1	2
	12	2.0833333
	1	2.1833334
	141	2.5
	1	2.5999999
	6	2.9166667
	1	3
	4	3.1333334
	1	3.3333333
	9	3.75
	4	4.1666665
	4	4.3833332
	343	5
	20	6.25
	2	6.8833332
	1	7
	2	7.3000002
	103	7.5
	1	8.3333333
	7	8.75
	131	10
	1	10.016666
	4	11.25
	1	12.083333
	58	12.5
	1	13
	36	15
	1	17.083334
	15	17.5
	1	18.75
	7	20
	10	22.5
	5	25
	1	27.5
	1	30
	1	31.25
	3	33.75

mean: 4.59599
 std. dev: 5.08594

2 22
 1 24
 mean: 2.78968
 std. dev: 3.48846

percentiles: 10% 25% 50% 75% 90%
 0 0 2 4 7

outdoorplaying_time_c3 Monday-Sunday:Hours per week of child's outdoor play

type: numeric (float)
 range: [0,20] units: 1.000e-08
 unique values: 48 missing .: 0/1,510

tabulation:	Freq.	Value
	1,282	0
	1	.05
	2	.13333334
	1	.16666667
	2	.21666667
	2	.25
	3	.33333334
	1	.36666667
	3	.41666666
	1	.43333334
	12	.5
	1	.58333331
	1	.63333333
	6	.66666669
	5	.75
	2	.83333331
	29	1
	1	1.05
	1	1.1666666
	17	1.25
	21	1.5
	4	1.75
	3	1.8833333
	13	2
	5	2.25
	15	2.5
	19	3
	6	3.5
	4	3.75
	4	4
	4	4.5
	9	5
	6	5.25
	5	6
	3	6.25
	1	6.75
	2	7
	2	8
	1	9
	1	10
	1	12
	2	12.25
	1	12.5
	1	15
	1	16
	1	17.5
	1	18
	1	20

mean: .42117
 std. dev: 1.57451

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1.25

outdoorplaying_time **Hours per week of child's outdoor play**

```

type: numeric (float)
range: [0,49.5]
unique values: 170
mean: 7.80684
std. dev: 7.59485
units: 1.000e-08
missing .: 0/1,510

percentiles:      10%      25%      50%      75%      90%
                  0      1.83333  7        11       17.5
    
```

sport_time_c1 **Monday-Friday:Hours per week of child's playing sport, singing, dancing**

```

type: numeric (float)
range: [0,20]
unique values: 63
units: 1.000e-09
missing .: 0/1,510
    
```

```

tabulation: Freq. Value
             765  0
             1  .08333334
             2  .13333334
             9  .16666667
             3  .18333334
            20  .21666667
             9  .25
             8  .30000001
             4  .31666666
             6  .33333334
            10  .38333333
            62  .41666666
             3  .46666667
             1  .5
             8  .51666665
             5  .56666666
             3  .58333331
            32  .63333333
             3  .73333335
             3  .75
            61  .83333331
             2  .88333333
             3  .93333334
             1  1.0166667
             1  1.0333333
            18  1.05
             1  1.1333333
             1  1.15
             1  1.1666666
            35  1.25
             2  1.3333334
             1  1.35
             3  1.45
             1  1.4666667
             7  1.5666667
            34  1.6666666
             1  1.75
             7  1.8833333
            19  2.0833333
             4  2.1833334
             1  2.3
            133  2.5
             1  2.5999999
             1  2.9166667
             9  3.3333333
             1  3.6500001
            11  3.75
    
```

```

      2 4.1666665
      1 4.5833335
      1 4.8833332
    121 5
      1 5.2166667
      1 5.8333335
      7 6.25
      1 6.6666665
     20 7.5
     17 10
      2 11.25
      1 12.083333
     11 12.5
      4 15
      2 17.5
      1 20
    mean: 1.35794
    std. dev: 2.45492

    percentiles:      10%      25%      50%      75%      90%
                      0        0        0      1.88333      5

```

sport_time_c2
Saturday-Sunday:Hours per week of child's playing sport, singing, dancing

```

    type: numeric (float)
    range: [0,8]
    unique values: 53
    units: 1.000e-09
    missing .: 0/1,510

```

```

    tabulation: Freq. Value
                752 0
                 1 .03333334
                 2 .05
                 9 .06666667
                23 .08333334
                 9 .1
                 8 .11666667
                10 .13333334
                 7 .15000001
                63 .16666667
                 1 .18333334
                 1 .2
                 8 .21666667
                 8 .23333333
                30 .25
                 9 .30000001
                63 .33333334
                 1 .34999999
                 3 .38333333
                19 .41666666
                 1 .44999999
                 2 .46666667
                35 .5
                 1 .55000001
                 7 .58333331
                 8 .63333333
                37 .66666669
                 8 .75
                19 .83333331
                 4 .88333333
                 1 .91666669
               129 1
                 1 1.05
                 1 1.1666666
                 9 1.3333334
                 1 1.45
                11 1.5
                 2 1.6666666
                 1 1.8333334

```

```

      1 1.95
    121 2
      1 2.0833333
      1 2.3333333
      6 2.5
      1 2.6666667
      1 2.9166667
     20 3
     24 4
      2 4.5
     15 5
      6 6
      4 7
      2 8
    mean: .593896
    std. dev: 1.08948
  
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0      .058333  .833333  2
  
```

sport_time_c3 Monday-Sunday:Hours per week of child's playing sport, singing, dancing

```

type: numeric (float)
range: [0,9]
unique values: 57
units: 1.000e-09
missing .: 0/1,510
  
```

```

tabulation: Freq. Value
            996 0
              9 .03333334
             12 .05
              6 .06666667
             24 .08333334
             20 .1
              7 .11666667
             18 .13333334
              7 .15000001
             10 .16666667
             13 .18333334
              9 .21666667
              4 .23333333
             25 .25
              3 .26666668
             10 .30000001
              4 .31666666
             35 .33333334
              8 .38333333
             23 .41666666
              5 .43333334
             27 .5
              1 .56666666
              8 .58333331
              6 .63333333
              8 .66666669
              1 .73333335
             16 .75
             14 .83333331
              3 .88333333
             34 1
              1 1.05
              2 1.1333333
              5 1.1666666
             18 1.25
              1 1.3166667
              2 1.3333334
              1 1.4666667
             28 1.5
              1 1.6666666
              5 1.75
              1 1.8833333
  
```

```

15 2
2 2.25
1 2.3333333
15 2.5
3 2.6333334
15 3
8 3.5
2 3.75
3 4
1 4.5
4 5
2 6
2 7
5 7.5
1 9
mean: .335331
std. dev: .891542
percentiles: 10% 25% 50% 75% 90%
              0 0 0 .233333 1
    
```

sport_time Hours per week of child's playing sport, singing, dancing

```

type: numeric (float)
range: [0,28] units: 1.000e-09
unique values: 128 missing.: 0/1,510
mean: 2.28716
std. dev: 3.40725
percentiles: 10% 25% 50% 75% 90%
              0 .233333 .883333 3.46667 7
    
```

roleplay_time_c1 Monday-Friday:Hours per week of child's role play, selling play, playing with rob

```

type: numeric (float)
range: [0,42.5] units: 1.000e-08
unique values: 53 missing.: 0/1,510
tabulation:
Freq. Value
528 0
3 .13333334
5 .16666667
9 .21666667
1 .25
3 .31666666
7 .38333333
17 .41666666
1 .43333334
2 .46666667
2 .5
11 .63333333
1 .73333335
42 .83333331
1 .88333333
1 .93333334
2 1
6 1.05
36 1.25
2 1.3833333
6 1.5666667
30 1.6666666
4 1.8833333
1 2
21 2.0833333
    
```

```

208 2.5
  1 2.8333333
  3 2.9166667
  3 3.1333334
 11 3.3333333
 16 3.75
 12 4.1666665
  4 4.3833332
  2 4.5833335
276 5
  2 5.2166667
  4 5.8333335
 16 6.25
  1 7.3000002
 57 7.5
  1 7.5833335
  9 8.75
  1 9.1666667
 61 10
  4 11.25
 35 12.5
 17 15
  6 17.5
  6 20
  5 22.5
  4 25
  1 31.25
  2 42.5
    mean: 3.23805
    std. dev: 4.31425

percentiles:      10%      25%      50%      75%      90%
                  0         0         2.5       5       8.16667

```

roleplay_time_c2
Saturday-Sunday:Hours per week of child's role play, selling play, playing with

```

type: numeric (float)
range: [0,20]
unique values: 53
units: 1.000e-09
missing .: 0/1,510

```

```

tabulation: Freq. Value
481 0
  1 .05
  4 .06666667
  8 .08333334
  1 .1
  3 .13333334
  6 .15000001
 16 .16666667
  2 .18333334
  2 .2
  1 .21666667
 11 .25
  1 .30000001
 37 .33333334
  1 .34999999
  1 .38333333
  5 .41666666
 32 .5
  2 .55000001
  7 .63333333
 31 .66666669
  4 .75
 16 .83333331
200 1
  2 1.1666666
  7 1.25
 11 1.3333334

```



```

19 1.5
12 1.6666666
4 1.75
3 1.8333334
268 2
2 2.0833333
2 2.25
4 2.3333333
17 2.5
1 2.6666667
62 3
1 3.0333333
5 3.5
1 3.6666667
88 4
5 4.5
47 5
38 6
10 7
7 8
6 9
6 10
4 12
1 12.5
2 16
2 20
mean: 1.58204
std. dev: 2.08916

percentiles: 10% 25% 50% 75% 90%
              0 0 1 2 4

```

roleplay_time_c3
Monday-Sunday:Hours per week of child's role play, selling play, playing with ro

```

type: numeric (float)
range: [0,9] units: 1.000e-09
unique values: 48 missing .: 0/1,510

```

```

tabulation: Freq. Value
1,112 0
3 .03333334
3 .05
3 .06666667
4 .08333334
2 .1
10 .13333334
2 .15000001
7 .16666667
4 .18333334
2 .21666667
15 .25
2 .30000001
2 .31666666
16 .33333334
3 .38333333
3 .41666666
3 .43333334
25 .5
1 .51666665
7 .58333331
6 .63333333
4 .66666669
14 .75
6 .83333331
3 .88333333
38 1
1 1.05
3 1.1666666

```

```

32 1.25
3 1.3333334
43 1.5
11 1.75
2 1.8833333
30 2
1 2.1833334
2 2.25
27 2.5
19 3
9 3.5
4 3.75
4 4
3 4.5
5 5
3 5.25
4 6
2 8
2 9
mean: .397804
std. dev: .976015

percentiles:    10%    25%    50%    75%    90%
                0      0      0     .133333  1.5
    
```

roleplay_time

Hours per week of child's role play, selling play, playing with robot or car

```

type: numeric (float)
range: [0,62.5]          units: 1.000e-09
unique values: 138      missing .: 0/1,510

mean: 5.21789
std. dev: 5.89534

percentiles:    10%    25%    50%    75%    90%
                .333333  1.25   3.5    7     12.6667
    
```

learning_time_c1

Monday-Friday:Hours per week of child's practice reading, writing alphabet, count

```

type: numeric (float)
range: [0,17.5]        units: 1.000e-08
unique values: 47      missing .: 0/1,510

tabulation:  Freq.  Value
1,009 0
1 .13333334
4 .16666667
1 .18333334
8 .21666667
5 .25
9 .30000001
1 .31666666
3 .33333334
7 .38333333
33 .41666666
1 .5
1 .51666665
1 .56666666
1 .58333331
20 .63333333
1 .66666669
1 .81666666
78 .83333331
2 .93333334
    
```

```

      1 1.0166667
      2 1.05
      2 1.15
     24 1.25
      1 1.45
      1 1.4666667
      1 1.5666667
     63 1.6666666
      1 1.8833333
     16 2.0833333
    112 2.5
      1 2.8166666
      1 2.9166667
      2 3.3333333
      3 3.75
      1 4.1666665
      1 4.3833332
     71 5
      2 5.2166667
      1 5.6333332
      3 6.25
      5 7.5
      1 8.75
      1 9.3833332
      3 10
      2 12.5
      1 17.5
    mean: .740309
  std. dev: 1.56714

  percentiles:      10%      25%      50%      75%      90%
                   0         0         0      .833333      2.5

```

learning_time_c2
 Saturday-Sunday:Hours per week of child's practice reading, writing alphabet, co

```

  type: numeric (float)
  range: [0,7]
  unique values: 42
  units: 1.000e-09
  missing .: 0/1,510

```

```

  tabulation: Freq. Value
              997 0
               1 .05
               4 .06666667
               8 .08333334
               4 .1
               7 .11666667
               5 .13333334
               7 .15000001
              33 .16666667
               2 .2
               1 .21666667
               4 .23333333
              17 .25
               1 .26666668
              79 .33333334
               2 .38333333
               3 .41666666
               2 .46666667
              22 .5
               2 .58333331
               1 .63333333
              62 .66666669
               1 .75
              16 .83333331
             115 1
               1 1.1333333
               1 1.25
               2 1.3333334

```

```

      3 1.5
      2 1.6666666
      1 1.75
     82 2
      2 2.0833333
      1 2.25
      3 2.5
      5 3
      1 3.5
      1 3.75
      4 4
      3 5
      1 6
      1 7
    mean: .322373
    std. dev: .678332

percentiles:      10%      25%      50%      75%      90%
                  0        0        0      .333333      1
    
```

learning_time_c3
Monday-Sunday:Hours per week of child's practice reading, writing alphabet, coun

```

    type: numeric (float)
    range: [0,9]
    unique values: 51
    units: 1.000e-09
    missing .: 0/1,510
    
```

```

tabulation: Freq. Value
            971 0
              1 .01666667
              6 .03333334
              8 .05
              6 .06666667
             13 .08333334
              9 .1
              1 .11666667
             11 .13333334
              6 .15000001
             32 .16666667
             15 .18333334
              2 .2
              8 .21666667
              1 .23333333
             35 .25
              4 .26666668
              2 .30000001
              7 .31666666
             34 .33333334
              9 .38333333
             20 .41666666
              5 .43333334
             65 .5
             15 .58333331
              7 .63333333
             13 .66666669
              2 .73333335
             17 .75
             14 .83333331
              4 .88333333
              1 .93333334
             35 1
              1 1.05
              3 1.1666666
             16 1.25
              3 1.3333334
              1 1.4666667
             37 1.5
              1 1.6666666
             11 1.75
    
```

```

                2  1.8833333
               14  2
                4  2.25
               18  2.5
                5  3
                8  3.5
                3  3.75
                1  4
                1  6
                2  9
    mean:       .296689
    std. dev:   .692734

    percentiles:  10%      25%      50%      75%      90%
                  0        0        0      .316667    1
    
```

learning_time
Hours per week of child's practice reading, writing alphabet, counting numbers

```

    type: numeric (float)
    range: [0,24.5]
    unique values: 97
    units: 1.000e-09
    missing .: 0/1,510
    
```

```

    tabulation:  Freq.  Value
                 437    0
                  1  .01666667
                  6  .03333334
                  8  .05
                  6  .06666667
                 13  .08333334
                  9  .1
                  1  .11666667
                 11  .13333334
                  6  .15000001
                 34  .16666667
                 16  .18333334
                  2  .2
                  8  .21666667
                  1  .23333333
                  4  .23333335
                 35  .25
                  5  .26666668
                  9  .30000001
                  7  .31666666
                 37  .33333334
                  4  .34999999
                  9  .38333333
                 21  .41666666
                  7  .41666669
                  5  .43333334
                  2  .44999999
                  3  .46666667
                 66  .5
                  7  .53333333
                  2  .53333336
                 45  .58333331
                  9  .63333333
                 14  .66666669
                  1  .69999999
                  3  .73333335
                 19  .75
                  1  .76666665
                  1  .80000001
                  1  .81666666
                 19  .83333331
                 21  .88333333
                  1  .93333334
                  1  .93333334
                 46  1
    
```

```

1 1.05
1 1.15
76 1.1666666
19 1.25
2 1.3166666
3 1.3333334
1 1.4333333
2 1.4666666
1 1.4666667
37 1.5
2 1.6166667
1 1.6666666
32 1.75
2 1.8833333
27 2
1 2.0333333
1 2.05
1 2.0833333
1 2.2
1 2.2166667
4 2.25
60 2.3333333
22 2.5
1 2.6333332
15 2.9166665
5 3
1 3.1666667
1 3.3333333
113 3.5
2 3.6666665
3 3.75
1 3.9499998
1 4
1 4.1666667
2 4.5
2 4.6666665
7 5
3 5.25
1 5.8333333
2 6
1 6.1333332
64 7
2 7.3000002
1 7.8833332
3 8.75
3 9
5 10.5
1 12.25
1 13.1333333
3 14
2 17.5
1 24.5

```

```

mean: 1.35937
std. dev: 2.14916

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      .5    1.75   3.5

```

drawing_time_c1
Monday-Friday:Hours per week of child's palying blocks, plasticine, drawing, colo

```

type: numeric (float)
range: [0,30]
unique values: 39
units: 1.000e-08
missing .: 0/1,510

```

```

tabulation:  Freq.  Value
              1,077  0
                3  .16666667
                5  .21666667
                5  .25
                4  .30000001
                1  .31666666
               11  .38333333
               20  .41666666
                2  .46666667
                1  .5
                4  .58333331
               14  .63333333
                1  .75
               71  .83333331
                1  .88333333
                3  .93333334
                1  1.0333333
                7  1.05
                2  1.0833334
               19  1.25
                3  1.4666667
               36  1.6666666
                7  2.0833333
               86  2.5
                4  3.3333333
                4  3.75
                1  4.1666665
               77  5
                2  6.25
                6  7.5
                1  8.333333
               17  10
                1  11.25
                6  12.5
                3  15
                1  17.5
                1  20
                1  22
                1  30
    mean:      .857947
    std. dev:  2.26306

percentiles:  10%      25%      50%      75%      90%
               0        0        0      .583333  2.5
    
```

drawing_time_c2
Saturday-Sunday:Hours per week of child's palying blocks, plasticine, drawing, c

```

type: numeric(float)
range: [0,12]
unique values: 39
units: 1.000e-09
missing .: 0/1,510
    
```

```

tabulation:  Freq.  Value
              1,065  0
                3  .06666667
                5  .08333334
                4  .1
                4  .11666667
                1  .13333334
                9  .15000001
               20  .16666667
                2  .18333334
                1  .2
                4  .23333333
               14  .25
                1  .30000001
               70  .33333334
                3  .38333333
    
```

```

      7 .41666666
      3 .43333334
    19 .5
      3 .58333331
    37 .66666669
      7 .83333331
    73 1
      1 1.25
      5 1.3333334
      7 1.5
      1 1.6666666
    92 2
      1 2.3333333
      4 2.5
      6 3
      1 3.3333333
    16 4
      2 4.5
    10 5
      2 5.5
      4 6
      1 7
      1 9
      1 12
    mean: .383311
    std. dev: .96594

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        .3      1.33333

```

drawing_time_c3
Monday-Sunday:Hours per week of child's palying blocks, plasticine, drawing, col

```

type: numeric (float)
range: [0,8]
unique values: 58
units: 1.000e-09
missing .: 0/1,510

```

```

tabulation: Freq. Value
            850 0
              4 .01666667
              8 .03333334
             10 .05
              3 .06666667
             34 .08333334
              9 .1
              2 .11666667
             12 .13333334
              6 .15000001
             46 .16666667
              9 .18333334
              2 .2
              7 .21666667
              1 .23333333
             41 .25
              2 .30000001
              6 .31666666
             55 .33333334
              9 .38333333
             11 .41666666
              5 .43333334
              1 .46666667
             66 .5
              1 .51666665
              9 .58333331
              7 .63333333
             20 .66666669
              1 .73333335
             19 .75
             10 .83333331

```



```

      2 .88333333
     78 1
      2 1.0333333
      6 1.05
      3 1.1333333
      5 1.1666666
     32 1.25
      2 1.4666667
     23 1.5
      2 1.6666666
     12 1.75
      1 1.8333334
      2 1.8833333
     17 2
      5 2.25
     23 2.5
      1 2.55
      1 2.6333334
      1 2.6666667
      5 3
      8 3.5
      5 4
      1 4.5
      2 5
      1 6
      3 7.5
      1 8
    mean: .377417
  std. dev: .784473

percentiles:      10%      25%      50%      75%      90%
                  0         0         0      .466667  1.16667

```

drawing_time Hours per week of child's palying blocks, plasticine, drawing, coloring

```

      type: numeric (float)
      range: [0,42]
unique values: 98
      units: 1.000e-09
      missing .: 0/1,510

```

```

tabulation:  Freq.  Value
             393    0
              4  .01666667
              8  .03333334
             10  .05
              3  .06666667
             34  .08333334
              9  .1
              2  .11666667
             12  .13333334
              6  .15000001
             47  .16666667
              9  .18333334
              2  .2
              7  .21666667
              1  .23333333
              3  .23333335
             43  .25
              7  .30000001
              6  .31666666
             58  .33333334
              4  .34999999
             10  .38333333
             12  .41666666
              4  .41666669
              6  .43333334
              1  .44999999
              1  .46666667
             67  .5
              1  .51666665

```

9 .5333333
28 .58333331
8 .63333333
2 .64999998
23 .66666669
1 .69999999
1 .73333335
19 .75
4 .81666666
12 .83333331
16 .88333333
79 1
2 1.0333333
7 1.05
3 1.1333333
72 1.1666666
33 1.25
3 1.3166666
1 1.4499999
6 1.4666666
2 1.4666667
24 1.5
2 1.5166667
2 1.6666666
30 1.75
1 1.8333334
2 1.8833333
28 2
3 2.05
1 2.0833333
5 2.25
33 2.3333333
25 2.5
1 2.55
1 2.6333334
1 2.6666667
1 2.8333333
6 2.9166665
6 3
1 3.05
1 3.1666665
80 3.5
1 3.75
7 4
1 4.3833332
6 4.5
4 4.6666665
7 5
4 5.25
1 5.833333
1 6
75 7
2 7.1666665
4 7.5
1 8
2 8.75
1 9
6 10.5
1 11.5
1 11.666666
14 14
2 15
1 15.75
6 17.5
3 21
1 24.5
1 26
1 31
1 42

mean: 1.61868
std. dev: 3.12559

percentiles: 10% 25% 50% 75% 90%
 0 0 .5 1.75 4

fieldtrip_time_c1

Monday-Friday:Hours per week of child's going to temple, library, zoo, museum

 type: numeric (**float**)
 range: [0,10] units: .01
 unique values: 5 missing .: 0/1,510

 tabulation: Freq. Value
 1,493 0
 1 1.25
 6 2.5
 9 5
 1 10

 mean: .047185
 std. dev: .48891

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

fieldtrip_time_c2

Saturday-Sunday:Hours per week of child's going to temples, libraries, zoo, muse

 type: numeric (**float**)
 range: [0,8] units: 1.000e-08
 unique values: 11 missing .: 0/1,510

 tabulation: Freq. Value
 1,461 0
 1 .11666667
 1 .33333334
 1 .5
 14 1
 1 1.5
 27 2
 1 3
 1 4
 1 6
 1 8

 mean: .060563
 std. dev: .402186

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

fieldtrip_time_c3

Monday-Sunday:Hours per week of child's going to temples, libraries, zoo, museum

 type: numeric (**float**)
 range: [0,6] units: 1.000e-08
 unique values: 28 missing .: 0/1,510

```

tabulation:  Freq.  Value
              1,261  0
                1  .1
                1  .13333334
                2  .16666667
                1  .30000001
                4  .33333334
                1  .41666666
               31  .5
               14  .75
                1  .83333331
                1  .93333334
              123  1
                5  1.25
               14  1.5
                4  1.75
               22  2
                2  2.25
                8  2.5
                1  2.6333334
                1  3
                1  3.3333333
                3  3.5
                2  4
                1  4.5
                1  4.5999999
                1  5
                2  5.5
                1  6
    mean:      .208411
  std. dev:   .594757

percentiles:  10%      25%      50%      75%      90%
               0        0        0        0        1
  
```

fieldtrip_time **Hours per week of child's going to temples, libraries, zoo, museums**

```

type: numeric (float)
range: [0,18]
unique values: 32
units: 1.000e-08
missing .: 0/1,510
  
```

```

tabulation:  Freq.  Value
              1,211  0
                1  .1
                1  .11666667
                1  .13333334
                2  .16666667
                1  .30000001
                5  .33333334
                1  .41666666
               31  .5
               14  .75
                1  .83333331
                1  .93333334
              133  1
                5  1.25
               15  1.5
                5  1.75
               40  2
                2  2.25
                8  2.5
                1  2.6333334
                2  3
                1  3.3333333
                7  3.5
                3  4
                2  4.5
                1  4.5999999
                2  5
  
```

```

                2  5.5
                1  6
                8  7
                1  8.5
                1  18
    mean:       .316159
    std. dev:   .978015

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      1
    
```

shopping_time_c1 Monday-Friday:Hours per week of child's going to department store

```

    type: numeric (float)

    range: [0,12.5]          units: .1
    unique values: 6          missing .. 0/1,510

    tabulation: Freq. Value
                1,501  0
                 1  2.5
                 5  5
                 1  7.5
                 1  10
                 1  12.5
    mean:       .038079
    std. dev:   .540942

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

shopping_time_c2 Saturday-Sunday:Hours per week of child's going to department store

```

    type: numeric (float)

    range: [0,6]           units: .01
    unique values: 9        missing .. 0/1,510

    tabulation: Freq. Value
                1,497  0
                 2  1
                 4  2
                 1  2.55
                 1  3
                 2  4
                 1  5
                 1  5.5
                 1  6
    mean:       .026523
    std. dev:   .321208

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

shopping_time_c3 Monday-Sunday:Hours per week of child's going to department store

```

    type: numeric (float)

    range: [0,16]          units: 1.000e-09
    unique values: 30       missing .. 0/1,510
    
```

```

tabulation:  Freq.  Value
1,278      0
1          .03333334
2          .08333334
3          .16666667
1          .40000001
11         .5
3          .75
52         1
2          1.25
28         1.5
40         2
3          2.25
23         2.5
14         3
5          3.5
2          3.75
6          4
4          4.5
5          5
5          5.25
6          6
1          6.25
3          7
4          8
3          9
1          10.5
1          11
1          11.25
1          12
1          16
      mean:  .392616
      std. dev: 1.29306

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         1.5
    
```

shopping_time **Hours per week of child's going to department store**

```

type: numeric (float)
range: [0,17.5]          units: 1.000e-09
unique values: 34       missing .: 0/1,510
    
```

```

tabulation:  Freq.  Value
1,264      0
1          .03333334
2          .08333334
3          .16666667
1          .40000001
11         .5
3          .75
53         1
2          1.25
28         1.5
40         2
3          2.25
23         2.5
1          2.55
14         3
6          3.5
2          3.75
7          4
4          4.5
6          5
5          5.25
1          5.5
7          6
1          6.25
7          7
    
```

```

          4  8
          3  9
          2 10.5
          1 11
          1 11.25
          1 12
          1 14
          1 16
          1 17.5
    mean:   .457219
    std. dev: 1.49567

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      1.5
    
```

working_time_c1
Monday-Friday:Hours per week of child's going to work with houeshold members

```

    type: numeric (float)
    range: [0,60]
    unique values: 34
    units: 1.000e-08
    missing .: 0/1,510
    
```

```

    tabulation:
    Freq.  Value
    1,271  0
      1  .38333333
      2  .63333333
      1  .83333331
      1  .93333334
      2  1.25
      4  1.6666666
      3  2
      1  2.0833333
     27  2.5
      1  3
      2  3.75
      1  4
     55  5
      1  5.8333335
      1  6
      1  6.1500001
      3  6.25
     17  7.5
     48  10
      1  12
     15  12.5
     19  15
      4  17.5
      9  20
      4  22.5
      3  25
      1  32.5
      2  35
      1  42.5
      4  45
      1  47.5
      2  55
      1  60
    mean: 1.63172
    std. dev: 5.42418
    
```

```

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      5
    
```

working_time_c2
Saturday-Sunday:Hours per week of child's going to work with houeshold members

type: numeric (float)
 range: [0,44] units: 1.000e-08
 unique values: 42 missing .: 0/1,510

tabulation: Freq. Value
 1,012 0
 1 .15000001
 2 .25
 1 .31666666
 2 .33333334
 3 .5
 7 .66666669
 2 .83333331
 36 1
 3 1.5
 78 2
 1 2.25
 3 2.5
 21 3
 2 3.5
 22 4
 6 4.5
 17 5
 37 6
 9 7
 20 8
 1 8.5
 19 9
 24 10
 5 11
 1 11.6
 17 12
 7 13
 21 14
 6 15
 43 16
 5 17
 37 18
 11 19
 16 20
 1 21
 4 22
 3 24
 1 25
 1 26
 1 28
 1 44
 mean: 2.89259
 std. dev: 5.68098

percentiles: 10% 25% 50% 75% 90%
 0 0 0 2 13.5

working_time_c3
Monday-Sunday:Hours per week of child's going to work with household members

type: numeric (float)
 range: [0,32] units: 1.000e-09
 unique values: 59 missing .: 0/1,510


```

tabulation:  Freq.  Value
              1,212  0
              1   .08333334
              1   .13333334
              3   .16666667
              1   .18333334
              1   .21666667
              4   .25
              2   .33333334
              1   .38333333
            20   .5
              1   .58333331
              3   .75
              1   .83333331
              1   .88333333
            30   1
              1  1.1333333
              5  1.25
            24  1.5
              3  1.75
            37  2
              2  2.25
              1  2.4166667
            14  2.5
            20  3
              4  3.5
              8  3.75
            12  4
              8  4.5
              7  5
              2  5.25
              4  5.5
            10  6
              4  6.25
              2  6.75
              5  7
              1  7.3166666
              5  7.5
              1  8.5
              1  8.75
            15  9
              4  10
              1  10.5
              2  11.25
              3  12
              2  12.25
              1  12.5
              2  13.5
              2  14
              2  15
              1  15.75
              2  16
              1  17.5
              2  18
              1  22.5
              1  25
              1  27.9
              1  28
              1  30
              2  32
    mean:      .879459
  std. dev:   2.93591

percentiles:  10%      25%      50%      75%      90%
              0        0        0        0        2.5

```

working_time **Hours per week of child's going to work with household members**

type: numeric (**float**)

range: [0,84] units: 1.000e-09
 unique values: 117 missing .: 0/1,510
 mean: 5.40377
 std. dev: 9.63947
 percentiles: 10% 25% 50% 75% 90%
 0 0 .883333 7 17.25

housework_time_c1 Monday-Friday:Hours per week of child's doing housework

type: numeric (float)
 range: [0,7.5] units: 1.000e-09
 unique values: 25 missing .: 0/1,510
 tabulation: Freq. Value
 1,383 0
 1 .08333334
 1 .13333334
 4 .16666667
 5 .21666667
 2 .25
 3 .30000001
 3 .33333334
 2 .38333333
 32 .41666666
 1 .56666666
 15 .63333333
 1 .73333335
 17 .83333331
 3 .93333334
 2 1.05
 11 1.25
 1 1.46666667
 5 1.66666666
 2 2.0833333
 9 2.5
 1 3.3333333
 2 4.1666665
 3 5
 1 7.5
 mean: .087892
 std. dev: .441415
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

housework_time_c2 Saturday-Sunday:Hours per week of child's doing housework

type: numeric (float)
 range: [0,3] units: 1.000e-09
 unique values: 25 missing .: 0/1,510
 tabulation: Freq. Value
 1,380 0
 1 .03333334
 1 .05
 5 .06666667
 5 .08333334
 2 .1
 3 .11666667
 3 .13333334
 2 .15000001
 32 .16666667
 1 .23333333
 16 .25

housework_time **Hours per week of child's doing housework**

type: numeric (**float**)
 range: [0,10.5] units: 1.000e-09
 unique values: 58 missing .: 0/1,510

tabulation:

Freq.	Value
984	0
2	.01666667
13	.03333334
32	.05
14	.06666667
38	.08333334
12	.1
6	.11666667
1	.11666667
23	.13333334
6	.15000001
47	.16666667
13	.18333334
10	.21666667
2	.23333333
4	.23333335
28	.25
1	.28333333
8	.30000001
4	.31666666
32	.33333334
2	.34999999
9	.38333333
14	.41666666
3	.41666669
1	.43333334
3	.46666667
21	.5
1	.51666665
2	.53333333
44	.58333331
5	.63333333
11	.66666669
2	.75
1	.80000001
4	.83333331
16	.88333333
1	.93333334
13	1
1	1.03333333
17	1.16666666
4	1.25
3	1.31666666
1	1.33333333
2	1.46666666
1	1.46666667
8	1.5
11	1.75
3	2
1	2.05
5	2.33333333
2	2.91666665
2	3
9	3.5
1	4.66666665
2	5.83333333
3	7
1	10.5

mean: .212086
 std. dev: .650159


```

      7 .66666669
      4 .75
      4 .83333331
      1 .88333333
    16 1
      1 1.05
      2 1.1666666
      4 1.25
     10 1.5
      3 2
      1 2.25
      1 2.3499999
      2 2.4000001
      5 2.5
      5 3
      2 3.5
      2 4
      1 6
    mean: .093245
    std. dev: .412619

    percentiles:      10%      25%      50%      75%      90%
                     0        0        0        0      .083333

```

homework_time **Hours per week of child's doing homework**

```

    type: numeric (float)
    range: [0,25]
unique values: 93
    units: 1.000e-09
missing .: 0/1,510

```

```

tabulation: Freq. Value
            592 0
              1 .03166667
              1 .03333334
              3 .05
              8 .08333334
              4 .1
              2 .11666667
              8 .13333334
              1 .15000001
             13 .16666667
              4 .18333334
              1 .2
             10 .21666667
              2 .23333333
              2 .23333335
             16 .25
              1 .26666668
              1 .28333333
              6 .30000001
              1 .31666666
             12 .33333334
              3 .34999999
              4 .38333333
             33 .41666666
              5 .41666669
              1 .44999999
              6 .46666667
              3 .46666667
             30 .5
              1 .58166665
             30 .58333331
             10 .63333333
              8 .66666669
              1 .69999999
              5 .75
              1 .755
              1 .76666665
              1 .78333336

```

```

74 .83333331
6 .88333333
1 .93333334
20 1
1 1.0333333
3 1.05
1 1.0833334
54 1.1666666
29 1.25
2 1.3333334
1 1.4499999
2 1.45
2 1.4666666
3 1.4666667
13 1.5
1 1.6
40 1.6666666
1 1.7
23 1.75
1 1.8333334
2 1.8833333
6 2
2 2.0833333
2 2.25
39 2.3333333
1 2.3499999
2 2.4000001
117 2.5
1 2.6333332
1 2.8333333
2 2.9166667
6 3
1 3.3333333
83 3.5
4 3.75
2 4
1 4.5
1 4.6666665
1 4.75
57 5
1 5.5
3 6
1 6.5
45 7
1 7.4000001
3 7.5
2 8
1 9.3833332
1 10.5
1 12.5
4 14
1 15
3 17.5
1 20
1 25

```

```

mean: 1.3804
std. dev: 2.20785

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      .5    2.33333  3.5

```

selfreading_c1 **Monday-Friday:Hours per week of child's reading**

```

type: numeric (float)
range: [0,5]
unique values: 14
units: 1.000e-09
missing .: 0/1,510

```



```

tabulation:  Freq.  Value
              1,474  0
              1   .08333334
              1   .13333334
              1   .16666667
              1   .38333333
              4   .41666666
              1   .63333333
              6   .83333331
              3   1.05
              1   1.5666667
              7   1.6666666
              1   2.3333333
              5   2.5
              4   5
    mean:     .03926
    std. dev: .330707

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

selfreading_c2 **Saturday-Sunday:Hours per week of child's reading**

```

type: numeric (float)

range: [0,2]          units: 1.000e-09
unique values: 14      missing .: 0/1,510

tabulation:  Freq.  Value
              1,479  0
              1   .03333334
              1   .05
              1   .06666667
              1   .15000001
              4   .16666667
              1   .25
              5   .33333334
              3   .41666666
              1   .63333333
              4   .66666669
              1   .93333334
              5   1
              3   2
    mean:     .012826
    std. dev: .118199

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

selfreading_c3 **Monday-Sunday:Hours per week of child's reading**

```

type: numeric (float)

range: [0,2.5]        units: 1.000e-09
unique values: 17      missing .: 0/1,510

tabulation:  Freq.  Value
              1,478  0
              1   .03333334
              1   .05
              2   .1
              1   .16666667
              1   .18333334
              5   .33333334
              1   .38333333
              1   .40000001
              2   .41666666
              5   .5
    
```

```

          3 .63333333
          3 .75
          1 .88333333
          2 1
          2 2
          1 2.5
    mean: .013212
    std. dev: .121298

    percentiles:      10%      25%      50%      75%      90%
                      0        0        0        0        0
    
```

selfreading_time Hours per week of child's reading

```

    type: numeric (float)
    range: [0,7]
    unique values: 31
    units: 1.000e-09
    missing .: 0/1,510
    
```

```

    tabulation: Freq. Value
    1,441 0
    1 .03333334
    1 .05
    2 .1
    1 .11666667
    1 .16666667
    2 .18333334
    1 .23333335
    5 .33333334
    1 .38333333
    1 .40000001
    2 .41666666
    5 .5
    1 .53333333
    4 .58333331
    3 .63333333
    3 .75
    1 .83333331
    2 .88333333
    3 1
    5 1.1666666
    3 1.4666666
    3 1.6666666
    2 2
    1 2.2
    4 2.3333333
    2 2.5
    1 3.2666667
    4 3.5
    1 5
    3 7
    
```

```

    mean: .065298
    std. dev: .450595

    percentiles:      10%      25%      50%      75%      90%
                      0        0        0        0        0
    
```

screen_time_c1 Monday-Friday:Hours per week of child's playing computer ,tablet, ipad and smart

```

    type: numeric (float)
    range: [0,27.5]
    unique values: 55
    units: 1.000e-09
    missing .: 0/1,510
    
```

```

tabulation:  Freq.  Value
              797    0
               1   .08333334
               3   .16666667
               5   .21666667
               4   .25
               3   .30000001
               2   .33333334
               1   .38333333
              12   .41666666
               1   .51666665
               1   .58333331
               4   .63333333
               1   .66666669
               1   .73333335
               1   .75
              30   .83333331
               1   .91666669
               3   .93333334
               1   1
               1   1.0333333
               3   1.05
              23   1.25
               1   1.5
               3   1.5666667
              22   1.6666666
               1   1.8833333
               7   2.0833333
              97   2.5
               3   2.9166667
               3   3.1333334
               7   3.3333333
               1   3.6500001
              12   3.75
               1   4
               5   4.1666665
             203   5
               1   5.1666665
               1   5.2166667
               1   5.6333332
               4   5.8333335
               8   6.25
               1   7.3000002
              57   7.5
               1   8.333333
              11   8.75
              71   10
               1   10.416667
               6   11.25
              32   12.5
              26   15
               8   17.5
               5   20
               5   22.5
               5   25
               1   27.5
    mean:      2.7957
  std. dev:   4.37324

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        5        10

```

screen_time_c2

Saturday-Sunday:Hours per week of child's playing computer ,tablet, ipad and sma

```

type:  numeric (float)
range:  [0,21]
unique values:  57
units:  1.000e-09
missing .:  0/1,510

```

```

tabulation:  Freq.  Value
              783    0
              1   .03333334
              3   .06666667
              6   .08333334
              3   .1
              3   .11666667
              2   .13333334
              1   .15000001
             12   .16666667
              1   .2
              1   .21666667
              1   .23333333
              4   .25
              2   .30000001
             27   .33333334
              1   .36666667
              1   .38333333
              4   .41666666
             19   .5
              4   .63333333
             21   .66666669
              1   .69999999
              1   .75
              4   .83333331
             86   1
              1  1.1333333
              4  1.1666666
              5  1.25
              6  1.3333334
              1  1.4166666
              1  1.4666667
             12  1.5
              6  1.6666666
            174  2
              1  2.0833333
              1  2.25
              4  2.3333333
             10  2.5
              1  2.9166667
             50  3
              1  3.3333333
             11  3.5
             92  4
              1  4.1666665
              7  4.5
             39  5
             41  6
             11  7
              2  7.5
             13  8
              7  9
              8  10
              2  11
              1  12
              3  15
              1  17.5
              1  21

```

```

mean: 1.3694
std. dev: 2.22744

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      2      4

```

```

screen_time_c3
Monday-Sunday:Hours per week of child's playing computer ,tablet, ipad and smart

```

```

type: numeric (float)

```

range: [0,9] units: 1.000e-09
 unique values: 51 missing .: 0/1,510

tabulation: Freq. Value
 1,162 0
 3 .05
 2 .06666667
 6 .08333334
 1 .1
 1 .11666667
 3 .13333334
 1 .15000001
 8 .16666667
 4 .18333334
 6 .21666667
 1 .23333333
 10 .25
 2 .31666666
 14 .33333334
 4 .38333333
 5 .41666666
 1 .43333334
 27 .5
 2 .51666665
 1 .55000001
 6 .58333331
 2 .63333333
 8 .66666669
 1 .73333335
 8 .75
 8 .83333331
 6 .88333333
 1 .93333334
 40 1
 1 1.1333333
 1 1.1666666
 12 1.25
 35 1.5
 2 1.6666666
 7 1.75
 26 2
 3 2.25
 15 2.5
 1 2.75
 21 3
 9 3.5
 3 3.75
 12 4
 5 4.5
 5 5
 1 5.8166666
 3 6
 2 7.5
 1 8
 1 9

mean: .359779
 std. dev: .958451

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1.5

screen_time Hours per week of child's playing computer ,tablet, ipad and smart phone

type: numeric (float)
 range: [0,35.5] units: 1.000e-09
 unique values: 140 missing .: 0/1,510

mean: 4.52488
 std. dev: 6.16294
 percentiles: 10% 25% 50% 75% 90%
 0 0 1.75 7 14

tv_time_c1 Hours per week of child's watching tv

type: numeric (float)
 range: [0,50] units: 1.000e-09
 unique values: 54 missing .: 0/1,510

tabulation: Freq. Value

267	0
1	.08333334
1	.13333334
3	.21666667
3	.25
2	.30000001
1	.33333334
1	.38333333
17	.41666666
1	.43333334
1	.46666667
1	.58333331
7	.63333333
1	.66666669
39	.83333331
1	.93333334
1	1.05
17	1.25
25	1.6666666
2	1.8833333
1	2
11	2.0833333
158	2.5
1	2.5999999
6	2.9166667
10	3.3333333
14	3.75
4	4.1666665
445	5
1	5.2166667
1	5.25
1	5.4166665
1	5.5
5	5.8333335
3	6.25
80	7.5
1	9.3833332
216	10
1	11.25
26	12.5
66	15
2	16.666666
12	17.5
2	18.333334
1	18.75
28	20
8	22.5
4	25
1	27.5
2	30
2	32.5
1	35
2	37.5
1	50

mean: 5.63011
 std. dev: 5.44352

mean: 3.13902
 std. dev: 3.29383
 percentiles: 10% 25% 50% 75% 90%
 0 1 2 4 8

tv_time_c3 **Hours per week of child's watching tv**

type: numeric (float)
 range: [0,7.5] units: 1.000e-09
 unique values: 35 missing.: 0/1,510

tabulation: Freq. Value
 1,404 0
 2 .05
 2 .06666667
 2 .08333334
 1 .1
 1 .13333334
 4 .16666667
 1 .18333334
 1 .25
 4 .33333334
 1 .38333333
 12 .5
 1 .63333333
 7 .66666669
 2 .75
 2 .83333331
 2 .88333333
 12 1
 1 1.05
 1 1.16666666
 1 1.33333334
 8 1.5
 1 1.66666666
 4 1.75
 3 2
 7 2.5
 1 2.63333334
 9 3
 2 3.5
 1 3.75
 3 4
 1 4.5
 2 5
 1 6
 3 7.5

mean: .115751
 std. dev: .601371

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

tv_time **Hours per week of child's watching tv**

type: numeric (float)
 range: [0,70] units: 1.000e-09
 unique values: 150 missing.: 0/1,510

mean: 8.88488
 std. dev: 8.05774

percentiles: 10% 25% 50% 75% 90%
 .5 3.5 7 14 20

other_c1 **Monday-Friday:Hours per week of child's doing other activity**

```

type: numeric (float)
range: [0,5] units: 1.000e-07
unique values: 5 missing .. 0/1,510

tabulation: Freq. Value
1,505 0
1 .63333333
2 .83333331
1 1.25
1 5
mean: .005662
std. dev: .136956

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

other_c2 **Saturday-Sunday:Hours per week of child's doing other activity**

```

type: numeric (float)
range: [0,2] units: 1.000e-08
unique values: 5 missing .. 0/1,510

tabulation: Freq. Value
1,505 0
1 .25
2 .33333334
1 .5
1 2
mean: .002263
std. dev: .054772

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

other_c3 **Monday-Sunday:Hours per week of child's doing other activity**

```

type: numeric (float)
range: [0,.16666667] units: 1.000e-08
unique values: 3 missing .. 0/1,510

tabulation: Freq. Value
1,508 0
1 .13333334
1 .16666667
mean: .000199
std. dev: .005491

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

other_time **Hours per week of child's doing other activity**

```

type: numeric (float)
range: [0,7] units: 1.000e-08
unique values: 7 missing .. 0/1,510
    
```

```

tabulation: Freq. Value
             1,503 0
             1 .13333334
             1 .16666667
             1 .88333333
             2 1.16666666
             1 1.75
             1 7
mean:       .008124
std. dev:   .191798

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

year_survey **year survey**

```

type: numeric (float)
range: [2017,2017]           units: 1
unique values: 1             missing .: 0/1,510

tabulation: Freq. Value
             1,510 2017
mean:       2017
std. dev:   0

percentiles:    10%    25%    50%    75%    90%
                2017   2017   2017   2017   2017
    
```

survey_name **survey round**

```

type: string (str12)
unique values: 1             missing "": 0/1,510

tabulation: Freq. Value
             1,510 "RESURVEY2017"
    
```

```

2 . log close
   name: <unnamed>
   log:  V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018\\codebook\\2017\\b11.scml
   log type: smcl
   closed on: 7 Nov 2024, 11:58:19
    
```