



```

name: <unnamed>
log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\b3.smcl
log type: smcl
opened on: 7 Nov 2024, 13:06:15
    
```

1 . codebookr \_all,all

```

Dataset: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\b3_run.dta
Last saved: 7 Nov 2024 13:06
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 42
Number of observations: 1,510
Size: 1,950,920 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI
    
```

---

**cid** **children id**

---

```

type: string (str18)
unique values: 1,510 missing "": 0/1,510
examples: "201591160604209H1"
           "201691131001997H1"
           "201691160105067H1"
           "201691161708058H1"
    
```

---

**iyear** **year**

---

```

type: string (str4)
unique values: 2 missing "": 0/1,510
tabulation: Freq. Value
             553 "2015"
             957 "2016"
    
```

---

**hhid** **household id**

---

```

type: string (str15)
    
```

unique values: 1,286                      missing "": 0/1,510  
 examples: "201591160604209"  
           "201691131001097"  
           "201691160105068"  
           "201691161708058"

---

**prov** **province**

---

type: string (**str2**)  
 unique values: 2                              missing "": 0/1,510  
 tabulation: Freq. Value  
               1,365 "91"  
               145 "93"

---

**amp** **amphoe**

---

type: string (**str2**)  
 unique values: 8                              missing "": 0/1,510  
 tabulation: Freq. Value  
               1 "09"  
               145 "12"  
               266 "13"  
               129 "14"  
               148 "15"  
               557 "16"  
               40 "17"  
               224 "18"

---

**tam** **tambon**

---

type: string (**str2**)  
 unique values: 15                              missing "": 0/1,510  
 tabulation: Freq. Value  
               65 "01"  
               229 "02"  
               123 "04"  
               63 "05"  
               57 "06"  
               66 "07"  
               64 "08"  
               97 "09"  
               138 "10"  
               93 "11"  
               154 "13"  
               47 "14"  
               151 "15"  
               106 "17"  
               57 "19"

---

**moo** **moo**

---

type: string (**str2**)  
 unique values: 22                              missing "": 0/1,510

```

tabulation:  Freq.  Value
              158  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              157  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8  "17"
              12  "18"
              26  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

---

**strucid** **structure ID**

---

```

type: string (str3)
unique values: 185           missing "": 0/1,510
examples: "011"
          "035"
          "071"
          "149"
    
```

---

**ch1** **How is the child's health now?**

---

```

type: numeric (byte)
label: ch1
range: [1,7]           units: 1
unique values: 4       missing .: 0/1,510
tabulation:  Freq.  Numeric  Label
              243   1  very good
              1,003 3  good
              251   5  quite good
              13    7  somewhat bad
    
```

---

**ch2** **Since previous interview : Did the child ever visit a dentist to take care of hi**

---

```

type: numeric (byte)
label: ch2
range: [1,3]           units: 1
unique values: 2       missing .: 0/1,510
tabulation:  Freq.  Numeric  Label
              414   1  yes
              1,096 3  no
    
```

---

**ch2a** **Number of times**

---

```

type: numeric (byte)
label: ch2a, but label does not exist

range: [1,7] units: 1
unique values: 6 missing .: 1,096/1,510
unique missing codes: 3 missing *: 4/1,510

```

```

tabulation: Freq. Value
             260 1
             104 2
              34 3
               8 4
               3 5
               1 7
            1,096 .
               3 .c
               1 .d
mean:       1.52195
std. dev:   .833736

percentiles:    10%    25%    50%    75%    90%
                1      1      1      2      3

```

ch10

ch10

```

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 1,506/1,510
unique missing codes: 2 missing *: 4/1,510

```

```

tabulation: Freq. Value
             1,506 .
               4 .d
mean:       .
std. dev:   .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .

```

ch4 Since the last interview How many times do children receive health checkups that

```

type: numeric (byte)
label: ch4, but label does not exist

range: [0,12] units: 1
unique values: 8 missing .: 0/1,510
unique missing codes: 1 missing *: 3/1,510

```

```

tabulation: Freq. Value
             1,302 0
              142 1
               43 2
                7 3
                7 4
                 2 6
                 2 11
                 2 12
                 3 .c
mean:       .222296
std. dev:   .821576

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1

```

---

**ch4\_des** **Name of place for the health check-ups (unavailable)**

---

type: string (**str114**), but longest is str0  
 unique values: 0 missing "": 1,510/1,510  
 tabulation: Freq. Value  
 1,510 ""

---

**ch4b** **Code of the most place for the health check-ups**

---

type: numeric (**byte**)  
 label: **ch4b**  
 range: [1,99] units: 1  
 unique values: 7 missing .: 1,302/1,510  
 tabulation: Freq. Numeric Label  
 137 1 Health promoting hospital  
 29 3 District hospital  
 17 5 Center hospital / provincial  
 hospital  
 3 7 University hospital  
 3 15 Private hospital  
 17 17 Medical clinic  
 2 99 other (Specify in ch4ba)  
 1,302 .

---

**ch4ba** **Detail : place for the health check-ups (not display)**

---

type: string (**str48**), but longest is str0  
 unique values: 0 missing "": 1,510/1,510  
 tabulation: Freq. Value  
 1,510 ""

---

**ch4aa\_des** **Sub-district (unavailable)**

---

type: string (**str36**), but longest is str0  
 unique values: 0 missing "": 1,510/1,510  
 tabulation: Freq. Value  
 1,510 ""

---

**ch4aa** **Sub-district code (unavailable)**

---

type: string (**str2**), but longest is str0  
 unique values: 0 missing "": 1,510/1,510  
 tabulation: Freq. Value  
 1,510 ""

---

**ch4ab\_des** **District (unavailable)**

---

type: string (**str42**), but longest is str0

unique values: 0 missing "": 1,510/1,510  
 tabulation: Freq. Value  
 1,510 ""

---

**ch4ab** **District code (unavailable)**

---

type: string (**str2**), but longest is str0  
 unique values: 0 missing "": 1,510/1,510  
 tabulation: Freq. Value  
 1,510 ""

---

**ch4ac\_des** **Province (unavailable)**

---

type: string (**str39**), but longest is str0  
 unique values: 0 missing "": 1,510/1,510  
 tabulation: Freq. Value  
 1,510 ""

---

**ch4ac** **Province code (unavailable)**

---

type: string (**str2**), but longest is str0  
 unique values: 0 missing "": 1,510/1,510  
 tabulation: Freq. Value  
 1,510 ""

---

**ch5 Ever since the child was 2 years old until now, Has the child ever go to the doc**

---

type: numeric (**byte**)  
 label: **ch5**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 0/1,510  
 tabulation: Freq. Numeric Label  
 162 1 yes  
 1,348 3 no

---

**ch5a** **How many times?**

---

type: numeric (**byte**)  
 label: **ch5a**, but label does not exist  
 range: [1,10] units: 1  
 unique values: 6 missing .: 1,348/1,510

```

tabulation:  Freq.  Value
              147  1
              11  2
               1  3
               1  5
               1  8
               1 10
            1,348  .
    mean:      1.2037
    std. dev:  .978901

percentiles:  10%      25%      50%      75%      90%
              1        1        1        1        1
    
```

**ch5b** **What was the most severe injury?**

```

    type: numeric (byte)
    label: ch5b

    range: [1,99]
    unique values: 10
                    units: 1
                    missing ..: 1,348/1,510

    tabulation:  Freq.  Numeric  Label
                  9        1  Cut or pierced by sharp object
                  78       3  Crash/Fall (with open wounds,
                   2       5  Burn (until skin blister)
                   2       7  Swallow, take or put things in
                   5      11  Bitten or stung by poisonous
                   16     13  Hurt by non
                   1     15  Car accident (the child in the
                   19     23  Bicycle injury
                   10     25  Motorcycle injury
                   20     99  Other (Specify in ch5ba)
            1,348  .
    
```

**ch5ba** **Detail of the most severe injury (not display)**

```

    type: string (str154), but longest is str0
    unique values: 0
                    missing "": 1,510/1,510

    tabulation:  Freq.  Value
                  1,510  ""
    
```

**ch5c** **Where did the accident happen?**

```

    type: numeric (byte)
    label: ch5c

    range: [1,99]
    unique values: 6
    unique missing codes: 2
                    units: 1
                    missing ..: 1,348/1,510
                    missing *: 2/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              65      1  home
              27      3  house of others
              24      5  school / child center
               2      7  playing field / playground
              19      9  alley / road
              23     99  other
            1,348      .
               2      .d
    
```

---

**ch5ca** **Detail : place of accident (unavailable)**

---

```

type: string (str69), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation:  Freq.  Value
            1,510  ""
    
```

---

**ch5e** **How many days did the child miss school as a result of this injury?**

---

```

type: numeric (byte)
label: ch5e, but label does not exist
range: [0,61] units: 1
unique values: 18 missing .: 1,348/1,510
unique missing codes: 3 missing *: 2/1,510
tabulation:  Freq.  Value
              76  0
              12  1
              16  2
               9  3
               2  4
              15  5
              11  7
               2  8
               1 10
               1 11
               3 14
               2 15
               1 20
               4 22
               2 30
               1 33
               1 44
               1 61
            1,348 .
               1 .c
               1 .d
mean: 4.0375
std. dev: 8.2278
percentiles: 10% 25% 50% 75% 90%
              0 0 1 5 10.5
    
```

---

**ch5f** **How many days was the child hospitalized because of this injury?**

---

```

type: numeric (byte)
label: ch5f, but label does not exist
range: [0,30] units: 1
unique values: 11 missing .: 1,348/1,510
unique missing codes: 2 missing *: 1/1,510
    
```



```

tabulation:  Freq.  Value
              132    0
              8     1
              5     2
              8     3
              1     4
              1     5
              2     7
              1     8
              1    11
              1    26
              1    30
            1,348  .
              1    .d
    mean:     .869565
    std. dev: 3.42624
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        2
    
```

**ch9 Since the last interview, Did the child is once sick and had to be admitted to t**

```

    type: numeric (byte)
    label: ch9

    range: [1,3]                units: 1
    unique values: 2            missing .: 0/1,510
    unique missing codes: 1    missing *: 1/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              122    1      yes
              1,387  3      no
              1     .d
    
```

**ch9a How many times?**

```

    type: numeric (byte)
    label: ch9a, but label does not exist

    range: [1,4]                units: 1
    unique values: 4            missing .: 1,387/1,510
    unique missing codes: 3    missing *: 2/1,510
    
```

```

tabulation:  Freq.  Value
              97    1
              18    2
              5     3
              1     4
            1,387  .
              1    .c
              1    .d
    mean:     1.2562
    std. dev: .57051
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  1        1        1        1        2
    
```

**ch9b What was the most severe disease?**

```

    type: numeric (byte)
    label: ch9b

    range: [1,99]              units: 1
    unique values: 9            missing .: 1,387/1,510
    unique missing codes: 2    missing *: 1/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              13      1  Respiratory (cough /cold/ runny
              16      3  nose/gasp)
              5       5  Diarrhea / dysentery
              1       5  Stomachache / flatulence /
              1      11  indigestion / gastritis
              1      15  Dermatitis / eczema / rash
              65      17  Oral diseases / caries / gum
              9      19  disease / mouth ulcers
              3      21  Fever
              3      19  Lung and bronchial diseases
              3      21  (pneumonia / bronchitis)
              9      21  Diseases of the gastrointestinal
              9      99  tract and liver (intestinal /
1,387         .  liver / appendicitis / bile
1             .d  ducts / gallbladder / excluding
              .  gastritis)
              .  other (Specify in ch9ba)

```

---

**ch9ba** Detail : the most severe disease (not display)

---

```

type: string (str144), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation:  Freq.  Value
              1,510  ""

```

---

**ch9c** How many days did the child miss school as a result of this acute disease?

---

```

type: numeric (byte)
label: ch9c, but label does not exist
range: [0,44] units: 1
unique values: 12 missing .: 1,387/1,510
unique missing codes: 2 missing *: 1/1,510
tabulation:  Freq.  Value
              50    0
              1    1
              11   2
              10   3
              6    4
              17   5
              22   7
              1   10
              1   11
              1   15
              1   30
              1   44
1,387         .
              1   .d
mean:        3.4918
std. dev:    5.4001
percentiles: 10%    25%    50%    75%    90%
              0     0     2     5     7

```

---

**ch9d** How many days was the child hospitalized because of this acute disease?

---

```

type: numeric (byte)
label: ch9d, but label does not exist

```

range: [0,11] units: 1  
 unique values: 11 missing .: 1,387/1,510  
 unique missing codes: 2 missing \*: 1/1,510

tabulation: Freq. Value  
 2 0  
 10 1  
 37 2  
 44 3  
 8 4  
 6 5  
 2 6  
 10 7  
 1 9  
 1 10  
 1 11  
 1,387 .  
 1 .d

mean: 3.19672  
 std. dev: 1.92693

percentiles: 10% 25% 50% 75% 90%  
 2 2 3 3 7

**ch6 Does the child have health insurance with insurance company? (e.g. AIA,Krungtha**

type: numeric (byte)  
 label: ch6

range: [1,3] units: 1  
 unique values: 2 missing .: 0/1,510  
 unique missing codes: 2 missing \*: 23/1,510

tabulation: Freq. Numeric Label  
 146 1 yes  
 1,341 3 no  
 4 .b  
 19 .c

**ch7 Since the last interview, have there been cases where the child need medical ser**

type: numeric (byte)  
 label: ch7

range: [1,3] units: 1  
 unique values: 2 missing .: 0/1,510

tabulation: Freq. Numeric Label  
 43 1 yes  
 1,467 3 no

**ch8 Interviewer note (unavailable)**

type: string (str417), but longest is str0

unique values: 0 missing "": 1,510/1,510

tabulation: Freq. Value  
 1,510 ""

**note\_cleaner Data cleaner note (not display)**

type: string (str142), but longest is str0

unique values: 0 missing "": 1,510/1,510  
 tabulation: Freq. Value  
 1,510 ""

---

**year\_survey** **year survey**

---

type: numeric (int)  
 range: [2017,2017] units: 1  
 unique values: 1 missing .: 0/1,510  
 tabulation: Freq. Value  
 1,510 2017  
 mean: 2017  
 std. dev: 0  
 percentiles: 10% 25% 50% 75% 90%  
 2017 2017 2017 2017 2017

---

**survey\_name** **survey round**

---

type: string (str12)  
 unique values: 1 missing "": 0/1,510  
 tabulation: Freq. Value  
 1,510 "RESURVEY2017"

2 . log close  
 name: <unnamed>  
 log: V:\\RIECE DATA\\RIECE\_RELEASE V3-2017-2018/codebook\2017\b3.scm1  
 log type: smcl  
 closed on: 7 Nov 2024, 13:06:16

---