



```

name: <unnamed>
log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\b4.scml
log type: smcl
opened on: 7 Nov 2024, 13:05:53
    
```

1 . codebookr _all,all

```

Dataset: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\b4_run.dta
Last saved: 7 Nov 2024 13:05
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 91
Number of observations: 1,510
Size: 6,521,690 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

cid **children id**

```

type: string (str18)
unique values: 1,510 missing "": 0/1,510
examples: "201591160604209H1"
           "201691131001997H1"
           "201691160105067H1"
           "201691161708058H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,510
tabulation: Freq. Value
             553 "2015"
             957 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,286 missing "": 0/1,510
 examples: "201591160604209"
 "201691131001097"
 "201691160105068"
 "201691161708058"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,510
 tabulation: Freq. Value
 1,365 "91"
 145 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,510
 tabulation: Freq. Value
 1 "09"
 145 "12"
 266 "13"
 129 "14"
 148 "15"
 557 "16"
 40 "17"
 224 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,510
 tabulation: Freq. Value
 65 "01"
 229 "02"
 123 "04"
 63 "05"
 57 "06"
 66 "07"
 64 "08"
 97 "09"
 138 "10"
 93 "11"
 154 "13"
 47 "14"
 151 "15"
 106 "17"
 57 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,510

```

tabulation:  Freq.  Value
              158  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              157  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8  "17"
              12  "18"
              26  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 185          missing "": 0/1,510
examples: "011"
           "035"
           "071"
           "149"
    
```

chd1_1 **Open Roster and Identify childhood underlying disease since previous interview**

```

type: numeric (byte)
label: chd1_1, but label does not exist
range: [0,3]          units: 1
unique values: 4      missing .: 0/1,510
tabulation:  Freq.  Value
              1,343  0
              156  1
               9  2
               2  3
mean: .119205
std. dev: .353477
percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

chd1_2 **Since previous interview, Have you ever been told by a doctor, nurse or speciali**

```

type: numeric (byte)
label: chd1_2, but label does not exist
range: [0,2]          units: 1
unique values: 3      missing .: 0/1,510
    
```

```

tabulation:  Freq.  Value
              1,447  0
              61    1
              2     2
mean:       .043046
std. dev:  .209455

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

chd1a_1 **Underlying disease 1 (not display)**

```

type: string (str96), but longest is str0
unique values: 0 missing "": 1,510/1,510

tabulation:  Freq.  Value
              1,510  ""
    
```

chd1aa_1 **Underlying disease code 1**

```

type: numeric (byte)
label: chd1aa_1

range: [7,99] units: 1
unique values: 10 missing .: 1,294/1,510

tabulation:  Freq.  Numeric  Label
              5      7    Heart disease
              1     17  Depression / psychosis /
                   neurosis
              7     21  Seizures / epilepsy
             115     27  Asthma / emphysema
              25     31  Allergy
              11     55  Thalassemia
               2     57  Down syndrom
              34     75  G6PD
              12     77  Anemia
               4     99  others
             1,294      .
    
```

chd1b_1 **What kind of treatment did child receive**

```

type: string (str6), but longest is str5
unique values: 13 missing "": 1,294/1,510
unique missing codes: 3 missing *: 15/1,510

tabulation:  Freq.  Value
             1,294  ""
              60  "B"
               1  "B,C,G"
               2  "B;C"
               7  "B;D"
               9  "C"
               1  "C,E"
               2  "C,G"
              29  "D"
               1  "D;G"
              74  "F"
              15  "G"
              14  "MI"
               1  "RF"
    
```

chdlba_1 **Other categories of treatment 1 (not display)**

```

type: string (str250), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

chdlc_1 **Taking the child to an emergency room at least for one night 1**

```

type: numeric (byte)
label: chdlc

range: [1,3] units: 1
unique values: 2 missing .: 1,294/1,510
unique missing codes: 3 missing *: 18/1,510

tabulation: Freq. Numeric Label
             40 1 yes
             158 3 no
             1,294 .
              1 .a
              17 .d
    
```

chdlca_1 **Number of days : the child stayed in hospital at the longest period because of u**

```

type: numeric (int)
label: chdlca, but label does not exist

range: [1,220] units: 1
unique values: 11 missing .: 1,470/1,510

tabulation: Freq. Value
             4 1
             9 2
            10 3
             7 4
             1 5
             4 7
             1 10
             1 11
             1 12
             1 30
             1 220
          1,470 .
mean: 9.9
std. dev: 34.4211

percentiles: 10% 25% 50% 75% 90%
             1.5 2 3 4.5 10.5
    
```

chdlid_1 **At present, Does the child have an underlying medical condition**

```

type: numeric (byte)
label: chdlid

range: [1,3] units: 1
unique values: 2 missing .: 1,294/1,510
unique missing codes: 3 missing *: 8/1,510
    
```

```

tabulation: Freq.  Numeric  Label
             183      1  yes
             25      3  no
            1,294      .
              1      .a
              7      .d
    
```

chd1a_2 **Underlying disease 2 (not display)**

```

type: string (str96), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq.  Value
            1,510 ""
    
```

chd1aa_2 **Underlying disease code 2**

```

type: numeric (byte)
label: chd1aa_1
range: [3,99] units: 1
unique values: 8 missing .: 1,491/1,510
tabulation: Freq.  Numeric  Label
             1      3  Thyroid / Goiter
             1      13  Cancer
             1      21  Seizures / epilepsy
             7      27  Asthma / emphysema
             4      31  Allergy
             1      55  Thalassemia
             3      75  G6PD
             1      99  others
            1,491      .
    
```

chd1b_2 **What kind of treatment did child receive**

```

type: string (str6), but longest is str3
unique values: 10 missing "": 1,491/1,510
unique missing codes: 2 missing *: 1/1,510
tabulation: Freq.  Value
            1,491 ""
              1  "A;D"
              6  "B"
              1  "C"
              1  "C;D"
              1  "D"
              1  "D;G"
              1  "E"
              4  "F"
              2  "G"
              1  "MI"
    
```

chd1ba_2 **Other category of treatment 2 (not display)**

```

type: string (str250), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq.  Value
            1,510 ""
    
```

chdlc_2 Taking the child to an emergency room at least for one night 2

```

type: numeric (byte)
label: chdlc

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,491/1,510
missing *: 1/1,510

tabulation: Freq. Numeric Label
              3         1 yes
              15        3 no
            1,491      .
              1         .d
    
```

chdlca_2 Number of days : the child stayed in hospitalized at the longest period because

```

type: numeric (int)
label: chdlca, but label does not exist

range: [2,7]
unique values: 3

units: 1
missing .: 1,507/1,510

tabulation: Freq. Value
              1  2
              1  3
              1  7
            1,507 .
mean:          4
std. dev:     2.64575

percentiles: 10%    25%    50%    75%    90%
              2     2     3     7     7
    
```

chdlid_2 At present, Does the child have an underlying medical condition

```

type: numeric (byte)
label: chdlid

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,491/1,510
missing *: 1/1,510

tabulation: Freq. Numeric Label
              17        1 yes
              1         3 no
            1,491      .
              1         .d
    
```

chdla_3 Underlying disease 3 (not display)

```

type: string (str96), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq. Value
            1,510 ""
    
```

chdlaa_3 Underlying disease code 3

```

type: numeric (byte)
label: chdlaa_1

range: [3,77]
unique values: 4
units: 1
missing ..: 1,506/1,510

tabulation: Freq.  Numeric  Label
              1          3  Thyroid / Goiter
              1         27  Asthma / emphysema
              1         57  Down syndrom
              1         77  Anemia
            1,506          .
    
```

chdlb_3 What kind of treatment did child receive

```

type: string (str6), but longest is str1
unique values: 3
missing "": 1,506/1,510

tabulation: Freq.  Value
              1,506 ""
              1  "B"
              2  "F"
              1  "G"
    
```

chdlba_3 Other category of treatment 3 (not display)

```

type: string (str250), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.  Value
              1,510 ""
    
```

chdlc_3 Taking the child to an emergency room at least for one night 3

```

type: numeric (byte)
label: chdlc

range: [3,3]
unique values: 1
units: 1
missing ..: 1,506/1,510

tabulation: Freq.  Numeric  Label
              4          3  no
            1,506          .
    
```

chdlca_3 Number of days : the child stayed in hospitalized at the longest period because

```

type: numeric (int)
label: chdlca, but label does not exist

range: [.,.]
unique values: 0
units: .
missing ..: 1,510/1,510

tabulation: Freq.  Value
              1,510 .
mean: .
std. dev: .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

chd1d_3 **At present, Does the child have an underlying medical condition**

```

type: numeric (byte)
label: chd1d

range: [1,1]
unique values: 1
units: 1
missing .: 1,506/1,510

tabulation: Freq.   Numeric   Label
              4         1   yes
              1,506       .
    
```

chd1a_4 **Underlying disease 4**

```

type: string (str96), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.   Value
              1,510  ""
    
```

chd1aa_4 **Underlying disease code 4**

```

type: numeric (byte)
label: chd1aa_1

range: [3,27]
unique values: 2
units: 1
missing .: 1,508/1,510

tabulation: Freq.   Numeric   Label
              1         3   Thyroid / Goiter
              1         27  Asthma / emphysema
              1,508       .
    
```

chd1b_4 **Treatment 4**

```

type: string (str6), but longest is str1
unique values: 2
missing "": 1,508/1,510

tabulation: Freq.   Value
              1,508  ""
              1     "B"
              1     "C"
    
```

chd1b_des_4 **Detail of treatment method**

```

type: string (str58)
unique values: 2
missing "": 1,508/1,510

tabulation: Freq.   Value
              1,508  ""
              1     "antibiotics (take continuously until
                  the dose is finished)"
              1     "bronchodilators"

warning: variable has embedded blanks
    
```

chdlba_4 **Other category of treatment 4**

```

type: string (str250), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
              1,510 ""
    
```

chdlc_4 **Taking the child to an emergency room at least for one night 4**

```

type: numeric (byte)
label: chdlc
range: [3,3] units: 1
unique values: 1 missing .: 1,508/1,510
tabulation: Freq. Numeric Label
              2 3 no
              1,508 .
    
```

chdlca_4
No. of days : hospitalized at the longest period because of underlying disease 4

```

type: numeric (int)
label: chdlca, but label does not exist
range: [.,.] units: .
unique values: 0 missing .: 1,510/1,510
tabulation: Freq. Value
              1,510 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

chdlid_4 **Having an underlying medical condition (underlying disease 4)**

```

type: numeric (byte)
label: chdlid
range: [1,1] units: 1
unique values: 1 missing .: 1,508/1,510
tabulation: Freq. Numeric Label
              2 1 yes
              1,508 .
    
```

chd2 **Since the last interview Has the child ever had their ear pierced**

```

type: numeric (byte)
label: chd2
range: [1,3] units: 1
unique values: 2 missing .: 0/1,510
tabulation: Freq. Numeric Label
              5 1 yes
              1,505 3 no
    
```

chd3 Code of the reason for the child ever had an ear drainage puncture

```

type: numeric (byte)
label: chd3

range: [1,7] units: 1
unique values: 2 missing .. 1,505/1,510

tabulation: Freq. Numeric Label
              1         1 fluid in the ears
              4         7 other CHD3A
            1,505         .
    
```

chd3a Other category of the reason for the child ever had an ear drainage puncture (no

```

type: string (str90), but longest is str0

unique values: 0 missing "": 1,510/1,510

tabulation: Freq. Value
            1,510 ""
    
```

chd4_1 Open Roster and identify the number of defects of child since previous interview

```

type: numeric (byte)
label: chd4_1, but label does not exist

range: [0,2] units: 1
unique values: 3 missing .. 0/1,510

tabulation: Freq. Value
            1,497 0
              11 1
               2 2
mean: .009934
std. dev: .111769

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

chd4_2 Since previous interview, Have you ever been told by a doctor how many defects o

```

type: numeric (byte)
label: chd4_2, but label does not exist

range: [0,2] units: 1
unique values: 3 missing .. 0/1,510

tabulation: Freq. Value
            1,506 0
               3 1
                1 2
mean: .003311
std. dev: .068028

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

chd4a_1 Disability 1 (not display)

```

type: string (str108), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

chd4aa_1 **Disability code 1**

```

type: numeric (byte)
label: chd4aa_1
range: [1,99] units: 1
unique values: 5 missing .: 1,494/1,510
tabulation: Freq. Numeric Label
             1         1 Problems with mobility due to
             5         3 Problems with learning
             1         7 Problems with limb movement
             5         9 Problems with communication
             4        99 other
            1,494 .
    
```

chd4b_1 **What kind of treatment did child receive**

```

type: string (str11)
unique values: 11 missing "": 1,494/1,510
unique missing codes: 3 missing *: 3/1,510
tabulation: Freq. Value
            1,494 ""
             1 "A"
             1 "A;C;D;G;I;J"
             1 "A;G;L"
             1 "B"
             1 "B;C"
             3 "C"
             1 "C;I"
             2 "I"
             2 "L"
             1 "MI"
             2 "NA"
    
```

chd4ba_1 **Other category of treatment 1 (not display)**

```

type: string (str144), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

chd4c_1 **Has the child ever been diagnosed by a medical professional**

```

type: numeric (byte)
label: chd4c
    
```

```

        range: [1,3]                units: 1
    unique values: 2                missing .: 1,494/1,510
    unique missing codes: 2        missing *: 1/1,510

    tabulation:  Freq.  Numeric  Label
                  9      1      yes
                  6      3      no
                 1,494    .
                  1      .d
    
```

chd4d_1 **At present: Is this still a problem**

```

        type: numeric (byte)
        label: chd4d

        range: [1,3]                units: 1
    unique values: 2                missing .: 1,494/1,510

    tabulation:  Freq.  Numeric  Label
                  15      1      yes
                   1      3      no
                 1,494    .
    
```

chd4a_2 **Disability 2 (not display)**

```

        type: string (str108), but longest is str0
    unique values: 0                missing "": 1,510/1,510

    tabulation:  Freq.  Value
                 1,510  ""
    
```

chd4aa_2 **Disability code 2**

```

        type: numeric (byte)
        label: chd4aa_1

        range: [1,9]                units: 1
    unique values: 2                missing .: 1,507/1,510

    tabulation:  Freq.  Numeric  Label
                  1      1      Problems with mobility due to
                   2      9      brain disorder
                 1,507    .      Problems with communication
                                   development
    
```

chd4b_2 **What kind of treatment did child receive**

```

        type: string (str11), but longest is str3
    unique values: 3                missing "": 1,507/1,510

    tabulation:  Freq.  Value
                 1,507  ""
                   1    "B"
                   1    "C;I"
                   1    "H"
    
```

chd4ba_2 **Other category of treatment 2 (not display)**

```

type: string (str144), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

chd4c_2 **Has the child ever been diagnosed by a medical professional**

```

type: numeric (byte)
label: chd4c
range: [1,3] units: 1
unique values: 2 missing .: 1,507/1,510
tabulation: Freq. Numeric Label
             2 1 yes
             1 3 no
             1,507 .
    
```

chd4d_2 **At present: Is this still a problem**

```

type: numeric (byte)
label: chd4d
range: [1,1] units: 1
unique values: 1 missing .: 1,507/1,510
tabulation: Freq. Numeric Label
             3 1 yes
             1,507 .
    
```

chd4a_3 **Disability 3**

```

type: string (str108), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

chd4aa_3 **Disability code 3**

```

type: numeric (byte)
label: chd4aa_1
range: [9,9] units: 1
unique values: 1 missing .: 1,509/1,510
tabulation: Freq. Numeric Label
             1 9 Problems with communication
             1,509 . development
    
```

chd4b_3 **Treatment_3**

```

type: string (str11), but longest is str3
unique values: 1 missing "": 1,509/1,510
    
```

```

tabulation: Freq. Value
             1,509 ""
             1 "C;I"
    
```

chd4b_des_3 **Description of disability treatment 3**

```

type: string (str45)
unique values: 1 missing "": 1,509/1,510
tabulation: Freq. Value
             1,509 ""
             1 "physical therapy;parental support or
               training"
warning: variable has embedded blanks
    
```

chd4ba_3 **Other category of treatment 3**

```

type: string (str144), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

chd4c_3 **Be diagnosed or treated by a doctor or a specialist 3**

```

type: numeric (byte)
label: chd4c
range: [3,3] units: 1
unique values: 1 missing .: 1,509/1,510
tabulation: Freq. Numeric Label
             1 3 no
             1,509 .
    
```

chd4d_3 **At present: having this problem 3**

```

type: numeric (byte)
label: chd4d
range: [1,1] units: 1
unique values: 1 missing .: 1,509/1,510
tabulation: Freq. Numeric Label
             1 1 yes
             1,509 .
    
```

chd5 **Since the last interview, Does the child have hearing disability problem**

```

type: numeric (byte)
label: chd5
range: [1,3] units: 1
unique values: 2 missing .: 0/1,510
unique missing codes: 1 missing *: 1/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              4      1      yes
            1,505    3      no
              1      .c
    
```

chd6 **Ear side of hearing disability**

```

type: numeric (byte)
label: chd6

range: [1,5]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,505/1,510
missing *: 1/1,510

tabulation:  Freq.  Numeric  Label
              2      1      left
              2      5      both
            1,505    .
              1      .c
    
```

chd7 **Since the last interview, Does the child have vision disability problem**

```

type: numeric (byte)
label: chd7

range: [1,3]
unique values: 2

units: 1
missing .: 0/1,510

tabulation:  Freq.  Numeric  Label
              1      1      yes
            1,509    3      no
    
```

chd8 **Does the child need to use assistive devices such as canes, wheelchairs, hearing**

```

type: numeric (byte)
label: chd8

range: [1,3]
unique values: 2

units: 1
missing .: 0/1,510

tabulation:  Freq.  Numeric  Label
              4      1      yes
            1,506    3      no
    
```

chd9 **Does the child currently wear glasses**

```

type: numeric (byte)
label: chd9

range: [3,3]
unique values: 1

units: 1
missing .: 0/1,510

tabulation:  Freq.  Numeric  Label
            1,510    3      no
    
```

chd10 **Is the child currently receiving special education**

```

type: numeric (byte)
label: chd10
    
```


range: [1,3] units: 1
 unique values: 2 missing .: 0/1,510

tabulation:	Freq.	Numeric	Label
	1	1	yes
	1,509	3	no

chd10a1_des
Location where the child receiving special education services (unavailable)

type: string (**str126**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

chd10a1 **Location code (unavailable)**

type: string (**str6**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

chd10a2_des
Sub-district where the child receiving special education services (unavailable)

type: string (**str21**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

chd10a2 **Sub-district code (unavailable)**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

chd10a3_des
District where the child receiving special education services (unavailable)

type: string (**str42**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

chd10a3 **District code (unavailable)**

type: string (**str2**), but longest is str0

unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

chd10a4_des Province where the child receiving special education services (unavailable)

type: string (**str27**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

chd10a4 Province code (unavailable)

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

chd11 Interviewer note (unavailable)

type: string (**str620**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

chd9a chd9a

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

chd9b chd9b

type: string (**str40**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

chd9c chd9c

type: string (**str54**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

note_cleaner **data cleaner note (not display)**

type: string (**str291**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

year_survey **year survey**

type: numeric (**float**)
 range: [2017,2017] units: 1
 unique values: 1 missing .: 0/1,510
 tabulation: Freq. Value
 1,510 2017
 mean: 2017
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 2017 2017 2017 2017 2017

survey_name **survey round**

type: string (**str12**)
 unique values: 1 missing "": 0/1,510
 tabulation: Freq. Value
 1,510 "RESURVEY2017"

chdl_number
 How many underlying disease does the child currently have that are incurable?

type: numeric (**float**)
 range: [0,4] units: 1
 unique values: 5 missing .: 0/1,510
 tabulation: Freq. Value
 1,346 0
 148 1
 12 2
 3 3
 1 4
 mean: .122517
 std. dev: .378633
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

chdlb_des_1 **Detail of treatment method**

type: string (**str74**)
 unique values: 8 missing "": 1,322/1,510

```

tabulation:  Freq.  Value
              1,322  ""
              9  "antibiotics (take continuously until
                  the dose is finished)"
              58  "bronchodilators"
              2  "bronchodilators;antibiotics (take
                  continuously until the dose is
                  finished)"
              7  "bronchodilators;drug (unknown type)"
              28  "drug (unknown type)"
              1  "drug (unknown type);other"
              70  "no treatment just observe symptoms"
              13  "other"
    
```

warning: variable has embedded blanks

chdlb_des_2

Detail of treatment method

```

type:  string (str78)
unique values:  9          missing "":  1,493/1,510
tabulation:  Freq.  Value
              1,493  ""
              1  "antibiotics (take continuously until
                  the dose is finished)"
              1  "antibiotics (take continuously until
                  the dose is finished);drug (unknown
                  type)"
              5  "bronchodilators"
              1  "drug (unknown type)"
              1  "drug (unknown type);other"
              4  "no treatment just observe symptoms"
              2  "other"
              1  "respirator/pacemaker;drug (unknown
                  type)"
              1  "steroids"
    
```

warning: variable has embedded blanks

chdlb_des_3

Detail of treatment method

```

type:  string (str34)
unique values:  3          missing "":  1,506/1,510
tabulation:  Freq.  Value
              1,506  ""
              1  "bronchodilators"
              2  "no treatment just observe symptoms"
              1  "other"
    
```

warning: variable has embedded blanks

chd4_number

How many disability does the child currently have that are incurable?

```

type:  numeric (float)
range:  [0,3]          units:  1
unique values:  4          missing .:  0/1,510
    
```

```

tabulation:  Freq.  Value
              1,495  0
              13    1
              1    2
              1    3
              mean:  .011921
              std. dev: .13072

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

chd4b_des_1 Detail of how to help

```

type:  string (str299)

unique values:  10                missing "":  1,496/1,510

tabulation:  Freq.  Value
              1,496  ""
              1  "home visit"
              1  "occupational therapy"
              1  "occupational therapy;physical therapy"
              2  "other"
              2  "parental support or training"
              3  "physical therapy"
              1  "physical therapy;parental support or
                  training"
              1  "speech or language therapy"
              1  "speech or language therapy;Hearing
                  service (this does not include a
                  temporary loss of hearing due to a cold
                  or congestion.);other"
              1  "speech or language therapy;physical
                  therapy;help group (among families with
                  the same problem);Hearing service (this
                  does not include a temporary loss of
                  hearing due to a cold or
                  congestion.);parental support or
                  training;special classes with other
                  children, some or all of whom also had
                  special needs"

warning:  variable has embedded blanks
    
```

chd4b_des_2 Detail of how to help

```

type:  string (str96), but longest is str45

unique values:  2                missing "":  1,508/1,510

tabulation:  Freq.  Value
              1,508  ""
              1  "occupational therapy"
              1  "physical therapy;parental support or
                  training"

warning:  variable has embedded blanks
    
```

```

2 . log close
   name:  <unnamed>
   log:  V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\2017\b4.scml
   log type:  smcl
   closed on:  7 Nov 2024, 13:05:56
    
```
