



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2017\b5.scml
log type: smcl
opened on: 7 Nov 2024, 13:03:51
    
```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b5_run.dta
Last saved: 7 Nov 2024 13:03
           DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 191
Number of observations: 1,510
Size: 8,110,210 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
                for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

cid **children id**

```

type: string (str18)
unique values: 1,510 missing "": 0/1,510
examples: "201591160604209H1"
           "201691131001997H1"
           "201691160105067H1"
           "201691161708058H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,510
tabulation: Freq. Value
              553 "2015"
              957 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,286 missing "": 0/1,510
 examples: "201591160604209"
 "201691131001097"
 "201691160105068"
 "201691161708058"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,510
 tabulation: Freq. Value
 1,365 "91"
 145 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,510
 tabulation: Freq. Value
 1 "09"
 145 "12"
 266 "13"
 129 "14"
 148 "15"
 557 "16"
 40 "17"
 224 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,510
 tabulation: Freq. Value
 65 "01"
 229 "02"
 123 "04"
 63 "05"
 57 "06"
 66 "07"
 64 "08"
 97 "09"
 138 "10"
 93 "11"
 154 "13"
 47 "14"
 151 "15"
 106 "17"
 57 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,510

```

tabulation:  Freq.  Value
              158  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              157  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8  "17"
              12  "18"
              26  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,510
examples: "011"
           "035"
           "071"
           "149"
    
```

ce0 **Since last interview, has this child attended school?**

```

type: numeric (byte)
label: ce0
range: [1,3]           units: 1
unique values: 2       missing .: 0/1,510
tabulation:  Freq.  Numeric  Label
              1,369  1  yes
              141   3  no
    
```

ce3a **When do you expect the child to go to school (e.g. Jan)?**

```

type: numeric (byte)
label: ce3a
range: [5,11]           units: 1
unique values: 3       missing .: 1,369/1,510
unique missing codes: 2  missing *: 9/1,510
tabulation:  Freq.  Numeric  Label
              122   5  May
              2     9  September
              8    11  November
              1,369  .
              9     .c
    
```

ce3b **When do you expect the child to go to school (year)?**

```

type: numeric (int)
range: [2017,2019]
unique values: 3
unique missing codes: 2
units: 1
missing .: 1,369/1,510
missing *: 5/1,510

tabulation: Freq. Value
             14 2017
             113 2018
              9 2019
            1,369 .
              5 .c
mean: 2017.96
std. dev: .411107

percentiles:    10%    25%    50%    75%    90%
                2017    2018    2018    2018    2018
    
```

tce4a **CEC/school**

```

type: string (str26), but longest is str10
unique values: 3
unique missing codes: 2
missing "": 1,369/1,510
missing *: 10/1,510

tabulation: Freq. Value
            1,369 ""
              10 "DK"
              29 "??."
             102 "???"
    
```

ce4a **CEC name (unavailable)**

```

type: string (str110), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq. Value
            1,510 ""
    
```

ce4b3 **Province of school address (unavailable)**

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq. Value
            1,510 ""
    
```

ce4b2 **District of school address (unavailable)**

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq. Value
            1,510 ""
    
```

ce4b1 **Sub-district of school address (unavailable)**

type: string (**str36**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ce4c **Expected school code (unavailable)**

type: string (**str10**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ce16m_1 **Since May 2016, which grade level was the child in? 1**

type: string (**str24**), but longest is str22
 unique values: 7 missing "": 139/1,510
 tabulation: Freq. Value
 139 ""
 865 "Child Education Center"
 315 "Kindergarten1"
 135 "Kindergarten2"
 11 "Kindergarten3"
 2 "No education"
 42 "Pre-Kindergarten"
 1 "Primary1"
 warning: variable has embedded blanks

tce16a_1 **School/CDC. 1**

type: string (**str10**), but longest is str6
 unique values: 3 missing "": 141/1,510
 unique missing codes: 2 missing *: 2/1,510
 tabulation: Freq. Value
 141 ""
 941 "CEC"
 2 "DK"
 426 "School"

ce16a_1 **School name 1 (unavailable)**

type: string (**str148**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ce16n_1 **CDC/School Code 1 (unavailable)**

```

type: string (str11), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

ce16o_1 **The type of school/CDC. 1**

```

type: numeric (byte)
label: ce16o_1

range: [1,99] units: 1
unique values: 3 missing .: 141/1,510
unique missing codes: 2 missing *: 1/1,510

tabulation: Freq. Numeric Label
             1,273 1 Government school
             94 5 Private School
             1 99 other
             141 .
             1 .c
    
```

ce16p_1 **Province 1 (unavailable)**

```

type: string (str45), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

ce16q_1 **Amphoe 1 (unavailable)**

```

type: string (str48), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

ce16r_1 **Tambon 1 (unavailable)**

```

type: string (str48), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

ce16s_1 **How many class teachers are there in the classroom 1**

```

type: numeric (byte)

range: [1,5] units: 1
unique values: 5 missing .: 141/1,510
unique missing codes: 2 missing *: 94/1,510
    
```

```

tabulation: Freq. Value
             608 1
             422 2
             198 3
              35 4
              12 5
             141 .
              94 .c
mean:       1.76157
std. dev:   .877737

percentiles:    10%    25%    50%    75%    90%
                1      1      2      2      3
    
```

celb1_1 **The 1st teacher's name 1 (unavailable)**

```

type: string (str67), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

celc1_1 **The 1st teacher's code 1 (unavailable)**

```

type: string (str12), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

celb2_1 **The 2nd teacher's name 1 (unavailable)**

```

type: string (str67), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

celc2_1 **The 2nd teacher's code 1 (unavailable)**

```

type: string (str18), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

celb3_1 **The 3rd teacher's name 1 (unavailable)**

```

type: string (str58), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

celc3_1 **The 3rd teacher's code 1 (unavailable)**

```

type: string (str10), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

cel6t_1 **How many students are there in the classroom? 1**

```

type: numeric (byte)
range: [3,90] units: 1
unique values: 53 missing .: 141/1,510
unique missing codes: 2 missing *: 844/1,510
    
```

```

tabulation: Freq. Value
             1 3
             2 4
             1 5
             5 6
             9 7
            13 8
             3 9
            33 10
            11 11
            33 12
            24 13
             8 14
            40 15
            15 16
            14 17
            19 18
             9 19
            66 20
             7 21
            17 22
            15 23
             7 24
            21 25
             6 26
             4 27
            12 28
            43 30
             1 31
            15 32
             2 33
             1 34
            11 35
             6 36
             6 38
             2 39
            16 40
             2 41
             3 42
             2 43
             1 44
             2 45
             2 46
             1 47
             1 48
             4 50
             1 52
             1 53
             1 55
             1 56
             1 62
    
```



```

          1 65
          1 70
          2 90
        141 .
        844 .c
    mean: 21.7848
  std. dev: 11.3861

percentiles:    10%    25%    50%    75%    90%
                10     13     20     28     36
    
```

cel6ba_1 **Start month 1 (unavailable)**

```

    type: numeric (byte)
    label: cel6ba

    range: [.,.]
unique values: 0
                units: .
                missing.: 1,510/1,510

    tabulation: Freq.  Numeric  Label
                1,510      .
    
```

cel6bb_1 **Start year 1 (unavailable)**

```

    type: numeric (int)

    range: [.,.]
unique values: 0
                units: .
                missing.: 1,510/1,510

    tabulation: Freq.  Value
                1,510  .
    mean:      .
    std. dev:  .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

cel6ca_1 **End month 1 (unavailable)**

```

    type: numeric (byte)
    label: cel6ca

    range: [.,.]
unique values: 0
                units: .
                missing.: 1,510/1,510

    tabulation: Freq.  Numeric  Label
                1,510      .
    
```

cel6cb_1 **End year 1 (unavailable)**

```

    type: numeric (int)

    range: [.,.]
unique values: 0
                units: .
                missing.: 1,510/1,510

    tabulation: Freq.  Value
                1,510  .
    mean:      .
    std. dev:  .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

cel6d_1 **How many hours per day does the child study? 1**

```

type: numeric (byte)
range: [3,10]
unique values: 8
unique missing codes: 2
units: 1
missing .: 141/1,510
missing *: 7/1,510

tabulation: Freq. Value
              1 3
              3 4
              57 5
             513 6
             632 7
             145 8
              9 9
              2 10
             141 .
              7 .c
mean: 6.65419
std. dev: .776265

percentiles:      10%      25%      50%      75%      90%
                  6         6         7         7         8
    
```

cel6e_1 **How many days per week does the child study? 1**

```

type: numeric (byte)
range: [2,5]
unique values: 2
unique missing codes: 2
units: 1
missing .: 141/1,510
missing *: 1/1,510

tabulation: Freq. Value
              2 2
             1,366 5
             141 .
              1 .c
mean: 4.99561
std. dev: .114666

percentiles:      10%      25%      50%      75%      90%
                  5         5         5         5         5
    
```

cel6f_1 **Has this child ever borrowed books, story books (not textbooks) from child devel**

```

type: numeric (byte)
label: cel6f
range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing .: 141/1,510
missing *: 3/1,510

tabulation: Freq. Numeric Label
              604         1 yes
              762         3 no
              141         .
              3         .c
    
```

cel6g_1 **Borrowed books : Number of times 1**

```

type: numeric (byte)
    
```

range: [1,10] units: 1
 unique values: 7 missing .: 903/1,510
 unique missing codes: 2 missing *: 4/1,510

tabulation: Freq. Value
 117 1
 68 2
 62 3
 17 4
 337 5
 1 8
 1 10
 903 .
 4 .c
 mean: 3.66501
 std. dev: 1.68457

percentiles: 10% 25% 50% 75% 90%
 1 2 5 5 5

cel6h_1 **Frequency 1 (not display)**

type: string (**str45**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

cel6ha_1 **Borrowed books code : frequency 1**

type: numeric (**byte**)
 label: **cel6ha_1**
 range: [1,9] units: 1
 unique values: 4 missing .: 903/1,510
 unique missing codes: 3 missing *: 6/1,510

tabulation: Freq. Numeric Label
 1 1 Every day
 558 3 Weekly
 19 5 Monthly
 23 9 Yearly
 903 .
 5 .c
 1 .d

cel6i_1 **Has the school sent you the child's development monitoring record (apart from th**

type: numeric (**byte**)
 label: **cel6i**
 range: [1,3] units: 1
 unique values: 2 missing .: 141/1,510
 unique missing codes: 3 missing *: 5/1,510

tabulation: Freq. Numeric Label
 296 1 yes
 1,068 3 no
 141 .
 4 .c
 1 .d

cel6j_1
the school sent you the child's development monitoring record : Number of times

```

type: numeric (byte)
range: [1,4]
unique values: 4
unique missing codes: 3
units: 1
missing .: 1,209/1,510
missing *: 9/1,510

tabulation: Freq. Value
             169 1
             118 2
              1 3
              4 4
            1,209 .
              8 .c
              1 .d
mean: 1.45205
std. dev: .581291

percentiles: 10% 25% 50% 75% 90%
              1 1 1 2 2
    
```

cel6k_1 **Frequency 1 (not display)**

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq. Value
            1,510 ""
    
```

cel6ka_1
The school sent you the child's development monitoring record code : Frequency 1

```

type: numeric (byte)
label: cel6ha_1
range: [1,9]
unique values: 4
unique missing codes: 3
units: 1
missing .: 1,209/1,510
missing *: 8/1,510

tabulation: Freq. Numeric Label
             1 1 Every day
             4 3 Weekly
             2 5 Monthly
            286 9 Yearly
            1,209 .
              7 .c
              1 .d
    
```

cel6ua_1
Academic results (ask from elementary school level onwards and specify only in o

```

type: numeric (double)
range: [.,.]
unique values: 0
unique missing codes: 3
units: .
missing .: 141/1,510
missing *: 1,369/1,510
    
```

```

tabulation:  Freq.  Value
              141    .
            1,367  .b
              2    .c
    mean:      .
    std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cel6ub_1 **Academic results (ask from elementary school level onwards and specify only in o**

```

type: numeric (double)

range: [.,.]          units: .
unique values: 0      missing .: 141/1,510
unique missing codes: 3  missing *: 1,369/1,510

tabulation:  Freq.  Value
              141    .
            1,367  .b
              2    .c
    mean:      .
    std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cel6l_1 **Reason for leave 1 (not display)**

```

type: string (str252), but longest is str0

unique values: 0      missing "": 1,510/1,510

tabulation:  Freq.  Value
            1,510  ""
    
```

cel6m_2 **Since May 2016, which grade level was the child in? 2**

```

type: string (str24), but longest is str22

unique values: 6      missing "": 453/1,510

tabulation:  Freq.  Value
            453  ""
            244  "Child Education Center"
            335  "Kindergarten1"
            313  "Kindergarten2"
             89  "Kindergarten3"
              4  "Pre-Kindergarten"
             72  "Primary1"

warning: variable has embedded blanks
    
```

tcel6a_2 **School/CDC. 2**

```

type: string (str10), but longest is str6

unique values: 3      missing "": 452/1,510
unique missing codes: 2  missing *: 3/1,510
    
```

```

tabulation:  Freq.  Value
              452   ""
              310  "CEC"
               3   "DK"
              745  "School"
    
```

ce16a_2 **School name 2 (unavailable)**

```

type:  string (str148), but longest is str0
unique values:  0                               missing "":  1,510/1,510
tabulation:  Freq.  Value
              1,510 ""
    
```

ce16n_2 **CDC/School Code 2 (unavailable)**

```

type:  string (str11), but longest is str0
unique values:  0                               missing "":  1,510/1,510
tabulation:  Freq.  Value
              1,510 ""
    
```

ce16o_2 **The type of school/CDC. 2**

```

type:  numeric (byte)
label:  ce16o_1
range:  [1,99]
unique values:  4                               units:  1
unique missing codes:  2                       missing .:  452/1,510
                                                missing *:  3/1,510
tabulation:  Freq.  Numeric  Label
              945    1        Government school
               3     3        School attached to the
                           university
              106    5        Private School
               1     99       other
              452    .
               3     .c
    
```

ce16p_2 **Province 2 (unavailable)**

```

type:  string (str45), but longest is str0
unique values:  0                               missing "":  1,510/1,510
tabulation:  Freq.  Value
              1,510 ""
    
```

ce16q_2 **Amphoe 2 (unavailable)**

```

type:  string (str48), but longest is str0
unique values:  0                               missing "":  1,510/1,510
tabulation:  Freq.  Value
              1,510 ""
    
```

ce16r_2 **Tambon 2 (unavailable)**

```

type: string (str48), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

ce16s_2 **How many class teachers are there in the classroom 2**

```

type: numeric (byte)
range: [1,5] units: 1
unique values: 5 missing .: 452/1,510
unique missing codes: 2 missing *: 95/1,510
tabulation: Freq. Value
             685 1
             227 2
              41 3
               7 4
                3 5
             452 .
              95 .c
mean: 1.35514
std. dev: .628947
percentiles: 10% 25% 50% 75% 90%
              1 1 1 2 2
    
```

ce1b1_2 **The 1st teacher's name 2 (unavailable)**

```

type: string (str67), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

ce1c1_2 **The 1st teacher's code 2 (unavailable)**

```

type: string (str12), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

ce1b2_2 **The 2nd teacher's name 2 (unavailable)**

```

type: string (str67), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

ce1c2_2 **The 2nd teacher's code 2 (unavailable)**

```

type: string (str18), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

celb3_2 **The 3rd teacher's name 2 (unavailable)**

```

type: string (str58), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

celc3_2 **The 3rd teacher's code 2 (unavailable)**

```

type: string (str10), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

cel6t_2 **How many students are there in the classroom? 2**

```

type: numeric (byte)
range: [2,90] units: 1
unique values: 48 missing .: 452/1,510
unique missing codes: 3 missing *: 599/1,510
tabulation: Freq. Value
             1 2
             3 3
             2 4
             2 5
             6 6
             5 7
             5 8
             6 9
            30 10
            10 11
            25 12
            21 13
             9 14
            36 15
            21 16
            14 17
            22 18
            12 19
            50 20
            14 21
            10 22
             9 23
             9 24
            25 25
             8 26
             1 27
            13 28
             4 29
            27 30
             1 31
             7 32
             3 33
    
```



```

      4 34
     10 35
      4 36
      3 37
      5 38
      1 39
      6 40
      1 41
      3 42
      1 44
      1 45
      1 46
      5 50
      1 55
      1 57
      1 90
     452 .
     598 .c
      1 .d
    mean: 20.5795
  std. dev: 9.96652

percentiles:      10%      25%      50%      75%      90%
                  10       13       19       25       34

```

ce16ba_2 **Start month 2 (unavailable)**

```

      type: numeric (byte)
      label: ce16ba

      range: [.,.]          units: .
unique values: 0          missing .: 1,510/1,510

      tabulation: Freq.  Numeric  Label
                  1,510      .

```

ce16bb_2 **Start year 2 (unavailable)**

```

      type: numeric (int)

      range: [.,.]          units: .
unique values: 0          missing .: 1,510/1,510

      tabulation: Freq.  Value
                  1,510  .
      mean:      .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .

```

ce16ca_2 **End month 2 (unavailable)**

```

      type: numeric (byte)
      label: ce16ca

      range: [.,.]          units: .
unique values: 0          missing .: 1,510/1,510

      tabulation: Freq.  Numeric  Label
                  1,510      .

```

ce16cb_2 **End year 2 (unavailable)**

```

type: numeric (int)
range: [.,.]
unique values: 0
units: .
missing .: 1,510/1,510

tabulation: Freq. Value
1,510 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

cel6d_2 **How many hours per day does the child study? 2**

```

type: numeric (byte)
range: [3,10]
unique values: 7
unique missing codes: 2
units: 1
missing .: 452/1,510
missing *: 11/1,510

tabulation: Freq. Value
1 3
23 5
276 6
540 7
192 8
10 9
5 10
452 .
11 .c
mean: 6.90544
std. dev: .789292

percentiles: 10% 25% 50% 75% 90%
6 6 7 7 8

```

cel6e_2 **How many days per week does the child study? 2**

```

type: numeric (byte)
range: [2,5]
unique values: 2
unique missing codes: 2
units: 1
missing .: 452/1,510
missing *: 1/1,510

tabulation: Freq. Value
1 2
1,056 5
452 .
1 .c
mean: 4.99716
std. dev: .092275

percentiles: 10% 25% 50% 75% 90%
5 5 5 5 5

```

cel6f_2 **Has this child ever borrowed books, story books (not textbooks) from child devel**

```

type: numeric (byte)
label: cel6f
range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing .: 452/1,510
missing *: 6/1,510

```

```

tabulation:  Freq.  Numeric  Label
              187      1  yes
              865      3  no
              452      .
              6         .c
    
```

cel6g_2 **Borrowed books : Number of times 2**

```

type: numeric (byte)
range: [1,5]
unique values: 5
unique missing codes: 2
units: 1
missing .: 1,317/1,510
missing *: 6/1,510

tabulation:  Freq.  Value
              45  1
              13  2
              14  3
               5  4
              110 5
            1,317 .
               6  .c
mean: 3.65241
std. dev: 1.73268

percentiles:  10%    25%    50%    75%    90%
               1      2      5      5      5
    
```

cel6h_2 **Frequency 2 (not display)**

```

type: string (str45), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation:  Freq.  Value
            1,510  ""
    
```

cel6ha_2 **Borrowed books code : frequency 2**

```

type: numeric (byte)
label: cel6ha_1
range: [1,9]
unique values: 4
unique missing codes: 2
units: 1
missing .: 1,317/1,510
missing *: 6/1,510

tabulation:  Freq.  Numeric  Label
              1      1  Every day
              172     3  Weekly
               11     5  Monthly
               3      9  Yearly
            1,317      .
               6         .c
    
```

cel6i_2 **Has the school sent you the child's development monitoring record (apart from th**

```

type: numeric (byte)
label: cel6i
range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing .: 452/1,510
missing *: 3/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              16         1  yes
             1,039       3  no
              452         .
              3         .c
    
```

cel6j_2
the school sent you the child's development monitoring record : Number of times

```

type: numeric (byte)
range: [1,2]
unique values: 2
unique missing codes: 2
units: 1
missing .: 1,491/1,510
missing *: 3/1,510
    
```

```

tabulation:  Freq.  Value
              14     1
               2     2
            1,491     .
               3     .c
mean:        1.125
std. dev:    .341565
    
```

```

percentiles:  10%    25%    50%    75%    90%
              1      1      1      1      2
    
```

cel6k_2 **Frequency 2 (not display)**

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,510/1,510
tabulation:  Freq.  Value
            1,510  ""
    
```

cel6ka_2
The school sent you the child's development monitoring record code : Frequency 2

```

type: numeric (byte)
label: cel6ha_1
range: [3,9]
unique values: 3
unique missing codes: 2
units: 1
missing .: 1,491/1,510
missing *: 3/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              3         3  Weekly
              2         5  Monthly
              11        9  Yearly
            1,491         .
              3         .c
    
```

cel6ua_2
Academic results (ask from elementary school level onwards and specify only in o

```

type: numeric (double)
range: [.,.]
unique values: 0
unique missing codes: 4
units: .
missing .: 452/1,510
missing *: 1,058/1,510
    
```

```

tabulation:  Freq.  Value
              452    .
              994   .b
               4    .c
              60    .d
    mean:      .
    std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cel6ub_2

Academic results (ask from elementary school level onwards and specify only in o

```

type:  numeric (double)

range:  [,.]
unique values:  0
unique missing codes:  4

units:  .
missing .:  452/1,510
missing *:  1,058/1,510

tabulation:  Freq.  Value
              452    .
              994   .b
               4    .c
              60    .d
    mean:      .
    std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cel6l_2

Reason for leave 2 (not display)

```

type:  string (str252), but longest is str0
unique values:  0
missing "":  1,510/1,510

tabulation:  Freq.  Value
              1,510  ""
    
```

cel6m_3

Since May 2016, which grade level was the child in? 3

```

type:  string (str24), but longest is str22
unique values:  1
missing "":  1,508/1,510

tabulation:  Freq.  Value
              1,508  ""
               2    "Child Education Center"

warning:  variable has embedded blanks
    
```

tcel6a_3

School/CDC. 3

```

type:  string (str10), but longest is str3
unique values:  1
missing "":  1,507/1,510

tabulation:  Freq.  Value
              1,507  ""
               3    "CEC"
    
```

ce16a_3 **School name 3 (unavailable)**

type: string (**str120**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ce16n_3 **CDC/School Code 3 (unavailable)**

type: string (**str11**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ce16o_3 **The type of school/CDC. 3**

type: numeric (**byte**)
 label: **ce16o_1**
 range: [1,1] units: 1
 unique values: 1 missing .: 1,507/1,510
 tabulation: Freq. Numeric Label
 3 1 Government school
 1,507 .

ce16p_3 **Province 3 (unavailable)**

type: string (**str39**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ce16q_3 **Amphoe 3 (unavailable)**

type: string (**str42**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ce16r_3 **Tambon 3 (unavailable)**

type: string (**str42**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

cel6s_3 **How many class teachers are there in the classroom 3**

```

type: numeric (byte)
range: [1,1]
unique values: 1
units: 1
missing .: 1,507/1,510

tabulation: Freq. Value
              3 1
              1,507 .
mean: 1
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              1 1 1 1 1
    
```

celb1_3 **The 1st teacher's name 3 (unavailable)**

```

type: string (str64), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq. Value
              1,510 ""
    
```

celc1_3 **The 1st teacher's code 3 (unavailable)**

```

type: string (str12), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq. Value
              1,510 ""
    
```

celb2_3 **The 2nd teacher's name 3 (unavailable)**

```

type: string (str67), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq. Value
              1,510 ""
    
```

celc2_3 **The 2nd teacher's code 3 (unavailable)**

```

type: string (str18), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq. Value
              1,510 ""
    
```

celb3_3 **The 3rd teacher's name 3 (unavailable)**

```

type: string (str58), but longest is str0
unique values: 0
missing "": 1,510/1,510
    
```

tabulation: Freq. Value
 1,510 ""

ce1c3_3 **The 3rd teacher's code 3 (unavailable)**

type: string (**str10**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ce16t_3 **How many students are there in the classroom? 3**

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,507/1,510
 unique missing codes: 2 missing *: 3/1,510
 tabulation: Freq. Value
 1,507 .
 3 .c
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

ce16ba_3 **Start month 3 (unavailable)**

type: numeric (**byte**)
 label: **ce16ba**
 range: [.,.] units: .
 unique values: 0 missing .: 1,510/1,510
 tabulation: Freq. Numeric Label
 1,510 .

ce16bb_3 **Start year 3 (unavailable)**

type: numeric (**int**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,510/1,510
 tabulation: Freq. Value
 1,510 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

ce16ca_3 **End month 3 (unavailable)**

type: numeric (**byte**)
 label: **ce16ca**


```

range: [.,.]
unique values: 0
units: .
missing ..: 1,510/1,510

tabulation: Freq. Numeric Label
1,510 .
    
```

cel6cb_3 **End year 3 (unavailable)**

```

type: numeric (int)
range: [.,.]
unique values: 0
units: .
missing ..: 1,510/1,510

tabulation: Freq. Value
1,510 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

cel6d_3 **How many hours per day does the child study? 3**

```

type: numeric (byte)
range: [6,6]
unique values: 1
units: 1
missing ..: 1,507/1,510

tabulation: Freq. Value
3 6
1,507 .
mean: 6
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
6 6 6 6 6
    
```

cel6e_3 **How many days per week does the child study? 3**

```

type: numeric (byte)
range: [5,5]
unique values: 1
units: 1
missing ..: 1,507/1,510

tabulation: Freq. Value
3 5
1,507 .
mean: 5
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
5 5 5 5 5
    
```

cel6f_3 **Has this child ever borrowed books, story books (not textbooks) from child devel**

```

type: numeric (byte)
label: cel6f
range: [3,3]
unique values: 1
units: 1
missing ..: 1,507/1,510
    
```

```

tabulation: Freq.  Numeric  Label
              3          3     no
              1,507        .
    
```

cel6g_3 **Borrowed books : Number of times 3**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 1,510/1,510

tabulation: Freq.  Value
              1,510  .
mean: .
std. dev: .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cel6h_3 **Frequency 3 (not display)**

```

type: string (str45), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.  Value
              1,510  ""
    
```

cel6ha_3 **Borrowed books code : frequency 3**

```

type: numeric (byte)
label: cel6ha_1
range: [.,.]
unique values: 0
units: .
missing ..: 1,510/1,510

tabulation: Freq.  Numeric  Label
              1,510        .
    
```

cel6i_3 **Has the school sent you the child's development monitoring record (apart from th**

```

type: numeric (byte)
label: cel6i
range: [3,3]
unique values: 1
units: 1
missing ..: 1,507/1,510

tabulation: Freq.  Numeric  Label
              3          3     no
              1,507        .
    
```

cel6j_3 **the school sent you the child's development monitoring record : Number of times**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 1,510/1,510
    
```

```

tabulation: Freq. Value
             1,510 .
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

cel6k_3 **Frequency 3 (not display)**

```

type: string (str30), but longest is str0
unique values: 0 missing "": 1,510/1,510

tabulation: Freq. Value
             1,510 ""
    
```

cel6ka_3
The school sent you the child's development monitoring record code : Frequency 3

```

type: numeric (byte)
label: cel6ha_1

range: [.,.] units: .
unique values: 0 missing .: 1,510/1,510

tabulation: Freq. Numeric Label
             1,510 .
    
```

cel6ua_3
Academic results (ask from elementary school level onwards and specify only in o

```

type: numeric (double)

range: [.,.] units: .
unique values: 0 missing .: 1,507/1,510
unique missing codes: 2 missing *: 3/1,510

tabulation: Freq. Value
             1,507 .
             3 .b
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

cel6ub_3
Academic results (ask from elementary school level onwards and specify only in o

```

type: numeric (double)

range: [.,.] units: .
unique values: 0 missing .: 1,507/1,510
unique missing codes: 2 missing *: 3/1,510

tabulation: Freq. Value
             1,507 .
             3 .b
      mean:  .
      std. dev:  .
    
```

percentiles: 10% 25% 50% 75% 90%

ce16l_3 **Reason for leave 3 (not display)**

type: string (**str206**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ce16m_4 **Since May 2016, which grade level was the child in? 4**

type: string (**str14**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

tce16a_4 **School/CDC. 4**

type: string (**str10**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ce16a_4 **School name 4 (unavailable)**

type: string (**str118**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ce16n_4 **CDC/School Code 4 (unavailable)**

type: string (**str9**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ce16o_4 **The type of school/CDC. 4**

type: numeric (**byte**)
 label: **ce16o_1**
 range: [.,.] units: .
 unique values: 0 missing .: 1,510/1,510
 tabulation: Freq. Numeric Label
 1,510 .

cel6p_4 **Province 4 (unavailable)**

type: string (**str39**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

cel6q_4 **Amphoe 4 (unavailable)**

type: string (**str42**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

cel6r_4 **Tambon 4 (unavailable)**

type: string (**str36**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

cel6s_4 **How many class teachers are there in the classroom 4**

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,510/1,510
 tabulation: Freq. Value
 1,510 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

celb1_4 **The 1st teacher's name 4 (unavailable)**

type: string (**str64**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

celc1_4 **The 1st teacher's code 4 (unavailable)**

type: string (**str11**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

celb2_4 **The 2nd teacher's name 4 (unavailable)**

```

type: string (str36), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

celc2_4 **The 2nd teacher's code 4 (unavailable)**

```

type: string (str18), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

celb3_4 **The 3rd teacher's name 4 (unavailable)**

```

type: string (str33), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

celc3_4 **The 3rd teacher's code 4 (unavailable)**

```

type: string (str10), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

cel6t_4 **How many students are there in the classroom? 4**

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1,510/1,510
tabulation: Freq. Value
             1,510 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cel6ba_4 **Start month 4 (unavailable)**

```

type: numeric (byte)
label: cel6ba
range: [.,.] units: .
unique values: 0 missing .: 1,510/1,510
    
```

tabulation: Freq. Numeric Label
 1,510 .

cel6bb_4 **Start year 4 (unavailable)**

type: numeric (**int**)
 range: [.,.] units: .
 unique values: 0 missing ..: 1,510/1,510
 tabulation: Freq. Value
 1,510 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

cel6ca_4 **End month 4 (unavailable)**

type: numeric (**byte**)
 label: **cel6ca**
 range: [.,.] units: .
 unique values: 0 missing ..: 1,510/1,510
 tabulation: Freq. Numeric Label
 1,510 .

cel6cb_4 **End year 4 (unavailable)**

type: numeric (**int**)
 range: [.,.] units: .
 unique values: 0 missing ..: 1,510/1,510
 tabulation: Freq. Value
 1,510 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

cel6d_4 **How many hours per day does the child study? 4**

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: 0 missing ..: 1,510/1,510
 tabulation: Freq. Value
 1,510 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

cel6e_4 **How many days per week does the child study? 4**

```

type: numeric (byte)
range: [..]
unique values: 0
units: .
missing ..: 1,510/1,510

tabulation: Freq. Value
1,510 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

cel6f_4 Has this child ever borrowed books, story books (not textbooks) from child devel

```

type: numeric (byte)
label: cel6f
range: [..]
unique values: 0
units: .
missing ..: 1,510/1,510

tabulation: Freq. Numeric Label
1,510 .

```

cel6g_4 Borrowed books : Number of times 4

```

type: numeric (byte)
range: [..]
unique values: 0
units: .
missing ..: 1,510/1,510

tabulation: Freq. Value
1,510 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

cel6h_4 Borrowed books : frequency 4

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq. Value
1,510 ""

```

cel6ha_4 Borrowed books code : frequency 4

```

type: numeric (byte)
label: cel6ha_1
range: [..]
unique values: 0
units: .
missing ..: 1,510/1,510

tabulation: Freq. Numeric Label
1,510 .

```

cel6i_4
Has the school sent you the child's development monitoring record (apart from th

```

type: numeric (byte)
label: cel6i

range: [.,.]
unique values: 0
units: .
missing ..: 1,510/1,510

tabulation: Freq. Numeric Label
1,510 .
    
```

cel6j_4
the school sent you the child's development monitoring record : Number of times

```

type: numeric (byte)

range: [.,.]
unique values: 0
units: .
missing ..: 1,510/1,510

tabulation: Freq. Value
1,510 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

cel6k_4 **The school sent you the child's development monitoring record : Frequency 4**

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq. Value
1,510 ""
    
```

cel6ka_4
The school sent you the child's development monitoring record code : Frequency 4

```

type: numeric (byte)
label: cel6ha_1

range: [.,.]
unique values: 0
units: .
missing ..: 1,510/1,510

tabulation: Freq. Numeric Label
1,510 .
    
```

cel6ua_4
Academic results (ask from elementary school level onwards and specify only in o

```

type: numeric (double)

range: [.,.]
unique values: 0
units: .
missing ..: 1,510/1,510

tabulation: Freq. Value
1,510 .
mean: .
std. dev: .
    
```

percentiles: 10% 25% 50% 75% 90%

cel16ub_4

Academic results (ask from elementary school level onwards and specify only in o

 type: numeric (**double**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,510/1,510

tabulation:	Freq.	Value			
	1,510	.			
mean:	.				
std. dev:	.				

percentiles: 10% 25% 50% 75% 90%

cel16l_4

Reason for changing school 4

 type: string (**str186**), but longest is str0
 unique values: 0 missing "": 1,510/1,510

tabulation:	Freq.	Value
	1,510	" "

cel2a1a

Do you currently have story books for children in your house?

 type: numeric (**byte**)
 label: **cel2a1a**

 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,510

tabulation:	Freq.	Numeric	Label
	553	1	yes
	957	3	no

cel2a2a

Do you currently have picture books or picture cards, such as animal picture car

 type: numeric (**byte**)
 label: **cel2a1a**

 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,510

tabulation:	Freq.	Numeric	Label
	626	1	yes
	884	3	no

cel2a3a

Do you currently have letter/number Poster in your house?

 type: numeric (**byte**)
 label: **cel2a1a**

 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,510

```

tabulation:  Freq.  Numeric  Label
              535      1  yes
              975      3  no
    
```

ce12a1aa

Story books for children : quantity

```

type:  numeric (byte)
range: [1,50]
unique values: 17
unique missing codes: 2
units: 1
missing .: 957/1,510
missing *: 43/1,510
    
```

```

tabulation:  Freq.  Value
              72      1
             138      2
             103      3
              48      4
              64      5
              20      6
              10      7
               5      8
              33     10
               2     12
               1     13
               1     14
               5     15
               5     20
               1     30
               1     45
               1     50
             957      .
              43      .c
    
```

```

mean: 4.07843
std. dev: 4.3131
    
```

```

percentiles:  10%      25%      50%      75%      90%
               1         2         3         5         8
    
```

ce12a2aa

Picture books or picture cards, such as animal picture cards number picture card

```

type:  numeric (byte)
range: [1,30]
unique values: 13
unique missing codes: 2
units: 1
missing .: 884/1,510
missing *: 38/1,510
    
```

```

tabulation:  Freq.  Value
              220      1
             180      2
              88      3
              38      4
              36      5
              11      6
               1      7
               1      8
               2      9
               7     10
               1     15
               2     20
               1     30
             884      .
              38      .c
    
```

```

mean: 2.43197
std. dev: 2.28255
    
```



```

tabulation:  Freq.  Value
              224  1
              275  2
              159  3
               43  4
               46  5
               16  6
                8  7
                4  8
                1  9
               27 10
                3 15
                1 20
                1 40
              648  .
               53  .c
                1  .d
    mean:     2.74876
    std. dev: 2.53061

percentiles:    10%    25%    50%    75%    90%
                1      1      2      3      5
    
```

ce13a2aa **Coloring book : quantity**

```

    type: numeric (byte)
    range: [.,.]
    unique values: 0
    unique missing codes: 2
    units: .
    missing .: 4/1,510
    missing *: 1,506/1,510

    tabulation:  Freq.  Value
                  4  .
                1,506 .b
    mean:       .
    std. dev:   .

    percentiles:    10%    25%    50%    75%    90%
                    .      .      .      .      .
    
```

ce18 **What subjects do this child has aptitude for**

```

    type: string (str169), but longest is str2
    unique values: 1
    unique missing codes: 2
    missing "": 1,506/1,510
    missing *: 4/1,510

    tabulation:  Freq.  Value
                  1,506 ""
                   4  "MI"
    
```

ce17 **Since the last interview, has this child received any special lessons or extra a**

```

    type: numeric (byte)
    label: ce17
    range: [1,3]
    unique values: 2
    unique missing codes: 1
    units: 1
    missing .: 0/1,510
    missing *: 2/1,510

    tabulation:  Freq.  Numeric  Label
                  54      1  yes
                 1,454  3  no
                   2      .d
    
```

cel7a **Classified into subjects or not?**

```

type: numeric (byte)
label: cel7a

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,456/1,510
missing *: 1/1,510

tabulation: Freq.  Numeric  Label
              11         1  yes
              42         3  no
            1,456         .
              1         .c
    
```

note_cleaner **Data cleaner note (not display)**

```

type: string (str159), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.  Value
            1,510  ""
    
```

cel7b_1 **Where does this child take special education or supplementary 1 (unavailable)**

```

type: string (str99), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.  Value
            1,510  ""
    
```

cel7ba_1 **Type 1**

```

type: numeric (byte)
label: cel7ba_1

range: [1,11]
unique values: 5

units: 1
missing .: 1,456/1,510

tabulation: Freq.  Numeric  Label
              29         1  Study at school: organized by
                    the school
              11         3  Study at school
              11         5  Study at the teacher's home
               2         9  Study at the institute
               1        11  Others
            1,456         .
    
```

cel7c_1 **What subjects? (Record all answers) 1**

```

type: string (str33)

unique values: 10
unique missing codes: 2

missing "": 1,456/1,510
missing *: 6/1,510
    
```

```

tabulation:  Freq.  Value
              1,456  ""
              32  "Assorted Subjects"
              6  "DK"
              3  "English"
              1  "Mathematics;English"
              1  "Mathematics;Science;Thai Language"
              1  "Mathematics;Thai Language"
              5  "Mathematics;Thai Language;English"
              2  "Music"
              2  "Other subjects"
              1  "Sports"
    
```

warning: variable has embedded blanks

cel7ca_1 **Other such as 1**

type: string (**str58**), but longest is str34

```

unique values: 5           missing "": 1,504/1,510
unique missing codes: 2   missing *: 1/1,510
    
```

```

tabulation:  Freq.  Value
              1,504  ""
              1  "Computer"
              2  "Computer;Chinese"
              1  "DK"
              1  "Skill Development"
              1  "Skill Development;Practice Writing"
    
```

warning: variable has embedded blanks

cel7d_1 **Number of days of study per year 1**

type: numeric (**int**)

```

range: [0,365]           units: 1
unique values: 41       missing .: 1,456/1,510
unique missing codes: 2 missing *: 2/1,510
    
```

```

tabulation:  Freq.  Value
              2  0
              1  3
              1  5
              1  6
              1  7
              1  12
              1  16
              1  17
              2  18
              3  21
              1  22
              1  27
              1  28
              1  29
              4  30
              1  33
              1  34
              2  36
              1  44
              2  56
              1  57
              2  60
              1  61
              1  65
              1  77
              1  79
              1  80
    
```

```

      1  81
      1  86
      1  94
      1  96
      1 104
      2 108
      1 111
      1 115
      1 165
      1 180
      1 211
      1 240
      1 289
      1 365
1,456 .
      2 .c
mean:  68.8077
std. dev: 74.5212

percentiles:    10%    25%    50%    75%    90%
                7      21     40     90    165
    
```

cel7e_1 **Expense per year? 1**

```

type: numeric (int)
range: [0,27000]
unique values: 30
unique missing codes: 2
units: 1
missing .: 1,456/1,510
missing *: 4/1,510
    
```

```

tabulation: Freq. Value
             5  0
             1  250
             1  300
             1  400
             5  500
             2  600
             2  800
             1  900
             4 1000
             1 1050
             2 1200
             1 1300
             2 1500
             1 1920
             1 2000
             1 2400
             2 2500
             2 3000
             2 3500
             1 3750
             2 4000
             1 4500
             1 5200
             1 5600
             2 6000
             1 6500
             1 10000
             1 12000
             1 21273
             1 27000
1,456 .
      4 .c
mean:  3180.86
std. dev: 5041.87

percentiles:    10%    25%    50%    75%    90%
                125    500    1250    3750    6250
    
```

ce17b_2 Where does this child take special education or supplementary 2 (unavailable)

type: string (**str99**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ce17ba_2 Type 2

type: numeric (**byte**)
 label: **ce17ba_1**
 range: [1,5] units: 1
 unique values: 2 missing .: 1,508/1,510
 tabulation: Freq. Numeric Label
 1 1 Study at school: organized by
 the school
 1 5 Study at the teacher's home
 1,508 .

ce17c_2 What subjects? (Record all answers) 2

type: string (**str33**), but longest is str17
 unique values: 2 missing "": 1,508/1,510
 tabulation: Freq. Value
 1,508 ""
 1 "Assorted Subjects"
 1 "Sports"
 warning: variable has embedded blanks

ce17ca_2 Other such as 2

type: string (**str58**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ce17d_2 Number of days of study per year 2

type: numeric (**int**)
 range: [4,15] units: 1
 unique values: 2 missing .: 1,508/1,510
 tabulation: Freq. Value
 1 4
 1 15
 1,508 .
 mean: 9.5
 std. dev: 7.77817
 percentiles: 10% 25% 50% 75% 90%
 4 4 9.5 15 15

ce17e_2 **Expense per year? 2**

```

type: numeric (int)
range: [800,1750]           units: 10
unique values: 2           missing .: 1,508/1,510

tabulation: Freq. Value
              1 800
              1 1750
            1,508 .
mean:        1275
std. dev:    671.751

percentiles:    10%    25%    50%    75%    90%
                800    800    1275   1750   1750
    
```

ce14 **Interviewer note (not display)**

```

type: string (str834), but longest is str0
unique values: 0           missing "": 1,510/1,510

tabulation: Freq. Value
            1,510 ""
    
```

ce4b1_oth **ce4b1_oth**

```

type: string (str1), but longest is str0
unique values: 0           missing "": 1,510/1,510

tabulation: Freq. Value
            1,510 ""
    
```

ce4b2_oth **ce4b2_oth**

```

type: string (str1), but longest is str0
unique values: 0           missing "": 1,510/1,510

tabulation: Freq. Value
            1,510 ""
    
```

ce4b3_oth **ce4b3_oth**

```

type: string (str1), but longest is str0
unique values: 0           missing "": 1,510/1,510

tabulation: Freq. Value
            1,510 ""
    
```

ce2e **Borrowed a story book from the child development center**

```

type: numeric (float)
label: ce2e
    
```

range: [1,3] units: 1
 unique values: 2 missing .: 141/1,510
 unique missing codes: 2 missing *: 7/1,510

tabulation:	Freq.	Numeric	Label
	244	1	yes
	1,118	3	no
	141	.	
	7	.c	

ce2f Borrowed a story book : times

type: numeric (float)

range: [1,5] units: 1
 unique values: 5 missing .: 1,259/1,510
 unique missing codes: 2 missing *: 7/1,510

tabulation:	Freq.	Value
	55	1
	19	2
	18	3
	8	4
	144	5
	1,259	.
	7	.c
mean:	3.68443	
std. dev:	1.70777	

percentiles:	10%	25%	50%	75%	90%
	1	2	5	5	5

ce2f_yearly Code of frequency (yearly)

type: numeric (float)

range: [1,200] units: 1
 unique values: 11 missing .: 1,259/1,510
 unique missing codes: 2 missing *: 7/1,510

tabulation:	Freq.	Value
	3	1
	1	3
	1	4
	9	9
	4	18
	1	27
	42	40
	15	80
	16	120
	7	160
	145	200
	1,259	.
	7	.c
mean:	143.893	
std. dev:	73.8	

percentiles:	10%	25%	50%	75%	90%
	40	60	200	200	200

ce2g Borrowed a story book : frequency

type: string (str30), but longest is str21

unique values: 6 missing "": 1,259/1,510
 unique missing codes: 2 missing *: 7/1,510

```

tabulation:  Freq.  Value
              1,259  ""
              7    "DK"
              1    "daily"
              14   "monthly"
              223  "weekly"
              5    "yearly"
              1    "ส่งหนังสือ"
    
```

ce2h **Borrowed a story book code**

type: numeric (float)
 label: ce2h
 range: [1,9] units: 1
 unique values: 4 missing .: 1,259/1,510
 unique missing codes: 2 missing *: 7/1,510

```

tabulation:  Freq.  Numeric  Label
              1         1    daily
              224        3    weekly
              14         5    monthly
              5          9    yearly
              1,259        .
              7           .c
    
```

ce8 **Sending a child-development record by school**

type: numeric (float)
 label: ce8
 range: [1,3] units: 1
 unique values: 2 missing .: 141/1,510
 unique missing codes: 2 missing *: 4/1,510

```

tabulation:  Freq.  Numeric  Label
              22         1    yes
              1,343       3    no
              141         .
              4           .c
    
```

ce8a **Number of times : sending a child-development record by school**

type: numeric (float)
 range: [1,4] units: 1
 unique values: 3 missing .: 1,484/1,510
 unique missing codes: 2 missing *: 4/1,510

```

tabulation:  Freq.  Value
              18     1
              3     2
              1     4
              1,484 .
              4     .c
    mean:    1.27273
    std. dev: .7025
    
```

percentiles: 10% 25% 50% 75% 90%

 1 1 1 1 2

ce8a_yearly **Code of frequency (yearly)**

```

type: numeric (float)
range: [1,40]
unique values: 5
unique missing codes: 2
units: 1
missing .: 1,484/1,510
missing *: 4/1,510

tabulation: Freq. Value
             12  1
              3  2
              1  4
              3  9
              3 40
            1,484 .
              4  .c
mean:       7.68182
std. dev:   13.4249

percentiles:    10%    25%    50%    75%    90%
                1      1      1      9     40
    
```

ce8b **Frequency of a child-development record has ever sent (not display)**

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq. Value
            1,510 ""
    
```

ce8ba **Code of frequency**

```

type: numeric (float)
label: ce8ba
range: [3,9]
unique values: 3
unique missing codes: 2
units: 1
missing .: 1,484/1,510
missing *: 4/1,510

tabulation: Freq. Numeric Label
             3         3 weekly
             3         5 monthly
            16         9 yearly
            1,484 .
              4         .c
    
```

year_survey **year survey**

```

type: numeric (float)
range: [2017,2017]
unique values: 1
units: 1
missing .: 0/1,510

tabulation: Freq. Value
            1,510 2017
mean:       2017
std. dev:   0

percentiles:    10%    25%    50%    75%    90%
                2017  2017  2017  2017  2017
    
```

survey_name	survey round
--------------------	---------------------

type: string (**str12**)

unique values: **1** missing "": **0/1,510**

tabulation: Freq. Value
1,510 "RESURVEY2017"

2 . log close
name: **<unnamed>**
log: **V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\b5.scm1**
log type: **smcl**
closed on: **7 Nov 2024, 13:04:06**
