



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2017\b6.scml
log type: smcl
opened on: 7 Nov 2024, 13:03:01
    
```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b6_run.dta
Last saved: 7 Nov 2024 13:02
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 72
Number of observations: 1,510
Size: 1,339,370 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

cid **children id**

```

type: string (str18)
unique values: 1,510 missing "": 0/1,510
examples: "201591160604209H1"
           "201691131001997H1"
           "201691160105067H1"
           "201691161708058H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,510
tabulation: Freq. Value
             553 "2015"
             957 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,286 missing "": 0/1,510
 examples: "201591160604209"
 "201691131001097"
 "201691160105068"
 "201691161708058"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,510
 tabulation: Freq. Value
 1,365 "91"
 145 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,510
 tabulation: Freq. Value
 1 "09"
 145 "12"
 266 "13"
 129 "14"
 148 "15"
 557 "16"
 40 "17"
 224 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,510
 tabulation: Freq. Value
 65 "01"
 229 "02"
 123 "04"
 63 "05"
 57 "06"
 66 "07"
 64 "08"
 97 "09"
 138 "10"
 93 "11"
 154 "13"
 47 "14"
 151 "15"
 106 "17"
 57 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,510

```

tabulation:  Freq.  Value
              158  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              157  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8  "17"
              12  "18"
              26  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type:  string (str3)
unique values: 185           missing "": 0/1,510
examples: "011"
          "035"
          "071"
          "149"
    
```

cd1 **Can walk up stairs alternating feet (child age less than 5 years old)**

```

type:  numeric (byte)
label:  cd1
range:  [0,5]           units: 1
unique values: 4           missing .: 499/1,510
tabulation:  Freq.  Numeric  Label
              64    0  not happened
              121   1  never
              227   3  sometimes
              599   5  usually
              499   .
    
```

cd2 **Can hold a pencil or other writing correctly (child age under 5 years old)**

```

type:  numeric (byte)
label:  cd2
range:  [0,5]           units: 1
unique values: 4           missing .: 499/1,510
tabulation:  Freq.  Numeric  Label
              8     0  not happened
              183   1  never
              195   3  sometimes
              625   5  usually
              499   .
    
```

cd3 Can pour water into a cup or bowl without spilling it. (child age under 5 years

```

type: numeric (byte)
label: cd3

range: [0,5]          units: 1
unique values: 4      missing .. 499/1,510

tabulation: Freq.   Numeric  Label
              17      0  not happened
              209     1  never
              465     3  sometimes
              320     5  usually
              499     .
    
```

cd4 Can use a spoon to eat by themselves without spilling. (child age under 5 years

```

type: numeric (byte)
label: cd4

range: [0,5]          units: 1
unique values: 4      missing .. 499/1,510

tabulation: Freq.   Numeric  Label
              4      0  not happened
              217     1  never
              535     3  sometimes
              255     5  usually
              499     .
    
```

cd5 Can tell the way back home from a nearby location. (child age under 5 years old)

```

type: numeric (byte)
label: cd5

range: [0,5]          units: 1
unique values: 4      missing .. 499/1,510

tabulation: Freq.   Numeric  Label
              42      0  not happened
              158     1  never
              178     3  sometimes
              633     5  usually
              499     .
    
```

cd6 Can brush teeth by themselves. (child age under 5 years old)

```

type: numeric (byte)
label: cd6

range: [0,5]          units: 1
unique values: 4      missing .. 499/1,510
unique missing codes: 2  missing *: 2/1,510

tabulation: Freq.   Numeric  Label
              3      0  not happened
              128     1  never
              225     3  sometimes
              653     5  usually
              499     .
              2      .c
    
```

cd11 The child can follow simple rules such as queuing to buy things or to use the ba

```

type: numeric (byte)
label: cd11

range: [0,5]          units: 1
unique values: 4      missing .. 499/1,510

tabulation: Freq.   Numeric  Label
             27      0      not happened
             138     1      never
             430     3      sometimes
             416     5      usually
             499     .
    
```

cd13 The child can tell whether he/she likes or dislikes things or activity.

```

type: numeric (byte)
label: cd13

range: [0,5]          units: 1
unique values: 4      missing .. 499/1,510

tabulation: Freq.   Numeric  Label
             11      0      not happened
             121     1      never
             208     3      sometimes
             671     5      usually
             499     .
    
```

cd15 Child often show off their work to make others feel that they are talented (chil

```

type: numeric (byte)
label: cd15

range: [0,5]          units: 1
unique values: 4      missing .. 499/1,510

tabulation: Freq.   Numeric  Label
             18      0      not happened
             170     1      never
             309     3      sometimes
             514     5      usually
             499     .
    
```

cd17 Can tell a story that happened in their daily lives (child age under 5 years old

```

type: numeric (byte)
label: cd17

range: [0,5]          units: 1
unique values: 4      missing .. 499/1,510

tabulation: Freq.   Numeric  Label
             10      0      not happened
             233     1      never
             326     3      sometimes
             442     5      usually
             499     .
    
```

cd18 Child always doubt and question on the things they interests (child age under 5

```

type: numeric (byte)
label: cd18

range: [0,5]
unique values: 4
units: 1
missing .. 499/1,510

tabulation: Freq.  Numeric  Label
              2          0  not happened
             138         1  never
             218         3  sometimes
             653         5  usually
             499          .
    
```

cd19 Can listen to adults reading books (not story books) at least 5 minutes. (child

```

type: numeric (byte)
label: cd19

range: [0,5]
unique values: 4
unique missing codes: 2
units: 1
missing .. 499/1,510
missing *: 1/1,510

tabulation: Freq.  Numeric  Label
              66          0  not happened
             371         1  never
             384         3  sometimes
             189         5  usually
             499          .
              1          .d
    
```

cd22 Can arrange a word into a sentence correctly (child age under 5 years old)

```

type: numeric (byte)
label: cd22

range: [0,5]
unique values: 4
units: 1
missing .. 499/1,510

tabulation: Freq.  Numeric  Label
              4          0  not happened
             84         1  never
            157         3  sometimes
             766         5  usually
             499          .
    
```

cd24 The child can tell meaning and what to do when seeing the sign in the daily life

```

type: numeric (byte)
label: cd24

range: [0,5]
unique values: 4
units: 1
missing .. 499/1,510

tabulation: Freq.  Numeric  Label
            100         0  not happened
            486         1  never
            156         3  sometimes
            269         5  usually
            499          .
    
```

cd25 The child can sing the whole song or almost the whole song

```

type: numeric (byte)
label: cd25

range: [0,5]          units: 1
unique values: 4      missing .. 499/1,510

tabulation: Freq.  Numeric  Label
              6          0  not happened
              356         1  never
              348         3  sometimes
              301         5  usually
              499         .
    
```

cd29 The child tidies up stuffs when he/she finished playing with them

```

type: numeric (byte)
label: cd29

range: [1,5]          units: 1
unique values: 3      missing .. 499/1,510

tabulation: Freq.  Numeric  Label
              319         1  never
              503         3  sometimes
              189         5  usually
              499         .
    
```

cd30 Child recognize and accept to apologize. when they do wrong or misbehaves (child

```

type: numeric (byte)
label: cd30

range: [0,5]          units: 1
unique values: 4      missing .. 499/1,510

tabulation: Freq.  Numeric  Label
              5          0  not happened
              301         1  never
              426         3  sometimes
              279         5  usually
              499         .
    
```

cd32 Can tell name and surname (child age under 5 years old)

```

type: numeric (byte)
label: cd32

range: [0,5]          units: 1
unique values: 4      missing .. 499/1,510

tabulation: Freq.  Numeric  Label
              2          0  not happened
              231         1  never
              165         3  sometimes
              613         5  usually
              499         .
    
```

cd33 Child knows their age (child age under 5 years old)

```

type: numeric (byte)
label: cd33
    
```

range: [0,5] units: 1
 unique values: 4 missing : 499/1,510

tabulation:	Freq.	Numeric	Label
	44	0	not happened
	770	1	never
	93	3	sometimes
	104	5	usually
	499	.	.

cd34 Child knows their gender (child age under 5 years old)

type: numeric (byte)
 label: cd34

range: [0,5] units: 1
 unique values: 4 missing : 499/1,510

tabulation:	Freq.	Numeric	Label
	22	0	not happened
	154	1	never
	97	3	sometimes
	738	5	usually
	499	.	.

cd35 The child can wash and wipe their hands by themselves, while the adult help turn

type: numeric (byte)
 label: cd35

range: [0,5] units: 1
 unique values: 4 missing : 499/1,510

tabulation:	Freq.	Numeric	Label
	1	0	not happened
	42	1	never
	148	3	sometimes
	820	5	usually
	499	.	.

cd36 Can dress byself exclude tying shoelaces and button up back (child age under 5 y

type: numeric (byte)
 label: cd36

range: [0,5] units: 1
 unique values: 4 missing : 499/1,510

tabulation:	Freq.	Numeric	Label
	1	0	not happened
	461	1	never
	347	3	sometimes
	202	5	usually
	499	.	.

cd37 The child can count numbers loudly up to 10

type: numeric (byte)
 label: cd37

range: [0,5] units: 1
 unique values: 4 missing : 499/1,510


```

tabulation:  Freq.  Numeric  Label
              2       0  not happened
              175     1  never
              142     3  sometimes
              692     5  usually
              499     .
    
```

cd38 The child can draw well enough that the elder can recognize it as male or female

```

type: numeric (byte)
label: cd38

range: [0,5]          units: 1
unique values: 4      missing .: 499/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              59     0  not happened
              818     1  never
              78      3  sometimes
              56      5  usually
              499     .
    
```

cd39 The child can tell at least 8 colors correctly

```

type: numeric (byte)
label: cd39

range: [0,5]          units: 1
unique values: 4      missing .: 499/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              44     0  not happened
              517     1  never
              117     3  sometimes
              333     5  usually
              499     .
    
```

cd40 Can easily calculate by using object or doing mental arithmetic (child age under

```

type: numeric (byte)
label: cd40

range: [0,5]          units: 1
unique values: 4      missing .: 499/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              44     0  not happened
              830     1  never
              90      3  sometimes
              47      5  usually
              499     .
    
```

cd41 Can count amount of object more than 10 pieces and tell correctly number (child

```

type: numeric (byte)
label: cd41

range: [0,5]          units: 1
unique values: 4      missing .: 499/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              47      0  not happened
              696     1  never
              155     3  sometimes
              113     5  usually
              499     .
    
```

cd42 The child can write at least 5 Thai alphabets

```

type: numeric (byte)
label: cd42

range: [0,5]          units: 1
unique values: 4      missing .: 499/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              19      0  not happened
              861     1  never
              52      3  sometimes
              79      5  usually
              499     .
    
```

cd43 Can spell word by letter spelling not memorizing (child age under 5 years old)

```

type: numeric (byte)
label: cd43

range: [0,5]          units: 1
unique values: 4      missing .: 499/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              21      0  not happened
              941     1  never
              35      3  sometimes
              14      5  usually
              499     .
    
```

cd44 The child can use fingers to work on things that consist of many steps , e.g. us

```

type: numeric (byte)
label: cd44

range: [0,5]          units: 1
unique values: 4      missing .: 499/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              104     0  not happened
              775     1  never
              83      3  sometimes
              49      5  usually
              499     .
    
```

cd31 Interviewer note (unavailable)

```

type: string (str432), but longest is str0
unique values: 0      missing "": 1,510/1,510

tabulation:  Freq.  Value
              1,510  ""
    
```

ef4 The child can follow simple rules such as queuing to buy things or to use the ba

```

type: numeric (byte)
label: ef4

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,011/1,510
missing *: 1/1,510

tabulation: Freq.  Numeric  Label
              31         0  not encounter
              8          1  unable
              119        3  sometimes
              340        5  usually
            1,011        .
              1          .a
    
```

vn5 The child uses violence and aggression to solve problems when something is dissa

```

type: numeric (byte)
label: ef4

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,011/1,510
missing *: 1/1,510

tabulation: Freq.  Numeric  Label
              3         0  not encounter
             166        1  unable
             244        3  sometimes
              85        5  usually
            1,011        .
              1          .a
    
```

ef5 The child can suppress the desires even if he/she wants that thing

```

type: numeric (byte)
label: ef4

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,011/1,510
missing *: 1/1,510

tabulation: Freq.  Numeric  Label
              2         0  not encounter
              98        1  unable
             235        3  sometimes
             163        5  usually
            1,011        .
              1          .a
    
```

ef9 The child can accept the reason and is not angry when the plan is changed

```

type: numeric (byte)
label: ef4

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,011/1,510
missing *: 1/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              1      0  not encounter
              59      1  unable
              240     3  sometimes
              198     5  usually
            1,011     .
              1      .a
    
```

vn7 **The child is obedient**

```

type: numeric (byte)
label: ef4

range: [1,5]                units: 1
unique values: 3            missing .: 1,011/1,510
unique missing codes: 2    missing *: 1/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              12      1  unable
              281     3  sometimes
              205     5  usually
            1,011     .
              1      .a
    
```

ef7 **The child quits playing when he/she is told to do something else**

```

type: numeric (byte)
label: ef4

range: [0,5]                units: 1
unique values: 4            missing .: 1,011/1,510
unique missing codes: 2    missing *: 1/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              2      0  not encounter
              51      1  unable
              268     3  sometimes
              177     5  usually
            1,011     .
              1      .a
    
```

ef14 **The child sits still and listens attentively to adult telling 1 -2 stories unti**

```

type: numeric (byte)
label: ef4

range: [0,5]                units: 1
unique values: 4            missing .: 1,011/1,510
unique missing codes: 2    missing *: 1/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              21      0  not encounter
              112     1  unable
              175     3  sometimes
              190     5  usually
            1,011     .
              1      .a
    
```

ef19 **The child acts immediately without delay when he/she intends to do something**

```

type: numeric (byte)
label: ef4
    
```

range: [0,5] units: 1
 unique values: 4 missing .: 1,011/1,510
 unique missing codes: 2 missing *: 1/1,510

tabulation:	Freq.	Numeric	Label
	4	0	not encounter
	46	1	unable
	183	3	sometimes
	265	5	usually
	1,011	.	.
	1	.a	.a

vn16 The child is adaptable and not scared when going to a new place or meeting new p

type: numeric (byte)
 label: ef4

range: [0,5] units: 1
 unique values: 4 missing .: 1,011/1,510
 unique missing codes: 2 missing *: 1/1,510

tabulation:	Freq.	Numeric	Label
	1	0	not encounter
	61	1	unable
	156	3	sometimes
	280	5	usually
	1,011	.	.
	1	.a	.a

vn17 The child is kind to younger children (exclude siblings in the household)

type: numeric (byte)
 label: ef4

range: [0,5] units: 1
 unique values: 4 missing .: 1,011/1,510
 unique missing codes: 2 missing *: 1/1,510

tabulation:	Freq.	Numeric	Label
	7	0	not encounter
	20	1	unable
	149	3	sometimes
	322	5	usually
	1,011	.	.
	1	.a	.a

vn18 The child tells a lie

type: numeric (byte)
 label: ef4

range: [0,5] units: 1
 unique values: 4 missing .: 1,011/1,510
 unique missing codes: 2 missing *: 1/1,510

tabulation:	Freq.	Numeric	Label
	12	0	not encounter
	235	1	unable
	227	3	sometimes
	24	5	usually
	1,011	.	.
	1	.a	.a

ef23 The child tidies up and can look for stuffs later

```

type: numeric (byte)
label: ef4

range: [0,5]                units: 1
unique values: 4             missing .: 1,011/1,510
unique missing codes: 2     missing *: 1/1,510

tabulation: Freq.  Numeric  Label
              2          0  not encounter
              173         1  unable
              203         3  sometimes
              120         5  usually
            1,011         .
              1          .a
    
```

vn19 The child is bullied by other children (excluding siblings in the household)

```

type: numeric (byte)
label: ef4

range: [0,5]                units: 1
unique values: 4             missing .: 1,011/1,510
unique missing codes: 2     missing *: 1/1,510

tabulation: Freq.  Numeric  Label
              25         0  not encounter
              127         1  unable
              266         3  sometimes
              80          5  usually
            1,011         .
              1          .a
    
```

vn20 The child often volunteers to help others

```

type: numeric (byte)
label: ef4

range: [0,5]                units: 1
unique values: 4             missing .: 1,011/1,510
unique missing codes: 2     missing *: 1/1,510

tabulation: Freq.  Numeric  Label
              12         0  not encounter
              46         1  unable
              274         3  sometimes
              166         5  usually
            1,011         .
              1          .a
    
```

exp_a9 The child can accurately describe a wide range of emotions such as disappointed,

```

type: numeric (byte)
label: ef4

range: [0,5]                units: 1
unique values: 4             missing .: 1,011/1,510
unique missing codes: 2     missing *: 1/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              14      0  not encounter
              57      1  unable
              183     3  sometimes
              244     5  usually
            1,011     .
              1      .a
    
```

vn22 **The child steals things from home,school or anywhere else**

```

type: numeric (byte)
label: ef4

range: [0,5]          units: 1
unique values: 4      missing .: 1,011/1,510
unique missing codes: 2  missing *: 1/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              11      0  not encounter
             453      1  unable
              33      3  sometimes
               1      5  usually
            1,011     .
              1      .a
    
```

exp_a3 **The child can use complex words to talk about possibilities**

```

type: numeric (byte)
label: ef4

range: [0,5]          units: 1
unique values: 4      missing .: 1,011/1,510
unique missing codes: 2  missing *: 1/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              33      0  not encounter
             199      1  unable
             189      3  sometimes
              77      5  usually
            1,011     .
              1      .a
    
```

vn25 **The child can finish what he/she is doing without giving up**

```

type: numeric (byte)
label: ef4

range: [1,5]          units: 1
unique values: 3      missing .: 1,011/1,510
unique missing codes: 2  missing *: 1/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              52      1  unable
             192      3  sometimes
             254      5  usually
            1,011     .
              1      .a
    
```

vn1 **The child is considerate**

```

type: numeric (byte)
label: ef4
    
```

range: [0,5] units: 1
 unique values: 4 missing .: 1,011/1,510
 unique missing codes: 2 missing *: 1/1,510

tabulation:	Freq.	Numeric	Label
	18	0	not encounter
	85	1	unable
	221	3	sometimes
	174	5	usually
	1,011	.	.
	1	.a	.a

vn6 The child often plays alone

type: numeric (byte)
 label: ef4

range: [1,5] units: 1
 unique values: 3 missing .: 1,011/1,510
 unique missing codes: 2 missing *: 1/1,510

tabulation:	Freq.	Numeric	Label
	240	1	unable
	173	3	sometimes
	85	5	usually
	1,011	.	.
	1	.a	.a

ef11 The child takes time to deal with disappointment

type: numeric (byte)
 label: ef4

range: [0,5] units: 1
 unique values: 4 missing .: 1,011/1,510
 unique missing codes: 2 missing *: 1/1,510

tabulation:	Freq.	Numeric	Label
	1	0	not encounter
	345	1	unable
	94	3	sometimes
	58	5	usually
	1,011	.	.
	1	.a	.a

ef12 The child is over excited when doing what he/ she likes

type: numeric (byte)
 label: ef4

range: [1,5] units: 1
 unique values: 3 missing .: 1,011/1,510
 unique missing codes: 2 missing *: 1/1,510

tabulation:	Freq.	Numeric	Label
	179	1	unable
	134	3	sometimes
	185	5	usually
	1,011	.	.
	1	.a	.a

vn12 The child quarrels with or bullies other children (excluding siblings in the hou


```

type: numeric (byte)
label: ef4

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,011/1,510
missing *: 1/1,510

```

tabulation:	Freq.	Numeric	Label
	15	0	not encounter
	320	1	unable
	152	3	sometimes
	11	5	usually
	1,011	.	
	1	.a	

vn13 The child is depressed or cries easily

```

type: numeric (byte)
label: ef4

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,011/1,510
missing *: 1/1,510

```

tabulation:	Freq.	Numeric	Label
	2	0	not encounter
	281	1	unable
	125	3	sometimes
	90	5	usually
	1,011	.	
	1	.a	

vn14 The child is generally liked by other children. (excluding siblings in the house)

```

type: numeric (byte)
label: ef4

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,011/1,510
missing *: 1/1,510

```

tabulation:	Freq.	Numeric	Label
	4	0	not encounter
	36	1	unable
	164	3	sometimes
	294	5	usually
	1,011	.	
	1	.a	

exp_a10 The child can mediate when other children are arguing

```

type: numeric (byte)
label: ef4

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,011/1,510
missing *: 1/1,510

```

tabulation:	Freq.	Numeric	Label
	131	0	not encounter
	161	1	unable
	163	3	sometimes
	43	5	usually
	1,011	.	
	1	.a	

vn23 The child can get along with adults better than with children (excluding sibling

```

type: numeric (byte)
label: ef4

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,011/1,510
missing *: 1/1,510

tabulation: Freq.  Numeric  Label
              5          0  not encounter
              134         1  unable
              143         3  sometimes
              216         5  usually
            1,011         .
              1          .a
    
```

vn24 The child is easily frightened and afraid of various things

```

type: numeric (byte)
label: ef4

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,011/1,510
missing *: 1/1,510

tabulation: Freq.  Numeric  Label
              1          0  not encounter
             254         1  unable
             151         3  sometimes
              92         5  usually
            1,011         .
              1          .a
    
```

vn29 In general, do you think this child has problems with emotions, concentration, b

```

type: numeric (byte)
label: vn29

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,011/1,510
missing *: 1/1,510

tabulation: Freq.  Numeric  Label
              83         1  yes
             415         3  no
            1,011         .
              1          .a
    
```

vn29a To what extent do you think the child has this problem?

```

type: numeric (byte)
label: vn29a

range: [1,5]
unique values: 3
unique missing codes: 2

units: 1
missing .: 1,426/1,510
missing *: 1/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              73      1      A little
              9       3      Much
              1       5      Severely
            1,426      .
              1       .a
    
```

note **Interviewer note (unavailable)**

```

type:  string (str331), but longest is str0
unique values:  0          missing "":  1,510/1,510
tabulation:  Freq.  Value
            1,510  ""
    
```

year_survey **year survey**

```

type:  numeric (float)
range:  [2017,2017]          units:  1
unique values:  1          missing .:  0/1,510
tabulation:  Freq.  Value
            1,510  2017
mean:        2017
std. dev:    0
percentiles:  10%    25%    50%    75%    90%
              2017   2017   2017   2017   2017
    
```

survey_name **survey round**

```

type:  string (str12)
unique values:  1          missing "":  0/1,510
tabulation:  Freq.  Value
            1,510  "RESURVEY2017"
    
```

```

2 . log close
   name:  <unnamed>
   log:   V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\2017\b6.scml
   log type:  smcl
   closed on:  7 Nov 2024, 13:03:05
    
```
