



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey2019/codebook\a1.smcl
log type: smcl
opened on: 7 Nov 2024, 16:54:18

```

1 . codebookr _all,all

```

> run.dta
Dataset: V:\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey2019/codebook\a1_
Last saved: 7 Nov 2024 16:54

```

```

Label: [none]
Number of variables: 142
Number of observations: 4,402
Size: 14,438,560 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

pid **personal id**

```

type: string (str18)
unique values: 4,402 missing "": 0/4,402
examples: "201591160603001H2"
           "201691130216020H3"
           "201691160104104H4"
           "201691161706078H3"

```

hhid **household id**

```

type: string (str15)
unique values: 1,230 missing "": 0/4,402
examples: "201591160603001"
           "201691130216020"
           "201691160104104"
           "201691161706078"

```

iyear **year**

```

type: string (str9), but longest is str4

```

unique values: 2 missing "": 0/4,402
 tabulation: Freq. Value
 1,677 "2015"
 2,725 "2016"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/4,402
 tabulation: Freq. Value
 4,003 "91"
 399 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/4,402
 tabulation: Freq. Value
 3 "09"
 396 "12"
 781 "13"
 333 "14"
 463 "15"
 1,621 "16"
 113 "17"
 692 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/4,402
 tabulation: Freq. Value
 215 "01"
 638 "02"
 405 "04"
 152 "05"
 171 "06"
 181 "07"
 182 "08"
 321 "09"
 389 "10"
 290 "11"
 424 "13"
 164 "14"
 428 "15"
 288 "17"
 154 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/4,402

```

tabulation:  Freq.  Value
              459  "01"
              227  "02"
              401  "03"
              471  "04"
              337  "05"
              497  "06"
              224  "07"
              429  "08"
              280  "09"
              219  "10"
              181  "11"
              115  "12"
              124  "13"
               29  "14"
               23  "15"
              120  "16"
               48  "17"
               36  "18"
              103  "19"
               3   "20"
               58  "22"
               18  "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 182           missing "": 0/4,402
examples: "010"
          "033"
          "069"
          "157"
    
```

memberid **Member ID in the household**

```

type: string (str3)
unique values: 12           missing "": 0/4,402
tabulation:  Freq.  Value
              26  "H10"
              17  "H11"
               4  "H12"
               3  "H13"
            1,090 "H2"
            1,052 "H3"
              808 "H4"
              594 "H5"
              411 "H6"
              228 "H7"
              117 "H8"
               52 "H9"
    
```

nickname **Nickname (unavailable)**

```

type: string (str30), but longest is str0
unique values: 0           missing "": 4,402/4,402
tabulation:  Freq.  Value
            4,402  ""
    
```

alive **Is this members still alive**

```

type: numeric (byte)
label: alive

range: [1,3]
unique values: 2
units: 1
missing .. 0/4,402

tabulation: Freq.   Numeric   Label
              4,381       1   live
              21         3   dead
    
```

istudy2 **In the past month, did you study?**

```

type: numeric (byte)
label: istudy2

range: [1,3]
unique values: 2
unique missing codes: 3
units: 1
missing .. 21/4,402
missing *: 11/4,402

tabulation: Freq.   Numeric   Label
              781       1   yes
              3,589     3   no
              21         .
              2         .a
              9         .d
    
```

iwork2 **In the past month, did you work as contractor, in trading or farming (excluding**

```

type: numeric (byte)
label: iwork2

range: [1,3]
unique values: 2
unique missing codes: 3
units: 1
missing .. 21/4,402
missing *: 11/4,402

tabulation: Freq.   Numeric   Label
              2,914       1   yes
              1,456       3   no
              21         .
              2         .a
              9         .d
    
```

dmonthwork2_1 **In the past month, what was the average number of days per month you worked as a**

```

type: numeric (byte)

range: [1,30]
unique values: 30
unique missing codes: 4
units: 1
missing .. 759/4,402
missing *: 51/4,402
    
```

```

tabulation:  Freq.  Value
              33    1
              63    2
              44    3
              47    4
              44    5
              17    6
              28    7
              13    8
              22    9
              45   10
              49   11
              10   12
              37   13
              14   14
              82   15
              10   16
              27   17
               7   18
              20   19
              61   20
               7   21
             841   22
              14   23
               7   24
              30   25
             327   26
              23   27
              31   28
              16   29
            1,623  30
              759  .
               1  .a
              31  .c
              19  .d
    mean:      23.8569
std. dev:     7.87861

```

```

percentiles:      10%      25%      50%      75%      90%
                  11       22       26       30       30

```

dmonthwork2_hr

In the past month, what was the average number of hours per day you worked as a

```

type: numeric (byte)
range: [0,18]
unique values: 19
unique missing codes: 4
units: 1
missing .: 759/4,402
missing *: 128/4,402

```

```

tabulation:  Freq.  Value
              80    0
             172    1
             189    2
             163    3
             150    4
             117    5
             183    6
             334    7
             628    8
             707    9
             351   10
             148   11
             111   12
              81   13
              51   14
              30   15
              14   16
               4   17
               2   18

```

```

              759 .
              1 .a
             112 .c
              15 .d
    mean:     7.41451
    std. dev: 3.36167

    percentiles:    10%    25%    50%    75%    90%
                   2      6      8      9     11
    
```

dmonthwork2_mi

In the past month, what was the average number of hours per day you worked as a

```

    type: numeric (byte)

    range: [0,50]           units: 1
    unique values: 14       missing .: 759/4,402
    unique missing codes: 4 missing *: 128/4,402
    
```

```

    tabulation:  Freq.  Value
                 2,201  0
                   1  2
                   2  3
                   7  5
                   1  8
                  15 10
                   1 11
                  15 15
                  22 20
                   1 25
                 1,213 30
                   12 40
                   10 45
                   14 50
                   759 .
                   1 .a
                  112 .c
                   15 .d
    mean:       11.0731
    std. dev:   14.6078
    
```

```

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0     30     30
    
```

isleep2_hr

In the past month, what was the average number of hours you slept per day? (unit

```

    type: numeric (byte)

    range: [2,14]           units: 1
    unique values: 13       missing .: 21/4,402
    unique missing codes: 4 missing *: 278/4,402
    
```

```

    tabulation:  Freq.  Value
                 1  2
                 11  3
                 27  4
                 93  5
                 217 6
                 694 7
                1,267 8
                1,085 9
                 552 10
                 119 11
                 29 12
                   6 13
                   2 14
                   21 .
    
```

```

          1 .a
        262 .c
         15 .d
    mean:  8.27492
  std. dev: 1.38617

percentiles:    10%    25%    50%    75%    90%
                7      7      8      9     10

```

isleep2_mi
 In the past month, what was the average number of hours you slept per day? (unit

```

type: numeric (byte)

range: [0,55]          units: 1
unique values: 11      missing .: 21/4,402
unique missing codes: 4  missing *: 278/4,402

```

```

tabulation:  Freq.  Value
             2,514  0
              1    3
              1    5
              1   10
              4   15
              4   20
            1,556  30
             12   40
              5   45
              4   50
              1   55
             21   .
              1   .a
             262   .c
              15   .d
    mean:    11.6495
  std. dev:  14.7179

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0     30     30

```

iactivity2a_hr
 In the past month, on study day/work day What was the average number of hours pe

```

type: numeric (byte)

range: [0,15]          units: 1
unique values: 16      missing .: 21/4,402
unique missing codes: 5  missing *: 1,134/4,402

```

```

tabulation:  Freq.  Value
             406  0
            1,648  1
             560  2
             271  3
             133  4
              95  5
              61  6
              30  7
              15  8
               6  9
               4 10
               2 11
               1 12
               4 13
               5 14
               6 15
             21  .
              1  .a

```

```

              738 .b
              369 .c
              26  .d
    mean:     1.73206
    std. dev: 1.75457

    percentiles:    10%    25%    50%    75%    90%
                   0      1      1      2      4
    
```

iactivity2a_mi

In the past month, on study day/work day What was the average number of hours pe

```

    type: numeric (double)

    range: [0,55]
    unique values: 20
    unique missing codes: 5

    units: .1
    missing .: 21/4,402
    missing *: 1,134/4,402
    
```

```

    tabulation: Freq. Value
                2,346 0
                 1  1
                 4  2
                 6  3
                 1 3.5
                 1  4
                 3  8
                14 10
                 6 15
                 9 20
                 3 25
                 1 26
                 1 27
                831 30
                 1 35
                 5 40
                 8 45
                 1 49
                 4 50
                 1 55
                21 .
                 1 .a
                738 .b
                369 .c
                 26 .d
    
```

```

    mean: 8.13844
    std. dev: 13.4087
    
```

```

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      30     30
    
```

iactivity2b_hr

In the past month, on holidays What was the average number of hours per day you

```

    type: numeric (byte)

    range: [0,19]
    unique values: 20
    unique missing codes: 5

    units: 1
    missing .: 21/4,402
    missing *: 1,938/4,402
    
```



```

tabulation:  Freq.  Value
              117    0
              369    1
              377    2
              257    3
              161    4
              143    5
               84    6
               58    7
               78    8
               21    9
               36   10
               17   11
               58   12
              152   13
              242   14
              171   15
               73   16
               22   17
                6   18
                1   19
               21  .
                1  .a
             1,623  .b
              285  .c
               29  .d
    mean:      6.47442
    std. dev:  5.48429
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  1         2         4         13         15
    
```

iactivity2b_mi

In the past month, on holidays What was the average number of hours per day you

```

type:  numeric (byte)
range:  [0,55]
unique values:  14
unique missing codes:  5
units:  1
missing .:  21/4,402
missing *:  1,938/4,402
    
```

```

tabulation:  Freq.  Value
              1,497    0
                1    3
                1    5
                3   10
                3   15
                2   20
                1   26
               918   30
                1   35
                4   40
                4   45
                4   50
                1   54
                3   55
               21  .
                1  .a
             1,623  .b
              285  .c
               29  .d
    mean:      11.659
    std. dev:  14.792
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         30         30
    
```



```

tabulation:  Freq.  Numeric  Label
              1,535      1  yes
              2,068      3  no
              787        .
              1          .a
              1          .c
              10         .d
    
```

position3_1 Job 1, please specify the job title/position (not display)

```

type: string (str159), but longest is str0
unique values: 0 missing "": 4,402/4,402
tabulation:  Freq.  Value
              4,402  ""
    
```

jcode3_1 Job ID 1

```

type: string (str2)
unique values: 4 missing "": 2,866/4,402
tabulation:  Freq.  Value
              2,866  ""
              1,318  "J4"
              185    "J5"
              28     "J6"
              5      "J7"
    
```

typework3_1 What is the working status? (job 1)

```

type: numeric (byte)
label: typework3_1
range: [1,7] units: 1
unique values: 4 missing .: 2,866/4,402
tabulation:  Freq.  Numeric  Label
              76     1  Legislators/Senior Government
              273     3  Officer/Manager
              484     5  Professional
              703     7  Technician and professional in
              2,866    .  related field
              703     7  Office clerk
    
```

monthwork3_1 Since last interview, how many months did you work?

```

type: numeric (int)
range: [0,17] units: 1
unique values: 18 missing .: 2,866/4,402
unique missing codes: 3 missing *: 25/4,402
    
```

```

tabulation:  Freq.  Value
              3      0
             117     1
              81     2
              74     3
              35     4
              32     5
              46     6
              18     7
              20     8
              25     9
              31    10
              41    11
             798    12
            112    13
              34    14
              31    15
               6    16
               7    17
            2,866   .
              23   .c
               2   .d
    mean:      9.62078
    std. dev:  4.27155
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  2         6        12        12        13
    
```

daywork3_1

Since last interview, What was the average number of days you worked per month?

```

type:  numeric (double)
range: [0,30]
unique values: 33
unique missing codes: 4
units: .1
missing .: 2,866/4,402
missing *: 56/4,402
    
```

```

tabulation:  Freq.  Value
              3      0
             41     1
             65     2
               1    2.5
             63     3
               1    3.5
             69     4
             64     5
             24     6
             36     7
             19     8
             10     9
             75    10
             11    11
               2    12
             14    13
             16    14
             75    15
               6    16
               8    17
               7    18
               8    19
             68    20
               4    21
            211    22
               5    23
               7    24
             15    25
            298    26
             12    27
             30    28
             10    29
    
```

```

                202 30
            2,866 .
                1 .a
                54 .c
                1 .d
    mean:      17.9338
    std. dev:   9.86083
    
```

```

percentiles:    10%    25%    50%    75%    90%
                 3      8      22     26     30
    
```

pmonthwork3_1 Since last interview, what was the average amount you earned per month?

```

    type: numeric (long)
    range: [0,58390]
    unique values: 255
    unique missing codes: 4
    mean: 6781.63
    std. dev: 6235.88
    units: 1
    missing .: 2,866/4,402
    missing *: 220/4,402
    percentiles:    10%    25%    50%    75%    90%
                    867    2000   6250   9000   12000
    
```

pyearwork3_1 Since last interview, how much in total per year did you additionally earn from

```

    type: numeric (long)
    range: [0,450000]
    unique values: 77
    unique missing codes: 4
    units: 1
    missing .: 2,866/4,402
    missing *: 258/4,402
    tabulation:
    Freq. Value
    1,165 0
     2 100
     2 200
     1 248
     1 300
     1 325
     2 400
     1 420
     1 430
     1 500
     1 600
     1 602
     1 675
     1 900
     3 1000
     1 1032
     1 1080
     1 1200
     5 1500
     4 2000
     2 2100
     1 2500
     1 2600
     1 2800
     1 2940
     1 3000
     1 3470
     2 3500
     1 3600
     1 3900
     1 4000
     3 4500
     3 5000
    
```

```

1 5160
1 5200
1 5500
2 6000
4 6500
2 7000
1 7280
1 7500
1 7800
1 9600
5 10000
1 10440
2 12000
1 12500
1 12528
1 13000
1 13200
2 14000
1 14300
1 15000
1 18576
1 19500
1 20000
1 22500
4 24000
1 25200
1 27000
1 28000
1 38000
1 42000
1 45000
1 54288
1 56160
1 58500
1 58800
4 60000
2 66000
1 96000
1 100000
1 120000
1 130000
1 168000
2 276000
1 450000
2,866 .
2 .a
252 .c
4 .d
mean: 2337.44
std. dev: 19334.7

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

nwork3_1

Are you currently working in this job?

```

type: numeric (byte)
label: nwork3_1

range: [1,3]
unique values: 2

units: 1
missing .: 2,866/4,402

tabulation: Freq.  Numeric  Label
1,384      1  yes
152        3  no
2,866      .

```

position3_2 **Job 2, please specify the job title/position (not display)**

type: string (**str122**), but longest is str0
 unique values: 0 missing "": 4,402/4,402
 tabulation: Freq. Value
 4,402 ""

jcode3_2 **Job ID 2**

type: string (**str2**)
 unique values: 5 missing "": 4,227/4,402
 tabulation: Freq. Value
 4,227 ""
 3 "J4"
 136 "J5"
 29 "J6"
 5 "J7"
 2 "J8"

typework3_2 **What is the working status? (job 2)**

type: numeric (**byte**)
 label: **typework3_1**
 range: [1,7] units: 1
 unique values: 4 missing .: 4,227/4,402
 tabulation: Freq. Numeric Label
 5 1 Legislators/Senior Government
 Officer/Manager
 40 3 Professional
 38 5 Technician and professional in
 related field
 92 7 Office clerk
 4,227 .

monthwork3_2 **Since last interview, how many months did you work?**

type: numeric (**byte**)
 range: [1,16] units: 1
 unique values: 16 missing .: 4,227/4,402
 unique missing codes: 2 missing *: 4/4,402
 tabulation: Freq. Value
 25 1
 15 2
 11 3
 8 4
 14 5
 13 6
 5 7
 3 8
 4 9
 5 10
 2 11
 55 12
 6 13
 2 14
 2 15

tabulation:	Freq.	Value
	5	0
	1	133
	1	185
	2	200
	1	375
	2	450
	2	550
	6	600
	1	633
	2	667
	1	700
	1	723
	2	733
	1	783
	2	867
	1	886
	5	900
	1	933
	9	1000
	1	1162
	4	1200
	3	1500
	1	1560
	1	1650
	1	1750
	1	1920
	2	2000
	1	2100
	1	2250
	1	2500
	1	2600
	1	2652
	6	3000
	1	3167
	4	3500
	1	3750
	1	3870
	1	4000
	1	4200
	1	4300
	1	4500
	2	5000
	1	5250
	1	5400
	1	6000
	4	6500
	1	6667
	1	6820
	8	7000
	1	7500
	2	7800
	1	8000
	2	8320
	1	8700
	1	8750
	6	9000
	3	10000
	2	10500
	1	11000
	4	12000
	1	12600
	1	13000
	1	14300
	1	15000
	2	17500
	1	18000
	1	19000
	1	20000
	1	23000
	1	25000
	1	27000

```

          1  46500
        4,227 .
          37 .c
    mean:   5379.3
  std. dev: 6528.38

percentiles:    10%    25%    50%    75%    90%
                550    900    3000   7800   12000
    
```

pyearwork3_2

Since last interview, how much in total per year did you additionally earn from

```

    type: numeric (long)
    range: [0,94500]
  unique values: 10
  unique missing codes: 2

    tabulation: Freq. Value
                137  0
                 1  300
                 1  400
                 1  450
                 1  750
                 1 1200
                 1 1500
                 1 4800
                 1 10000
                 1 94500
        4,227 .
          29 .c
    mean:   780.137
  std. dev: 7864.87

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

nwork3_2

Are you currently working in this job?

```

    type: numeric (byte)
    label: nwork3_2
    range: [1,3]
  unique values: 2

    tabulation: Freq. Numeric Label
                159      1  yes
                 16      3  no
        4,227      .

    units: 1
  missing.: 4,227/4,402
    
```

position3_3

Job 3, please specify the job title/position (not display)

```

    type: string (str81), but longest is str0
  unique values: 0
                missing "": 4,402/4,402

    tabulation: Freq. Value
                4,402 ""
    
```

jcode3_3

Job ID 3

```

    type: string (str2)
    
```

unique values: 3 missing "": 4,389/4,402

```

tabulation: Freq. Value
             4,389 ""
             10 "J6"
              2 "J7"
              1 "J8"
    
```

typework3_3 **What is the working status? (job 3)**

```

type: numeric (byte)
label: typework3_1

range: [3,7] units: 1
unique values: 3 missing .: 4,389/4,402

tabulation: Freq. Numeric Label
             3          3 Professional
             4          5 Technician and professional in
             6          7 related field
             4,389      . Office clerk
    
```

monthwork3_3 **Since last interview, how many months did you work?**

```

type: numeric (byte)

range: [1,14] units: 1
unique values: 8 missing .: 4,389/4,402

tabulation: Freq. Value
             3 1
             1 2
             1 3
             2 4
             1 6
             1 11
             3 12
             1 14
             4,389 .
mean: 6.38462
std. dev: 5.02558

percentiles: 10% 25% 50% 75% 90%
              1 2 4 12 12
    
```

daywork3_3 **What was the average number of days you worked per month?**

```

type: numeric (byte)

range: [2,30] units: 1
unique values: 8 missing .: 4,389/4,402

tabulation: Freq. Value
             1 2
             2 4
             1 5
             1 6
             4 10
             1 25
             1 28
             2 30
             4,389 .
mean: 13.3846
std. dev: 10.7124
    
```

percentiles: 10% 25% 50% 75% 90%
 4 5 10 25 30

pmonthwork3_3 Since last interview, what was the average amount you earned per month?

type: numeric (int)
 range: [0,11200] units: 1
 unique values: 11 missing .: 4,389/4,402
 unique missing codes: 2 missing *: 1/4,402

tabulation: Freq. Value
 1 0
 1 225
 1 600
 1 900
 1 1040
 1 1200
 1 2025
 2 2500
 1 3000
 1 10000
 1 11200
 4,389 .
 1 .c
 mean: 2932.5
 std. dev: 3712.24

percentiles: 10% 25% 50% 75% 90%
 225 750 1612.5 2750 10000

pyearwork3_3 Since last interview, how much in total per year did you additionally earn from

type: numeric (byte)
 range: [0,0] units: 1
 unique values: 1 missing .: 4,389/4,402
 unique missing codes: 2 missing *: 1/4,402

tabulation: Freq. Value
 12 0
 4,389 .
 1 .c
 mean: 0
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

nwork3_3 Are you currently working in this job?

type: numeric (byte)
 label: **nwork3_3**
 range: [1,1] units: 1
 unique values: 1 missing .: 4,389/4,402

tabulation: Freq. Numeric Label
 13 1 yes
 4,389 .

money4_1 Since last interview, have you received money from outside household people?

```

type: numeric (byte)
label: money4_1

range: [1,3]
unique values: 2
unique missing codes: 4

units: 1
missing .: 21/4,402
missing *: 29/4,402
    
```

```

tabulation: Freq.  Numeric  Label
            1,544      1      yes
            2,808      3      no
             21         .
             1         .a
             12         .c
             16         .d
    
```

getmoney4_1 **Total amount (THB)**

```

type: numeric (long)

range: [40,816000]
unique values: 340
unique missing codes: 4

units: 1
missing .: 2,858/4,402
missing *: 137/4,402

mean: 45810.5
std. dev: 63402.1

percentiles:      10%      25%      50%      75%      90%
                  3000    11663    29250    58500    105000
    
```

object4_1 Since last interview, have you received gifts from outside household people?

```

type: numeric (byte)
label: object4_1

range: [1,3]
unique values: 2
unique missing codes: 4

units: 1
missing .: 21/4,402
missing *: 27/4,402
    
```

```

tabulation: Freq.  Numeric  Label
            1,373      1      yes
            2,981      3      no
             21         .
             1         .a
             10         .c
             16         .d
    
```

money4_2 **Since last interview, have you gave money to outside household people?**

```

type: numeric (byte)
label: money4_2

range: [1,3]
unique values: 2
unique missing codes: 4

units: 1
missing .: 21/4,402
missing *: 34/4,402
    
```

```

tabulation: Freq.  Numeric  Label
            279       1      yes
            4,068      3      no
             21         .
             1         .a
             14         .c
             19         .d
    
```

getmoney4_2

Total amount (THB)

```

type: numeric (long)
range: [100,880000]
unique values: 70
unique missing codes: 3
units: 1
missing .: 4,123/4,402
missing *: 102/4,402
    
```

```

tabulation: Freq. Value
1 100
5 150
1 200
1 240
2 250
2 350
9 450
6 500
2 600
1 650
1 675
1 750
1 840
14 1000
1 1200
3 1250
8 1500
1 1800
8 2000
1 2250
1 2400
1 2475
6 2500
1 2580
1 2625
11 3000
6 3500
1 3600
1 3750
1 4000
6 4500
1 4550
1 4800
8 5000
3 5500
5 6000
1 6250
2 8000
1 8750
6 10000
5 12000
2 13000
1 14400
1 15000
2 18000
1 19000
1 19250
1 19500
1 20000
4 21000
6 24000
1 27000
1 27950
1 30000
1 35500
1 39000
1 42000
1 53000
1 54000
1 60000
1 65000
    
```

```

          1 72000
          1 111800
          1 120000
          1 133000
          1 200000
          1 240000
          1 300000
          1 420000
          1 880000
    4,123 .
      101 .c
         1 .d
    mean: 21109.2
    std. dev: 80499.9

percentiles:    10%    25%    50%    75%    90%
                450    1000   3000   10000  27950
    
```

object4_2 **Since last interview, have you gave gifts to outside household people?**

```

    type: numeric (byte)
    label: object4_2

    range: [1,3]
    unique values: 2
    unique missing codes: 4

                                units: 1
    missing .: 21/4,402
    missing *: 33/4,402
    
```

```

tabulation:  Freq.  Numeric  Label
              222      1  yes
              4,126    3  no
               21      .
               1      .a
               13      .c
               19      .d
    
```

asset5a **Do you have any commercial bank savings?**

```

    type: numeric (byte)
    label: asset5a

    range: [1,3]
    unique values: 2
    unique missing codes: 3

                                units: 1
    missing .: 3,037/4,402
    missing *: 3/4,402
    
```

```

tabulation:  Freq.  Numeric  Label
              733      1  yes
              629      3  no
             3,037      .
               1      .a
               2      .c
    
```

asset5a_account **Total accounts**

```

    type: numeric (byte)

    range: [1,4]
    unique values: 4
    unique missing codes: 4

                                units: 1
    missing .: 3,669/4,402
    missing *: 3/4,402
    
```

```

tabulation:  Freq.  Value
              579    1
              117    2
              27     3
               7     4
            3,669    .
               1    .a
               1    .c
               1    .d
    mean:     1.26301
    std. dev: .570781

percentiles:    10%    25%    50%    75%    90%
                1      1      1      1      2
    
```

asset5a_balance **The current total balance of all accounts (THB)**

```

type: numeric (long)
range: [0,1000000]
unique values: 72
unique missing codes: 4

units: 1
missing .: 3,669/4,402
missing *: 362/4,402
    
```

```

tabulation:  Freq.  Value
              167    0
               1    17
               1    30
               1    45
               1    60
               1    80
               1    83
               1    85
               1    90
               1    92
               7   100
               1   146
               4   150
               1   159
               1   180
               1   189
               1   199
              10   200
               6   250
               1   271
               2   400
               1   442
               3   450
              13   500
               1   540
               1   592
               1   595
               3   600
               1   650
               2   700
               1   900
               9  1000
               1  1043
               2  1200
               1  1300
               1  1350
              10  1500
               9  2000
               2  2500
               3  3000
               2  3500
               3  4000
               1  4300
               2  4500
               8  5000
               1  5200
    
```



```

      2 5500
      4 6000
      1 6500
      4 7000
      3 8000
      1 9000
     16 10000
      3 12000
      6 15000
      1 16000
      1 17500
      9 20000
      1 21000
      4 25000
      1 27500
      1 29000
      1 29500
      5 30000
      2 40000
      3 50000
      1 60000
      1 80000
      3 100000
      1 140000
      2 300000
      1 1000000
    3,669 .
     106 .a
     254 .c
       2 .d
    mean: 9516.68
    std. dev: 57782.2

    percentiles:      10%      25%      50%      75%      90%
                     0         0        150       4000     16000

```

asset5b Do you have any bank for agriculture and agricultural cooperatives savings?

```

    type: numeric (byte)
    label: asset5b

    range: [1,3]
    unique values: 2
    units: 1
    missing .: 3,037/4,402

    tabulation: Freq.  Numeric  Label
                983      1  yes
                382      3  no
                3,037      .

```

asset5b_account Number of accounts

```

    type: numeric (byte)

    range: [1,3]
    unique values: 3
    unique missing codes: 3
    units: 1
    missing .: 3,419/4,402
    missing *: 9/4,402

    tabulation: Freq.  Value
                943      1
                 27      2
                  4      3
                3,419      .
                  1      .c
                   8      .d

    mean: 1.03593
    std. dev: .207125

```



```

1 25000
4 30000
2 35000
2 40000
4 45000
1 50000
1 67000
2 70000
1 75000
1 140000
1 200000
1 400000
1 650000
4,234 .
8 .a
83 .c
1 .d
mean: 33231.7
std. dev: 89657.9

percentiles: 10% 25% 50% 75% 90%
              0 1250 8500 30000 67000
    
```

asset5d Do you have any Cooperative community fund/Village fund?

```

type: numeric (byte)
label: asset5d

range: [1,3] units: 1
unique values: 2 missing .: 3,037/4,402
unique missing codes: 2 missing *: 1/4,402
    
```

```

tabulation: Freq. Numeric Label
            487      1 yes
            877      3 no
            3,037      .
            1        .c
    
```

asset5d_balance The current total value (THB)

```

type: numeric (long)

range: [0,100000] units: 10
unique values: 54 missing .: 3,915/4,402
unique missing codes: 4 missing *: 313/4,402
    
```

```

tabulation: Freq. Value
            39 0
            2 20
            6 100
            1 120
            2 200
            3 250
            3 300
            8 500
            1 600
            1 720
            1 900
            6 1000
            2 1200
            1 1330
            1 1490
            2 1500
            1 1800
            9 2000
            1 2090
            1 2100
            7 2500
    
```

```

1 2700
1 2900
5 3000
1 3150
3 3500
1 3650
1 4250
4 4500
3 5000
3 5500
5 6000
1 6500
1 7110
1 8000
1 8500
1 9000
2 9500
8 10000
1 11000
5 12000
1 13500
4 15000
1 17500
1 18000
1 20000
1 23200
7 25000
5 30000
1 35000
2 50000
1 80000
1 95000
1 100000
3,915 .
11 .a
298 .c
4 .d
mean: 7371.84
std. dev: 14531.3

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        100     2000     9000     25000

```

asset5e Do you have any school or child development center's saving?

```

type: numeric (byte)
label: asset5e

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 3,037/4,402
missing *: 1/4,402

```

```

tabulation: Freq.  Numeric  Label
             2        1  yes
             1,362    3  no
             3,037    .
             1        .c

```

asset5e_balance The current total value (THB)

```

type: numeric (int)

range: [640,640]
unique values: 1
unique missing codes: 2

units: 10
missing .: 4,400/4,402
missing *: 1/4,402

```

```

tabulation: Freq. Value
              1 640
            4,400 .
              1 .c
    mean:      640
    std. dev:   .

percentiles:   10%      25%      50%      75%      90%
                640      640      640      640      640
    
```

asset6 **Specify other financial assets (not display)**

```

    type: string (str75), but longest is str0
unique values: 0                missing "": 4,402/4,402

    tabulation: Freq. Value
                 4,402 ""
    
```

asset6e **Do you have any other financial assets**

```

    type: numeric (byte)
    label: asset6e

    range: [1,1]                units: 1
unique values: 1                missing .: 4,398/4,402

    tabulation: Freq. Numeric Label
                 4          1 yes
                 4,398      .
    
```

asset6e_balance **The current total value (THB)**

```

    type: numeric (int)

    range: [100,1200]          units: 100
unique values: 2                missing .: 4,398/4,402
unique missing codes: 2        missing *: 2/4,402

    tabulation: Freq. Value
                 1 100
                 1 1200
            4,398 .
                 2 .c
    mean:      650
    std. dev:  777.817

percentiles:   10%      25%      50%      75%      90%
                100      100      650      1200     1200
    
```

asset7 **Specify other financial assets**

```

    type: string (str1), but longest is str0
unique values: 0                missing "": 4,402/4,402

    tabulation: Freq. Value
                 4,402 ""
    
```

asset7e **Do you have any other financial assets**

```

type: numeric (byte)
label: asset7e
range: [.,.]
unique values: 0
units: .
missing ..: 4,402/4,402
tabulation: Freq. Numeric Label
              4,402 .

```

asset7e_balance **The current total value (THB)**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 4,402/4,402
tabulation: Freq. Value
              4,402 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .

```

grf6a Since last interview, have you joined the rotating savings among friends or acqu

```

type: numeric (byte)
label: grf6a
range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 3,037/4,402
missing *: 3/4,402
tabulation: Freq. Numeric Label
              26 1 yes
              1,336 3 no
              3,037 .
              3 .d

```

grf6b Since last interview, how much did you pay for all groups of rotating savings (

```

type: numeric (long)
range: [600,144000]
unique values: 19
unique missing codes: 2
units: 10
missing ..: 4,376/4,402
missing *: 1/4,402
tabulation: Freq. Value
              1 600
              2 1000
              2 2000
              2 3000
              1 4200
              1 5000
              1 6000
              1 7500
              1 9000
              1 9500
              1 10000
              4 12000
              1 13000
              1 20000
              1 30000
              1 37740
              1 52000
              1 100000

```

```

          1 144000
    4,376 .
          1 .d
    mean: 20341.6
    std. dev: 33540.6

    percentiles:      10%      25%      50%      75%      90%
                     1000     3000     9500    13000    52000
    
```

grf6c Since last interview, how much did you receive from all group rotating savings

```

    type: numeric (long)

    range: [0,200000]          units: 1
    unique values: 13         missing .: 4,376/4,402
    unique missing codes: 2   missing *: 1/4,402

    tabulation:  Freq.  Value
                 11    0
                 1    500
                 1    9000
                 1   10000
                 1   11175
                 1   15600
                 1   16000
                 2   26000
                 1   27000
                 2   40000
                 1   60000
                 1  150000
                 1  200000
    4,376 .
          1 .d
    mean: 25251
    std. dev: 48410.6

    percentiles:      10%      25%      50%      75%      90%
                     0         0      9000    26000    60000
    
```

smoke7 Since last interview, have you smoked cigarettes/tobacco?

```

    type: numeric (byte)
    label: smoke7

    range: [1,3]              units: 1
    unique values: 2         missing .: 21/4,402
    unique missing codes: 3   missing *: 16/4,402

    tabulation:  Freq.  Numeric  Label
                 798     1  yes
                 3,567   3  no
                 21      .
                 1      .a
                 15     .d
    
```

alcohol8 Since last interview, have you drunk alcohol (at least once a month on average)?

```

    type: numeric (byte)
    label: alcohol8

    range: [1,3]              units: 1
    unique values: 2         missing .: 21/4,402
    unique missing codes: 4   missing *: 17/4,402
    
```



```

tabulation:  Freq.  Numeric  Label
              859      1  yes
              3,505    3  no
              21       .
              1       .a
              1       .c
              15      .d
    
```

disease9 **Currently, do you have any underlying disease or chronic disease?**

```

type:  numeric (byte)
label:  disease9

range:  [1,3]
unique values:  2
unique missing codes:  3

units:  1
missing .:  21/4,402
missing *:  14/4,402
    
```

```

tabulation:  Freq.  Numeric  Label
              284      1  yes
              4,083    3  no
              21       .
              2       .a
              12      .d
    
```

disease9_1 **Additional code for congenital disease or chronic disease (disease 1)**

```

type:  numeric (byte)
label:  disease9_1

range:  [1,99]
unique values:  31

units:  1
missing .:  4,118/4,402
    
```

```

tabulation:  Freq.  Numeric  Label
              39      1  Diabetes
              9       3  Thyroid / Goiter
              56      5  High blood presure
              7       7  Heart disease
              18      9  Hypercholesterolemia / high
                   cholesterol
              1       11  Stroke clots
              3       13  Cancer
              4       17  Depression / psychosis /
                   neurosis
              2       21  Seizures / epilepsy
              3       23  Cataract / glaucoma
              1       25  Hearing loss
              15      27  Asthma / emphysema
              2       29  Tuberculosis
              14      31  Allergy
              9       35  Kidney Failure
              2       37  Enlarged Prostate
              2       39  Gallstones in the gallbladder
              5       41  Urinary stones
              8       43  Gout / rheumatoid
              5       45  Chronic neck pain /
                   osteoarthritis.
              2       47  Chronic back pain / chronic neck
                   pain
              1       55  Thalassemia
              1       61  Paralysis
              1       63  Palsy
              1       65  Respiratory disease
              19      67  Severe gastrointestinal disease
              1       75  G6PD
              7       77  Anemia
              5       81  Cervical myelopathy /
                   Degenerative disc
              3       83  Migraine
    
```

38 99 others
 4,118 .

disease9_2 Additional code for congenital disease or chronic disease (disease 2)

type: numeric (byte)
 label: **disease9_1**
 range: [1,99] units: 1
 unique values: 13 missing .: 4,374/4,402

tabulation:	Freq.	Numeric	Label
	2	1	Diabetes
	5	5	High blood presure
	1	7	Heart disease
	2	9	Hypercholesterolemia / high cholesterol
	1	17	Depression / psychosis / neurosis
	1	23	Cataract / glaucoma
	1	25	Hearing loss
	1	27	Asthma / emphysema
	1	31	Allergy
	6	35	Kidney Failure
	1	67	Severe gastrointestinal disease
	1	75	G6PD
	5	99	others
	4,374	.	

disease9_3 Additional code for congenital disease or chronic disease (disease 3)

type: numeric (byte)
 label: **disease9_1**
 range: [5,79] units: 1
 unique values: 5 missing .: 4,396/4,402

tabulation:	Freq.	Numeric	Label
	2	5	High blood presure
	1	7	Heart disease
	1	9	Hypercholesterolemia / high cholesterol
	1	35	Kidney Failure
	1	79	Disability (both physical and brain)
	4,396	.	

disease9_1_det The first disease (not display)

type: string (str100), but longest is str0
 unique values: 0 missing "": 4,402/4,402
 tabulation: Freq. Value
 4,402 ""

disease9_2_det The second disease (not display)

type: string (str92), but longest is str0
 unique values: 0 missing "": 4,402/4,402

tabulation: Freq. Value
 4,402 ""

disease9_3_det **The third disease (not display)**

type: string (**str88**), but longest is str0
 unique values: 0 missing "": 4,402/4,402
 tabulation: Freq. Value
 4,402 ""

note **Interviewer note**

type: string (**str897**), but longest is str0
 unique values: 0 missing "": 4,402/4,402
 tabulation: Freq. Value
 4,402 ""

age **Member's age (year)**

type: numeric (**double**)
 range: [.03, 93.83] units: 1.000e-06
 unique values: 3,202 missing .: 73/4,402
 mean: 40.8509
 std. dev: 21.2308
 percentiles: 10% 25% 50% 75% 90%
 10.74 25.08 43.33 57.67 66.51

informant **Interview informant**

type: numeric (**float**)
 label: **informant**
 range: [0,1] units: 1
 unique values: 2 missing .: 0/4,402
 tabulation: Freq. Numeric Label
 3,037 0 no
 1,365 1 yes

hala_A **Insurance type A: Life insurance (not display)**

type: string (**str123**), but longest is str0
 unique values: 0 missing "": 4,402/4,402
 tabulation: Freq. Value
 4,402 ""

halb_A **Current number of insurance type A contract**

type: numeric (**byte**)

range: [0,5] units: 1
 unique values: 6 missing .: 3,037/4,402
 unique missing codes: 3 missing *: 3/4,402

tabulation: Freq. Value
 973 0
 329 1
 43 2
 9 3
 5 4
 3 5
 3,037 .
 2 .c
 1 .d
 mean: .35022
 std. dev: .647124

percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 1

halca_A Total premium of insurance paid by household members (THB)

type: numeric (long)

range: [0,85000] units: 1
 unique values: 160 missing .: 4,010/4,402
 unique missing codes: 3 missing *: 22/4,402

mean: 6177.58
 std. dev: 8912.38

percentiles: 10% 25% 50% 75% 90%
 0 600 4000 7000 14080

halcb_A Total premium of insurance paid by others outside the household (THB)

type: numeric (long)

range: [0,60000] units: 1
 unique values: 50 missing .: 4,010/4,402
 unique missing codes: 3 missing *: 32/4,402

tabulation: Freq. Value
 291 0
 1 1288
 1 1500
 1 2000
 1 2851
 1 3000
 1 3100
 1 3300
 1 3350
 3 3400
 2 3500
 1 3600
 1 3700
 1 3800
 1 3900
 2 4000
 3 4500
 2 4800
 3 5000
 1 5200
 1 5300
 1 5316
 1 5400
 2 5600
 1 5750

```

1 5800
3 6000
1 6900
3 7000
1 7100
1 7500
1 7600
1 7900
1 8000
1 9000
1 9150
1 9500
1 9996
1 10000
1 10340
5 12000
1 14000
3 15000
1 16500
1 18500
1 22818
1 26000
1 30000
1 43800
1 60000
4,010 .
30 .c
2 .d
mean: 1725.72
std. dev: 5416.31

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      5675
    
```

halb_A Total claims/refunds/allowance of insurance type A (THB)

```

type: numeric (long)
range: [0,1000]
unique values: 2
unique missing codes: 3

units: 1000
missing .: 4,010/4,402
missing *: 3/4,402

tabulation: Freq. Value
             388  0
             1 1000
4,010      .
             1 .c
             2 .d
mean: 2.57069
std. dev: 50.702

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

halb_B Insurance type B: Health insurance/accident insurance (not display)

```

type: string (str123), but longest is str0
unique values: 0
missing "": 4,402/4,402

tabulation: Freq. Value
             4,402 ""
    
```

halb_B Current number of insurance type B contract

```

type: numeric (byte)
range: [0,4]
unique values: 5
unique missing codes: 3
units: 1
missing .: 3,037/4,402
missing *: 3/4,402

tabulation: Freq. Value
1,212 0
130 1
15 2
4 3
1 4
3,037 .
2 .c
1 .d
mean: .129222
std. dev: .401373

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 1
    
```

halca_B Total premium of insurance paid by household members (THB)

```

type: numeric (long)
range: [0,33000]
unique values: 77
unique missing codes: 3
units: 1
missing .: 4,249/4,402
missing *: 18/4,402

tabulation: Freq. Value
14 0
1 170
3 180
1 300
1 358
2 400
3 500
1 519
1 590
1 599
4 600
1 650
4 699
3 700
1 750
2 800
1 880
1 900
1 999
2 1000
1 1195
4 1200
1 1300
1 1400
1 1450
2 1500
1 1600
1 1849
3 2000
2 2800
2 3000
1 3185
1 3250
1 3275
2 3300
1 3600
7 4000
2 4200
1 4300
4 4500
    
```

```

1 4700
1 4735
1 4940
3 5000
1 5300
1 5400
1 5500
1 6000
1 6900
2 7000
4 7500
1 8100
1 8600
1 8680
1 9000
1 9384
1 9600
1 10000
1 10400
1 11160
1 11231
1 11484
1 11500
4 12000
1 12500
1 14000
1 14500
1 15000
2 16000
2 18000
1 19500
1 21000
1 25000
1 26400
1 28000
1 30000
1 33000
4,249 .
17 .c
1 .d
mean: 5257.55
std. dev: 6658.7

percentiles:    10%    25%    50%    75%    90%
                 0      699   3185   7500   14000

```

halcb_B Total premium of insurance paid by others outside the household (THB)

```

type: numeric (long)
range: [0,120000]
unique values: 11
unique missing codes: 3

units: 10
missing .: 4,249/4,402
missing *: 8/4,402

tabulation: Freq. Value
             132  0
              1 1030
              1 4200
              1 4500
              2 5000
              1 5300
              2 9000
              1 10000
              1 13000
              2 15000
              1 120000
4,249 .
7 .c
1 .d
mean: 1489.86

```

std. dev: 10232.1
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hald_B Total claims/refunds/allowance of insurance type B (THB)

type: numeric (long)
 range: [0,3000] units: 1000
 unique values: 2 missing .: 4,249/4,402
 unique missing codes: 3 missing *: 3/4,402

tabulation: Freq. Value
 149 0
 1 3000
 4,249 .
 2 .c
 1 .d
 mean: 20
 std. dev: 244.949

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hala_C Insurance type C: Social insurance (not display)

type: string (str123), but longest is str0
 unique values: 0 missing "": 4,402/4,402

tabulation: Freq. Value
 4,402 ""

halb_C Current number of insurance type C contract

type: numeric (byte)
 range: [0,1] units: 1
 unique values: 2 missing .: 3,037/4,402
 unique missing codes: 3 missing *: 2/4,402

tabulation: Freq. Value
 1,249 0
 114 1
 3,037 .
 1 .c
 1 .d
 mean: .083639
 std. dev: .276947

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

halca_C Total premium of insurance paid by household members (THB)

type: numeric (long)
 range: [0,13200] units: 1
 unique values: 50 missing .: 4,286/4,402
 unique missing codes: 3 missing *: 5/4,402


```

tabulation:  Freq.  Value
              4      0
              3     400
              1     420
              1     500
              1     650
              1     700
              2     960
             20    1200
              2    1300
              5    1320
              2    1400
              1    1430
              2    1600
              1    2000
              1    2100
              2    2400
              1    2880
              1    3000
              1    3360
              1    3840
              1    4104
              3    4200
              1    4380
              1    4550
              3    4800
              1    4836
              1    4880
              1    4950
              3    5160
             13    5184
              2    5200
              2    5400
              1    5600
              6    5616
              1    5625
              1    5850
              1    6000
              1    6825
              1    6900
              1    7200
              1    7500
              1    7650
              1    7700
              1    7800
              1    8320
              2    8400
              2    9000
              2    9100
              1   10500
              1   13200
             4,286  .
              4    .c
              1    .d
    mean:      3785.03
  std. dev:   2774.27

percentiles:      10%      25%      50%      75%      90%
                  960      1200      4200      5400      7650

```

halcb_C Total premium of insurance paid by others outside the household (THB)

```

type:  numeric (long)
range:  [0,4800]
unique values:  4
unique missing codes:  3
units:  100
missing .:  4,286/4,402
missing *:  2/4,402

```

```

tabulation:  Freq.  Value
              111    0
              1   1000
              1   1200
              1   4800
            4,286    .
              1   .c
              1   .d
    mean:     61.4035
    std. dev: 470.832

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

hald_C **Total claims/refunds/allowance of insurance type C (THB)**

```

type: numeric (long)
range: [0,20000]
unique values: 18
unique missing codes: 3
units: 10
missing .: 4,286/4,402
missing *: 4/4,402
    
```

```

tabulation:  Freq.  Value
              88    0
              1   360
              1   500
              1   600
              1   800
              1   900
              2  1800
              1  2500
              1  3200
              1  3600
              1  4500
              2  4800
              6  7200
              1  7500
              1  7700
              1  7800
              1 13000
              1 20000
            4,286    .
              3   .c
              1   .d
    mean:     1155
    std. dev: 3018.65

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0    4800
    
```

hala_D **Insurance type D: Cremation village fund for individual (excluding BAAC) (not di**

```

type: string (str123), but longest is str0
unique values: 0
missing "": 4,402/4,402

tabulation:  Freq.  Value
            4,402  ""
    
```

halb_D **Current number of insurance type D contract**

```

type: numeric (byte)
    
```

range: [0,6] units: 1
 unique values: 7 missing .: 3,037/4,402
 unique missing codes: 3 missing *: 3/4,402

tabulation: Freq. Value
 775 0
 309 1
 168 2
 64 3
 30 4
 12 5
 4 6
 3,037 .
 2 .c
 1 .d
 mean: .764317
 std. dev: 1.1128

percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 2

halca_D Total premium of insurance paid by household members (THB)

type: numeric (long)
 range: [0,12120] units: 1
 unique values: 73 missing .: 3,812/4,402
 unique missing codes: 3 missing *: 366/4,402

tabulation: Freq. Value
 19 0
 1 40
 4 100
 1 120
 1 150
 6 200
 2 250
 7 300
 3 350
 3 360
 1 375
 17 400
 2 450
 1 480
 2 500
 2 600
 4 700
 2 720
 1 750
 1 800
 6 900
 1 920
 1 950
 2 960
 1 990
 9 1000
 1 1050
 13 1200
 11 1300
 2 1330
 2 1350
 3 1400
 1 1430
 2 1440
 6 1500
 2 1600
 1 1650
 2 1690
 4 1800
 3 1950

```

      8 2000
      2 2160
      1 2190
      1 2200
      1 2210
      2 2250
      1 2280
      1 2300
     12 2400
      4 2500
      1 2600
      2 2900
      1 3240
      4 3500
      1 3550
      6 3600
      1 3700
      1 3800
      1 3900
      3 4000
      1 4080
      2 4200
      1 4250
      1 4260
      1 4320
      1 5000
      1 5280
      3 6000
      2 6500
      1 8000
      1 9600
      1 12000
      1 12120
    3,812 .
      363 .c
       3 .d
    mean: 1673.06
    std. dev: 1828.84

percentiles:      10%      25%      50%      75%      90%
                  100      400      1200      2265      3700

```

halcb_D Total premium of insurance paid by others outside the household (THB)

```

      type: numeric (long)
      range: [0,2600]
      unique values: 7
      unique missing codes: 3
      units: 100
      missing .: 3,812/4,402
      missing *: 16/4,402

      tabulation: Freq. Value
                   568  0
                   1  200
                   1  400
                   1  600
                   1  2400
                   1  2500
                   1  2600
                 3,812 .
                   13 .c
                    3 .d
      mean: 15.1568
      std. dev: 183.043

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

hald_D **Total claims/refunds/allowance of insurance type D (THB)**

```

type: numeric (long)
range: [0,0]
unique values: 1
unique missing codes: 3
units: 1
missing .: 3,812/4,402
missing *: 4/4,402

tabulation: Freq. Value
             586  0
             3,812 .
             1   .c
             3   .d
mean:       0
std. dev:   0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

hala_E **Insurance type E: BAAC cremation fund/saving cooperative/teacher fund (not displ**

```

type: string (str123), but longest is str0
unique values: 0
missing "": 4,402/4,402

tabulation: Freq. Value
             4,402 ""
    
```

halb_E **Current number of insurance type E contract**

```

type: numeric (byte)
range: [0,6]
unique values: 6
unique missing codes: 3
units: 1
missing .: 3,037/4,402
missing *: 2/4,402

tabulation: Freq. Value
             826  0
             464  1
             62  2
             6   3
             3   4
             2   6
             3,037 .
             1   .c
             1   .d
mean:       .462216
std. dev:   .660843

percentiles: 10%    25%    50%    75%    90%
              0      0      0      1      1
    
```

halca_E **Total premium of insurance paid by household members (THB)**

```

type: numeric (long)
range: [0,30000]
unique values: 116
unique missing codes: 3
units: 1
missing .: 3,863/4,402
missing *: 47/4,402

mean: 4378.73
std. dev: 3558.23
    
```

percentiles: 10% 25% 50% 75% 90%
 1030 2500 4000 5000 7500

halcb_E Total premium of insurance paid by others outside the household (THB)

type: numeric (**long**)
 range: [0,9500] units: 10
 unique values: 21 missing .: 3,863/4,402
 unique missing codes: 3 missing *: 14/4,402

tabulation: Freq. Value
 495 0
 1 2000
 1 2400
 3 2500
 2 3000
 1 3700
 2 3750
 2 4000
 1 4040
 1 4500
 2 4900
 4 5000
 1 5200
 1 5240
 1 5400
 1 6000
 1 6500
 1 7000
 1 7600
 1 8000
 2 9500
 3,863 .
 12 .c
 2 .d
 mean: 276.914
 std. dev: 1218.36
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hald_E Total claims/refunds/allowance of insurance type E (THB)

type: numeric (**long**)
 range: [0,120000] units: 10000
 unique values: 2 missing .: 3,863/4,402
 unique missing codes: 3 missing *: 3/4,402

tabulation: Freq. Value
 535 0
 1 120000
 3,863 .
 1 .c
 2 .d
 mean: 223.881
 std. dev: 5183.21
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hala_F Insurance type F: One baht per day community welfare fund (not display)

type: string (**str123**), but longest is str0

unique values: 0 missing "": 4,402/4,402

tabulation: Freq. Value
4,402 ""

halb_F **Current number of insurance type F contract**

type: numeric (**byte**)

range: [0,1] units: 1
 unique values: 2 missing .: 3,037/4,402
 unique missing codes: 2 missing *: 1/4,402

tabulation: Freq. Value
 825 0
 539 1
 3,037 .
 1 .d
 mean: .395161
 std. dev: .489065

percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 1

halca_F **Total premium of insurance paid by household members (THB)**

type: numeric (**long**)

range: [0,1800] units: 1
 unique values: 38 missing .: 3,862/4,402
 unique missing codes: 3 missing *: 9/4,402

tabulation: Freq. Value
 11 0
 1 30
 1 60
 1 61
 1 180
 1 300
 2 315
 1 320
 1 330
 1 334
 4 350
 1 355
 163 360
 1 364
 247 365
 1 370
 6 380
 3 385
 2 386
 16 390
 19 395
 6 396
 1 400
 12 420
 4 426
 1 427
 5 450
 4 457
 3 480
 1 510
 1 600
 2 700
 1 720
 1 1080
 2 1200

```

          1 1500
          1 1560
          1 1800
    3,862 .
          8 .c
          1 .d
    mean: 373.928
    std. dev: 130.916

    percentiles:      10%      25%      50%      75%      90%
                     360      360      365      365      395
    
```

halcb_F Total premium of insurance paid by others outside the household (THB)

```

    type: numeric (long)
    range: [0,480]
    unique values: 7
    unique missing codes: 3
    units: 1
    missing .: 3,862/4,402
    missing *: 2/4,402

    tabulation: Freq. Value
                 528 0
                 1 300
                 2 360
                 4 365
                 1 370
                 1 425
                 1 480
    3,862 .
                 1 .c
                 1 .d
    mean: 6.97955
    std. dev: 51.1291

    percentiles:      10%      25%      50%      75%      90%
                     0         0         0         0         0
    
```

hald_F Total claims/refunds/allowance of insurance type F (THB)

```

    type: numeric (long)
    range: [0,18000]
    unique values: 6
    unique missing codes: 2
    units: 10
    missing .: 3,862/4,402
    missing *: 1/4,402

    tabulation: Freq. Value
                 534 0
                 1 120
                 1 200
                 1 300
                 1 400
                 1 18000
    3,862 .
                 1 .d
    mean: 35.2876
    std. dev: 775.596

    percentiles:      10%      25%      50%      75%      90%
                     0         0         0         0         0
    
```

hala_G Insurance type G: Cremation village fund for household (not display)

```

    type: string (str123), but longest is str0
    unique values: 0
    missing "": 4,402/4,402
    
```


tabulation: Freq. Value
 4,402 ""

halb_G **Current number of insurance type G contract**

type: numeric (byte)
 range: [0,4] units: 1
 unique values: 5 missing .: 3,037/4,402
 unique missing codes: 2 missing *: 2/4,402

tabulation: Freq. Value
 769 0
 543 1
 41 2
 8 3
 2 4
 3,037 .
 2 .d
 mean: .482025
 std. dev: .602436

percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 1

halca_G **Total premium of insurance paid by household members (THB)**

type: numeric (long)
 range: [0,10000] units: 1
 unique values: 40 missing .: 3,806/4,402
 unique missing codes: 3 missing *: 497/4,402

tabulation: Freq. Value
 7 0
 2 100
 1 135
 3 150
 1 175
 7 200
 1 225
 3 250
 1 260
 7 300
 1 325
 2 350
 5 450
 1 480
 5 500
 5 550
 1 600
 1 720
 1 740
 2 750
 1 960
 10 1000
 2 1080
 1 1170
 3 1200
 2 1300
 1 1350
 2 1400
 1 1500
 1 1550
 1 1560
 3 1800
 5 2000
 2 2500

```

                2 3000
                1 3900
                1 4000
                1 4200
                1 7750
                1 10000
            3,806 .
            493 .c
              4 .d
    mean:      1048.08
    std. dev:  1442.06

percentiles:   10%    25%    50%    75%    90%
                135    250    550    1300   2000
    
```

halcb_G **Total premium of insurance paid by others outside the household (THB)**

```

    type: numeric (long)

    range: [0,0]
    unique values: 1
    unique missing codes: 3

    units: 1
    missing .: 3,806/4,402
    missing *: 11/4,402

    tabulation: Freq. Value
                 585  0
                3,806 .
                  6 .c
                  5 .d
    mean:      0
    std. dev:  0

percentiles:   10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

hald_G **Total claims/refunds/allowance of insurance type G (THB)**

```

    type: numeric (long)

    range: [0,55000]
    unique values: 9
    unique missing codes: 3

    units: 1000
    missing .: 3,806/4,402
    missing *: 6/4,402

    tabulation: Freq. Value
                 581  0
                  1 10000
                  1 12000
                  2 16000
                  1 20000
                  1 23000
                  1 25000
                  1 36000
                  1 55000
                3,806 .
                  1 .c
                  5 .d
    mean:      361.017
    std. dev:  3335.79

percentiles:   10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

hala_H **Insurance type H: Others (not display)**

```

    type: string (str123), but longest is str0
    
```

unique values: 0 missing "": 4,402/4,402
 tabulation: Freq. Value
 4,402 ""

halb_H **Current number of insurance type H contract**

type: numeric (**byte**)
 range: [0,2] units: 1
 unique values: 3 missing .: 4,376/4,402
 tabulation: Freq. Value
 2 0
 23 1
 1 2
 4,376 .
 mean: .961538
 std. dev: .344182
 percentiles: 10% 25% 50% 75% 90%
 1 1 1 1 1

halca_H **Total premium of insurance paid by household members (THB)**

type: numeric (**long**)
 range: [0,15000] units: 1
 unique values: 12 missing .: 4,378/4,402
 unique missing codes: 2 missing *: 9/4,402
 tabulation: Freq. Value
 3 0
 2 12
 1 20
 1 100
 1 200
 1 500
 1 780
 1 1200
 1 2800
 1 3600
 1 12000
 1 15000
 4,378 .
 9 .c
 mean: 2414.93
 std. dev: 4665
 percentiles: 10% 25% 50% 75% 90%
 0 12 200 2800 12000

halcb_H **Total premium of insurance paid by others outside the household (THB)**

type: numeric (**long**)
 range: [0,4550] units: 10
 unique values: 2 missing .: 4,378/4,402
 unique missing codes: 2 missing *: 1/4,402

```

tabulation: Freq. Value
             22  0
             1 4550
            4,378 .
             1  .c
    mean:    197.826
    std. dev: 948.741

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

hald_H **Total claims/refunds/allowance of insurance type H (THB)**

```

type: numeric (long)
range: [0,0] units: 1
unique values: 1 missing .: 4,378/4,402

tabulation: Freq. Value
             24  0
            4,378 .
    mean:    0
    std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

year_survey **year survey**

```

type: numeric (float)
range: [2019,2019] units: 1
unique values: 1 missing .: 0/4,402

tabulation: Freq. Value
            4,402 2019
    mean:    2019
    std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  2019    2019    2019    2019    2019
    
```

note_cleaner **Data cleaner note (not display)**

```

type: string (str270), but longest is str0
unique values: 0 missing "": 4,402/4,402

tabulation: Freq. Value
            4,402 ""
    
```

hh_change **Sample has moved so that its household structure changed**

```

type: numeric (float)
label: hh_change
range: [0,1] units: 1
unique values: 2 missing .: 0/4,402

tabulation: Freq. Numeric Label
            4,385 0 no
             17  1 yes
    
```

survey_name **survey round**

type: string (**str12**)
 unique values: 1 missing "": 0/4,402
 tabulation: Freq. Value
 4,402 "RESURVEY2019"

studyorwork_hr_perday
 How many hours per day do you spend on average studying or working (in the past

type: numeric (**double**)
 range: [0,18.5] units: .01
 unique values: 80 missing .: 9/4,402
 unique missing codes: 4 missing *: 119/4,402

tabulation:	Freq.	Value
	761	0
	1	.03
	2	.05
	3	.08
	1	.13
	6	.17
	4	.25
	2	.33
	1	.42
	58	.5
	1	.75
	116	1
	56	1.5
	112	2
	76	2.5
	1	2.75
	120	3
	43	3.5
	97	4
	53	4.5
	66	5
	49	5.5
	1	5.67
	1	5.75
	123	6
	3	6.32
	56	6.5
	1	6.67
	173	7
	1	7.17
	1	7.25
	5	7.32
	147	7.5
	1	7.67
	3	7.75
	3	7.82
	362	8
	1	8.07
	5	8.17
	5	8.25
	4	8.32
	239	8.5
	4	8.67
	1	8.75
	7	8.82
	467	9
	1	9.07
	2	9.17
	1	9.18

```

      3  9.25
      3  9.32
    221  9.5
      4  9.67
      3  9.75
      1  9.82
    249 10
      2 10.2
      2 10.3
     94 10.5
      1 10.6
      3 10.8
    109 11
      2 11.3
     37 11.5
     81 12
     30 12.5
     55 13
      1 13.1
     25 13.5
     36 14
      1 14.3
     14 14.5
     20 15
     10 15.5
     12 16
      2 16.5
      3 17
      1 17.5
      1 18
      1 18.5
      9 .
      1 .a
    112 .c
      6 .d
    mean: 6.24713
  std. dev: 4.2032

percentiles:      10%      25%      50%      75%      90%
                  0         2         7.5         9         11

```

sleep_hr_perday
 How many hours do you spend on average sleeping each day (in the past one month)

```

      type: numeric (double)
      range: [2.5,14]
  unique values: 45
unique missing codes: 4
      units: .01
      missing .: 30/4,402
      missing *: 269/4,402

  tabulation: Freq.  Value
              1  2.5
              6  3
              5  3.5
             13  4
             14  4.5
             49  5
             44  5.5
             90  6
              1  6.25
            125  6.5
              1  6.67
           365  7
              1  7.05
              1  7.07
              1  7.17
           319  7.5
              3  7.67
              1  7.75
              2  7.82

```

```

      1  7.92
    728  8
      1  8.25
      1  8.32
    528  8.5
      5  8.67
      3  8.75
      1  8.82
    731  9
      1  9.32
    350  9.5
      1  9.67
      1  9.75
      1  9.82
    411 10
      2 10.2
      2 10.3
    135 10.5
      2 10.6
     92 11
     27 11.5
     23 12
      6 12.5
      4 13
      2 13.5
      2 14
     30 .
      1 .a
    262 .c
      6 .d
    mean: 8.46899
    std. dev: 1.36444

    percentiles:      10%      25%      50%      75%      90%
                      7        7.5      8.5      9.5      10

```

relaxinga_hr_perday
In the past 1 month on school/work days, how many hours per day on average do yo

```

    type: numeric (double)
    range: [0,15.5]
    unique values: 61
    unique missing codes: 4
    units: .01
    missing .: 30/4,402
    missing *: 387/4,402

```

```

    tabulation:  Freq.  Value
                916    0
                 1    .02
                 3    .03
                 6    .05
                 1    .06
                 1    .07
                 3    .13
                12    .17
                 4    .25
                 7    .33
                 3    .42
               178    .5
                 1    .58
                 2    .67
                 5    .75
                 1    .83
            1,417    1
                 1    1.02
                 1    1.33
               229    1.5
               371    2
               189    2.5
               161    3
               107    3.5

```

```

      3  3.67
     81  4
     50  4.5
      1  4.75
      1  4.82
     58  5
      1  5.17
      1  5.25
      1  5.32
     29  5.5
      2  5.75
      2  5.82
      1  5.92
     39  6
      1  6.17
      1  6.25
      1  6.42
     19  6.5
     17  7
     13  7.5
     10  8
      5  8.5
      3  9
      1  9.44
      1  9.5
      1  9.82
      2  10
      2  10.5
      1  11
      1  11.5
      1  12
      1  13
      3  13.5
      3  14
      2  14.5
      3  15
      3  15.5
     30  .
      1  .a
     369 .c
     17  .d
    mean: 1.5218
    std. dev: 1.77153

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        .5        1        2        3.5

```

relaxingb_hr_perday **Hours per day spent on recreational activities (on holidays)**

```

type: numeric(double)
range: [0,19]
unique values: 61
unique missing codes: 3
units: .01
missing .: 30/4,402
missing *: 305/4,402

```

```

tabulation:  Freq.  Value
             1,701  0
              1    .17
              1    .25
             35    .5
              1    .58
              2    .75
            243    1
            126   1.5
            201    2
              1   2.04
            175   2.5
            144    3
            109   3.5
              3   3.67

```



```

1 3.82
73 4
88 4.5
76 5
66 5.5
1 5.82
62 6
1 6.25
21 6.5
30 7
28 7.5
71 8
1 8.17
6 8.5
17 9
4 9.5
33 10
3 10.5
9 11
8 11.5
33 12
24 12.5
1 12.9
70 13
1 13.1
1 13.3
74 13.5
1 13.6
1 13.7
3 13.8
1 13.9
156 14
1 14.2
83 14.5
1 14.7
1 14.9
126 15
1 15.4
44 15.5
57 16
16 16.5
15 17
1 17.3
6 17.5
4 18
2 18.5
1 19
30 .
285 .c
20 .d

```

```

mean: 4.00566
std. dev: 5.35436

```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0         1.5       6        14

```

monthwork3_1_percent

Percentage of the number of months that you performed the paid job 1 since the p

```

type: numeric (double)
range: [0,100]
unique values: 55
unique missing codes: 3
units: .01
missing .: 2,862/4,402
missing *: 26/4,402

```

```

tabulation:  Freq.  Value
              3      0
              2    5.88
              1    6.25
              2    6.67
              4    7.13
             25    7.69
             73    8.32
             11    9.09
              5   13.3
              4   14.2
             17   15.3
             48   16.6
              7   18.1
              1   18.7
              3   20
              4   21.4
             14   23
             48   25
              1   26.6
              5   27.2
              2   28.5
              6   30.7
             23   33.3
              2   35.7
              3   36.3
              6   38.4
              3   40
             21   41.6
              1   42.8
              2   45.4
             11   46.1
             24   50
              1   53.3
              1   53.8
              7   54.5
             17   58.3
              1   61.5
              1   64.7
             16   66.6
              7   69.2
              1   72.7
             14   75
              3   76.9
              4   78.5
              1   80
              2   81.8
             28   83.3
              4   84.6
             10   85.7
              1   86.6
             27   91.6
             45   92.3
              1   92.8
              1   93.7
             939  100
            2,862  .
              23  .c
              3   .d
    mean:      77.7819
  std. dev:   34.0796

```

```

percentiles:      10%      25%      50%      75%      90%
                  16.6      50      100      100      100

```

monthwork3_2_percent
 Percentage of the number of months that you performed the paid job 2 since the p

type: numeric (double)

range: [6.67,100] units: .01
 unique values: 32 missing .: 4,227/4,402
 unique missing codes: 2 missing *: 4/4,402

tabulation: Freq. Value
 2 6.67
 3 7.69
 19 8.32
 1 9.09
 1 11.7
 1 13.3
 1 14.2
 6 15.3
 6 16.6
 1 20
 1 21.4
 3 23
 6 25
 1 30.7
 7 33.3
 1 36.3
 4 38.4
 9 41.6
 5 46.1
 8 50
 1 54.5
 3 58.3
 1 63.6
 3 66.6
 1 69.2
 1 72.7
 3 75
 1 78.5
 4 83.3
 1 91.6
 6 92.3
 60 100
 4,227 .
 4 .c
 mean: 58.8888
 std. dev: 36.8971

percentiles: 10% 25% 50% 75% 90%
 8.32 23 50 100 100

monthwork3_3_percent
 Percentage of the number of months that you performed the paid job 3 since the p

type: numeric (double)
 range: [7.69,100] units: .01
 unique values: 10 missing .: 4,389/4,402

tabulation: Freq. Value
 1 7.69
 1 8.32
 1 9.09
 1 15.3
 1 25
 1 26.6
 1 30.7
 1 35.2
 1 91.6
 4 100
 4,389 .
 mean: 49.9615
 std. dev: 40.7223

