



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey2019/codebook\all.scml
log type: smcl
opened on: 7 Nov 2024, 15:44:51

```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey2019/codebook\all
> _run.dta Last saved: 7 Nov 2024 15:44

```

```

Label: [none]
Number of variables: 33
Number of observations: 1,230
Size: 692,490 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

pid **personal id**

```

type: string (str17)
unique values: 1 missing "": 1,229/1,230
tabulation: Freq. Value
1,229 ""
1 "201693180103056H7"

```

hhid **household id**

```

type: string (str15)
unique values: 1,230 missing "": 0/1,230
examples: "201591160419002"
"201691130201104"
"201691150908040"
"201691161706017"

```

iyear **year**

```

type: string (str9), but longest is str4

```

unique values: 2 missing "": 0/1,230
 tabulation: Freq. Value
 487 "2015"
 743 "2016"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,230
 tabulation: Freq. Value
 1,114 "91"
 116 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,230
 tabulation: Freq. Value
 1 "09"
 115 "12"
 231 "13"
 103 "14"
 124 "15"
 443 "16"
 31 "17"
 182 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,230
 tabulation: Freq. Value
 55 "01"
 188 "02"
 109 "04"
 46 "05"
 45 "06"
 57 "07"
 47 "08"
 88 "09"
 113 "10"
 75 "11"
 116 "13"
 42 "14"
 123 "15"
 81 "17"
 45 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,230

```

tabulation:  Freq.  Value
              130  "01"
              60   "02"
              117  "03"
              135  "04"
              96   "05"
              135  "06"
              66   "07"
              121  "08"
              69   "09"
              60   "10"
              47   "11"
              35   "12"
              36   "13"
              10   "14"
               8   "15"
              34   "16"
              12   "17"
              11   "18"
              27   "19"
               1   "20"
              14   "22"
               6   "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 182           missing "": 0/1,230
examples: "010"
          "034"
          "070"
          "173"
    
```

ct1 **Specify the Member ID of the respondent**

```

type: string (str2)
unique values: 2           missing "": 1,228/1,230
unique missing codes: 2   missing *: 1/1,230
tabulation:  Freq.  Value
              1,228  ""
               1   "H7"
               1   "MI"
    
```

ct1_rel_des **Relationship description (not display)**

```

type: string (str86), but longest is str0
unique values: 0           missing "": 1,230/1,230
tabulation:  Freq.  Value
              1,230  ""
    
```

ct1_rel **Relationship to the child code**

```

type: numeric (byte)
label: hh_lcode
range: [1,1]           units: 1
unique values: 1       missing .: 1,229/1,230
    
```

```

tabulation: Freq.  Numeric  Label
              1          1  Father/Mother
            1,229          .
    
```

ct1a1a **4-digits number answer**

```

type: string (str4)
unique values: 2 missing "": 1,228/1,230
tabulation: Freq.  Value
            1,228  ""
              1    "."
              1  "1523"
    
```

ct1a1 **4-digits number**

```

type: numeric (byte)
label: ct1a1
range: [1,1] units: 1
unique values: 1 missing .: 1,229/1,230
tabulation: Freq.  Numeric  Label
              1          1  Tel all the number collectly on
            1,229          .  the first try
    
```

ct1a2a **5-digits number answer**

```

type: string (str5)
unique values: 2 missing "": 1,228/1,230
tabulation: Freq.  Value
            1,228  ""
              1    "."
              1  "24761"
    
```

ct1a2 **5-digits number**

```

type: numeric (byte)
label: ct1a1
range: [1,1] units: 1
unique values: 1 missing .: 1,229/1,230
tabulation: Freq.  Numeric  Label
              1          1  Tel all the number collectly on
            1,229          .  the first try
    
```

ct1a3a **6-digits number answer**

```

type: string (str6)
unique values: 2 missing "": 1,228/1,230
    
```

```

tabulation: Freq. Value
            1,228 ""
            1  "."
            1  "421937"
    
```

ct1a3 6-digits number

```

type: numeric (byte)
label: ct1a1

range: [1,1] units: 1
unique values: 1 missing .: 1,229/1,230

tabulation: Freq. Numeric Label
            1 1 Tel all the number collectly on
            1,229 . the first try
    
```

ct1a4a 7-digits number answer

```

type: string (str7)

unique values: 2 missing "": 1,228/1,230

tabulation: Freq. Value
            1,228 ""
            1  "."
            1  "3648529"
    
```

ct1a4 7-digits number

```

type: numeric (byte)
label: ct1a1

range: [1,1] units: 1
unique values: 1 missing .: 1,229/1,230

tabulation: Freq. Numeric Label
            1 1 Tel all the number collectly on
            1,229 . the first try
    
```

ct1a5a 8-digits number answer

```

type: string (str8), but longest is str1

unique values: 1 missing "": 1,228/1,230

tabulation: Freq. Value
            1,228 ""
            2  "."
    
```

ct1a5 8-digits number

```

type: numeric (byte)
label: ct1a1

range: [3,3] units: 1
unique values: 1 missing .: 1,229/1,230
    
```

```

tabulation: Freq.  Numeric  Label
             1          3 incorrect (skip to next section)
             1,229      .
    
```

ct1a6a **9-digits number answer**

```

type: string (str9), but longest is str1
unique values: 1 missing "": 1,228/1,230
tabulation: Freq.  Value
             1,228 ""
             2   "."
    
```

ct1a6 **9-digits number**

```

type: numeric (byte)
label: ct1a1
range: [.,.] units: .
unique values: 0 missing .: 1,230/1,230
tabulation: Freq.  Numeric  Label
             1,230      .
    
```

ct1a7a **10-digits number answer**

```

type: string (str10), but longest is str1
unique values: 1 missing "": 1,228/1,230
tabulation: Freq.  Value
             1,228 ""
             2   "."
    
```

ct1a7 **10-digits number**

```

type: numeric (byte)
label: ct1a1
range: [.,.] units: .
unique values: 0 missing .: 1,230/1,230
tabulation: Freq.  Numeric  Label
             1,230      .
    
```

ct1a8a **11-digits number answer**

```

type: string (str11), but longest is str1
unique values: 1 missing "": 1,228/1,230
tabulation: Freq.  Value
             1,228 ""
             2   "."
    
```

ct1a8 **11-digits number**

```

type: numeric (byte)
label: ct1a1
range: [.,.]
unique values: 0
units: .
missing ..: 1,230/1,230
tabulation: Freq. Numeric Label
              1,230 .
    
```

fw_adult **Digits score**

```

type: numeric (float)
range: [7,7]
unique values: 1
units: 1
missing ..: 1,229/1,230
tabulation: Freq. Value
              1 7
              1,229 .
mean: 7
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              7 7 7 7 7
    
```

ct2 **Interviewer note (unavailable)**

```

type: string (str153), but longest is str0
unique values: 0
missing "": 1,230/1,230
tabulation: Freq. Value
              1,230 ""
    
```

note_cleaner **Data note cleaner**

```

type: string (str177)
unique values: 1
missing "": 1,228/1,230
tabulation: Freq. Value
              1,228 ""
              2 "ถามเฉพาะบ้านที่มีการเปลี่ยนแปลงองค์ประกอบ
                  ของสมาชิกครัวเรือน"
    
```

hh_change **household structure changed**

```

type: numeric (float)
label: hh_change
range: [0,1]
unique values: 2
units: 1
missing ..: 0/1,230
tabulation: Freq. Numeric Label
              1,224 0 no
              6 1 yes
    
```

survey_name **survey name**

```

type: string (str12)
    
```

unique values: 1 missing "": 0/1,230
 tabulation: Freq. Value
 1,230 "RESURVEY2019"

year_survey **year survey**

type: numeric (**float**)
 range: [2019,2019] units: 1
 unique values: 1 missing .: 0/1,230
 tabulation: Freq. Value
 1,230 2019
 mean: 2019
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 2019 2019 2019 2019 2019

2 . log close
 name: <unnamed>
 log: V:\\RIECE DATA\\RIECE_RELEASE V5-2019\\Resurvey2019\\codebook\\a11.scm1
 log type: smcl
 closed on: 7 Nov 2024, 15:44:52
