



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey2019/codebook\a12.smcl
log type: smcl
opened on: 7 Nov 2024, 15:44:47

```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey2019/codebook\a12
> _run.dta Last saved: 7 Nov 2024 15:44

```

```

Label: [none]
Number of variables: 23
Number of observations: 1,230
Size: 460,020 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

pid **personal id**

```

type: string (str17)
unique values: 1 missing "": 1,229/1,230
tabulation: Freq. Value
1,229 ""
1 "201693180103056H7"

```

hhid **household id**

```

type: string (str15)
unique values: 1,230 missing "": 0/1,230
examples: "201591160419002"
"201691130201104"
"201691150908040"
"201691161706017"

```

iyear **year**

```

type: string (str9), but longest is str4

```

unique values: 2 missing "": 0/1,230
 tabulation: Freq. Value
 487 "2015"
 743 "2016"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,230
 tabulation: Freq. Value
 1,114 "91"
 116 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,230
 tabulation: Freq. Value
 1 "09"
 115 "12"
 231 "13"
 103 "14"
 124 "15"
 443 "16"
 31 "17"
 182 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,230
 tabulation: Freq. Value
 55 "01"
 188 "02"
 109 "04"
 46 "05"
 45 "06"
 57 "07"
 47 "08"
 88 "09"
 113 "10"
 75 "11"
 116 "13"
 42 "14"
 123 "15"
 81 "17"
 45 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,230

```

tabulation:  Freq.  Value
              130  "01"
              60  "02"
              117  "03"
              135  "04"
              96  "05"
              135  "06"
              66  "07"
              121  "08"
              69  "09"
              60  "10"
              47  "11"
              35  "12"
              36  "13"
              10  "14"
               8  "15"
              34  "16"
              12  "17"
              11  "18"
              27  "19"
               1  "20"
              14  "22"
               6  "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 182           missing "": 0/1,230
examples:  "010"
           "034"
           "070"
           "173"
    
```

nickname **Nickname (unavailable)**

```

type: string (str24), but longest is str0
unique values: 0           missing "": 1,230/1,230
tabulation:  Freq.  Value
              1,230  ""
    
```

memberid **memberID**

```

type: string (str3), but longest is str2
unique values: 2           missing "": 1,228/1,230
unique missing codes: 2   missing *: 1/1,230
tabulation:  Freq.  Value
              1,228  ""
               1  "H7"
               1  "MI"
    
```

a12_a **Life Satisfaction**

```

type: numeric (byte)
label: a12_a
range: [5,5]           units: 1
unique values: 1       missing .: 1,229/1,230
    
```

```

tabulation: Freq.  Numeric  Label
              1          5  sometime but not often
            1,229          .
    
```

a12_b1 **First: Unable to sleep well**

```

type: numeric (byte)
label: a12_b1

range: [5,5]          units: 1
unique values: 1      missing .: 1,229/1,230

tabulation: Freq.  Numeric  Label
              1          5  sometime but not often
            1,229          .
    
```

a12_b2 **Second: Unable to concentrate**

```

type: numeric (byte)
label: a12_b2

range: [7,7]          units: 1
unique values: 1      missing .: 1,229/1,230

tabulation: Freq.  Numeric  Label
              1          7  once or never felt this way in
            1,229          .  this month
    
```

a12_b3 **Third: Irritated, restless, overthinking**

```

type: numeric (byte)
label: a12_b3

range: [5,5]          units: 1
unique values: 1      missing .: 1,229/1,230

tabulation: Freq.  Numeric  Label
              1          5  sometime but not often
            1,229          .
    
```

a12_b4 **Fourth: Bored**

```

type: numeric (byte)
label: a12_b4

range: [5,5]          units: 1
unique values: 1      missing .: 1,229/1,230

tabulation: Freq.  Numeric  Label
              1          5  sometime but not often
            1,229          .
    
```

a12_b5 **Fifth: No desire to meet**

```

type: numeric (byte)
label: a12_b5

range: [7,7]          units: 1
unique values: 1      missing .: 1,229/1,230
    
```

```

tabulation: Freq.  Numeric  Label
              1          7  once or never felt this way in
              1,229        .  this month
    
```

a12_rel_des **Relationship description**

```

type: string (str86), but longest is str9
unique values: 1 missing "": 1,229/1,230
tabulation: Freq.  Value
              1,229  ""
              1     "แฉ่"
    
```

a12_rel **Relationship to the child code**

```

type: numeric (byte)
label: hh_lcode
range: [1,1] units: 1
unique values: 1 missing .: 1,229/1,230
tabulation: Freq.  Numeric  Label
              1          1  Father/Mother
              1,229        .
    
```

note_cleaner **Data note cleaner**

```

type: string (str177)
unique values: 1 missing "": 1,228/1,230
tabulation: Freq.  Value
              1,228  ""
              2     "อามเฉพาะบ้านที่มีการเปลี่ยนแปลงองค์ประกอบ
                   ของสมาชิกครัวเรือน"
    
```

note **Interviewer note (unavailable)**

```

type: string (str5), but longest is str0
unique values: 0 missing "": 1,230/1,230
tabulation: Freq.  Value
              1,230  ""
    
```

hh_change **household structure changed**

```

type: numeric (float)
label: hh_change
range: [0,1] units: 1
unique values: 2 missing .: 0/1,230
tabulation: Freq.  Numeric  Label
              1,224        0  no
              6           1  yes
    
```

survey_name **survey_name**

type: string (**str12**)
 unique values: **1** missing "": **0/1,230**
 tabulation: Freq. Value
 1,230 **"RESURVEY2019"**

year_survey **year_survey**

type: numeric (**float**)
 range: [**2019,2019**] units: **1**
 unique values: **1** missing .: **0/1,230**
 tabulation: Freq. Value
 1,230 **2019**
 mean: **2019**
 std. dev: **0**
 percentiles: 10% 25% 50% 75% 90%
 2019 **2019** **2019** **2019** **2019**

2 . log close
 name: **<unnamed>**
 log: **V:\\RIECE DATA\\RIECE_RELEASE V5-2019\\Resurvey2019\\codebook\\a12.scm1**
 log type: **smcl**
 closed on: **7 Nov 2024, 15:44:48**
