



```

name: <unnamed>
log: Z:\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codebook_sc\b1.scm
> 1
log type: smcl
opened on: 15 Jun 2026, 15:47:39

```

```
1 . codebookr _all,all
```

```

Dataset: \RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\stata\sc
> ramble/b1_run.dta
Last saved: 15 Jun 2026 15:47

```

```

Label: [none]
Number of variables: 140
Number of observations: 1,666
Size: 4,464,880 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or -6 or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or -7 or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or -8 or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or -9 or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a or -6          String Missing*: RF
                  .b or -7          NA
                  .c or -8          DK
                  .d or -9          MI

```

```

_dta:
1. score = N/A คือครัวเรือนสถาบัน

```

```
pid personal id
```

```

type: string (str18)
unique values: 1,666          missing "": 0/1,666
examples: "201591160601205H1"
           "201691130216999H1"
           "201691160104180H1"
           "201691161706142H6"

```

```
iyear year
```

```

type: string (str9), but longest is str4
unique values: 2          missing "": 0/1,666
tabulation: Freq. Value
             626 "2015"
             1,040 "2016"

```

hhid **household id**

type: string (**str15**)
 unique values: **1,413** missing "": 0/1,666
 examples: "201591160601205"
 "201691130216999"
 "201691160104180"
 "201691161706142"

prov **province**

type: string (**str2**)
 unique values: **2** missing "": 0/1,666
 tabulation:

| Freq. | Value |
|-------|-------|
| 1,501 | "91" |
| 165 | "93" |

amp **amphoe**

type: string (**str2**)
 unique values: **7** missing "": 0/1,666
 tabulation:

| Freq. | Value |
|-------|-------|
| 165 | "12" |
| 308 | "13" |
| 134 | "14" |
| 164 | "15" |
| 608 | "16" |
| 45 | "17" |
| 242 | "18" |

tam **tambon**

type: string (**str2**)
 unique values: **15** missing "": 0/1,666
 tabulation:

| Freq. | Value |
|-------|-------|
| 71 | "01" |
| 259 | "02" |
| 141 | "04" |
| 65 | "05" |
| 60 | "06" |
| 69 | "07" |
| 67 | "08" |
| 109 | "09" |
| 155 | "10" |
| 96 | "11" |
| 167 | "13" |
| 52 | "14" |
| 169 | "15" |
| 116 | "17" |
| 70 | "19" |

moo **moo**

type: string (**str2**)
 unique values: 21 missing "": 0/1,666

| tabulation: | Freq. | Value |
|-------------|-------|-------|
| | 168 | "01" |
| | 75 | "02" |
| | 166 | "03" |
| | 172 | "04" |
| | 151 | "05" |
| | 175 | "06" |
| | 86 | "07" |
| | 173 | "08" |
| | 108 | "09" |
| | 84 | "10" |
| | 61 | "11" |
| | 51 | "12" |
| | 46 | "13" |
| | 14 | "14" |
| | 12 | "15" |
| | 41 | "16" |
| | 10 | "17" |
| | 14 | "18" |
| | 31 | "19" |
| | 21 | "22" |
| | 7 | "24" |

strucid **structure ID**

type: string (**str3**)
 unique values: 182 missing "": 0/1,666
 examples: "011"
 "034"
 "071"
 "157"

cid **children id**

type: string (**str18**)
 unique values: 1,666 missing "": 0/1,666
 examples: "201591160601205H1"
 "201691130216999H1"
 "201691160104180H1"
 "201691161706142H6"

ch_added **children added**

type: numeric (**float**)
 label: **ch_add**
 range: [0,1] units: 1
 unique values: 2 missing .: 0/1,666
 tabulation: Freq. Numeric Label
 1,595 0 no
 71 1 yes

survey_name **survey round**

```

type: string (str12)
unique values: 2 missing "": 0/1,666
tabulation: Freq. Value
             1,040 "BASELINE2016"
             626  "RESURVEY2016"
    
```

nickname **Child's nickname (unavailable)**

```

type: string (str33), but longest is str0
unique values: 0 missing "": 1,666/1,666
tabulation: Freq. Value
             1,666 ""
    
```

idcard **Children identification number (unavailable)**

```

type: string (str17), but longest is str0
unique values: 0 missing "": 1,666/1,666
tabulation: Freq. Value
             1,666 ""
    
```

fname **Respondent's first name (unavailable)**

```

type: string (str52), but longest is str0
unique values: 0 missing "": 1,666/1,666
tabulation: Freq. Value
             1,666 ""
    
```

lname **Respondent's last name (unavailable)**

```

type: string (str48), but longest is str0
unique values: 0 missing "": 1,666/1,666
tabulation: Freq. Value
             1,666 ""
    
```

tel **Telephone number (unavailable)**

```

type: string (str12), but longest is str0
unique values: 0 missing "": 1,666/1,666
tabulation: Freq. Value
             1,666 ""
    
```

ci0 **Respondent's member ID**

```

type: string (str2)
unique values: 9 missing "": 0/1,666
unique missing codes: 1 missing *: 4/1,666
    
```

```

tabulation:  Freq.  Value
              607  "H2"
              664  "H3"
              218  "H4"
              102  "H5"
               42  "H6"
               20  "H7"
                7  "H8"
                2  "H9"
                4  "NA"
    
```

cila **Relationship code : caregiver to the child**

```

type: numeric (byte)
label: cila

range: [1,19]
unique values: 8

units: 1
missing .: 0/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              591      1  Father / Mother
              736      5  Grand parents : mother side
              234      6  Grand parents: father side
                1      7  Siblings
               32     13  Uncle / Aunt
               42     17  Great-grandparents (Mother's
                        side)
                6     18  Great-grandparents (Father's
                        side)
               24     19  Other relatives
    
```

cila_des **Relationship description (not display)**

```

type: string (str68), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation:  Freq.  Value
              1,666  ""
    
```

ci2h1 **Height at birth (cm)**

```

type: numeric (float)

range: [27,63]
unique values: 32
unique missing codes: 2

units: .1
missing .: 0/1,666
missing *: 114/1,666

tabulation:  Freq.  Value
              1     27
              1     28
              3     31
              1     32
              3     33
              2     37
              1     39
              3     41
              4     42
              8     43
              2     44
             15     45
             23     46
             48     47
              1    47.5
             89     48
            133     49
    
```

```

      1 49.5
    197 50
    205 51
      1 51.5
    242 52
    197 53
    165 54
     91 55
     54 56
     37 57
     17 58
      4 59
      1 61
      1 62
      1 63
    113 .c
      1 .d
    mean: 51.4352
    std. dev: 3.27631

percentiles:      10%      25%      50%      75%      90%
                  48       50       52       53       55

```

ci2h2 **Current height (cm)**

```

type: numeric (int)
range: [50,140]
unique values: 69
unique missing codes: 2

units: 1
missing .: 0/1,666
missing *: 708/1,666

```

```

tabulation: Freq. Value
            2 50
            1 53
            1 56
            2 58
            1 60
            1 61
            2 62
            1 63
            4 65
            1 66
            5 67
            5 68
            1 69
           18 70
            4 71
           12 72
           12 73
            8 74
           38 75
           11 76
            5 77
           15 78
           12 79
           35 80
            3 81
           13 82
            8 83
            9 84
           37 85
           17 86
           14 87
            7 88
           13 89
           57 90
            6 91
           18 92
           16 93
           20 94

```

```

57 95
19 96
23 97
39 98
8 99
87 100
15 101
15 102
15 103
14 104
56 105
17 106
6 107
15 108
4 109
59 110
6 111
9 112
3 113
2 114
21 115
3 116
7 117
5 118
3 119
8 120
1 121
2 125
1 128
1 130
2 140
705 .c
3 .d
mean: 93.8768
std. dev: 13.5003
percentiles: 10% 25% 50% 75% 90%
              75 85 95 104 110

```

ci2w1 **Weight at birth (kg)**

```

type: numeric (float)
range: [.001, .00521] units: 1.000e-07
unique values: 345 missing .: 0/1,666
unique missing codes: 1 missing *: 38/1,666

mean: .003049
std. dev: .000469
percentiles: 10% 25% 50% 75% 90%
              .00248 .00278 .003057 .00333 .00359

```

ci2w2 **Current weight (kg)**

```

type: numeric (double)
range: [2, 45] units: .1
unique values: 100 missing .: 0/1,666
unique missing codes: 1 missing *: 163/1,666

```

```

tabulation:  Freq.  Value
              2      2
              4      6
              1     6.3
              2     6.5
              1     6.8
              6      7
              1     7.3
              3     7.5
              1     7.7
              1     7.9
             25      8
              1     8.2
              1     8.3
              1     8.4
             13     8.5
              1     8.7
              1     8.8
             34      9
              1     9.2
              2     9.3
              1     9.4
              4     9.5
              2     9.8
            102     10
              1    10.2
              3    10.3
             15    10.5
              2    10.7
             94    11
              2    11.3
             13    11.5
              1    11.6
              2    11.7
              2    11.8
            141    12
              1    12.3
             11    12.5
              1    12.7
              1    12.8
            118    13
              1    13.2
              1    13.3
              7    13.5
              2    13.6
              1    13.7
              1    13.8
            131    14
              1    14.3
             14    14.5
              1    14.6
              2    14.7
              1    14.8
              1    14.9
            202    15
              1    15.1
              1    15.2
              1    15.3
              1    15.4
             11    15.5
              1    15.8
            113    16
              1    16.4
              4    16.5
              2    16.6
              1    16.8
              1    16.9
             69    17
              1    17.1
              2    17.5
             63    18
              1    18.1
    
```

```

      2 18.5
      1 18.6
      1 18.7
     58 19
      1 19.4
      2 19.5
     72 20
      1 20.5
     18 21
     24 22
     12 23
      1 23.5
      8 24
     12 25
      5 26
      3 27
      1 27.7
      2 28
      2 28.5
      1 29.5
      5 30
      1 31
      2 32
      1 33
      2 34
      3 35
      1 38
      1 43
      1 45
     163 .c
    mean: 14.6804
   std. dev: 4.36847

percentiles:      10%      25%      50%      75%      90%
                  10       12       14       17       20

```

ci12db **Date of birth (unavailable)**

```

      type: numeric (byte)
      range: [.,.]
unique values: 0
      units: .
missing .: 1,666/1,666

tabulation: Freq. Value
             1,666 .
      mean: .
      std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .

```

ci12mb **Month of birth (unavailable)**

```

      type: numeric (byte)
      range: [.,.]
unique values: 0
      units: .
missing .: 1,666/1,666

tabulation: Freq. Value
             1,666 .
      mean: .
      std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .

```

ci12yb **Year of birth (unavailable)**

```

type: numeric (int)
range: [.,.]
unique values: 0
units: .
missing .: 1,666/1,666

tabulation: Freq. Value
             1,666 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

ci3 **Does the child's father live in the house?**

```

type: numeric (byte)
label: ci3
range: [1,3]
unique values: 2
unique missing codes: 1
units: 1
missing .: 0/1,666
missing *: 2/1,666

tabulation: Freq. Numeric Label
             681      1 yes
             983      3 no
              2      .a
    
```

ci3a_fname **Father's first name (unavailable)**

```

type: string (str51), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation: Freq. Value
             1,666 ""
    
```

ci3a_lname **Father's last name (unavailable)**

```

type: string (str48), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation: Freq. Value
             1,666 ""
    
```

ci3aa **Father's member id**

```

type: string (str5), but longest is str3
unique values: 11
unique missing codes: 2
missing "": 0/1,666
missing *: 985/1,666
    
```

```

tabulation:  Freq.  Value
              1  "H13"
             120  "H2"
             102  "H3"
             168  "H4"
             196  "H5"
              51  "H6"
              31  "H7"
               6  "H8"
               6  "H9"
             983  "NA"
               2  "RF"
    
```

ci3ab **Father's identification number (unavailable)**

```

type: string (str17), but longest is str0
unique values: 0 missing "": 1,666/1,666
tabulation:  Freq.  Value
             1,666  ""
    
```

ci3c **Father's date of birth (unavailable)**

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1,666/1,666
tabulation:  Freq.  Value
             1,666  .
mean: .
std. dev: .
percentiles: 10%    25%    50%    75%    90%
              .     .     .     .     .
    
```

ci3d **Father's month of birth (unavailable)**

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1,666/1,666
tabulation:  Freq.  Value
             1,666  .
mean: .
std. dev: .
percentiles: 10%    25%    50%    75%    90%
              .     .     .     .     .
    
```

ci3e **Father's year of birth (unavailable)**

```

type: numeric (int)
range: [.,.] units: .
unique values: 0 missing .: 1,666/1,666
tabulation:  Freq.  Value
             1,666  .
mean: .
std. dev: .
    
```

ci3h **Code : father's occupation**

```

type: numeric (byte)
label: ci3h

range: [1,21]
unique values: 11
unique missing codes: 4

units: 1
missing .: 692/1,666
missing *: 128/1,666
    
```

| tabulation: | Freq. | Numeric | Label |
|-------------|-------|---------|---|
| | 26 | 1 | Legislators/senior government officer/administrator |
| | 35 | 3 | Professional |
| | 42 | 5 | Technician and related |
| | 13 | 7 | Office clerk |
| | 137 | 9 | Service provider / seller who sells goods in the store and/or in the market |
| | 43 | 11 | Agriculture and fishery workers |
| | 102 | 13 | Skilled craftsmen and related |
| | 195 | 15 | Mechanical and assembly workers |
| | 194 | 17 | General workers |
| | 31 | 19 | Armed force |
| | 28 | 21 | Not working |
| | 692 | . | . |
| | 10 | .a | .a |
| | 116 | .c | .c |
| | 2 | .d | .d |

ci3h_des **Father's occupation description (not display)**

```

type: string (str154), but longest is str0
unique values: 0
missing "": 1,666/1,666
    
```

| tabulation: | Freq. | Value |
|-------------|-------|-------|
| | 1,666 | " " |

ci3ha **Father's type of work**

```

type: numeric (byte)
label: ci3ha

range: [1,9]
unique values: 5
unique missing codes: 5

units: 1
missing .: 692/1,666
missing *: 153/1,666
    
```

| tabulation: | Freq. | Numeric | Label |
|-------------|-------|---------|--|
| | 61 | 1 | Government officer/state enterprise employee |
| | 19 | 3 | Temporary government officer/state enterprise employee |
| | 582 | 5 | Company employee |
| | 39 | 7 | Temporary company employee, seasonal |
| | 120 | 9 | Business owner |
| | 692 | . | . |
| | 10 | .a | .a |
| | 28 | .b | .b |
| | 113 | .c | .c |
| | 2 | .d | .d |

ci3i **Father's net income per month**

```

type: numeric (long)
range: [4500,1500000]
unique values: 76
unique missing codes: 5
units: 1
missing .: 692/1,666
missing *: 390/1,666

```

```

tabulation: Freq. Value
2 4500
2 4750
8 5000
3 5500
6 6000
3 6500
5 6600
13 7000
1 7400
9 7500
7 7800
7 8000
1 8100
1 8400
4 8500
36 9000
2 9100
2 9180
1 9500
1 9600
1 9900
55 10000
1 10400
1 10417
4 10500
8 11000
3 11500
2 11700
42 12000
7 12500
19 13000
1 13350
8 13500
9 14000
1 14500
97 15000
5 15500
1 15600
7 16000
2 16500
1 16900
10 17000
4 17500
8 18000
1 18500
2 19000
2 19500
52 20000
1 22000
3 22500
8 23000
1 23500
1 24000
4 24500
22 25000
1 25500
2 26000
1 26500
2 27000
3 28000
1 29500
27 30000
2 32000
9 35000
8 40000

```

```

          1 43000
          6 45000
          3 50000
          1 55000
          2 60000
          2 75000
          1 80000
          1 85000
          1 110000
          1 250000
          1 1500000
        692 .
         13 .a
         28 .b
        347 .c
          2 .d
    mean: 19745.1
  std. dev: 63062.7

percentiles:    10%    25%    50%    75%    90%
                7800   10000  15000  20000  30000
  
```

ci3i_des Description : father's net income per month (not display)

```

    type: string (str70), but longest is str0
unique values: 0 missing "": 1,666/1,666

tabulation: Freq. Value
            1,666 ""
  
```

ci3j Father's telephone number (unavailable)

```

    type: string (str12), but longest is str0
unique values: 0 missing "": 1,666/1,666

tabulation: Freq. Value
            1,666 ""
  
```

ci3k Number of days : father visit the child (per year)

```

    type: numeric (int)
    range: [0,365]
unique values: 82 units: 1
unique missing codes: 4 missing .: 692/1,666
                        missing *: 19/1,666

tabulation: Freq. Value
            221 0
             19 1
             23 2
             27 3
             27 4
             36 5
             45 6
             37 7
             21 8
             30 9
             39 10
             13 11
             35 12
              4 13
             36 14
             20 15
             16 16
  
```

9 17
19 18
3 19
8 20
5 21
3 22
2 23
17 24
3 25
1 26
9 28
1 29
25 30
8 32
1 33
4 34
2 35
16 36
1 37
2 39
2 40
1 41
4 42
1 44
1 45
15 48
17 52
2 54
1 56
14 60
1 64
2 66
2 67
1 68
2 70
2 72
1 73
2 74
6 75
1 77
9 84
14 90
1 94
2 95
4 96
1 98
1 103
21 104
3 108
1 110
1 112
13 120
2 130
1 134
1 135
1 138
2 150
2 155
1 156
2 160
2 183
1 234
1 313
1 360
1 365
692 .
10 .a
5 .c
4 .d

mean: 23.1445
std. dev: 37.7496

percentiles: 10% 25% 50% 75% 90%
 0 1 9 25 75

ci31 Does the child sleep with the father when the father lives in a house?

 type: numeric (byte)
 label: ci31

 range: [1,3] units: 1
 unique values: 2 missing .: 913/1,666
 unique missing codes: 4 missing *: 15/1,666

| tabulation: | Freq. | Numeric | Label |
|-------------|-------|---------|-------|
| | 508 | 1 | yes |
| | 230 | 3 | no |
| | 913 | . | |
| | 10 | .a | |
| | 1 | .c | |
| | 4 | .d | |

ci3m Number of days : father take the child to his place (outside the household) (pe

 type: numeric (int)

 range: [0,240] units: 1
 unique values: 50 missing .: 692/1,666
 unique missing codes: 4 missing *: 18/1,666

| tabulation: | Freq. | Value |
|-------------|-------|-------|
| | 584 | 0 |
| | 4 | 1 |
| | 19 | 2 |
| | 26 | 3 |
| | 10 | 4 |
| | 11 | 5 |
| | 8 | 6 |
| | 38 | 7 |
| | 4 | 8 |
| | 3 | 9 |
| | 19 | 10 |
| | 1 | 11 |
| | 10 | 12 |
| | 26 | 14 |
| | 16 | 15 |
| | 1 | 16 |
| | 5 | 18 |
| | 7 | 20 |
| | 4 | 21 |
| | 2 | 22 |
| | 1 | 23 |
| | 4 | 24 |
| | 1 | 25 |
| | 1 | 28 |
| | 70 | 30 |
| | 1 | 36 |
| | 1 | 37 |
| | 3 | 40 |
| | 4 | 42 |
| | 10 | 45 |
| | 2 | 48 |
| | 4 | 52 |
| | 1 | 54 |
| | 1 | 55 |
| | 2 | 59 |
| | 22 | 60 |
| | 1 | 70 |
| | 1 | 72 |
| | 2 | 75 |

```

                2  77
                1  84
                8  90
                6 104
                1 112
                2 120
                1 129
                2 132
                1 138
                1 146
                1 240
        692  .
        10  .a
         3  .c
         5  .d
    mean:   10.4226
  std. dev: 22.6373

percentiles:    10%    25%    50%    75%    90%
                0      0      0      10     30
    
```

ci4 **Does the child's mother live in the house?**

```

    type: numeric (byte)
    label: ci4

    range: [1,3]
unique values: 2
                units: 1
                missing.: 0/1,666

    tabulation: Freq.  Numeric  Label
                933      1      yes
                733      3      no
    
```

ci4a_fname **Mother's first name (unavailable)**

```

    type: string (str60), but longest is str0
unique values: 0
                missing "": 1,666/1,666

    tabulation: Freq.  Value
                1,666  ""
    
```

ci4a_lname **Mother's last name (unavailable)**

```

    type: string (str48), but longest is str0
unique values: 0
                missing "": 1,666/1,666

    tabulation: Freq.  Value
                1,666  ""
    
```

ci4aa **Mother's member id**

```

    type: string (str2)

unique values: 9
unique missing codes: 1
                missing "": 0/1,666
                missing *: 733/1,666
    
```

```

tabulation: Freq. Value
             119 "H2"
             231 "H3"
             294 "H4"
             166 "H5"
              71 "H6"
              32 "H7"
              16 "H8"
               4 "H9"
             733 "NA"
    
```

ci4ab **Mother's identification number (unavailable)**

```

type: string (str17), but longest is str0
unique values: 0 missing "": 1,666/1,666
tabulation: Freq. Value
             1,666 ""
    
```

ci4c **Mother's date of birth (unavailable)**

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1,666/1,666
tabulation: Freq. Value
             1,666 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

ci4d **Mother's month of birth (unavailable)**

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1,666/1,666
tabulation: Freq. Value
             1,666 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

ci4e **Mother's year of birth (unavailable)**

```

type: numeric (int)
range: [.,.] units: .
unique values: 0 missing .: 1,666/1,666
tabulation: Freq. Value
             1,666 .
mean: .
std. dev: .
    
```



```

type: numeric (byte)
label: ci4h

range: [1,21]
unique values: 10
unique missing codes: 3

units: 1
missing .: 937/1,666
missing *: 53/1,666

```

| tabulation: | Freq. | Numeric | Label |
|-------------|-------|---------|---|
| | 7 | 1 | Legislators/senior government officer/administrator |
| | 32 | 3 | Professional |
| | 27 | 5 | Technician and related |
| | 65 | 7 | Office clerk |
| | 148 | 9 | Service provider / seller who sells goods in the store and/or in the market |
| | 18 | 11 | Agriculture and fishery workers |
| | 47 | 13 | Skilled craftsmen and related |
| | 106 | 15 | Mechanical and assembly workers |
| | 190 | 17 | General workers |
| | 36 | 21 | Not working |
| | 937 | . | . |
| | 2 | .a | .a |
| | 51 | .c | .c |

ci4h_des **Mother's occupation description (not display)**

```

type: string (str148), but longest is str0
unique values: 0
missing "": 1,666/1,666

```

| tabulation: | Freq. | Value |
|-------------|-------|-------|
| | 1,666 | "" |

ci4ha **Mother's type of work**

```

type: numeric (byte)
label: ci4ha

range: [1,9]
unique values: 5
unique missing codes: 5

units: 1
missing .: 937/1,666
missing *: 80/1,666

```

| tabulation: | Freq. | Numeric | Label |
|-------------|-------|---------|--|
| | 21 | 1 | Government officer/state enterprise employee |
| | 7 | 3 | Temporary government officer/state enterprise employee |
| | 524 | 5 | Company employee |
| | 24 | 7 | Temporary company employee, seasonal |
| | 73 | 9 | Business owner |
| | 937 | . | . |
| | 2 | .a | .a |
| | 36 | .b | .b |
| | 40 | .c | .c |
| | 2 | .d | .d |

ci4i **Mothers net income per month**

```

type: numeric (long)

range: [3870,100000]
unique values: 58
unique missing codes: 4

units: 1
missing .: 937/1,666
missing *: 224/1,666

```

```

tabulation:  Freq.  Value
              1    3870
              1    4500
              2    4750
              7    5000
              4    5500
              1    6000
              2    6500
              3    6600
              1    6900
             10    7000
             13    7500
             16    7800
             12    8000
              1    8060
              1    8100
              3    8500
             48    9000
              1    9750
             65   10000
              2   10400
              1   10417
              2   10500
              1   10650
              1   10750
              5   11000
              4   11500
             33   12000
             10   12500
             21   13000
              1   13350
              3   13500
             12   14000
              4   14500
             86   15000
              3   15500
              8   16000
              5   16500
             12   17000
              3   17500
             10   18000
              2   19000
             36   20000
              3   22000
              1   22400
              1   22500
              2   23000
             12   25000
              2   26000
              2   27000
              1   28000
              1   29500
             11   30000
              1   35000
              4   40000
              3   45000
              1   54000
              1   70000
              2  100000
             937  .
              3  .a
             36  .b
             185  .c
    mean:      14330
std. dev:    8862.25

percentiles:   10%      25%      50%      75%      90%
               7800     9750     13000    15500    20000

```

ci4i_des **Description : mother's net income per month (not display)**

type: string (**str72**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

ci4j **Mother's telephone number (unavailable)**

type: string (**str12**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

ci4ka **Mother's address : sub-district code (unavailable)**

type: string (**str4**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

ci4kb **Mother's address : district code (unavailable)**

type: string (**str4**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

ci4kc **Mother's address : province code (unavailable)**

type: string (**str4**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

ci4ka_des **Mother's address : sub-district (unavailable)**

type: string (**str66**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

ci4kb_des **Mother's address : district (unavailable)**

type: string (**str42**), but longest is str0

unique values: 0 missing "": 1,666/1,666

tabulation: Freq. Value
1,666 ""

ci4kc_des **Mother's address : province (unavailable)**

type: string (**str45**), but longest is str0

unique values: 0 missing "": 1,666/1,666

tabulation: Freq. Value
1,666 ""

ci4kd **Mother's address : country (unavailable)**

type: string (**str33**), but longest is str0

unique values: 0 missing "": 1,666/1,666

tabulation: Freq. Value
1,666 ""

ci4l **Number of days : mother visit the child (per year)**

type: numeric (**int**)

range: [0,365] units: 1
unique values: 72 missing .: 937/1,666
unique missing codes: 3 missing *: 3/1,666

tabulation: Freq. Value

| | |
|----|----|
| 92 | 0 |
| 12 | 1 |
| 16 | 2 |
| 34 | 3 |
| 22 | 4 |
| 37 | 5 |
| 46 | 6 |
| 36 | 7 |
| 24 | 8 |
| 28 | 9 |
| 40 | 10 |
| 8 | 11 |
| 26 | 12 |
| 6 | 13 |
| 33 | 14 |
| 22 | 15 |
| 16 | 16 |
| 8 | 17 |
| 11 | 18 |
| 3 | 19 |
| 11 | 20 |
| 7 | 21 |
| 3 | 22 |
| 1 | 23 |
| 13 | 24 |
| 3 | 25 |
| 1 | 27 |
| 4 | 28 |
| 1 | 29 |
| 22 | 30 |
| 3 | 32 |
| 1 | 33 |
| 2 | 34 |
| 2 | 35 |

```

12 36
1 39
1 40
1 41
6 42
1 44
1 45
1 47
7 48
1 50
20 52
1 54
1 55
1 56
13 60
1 67
1 68
2 70
2 72
1 73
2 74
1 75
2 77
8 84
8 90
5 96
1 103
15 104
2 108
4 120
1 122
1 134
1 146
2 150
1 155
1 234
1 313
1 365
937 .
1 .c
2 .d
mean: 21.7989
std. dev: 33.37

percentiles:    10%    25%    50%    75%    90%
                0      5     10     24     60

```

ci4m Does the child sleep with the mother when the mother lives in a house?

```

type: numeric (byte)
label: ci4m

range: [1,3] units: 1
unique values: 2 missing .: 1,029/1,666

tabulation: Freq. Numeric Label
             451      1 yes
             186      3 no
             1,029      .

```

ci4n How many days on average per year that the child stays at the mother's place (ou

```

type: numeric (int)

range: [0,240] units: 1
unique values: 46 missing .: 937/1,666
unique missing codes: 3 missing *: 5/1,666

```

```

tabulation:  Freq.  Value
              397    0
               4    1
              13    2
              19    3
              10    4
               9    5
               4    6
              36    7
               3    8
               2    9
              16   10
               8   12
               1   13
              19   14
              21   15
               2   16
               2   18
               1   19
               6   20
               6   21
               2   22
               1   23
               5   24
               1   25
               3   28
              68   30
               1   36
               2   40
               4   42
              11   45
               1   50
               1   52
               1   54
               1   55
              19   60
               1   68
               1   70
               2   75
               7   90
               4  104
               1  112
               3  120
               2  132
               1  138
               1  170
               1  240
              937  .
               1  .c
               4  .d

```

```

mean: 12.0953
std. dev: 23.9205

```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         15         30

```

ci2a

Do the parents live together

```

type: numeric (byte)
label: ci2a

range: [1,7]
unique values: 4
unique missing codes: 1

units: 1
missing .: 0/1,666
missing *: 1/1,666

```

```

tabulation:  Freq.  Numeric  Label
              1,119      1  Living together (both registered
              308        3  and non-registered)
              226        5  Divorced
              12        7  Separated (but still being a
              1         .c  couple)
              1         .c  Widowed
    
```

ci2a1 **Father's marital status**

```

type: numeric (byte)
label: ci2a1

range: [1,3]          units: 1
unique values: 2      missing .: 1,345/1,666
unique missing codes: 5  missing *: 77/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              95      1  re-married
              149     3  not re-married
              1,345   .
              4       .a
              12     .b
              59     .c
              2       .d
    
```

ci2a2 **Mother's marital status**

```

type: numeric (byte)
label: ci2a2

range: [1,3]          units: 1
unique values: 2      missing .: 1,345/1,666
unique missing codes: 4  missing *: 25/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              141     1  re-married
              155     3  not re-married
              1,345   .
              4       .b
              19     .c
              2       .d
    
```

ci5a Average financial support from father who lives outside the household per month

```

type: numeric (long)

range: [0,55000]     units: 1
unique values: 72    missing .: 0/1,666
unique missing codes: 4  missing *: 1,175/1,666
    
```

```

tabulation:  Freq.  Value
              251    0
              2     25
              2     42
              1     56
              1     67
              1     71
              1     76
              1    118
              1    167
              1    195
              1    222
              2    417
              1    450
    
```

4 500
1 560
1 600
1 658
1 667
1 700
13 1000
1 1200
1 1290
1 1392
1 1411
10 1500
2 1750
19 2000
2 2187
9 2500
1 2571
2 2750
1 2763
23 3000
2 3250
1 3333
10 3500
18 4000
1 4063
1 4300
5 4500
16 5000
4 5500
1 5571
5 6000
3 6500
2 6667
1 6769
4 7000
1 7058
6 7500
3 8000
1 8235
1 8500
1 8600
2 9000
1 9600
2 9675
12 10000
1 11500
2 12500
1 15000
1 15500
4 20000
1 20833
2 23000
3 25000
1 27000
4 35000
2 40000
2 45000
1 50000
1 55000
1 .a
685 .b
487 .c
2 .d

mean: 3138.74
std. dev: 7009.85

percentiles: 10% 25% 50% 75% 90%
0 0 0 3500 7500

ci5c Average financial support from father and mother who live outside the household

```

type: numeric (long)
range: [208,65000]
unique values: 77
unique missing codes: 3
units: 1
missing .: 544/1,666
missing *: 653/1,666

```

```

tabulation: Freq. Value
2 208
1 375
1 416
1 417
3 500
1 625
1 666
2 750
9 1000
1 1200
1 1235
3 1250
2 1417
4 1500
1 1612
1 1613
1 1714
3 1750
1 1785
20 2000
1 2117
2 2150
12 2250
27 2500
2 2750
1 2795
1 2800
36 3000
1 3208
2 3225
1 3250
2 3333
1 3375
1 3428
25 3500
1 3529
1 3733
31 4000
2 4062
1 4166
1 4179
1 4285
3 4300
4 4333
2 4375
22 4500
1 4583
3 4667
1 4750
70 5000
1 5250
3 5375
13 5500
1 5538
1 5833
33 6000
1 6450
9 6500
10 7000
7 7500
14 8000

```

```

      1 8125
      1 8200
      4 8500
      3 9000
      1 9675
     34 10000
      1 10750
      1 11000
      1 13000
      4 15000
      1 17000
      2 20000
      1 25000
      1 30000
      1 50000
      1 65000
     544 .
     652 .b
      1 .c
    mean: 5180.33
  std. dev: 4710.82

percentiles:      10%      25%      50%      75%      90%
                  2000      3000      4500      6000      10000

```

ci6a Average appliances support from father who lives outside the household per month

```

      type: numeric (int)
      range: [0,5000]
  unique values: 54
unique missing codes: 4
      units: 1
  missing .: 0/1,666
  missing *: 1,105/1,666

```

```

tabulation:  Freq.  Value
              463    0
              1    13
              1    14
              1    15
              1    16
              1    18
              1    25
              1    26
              1    30
              1    37
              1    38
              1    42
              1    46
              1    50
              1    63
              2    71
              2    75
              3    83
              1   100
              1   118
              2   125
              1   133
              1   143
              1   167
              1   177
              1   188
              2   191
              3   208
              4   250
              1   300
              1   320
              1   350
              1   375
              3   450
             10   500
              1   508

```

```

                2  550
                4  750
                1  775
                1  800
                1  860
               10 1000
                2 1032
                2 1250
                1 1400
                5 1500
                1 1990
                3 2000
                2 2250
                1 2300
                2 3000
                1 3947
                1 4500
                1 5000
                1  .a
               683 .b
               419 .c
                2  .d
    mean:      136.711
    std. dev:  495.587

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      350

```

ci6b Average appliances support from mother who lives outside the household per month

```

    type: numeric (int)
    range: [0,4500]
    unique values: 55
    unique missing codes: 3
    units: 1
    missing .: 0/1,666
    missing *: 1,341/1,666

```

```

    tabulation:  Freq.  Value
                 229    0
                 1     8
                 1    12
                 2    14
                 1    17
                 1    22
                 1    28
                 1    29
                 1    36
                 1    38
                 1    42
                 2    52
                 1    58
                 1    59
                 1    63
                 1    71
                 2    75
                 3    83
                 1    88
                 1    94
                 1   115
                 2   125
                 1   133
                 1   150
                 2   167
                 2   188
                 2   200
                 5   250
                 1   294
                 1   300
                 1   333
                 1   400
                 2   417

```

```

          1  441
          3  450
          1  458
          4  500
          1  542
          2  550
          2  600
          1  645
          1  667
          1  714
          1  750
          1  833
         13 1000
          2 1200
          6 1500
          1 1650
          1 2250
          1 2500
          3 3000
          1 3700
          1 4000
          2 4500
         933 .b
         405 .c
          3  .d
    mean:  226.354
    std. dev: 637.527

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        59       750

```

ci6c Average appliances support from father and mother who live outside the household

```

    type: numeric (double)
    range: [0,12000]
    unique values: 102
    unique missing codes: 4
    units: .01
    missing .: 624/1,666
    missing *: 728/1,666
    mean: 1447.84
    std. dev: 1948.74

```

```

percentiles:      10%      25%      50%      75%      90%
                  71      250      750      2000     3500

```

ci7 Sibling numbers from the same parents

```

    type: numeric (byte)
    range: [0,3]
    unique values: 4
    units: 1
    missing .: 0/1,666

```

```

tabulation: Freq. Value
            1,113  0
             474  1
              72  2
               7  3
    mean: .383553
    std. dev: .590164

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        1

```

ci7a_1 Does sibling (no.1) live in the same house as the child

```

type: numeric (byte)
label: ci7a

range: [1,3]
unique values: 2

units: 1
missing .. 1,113/1,666

tabulation: Freq.  Numeric  Label
              488      1      yes
              65      3      no
              1,113    .
    
```

ci7b_1 **Sibling (no.1): Member ID**

```

type: string (str5), but longest is str3

unique values: 10
missing "": 1,178/1,666

tabulation: Freq.  Value
              1,178  ""
              136   "H1"
               2   "H10"
               1   "H2"
              31   "H3"
              126  "H4"
               65  "H5"
               74  "H6"
               31  "H7"
               17  "H8"
                5  "H9"
    
```

ci7c_1 **Sibling (no.1): Vital status**

```

type: numeric (byte)
label: ci7c

range: [1,3]
unique values: 2

units: 1
missing .. 1,601/1,666

tabulation: Freq.  Numeric  Label
              64      1      alive
               1      3      dead
              1,601    .
    
```

ci7d_1 **Sibling (no.1): Gender**

```

type: numeric (byte)
label: ci7d

range: [1,3]
unique values: 2

units: 1
missing .. 1,602/1,666

tabulation: Freq.  Numeric  Label
              35      1      male
              29      3      female
              1,602    .
    
```

ci7e_1 **Sibling (no.1): Date of birth**

```

type: numeric (byte)

range: [1,30]
unique values: 22
unique missing codes: 3

units: 1
missing .. 1,602/1,666
missing *: 27/1,666
    
```

```

tabulation:  Freq.  Value
              2      1
              1      2
              2      3
              2      4
              2      5
              1      6
              3      7
              2      8
              2      9
              3     10
              1     11
              2     12
              1     13
              2     14
              2     16
              2     17
              1     19
              1     22
              1     23
              2     25
              1     27
              1     30
            1,602  .
              26  .c
              1  .d
    mean:      11.6757
    std. dev:   7.72461
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  3         6         10         16         25
    
```

ci7f_1

Sibling (no.1): Month of birth

```

    type: numeric (byte)
    range: [1,12]
    unique values: 10
    unique missing codes: 3
    units: 1
    missing .: 1,602/1,666
    missing *: 21/1,666
    
```

```

tabulation:  Freq.  Value
              1      1
              7      2
              2      3
              3      4
              3      5
              5      6
              5      8
              6     10
              3     11
              8     12
            1,602  .
              20  .c
              1  .d
    mean:      7.13953
    std. dev:   3.75805
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  2         4         8         11         12
    
```

ci7g_1

Sibling (no.1): Year of birth

```

    type: numeric (int)
    range: [1991,2016]
    unique values: 18
    unique missing codes: 3
    units: 1
    missing .: 1,602/1,666
    missing *: 12/1,666
    
```

```

tabulation:  Freq.  Value
              1  1991
              2  1994
              3  1995
              2  1996
              3  1998
              1  1999
              1  2000
              2  2005
              1  2006
              2  2008
              4  2009
              3  2010
              1  2011
              4  2012
              3  2013
              4  2014
              7  2015
              8  2016
            1,602  .
              11  .c
              1  .d
    mean:      2008.35
    std. dev:  7.79614

```

```

percentiles:      10%      25%      50%      75%      90%
                  1995    2002.5    2011.5    2015     2016

```

sibling_age_1 **Sibling (no.1) : Age year**

```

    type: numeric (float)
    range: [.01,25.47]
unique values: 442
unique missing codes: 2
    mean: 6.41411
    std. dev: 4.72991
    units: .01
missing .: 1,113/1,666
missing *: 13/1,666
    mean: 6.41411
    std. dev: 4.72991
percentiles:      10%      25%      50%      75%      90%
                  1.1     2.855    5.59     9.02    12.065

```

ci7a_2 **Does sibling (no.2) live in the same house as the child**

```

    type: numeric (byte)
    label: ci7a
    range: [1,3]
unique values: 2
    units: 1
missing .: 1,586/1,666
    tabulation:  Freq.  Numeric  Label
                  62     1  yes
                  18     3  no
                 1,586     .

```

ci7b_2 **Sibling (no.2): Member ID**

```

    type: string (str5), but longest is str2
unique values: 8
missing "": 1,604/1,666

```

```

tabulation: Freq. Value
             1,604 ""
              2 "H1"
              2 "H3"
              9 "H4"
             20 "H5"
             12 "H6"
             10 "H7"
              5 "H8"
              2 "H9"
    
```

ci7c_2 **Sibling (no.2): Vital status**

```

type: numeric (byte)
label: ci7c

range: [1,1] units: 1
unique values: 1 missing .: 1,648/1,666

tabulation: Freq. Numeric Label
             18         1 alive
            1,648         .
    
```

ci7d_2 **Sibling (no.2): Gender**

```

type: numeric (byte)
label: ci7d

range: [1,3] units: 1
unique values: 2 missing .: 1,648/1,666

tabulation: Freq. Numeric Label
             10         1 male
              8         3 female
            1,648         .
    
```

ci7e_2 **Sibling (no.2): Date of birth**

```

type: numeric (byte)

range: [1,30] units: 1
unique values: 9 missing .: 1,648/1,666
unique missing codes: 2 missing *: 5/1,666

tabulation: Freq. Value
             1 1
             1 11
             3 14
             2 15
             1 17
             1 18
             2 23
             1 28
             1 30
            1,648 .
              5 .c

mean: 17.1538
std. dev: 7.58118

percentiles: 10% 25% 50% 75% 90%
              11 14 15 23 28
    
```

ci7f_2 **Sibling (no.2): Month of birth**

```

type: numeric (byte)
range: [1,12]
unique values: 9
unique missing codes: 2
units: 1
missing .: 1,648/1,666
missing *: 5/1,666

tabulation: Freq. Value
              3 1
              2 2
              1 3
              1 4
              1 5
              2 6
              1 8
              1 10
              1 12
            1,648 .
              5 .c
mean: 4.69231
std. dev: 3.5913

percentiles:      10%      25%      50%      75%      90%
                  1         2         4         6         10

```

ci7g_2

Sibling (no.2) : Year of birth

```

type: numeric (int)
range: [1992,2557]
unique values: 11
unique missing codes: 2
units: 1
missing .: 1,648/1,666
missing *: 2/1,666

tabulation: Freq. Value
              1 1992
              1 1993
              1 1994
              3 1997
              1 2000
              2 2002
              1 2011
              2 2012
              1 2013
              2 2016
              1 2557
            1,648 .
              2 .c
mean: 2038.19
std. dev: 138.61

percentiles:      10%      25%      50%      75%      90%
                  1993     1997     2002     2012.5     2016

```

sibling_age_2

Sibling (no.2) : Age year

```

type: numeric (float)
range: [.18,23.69]
unique values: 69
unique missing codes: 2
units: .01
missing .: 1,586/1,666
missing *: 2/1,666

```

```

tabulation:  Freq.  Value
              1   .18000001
              1   .34
              2   .44999999
              2   .5
              1   .60000002
              1   .95999998
              1   1.22
              1   1.3
              1   1.83
              2   2.03
              1   2.4400001
              2   3.1199999
              2   3.28
              1   3.47
              1   4.2399998
              1   4.4499998
              1   4.4699998
              2   4.48
              1   5.1100001
              1   5.46
              1   5.7399998
              1   5.8899999
              1   6.0100002
              1   6.0999999
              1   6.1799998
              1   6.29
              1   6.3200002
              1   6.4499998
              1   6.5500002
              1   6.5900002
              1   7.3899999
              1   7.4000001
              1   7.4299998
              1   7.6199999
              1   7.7399998
              1   7.98
              1   8.0699997
              1   8.2600002
              1   8.5299997
              1   8.8599997
              1   9.1499996
              1   9.1800003
              2   9.2700005
              2   9.5500002
              1   9.7799997
              1   9.8299999
              2   10.22
              1   10.47
              1   10.79
              1   11.36
              1   11.41
              1   11.43
              1   12
              1   12.22
              1   12.47
              1   13.64
              1   14.09
              1   14.48
              1   15.32
              1   15.7
              1   16.379999
              1   16.68
              1   17.940001
              1   18.799999
              1   18.959999
              1   19.51
              1   21.559999
              1   23.459999
              1   23.690001
1,586      .
              2   .c
    
```

mean: 8.2509
 std. dev: 5.74266
 percentiles: 10% 25% 50% 75% 90%
 .96 4.24 7.525 11.36 16.68

ci7a_3 Does sibling (no.3) live in the same house as the child

type: numeric (byte)
 label: ci7a
 range: [1,3] units: 1
 unique values: 2 missing.: 1,659/1,666
 tabulation: Freq. Numeric Label
 3 1 yes
 4 3 no
 1,659 .

ci7b_3 Sibling (no.3): Member ID

type: string (str5), but longest is str2
 unique values: 3 missing "": 1,663/1,666
 tabulation: Freq. Value
 1,663 ""
 1 "H5"
 1 "H7"
 1 "H8"

ci7c_3 Sibling (no.3): Vital status

type: numeric (byte)
 label: ci7c
 range: [1,3] units: 1
 unique values: 2 missing.: 1,662/1,666
 tabulation: Freq. Numeric Label
 2 1 alive
 2 3 dead
 1,662 .

ci7d_3 Sibling (no.3): Gender

type: numeric (byte)
 label: ci7d
 range: [1,3] units: 1
 unique values: 2 missing.: 1,664/1,666
 tabulation: Freq. Numeric Label
 1 1 male
 1 3 female
 1,664 .

ci7e_3 Sibling (no.3): Date of birth

type: numeric (byte)

```

        range: [.,.]
unique values: 0
unique missing codes: 2
        units: .
missing .: 1,664/1,666
missing *: 2/1,666

tabulation: Freq. Value
             1,664 .
             2 .c
        mean: .
        std. dev: .

percentiles: 10% 25% 50% 75% 90%
             . . . . .
    
```

ci7f_3 **Sibling (no.3): Month of birth**

```

        type: numeric (byte)

        range: [.,.]
unique values: 0
unique missing codes: 2
        units: .
missing .: 1,664/1,666
missing *: 2/1,666

tabulation: Freq. Value
             1,664 .
             2 .c
        mean: .
        std. dev: .

percentiles: 10% 25% 50% 75% 90%
             . . . . .
    
```

ci7g_3 **Sibling (no.3): Year of birth**

```

        type: numeric (int)

        range: [2007,2007]
unique values: 1
unique missing codes: 2
        units: 1
missing .: 1,664/1,666
missing *: 1/1,666

tabulation: Freq. Value
             1 2007
             1,664 .
             1 .c
        mean: 2007
        std. dev: .

percentiles: 10% 25% 50% 75% 90%
             2007 2007 2007 2007 2007
    
```

sibling_age_3 **Sibling (no.3) : Age year**

```

        type: numeric (float)

        range: [2.87,10.79]
unique values: 4
unique missing codes: 2
        units: .01
missing .: 1,659/1,666
missing *: 3/1,666

tabulation: Freq. Value
             1 2.8699999
             1 7.1500001
             1 9.3800001
             1 10.79
             1,659 .
             3 .c
        mean: 7.5475
        std. dev: 3.45971
    
```


tabulation: Freq. Value
 1,666 ""

ci8db **Twin's address : district code (unavailable)**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

ci8dc **Twin's address : province code (unavailable)**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

ci8da_des **Twin's address : sub-district (unavailable)**

type: string (**str21**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

ci8db_des **Twin's address : district (unavailable)**

type: string (**str42**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

ci8dc_des **Twin's address : province (unavailable)**

type: string (**str27**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

ci8ea **Month of death of the child's twin(s)**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

ci8eb **Year of death of the child's twin(s)**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 1,666/1,666

tabulation: Freq. Value
1,666 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

ci8f **Cause of death of child's twin(s)**

```

type: string (str2), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation: Freq. Value
1,666 ""
    
```

ci9 **Interviewer note (unavailable)**

```

type: string (str550), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation: Freq. Value
1,666 ""
    
```

year_survey **year survey**

```

type: numeric (float)
range: [2016,2016]
unique values: 1
units: 1
missing ..: 0/1,666

tabulation: Freq. Value
1,666 2016
mean: 2016
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
2016 2016 2016 2016 2016
    
```

gender **Children's gender**

```

type: numeric (byte)
label: blaf
range: [1,3]
unique values: 2
units: 1
missing ..: 0/1,666

tabulation: Freq. Numeric Label
865 1 male
801 3 female
    
```

father_earningpmonth **Father's net income per month for father not at home**

```

type: numeric (float)
range: [0,1500000]
unique values: 77
unique missing codes: 5
units: 1
missing .: 681/1,666
missing *: 374/1,666

```

```

tabulation: Freq. Value
28 0
2 4500
2 4750
8 5000
3 5500
6 6000
3 6500
5 6600
12 7000
1 7400
9 7500
7 7800
7 8000
1 8100
1 8400
4 8500
36 9000
2 9100
2 9180
1 9500
1 9600
1 9900
55 10000
1 10400
1 10417
4 10500
8 11000
3 11500
2 11700
42 12000
7 12500
19 13000
1 13350
8 13500
9 14000
1 14500
97 15000
5 15500
1 15600
7 16000
2 16500
1 16900
10 17000
4 17500
8 18000
1 18500
2 19000
2 19500
52 20000
1 22000
3 22500
8 23000
1 23500
1 24000
4 24500
22 25000
1 25500
2 26000
1 26500
2 27000
3 28000

```

```

      1 29500
     27 30000
      2 32000
      9 35000
      8 40000
      1 43000
      6 45000
      3 50000
      1 55000
      2 60000
      2 75000
      1 80000
      1 85000
      1 110000
      1 250000
      1 1500000
    681 .
     13 .a
     12 .b
    347 .c
      2 .d
  mean: 18861.1
std. dev: 61787.7

percentiles:      10%      25%      50%      75%      90%
                  7000     10000     15000     20000     30000

```

mother_earningpmnth **Mother's net income per month for mother not at home**

```

type: numeric (float)
range: [0,100000]
unique values: 59
unique missing codes: 4
units: 1
missing .: 933/1,666
missing *: 192/1,666

```

```

tabulation: Freq. Value
            36 0
             1 3870
             1 4500
             2 4750
             7 5000
             4 5500
             1 6000
             2 6500
             3 6600
             1 6900
            10 7000
            13 7500
            16 7800
            12 8000
             1 8060
             1 8100
             3 8500
            48 9000
             1 9750
            65 10000
             2 10400
             1 10417
             2 10500
             1 10650
             1 10750
             5 11000
             4 11500
            33 12000
            10 12500
            21 13000
             1 13350
             3 13500
            12 14000
             4 14500

```

```

      86 15000
       3 15500
       8 16000
       5 16500
      12 17000
       3 17500
      10 18000
       2 19000
      36 20000
       3 22000
       1 22400
       1 22500
       2 23000
      12 25000
       2 26000
       2 27000
       1 28000
       1 29500
      11 30000
       1 35000
       4 40000
       3 45000
       1 54000
       1 70000
       2 100000
      933 .
       3 .a
       4 .b
      185 .c
    mean: 13376.4
  std. dev: 9278.06

percentiles:      10%      25%      50%      75%      90%
                  6600      9000      12000      15000      20000

```

age **Children's age (year)**

```

      type: numeric (double)
      range: [.159, 6.42]          units: .001
  unique values: 405              missing .: 0/1,666

      mean: 3.36199
      std. dev: 1.33131

percentiles:      10%      25%      50%      75%      90%
                  1.5      2.27      3.43      4.4      5.19

```

father_age **Father's age (year)**

```

      type: numeric (double)
      range: [17.333334, 65.25]   units: 1.000e-06
  unique values: 822              missing .: 217/1,666

      mean: 32.5762
      std. dev: 6.9517

percentiles:      10%      25%      50%      75%      90%
                  23.6667      27.3333      32.4167      36.91      41.6667

```

father_edu **Father's highest education level (not display)**

```

      type: string (str63), but longest is str0

```

unique values: 0 missing "": 1,666/1,666

tabulation: Freq. Value
1,666 ""

father_edu_code **Code of father's highest education level**

type: numeric (float)
label: **father_edu_code**
range: [15,99] units: 1
unique values: 20 missing .: 0/1,666
unique missing codes: 2 missing *: 142/1,666

| tabulation: Freq. | Numeric | Label |
|-------------------|---------|-------------------------------|
| 24 | 15 | Primary school 4 |
| 220 | 19 | Primary school 6 |
| 3 | 21 | Primary school 7 (old system) |
| 7 | 23 | Lower secondary 1 |
| 25 | 25 | Lower secondary 2 |
| 401 | 27 | Lower secondary 3 |
| 3 | 29 | Upper secondary 1 |
| 9 | 31 | Upper secondary 2 |
| 444 | 33 | Upper secondary 3 |
| 2 | 45 | Vocational school year 1 |
| 3 | 47 | Vocational school year 2 |
| 55 | 49 | Vocational school year 3 |
| 2 | 51 | High vocational school year 1 |
| 157 | 53 | High vocational school year 2 |
| 1 | 61 | Undergraduate school year 1 |
| 3 | 63 | Undergraduate school year 2 |
| 1 | 65 | Undergraduate school year 3 |
| 146 | 67 | Undergraduate school year 4 |
| 14 | 69 | Master's degree |
| 4 | 99 | Other |
| 1 | .a | |
| 141 | .c | |

father_mainjob **Father's occupation description (not display)**

type: string (str154), but longest is str0
unique values: 0 missing "": 1,666/1,666

tabulation: Freq. Value
1,666 ""

father_mainjob_code **Code of father's occupation**

type: numeric (float)
label: **father_mainjob_code**
range: [1,21] units: 1
unique values: 11 missing .: 0/1,666
unique missing codes: 4 missing *: 146/1,666

```

tabulation:  Freq.  Numeric  Label
              202      1  Legislators/senior government
              59       3  officer/administrator
              54       5  Professional
              15       7  Technican and related
              139      9  Office clerk
              90      11  Service provider / seller who
              211     13  sells goods in the store and/or
              198     15  in the market
              485     17  Agriculture and fishery workers
              32      19  Skilled craftsmen and related
              35      21  Mechanical and assembly workers
              15      .a  General workers
              12      .b  Armed force
              115     .c  Not working
               4      .d
    
```

father_mainjob_type **Father's type of work**

```

type: numeric (float)
label: father_mainjob_type

range: [1,9]          units: 1
unique values: 5      missing .: 0/1,666
unique missing codes: 4  missing *: 181/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              84      1  Government officer/state
              17      3  enterprise employee
              709     5  Temporary government officer/
              384     7  state enterprise employee
              291     9  Company employee
              15      .a  Temporary company employee,
              47      .b  seasonal
              116     .c  Business owner
               3      .d
    
```

father_wagepmnth **Father's wage per month (for paid work) for father at home**

```

type: numeric (float)

range: [0,45000]      units: 1
unique values: 113    missing .: 1,158/1,666
unique missing codes: 4  missing *: 64/1,666

mean: 9322.49
std. dev: 6354.25

percentiles:          10%      25%      50%      75%      90%
                   2700     6000     8325     11600     15000
    
```

mother_edu **Mother's highest education level (not display)**

```

type: string (str62), but longest is str0
unique values: 0      missing "": 1,666/1,666

tabulation:  Freq.  Value
              1,666  ""
    
```

mother_age **Mother's age (year)**

```

type: numeric (double)
range: [16.51,57.916668]          units: 1.000e-06
unique values: 749                missing .: 75/1,666
mean: 29.3491
std. dev: 6.15703
percentiles:      10%      25%      50%      75%      90%
                  21.97   24.4167  28.71   33.74   37.68
    
```

mother_edu_code **Code of mother's highest education level**

```

type: numeric (float)
label: mother_edu_code
range: [15,99]
unique values: 22
unique missing codes: 1
units: 1
missing .: 0/1,666
missing *: 25/1,666

tabulation:  Freq.  Numeric  Label
              7      15      Primary school 4
              2      17      Primary school 5
             159      19      Primary school 6
              6      23      Lower secondary 1
             27      25      Lower secondary 2
             459      27      Lower secondary 3
              5      29      Upper secondary 1
             16      31      Upper secondary 2
             492      33      Upper secondary 3
              1      39      Lower secondary 3 (old system)
              1      45      Vocational school year 1
              4      47      Vocational school year 2
             73      49      Vocational school year 3
              5      51      High vocational school year 1
             126      53      High vocational school year 2
              5      59      Diploma
              6      63      Undergraduate school year 2
              1      65      Undergraduate school year 3
             223      67      Undergraduate school year 4
              16      69      Master's degree
              1      71      Doctorate degree
              6      99      Other
             25      .c
    
```

mother_mainjob **Mother's occupation description (not display)**

```

type: string (str154), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation:  Freq.  Value
             1,666  ""
    
```

mother_mainjob_code **Code of mother's occupation**

```

type: numeric (float)
label: mother_mainjob_code
    
```

range: [1,21] units: 1
 unique values: 10 missing .: 0/1,666
 unique missing codes: 3 missing *: 63/1,666

| tabulation: | Freq. | Numeric | Label |
|-------------|-------|---------|---|
| | 199 | 1 | Legislators/senior government officer/administrator |
| | 92 | 3 | Professional |
| | 67 | 5 | Technician and related |
| | 59 | 7 | Office clerk |
| | 247 | 9 | Service provider / seller who sells goods in the store and/or in the market |
| | 184 | 11 | Agriculture and fishery workers |
| | 111 | 13 | Skilled craftsmen and related |
| | 68 | 15 | Mechanical and assembly workers |
| | 428 | 17 | General workers |
| | 148 | 21 | Not working |
| | 8 | .a | |
| | 4 | .b | |
| | 51 | .c | |

mother_mainjob_type **Mother's type of work**

type: numeric (float)
 label: mother_mainjob_type

range: [1,9] units: 1
 unique values: 5 missing .: 0/1,666
 unique missing codes: 4 missing *: 206/1,666

| tabulation: | Freq. | Numeric | Label |
|-------------|-------|---------|--|
| | 51 | 1 | Government officer/state enterprise employee |
| | 40 | 3 | Temporary government officer/state enterprise employee |
| | 692 | 5 | Company employee |
| | 289 | 7 | Temporary company employee, seasonal |
| | 388 | 9 | Business owner |
| | 8 | .a | |
| | 152 | .b | |
| | 45 | .c | |
| | 1 | .d | |

mother_wagepmnth **Mother's wage income per month (for paid work) for mother at home**

type: numeric (float)

range: [0,45000] units: 1
 unique values: 112 missing .: 1,051/1,666
 unique missing codes: 3 missing *: 55/1,666

mean: 6503.96
 std. dev: 6244.24

| percentiles: | 10% | 25% | 50% | 75% | 90% |
|--------------|-----|-----|------|------|-------|
| | 0 | 750 | 6500 | 9000 | 14000 |

```
2 . log close
   name: <unnamed>
   log: Z:\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codebook_sc\b1.scm
> 1
log type: smcl
closed on: 15 Jun 2026, 15:47:51
```
