



```

name: <unnamed>
log: R:\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codebook_sc\b11.sc
> ml
log type: smcl
opened on: 12 Feb 2026, 14:03:47

```

1 . codebookr \_all,all

```

Dataset: \RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\stata\sc
> ramble/b11_run.dta
Last saved: 12 Feb 2026 14:03

```

```

Label: [none]
Number of variables: 708
Number of observations: 1,666
Size: 12,361,720 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or -6 or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or -7 or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or -8 or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or -9 or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a or -6          String Missing*: RF
                  .b or -7          NA
                  .c or -8          DK
                  .d or -9          MI

```

---

**pid** **personal id**

---

```

type: string (str18)
unique values: 1,666          missing "": 0/1,666
examples: "201591160601205H1"
           "201691130216999H1"
           "201691160104180H1"
           "201691161706142H6"

```

---

**iyear** **year**

---

```

type: string (str4)
unique values: 2          missing "": 0/1,666
tabulation: Freq. Value
             626 "2015"
             1,040 "2016"

```

---

**hhid** **household id**

---

```

type: string (str15)

```

unique values: 1,413 missing "": 0/1,666

examples: "201591160601205"  
 "201691130216999"  
 "201691160104180"  
 "201691161706142"

---

**prov** **province**

---

type: string (**str2**)

unique values: 2 missing "": 0/1,666

tabulation: Freq. Value  
 1,501 "91"  
 165 "93"

---

**amp** **amphoe**

---

type: string (**str2**)

unique values: 7 missing "": 0/1,666

tabulation: Freq. Value  
 165 "12"  
 308 "13"  
 134 "14"  
 164 "15"  
 608 "16"  
 45 "17"  
 242 "18"

---

**tam** **tambon**

---

type: string (**str2**)

unique values: 15 missing "": 0/1,666

tabulation: Freq. Value  
 71 "01"  
 259 "02"  
 141 "04"  
 65 "05"  
 60 "06"  
 69 "07"  
 67 "08"  
 109 "09"  
 155 "10"  
 96 "11"  
 167 "13"  
 52 "14"  
 169 "15"  
 116 "17"  
 70 "19"

---

**moo** **moo**

---

type: string (**str2**)

unique values: 21 missing "": 0/1,666

```

tabulation:  Freq.  Value
              168  "01"
              75  "02"
              166  "03"
              172  "04"
              151  "05"
              175  "06"
              86  "07"
              173  "08"
              108  "09"
              84  "10"
              61  "11"
              51  "12"
              46  "13"
              14  "14"
              12  "15"
              41  "16"
              10  "17"
              14  "18"
              31  "19"
              21  "22"
               7  "24"
    
```

---

**strucid** **structure ID**

---

```

type:  string (str3)
unique values: 182           missing "":  0/1,666
examples: "011"
          "034"
          "071"
          "157"
    
```

---

**cid** **children id**

---

```

type:  string (str18)
unique values: 1,666       missing "":  0/1,666
examples: "201591160601205H1"
          "201691130216999H1"
          "201691160104180H1"
          "201691161706142H6"
    
```

---

**td1\_times** **At night, the child sleeps : since (hour:minute)**

---

```

type:  string (str10), but longest is str5
unique values: 19           missing "":  0/1,666
tabulation:  Freq.  Value
              1  "17.00"
              4  "18.00"
             95  "19.00"
              1  "19.15"
            106  "19.30"
               2  "19.45"
               2  "19.50"
            570  "20.00"
               1  "20.15"
            319  "20.30"
               1  "20.45"
            361  "21.00"
               1  "21.15"
             92  "21.30"
    
```

```

79 "22.00"
1  "22.15"
21 "22.30"
8  "23.00"
1  "23.30"

```

---

**td1\_timee** **At night, the child sleeps : until (hour:minute)**

---

```

type: string (str10), but longest is str5
unique values: 23          missing "": 0/1,666

```

```

tabulation: Freq. Value
              2 "03.00"
              1 "03.30"
             15 "04.00"
             15 "04.30"
            149 "05.00"
              1 "05.05"
            103 "05.30"
              1 "05.40"
            691 "06.00"
              4 "06.10"
              4 "06.15"
              2 "06.20"
            261 "06.30"
              1 "06.40"
              2 "06.45"
              1 "06.50"
            277 "07.00"
              1 "07.15"
             89 "07.30"
              1 "07.40"
             37 "08.00"
              4 "08.30"
              4 "09.00"

```

---

**td1\_hr** **At night, the child sleeps for hours**

---

```

type: numeric (byte)
range: [6,14]          units: 1
unique values: 9       missing .: 0/1,666

```

```

tabulation: Freq. Value
              3  6
             31  7
            138  8
            548  9
            710 10
            195 11
             31 12
              7 13
              3 14

```

```

mean: 9.61645
std. dev: .983928

```

```

percentiles:      10%      25%      50%      75%      90%
                  8        9        10       10       11

```

---

**td1\_mi** **At night, the child sleeps for minutes**

---

```

type: numeric (byte)

```

range: [0,45] units: 1  
 unique values: 9 missing .: 0/1,666

tabulation: Freq. Value  
 1,053 0  
     4 10  
     1 11  
     8 15  
     3 20  
    585 30  
     2 35  
     5 40  
     5 45

mean: 10.97  
 std. dev: 14.5009

percentiles: 10% 25% 50% 75% 90%  
                   0 0 0 30 30

**td2\_times      The child goes to school/child development center : since (hour:minute)**

type: string (str5)

unique values: 29 missing "": 0/1,666  
 unique missing codes: 1 missing \*: 498/1,666

tabulation: Freq. Value  
     4 "06.00"  
     1 "06.10"  
    21 "06.30"  
     3 "06.40"  
     1 "06.45"  
     1 "06.50"  
    140 "07.00"  
     4 "07.10"  
     8 "07.15"  
     1 "07.18"  
     9 "07.20"  
    441 "07.30"  
     3 "07.35"  
    17 "07.40"  
     8 "07.45"  
     8 "07.50"  
    351 "08.00"  
     3 "08.10"  
     3 "08.15"  
     2 "08.20"  
    110 "08.30"  
    22 "09.00"  
     2 "09.30"  
     1 "10.00"  
     1 "11.00"  
     1 "11.30"  
     1 "12.00"  
     1 "9.00"  
    498 "NA"

**td2\_timee      The child goes to school/child development center : until (hour:minute)**

type: string (str6), but longest is str5

unique values: 27 missing "": 0/1,666  
 unique missing codes: 1 missing \*: 498/1,666



```

tabulation:  Freq.  Value
              566    0
              19    10
               1    11
               1    12
              11    15
              15    20
             519    30
               9    40
              11    45
              14    50
               2    55
             498    .b
    mean:     15.3365
    std. dev: 15.5103

percentiles:    10%    25%    50%    75%    90%
                0      0      10     30     30
    
```

---

**td3\_times            The child takes a nap during the day (weekdays) : since (hour:minute)**

---

```

type:  string (str23)

unique values:  62
unique missing codes:  2

missing "":  0/1,666
missing *:  1,154/1,666
    
```

```

tabulation:  Freq.  Value
              3    "0"
              2    "07.00"
              2    "07.00-08.00"
              1    "07.00-10.00"
              1    "07.30-10.00"
              1    "07.30-10.00,12.00-14.00"
              7    "08.00"
              7    "08.00-09.00"
              1    "08.00-09.00,13.00-14.00"
              3    "08.00-09.30"
              8    "08.00-10.00"
              2    "08.00-10.30"
              5    "08.00-11.00"
              3    "08.00-12.00"
              1    "08.00-13.00"
              1    "08.30"
              1    "08.30-09.30"
              4    "08.30-10.00"
              3    "08.30-10.30"
             38    "09.00"
              1    "09.00-09.30"
              8    "09.00-10.00"
              1    "09.00-10.00,11.00-12.00"
              6    "09.00-10.30"
             32    "09.00-11.00"
             24    "09.00-12.00"
              1    "09.00-12.30"
              2    "09.00-13.00"
              1    "09.00-15.00"
              8    "09.30"
              2    "09.30-10.30"
              3    "09.30-11.00"
              1    "09.30-11.30"
              6    "09.30-12.00"
              2    "09.30-13.00"
             91    "10.00"
              5    "10.00-11.00"
              1    "10.00-11.30"
             18    "10.00-12.00"
              2    "10.00-13.00"
              1    "10.00-15.00"
              6    "10.30"
              1    "10.30-12.00"
    
```

```

1 "10.30-13.00"
97 "11.00"
3 "11.00-12.00"
1 "11.00-12.30"
1 "11.00-13.00"
1 "11.00-13.30"
1 "11.00-14.00"
5 "11.30"
45 "12.00"
1 "12.00-14.00"
2 "12.30"
22 "13.00"
1 "13.30"
10 "14.00"
2 "14.30"
1 "15.00"
1 "16.00"
1 "MI"
1,153 "NA"

```

---

**td3\_timee            The child takes a nap during the day (weekdays ) : until (hour:minute)**

---

```

type: string (str11)
unique values: 67
unique missing codes: 2
missing "": 0/1,666
missing *: 1,154/1,666

```

```

tabulation: Freq. Value
3 "0"
1 "09.00"
1 "09.30"
3 "10.00"
2 "10.30"
1 "10.30-12.30"
21 "11.00"
1 "11.00-12.00"
1 "11.00-14.00"
2 "11.30"
62 "12.00"
2 "12.00-13.00"
3 "12.00-13.30"
5 "12.00-14.00"
1 "12.00-14.30"
3 "12.00-15.00"
1 "12.00-16.30"
13 "12.30"
1 "12.30-13.30"
66 "13.00"
1 "13.00-13.30"
5 "13.00-14.00"
2 "13.00-14.30"
12 "13.00-15.00"
1 "13.00-15.30"
4 "13.00-16.00"
1 "13.00-17.00"
19 "13.30"
2 "13.30-15.00"
1 "13.30-15.30"
2 "13.30-16.00"
86 "14.00"
25 "14.00-15.00"
13 "14.00-15.30"
23 "14.00-16.00"
3 "14.00-16.30"
2 "14.00-17.00"
1 "14.00-18.00"
12 "14.30"
1 "14.30-15.00"
1 "14.30-15.30"
4 "14.30-16.00"

```



```

tabulation:  Freq.  Value
              397    0
              1    13
              114    30
              1    45
            1,153    .b
    mean:      6.77973
    std. dev:  12.5945

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      30
    
```

---

**td3b\_times            The child taks a nap during the day (holidays) : since (hour:minute)**

---

```

type: string (str23)
unique values: 63
unique missing codes: 2
missing "": 0/1,666
missing *: 18/1,666
    
```

```

tabulation:  Freq.  Value
              270    "0"
              2    "07.00"
              2    "07.00-08.00"
              1    "07.00-10.00"
              1    "07.30-10.00"
              1    "07.30-10.00,12.00-14.00"
              6    "08.00"
              7    "08.00-09.00"
              1    "08.00-09.00,13.00-14.00"
              3    "08.00-09.30"
             10    "08.00-10.00"
              1    "08.00-10.30"
              5    "08.00-11.00"
              4    "08.00-12.00"
              1    "08.30"
              1    "08.30-09.30"
              4    "08.30-10.00"
              3    "08.30-10.30"
             52    "09.00"
              1    "09.00-09.30"
              9    "09.00-10.00"
              1    "09.00-10.00,11.00-12.00"
              7    "09.00-10.30"
             34    "09.00-11.00"
             27    "09.00-12.00"
              1    "09.00-12.30"
              2    "09.00-13.00"
              1    "09.00-15.00"
             11    "09.30"
              2    "09.30-10.30"
              3    "09.30-11.00"
              1    "09.30-11.30"
              6    "09.30-12.00"
              2    "09.30-13.00"
            145    "10.00"
              6    "10.00-11.00"
              1    "10.00-11.30"
             18    "10.00-12.00"
              2    "10.00-13.00"
              1    "10.00-15.00"
             21    "10.30"
              1    "10.30-13.00"
              1    "10.30-14.00"
            307    "11.00"
              5    "11.00-12.00"
              1    "11.00-12.30"
              2    "11.00-13.00"
              1    "11.00-13.30"
             20    "11.30"
              1    "11.35"
    
```

```

343 "12.00"
  1 "12.00-14.00"
  1 "12.00-15.00"
 13 "12.30"
180 "13.00"
  3 "13.30"
 61 "14.00"
  6 "14.30"
 20 "15.00"
  3 "16.00"
  1 "17.00"
  1 "DK"
 17 "MI"

```

---

td3b\_timee            The child taks a nap during the day (holidays) : util (hour:minute)

---

type: string (str12), but longest is str11

unique values: 70                                    missing "": 0/1,666  
unique missing codes: 2                                missing \*: 18/1,666

```

tabulation: Freq. Value
270 "0"
  1 "09.00"
  1 "09.30"
  2 "10.00"
  2 "10.30"
  1 "10.30-12.30"
 29 "11.00"
  1 "11.00-12.00"
  1 "11.00-14.00"
  5 "11.30"
132 "12.00"
  3 "12.00-13.00"
  3 "12.00-13.30"
  5 "12.00-14.00"
  1 "12.00-14.30"
  1 "12.00-15.00"
 29 "12.30"
  1 "12.30-13.30"
  1 "12.35"
  1 "13.0"
233 "13.00"
  1 "13.00-13.30"
  7 "13.00-14.00"
  2 "13.00-14.30"
 15 "13.00-15.00"
  1 "13.00-15.30"
  4 "13.00-16.00"
  2 "13.00-17.00"
  1 "13.20"
 59 "13.30"
  2 "13.30-15.00"
  1 "13.30-15.30"
  2 "13.30-16.00"
328 "14.00"
 25 "14.00-15.00"
 13 "14.00-15.30"
 26 "14.00-16.00"
  4 "14.00-16.30"
  2 "14.00-17.00"
  1 "14.00-18.00"
 64 "14.30"
  1 "14.30-15.00"
  1 "14.30-15.30"
  4 "14.30-16.00"
  3 "14.30-17.00"
  1 "14.45"
175 "15.00"
  1 "15.00-15.30"

```



```

tabulation:  Freq.  Value
              1,379  0
                1    2
                1   13
                1   20
                1   25
              276   30
                1   35
                1   45
                1   .c
                4   .d
    mean:     5.06924
  std. dev:  11.2519

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         30
    
```

**activity\_A**  
**Listening to a story read by an adult (using a book while reading) (not display)**

```

type:  string (str147), but longest is str0
unique values:  0          missing "":  1,666/1,666

tabulation:  Freq.  Value
              1,666  ""
    
```

**detail\_A** **A : Identify the books**

```

type:  string (str170)
unique values:  128          missing "":  1,107/1,666
unique missing codes:  4          missing *:  331/1,666

warning:  variable has embedded blanks
    
```

**c1\_code\_A** **A : Frequency Code (Monday - Friday)**

```

type:  numeric (byte)
label:  c1_code

range:  [0,9]          units:  1
unique values:  4          missing .:  0/1,666
unique missing codes:  1          missing *:  592/1,666

tabulation:  Freq.  Numeric  Label
              811    0      never
                1    5      at least once a week
              218    7      once a day
                44    9      more than once a day
              592    .c
    
```

**c1\_hr\_A** **A : Hours (Monday - Friday)**

```

type:  numeric (float)

range:  [0,10]          units:  1
unique values:  9          missing .:  1,403/1,666
    
```

```

tabulation:  Freq.  Value
              144    0
              41    1
              63    2
               1    3
               1    4
               8    5
               1    6
               2    7
               2   10
              1,403  .
    mean:     .965779
    std. dev: 1.52172

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         2         2
    
```

---

**c1\_min\_A**

**A : Minutes (Monday - Friday)**

---

```

    type:  numeric (float)
    range: [0,56]
unique values: 23
    units: 1
missing .. 1,403/1,666

    tabulation:  Freq.  Value
                  10    0
                   6    3
                   6    5
                   4   10
                   7   13
                  32   15
                   4   18
                   1   19
                   1   20
                   9   23
                  33   25
                   2   28
                  61   30
                   1   31
                   1   35
                   1   36
                  15   38
                  10   40
                   1   45
                  55   50
                   1   53
                   1   55
                   1   56
              1,403  .
    mean:     29.3498
    std. dev: 14.6178

percentiles:      10%      25%      50%      75%      90%
                  13       18       30       40       50
    
```

---

**c1\_aa\_A**

**A :Detail (activity frequency) How many times (Monday - Friday)**

---

```

    type:  string (str27), but longest is str3
unique values: 8
missing "": 1,403/1,666
    
```



std. dev: 10.2621  
 percentiles: 10% 25% 50% 75% 90%  
 2.5 5 10 20 30

---

**c1\_ba\_A** **A : People doing activity with (person 1)**

---

type: numeric (byte)  
 label: c1\_ba\_A  
 range: [1,13] units: 1  
 unique values: 7 missing .: 1,403/1,666

tabulation:	Freq.	Numeric	Label
	37	1	father
	99	3	mother
	92	5	grandparents
	15	7	uncle/aunt
	17	9	brother/sister/cousin
	1	11	outsider
	2	13	other household member
	1,403	.	

---

**c1\_bb\_A** **A : People doing activity with (person 2)**

---

type: numeric (byte)  
 label: c1\_bb\_A  
 range: [1,11] units: 1  
 unique values: 6 missing .: 1,560/1,666

tabulation:	Freq.	Numeric	Label
	10	1	father
	35	3	mother
	23	5	grandparents
	4	7	uncle/aunt
	30	9	brother/sister/cousin
	4	11	outsider
	1,560	.	

---

**c1\_bc\_A** **A : People doing activity with (person 3)**

---

type: numeric (byte)  
 label: c1\_bc\_A  
 range: [3,9] units: 1  
 unique values: 4 missing .: 1,633/1,666

tabulation:	Freq.	Numeric	Label
	1	3	mother
	7	5	grandparents
	2	7	uncle/aunt
	23	9	brother/sister/cousin
	1,633	.	

---

**c1\_ba\_gen\_A** **Gender code (person 1)**

---

type: numeric (byte)  
 label: c1\_ba\_gen  
 range: [1,3] units: 1  
 unique values: 2 missing .: 1,403/1,666

```

tabulation:  Freq.  Numeric  Label
              59      1  male
              204     3  female
              1,403   .
    
```

---

**c1\_bb\_gen\_A** **Gender code (person 2)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,561/1,666

tabulation:  Freq.  Numeric  Label
              35      1  male
              70      3  female
              1,561   .
    
```

---

**c1\_bc\_gen\_A** **Gender code (person 3)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,633/1,666

tabulation:  Freq.  Numeric  Label
              12      1  male
              21      3  female
              1,633   .
    
```

---

**c2\_code\_A** **A : Frequency Code (Saturday - Sunday)**

---

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 3
unique missing codes: 1

units: 1
missing ..: 0/1,666
missing *: 593/1,666

tabulation:  Freq.  Numeric  Label
              846     0  never
              186     7  once a day
              41      9  more than once a day
              593     .c
    
```

---

**c2\_hr\_A** **A : Hours (Saturday - Sunday)**

---

```

type: numeric (float)

range: [0,4]
unique values: 5

units: 1
missing ..: 1,439/1,666

tabulation:  Freq.  Value
              159     0
              55      1
              9       2
              2       3
              2       4
              1,439   .
mean: .38326
std. dev: .690185
    
```



```

tabulation: Freq. Value
             1,439 ""
             226  "วัน"
             1   "สถาพร"
    
```

---

**c2\_ac\_A A : Detail (activity frequency) How many times per hours (Saturday - Sunday)**

---

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,439/1,666

tabulation: Freq. Value
             217 0
             10 1
             1,439 .
mean: .044053
std. dev: .205666

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

---

**c2\_ad\_A A : Detail (activity frequency) Monday-Friday How many times per minutes (Saturd**

---

```

type: numeric (double)
range: [0,30] units: .1
unique values: 17 missing .: 1,439/1,666

tabulation: Freq. Value
             10 0
             1 1
             4 1.5
             4 2
             5 2.5
             6 3
             3 3.5
             6 4.5
             39 5
             16 7.5
             50 10
             4 12.5
             1 13
             16 15
             10 20
             2 25
             50 30
             1,439 .
mean: 13
std. dev: 10.181

percentiles: 10% 25% 50% 75% 90%
              2.5 5 10 20 30
    
```

---

**c2\_ba\_A A : People doing activity with (person 1)**

---

```

type: numeric (byte)
label: c2_ba_A
range: [1,13] units: 1
unique values: 7 missing .: 1,439/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              37      1  father
              83      3  mother
              74      5  grandparents
              11      7  uncle/aunt
              19      9  brother/sister/cousin
               1     11  outsider
               2     13  other household member
            1,439      .
    
```

---

**c2\_bb\_A** **A : People doing activity with (person 2)**

---

```

type: numeric (byte)
label: c2_bb_A

range: [1,11]          units: 1
unique values: 6      missing .: 1,571/1,666

tabulation:  Freq.  Numeric  Label
              11      1  father
              35      3  mother
              22      5  grandparents
               3      7  uncle/aunt
              22      9  brother/sister/cousin
               2     11  outsider
            1,571      .
    
```

---

**c2\_bc\_A** **A : People doing activity with (person 3)**

---

```

type: numeric (byte)
label: c2_bc_A

range: [3,9]          units: 1
unique values: 4      missing .: 1,632/1,666

tabulation:  Freq.  Numeric  Label
               2      3  mother
               7      5  grandparents
               2      7  uncle/aunt
              23      9  brother/sister/cousin
            1,632      .
    
```

---

**c2\_ba\_gen\_A** **Gender code (person 1)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,438/1,666
unique missing codes: 2  missing *: 1/1,666

tabulation:  Freq.  Numeric  Label
              57      1  male
             170      3  female
            1,438      .
               1     .b
    
```

---

**c2\_bb\_gen\_A** **Gender code (person 2)**

---

```

type: numeric (byte)
label: c1_ba_gen
    
```

```

        range: [1,3]                units: 1
unique values: 2                    missing .: 1,571/1,666

    tabulation: Freq.  Numeric  Label
                32      1  male
                63      3  female
                1,571    .
    
```

**c2\_bc\_gen\_A** **Gender code (person 3)**

```

        type: numeric (byte)
        label: c1_ba_gen

        range: [1,3]                units: 1
unique values: 2                    missing .: 1,632/1,666

    tabulation: Freq.  Numeric  Label
                12      1  male
                22      3  female
                1,632    .
    
```

**c3\_code\_A** **A : Frequency [Monday-Sunday (in case of not able to separate detail by day)]**

```

        type: numeric (byte)
        label: c1_code

        range: [1,9]                units: 1
unique values: 5                    missing .: 0/1,666
unique missing codes: 1            missing *: 1,075/1,666

    tabulation: Freq.  Numeric  Label
                3      1  less than once a month
                103    3  at least once a month
                482    5  at least once a week
                2      7  once a day
                1      9  more than once a day
                1,075  .b
    
```

**c3\_hr\_A** **A : Hours [Monday-Sunday (in case of not able to separate detail by day)]**

```

        type: numeric (float)

        range: [0,5]                units: 1
unique values: 6                    missing .: 1,181/1,666

    tabulation: Freq.  Value
                373    0
                81     1
                22     2
                 6     3
                 2     4
                 1     5
                1,181  .
        mean:      .321649
        std. dev:  .689087

    percentiles:      10%      25%      50%      75%      90%
                    0         0         0         0         1
    
```

**c3\_min\_A** **A : Minutes [Monday-Sunday (in case of not able to separate detail by day)]**

```

        type: numeric (float)
    
```

range: [0,53] units: 1  
 unique values: 29 missing .: 1,181/1,666

tabulation:

Freq.	Value
55	0
1	1
8	2
15	3
7	4
33	5
16	6
7	7
19	8
3	9
45	10
5	11
2	12
10	13
1	14
53	15
2	18
1	19
36	20
7	23
15	25
86	30
10	35
5	38
14	40
3	44
16	45
8	50
2	53

mean: 17.3113  
 std. dev: 13.5546

percentiles:

10%	25%	50%	75%	90%
0	6	15	30	35

**c3\_aa\_A**  
**A : Detail (activity frequency) How many times [Monday-Sunday (in case of not ab**

type: string (str13), but longest is str3  
 unique values: 13 missing "": 1,181/1,666

tabulation:

Freq.	Value
1,181	""
135	"1"
39	"1-2"
1	"10"
118	"2"
59	"2-3"
83	"3"
16	"3-4"
12	"4"
7	"4-5"
1	"4-6"
12	"5"
1	"5-6"
1	"6"

**c3\_ab\_A**  
**A : Detail (activity frequency) How many times per units [Monday-Sunday (in case**

type: string (str24), but longest is str21

unique values: 3 missing "": 1,181/1,666

```

tabulation: Freq. Value
             1,181 ""
             2  "วัน"
             423  "สี่ปคาห์"
             60  "อาทิตย์"
    
```

**c3\_ac\_A**  
**A : Detail (activity frequency) How many times per hours [Monday-Sunday (in case**

type: numeric (double)  
 range: [0,2.5] units: .1  
 unique values: 3 missing .: 1,181/1,666  
 unique missing codes: 2 missing \*: 11/1,666

```

tabulation: Freq. Value
             448 0
             25 1
             1 2.5
            1,181 .
             11 .b
    mean: .058017
    std. dev: .250389
    
```

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

**c3\_ad\_A**  
**A : Detail (activity frequency) How many times per minutes [Monday-Sunday (in ca**

type: numeric (double)  
 range: [0,40] units: .1  
 unique values: 21 missing .: 1,181/1,666  
 unique missing codes: 2 missing \*: 2/1,666

```

tabulation: Freq. Value
             27 0
             3 1
             5 1.5
            10 2
            21 2.5
            19 3
             7 3.5
             3 4
            11 4.5
            81 5
             6 5.5
             7 7.5
            105 10
             2 12.5
            27 15
             2 17.5
            33 20
             3 25
            107 30
             1 35
             3 40
            1,181 .
             2 .b
    mean: 13.1087
    std. dev: 10.703
    
```

percentiles: 10% 25% 50% 75% 90%  
 2.5 5 10 20 30

---

**c3\_ba\_A** **A : People doing activity with (person 1)**

---

```

type: numeric (byte)
label: c3_ba_A

range: [1,13]                units: 1
unique values: 7             missing .: 1,075/1,666
unique missing codes: 2     missing *: 1/1,666

tabulation:  Freq.  Numeric  Label
              55      1      father
              193     3      mother
              208     5      grandparents
              35      7      uncle/aunt
              75      9      brother/sister/cousin
              10     11     outsider
              14     13     other household member
              1,075   .
              1      .d
    
```

---

**c3\_bb\_A** **A : Relationship-with-the-child doing activity (person 2)**

---

```

type: numeric (byte)
label: c3_bb_A

range: [1,13]                units: 1
unique values: 7             missing .: 1,482/1,666

tabulation:  Freq.  Numeric  Label
              7      1      father
              39     3      mother
              30     5      grandparents
              9      7      uncle/aunt
              90     9      brother/sister/cousin
              6     11     outsider
              3     13     other household member
              1,482   .
    
```

---

**c3\_bc\_A** **A : People doing activity with (person 3)**

---

```

type: numeric (byte)
label: c3_bc_A

range: [1,11]                units: 1
unique values: 6             missing .: 1,631/1,666

tabulation:  Freq.  Numeric  Label
              2      1      father
              3      3      mother
              4      5      grandparents
              1      7      uncle/aunt
              22     9      brother/sister/cousin
              3     11     outsider
              1,631   .
    
```

---

**c3\_ba\_gen\_A** **Gender code (person 1)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]                units: 1
unique values: 2             missing .: 1,075/1,666
unique missing codes: 2     missing *: 1/1,666
    
```

```

tabulation: Freq.  Numeric  Label
             137      1  male
             453      3  female
            1,075      .
              1      .d
    
```

---

**c3\_bb\_gen\_A** **Gender code (person 2)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,482/1,666

tabulation: Freq.  Numeric  Label
             62      1  male
            122      3  female
           1,482      .
    
```

---

**c3\_bc\_gen\_A** **Gender code (person 3)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,631/1,666

tabulation: Freq.  Numeric  Label
             20      1  male
             15      3  female
           1,631      .
    
```

---

**activity\_B**  
**Listening to a story told by an adult (no book used while telling) (not display)**

---

```

type: string (str147), but longest is str0
unique values: 0      missing "": 1,666/1,666

tabulation: Freq.  Value
            1,666  ""
    
```

---

**detail\_B** **B : Identify the stories (not display)**

---

```

type: string (str170), but longest is str0
unique values: 0      missing "": 1,666/1,666

tabulation: Freq.  Value
            1,666  ""
    
```

---

**c1\_code\_B** **B : Frequency Code (Monday - Friday)**

---

```

type: numeric (byte)
label: c1_code

range: [0,9]          units: 1
unique values: 3      missing .: 0/1,666
unique missing codes: 1  missing *: 647/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              844      0  never
              158      7  once a day
              17      9  more than once a day
              647      .c
    
```

**c1\_hr\_B**

**B : Hours (Monday - Friday)**

```

type: numeric (float)
range: [0,10]          units: 1
unique values: 10      missing .: 1,491/1,666

tabulation:  Freq.  Value
              113   0
              25   1
              22   2
               1   3
               1   4
               9   5
               1   6
               1   7
               1   9
               1  10
              1,491 .
mean:        .874286
std. dev:    1.68706

percentiles:  10%    25%    50%    75%    90%
              0      0      0      1      2
    
```

**c1\_min\_B**

**B : Minutes (Monday - Friday)**

```

type: numeric (float)
range: [0,56]          units: 1
unique values: 21      missing .: 1,491/1,666

tabulation:  Freq.  Value
              10   0
               6   5
               2   8
               3  10
               4  13
              17  15
               6  18
               1  19
               2  20
               5  23
              34  25
               1  28
              21  30
               2  31
               2  33
              11  38
               1  39
              15  40
              30  50
               1  53
               1  56
              1,491 .
mean:        28.3829
std. dev:    14.6286

percentiles:  10%    25%    50%    75%    90%
              8      18     25     40     50
    
```

---

**c1\_aa\_B**                    **B :Detail (activity frequency) How many times (Monday - Friday)**

---

```

type: string (str27), but longest is str3
unique values: 4                    missing "": 1,491/1,666

tabulation: Freq. Value
             1,491 ""
              158 "1"
               9  "2"
               7  "2-3"
               1  "3-4"
    
```

---

**c1\_ab\_B**                    **B :Detail (activity frequency) How many times per units (Monday - Friday)**

---

```

type: string (str21), but longest is str9
unique values: 1                    missing "": 1,491/1,666

tabulation: Freq. Value
             1,491 ""
              175 "u"
    
```

---

**c1\_ac\_B**                    **B :Detail (activity frequency) How many times per hours (Monday - Friday)**

---

```

type: numeric (double)
range: [0,1.5]                    units: .1
unique values: 3                    missing .: 1,491/1,666

tabulation: Freq. Value
             168 0
               6 1
               1 1.5
            1,491 .
mean:       .042857
std. dev:   .213463

percentiles:            10%        25%        50%        75%        90%
                   0            0            0            0            0
    
```

---

**c1\_ad\_B**                    **B :Monday-Friday How many times per minutes (Monday - Friday)**

---

```

type: numeric(double)
range: [0,50]                    units: .1
unique values: 24                    missing .: 1,491/1,666

tabulation: Freq. Value
             7 0
             3 1
             4 1.5
             2 2
             7 2.5
             8 3
             6 3.5
             2 4
             5 4.5
            34 5
             1 6
             2 6.5
            10 7.5
            30 10
             1 12.5
    
```

```

      8 15
      1 17.5
     14 20
      1 22.5
      1 25
      2 25.5
     24 30
      1 45
      1 50
     1,491 .
    mean: 11.5057
   std. dev: 10.2071

percentiles:    10%    25%    50%    75%    90%
                2.5    4.5    7.5    20    30

```

---

**c1\_ba\_B** **B : People doing activity with (person 1)**

---

```

      type: numeric (byte)
      label: c1_ba_B

      range: [1,13]           units: 1
unique values: 7             missing .: 1,491/1,666

      tabulation: Freq.  Numeric  Label
                  17       1  father
                  36       3  mother
                  103      5  grandparents
                   9       7  uncle/aunt
                   3       9  brother/sister/cousin
                   2      11  outsider
                   5      13  other household member
                 1,491      .

```

---

**c1\_bb\_B** **B : People doing activity with (person 2)**

---

```

      type: numeric (byte)
      label: c1_bb_B

      range: [1,11]           units: 1
unique values: 6             missing .: 1,611/1,666
unique missing codes: 2     missing *: 2/1,666

      tabulation: Freq.  Numeric  Label
                  5       1  father
                  12      3  mother
                  13      5  grandparents
                   1       7  uncle/aunt
                   21      9  brother/sister/cousin
                   1      11  outsider
                 1,611      .
                   2       .b

```

---

**c1\_bc\_B** **B : People doing activity with (person 3)**

---

```

      type: numeric (byte)
      label: c1_bc_B

      range: [3,13]           units: 1
unique values: 5             missing .: 1,649/1,666

```

tabulation:	Freq.	Numeric	Label
	1	3	mother
	1	5	grandparents
	13	9	brother/sister/cousin
	1	11	outsider
	1	13	other household member
	1,649	.	

**c1\_ba\_gen\_B** **Gender code (person 1)**

type: numeric (byte)  
 label: **c1\_ba\_gen**

range: [1,3] units: 1  
 unique values: 2 missing .: 1,491/1,666

tabulation:	Freq.	Numeric	Label
	55	1	male
	120	3	female
	1,491	.	

**c1\_bb\_gen\_B** **Gender code (person 2)**

type: numeric (byte)  
 label: **c1\_ba\_gen**

range: [1,3] units: 1  
 unique values: 2 missing .: 1,611/1,666  
 unique missing codes: 2 missing \*: 2/1,666

tabulation:	Freq.	Numeric	Label
	14	1	male
	39	3	female
	1,611	.	
	2	.b	

**c1\_bc\_gen\_B** **Gender code (person 3)**

type: numeric (byte)  
 label: **c1\_ba\_gen**

range: [1,3] units: 1  
 unique values: 2 missing .: 1,649/1,666

tabulation:	Freq.	Numeric	Label
	11	1	male
	6	3	female
	1,649	.	

**c2\_code\_B** **B : Frequency Code (Saturday - Sunday)**

type: numeric (byte)  
 label: **c1\_code**

range: [0,9] units: 1  
 unique values: 4 missing .: 0/1,666  
 unique missing codes: 1 missing \*: 647/1,666

```

tabulation:  Freq.  Numeric  Label
              839      0      never
              2       5      at least once a week
              157      7      once a day
              21       9      more than once a day
              647      .c
    
```

**c2\_hr\_B** **B : Hours (Saturday - Sunday)**

```

type: numeric (float)
range: [0,4] units: 1
unique values: 5 missing .: 1,486/1,666

tabulation:  Freq.  Value
              145    0
              21    1
              11    2
               2    3
               1    4
            1,486    .
mean: .294444
std. dev: .682562

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      1
    
```

**c2\_min\_B** **B : Minutes (Saturday - Sunday)**

```

type: numeric (float)
range: [0,50] units: 1
unique values: 22 missing .: 1,486/1,666

tabulation:  Freq.  Value
              31    0
               3    2
               2    3
               2    4
               4    5
               8    6
               6    7
               3    8
               3    9
              36   10
               1   12
               4   13
              11   15
              31   20
               1   23
               1   25
               1   28
               9   30
               1   35
              17   40
               2   45
               3   50
            1,486    .
mean: 14.95
std. dev: 13.0012

percentiles:  10%    25%    50%    75%    90%
              0      6     10     20     40
    
```

**c2\_aa\_B** **B : Detail (activity frequency) How many times (Saturday - Sunday)**

```

type: string (str27), but longest is str3
unique values: 4 missing "": 1,486/1,666
tabulation: Freq. Value
             1,486 ""
             159 "1"
             12  "2"
              8  "2-3"
              1  "3-4"
    
```

**c2\_ab\_B B : Detail (activity frequency) How many times per units (Saturday - Sunday)**

```

type: string (str24), but longest is str9
unique values: 1 missing "": 1,486/1,666
tabulation: Freq. Value
             1,486 ""
             180 "ñ"
    
```

**c2\_ac\_B B : Detail (activity frequency) How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,1.5] units: .1
unique values: 3 missing .: 1,486/1,666
tabulation: Freq. Value
             173 0
              6 1
              1 1.5
             1,486 .
mean: .041667
std. dev: .210579
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

**c2\_ad\_B B : Detail (activity frequency) Monday-Friday How many times per minutes (Saturd**

```

type: numeric (double)
range: [0,50] units: .1
unique values: 24 missing .: 1,486/1,666
unique missing codes: 2 missing *: 1/1,666
tabulation: Freq. Value
             6 0
             3 1
             4 1.5
             2 2
             8 2.5
             8 3
             6 3.5
             2 4
             4 4.5
            36 5
             1 6
             1 6.2
             1 6.5
            10 7.5
            33 10
             1 12.5
             8 15
    
```

```

          1  17.5
          14 20
          1  22.5
          2  25
          25 30
          1  45
          1  50
    1,486 .
          1  .b
    mean:  11.4816
    std. dev: 10.1269

    percentiles:    10%    25%    50%    75%    90%
                   2.5     5     7.5    17.5    30
    
```

---

**c2\_ba\_B** **B : People doing activity with (person 1)**

---

```

    type: numeric (byte)
    label: c2_ba_B

    range: [1,13]
    unique values: 7
    units: 1
    missing .: 1,486/1,666
    
```

```

    tabulation: Freq.  Numeric  Label
                18       1  father
                37       3  mother
                104      5  grandparents
                 9       7  uncle/aunt
                 4       9  brother/sister/cousin
                 3      11  outsider
                 5      13  other household member
    1,486      .
    
```

---

**c2\_bb\_B** **B : People doing activity with (person 2)**

---

```

    type: numeric (byte)
    label: c2_bb_B

    range: [1,11]
    unique values: 6
    units: 1
    missing .: 1,613/1,666
    
```

```

    tabulation: Freq.  Numeric  Label
                6       1  father
                13      3  mother
                12      5  grandparents
                 1       7  uncle/aunt
                20      9  brother/sister/cousin
                 1      11  outsider
    1,613      .
    
```

---

**c2\_bc\_B** **B : People doing activity with (person 3)**

---

```

    type: numeric (byte)
    label: c2_bc_B

    range: [3,13]
    unique values: 5
    units: 1
    missing .: 1,649/1,666
    
```

```

    tabulation: Freq.  Numeric  Label
                1       3  mother
                1       5  grandparents
                13      9  brother/sister/cousin
                 1      11  outsider
                 1      13  other household member
    1,649      .
    
```

---

**c2\_ba\_gen\_B** **Gender code (person 1)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,486/1,666

tabulation: Freq.  Numeric  Label
              56         1  male
              124        3  female
             1,486         .
    
```

---

**c2\_bb\_gen\_B** **Gender code (person 2)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 1,611/1,666
missing *: 2/1,666

tabulation: Freq.  Numeric  Label
              15         1  male
              38         3  female
             1,611         .
                2         .b
    
```

---

**c2\_bc\_gen\_B** **Gender code (person 3)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,649/1,666

tabulation: Freq.  Numeric  Label
              11         1  male
               6         3  female
             1,649         .
    
```

---

**c3\_code\_B** **B : Frequency [Monday-Sunday (in case of not able to separate detail by day)]**

---

```

type: numeric (byte)
label: c1_code

range: [1,7]
unique values: 4
unique missing codes: 2
units: 1
missing ..: 0/1,666
missing *: 1,020/1,666

tabulation: Freq.  Numeric  Label
              5         1  less than once a month
             147        3  at least once a month
             493        5  at least once a week
               1         7  once a day
             1,019         .b
                1         .c
    
```

---

**c3\_hr\_B** **B : Hours [Monday-Sunday (in case of not able to separate detail by day)]**

---

type: numeric (**float**)  
 range: [0,12] units: 1  
 unique values: 6 missing .: 1,172/1,666

tabulation:	Freq.	Value					
	414	0					
	64	1					
	10	2					
	4	3					
	1	4					
	1	12					
	1,172	.					
mean:	.226721						
std. dev:	.746333						
percentiles:	10%	25%	50%	75%	90%		
	0	0	0	0	1		

---

**c3\_min\_B B : Minutes [Monday-Sunday (in case of not able to separate detail by day)]**

---

type: numeric (**float**)  
 range: [0,53] units: 1  
 unique values: 36 missing .: 1,172/1,666

tabulation:	Freq.	Value					
	43	0					
	1	1					
	13	2					
	18	3					
	13	4					
	42	5					
	20	6					
	9	7					
	27	8					
	6	9					
	58	10					
	6	11					
	5	12					
	8	13					
	2	14					
	39	15					
	3	16					
	1	17					
	1	18					
	4	19					
	41	20					
	1	21					
	1	22					
	8	23					
	3	24					
	13	25					
	1	27					
	58	30					
	2	31					
	5	35					
	4	38					
	7	40					
	22	45					
	6	50					
	2	52					
	1	53					
	1,172	.					
mean:	15.5972						
std. dev:	12.9275						
percentiles:	10%	25%	50%	75%	90%		
	2	5	10	24	30		

**c3\_aa\_B**  
**B : Detail (activity frequency) How many times [Monday-Sunday (in case of not ab**

```

type: string (str13), but longest is str5
unique values: 13                missing "": 1,172/1,666

tabulation: Freq. Value
1,172 ""
136 "1"
66 "1-2"
1 "12"
1 "17-18"
121 "2"
54 "2-3"
63 "3"
21 "3-4"
15 "4"
6 "4-5"
8 "5"
1 "6"
1 "9"
    
```

**c3\_ab\_B**  
**B : Detail (activity frequency) How many times per units [Monday-Sunday (in case**

```

type: string (str24), but longest is str21
unique values: 4                missing "": 1,172/1,666

tabulation: Freq. Value
1,172 ""
1 "วัน"
428 "สี่คาห์"
64 "อาทิตย์"
1 "เดือน"
    
```

**c3\_ac\_B**  
**B : Detail (activity frequency) How many times per hours [Monday-Sunday (in case**

```

type: numeric (double)
range: [0,1]
unique values: 2                units: 1
unique missing codes: 2        missing .: 1,172/1,666
                                missing *: 11/1,666

tabulation: Freq. Value
461 0
22 1
1,172 .
11 .b
mean: .045549
std. dev: .20872

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

**c3\_ad\_B**  
**B : Detail (activity frequency) How many times per minutes [Monday-Sunday (in ca**

```

type: numeric (double)
    
```

range: [0,45] units: .1  
 unique values: 24 missing .: 1,172/1,666  
 unique missing codes: 2 missing \*: 1/1,666

tabulation: Freq. Value  
 25 0  
 4 1  
 12 1.5  
 12 2  
 35 2.5  
 21 3  
 14 3.5  
 7 4  
 7 4.5  
 81 5  
 3 5.5  
 3 6  
 21 7.5  
 4 8  
 1 9.5  
 108 10  
 3 12.5  
 2 13  
 19 15  
 1 17.5  
 28 20  
 7 25  
 74 30  
 1 45  
 1,172 .  
 1 .b  
 mean: 10.932  
 std. dev: 9.6833

percentiles: 10% 25% 50% 75% 90%  
 2 4 8 15 30

---

**c3\_ba\_B** **B : People doing activity with (person 1)**

---

type: numeric (byte)  
 label: c3\_ba\_B  
 range: [1,13] units: 1  
 unique values: 7 missing .: 1,020/1,666  
 unique missing codes: 2 missing \*: 1/1,666

tabulation: Freq. Numeric Label  
 56 1 father  
 138 3 mother  
 364 5 grandparents  
 20 7 uncle/aunt  
 35 9 brother/sister/cousin  
 13 11 outsider  
 19 13 other household member  
 1,020 .  
 1 .d

---

**c3\_bb\_B** **B : People doing activity with (person 2)**

---

type: numeric (byte)  
 label: c3\_bb\_B  
 range: [1,13] units: 1  
 unique values: 7 missing .: 1,492/1,666  
 unique missing codes: 2 missing \*: 3/1,666

tabulation:	Freq.	Numeric	Label
	6	1	father
	26	3	mother
	35	5	grandparents
	5	7	uncle/aunt
	86	9	brother/sister/cousin
	7	11	outsider
	6	13	other household member
	1,492	.	
	3	.b	

**c3\_bc\_B** **B : People doing activity with (person 3)**

type: numeric (byte)  
 label: **c3\_bc\_B**  
 range: [3,13] units: 1  
 unique values: 4 missing .: 1,627/1,666  
 unique missing codes: 2 missing \*: 1/1,666

tabulation:	Freq.	Numeric	Label
	1	3	mother
	5	5	grandparents
	30	9	brother/sister/cousin
	2	13	other household member
	1,627	.	
	1	.b	

**c3\_ba\_gen\_B** **Gender code (person 1)**

type: numeric (byte)  
 label: **c1\_ba\_gen**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 1,020/1,666  
 unique missing codes: 2 missing \*: 1/1,666

tabulation:	Freq.	Numeric	Label
	173	1	male
	472	3	female
	1,020	.	
	1	.d	

**c3\_bb\_gen\_B** **Gender code (person 2)**

type: numeric (byte)  
 label: **c1\_ba\_gen**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 1,492/1,666  
 unique missing codes: 2 missing \*: 3/1,666

tabulation:	Freq.	Numeric	Label
	79	1	male
	92	3	female
	1,492	.	
	3	.b	

**c3\_bc\_gen\_B** **Gender code (person 3)**

type: numeric (byte)  
 label: **c1\_ba\_gen**

```

    range: [1,3]
unique values: 2
unique missing codes: 2

    units: 1
missing .: 1,627/1,666
missing *: 1/1,666

    tabulation: Freq.  Numeric  Label
                19         1  male
                19         3  female
               1,627         .
                 1         .b
    
```

**activity\_C** **Playing outside the house (not display)**

```

    type: string (str147), but longest is str0
unique values: 0
missing "": 1,666/1,666

    tabulation: Freq.  Value
               1,666  ""
    
```

**c1\_code\_C** **C : Frequency Code (Monday - Friday)**

```

    type: numeric (byte)
    label: c1_code

    range: [0,9]
unique values: 5
unique missing codes: 2

    units: 1
missing .: 0/1,666
missing *: 246/1,666

    tabulation: Freq.  Numeric  Label
                165         0  never
                 1         1  less than once a month
                 3         5  at least once a week
                787         7  once a day
                464         9  more than once a day
                245         .c
                 1         .d
    
```

**c1\_hr\_C** **C : Hours (Monday - Friday)**

```

    type: numeric (float)

    range: [0,72]
unique values: 31
unique missing codes: 2

    units: 1
missing .: 412/1,666
missing *: 1/1,666

    tabulation: Freq.  Value
                55     0
                69     1
               171     2
                30     3
                10     4
               344     5
                18     6
               116     7
                 12     8
                 3     9
               158    10
                 15    11
                70    12
                 8     13
                72    15
                 25    17
                 5     18
                21    20
                 8     22
                18    25
    
```

```

                2 26
                5 27
                6 30
                2 31
                1 35
                3 37
                1 41
                2 45
                1 50
                1 70
                1 72
            412 .
                1 .c
    mean:      7.60734
    std. dev:  6.81762

    percentiles:    10%    25%    50%    75%    90%
                   2      3      5     10     15

```

---

**c1\_min\_C** **C : Minutes (Monday - Friday)**

---

```

    type: numeric (float)
    range: [0,56]
    unique values: 27
    unique missing codes: 2
    units: 1
    missing .: 412/1,666
    missing *: 1/1,666

```

```

    tabulation:  Freq.  Value
                 616    0
                   5    3
                  13    5
                   5    8
                   8   10
                   1   11
                   3   13
                  67   15
                   1   18
                   3   19
                  10   20
                   5   23
                   9   25
                   4   28
                 376   30
                   1   31
                   3   34
                   2   35
                   8   38
                  27   40
                   1   41
                   2   44
                  44   45
                  20   50
                   6   53
                  12   55
                   1   56
                 412 .
                   1 .c

```

```

    mean:      15.1572
    std. dev:  16.6508

```

```

    percentiles:    10%    25%    50%    75%    90%
                   0      0      5     30     34

```

---

**c1\_aa\_C** **C :Detail (activity frequency) How many times (Monday - Friday)**

---

```

    type: string (str27)

```



percentiles:           10%       25%       50%       75%       90%  
                           0           0           1           1           2

---

**c1\_ad\_C    C :Detail (activity frequency) How many times per minutes (Monday - Friday)**

---

          type: numeric (double)  
           range: [0,45]                                   units: .1  
           unique values: 18                               missing .: 412/1,666  
           unique missing codes: 3                        missing \*: 4/1,666

tabulation:   Freq.   Value  
               644    0  
               4     1  
               6    1.5  
               7    2.5  
               8     3  
               4    3.5  
               3     4  
               3    4.5  
               20    5  
               10   7.5  
               52   10  
               47   15  
               1   17.5  
               45   20  
               3    25  
              376   30  
               1    35  
               16   45  
              412   .  
               3    .b  
               1    .c  
           mean: 11.6172  
           std. dev: 13.8803

percentiles:           10%       25%       50%       75%       90%  
                           0           0           0           30       30

---

**c1\_ba\_C                                   C : Relationship-with-the-child doing activity (person 1)**

---

          type: numeric (byte)  
           label: c1\_ba\_C  
           range: [1,13]                                   units: 1  
           unique values: 7                                missing .: 411/1,666  
           unique missing codes: 2                        missing \*: 37/1,666

tabulation:   Freq.   Numeric   Label  
               27       1   father  
               86       3   mother  
              246       5   grandparents  
               33       7   uncle/aunt  
              270       9   brother/sister/cousin  
              545       11   outsider  
               11       13   other household member  
              411       .  
               37       .b

---

**c1\_bb\_C                                   C : People doing activity with (person 2)**

---

          type: numeric (byte)  
           label: c1\_bb\_C

range: [1,13] units: 1  
 unique values: 7 missing .: 852/1,666  
 unique missing codes: 2 missing \*: 6/1,666

tabulation:	Freq.	Numeric	Label
	5	1	father
	23	3	mother
	66	5	grandparents
	23	7	uncle/aunt
	181	9	brother/sister/cousin
	503	11	outsider
	7	13	other household member
	852	.	.
	6	.b	.b

**c1\_bc\_C** **C : People doing activity with (person 3)**

type: numeric (byte)  
 label: **c1\_bc\_C**

range: [1,13] units: 1  
 unique values: 7 missing .: 1,360/1,666  
 unique missing codes: 2 missing \*: 2/1,666

tabulation:	Freq.	Numeric	Label
	4	1	father
	8	3	mother
	20	5	grandparents
	7	7	uncle/aunt
	73	9	brother/sister/cousin
	188	11	outsider
	4	13	other household member
	1,360	.	.
	2	.b	.b

**c1\_ba\_gen\_C** **Gender code (person 1)**

type: numeric (byte)  
 label: **c1\_ba\_gen**

range: [1,3] units: 1  
 unique values: 2 missing .: 411/1,666  
 unique missing codes: 2 missing \*: 37/1,666

tabulation:	Freq.	Numeric	Label
	505	1	male
	713	3	female
	411	.	.
	37	.b	.b

**c1\_bb\_gen\_C** **Gender code (person 2)**

type: numeric (byte)  
 label: **c1\_ba\_gen**

range: [1,3] units: 1  
 unique values: 2 missing .: 852/1,666  
 unique missing codes: 2 missing \*: 6/1,666

tabulation:	Freq.	Numeric	Label
	329	1	male
	479	3	female
	852	.	.
	6	.b	.b

---

**c1\_bc\_gen\_C** **Gender code (person 3)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,360/1,666
missing *: 2/1,666

tabulation: Freq.   Numeric   Label
              120         1   male
              184         3   female
            1,360         .
              2           .b
    
```

---

**c2\_code\_C** **C : Frequency Code (Saturday - Sunday)**

---

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 5
unique missing codes: 2

units: 1
missing .: 0/1,666
missing *: 249/1,666

tabulation: Freq.   Numeric   Label
              192         0   never
               1         1   less than once a month
               2         5   at least once a week
              661         7   once a day
              561         9   more than once a day
              248         .c
               1         .d
    
```

---

**c2\_hr\_C** **C : Hours (Saturday - Sunday)**

---

```

type: numeric (float)

range: [0,30]
unique values: 26
unique missing codes: 2

units: 1
missing .: 442/1,666
missing *: 1/1,666

tabulation: Freq.   Value
            115     0
            181     1
            310     2
            119     3
            144     4
             73     5
             69     6
             37     7
             31     8
             18     9
             45    10
              8    11
             24    12
              3    13
              9    14
              8    15
              7    16
              1    17
              7    18
              1    19
              7    20
              2    22
              1    23
              1    24
    
```

```

          1 28
          1 30
        442 .
          1 .c
    mean:  3.97056
  std. dev: 3.97835

percentiles:    10%    25%    50%    75%    90%
                1      2      3      5     10

```

**c2\_min\_C** **C : Minutes (Saturday - Sunday)**

```

type: numeric (float)

range: [0,55]
unique values: 24
unique missing codes: 2

units: 1
missing .: 444/1,666
missing *: 1/1,666

```

```

tabulation: Freq. Value
            960  0
              1  2
              1  3
              2  5
              6  6
              4  8
              1  9
             20 10
              2 13
              2 14
             14 15
              1 17
              5 18
             27 20
              4 25
              2 28
             112 30
              2 35
              1 36
              2 38
             26 40
             13 45
             12 50
              1 55
             444 .
              1 .c

```

```

mean: 5.88124
std. dev: 12.4606

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0     30

```

**c2\_aa\_C** **C : Detail (activity frequency) How many times (Saturday - Sunday)**

```

type: string (str27)

unique values: 21
unique missing codes: 2

missing "": 442/1,666
missing *: 9/1,666

```

```

tabulation:  Freq.  Value
              442  ""
              654  "1"
              46  "1-2"
              18  "10"
               1  "10-20"
             174  "2"
              91  "2-3"
               1  "20"
              62  "3"
              53  "3-4"
               1  "3-5"
              12  "4"
              34  "4-5"
              15  "5"
              25  "5-6"
               2  "6"
               2  "7"
               3  ">1"
               9  "DK"
               1  "มากกว่า 1"
               3  "มากกว่า1"
              17  "หลายครั้ง"
    
```

warning: variable has embedded blanks

---

**c2\_ab\_C C : Detail (activity frequency) How many times per units (Saturday - Sunday)**

---

```

type: string (str24), but longest is str21
unique values: 2 missing "": 442/1,666
tabulation:  Freq.  Value
              442  ""
             1,223  "วัน"
               1  "สี่ปีห้า"
    
```

---

**c2\_ac\_C C : Detail (activity frequency) How many times per hours (Saturday - Sunday)**

---

```

type: numeric (double)
range: [0,12] units: .1
unique values: 20 missing .: 442/1,666
unique missing codes: 2 missing *: 1/1,666
tabulation:  Freq.  Value
             554  0
             413  1
              23  1.5
             108  2
              10  2.5
              48  3
               5  3.5
              14  4
               2  4.5
              17  5
               1  5.5
              10  6
               1  6.5
               6  7
               1  7.5
               2  8
               4  9
               2  10
               1  11
               1  12
             442  .
               1  .c
    
```

mean: .994685  
 std. dev: 1.46752  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 1 1 2.5

**c2\_ad\_C : Detail (activity frequency) Monday-Friday How many times per minutes (Saturd**

type: numeric (double)  
 range: [0,45] units: .1  
 unique values: 19 missing .: 442/1,666  
 unique missing codes: 3 missing \*: 24/1,666

tabulation: Freq. Value  
 620 0  
 3 1  
 6 1.5  
 6 2.5  
 6 3  
 2 3.5  
 1 4  
 4 4.5  
 22 5  
 6 7.5  
 52 10  
 3 12.5  
 44 15  
 2 17.5  
 38 20  
 3 25  
 359 30  
 2 40  
 21 45  
 442 .  
 23 .b  
 1 .c  
 mean: 11.7596  
 std. dev: 14.0668

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 30 30

**c2\_ba\_C C : People doing activity with (person 1)**

type: numeric (byte)  
 label: c2\_ba\_C  
 range: [1,13] units: 1  
 unique values: 7 missing .: 441/1,666  
 unique missing codes: 2 missing \*: 34/1,666

tabulation: Freq. Numeric Label  
 28 1 father  
 89 3 mother  
 235 5 grandparents  
 32 7 uncle/aunt  
 272 9 brother/sister/cousin  
 523 11 outsider  
 12 13 other household member  
 441 .  
 34 .b

**c2\_bb\_C C : People doing activity with (person 2)**

```

type: numeric (byte)
label: c2_bb_C

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 863/1,666
missing *: 6/1,666
    
```

tabulation:	Freq.	Numeric	Label
	6	1	father
	24	3	mother
	67	5	grandparents
	24	7	uncle/aunt
	185	9	brother/sister/cousin
	485	11	outsider
	6	13	other household member
	863	.	
	6	.b	

---

**c2\_bc\_C** **C : People doing activity with (person 3)**

---

```

type: numeric (byte)
label: c2_bc_C

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,365/1,666
missing *: 4/1,666
    
```

tabulation:	Freq.	Numeric	Label
	4	1	father
	8	3	mother
	23	5	grandparents
	7	7	uncle/aunt
	75	9	brother/sister/cousin
	176	11	outsider
	4	13	other household member
	1,365	.	
	4	.b	

---

**c2\_ba\_gen\_C** **Gender code (person 1)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 440/1,666
missing *: 35/1,666
    
```

tabulation:	Freq.	Numeric	Label
	490	1	male
	701	3	female
	440	.	
	35	.b	

---

**c2\_bb\_gen\_C** **Gender code (person 2)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 863/1,666
missing *: 6/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              325      1  male
              472      3  female
              863      .
              6        .b
    
```

---

**c2\_bc\_gen\_C** **Gender code (person 3)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]                units: 1
unique values: 2            missing .: 1,365/1,666
unique missing codes: 2    missing *: 4/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              117      1  male
              180      3  female
            1,365      .
              4        .b
    
```

---

**c3\_code\_C** **C : Frequency [Monday-Sunday (in case of not able to separate detail by day)]**

---

```

type: numeric (byte)
label: c1_code

range: [1,7]                units: 1
unique values: 4            missing .: 0/1,666
unique missing codes: 2    missing *: 1,421/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              1        1  less than once a month
              8        3  at least once a month
            234        5  at least once a week
              2        7  once a day
            1,420      .b
              1        .d
    
```

---

**c3\_hr\_C** **C : Hours [Monday-Sunday (in case of not able to separate detail by day)]**

---

```

type: numeric (float)

range: [0,13]              units: 1
unique values: 14          missing .: 1,430/1,666
unique missing codes: 2    missing *: 1/1,666
    
```

```

tabulation:  Freq.  Value
              41     0
              71     1
              40     2
              23     3
              22     4
              13     5
               8     6
               8     7
               1     8
               1     9
               3    10
               1    11
               2    12
               1    13
            1,430     .
               1     .d

mean: 2.43404
std. dev: 2.46837
    
```

percentiles:           10%           25%           50%           75%           90%  
                           0            1            2            4            6

**c3\_min\_C   C : Minutes [Monday-Sunday (in case of not able to separate detail by day)]**

          type: numeric (float)  
           range: [0,53]                                   units: 1  
           unique values: 19                               missing .: 1,430/1,666  
           unique missing codes: 2                        missing \*: 1/1,666

tabulation:   Freq.   Value  
                   101    0  
                   2     3  
                   1     4  
                   2     5  
                   1     8  
                   1     9  
                   4    10  
                   2    13  
                  18    15  
                   1    16  
                   1    18  
                   4    20  
                   3    23  
                   1    25  
                  72    30  
                   1    38  
                   5    40  
                  13    45  
                   2    53  
               1,430   .  
                   1   .d  
           mean:    15.617  
           std. dev: 15.7818

percentiles:           10%           25%           50%           75%           90%  
                           0            0            15            30            30

**c3\_aa\_C    C : Detail (activity frequency) How many times [Monday-Sunday (in case of not ab**

          type: string (str13), but longest is str3  
           unique values: 12                               missing "": 1,430/1,666  
           unique missing codes: 2                        missing \*: 1/1,666

tabulation:   Freq.   Value  
                  1,430   "  
                   30    "1"  
                   21    "1-2"  
                   44    "2"  
                   34    "2-3"  
                   40    "3"  
                   19    "3-4"  
                   20    "4"  
                   11    "4-5"  
                   13    "5"  
                   2     "6"  
                   1     "7"  
                   1    "MI"

**c3\_ab\_C    C : Detail (activity frequency) How many times per units [Monday-Sunday (in case**

```

type: string (str24), but longest is str21
unique values: 4 missing "": 1,430/1,666
unique missing codes: 2 missing *: 2/1,666

tabulation: Freq. Value
             1,430 ""
              2 "MI"
              2 "วัน"
             192 "สี่ปคาห์"
              40 "อาทิตย์"
    
```

**c3\_ac\_C : Detail (activity frequency) How many times per hours [Monday-Sunday (in case**

```

type: numeric (double)
range: [0,9] units: .1
unique values: 10 missing .: 1,430/1,666
unique missing codes: 3 missing *: 4/1,666

tabulation: Freq. Value
             121 0
              70 1
               6 1.5
              18 2
               3 2.5
               9 3
               2 3.5
               1 5
               1 7
               1 9
            1,430 .
               3 .b
               1 .d
mean: .765086
std. dev: 1.1376

percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 2
    
```

**c3\_ad\_C : Detail (activity frequency) How many times per minutes [Monday-Sunday (in ca**

```

type: numeric (double)
range: [0,45] units: .1
unique values: 15 missing .: 1,430/1,666
unique missing codes: 3 missing *: 11/1,666

tabulation: Freq. Value
             100 0
               1 2
               1 2.5
               1 3
               1 4.5
               7 5
               1 7.5
              11 10
               7 15
              10 20
               2 25
              77 30
               1 40
               1 42
               4 45
            1,430 .
              10 .b
    
```

```

          1 .d
    mean: 13.74
  std. dev: 14.4053

percentiles:    10%    25%    50%    75%    90%
                0      0      10     30     30
    
```

---

**c3\_ba\_C** **C : People doing activity with (person 1)**

---

```

    type: numeric (byte)
    label: c3_ba_C

    range: [1,13]
unique values: 7
                units: 1
                missing.: 1,421/1,666
    
```

tabulation:	Freq.	Numeric	Label
	10	1	father
	29	3	mother
	62	5	grandparents
	7	7	uncle/aunt
	40	9	brother/sister/cousin
	94	11	outsider
	3	13	other household member
	1,421	.	

---

**c3\_bb\_C** **C : People doing activity with (person 2)**

---

```

    type: numeric (byte)
    label: c3_bb_C

    range: [1,13]
unique values: 7
unique missing codes: 2
                units: 1
                missing.: 1,537/1,666
                missing*: 2/1,666
    
```

tabulation:	Freq.	Numeric	Label
	4	1	father
	7	3	mother
	18	5	grandparents
	6	7	uncle/aunt
	35	9	brother/sister/cousin
	56	11	outsider
	1	13	other household member
	1,537	.	
	2	.b	

---

**c3\_bc\_C** **C : People doing activity with (person 3)**

---

```

    type: numeric (byte)
    label: c3_bc_C

    range: [1,13]
unique values: 6
unique missing codes: 2
                units: 1
                missing.: 1,616/1,666
                missing*: 2/1,666
    
```

tabulation:	Freq.	Numeric	Label
	1	1	father
	2	5	grandparents
	1	7	uncle/aunt
	12	9	brother/sister/cousin
	31	11	outsider
	1	13	other household member
	1,616	.	
	2	.b	

---

**c3\_ba\_gen\_C** **Gender code (person 1)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,421/1,666

tabulation: Freq.  Numeric  Label
              87      1  male
              158     3  female
             1,421     .
    
```

---

**c3\_bb\_gen\_C** **Gender code (person 2)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 1,537/1,666
missing *: 2/1,666

tabulation: Freq.  Numeric  Label
              46      1  male
              81      3  female
             1,537     .
                2      .b
    
```

---

**c3\_bc\_gen\_C** **Gender code (person 3)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 1,616/1,666
missing *: 2/1,666

tabulation: Freq.  Numeric  Label
              13      1  male
              35      3  female
             1,616     .
                2      .b
    
```

---

**activity\_D** **Playing sport, singing and dancing (not display)**

---

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation: Freq.  Value
             1,666  ""
    
```

---

**c1\_code\_D** **D : Frequency Code (Monday - Friday)**

---

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 3
unique missing codes: 1
units: 1
missing ..: 0/1,666
missing *: 448/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              285      0  never
              546      7  once a day
              387      9  more than once a day
              448      .c
    
```

**c1\_hr\_D**

**D : Hours (Monday - Friday)**

```

type: numeric (float)
range: [0,25]
unique values: 16
unique missing codes: 2
units: 1
missing .: 733/1,666
missing *: 2/1,666
    
```

```

tabulation:  Freq.  Value
              437  0
              133  1
              145  2
               26  3
               6   4
              106  5
               10  6
               18  7
               2   8
               23  10
               10  12
               6   15
               3   17
               3   18
               1   22
               2   25
              733  .
               2   .c
mean: 2.01289
std. dev: 3.27155
    
```

```

percentiles:  10%  25%  50%  75%  90%
               0    0    1    2    5
    
```

**c1\_min\_D**

**D : Minutes (Monday - Friday)**

```

type: numeric (float)
range: [0,56]
unique values: 33
unique missing codes: 2
units: 1
missing .: 733/1,666
missing *: 2/1,666
    
```

```

tabulation:  Freq.  Value
              136  0
               3   1
               13  3
               21  5
               17  8
               1   9
               26  10
               10  11
               21  13
               88  15
               8   18
               16  19
               16  20
               1   21
               14  23
               86  25
               6   26
               10  28
              162  30
               9   31
    
```

```

          1 33
          7 34
          3 35
         37 38
          3 39
         37 40
          3 41
          7 44
         32 45
        103 50
         16 53
          9 55
          9 56
        733 .
          2 .c
    mean: 25.0677
std. dev: 16.6555

percentiles:    10%    25%    50%    75%    90%
                0      13     25     38     50
    
```

---

**c1\_aa\_D**                    **D :Detail (activity frequency) How many times (Monday - Friday)**

---

```

type: string (str27)

unique values: 20
unique missing codes: 2

missing "": 733/1,666
missing *: 4/1,666
    
```

```

tabulation: Freq. Value
            733 ""
            540 "1"
             68 "1-2"
              5 "10"
            105 "2"
             80 "2-3"
             37 "3"
             34 "3-4"
              8 "4"
             17 "4-5"
             11 "5"
              5 "5-6"
              1 "6"
              1 "6-7"
              1 "7"
              1 "8-9"
              4 ">1"
              4 "DK"
              1 "มากกว่า 1"
              1 "หลาย"
              9 "หลายครั้ง"
    
```

warning: variable has embedded blanks

---

**c1\_ab\_D**                    **D :Detail (activity frequency) How many times per units (Monday - Friday)**

---

```

type: string (str21), but longest is str9

unique values: 1
missing "": 733/1,666

tabulation: Freq. Value
            733 ""
            933 "วัน"
    
```

---

**c1\_ac\_D**                    **D :Detail (activity frequency) How many times per hours (Monday - Friday)**

---

```

type: numeric (double)
range: [0,4]
unique values: 7
unique missing codes: 2
units: .1
missing .: 733/1,666
missing *: 2/1,666

```

```

tabulation: Freq. Value
             806  0
             101  1
              2  1.5
             15  2
              1  2.5
              5  3
              1  4
             733  .
              2  .c
mean:       .167025
std. dev:   .471531

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1

```

**c1\_ad\_D D :Detail (activity frequency) How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,45]
unique values: 23
unique missing codes: 3
units: .1
missing .: 733/1,666
missing *: 3/1,666

```

```

tabulation: Freq. Value
             125  0
              22  1
              37  1.5
              32  2
              59  2.5
              47  3
              20  3.5
              14  4
              27  4.5
             132  5
              9  5.5
              1  6
              26  7.5
              1  9
             128  10
              47  15
              2  17.5
              28  20
              2  22.5
              4  25
              1  25.5
             161  30
              5  45
             733  .
              1  .b
              2  .c
mean:       10.1102
std. dev:   10.7073

percentiles:    10%    25%    50%    75%    90%
                0      2.5    5      15    30

```

**c1\_ba\_D D : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_D

```

range: [1,13] units: 1  
 unique values: 7 missing .: 733/1,666  
 unique missing codes: 2 missing \*: 355/1,666

tabulation:	Freq.	Numeric	Label
	28	1	father
	42	3	mother
	82	5	grandparents
	20	7	uncle/aunt
	265	9	brother/sister/cousin
	135	11	outsider
	6	13	other household member
	733	.	
	355	.b	

**c1\_bb\_D** **D : People doing activity with (person 2)**

type: numeric (byte)  
 label: **c1\_bb\_D**

range: [1,13] units: 1  
 unique values: 7 missing .: 1,325/1,666  
 unique missing codes: 2 missing \*: 17/1,666

tabulation:	Freq.	Numeric	Label
	3	1	father
	25	3	mother
	40	5	grandparents
	9	7	uncle/aunt
	119	9	brother/sister/cousin
	123	11	outsider
	5	13	other household member
	1,325	.	
	17	.b	

**c1\_bc\_D** **D : People doing activity with (person 3)**

type: numeric (byte)  
 label: **c1\_bc\_D**

range: [1,13] units: 1  
 unique values: 7 missing .: 1,551/1,666  
 unique missing codes: 2 missing \*: 6/1,666

tabulation:	Freq.	Numeric	Label
	3	1	father
	4	3	mother
	11	5	grandparents
	3	7	uncle/aunt
	30	9	brother/sister/cousin
	57	11	outsider
	1	13	other household member
	1,551	.	
	6	.b	

**c1\_ba\_gen\_D** **Gender code (person 1)**

type: numeric (byte)  
 label: **c1\_ba\_gen**

range: [1,3] units: 1  
 unique values: 2 missing .: 733/1,666  
 unique missing codes: 2 missing \*: 355/1,666

```

tabulation:  Freq.  Numeric  Label
              248      1  male
              330      3  female
              733      .
              355      .b
    
```

---

**c1\_bb\_gen\_D** **Gender code (person 2)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,325/1,666
missing *: 17/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              113      1  male
              211      3  female
            1,325      .
              17      .b
    
```

---

**c1\_bc\_gen\_D** **Gender code (person 3)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,551/1,666
missing *: 6/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              35      1  male
              74      3  female
            1,551      .
              6      .b
    
```

---

**c2\_code\_D** **D : Frequency Code (Saturday - Sunday)**

---

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 3
unique missing codes: 2

units: 1
missing .: 0/1,666
missing *: 452/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              287      0  never
              529      7  once a day
              398      9  more than once a day
              451      .c
              1      .d
    
```

---

**c2\_hr\_D** **D : Hours (Saturday - Sunday)**

---

```

type: numeric (float)

range: [0,32]
unique values: 13
unique missing codes: 2

units: 1
missing .: 739/1,666
missing *: 2/1,666
    
```

```

tabulation:  Freq.  Value
              569    0
              165    1
              114    2
               20    3
               25    4
               10    5
                8    6
                6    7
                4   10
                1   11
                1   12
                1   15
                1   32
              739    .
                2   .c
    mean:     .868108
    std. dev: 1.87542
    
```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      2
    
```

---

**c2\_min\_D**

**D : Minutes (Saturday - Sunday)**

---

```

type: numeric (float)
range: [0,55]
unique values: 41
unique missing codes: 2
units: 1
missing .: 739/1,666
missing *: 2/1,666
    
```

```

tabulation:  Freq.  Value
              289    0
                1    1
                9    2
               14    3
               21    4
               33    5
               31    6
                8    7
               24    8
               13    9
               94   10
                6   11
               10   12
                7   13
                3   14
               40   15
                3   16
               20   18
              101   20
                1   21
                2   22
                9   23
                2   24
               16   25
                2   27
                4   28
               74   30
                1   32
                3   33
                8   35
                4   38
                1   39
               35   40
                2   41
                1   44
               15   45
                1   48
               13   50
                1   51
    
```

```

                2  53
                1  55
              739  .
                2  .c
    mean:      12.9373
    std. dev:  13.4924

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      10     20     30

```

**c2\_aa\_D            D : Detail (activity frequency) How many times (Saturday - Sunday)**

type: string (str27)

```

unique values: 21                    missing "": 739/1,666
unique missing codes: 2            missing *: 3/1,666

```

```

tabulation:  Freq.  Value
              739  ""
              523  "1"
               66  "1-2"
                6  "10"
              104  "2"
               89  "2-3"
               44  "3"
               36  "3-4"
                6  "4"
               15  "4-5"
                8  "5"
                6  "5-6"
                1  "6"
                2  "6-7"
                1  "7"
                1  "8"
                1  "8-9"
                4  ">1"
                3  "DK"
                1  "มากกว่า 1"
                1  "หลาย"
                9  "หลายครั้ง"

```

warning: variable has embedded blanks

**c2\_ab\_D            D : Detail (activity frequency) How many times per units (Saturday - Sunday)**

type: string (str24), but longest is str9

```

unique values: 1                    missing "": 739/1,666

```

```

tabulation:  Freq.  Value
              739  ""
              927  "น"

```

**c2\_ac\_D            D : Detail (activity frequency) How many times per hours (Saturday - Sunday)**

type: numeric (double)

```

range: [0,5]                    units: .1
unique values: 7                missing .: 739/1,666
unique missing codes: 2        missing *: 1/1,666

```

```

tabulation:  Freq.  Value
              795  0
              99  1
               3  1.5
              19  2
               3  2.5
               6  3
               1  5
             739  .
               1  .c
    mean:     .185745
    std. dev: .517324

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1
    
```

**c2\_ad\_D**  
**D : Detail (activity frequency) Monday-Friday How many times per minutes (Saturd**

```

type: numeric (double)

range: [0,45]          units: .1
unique values: 23      missing .: 739/1,666
unique missing codes: 3  missing *: 5/1,666
    
```

```

tabulation:  Freq.  Value
              130  0
               21  1
               36  1.5
               32  2
               56  2.5
               47  3
               20  3.5
               14  4
               26  4.5
              134  5
               9  5.5
               1  6
               25  7.5
               1  9
              122  10
               3  12.5
               43  15
               2  17.5
               27  20
               2  22.5
               5  25
              161  30
               5  45
             739  .
               3  .b
               2  .c
    mean:     10.0732
    std. dev: 10.7538

percentiles:      10%      25%      50%      75%      90%
                  0        2.5      5        15       30
    
```

**c2\_ba\_D** **D : People doing activity with (person 1)**

```

type: numeric (byte)
label: c2_ba_D

range: [1,13]          units: 1
unique values: 7      missing .: 739/1,666
unique missing codes: 2  missing *: 348/1,666
    
```

tabulation:	Freq.	Numeric	Label
	29	1	father
	43	3	mother
	78	5	grandparents
	19	7	uncle/aunt
	266	9	brother/sister/cousin
	138	11	outsider
	6	13	other household member
	739	.	
	348	.b	

---

**c2\_bb\_D** **D : People doing activity with (person 2)**

---

type: numeric (byte)  
 label: **c2\_bb\_D**  
 range: [1,13] units: 1  
 unique values: 7 missing .: 1,325/1,666  
 unique missing codes: 2 missing \*: 18/1,666

tabulation:	Freq.	Numeric	Label
	3	1	father
	26	3	mother
	38	5	grandparents
	9	7	uncle/aunt
	119	9	brother/sister/cousin
	124	11	outsider
	4	13	other household member
	1,325	.	
	18	.b	

---

**c2\_bc\_D** **D : People doing activity with (person 3)**

---

type: numeric (byte)  
 label: **c2\_bc\_D**  
 range: [1,13] units: 1  
 unique values: 7 missing .: 1,552/1,666  
 unique missing codes: 2 missing \*: 5/1,666

tabulation:	Freq.	Numeric	Label
	3	1	father
	4	3	mother
	11	5	grandparents
	3	7	uncle/aunt
	30	9	brother/sister/cousin
	57	11	outsider
	1	13	other household member
	1,552	.	
	5	.b	

---

**c2\_ba\_gen\_D** **Gender code (person 1)**

---

type: numeric (byte)  
 label: **c1\_ba\_gen**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 738/1,666  
 unique missing codes: 2 missing \*: 349/1,666

tabulation:	Freq.	Numeric	Label
	246	1	male
	333	3	female
	738	.	
	349	.b	

---

**c2\_bb\_gen\_D** **Gender code (person 2)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,323/1,666
missing *: 20/1,666

tabulation: Freq.  Numeric  Label
              113      1  male
              210      3  female
            1,323      .
              20      .b
    
```

---

**c2\_bc\_gen\_D** **Gender code (person 3)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,552/1,666
missing *: 5/1,666

tabulation: Freq.  Numeric  Label
              35      1  male
              74      3  female
            1,552      .
              5      .b
    
```

---

**c3\_code\_D** **D : Frequency [Monday-Sunday (in case of not able to separate detail by day)]**

---

```

type: numeric (byte)
label: c1_code

range: [1,9]
unique values: 4
unique missing codes: 1

units: 1
missing .: 0/1,666
missing *: 1,222/1,666

tabulation: Freq.  Numeric  Label
              2      1  less than once a month
              21      3  at least once a month
             420      5  at least once a week
              1      9  more than once a day
            1,222      .b
    
```

---

**c3\_hr\_D** **D : Hours [Monday-Sunday (in case of not able to separate detail by day)]**

---

```

type: numeric (float)

range: [0,9]
unique values: 9

units: 1
missing .: 1,245/1,666
    
```

```

tabulation:  Freq.  Value
              285  0
              82  1
              24  2
              19  3
               5  4
               3  5
               1  6
               1  7
               1  9
            1,245  .
    mean:     .579572
  std. dev:   1.12184

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         1         2
    
```

---

**c3\_min\_D D : Minutes [Monday-Sunday (in case of not able to separate detail by day)]**

---

```

type: numeric (float)
range: [0,55]
unique values: 35
units: 1
missing .: 1,245/1,666
    
```

```

tabulation:  Freq.  Value
              67  0
               1  1
               9  2
              14  3
              17  4
              18  5
              12  6
               9  7
              12  8
              15  9
              28 10
              10 11
               1 12
               9 13
               2 14
              23 15
               4 18
              10 19
              22 20
               6 23
               1 24
              15 25
               1 26
               1 27
               1 28
              69 30
               1 31
               4 35
               4 38
              12 40
               1 44
              16 45
               3 50
               2 53
               1 55
            1,245  .
    mean:     16.0214
  std. dev:   13.7455

percentiles:      10%      25%      50%      75%      90%
                  0         4        11        30        35
    
```

**c3\_aa\_D**  
**D : Detail (activity frequency) How many times [Monday-Sunday (in case of not ab**

type: string (**str13**), but longest is str3  
 unique values: **12** missing "": **1,245/1,666**

tabulation:	Freq.	Value
	1,245	" "
	39	"1"
	39	"1-2"
	98	"2"
	69	"2-3"
	84	"3"
	40	"3-4"
	24	"4"
	8	"4-5"
	14	"5"
	1	"5-6"
	3	"6"
	2	"9"

**c3\_ab\_D**  
**D : Detail (activity frequency) How many times per units [Monday-Sunday (in case**

type: string (**str24**), but longest is str21  
 unique values: **3** missing "": **1,245/1,666**

tabulation:	Freq.	Value
	1,245	" "
	4	"วัน"
	366	"สัปดาห์"
	51	"อาทิตย์"

**c3\_ac\_D**  
**D : Detail (activity frequency) How many times per hours [Monday-Sunday (in case**

type: numeric (**double**)  
 range: **[0,5]** units: **1**  
 unique values: **4** missing .: **1,245/1,666**  
 unique missing codes: **2** missing \*: **17/1,666**

tabulation:	Freq.	Value
	360	0
	40	1
	3	2
	1	5
	1,245	.
	17	.b
mean:		.126238
std. dev:		.418439

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1

**c3\_ad\_D**  
**D : Detail (activity frequency) How many times per minutes [Monday-Sunday (in ca**

type: numeric (**double**)

range: [0,45] units: .1  
 unique values: 25 missing .: 1,245/1,666  
 unique missing codes: 2 missing \*: 3/1,666

tabulation: Freq. Value  
 45 0  
 11 1  
 11 1.5  
 17 2  
 33 2.5  
 16 3  
 9 3.5  
 1 4  
 7 4.5  
 51 5  
 6 5.5  
 2 6  
 1 7  
 18 7.5  
 60 10  
 6 12.5  
 15 15  
 1 17.5  
 1 18  
 27 20  
 4 25  
 73 30  
 1 35  
 1 40  
 1 45  
 1,245 .  
 3 .b  
 mean: 10.9725  
 std. dev: 10.7042

percentiles: 10% 25% 50% 75% 90%  
 0 2.5 6.5 20 30

---

**c3\_ba\_D** **D : People doing activity with (person 1)**

---

type: numeric (byte)  
 label: c3\_ba\_D  
 range: [1,13] units: 1  
 unique values: 7 missing .: 1,222/1,666  
 unique missing codes: 2 missing \*: 146/1,666

tabulation: Freq. Numeric Label  
 16 1 father  
 30 3 mother  
 35 5 grandparents  
 8 7 uncle/aunt  
 129 9 brother/sister/cousin  
 77 11 outsider  
 3 13 other household member  
 1,222 .  
 146 .b

---

**c3\_bb\_D** **D : People doing activity with (person 2)**

---

type: numeric (byte)  
 label: c3\_bb\_D  
 range: [1,13] units: 1  
 unique values: 7 missing .: 1,499/1,666  
 unique missing codes: 2 missing \*: 13/1,666

```

tabulation:  Freq.  Numeric  Label
              9       1  father
              10      3  mother
              16      5  grandparents
               1       7  uncle/aunt
              63      9  brother/sister/cousin
              53     11  outsider
               2     13  other household member
            1,499      .
              13     .b
    
```

---

**c3\_bc\_D** **D : People doing activity with (person 3)**

---

```

type: numeric (byte)
label: c3_bc_D

range: [1,13]          units: 1
unique values: 6       missing .: 1,621/1,666
unique missing codes: 2  missing *: 3/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              1       1  father
              2       3  mother
              2       5  grandparents
              17      9  brother/sister/cousin
              19     11  outsider
               1     13  other household member
            1,621      .
               3     .b
    
```

---

**c3\_ba\_gen\_D** **Gender code (person 1)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]          units: 1
unique values: 2       missing .: 1,222/1,666
unique missing codes: 2  missing *: 146/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
            137      1  male
            161      3  female
           1,222      .
            146     .b
    
```

---

**c3\_bb\_gen\_D** **Gender code (person 2)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]          units: 1
unique values: 2       missing .: 1,499/1,666
unique missing codes: 2  missing *: 13/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              70      1  male
              84      3  female
            1,499      .
               13     .b
    
```

---

**c3\_bc\_gen\_D** **Gender code (person 3)**

---



```

          4 20
          4 22
          5 25
          1 26
          2 30
          3 31
          1 50
        569 .
          2 .c
    mean:  4.5032
  std. dev: 4.91125

percentiles:    10%    25%    50%    75%    90%
                0      1      3      5     10

```

---

**c1\_min\_E**

**E : Minutes (Monday - Friday)**

---

```

    type: numeric (float)
    range: [0,57]
  unique values: 35
unique missing codes: 2

          units: 1
  missing .: 569/1,666
  missing *: 2/1,666

```

```

  tabulation:  Freq.  Value
                387    0
                 8    3
                22    5
                 8    8
                 1    9
                11   10
                 2   11
                12   13
                60   15
                 3   18
                10   19
                11   20
                 1   21
                15   23
                30   25
                 1   26
                10   28
                288  30
                 7   31
                 6   34
                 2   35
                 1   36
                12   38
                 1   39
                61   40
                 2   41
                 1   43
                 3   44
                37   45
                 2   49
                65   50
                 1   53
                 5   55
                 6   56
                 3   57
                569 .
                 2 .c
    mean:  19.6237
  std. dev: 17.4686

percentiles:    10%    25%    50%    75%    90%
                0      0     23     30     45

```

---

**cl\_aa\_E E :Detail (activity frequency) How many times (Monday - Friday)**

---

type: string (str27)  
 unique values: 20 missing "": 569/1,666  
 unique missing codes: 2 missing \*: 11/1,666

tabulation:	Freq.	Value
	569	" "
	1	" +1"
	682	"1"
	38	"1-2"
	2	"10"
	141	"2"
	79	"2-3"
	1	"2-4"
	54	"3"
	40	"3-4"
	5	"4"
	18	"4-5"
	14	"5"
	2	"5-6"
	2	"6-7"
	1	"7-8"
	1	"8-9"
	1	"9-10"
	2	">1"
	11	"DK"
	2	"หลายครั้ง"

---

**cl\_ab\_E E :Detail (activity frequency) How many times per units (Monday - Friday)**

---

type: string (str21)  
 unique values: 2 missing "": 569/1,666

tabulation:	Freq.	Value
	569	" "
	1,094	"วัน"
	3	"สัปดาห์"

---

**cl\_ac\_E E :Detail (activity frequency) How many times per hours (Monday - Friday)**

---

type: numeric (double)  
 range: [0,30] units: .1  
 unique values: 10 missing .: 569/1,666  
 unique missing codes: 2 missing \*: 1/1,666

tabulation:	Freq.	Value
	735	0
	299	1
	6	1.5
	40	2
	1	2.5
	10	3
	1	4
	2	5
	1	6
	1	30
	569	.
	1	.c
mean:	.429288	
std. dev:	1.11804	



---

**c1\_bb\_E** **E : People doing activity with (person 2)**

---

```

type: numeric (byte)
label: c1_bb_E

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,264/1,666
missing *: 29/1,666

```

tabulation:	Freq.	Numeric	Label
	3	1	father
	12	3	mother
	11	5	grandparents
	3	7	uncle/aunt
	133	9	brother/sister/cousin
	208	11	outsider
	3	13	other household member
	1,264	.	
	29	.b	

---

**c1\_bc\_E** **E : People doing activity with (person 3)**

---

```

type: numeric (byte)
label: c1_bc_E

range: [1,13]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,540/1,666
missing *: 7/1,666

```

tabulation:	Freq.	Numeric	Label
	1	1	father
	3	3	mother
	2	5	grandparents
	36	9	brother/sister/cousin
	75	11	outsider
	2	13	other household member
	1,540	.	
	7	.b	

---

**c1\_ba\_gen\_E** **Gender code (person 1)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 569/1,666
missing *: 430/1,666

```

tabulation:	Freq.	Numeric	Label
	343	1	male
	324	3	female
	569	.	
	430	.b	

---

**c1\_bb\_gen\_E** **Gender code (person 2)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,265/1,666
missing *: 29/1,666

```

```

tabulation:  Freq.  Numeric  Label
              156      1  male
              216      3  female
            1,265      .
              29      .b
    
```

---

**c1\_bc\_gen\_E** **Gender code (person 3)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,540/1,666
missing *: 7/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              43      1  male
              76      3  female
            1,540      .
              7      .b
    
```

---

**c2\_code\_E** **E : Frequency Code (Saturday - Sunday)**

---

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 4
unique missing codes: 2

units: 1
missing .: 0/1,666
missing *: 373/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              150      0  never
               5      5  at least once a week
              679      7  once a day
              459      9  more than once a day
              372      .c
               1      .d
    
```

---

**c2\_hr\_E** **E : Hours (Saturday - Sunday)**

---

```

type: numeric (float)

range: [0,40]
unique values: 20
unique missing codes: 2

units: 1
missing .: 523/1,666
missing *: 2/1,666
    
```

```

tabulation:  Freq.  Value
              308    0
              257    1
              275    2
               72    3
               92    4
               40    5
               36    6
               15    7
                8    8
               11    9
               13   10
                1   11
                5   12
                1   14
                1   17
                1   18
                2   20
                1   22
                1   26
    
```

```

          1 40
        523 .
          2 .c
    mean: 2.14987
  std. dev: 2.83267

percentiles:    10%    25%    50%    75%    90%
                0      0      2      3      5
    
```

**c2\_min\_E** **E : Minutes (Saturday - Sunday)**

```

type: numeric (float)

range: [0,53]
unique values: 34
unique missing codes: 2

units: 1
missing .: 523/1,666
missing *: 2/1,666
    
```

```

tabulation:  Freq.  Value
              705    0
               1    2
               1    3
               3    4
              12    5
               9    6
               2    7
              12    8
               6    9
              33   10
               8   11
               4   12
               7   13
               3   14
              20   15
               2   17
               6   18
              73   20
               7   23
               1   24
               6   25
               2   28
              96   30
               6   32
               2   33
               6   35
               5   38
               1   39
              64   40
               1   42
               1   43
              15   45
              20   50
               1   53
              523  .
               2  .c
    mean: 9.76074
  std. dev: 14.6831
    
```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0     20     33
    
```

**c2\_aa\_E** **E : Detail (activity frequency) How many times (Saturday - Sunday)**

```

type: string (str27)

unique values: 20
unique missing codes: 2

missing "": 523/1,666
missing *: 11/1,666
    
```

```

tabulation:  Freq.  Value
              523  ""
              1   "+1"
             667  "1"
              43  "1-2"
              2   "10"
             159  "2"
              89  "2-3"
              60  "3"
              45  "3-4"
              7   "4"
              28  "4-5"
              16  "5"
              4   "5-6"
              2   "6-7"
              1   "7-8"
              1   "8-9"
              1   "9-10"
              2   ">1"
             11  "DK"
              1   "มากกว่า 1"
              3   "หลายครั้ง"
    
```

warning: variable has embedded blanks

---

**c2\_ab\_E E : Detail (activity frequency) How many times per units (Saturday - Sunday)**

---

```

type: string (str24), but longest is str21
unique values: 2          missing "": 523/1,666

tabulation:  Freq.  Value
              523  ""
             1,141 "วัน"
              2   "สัปดาห์"
    
```

---

**c2\_ac\_E E : Detail (activity frequency) How many times per hours (Saturday - Sunday)**

---

```

type: numeric (double)
range: [0,13]          units: .1
unique values: 13      missing .: 523/1,666
unique missing codes: 2  missing *: 1/1,666

tabulation:  Freq.  Value
             744  0
            309  1
              9  1.5
             48  2
              7  2.5
            15  3
              1  3.5
              2  4
              3  5
              1  6
              1  10
              1  11
              1  13
            523  .
              1  .c
mean:        .479422
std. dev:    .928073

percentiles:  10%    25%    50%    75%    90%
              0      0      0      1      1
    
```

**c2\_ad\_E**  
**E : Detail (activity frequency) Monday-Friday How many times per minutes (Saturd**

type: numeric (double)  
 range: [0,45] units: .1  
 unique values: 24 missing .: 523/1,666  
 unique missing codes: 3 missing \*: 18/1,666

tabulation: Freq. Value

398	0
3	1
8	1.5
7	2
28	2.5
14	3
4	3.5
3	4
18	4.5
55	5
11	5.5
1	6
1	6.2
22	7.5
109	10
4	12.5
36	15
2	17.5
53	20
14	25
311	30
3	35
4	40
16	45
523	.
16	.b
2	.c

mean: 12.6228  
 std. dev: 13.2436

percentiles: 10% 25% 50% 75% 90%

0	0	7.5	30	30
---	---	-----	----	----

**c2\_ba\_E** **E : People doing activity with (person 1)**

type: numeric (byte)  
 label: c2\_ba\_E  
 range: [1,13] units: 1  
 unique values: 7 missing .: 523/1,666  
 unique missing codes: 2 missing \*: 426/1,666

tabulation: Freq. Numeric Label

10	1	father
18	3	mother
29	5	grandparents
11	7	uncle/aunt
400	9	brother/sister/cousin
247	11	outsider
2	13	other household member
523	.	
426	.b	

**c2\_bb\_E** **E : People doing activity with (person 2)**

```

type: numeric (byte)
label: c2_bb_E

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,243/1,666
missing *: 32/1,666

```

tabulation:	Freq.	Numeric	Label
	2	1	father
	12	3	mother
	11	5	grandparents
	3	7	uncle/aunt
	141	9	brother/sister/cousin
	219	11	outsider
	3	13	other household member
	1,243	.	
	32	.b	

---

**c2\_bc\_E** **E : People doing activity with (person 3)**

---

```

type: numeric (byte)
label: c2_bc_E

range: [1,13]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,532/1,666
missing *: 9/1,666

```

tabulation:	Freq.	Numeric	Label
	1	1	father
	4	3	mother
	2	5	grandparents
	42	9	brother/sister/cousin
	74	11	outsider
	2	13	other household member
	1,532	.	
	9	.b	

---

**c2\_ba\_gen\_E** **Gender code (person 1)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 520/1,666
missing *: 429/1,666

```

tabulation:	Freq.	Numeric	Label
	354	1	male
	363	3	female
	520	.	
	429	.b	

---

**c2\_bb\_gen\_E** **Gender code (person 2)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,243/1,666
missing *: 32/1,666

```

```

tabulation:  Freq.  Numeric  Label
              168      1  male
              223      3  female
            1,243      .
              32      .b
    
```

**c2\_bc\_gen\_E** **Gender code (person 3)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,532/1,666
missing *: 9/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              44      1  male
              81      3  female
            1,532      .
              9      .b
    
```

**c3\_code\_E** **E : Frequency [Monday-Sunday (in case of not able to separate detail by day)]**

```

type: numeric (byte)
label: c1_code

range: [3,9]
unique values: 3
unique missing codes: 2

units: 1
missing .: 0/1,666
missing *: 1,296/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              9      3  at least once a month
            358      5  at least once a week
              3      9  more than once a day
            1,295      .b
              1      .d
    
```

**c3\_hr\_E** **E : Hours [Monday-Sunday (in case of not able to separate detail by day)]**

```

type: numeric (float)

range: [0,12]
unique values: 11
unique missing codes: 2

units: 1
missing .: 1,305/1,666
missing *: 1/1,666
    
```

```

tabulation:  Freq.  Value
            155  0
             93  1
             50  2
             33  3
             16  4
              7  5
              2  6
              1  7
              1  8
              1  9
              1 12
            1,305 .
              1  .c
    
```

```

mean: 1.21944
std. dev: 1.57952
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        2        3
    
```

---

**c3\_min\_E E : Minutes [Monday-Sunday (in case of not able to separate detail by day)]**

---

type: numeric (**float**)  
 range: [0,53] units: 1  
 unique values: 27 missing .: 1,305/1,666  
 unique missing codes: 2 missing \*: 1/1,666

tabulation: Freq. Value  
 118 0  
 4 2  
 4 3  
 4 4  
 7 5  
 9 6  
 4 7  
 6 8  
 3 9  
 17 10  
 3 11  
 1 12  
 3 13  
 31 15  
 2 16  
 2 19  
 18 20  
 3 23  
 5 25  
 66 30  
 2 35  
 1 36  
 4 38  
 11 40  
 25 45  
 6 50  
 1 53  
 1,305 .  
 1 .c  
 mean: 15.9083  
 std. dev: 15.6673

percentiles: 10% 25% 50% 75% 90%  
 0 0 12.5 30 40

---

**c3\_aa\_E E : Detail (activity frequency) How many times [Monday-Sunday (in case of not ab**

---

type: string (**str13**), but longest is str3  
 unique values: 14 missing "": 1,305/1,666  
 unique missing codes: 2 missing \*: 1/1,666

tabulation: Freq. Value  
 1,305 ""  
 54 "1"  
 24 "1-2"  
 1 "10"  
 91 "2"  
 56 "2-3"  
 63 "3"  
 16 "3-4"  
 21 "4"  
 9 "4-5"  
 17 "5"  
 3 "5-6"  
 4 "6"  
 1 "7"  
 1 "DK"

**c3\_ab\_E**

**E : Detail (activity frequency) How many times per units [Monday-Sunday (in case**

type: string (**str24**), but longest is str21

unique values: **4** missing "": **1,305/1,666**  
 unique missing codes: **2** missing \*: **1/1,666**

tabulation:	Freq.	Value
	1,305	"
	1	"MI"
	2	"วัน"
	317	"สี่คาห์"
	41	"อาทิตย์"

**c3\_ac\_E**

**E : Detail (activity frequency) How many times per hours [Monday-Sunday (in case**

type: numeric (**double**)

range: **[0,4.5]** units: **.1**  
 unique values: **7** missing .: **1,305/1,666**  
 unique missing codes: **3** missing \*: **12/1,666**

tabulation:	Freq.	Value
	258	0
	82	1
	3	1.5
	3	2
	1	2.5
	1	4
	1	4.5
	1,305	.
	11	.b
	1	.c
mean:		<b>.296562</b>
std. dev:		<b>.568715</b>

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	1

**c3\_ad\_E**

**E : Detail (activity frequency) How many times per minutes [Monday-Sunday (in ca**

type: numeric(**double**)

range: **[0,45]** units: **.1**  
 unique values: **21** missing .: **1,305/1,666**  
 unique missing codes: **2** missing \*: **6/1,666**

tabulation:	Freq.	Value
	99	0
	2	1
	1	1.5
	9	2
	8	2.5
	7	3
	4	3.5
	2	4
	1	4.5
	18	5
	1	5.5
	1	6
	1	6.5
	10	7.5

```

          42 10
          15 15
          27 20
           1 25
         101 30
           1 35
           4 45
        1,305 .
           6 .b
    mean:   13.3155
  std. dev: 12.7623

percentiles:    10%    25%    50%    75%    90%
                0      0      10     30     30
    
```

---

**c3\_ba\_E** **E : People doing activity with (person 1)**

---

```

    type: numeric (byte)
    label: c3_ba_E

    range: [1,13]          units: 1
  unique values: 7        missing .: 1,296/1,666
unique missing codes: 3  missing *: 102/1,666
    
```

tabulation:	Freq.	Numeric	Label
	1	1	father
	10	3	mother
	9	5	grandparents
	7	7	uncle/aunt
	133	9	brother/sister/cousin
	107	11	outsider
	1	13	other household member
	1,296	.	
	101	.b	
	1	.d	

---

**c3\_bb\_E** **E : People doing activity with (person 2)**

---

```

    type: numeric (byte)
    label: c3_bb_E

    range: [3,11]         units: 1
  unique values: 5        missing .: 1,539/1,666
unique missing codes: 2  missing *: 5/1,666
    
```

tabulation:	Freq.	Numeric	Label
	2	3	mother
	3	5	grandparents
	1	7	uncle/aunt
	33	9	brother/sister/cousin
	83	11	outsider
	1,539	.	
	5	.b	

---

**c3\_bc\_E** **E : People doing activity with (person 3)**

---

```

    type: numeric (byte)
    label: c3_bc_E

    range: [1,11]        units: 1
  unique values: 4        missing .: 1,620/1,666
unique missing codes: 2  missing *: 4/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              1       1  father
              1       5  grandparents
              13      9  brother/sister/cousin
              27     11  outsider
            1,620      .
              4       .b
    
```

**c3\_ba\_gen\_E** **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 3

units: 1
missing .: 1,296/1,666
missing *: 102/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              125     1  male
              143     3  female
            1,296      .
              101     .b
               1     .d
    
```

**c3\_bb\_gen\_E** **Gender code (person 2)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,539/1,666
missing *: 5/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              43     1  male
              79     3  female
            1,539      .
               5     .b
    
```

**c3\_bc\_gen\_E** **Gender code (person 3)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,620/1,666
missing *: 4/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              18     1  male
              24     3  female
            1,620      .
               4     .b
    
```

**activity\_F** **Practice reading-writing mm, ABC and counting number (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation:  Freq.  Value
            1,666  ""
    
```

---

**c1\_code\_F** **F : Frequency Code (Monday - Friday)**

---

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 4
unique missing codes: 1

units: 1
missing .: 0/1,666
missing *: 587/1,666

tabulation: Freq.  Numeric  Label
              493      0  never
              2       5  at least once a week
              486      7  once a day
              98       9  more than once a day
              587      .c
    
```

---

**c1\_hr\_F** **F : Hours (Monday - Friday)**

---

```

type: numeric (float)

range: [0,50]
unique values: 13

units: 1
missing .: 1,080/1,666

tabulation: Freq.  Value
              237  0
              101  1
              146  2
               6  3
               6  4
              73  5
               8  7
               2  8
               3 10
               1 12
               1 15
               1 30
               1 50
            1,080 .
mean:      1.72184
std. dev:  3.06947

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        2        5
    
```

---

**c1\_min\_F** **F : Minutes (Monday - Friday)**

---

```

type: numeric (float)

range: [0,56]
unique values: 30

units: 1
missing .: 1,080/1,666

tabulation: Freq.  Value
              80  0
               4  3
               1  4
              15  5
               3  8
               2  9
               7 10
               1 11
              15 13
              49 15
               7 18
               1 19
               9 20
               1 21
    
```

```

        6 23
       52 25
        1 26
        9 28
      136 30
        3 31
        3 34
       19 38
       49 40
        2 41
        4 45
        1 48
       94 50
        5 53
        3 55
        4 56
    1,080 .
    mean: 27.0085
    std. dev: 16.3713

percentiles:    10%    25%    50%    75%    90%
                0      15     30     40     50
    
```

---

**c1\_aa\_F**                    **F :Detail (activity frequency) How many times (Monday - Friday)**

---

```

    type: string (str27), but longest is str3
unique values: 11                    missing "": 1,080/1,666

tabulation: Freq. Value
            1,080 ""
             484 "1"
              21 "1-2"
               1 "10"
              29 "2"
              24 "2-3"
              11 "3"
               8 "3-4"
               1 "4"
               4 "4-5"
               2 "5"
               1 "5-6"
    
```

---

**c1\_ab\_F**                    **F :Detail (activity frequency) How many times per units (Monday - Friday)**

---

```

    type: string (str21)
unique values: 2                    missing "": 1,080/1,666

tabulation: Freq. Value
            1,080 ""
             584 "วัน"
               2 "สัปดาห์"
    
```

---

**c1\_ac\_F**                    **F :Detail (activity frequency) How many times per hours (Monday - Friday)**

---

```

    type: numeric (double)
    range: [0,3]                    units: .1
unique values: 5                    missing .: 1,080/1,666
    
```

```

tabulation:  Freq.  Value
              524  0
              58  1
              1  1.5
              1  2
              2  3
            1,080  .
    mean:    .115188
    std. dev: .356802

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      1
    
```

**c1\_ad\_F    F :Detail (activity frequency) How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,50]
unique values: 25
unique missing codes: 2
units: .1
missing .: 1,080/1,666
missing *: 1/1,666
    
```

```

tabulation:  Freq.  Value
              69  0
              3  1
              4  1.5
              8  2
             23  2.5
             13  3
              7  3.5
              3  4
              5  4.5
             67  5
              6  5.5
              1  6
             25  7.5
              2  8
             108 10
             35 15
              1 17.5
             52 20
              2 22.5
              1 23
              5 25
              1 25.5
             140 30
              3 35
              1 50
            1,080  .
              1  .b
    mean:    13.665
    std. dev: 11.1036

percentiles:  10%    25%    50%    75%    90%
              0      5      10     25     30
    
```

**c1\_ba\_F    F : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_F
range: [1,13]
unique values: 7
unique missing codes: 3
units: 1
missing .: 1,080/1,666
missing *: 52/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              62      1  father
              189     3  mother
              189     5  grandparents
               18     7  uncle/aunt
               57     9  brother/sister/cousin
                9    11  outsider
               10    13  other household member
            1,080     .
               51     .b
                1     .d
    
```

---

**c1\_bb\_F** **F : People doing activity with (person 2)**

---

```

type: numeric (byte)
label: c1_bb_F

range: [1,13]                units: 1
unique values: 7              missing .: 1,456/1,666
unique missing codes: 2      missing *: 3/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              20     1  father
              53     3  mother
              52     5  grandparents
                9     7  uncle/aunt
              65     9  brother/sister/cousin
                6    11  outsider
                2    13  other household member
            1,456     .
                3     .b
    
```

---

**c1\_bc\_F** **F : People doing activity with (person 3)**

---

```

type: numeric (byte)
label: c1_bc_F

range: [1,13]                units: 1
unique values: 7              missing .: 1,613/1,666
unique missing codes: 2      missing *: 2/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              2      1  father
              7      3  mother
             13      5  grandparents
              3      7  uncle/aunt
             22      9  brother/sister/cousin
              1     11  outsider
              3     13  other household member
            1,613     .
                2     .b
    
```

---

**c1\_ba\_gen\_F** **Gender code (person 1)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]                units: 1
unique values: 2              missing .: 1,080/1,666
unique missing codes: 3      missing *: 52/1,666
    
```



```

tabulation:  Freq.  Value
              337  0
              138  1
              74  2
               4  3
               4  4
               4  5
               1  6
               1  8
               1 12
               1 20
              1,101 .
    mean:    .672566
    std. dev: 1.34641

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      2
    
```

**c2\_min\_F** **F : Minutes (Saturday - Sunday)**

```

type: numeric (float)
range: [0,55]
unique values: 28
units: 1
missing .: 1,101/1,666
    
```

```

tabulation:  Freq.  Value
              206  0
               4  2
               3  3
               4  4
              11  5
              12  6
               5  7
               4  8
               5  9
              56 10
               5 11
               3 13
              19 15
               2 16
               1 18
              98 20
               6 23
               5 25
               1 28
              37 30
               4 35
               3 38
              49 40
               2 45
              14 50
               1 52
               3 53
               2 55
              1,101 .
    mean:    14.0655
    std. dev: 14.8998

percentiles:    10%    25%    50%    75%    90%
                0      0      10     20     40
    
```

**c2\_aa\_F** **F : Detail (activity frequency) How many times (Saturday - Sunday)**

```

type: string (str27), but longest is str3
unique values: 10
missing "": 1,101/1,666
    
```

```

tabulation: Freq. Value
            1,101 ""
            458 "1"
            20 "1-2"
            2 "10"
            38 "2"
            27 "2-3"
            1 "2-5"
            8 "3"
            6 "3-4"
            3 "4-5"
            2 "5"
    
```

---

**c2\_ab\_F F : Detail (activity frequency) How many times per units (Saturday - Sunday)**

---

```

type: string (str24), but longest is str9
unique values: 1 missing "": 1,101/1,666
tabulation: Freq. Value
            1,101 ""
            565 "ñu"
    
```

---

**c2\_ac\_F F : Detail (activity frequency) How many times per hours (Saturday - Sunday)**

---

```

type: numeric (double)
range: [0,3] units: 1
unique values: 4 missing .: 1,101/1,666
tabulation: Freq. Value
            500 0
            61 1
            2 2
            2 3
            1,101 .
mean: .125664
std. dev: .37207
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

---

**c2\_ad\_F F : Detail (activity frequency) Monday-Friday How many times per minutes (Saturd**

---

```

type: numeric(double)
range: [0,50] units: .1
unique values: 24 missing .: 1,101/1,666
unique missing codes: 2 missing *: 3/1,666
tabulation: Freq. Value
            70 0
            4 1
            4 1.5
            7 2
            17 2.5
            13 3
            6 3.5
            2 4
            5 4.5
            67 5
            5 5.5
            26 7.5
            2 8
            106 10
    
```

```

          3 12.5
          31 15
          1 17.5
          53 20
          2 22.5
          1 23
          7 25
         126 30
          3 35
          1 50
        1,101 .
          3 .b
    mean: 13.4315
  std. dev: 10.9725

  percentiles:    10%    25%    50%    75%    90%
                  0      5      10     20     30

```

---

**c2\_ba\_F** **F : People doing activity with (person 1)**

---

```

    type: numeric (byte)
    label: c2_ba_F

    range: [1,13]
    unique values: 7
    unique missing codes: 3

                                units: 1
    missing .: 1,101/1,666
    missing *: 49/1,666

```

tabulation:	Freq.	Numeric	Label
	61	1	father
	186	3	mother
	181	5	grandparents
	17	7	uncle/aunt
	51	9	brother/sister/cousin
	11	11	outsider
	9	13	other household member
	1,101	.	
	48	.b	
	1	.d	

---

**c2\_bb\_F** **F : People doing activity with (person 2)**

---

```

    type: numeric (byte)
    label: c2_bb_F

    range: [1,13]
    unique values: 7
    unique missing codes: 2

                                units: 1
    missing .: 1,470/1,666
    missing *: 2/1,666

```

tabulation:	Freq.	Numeric	Label
	20	1	father
	52	3	mother
	50	5	grandparents
	9	7	uncle/aunt
	56	9	brother/sister/cousin
	5	11	outsider
	2	13	other household member
	1,470	.	
	2	.b	

---

**c2\_bc\_F** **F : People doing activity with (person 3)**

---

```

    type: numeric (byte)
    label: c2_bc_F

```

range: [1,13] units: 1  
 unique values: 7 missing .: 1,613/1,666  
 unique missing codes: 2 missing \*: 2/1,666

tabulation:	Freq.	Numeric	Label
	2	1	father
	7	3	mother
	12	5	grandparents
	3	7	uncle/aunt
	23	9	brother/sister/cousin
	1	11	outsider
	3	13	other household member
	1,613	.	.
	2	.b	.

**c2\_ba\_gen\_F** Gender code (person 1)

type: numeric (byte)  
 label: c1\_ba\_gen

range: [1,3] units: 1  
 unique values: 2 missing .: 1,098/1,666  
 unique missing codes: 3 missing \*: 52/1,666

tabulation:	Freq.	Numeric	Label
	108	1	male
	408	3	female
	1,098	.	.
	51	.b	.
	1	.d	.

**c2\_bb\_gen\_F** Gender code (person 2)

type: numeric (byte)  
 label: c1\_ba\_gen

range: [1,3] units: 1  
 unique values: 2 missing .: 1,469/1,666  
 unique missing codes: 2 missing \*: 3/1,666

tabulation:	Freq.	Numeric	Label
	52	1	male
	142	3	female
	1,469	.	.
	3	.b	.

**c2\_bc\_gen\_F** Gender code (person 3)

type: numeric (byte)  
 label: c1\_ba\_gen

range: [1,3] units: 1  
 unique values: 2 missing .: 1,613/1,666  
 unique missing codes: 2 missing \*: 2/1,666

tabulation:	Freq.	Numeric	Label
	14	1	male
	37	3	female
	1,613	.	.
	2	.b	.

**c3\_code\_F**  
 F : Frequency [Monday-Sunday (in case of not able to separate detail by day)]

```

type: numeric (byte)
label: c1_code

range: [1,5]
unique values: 3
unique missing codes: 1

units: 1
missing .: 0/1,666
missing *: 1,081/1,666

```

tabulation:	Freq.	Numeric	Label
	1	1	less than once a month
	28	3	at least once a month
	556	5	at least once a week
	1,081	.b	

**c3\_hr\_F F : Hours [Monday-Sunday (in case of not able to separate detail by day)]**

```

type: numeric (float)

range: [0,30]
unique values: 8
unique missing codes: 2

units: 1
missing .: 1,110/1,666
missing *: 1/1,666

```

tabulation:	Freq.	Value
	371	0
	116	1
	37	2
	21	3
	6	4
	2	5
	1	9
	1	30
	1,110	.
	1	.d
mean:	.587387	
std. dev:	1.58314	

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

**c3\_min\_F F : Minutes [Monday-Sunday (in case of not able to separate detail by day)]**

```

type: numeric (float)

range: [0,55]
unique values: 36
unique missing codes: 2

units: 1
missing .: 1,110/1,666
missing *: 1/1,666

```

tabulation:	Freq.	Value
	92	0
	3	1
	7	2
	16	3
	7	4
	26	5
	17	6
	2	7
	11	8
	4	9
	34	10
	6	11
	3	12
	12	13
	59	15
	4	16
	9	18
	4	19
	47	20
	1	22
	10	23

```

                23 25
                 5 26
                 1 28
                80 30
                 2 31
                 1 33
                 5 35
                 7 38
                 1 39
                16 40
                 1 44
                23 45
                10 50
                 5 53
                 1 55
            1,110 .
                1 .d
    mean:      17.4541
    std. dev:  14.1486
    
```

```

percentiles:    10%    25%    50%    75%    90%
                0      5      15     30     40
    
```

**c3\_aa\_F**  
**F : Detail (activity frequency) How many times [Monday-Sunday (in case of not ab**

```

    type: string (str13), but longest is str3
    unique values: 14          missing "": 1,110/1,666
    tabulation:
    Freq. Value
    1,110 ""
     71 "1"
     48 "1-2"
     1  "11"
    124 "2"
     92 "2-3"
     1  "2-5"
    107 "3"
     34 "3-4"
     37 "4"
     17 "4-5"
     15 "5"
     1  "5-6"
     6  "6"
     2  "8"
    
```

**c3\_ab\_F**  
**F : Detail (activity frequency) How many times per units [Monday-Sunday (in case**

```

    type: string (str24), but longest is str21
    unique values: 4          missing "": 1,110/1,666
    unique missing codes: 2    missing *: 2/1,666
    tabulation:
    Freq. Value
    1,110 ""
     2  "MI"
     2  "วัน"
    495  "สี่ปคาห์"
     57 "อาทิตย์"
    
```

**c3\_ac\_F**  
**F : Detail (activity frequency) How many times per hours [Monday-Sunday (in case**

```

type: numeric (double)

range: [0,2]                units: 1
unique values: 3            missing .: 1,110/1,666
unique missing codes: 3    missing *: 14/1,666

tabulation: Freq. Value
             498  0
             43  1
             1  2
            1,110 .
             13  .b
              1  .d
mean:       .083026
std. dev:   .28279

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

**c3\_ad\_F**

**F : Detail (activity frequency) How many times per minutes [Monday-Sunday (in ca**

```

type: numeric (double)

range: [0,50]                units: .1
unique values: 26            missing .: 1,110/1,666
unique missing codes: 3    missing *: 4/1,666

tabulation: Freq. Value
             48  0
              6  1
              6  1.5
              9  2
             18  2.5
             17  3
              9  3.5
              8  4
              6  4.5
             78  5
              5  5.5
              1  6
             16  7.5
              1  8
              1  8.5
            110 10
              4 12.5
              1 13
             43 15
              3 17.5
             41 20
              6 25
            107 30
              2 40
              5 45
              1 50
            1,110 .
              3  .b
              1  .d
mean:       12.9982
std. dev:   10.8826

percentiles:    10%    25%    50%    75%    90%
                1.5    5      10     20     30
    
```

**c3\_ba\_F**

**F : People doing activity with (person 1)**

```

type: numeric (byte)
label: c3_ba_F

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,081/1,666
missing *: 25/1,666
    
```

tabulation:	Freq.	Numeric	Label
	38	1	father
	201	3	mother
	207	5	grandparents
	17	7	uncle/aunt
	75	9	brother/sister/cousin
	12	11	outsider
	10	13	other household member
	1,081	.	
	25	.b	

**c3\_bb\_F** **F : People doing activity with (person 2)**

```

type: numeric (byte)
label: c3_bb_F

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,475/1,666
missing *: 8/1,666
    
```

tabulation:	Freq.	Numeric	Label
	13	1	father
	37	3	mother
	46	5	grandparents
	10	7	uncle/aunt
	71	9	brother/sister/cousin
	4	11	outsider
	2	13	other household member
	1,475	.	
	8	.b	

**c3\_bc\_F** **F : People doing activity with (person 3)**

```

type: numeric (byte)
label: c3_bc_F

range: [1,11]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,632/1,666
missing *: 3/1,666
    
```

tabulation:	Freq.	Numeric	Label
	2	1	father
	6	3	mother
	4	5	grandparents
	3	7	uncle/aunt
	13	9	brother/sister/cousin
	3	11	outsider
	1,632	.	
	3	.b	

**c3\_ba\_gen\_F** **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,080/1,666
missing *: 26/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              103      1  male
              457      3  female
            1,080      .
              26      .b
    
```

---

**c3\_bb\_gen\_F** **Gender code (person 2)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,475/1,666
missing *: 8/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              50      1  male
              133      3  female
            1,475      .
              8      .b
    
```

---

**c3\_bc\_gen\_F** **Gender code (person 3)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,631/1,666
missing *: 3/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              10      1  male
              22      3  female
            1,631      .
              3      .b
    
```

---

**activity\_G** **Playing blocks or plasticine, drawing and coloring (not display)**

---

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation:  Freq.  Value
            1,666  ""
    
```

---

**c1\_code\_G** **G : Frequency Code (Monday - Friday)**

---

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 3
unique missing codes: 2

units: 1
missing .: 0/1,666
missing *: 618/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              544      0  never
              402      7  once a day
              102      9  more than once a day
              617      .c
              1      .d
    
```

---

**cl\_hr\_G**

**G : Hours (Monday - Friday)**

---

```

type: numeric (float)
range: [0,25]
unique values: 13
unique missing codes: 2
units: 1
missing .: 1,162/1,666
missing *: 1/1,666

tabulation: Freq. Value
             176  0
              77  1
             130  2
               9  3
               5  4
              65  5
               4  6
              15  7
              12 10
               2 11
               5 12
               2 15
               1 25
            1,162 .
               1 .c
mean: 2.17694
std. dev: 2.86317

percentiles:      10%      25%      50%      75%      90%
                  0         0         1         2         5
    
```

---

**cl\_min\_G**

**G : Minutes (Monday - Friday)**

---

```

type: numeric (float)
range: [0,55]
unique values: 29
unique missing codes: 2
units: 1
missing .: 1,162/1,666
missing *: 1/1,666

tabulation: Freq. Value
             79  0
              6  3
              8  5
               1  6
               5  8
               2  9
               6 10
               6 13
             46 15
               3 18
               4 19
               5 20
               5 23
             37 25
               2 26
               2 28
            141 30
               2 31
               2 35
               1 36
             13 38
               1 39
             35 40
               2 41
               3 44
               5 45
             75 50
               2 53
               4 55
    
```

1,162 .  
 1 .c  
 mean: 26.1909  
 std. dev: 16.3489

percentiles:           10%           25%           50%           75%           90%  
                           0           15           30           40           50

**c1\_aa\_G                   G :Detail (activity frequency) How many times (Monday - Friday)**

type: string (str27)  
 unique values: 12                                   missing "": 1,162/1,666  
 tabulation:   Freq.   Value  
               1,162   "  
               1       "+1"  
               400   "1"  
               16   "1-2"  
               37   "2"  
               29   "2-3"  
               8    "3"  
               6    "3-4"  
               1    "4"  
               2    "4-5"  
               1    "5-6"  
               1    ">1"  
                   2    "หลายครั้ง"

**c1\_ab\_G                   G :Detail (activity frequency) How many times per units (Monday - Friday)**

type: string (str21), but longest is str15  
 unique values: 2                                   missing "": 1,162/1,666  
 tabulation:   Freq.   Value  
               1,162   "  
                   1    "ครั้ง"  
               503    "วัน"

**c1\_ac\_G                   G :Detail (activity frequency) How many times per hours (Monday - Friday)**

type: numeric (double)  
 range: [0,20]                                   units: .1  
 unique values: 6                                   missing .: 1,162/1,666  
 tabulation:   Freq.   Value  
               427   0  
               67    1  
               1    1.5  
               6    2  
               2    3  
               1    20  
               1,162   .  
 mean: .21131  
 std. dev: .985729  
 percentiles:           10%           25%           50%           75%           90%  
                           0           0           0           0           1

**c1\_ad\_G                   G :Detail (activity frequency) How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,54.5]
unique values: 24
unique missing codes: 2
units: .1
missing .: 1,162/1,666
missing *: 1/1,666

tabulation: Freq. Value
            83  0
             5  1
             9  1.5
             5  2
            15  2.5
             5  3
             8  3.5
             3  4
             5  4.5
            49  5
             3  5.5
             2  7
            13  7.5
            81 10
             2 12.5
            35 15
             1 17.5
            35 20
             1 22.5
             4 25
            132 30
             1 35
             5 45
             1 54.5
          1,162 .
             1 .c
mean:      13.8986
std. dev:  11.987

percentiles:      10%      25%      50%      75%      90%
                  0       3.5       10       30       30
    
```

---

**c1\_ba\_G** **G : People doing activity with (person 1)**

---

```

type: numeric (byte)
label: c1_ba_G
range: [1,13]
unique values: 7
unique missing codes: 3
units: 1
missing .: 1,162/1,666
missing *: 190/1,666

tabulation: Freq. Numeric Label
            19         1 father
            50         3 mother
            48         5 grandparents
             9         7 uncle/aunt
            155         9 brother/sister/cousin
            31        11 outsider
             2        13 other household member
          1,162         .
            189         .b
             1         .d
    
```

---

**c1\_bb\_G** **G : People doing activity with (person 2)**

---

```

type: numeric (byte)
label: c1_bb_G
    
```

range: [1,13] units: 1  
 unique values: 7 missing .: 1,527/1,666  
 unique missing codes: 2 missing \*: 16/1,666

tabulation:	Freq.	Numeric	Label
	1	1	father
	19	3	mother
	17	5	grandparents
	2	7	uncle/aunt
	60	9	brother/sister/cousin
	23	11	outsider
	1	13	other household member
	1,527	.	.
	16	.b	.

---

**c1\_bc\_G** **G : People doing activity with (person 3)**

---

type: numeric (byte)  
 label: **c1\_bc\_G**

range: [1,11] units: 1  
 unique values: 5 missing .: 1,621/1,666  
 unique missing codes: 2 missing \*: 5/1,666

tabulation:	Freq.	Numeric	Label
	2	1	father
	3	3	mother
	7	5	grandparents
	16	9	brother/sister/cousin
	12	11	outsider
	1,621	.	.
	5	.b	.

---

**c1\_ba\_gen\_G** **Gender code (person 1)**

---

type: numeric (byte)  
 label: **c1\_ba\_gen**

range: [1,3] units: 1  
 unique values: 2 missing .: 1,162/1,666  
 unique missing codes: 3 missing \*: 190/1,666

tabulation:	Freq.	Numeric	Label
	128	1	male
	186	3	female
	1,162	.	.
	189	.b	.
	1	.d	.

---

**c1\_bb\_gen\_G** **Gender code (person 2)**

---

type: numeric (byte)  
 label: **c1\_ba\_gen**

range: [1,3] units: 1  
 unique values: 2 missing .: 1,527/1,666  
 unique missing codes: 2 missing \*: 16/1,666

tabulation:	Freq.	Numeric	Label
	50	1	male
	73	3	female
	1,527	.	.
	16	.b	.

---

**c1\_bc\_gen\_G** **Gender code (person 3)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,621/1,666
missing *: 5/1,666

tabulation:  Freq.  Numeric  Label
              12      1  male
              28      3  female
            1,621      .
              5          .b
    
```

---

**c2\_code\_G** **G : Frequency Code (Saturday - Sunday)**

---

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 3
unique missing codes: 2

units: 1
missing .: 0/1,666
missing *: 619/1,666

tabulation:  Freq.  Numeric  Label
              548      0  never
              389      7  once a day
              110      9  more than once a day
              618      .c
               1      .d
    
```

---

**c2\_hr\_G** **G : Hours (Saturday - Sunday)**

---

```

type: numeric (float)

range: [0,13]
unique values: 9
unique missing codes: 2

units: 1
missing .: 1,167/1,666
missing *: 1/1,666

tabulation:  Freq.  Value
              245    0
              134    1
               78    2
               14    3
               15    4
                5    5
                3    6
                3   10
                1   13
            1,167    .
                1    .c
mean:        .959839
std. dev:    1.4571

percentiles:  10%    25%    50%    75%    90%
              0      0      1      1      2
    
```

---

**c2\_min\_G** **G : Minutes (Saturday - Sunday)**

---

```

type: numeric (float)
    
```

range: [0,53] units: 1  
 unique values: 28 missing .: 1,167/1,666  
 unique missing codes: 2 missing \*: 1/1,666

tabulation: Freq. Value  
 227 0  
 3 2  
 3 3  
 3 4  
 6 5  
 9 6  
 4 7  
 9 8  
 2 9  
 41 10  
 2 11  
 1 12  
 1 13  
 2 14  
 14 15  
 1 16  
 3 18  
 71 20  
 1 23  
 4 25  
 3 28  
 40 30  
 1 35  
 36 40  
 1 41  
 5 45  
 3 50  
 2 53  
 1,167 .  
 1 .c  
 mean: 11.6827  
 std. dev: 13.9329

percentiles: 10% 25% 50% 75% 90%  
 0 0 6 20 30

---

**c2\_aa\_G G : Detail (activity frequency) How many times (Saturday - Sunday)**

---

type: string (str27)  
 unique values: 13 missing "": 1,167/1,666  
 unique missing codes: 2 missing \*: 1/1,666

tabulation: Freq. Value  
 1,167 ""  
 1 "+1"  
 387 "1"  
 20 "1-2"  
 39 "2"  
 28 "2-3"  
 8 "3"  
 7 "3-4"  
 1 "4"  
 2 "4-5"  
 2 "5-6"  
 1 ">1"  
 1 "DK"  
 2 "หลายครั้ง"

---

**c2\_ab\_G G : Detail (activity frequency) How many times per units (Saturday - Sunday)**

---

type: string (str24), but longest is str9

unique values: 1 missing "": 1,167/1,666

tabulation: Freq. Value  
 1,167 ""  
 499 "ຳຸ"

**c2\_ac\_G : Detail (activity frequency) How many times per hours (Saturday - Sunday)**

type: numeric (double)

range: [0,20] units: .1  
 unique values: 7 missing .: 1,167/1,666

tabulation: Freq. Value  
 414 0  
 73 1  
 2 1.5  
 6 2  
 2 3  
 1 5  
 1 20  
 1,167 .  
 mean: .238477  
 std. dev: 1.01803

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 1

**c2\_ad\_G : Detail (activity frequency) Monday-Friday How many times per minutes (Saturd**

type: numeric (double)

range: [0,54.5] units: .1  
 unique values: 27 missing .: 1,167/1,666  
 unique missing codes: 2 missing \*: 1/1,666

tabulation: Freq. Value  
 94 0  
 5 1  
 9 1.5  
 5 2  
 12 2.5  
 3 3  
 9 3.5  
 3 4  
 3 4.5  
 47 5  
 2 5.5  
 2 7  
 15 7.5  
 1 8  
 75 10  
 1 11  
 1 12  
 4 12.5  
 32 15  
 1 17.5  
 33 20  
 1 22.5  
 3 25  
 130 30  
 1 35  
 5 45  
 1 54.5  
 1,167 .  
 1 .c  
 mean: 13.6496

std. dev: 12.088  
 percentiles: 10% 25% 50% 75% 90%  
 0 2.5 10 30 30

---

**c2\_ba\_G** **G : People doing activity with (person 1)**

---

type: numeric (byte)  
 label: c2\_ba\_G  
 range: [1,13] units: 1  
 unique values: 7 missing .: 1,167/1,666  
 unique missing codes: 3 missing \*: 182/1,666

tabulation:	Freq.	Numeric	Label
	19	1	father
	50	3	mother
	47	5	grandparents
	8	7	uncle/aunt
	160	9	brother/sister/cousin
	31	11	outsider
	2	13	other household member
	1,167	.	.
	181	.b	.
	1	.d	.

---

**c2\_bb\_G** **G : People doing activity with (person 2)**

---

type: numeric (byte)  
 label: c2\_bb\_G  
 range: [1,13] units: 1  
 unique values: 7 missing .: 1,526/1,666  
 unique missing codes: 2 missing \*: 17/1,666

tabulation:	Freq.	Numeric	Label
	1	1	father
	20	3	mother
	15	5	grandparents
	2	7	uncle/aunt
	60	9	brother/sister/cousin
	24	11	outsider
	1	13	other household member
	1,526	.	.
	17	.b	.

---

**c2\_bc\_G** **G : People doing activity with (person 3)**

---

type: numeric (byte)  
 label: c2\_bc\_G  
 range: [1,11] units: 1  
 unique values: 5 missing .: 1,622/1,666  
 unique missing codes: 2 missing \*: 5/1,666

tabulation:	Freq.	Numeric	Label
	2	1	father
	2	3	mother
	6	5	grandparents
	16	9	brother/sister/cousin
	13	11	outsider
	1,622	.	.
	5	.b	.

---

**c2\_ba\_gen\_G** **Gender code (person 1)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 3

units: 1
missing .: 1,167/1,666
missing *: 182/1,666

tabulation: Freq.   Numeric   Label
             130         1   male
             187         3   female
            1,167         .
             181         .b
              1         .d
    
```

---

**c2\_bb\_gen\_G** **Gender code (person 2)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,526/1,666
missing *: 17/1,666

tabulation: Freq.   Numeric   Label
             52         1   male
             71         3   female
            1,526         .
              17         .b
    
```

---

**c2\_bc\_gen\_G** **Gender code (person 3)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,622/1,666
missing *: 5/1,666

tabulation: Freq.   Numeric   Label
             12         1   male
             27         3   female
            1,622         .
              5         .b
    
```

---

**c3\_code\_G** **G : Frequency [Monday-Sunday (in case of not able to separate detail by day)]**

---

```

type: numeric (byte)
label: c1_code

range: [1,5]
unique values: 3
unique missing codes: 3

units: 1
missing .: 0/1,666
missing *: 1,048/1,666

tabulation: Freq.   Numeric   Label
             1         1   less than once a month
             51         3   at least once a month
             566         5   at least once a week
            1,046         .b
              1         .c
              1         .d
    
```

---

**c3\_hr\_G G : Hours [Monday-Sunday (in case of not able to separate detail by day)]**

---

```

type: numeric (float)
range: [0,8] units: 1
unique values: 9 missing .: 1,100/1,666

tabulation: Freq. Value
             353 0
             136 1
              33 2
              22 3
              13 4
               4 5
               2 6
               2 7
               1 8
             1,100 .
mean: .660777
std. dev: 1.16046

percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 2
    
```

---

**c3\_min\_G G : Minutes [Monday-Sunday (in case of not able to separate detail by day)]**

---

```

type: numeric (float)
range: [0,53] units: 1
unique values: 32 missing .: 1,100/1,666

tabulation: Freq. Value
             118 0
               2 1
              10 2
              16 3
               8 4
              31 5
               8 6
               3 7
              15 8
               7 9
              42 10
              11 11
               1 12
               6 13
              44 15
               3 16
               3 18
               4 19
              35 20
               1 22
               4 23
               2 24
              13 25
             104 30
               4 31
               7 35
               9 38
              24 40
               1 44
              16 45
              10 50
               4 53
             1,100 .
mean: 16.6643
std. dev: 14.5438
    
```

percentiles:           10%           25%           50%           75%           90%  
                           0            3           15           30           38

**c3\_aa\_G**  
**G : Detail (activity frequency) How many times [Monday-Sunday (in case of not ab**

type: string (str13), but longest is str3  
 unique values: 12                           missing "": 1,100/1,666  
 tabulation: Freq. Value  
               1,100 ""  
               118 "1"  
               43 "1-2"  
               1 "10"  
               145 "2"  
               68 "2-3"  
               96 "3"  
               30 "3-4"  
               39 "4"  
               10 "4-5"  
               14 "5"  
               1 "5-6"  
               1 "6"

**c3\_ab\_G**  
**G : Detail (activity frequency) How many times per units [Monday-Sunday (in case**

type: string (str24), but longest is str21  
 unique values: 3                           missing "": 1,100/1,666  
 tabulation: Freq. Value  
               1,100 ""  
                   2 "วัน"  
               486 "สี่ปีค่าง"  
                   78 "อาทิตย์"

**c3\_ac\_G**  
**G : Detail (activity frequency) How many times per hours [Monday-Sunday (in case**

type: numeric (double)  
 range: [0,3]                               units: 1  
 unique values: 4                           missing .: 1,100/1,666  
 unique missing codes: 2                   missing \*: 10/1,666  
 tabulation: Freq. Value  
               498 0  
               54 1  
               3 2  
               1 3  
               1,100 .  
               10 .b  
 mean: .113309  
 std. dev: .349676  
 percentiles:           10%           25%           50%           75%           90%  
                           0            0            0            0            1

**c3\_ad\_G**  
**G : Detail (activity frequency) How many times per minutes [Monday-Sunday (in ca**

```

type: numeric (double)
range: [0,50]
unique values: 26
unique missing codes: 2
units: .1
missing .: 1,100/1,666
missing *: 7/1,666

tabulation: Freq. Value
             59  0
              5  1
              7  1.5
             14  2
             17  2.5
             15  3
              4  3.5
              3  4
             12  4.5
             63  5
              5  5.5
              2  6
             17  7.5
              3  8
              1  9
             87  10
              7  12.5
             34  15
              2  17.5
             51  20
              2  22.5
              5  25
            138  30
              1  35
              2  45
              3  50
           1,100  .
              7  .b
mean:       14.0134
std. dev:   11.4754

percentiles: 10%    25%    50%    75%    90%
              0      5      10     30     30
    
```

---

**c3\_ba\_G** **G : People doing activity with (person 1)**

---

```

type: numeric (byte)
label: c3_ba_G
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing .: 1,048/1,666
missing *: 181/1,666

tabulation: Freq. Numeric Label
             19      1 father
             68      3 mother
             67      5 grandparents
             10      7 uncle/aunt
            216      9 brother/sister/cousin
             52     11 outsider
              5     13 other household member
           1,048      .
             181     .b
    
```

---

**c3\_bb\_G** **G : People doing activity with (person 2)**

---

```

type: numeric (byte)
label: c3_bb_G
    
```

range: [1,13] units: 1  
 unique values: 7 missing .: 1,498/1,666  
 unique missing codes: 2 missing \*: 24/1,666

tabulation:	Freq.	Numeric	Label
	1	1	father
	17	3	mother
	13	5	grandparents
	6	7	uncle/aunt
	71	9	brother/sister/cousin
	34	11	outsider
	2	13	other household member
	1,498	.	.
	24	.b	.b

---

**c3\_bc\_G** **G : People doing activity with (person 3)**

---

type: numeric (byte)  
 label: **c3\_bc\_G**

range: [3,11] units: 1  
 unique values: 5 missing .: 1,624/1,666  
 unique missing codes: 2 missing \*: 3/1,666

tabulation:	Freq.	Numeric	Label
	3	3	mother
	6	5	grandparents
	2	7	uncle/aunt
	14	9	brother/sister/cousin
	14	11	outsider
	1,624	.	.
	3	.b	.b

---

**c3\_ba\_gen\_G** **Gender code (person 1)**

---

type: numeric (byte)  
 label: **c1\_ba\_gen**

range: [1,3] units: 1  
 unique values: 2 missing .: 1,048/1,666  
 unique missing codes: 2 missing \*: 181/1,666

tabulation:	Freq.	Numeric	Label
	170	1	male
	267	3	female
	1,048	.	.
	181	.b	.b

---

**c3\_bb\_gen\_G** **Gender code (person 2)**

---

type: numeric (byte)  
 label: **c1\_ba\_gen**

range: [1,3] units: 1  
 unique values: 2 missing .: 1,498/1,666  
 unique missing codes: 2 missing \*: 24/1,666

tabulation:	Freq.	Numeric	Label
	40	1	male
	104	3	female
	1,498	.	.
	24	.b	.b

---

**c3\_bc\_gen\_G** **Gender code (person 3)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,624/1,666
missing *: 3/1,666

tabulation: Freq.  Numeric  Label
              11         1  male
              28         3  female
            1,624         .
              3         .b
    
```

---

**activity\_H** **Going to temple, library, zoo and museum (not display)**

---

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation: Freq.  Value
            1,666  ""
    
```

---

**clb\_code\_H** **H : Frequency Code (Monday - Friday)**

---

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 3
unique missing codes: 1

units: 1
missing .: 0/1,666
missing *: 1,125/1,666

tabulation: Freq.  Numeric  Label
              508         0  never
              32         7  once a day
               1         9  more than once a day
            1,125         .c
    
```

---

**clb\_hr\_H** **H : Hours (Monday - Friday)**

---

```

type: numeric (float)
range: [0,10]
unique values: 6

units: 1
missing .: 1,633/1,666

tabulation: Freq.  Value
              1     0
              4     1
             15     2
             10     5
               2     7
               1    10
            1,633     .
mean:       3.27273
std. dev:   2.22588

percentiles:    10%    25%    50%    75%    90%
                1      2      2      5      5
    
```

---

**clb\_min\_H** **H : Minutes (Monday - Friday)**

---

```

type: numeric (float)
range: [0,50] units: 1
unique values: 5 missing .: 1,633/1,666

tabulation: Freq. Value
             11  0
              2 15
             17 30
              2 40
              1 50
             1,633 .
mean:       20.303
std. dev:   15.6594

percentiles:    10%    25%    50%    75%    90%
                0      0      30     30     30
    
```

**clb\_aa\_H H :Detail (activity frequency) How many times (Monday - Friday)**

```

type: string (str27), but longest is str1
unique values: 2 missing "": 1,633/1,666

tabulation: Freq. Value
             1,633 ""
              32 "1"
               1 "2"
    
```

**clb\_ab\_H H :Detail (activity frequency) How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str9
unique values: 1 missing "": 1,633/1,666

tabulation: Freq. Value
             1,633 ""
              33 "u"
    
```

**clb\_ac\_H H :Detail (activity frequency) How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [0,1.5] units: .1
unique values: 3 missing .: 1,633/1,666

tabulation: Freq. Value
             20  0
              12  1
               1 1.5
             1,633 .
mean:       .409091
std. dev:   .522233

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      1
    
```

**clb\_ad\_H H :Detail (activity frequency) How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,30] units: 1
unique values: 5 missing .: 1,633/1,666
    
```

```

tabulation:  Freq.  Value
              12    0
              1    10
              2    15
              2    20
              16    30
              1,633 .
mean:        16.9697
std. dev:    13.972

percentiles:  10%    25%    50%    75%    90%
              0      0      20     30     30
    
```

---

**clb\_ba\_H** **H : People doing activity with (person 1)**

---

```

type: numeric (byte)
label: cl_ba

range: [1,13]          units: 1
unique values: 5      missing .: 1,633/1,666

tabulation:  Freq.  Numeric  Label
              1      1    Father
              8      3    Mother
              21     5    Grandparents
              1     11   Outside-household-person
              2     13   Other household member
              1,633 .
    
```

---

**clb\_bb\_H** **H : People doing activity with (person 2)**

---

```

type: numeric (byte)
label: cl_ba

range: [1,9]          units: 1
unique values: 4      missing .: 1,661/1,666

tabulation:  Freq.  Numeric  Label
              1      1    Father
              1      3    Mother
              2      5    Grandparents
              1      9    Brother/Sister/cousin
              1,661 .
    
```

---

**clb\_bc\_H** **H : People doing activity with (person 3)**

---

```

type: numeric (byte)
label: cl_ba

range: [.,.]          units: .
unique values: 0      missing .: 1,666/1,666

tabulation:  Freq.  Numeric  Label
              1,666 .
    
```

---

**clb\_ba\_gen\_H** **Gender code (person 1)**

---

```

type: numeric (byte)
label: cl_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,633/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              3      1  male
              30     3  female
            1,633      .
    
```

**c1b\_bb\_gen\_H** **Gender code (person 2)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,661/1,666

tabulation:  Freq.  Numeric  Label
              1      1  male
              4      3  female
            1,661      .
    
```

**c1b\_bc\_gen\_H** **Gender code (person 3)**

```

type: numeric (byte)
label: c1_ba_gen

range: [.,.]
unique values: 0

units: .
missing .: 1,666/1,666

tabulation:  Freq.  Numeric  Label
            1,666      .
    
```

**c2b\_code\_H** **H : Frequency Code (Saturday - Sunday)**

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 5
unique missing codes: 1

units: 1
missing .: 0/1,666
missing *: 1,124/1,666

tabulation:  Freq.  Numeric  Label
            482      0  never
              1      3  at least once a month
              4      5  at least once a week
             53      7  once a day
              2      9  more than once a day
            1,124      .c
    
```

**c2b\_hr\_H** **H : Hours (Saturday - Sunday)**

```

type: numeric (float)

range: [0,4]
unique values: 5

units: 1
missing .: 1,607/1,666

tabulation:  Freq.  Value
              5      0
             26      1
             19      2
              3      3
              6      4
            1,607      .
mean:      1.64407
std. dev:  1.0629
    
```



**c2b\_ad\_H**  
**H : Detail (activity frequency) Monday-Friday How many times per minutes (Saturd**

type: numeric (double)  
 range: [0,45] units: 1  
 unique values: 7 missing .: 1,607/1,666  
 unique missing codes: 2 missing \*: 1/1,666

tabulation:	Freq.	Value				
	29	0				
	1	10				
	2	15				
	2	20				
	21	30				
	1	35				
	2	45				
	1,607	.				
	1	.b				
mean:	14.3966					
std. dev:	15.3919					
percentiles:	10%	25%	50%	75%	90%	
	0	0	5	30	30	

**c2b\_ba\_H**  
**H : People doing activity with (person 1)**

type: numeric (byte)  
 label: c1\_ba  
 range: [1,13] units: 1  
 unique values: 7 missing .: 1,606/1,666

tabulation:	Freq.	Numeric	Label
	1	1	Father
	10	3	Mother
	38	5	Grandparents
	1	7	Uncle/Aunt
	2	9	Brother/Sister/cousin
	1	11	Outside-household-person
	7	13	Other household member
	1,606	.	

**c2b\_bb\_H**  
**H : People doing activity with (person 2)**

type: numeric (byte)  
 label: c1\_ba  
 range: [1,9] units: 1  
 unique values: 4 missing .: 1,654/1,666  
 unique missing codes: 2 missing \*: 1/1,666

tabulation:	Freq.	Numeric	Label
	1	1	Father
	1	3	Mother
	3	5	Grandparents
	6	9	Brother/Sister/cousin
	1,654	.	
	1	.b	

**c2b\_bc\_H**  
**H : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba

range: [.,.]
unique values: 0
units: .
missing ..: 1,666/1,666

tabulation: Freq.  Numeric  Label
              1,666      .
    
```

**c2b\_ba\_gen\_H** **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 1,604/1,666
missing *: 2/1,666

tabulation: Freq.  Numeric  Label
              4          1  male
              56         3  female
            1,604         .
              2          .b
    
```

**c2b\_bb\_gen\_H** **Gender code (person 2)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 1,654/1,666
missing *: 1/1,666

tabulation: Freq.  Numeric  Label
              2          1  male
              9         3  female
            1,654         .
              1          .b
    
```

**c2b\_bc\_gen\_H** **Gender code (person 3)**

```

type: numeric (byte)
label: c1_ba_gen

range: [.,.]
unique values: 0
units: .
missing ..: 1,666/1,666

tabulation: Freq.  Numeric  Label
              1,666      .
    
```

**c3b\_code\_H**  
**H : Frequency [Monday-Sunday (in case of not able to separate detail by day)]**

```

type: numeric (byte)
label: c1_code

range: [1,5]
unique values: 3
unique missing codes: 2
units: 1
missing ..: 0/1,666
missing *: 540/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              354      1  less than once a month
              462      3  at least once a month
              310      5  at least once a week
              539      .b
              1       .c
    
```

---

**c3b\_hr\_H H : Hours [Monday-Sunday (in case of not able to separate detail by day)]**

---

```

type: numeric (float)
range: [0,9]
unique values: 9
unique missing codes: 2
units: 1
missing .: 1,356/1,666
missing *: 3/1,666
    
```

```

tabulation:  Freq.  Value
              60     0
              156     1
              53     2
              15     3
              14     4
               5     5
               2     6
               1     8
               1     9
            1,356    .
               3     .d
mean:        1.35831
std. dev:    1.28158

percentiles: 10%    25%    50%    75%    90%
              0     1     1     2     3
    
```

---

**c3b\_min\_H H : Minutes [Monday-Sunday (in case of not able to separate detail by day)]**

---

```

type: numeric (float)
range: [0,53]
unique values: 16
unique missing codes: 2
units: 1
missing .: 1,356/1,666
missing *: 3/1,666
    
```

```

tabulation:  Freq.  Value
              189     0
               1     2
               2     5
               2     8
               1     9
               3    10
               6    15
               8    20
               1    25
              78    30
               1    35
               1    38
               3    40
               8    45
               2    50
               1    53
            1,356    .
               3     .d
mean:        11.0358
std. dev:    15.1276

percentiles: 10%    25%    50%    75%    90%
              0     0     0    30    30
    
```

**c3b\_aa H**  
**H : Detail (activity frequency) How many times [Monday-Sunday (in case of not ab**

type: string (**str5**), but longest is str3  
 unique values: 9 missing "": 1,356/1,666

tabulation:	Freq.	Value
	1,356	" "
	192	"1"
	10	"1-2"
	48	"2"
	15	"2-3"
	20	"3"
	7	"3-4"
	9	"4"
	5	"4-5"
	4	"5"

**c3b\_ab H**  
**H : Detail (activity frequency) How many times per units [Monday-Sunday (in case**

type: string (**str24**), but longest is str21  
 unique values: 3 missing "": 1,356/1,666

tabulation:	Freq.	Value
	1,356	" "
	252	"สี่บาท"
	56	"อาทิตย์"
	2	"เดือน"

**c3b\_ac H**  
**H : Detail (activity frequency) How many times per hours [Monday-Sunday (in case**

type: numeric (**double**)  
 range: [0,9] units: .1  
 unique values: 8 missing .: 1,356/1,666  
 unique missing codes: 3 missing \*: 7/1,666

tabulation:	Freq.	Value
	96	0
	176	1
	2	1.5
	23	2
	2	3
	1	5
	2	8
	1	9
	1,356	.
	4	.b
	3	.d

mean: .861386  
 std. dev: .996149

percentiles:	10%	25%	50%	75%	90%
	0	0	1	1	1.5

**c3b\_ad H**  
**H : Detail (activity frequency) How many times per minutes [Monday-Sunday (in ca**

type: numeric (**double**)

range: [0,45] units: .1  
 unique values: 12 missing .: 1,356/1,666  
 unique missing codes: 3 missing \*: 7/1,666

tabulation:	Freq.	Value			
	182	0			
	1	1.5			
	2	5			
	1	7.5			
	1	8.5			
	4	10			
	4	15			
	11	20			
	90	30			
	1	35			
	4	40			
	2	45			
	1,356	.			
	4	.b			
	3	.d			
mean:		10.9983			
std. dev:		14.3171			
percentiles:		10%	25%	50%	75%
		0	0	0	30
					30

---

**c3b\_ba\_H** **H : People doing activity with (person 1)**

---

type: numeric (byte)  
 label: c1\_ba  
 range: [1,13] units: 1  
 unique values: 7 missing .: 541/1,666  
 unique missing codes: 2 missing \*: 1/1,666

tabulation:	Freq.	Numeric	Label
	148	1	Father
	316	3	Mother
	549	5	Grandparents
	37	7	Uncle/Aunt
	8	9	Brother/Sister/cousin
	29	11	Outside-household-person
	37	13	Other household member
	541	.	
	1	.b	

---

**c3b\_bb\_H** **H : People doing activity with (person 2)**

---

type: numeric (byte)  
 label: c1\_ba  
 range: [1,13] units: 1  
 unique values: 7 missing .: 1,185/1,666  
 unique missing codes: 2 missing \*: 5/1,666

tabulation:	Freq.	Numeric	Label
	27	1	Father
	171	3	Mother
	122	5	Grandparents
	11	7	Uncle/Aunt
	109	9	Brother/Sister/cousin
	23	11	Outside-household-person
	13	13	Other household member
	1,185	.	
	5	.b	

---

**c3b\_bc\_H** **H : People doing activity with (person 3)**

---

```

type: numeric (byte)
label: c1_ba

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,504/1,666
missing *: 3/1,666
    
```

tabulation:	Freq.	Numeric	Label
	4	1	Father
	17	3	Mother
	31	5	Grandparents
	8	7	Uncle/Aunt
	87	9	Brother/Sister/cousin
	7	11	Outside-household-person
	5	13	Other household member
	1,504	.	
	3	.b	

---

**c3b\_ba\_gen\_H** **Gender code (person 1)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 541/1,666
missing *: 1/1,666
    
```

tabulation:	Freq.	Numeric	Label
	215	1	male
	909	3	female
	541	.	
	1	.b	

---

**c3b\_bb\_gen\_H** **Gender code (person 2)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,185/1,666
missing *: 5/1,666
    
```

tabulation:	Freq.	Numeric	Label
	110	1	male
	366	3	female
	1,185	.	
	5	.b	

---

**c3b\_bc\_gen\_H** **Gender code (person 3)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,503/1,666
missing *: 3/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              62      1  male
              98      3  female
            1,503      .
              3      .b
    
```

**activity\_I** **Going to a department store (not display)**

```

type:  string (str147), but longest is str0
unique values:  0          missing "":  1,666/1,666
tabulation:  Freq.  Value
            1,666  ""
    
```

**clb\_code\_I** **I : Frequency Code (Monday - Friday)**

```

type:  numeric (byte)
label:  cl_code
range:  [0,7]          units:  1
unique values:  3      missing .:  0/1,666
unique missing codes:  1  missing *:  1,308/1,666
tabulation:  Freq.  Numeric  Label
            346      0  never
              1      1  less than once a month
              11      7  once a day
            1,308      .c
    
```

**clb\_hr\_I** **I : Hours (Monday - Friday)**

```

type:  numeric (float)
range:  [0,12]        units:  1
unique values:  6      missing .:  1,655/1,666
tabulation:  Freq.  Value
            1  0
            1  1
            4  5
            2  7
            1 10
            2 12
            1,655 .
mean:  6.27273
std. dev:  3.9266
percentiles:  10%    25%    50%    75%    90%
              1      5      5      10     12
    
```

**clb\_min\_I** **I : Minutes (Monday - Friday)**

```

type:  numeric (float)
range:  [0,40]        units:  1
unique values:  4      missing .:  1,655/1,666
    
```

```

tabulation: Freq. Value
              5  0
              1 25
              4 30
              1 40
            1,655 .
    mean:    16.8182
    std. dev: 16.4731

percentiles:      10%      25%      50%      75%      90%
                  0         0         25         30         30
    
```

**clb\_aa\_I** I :Detail (activity frequency) How many times (Monday - Friday)

```

type: string (str27), but longest is str1
unique values: 1 missing "": 1,655/1,666

tabulation: Freq. Value
            1,655 ""
             11 "1"
    
```

**clb\_ab\_I** I :Detail (activity frequency) How many times per units (Monday - Friday)

```

type: string (str21), but longest is str9
unique values: 1 missing "": 1,655/1,666

tabulation: Freq. Value
            1,655 ""
             11 "1u"
    
```

**clb\_ac\_I** I :Detail (activity frequency) How many times per hours (Monday - Friday)

```

type: numeric (double)
range: [0,2] units: .1
unique values: 4 missing .: 1,655/1,666

tabulation: Freq. Value
              2  0
              5  1
              1 1.5
              3  2
            1,655 .
    mean:    1.13636
    std. dev: .710314

percentiles:      10%      25%      50%      75%      90%
                  0         1         1         2         2
    
```

**clb\_ad\_I** I :Detail (activity frequency) How many times per minutes (Monday - Friday)

```

type: numeric (double)
range: [0,30] units: 1
unique values: 4 missing .: 1,655/1,666
    
```

```

tabulation:  Freq.  Value
              6    0
              1    5
              1   20
              3   30
            1,655  .
    mean:     10.4545
    std. dev: 13.8662

percentiles:  10%    25%    50%    75%    90%
              0      0      0      30     30
    
```

**clb\_ba\_I** **I : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: cl_ba

    range: [1,5]
    unique values: 3
                    units: 1
                    missing .. 1,654/1,666

    tabulation:  Freq.  Numeric  Label
                  7      1    Father
                  3      3    Mother
                  2      5    Grandparents
            1,654      .
    
```

**clb\_bb\_I** **I : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: cl_ba

    range: [3,9]
    unique values: 3
                    units: 1
                    missing .. 1,657/1,666

    tabulation:  Freq.  Numeric  Label
                  7      3    Mother
                  1      5    Grandparents
                  1      9    Brother/Sister/cousin
            1,657      .
    
```

**clb\_bc\_I** **I : People doing activity with (person 3)**

```

    type: numeric (byte)
    label: cl_ba

    range: [5,9]
    unique values: 3
                    units: 1
                    missing .. 1,661/1,666

    tabulation:  Freq.  Numeric  Label
                  1      5    Grandparents
                  1      7    Uncle/Aunt
                  3      9    Brother/Sister/cousin
            1,661      .
    
```

**clb\_ba\_gen\_I** **Gender code (person 1)**

```

    type: numeric (byte)
    label: cl_ba_gen

    range: [1,3]
    unique values: 2
                    units: 1
                    missing .. 1,654/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              7      1      male
              5      3      female
            1,654      .
    
```

---

**c1b\_bb\_gen\_I** **Gender code (person 2)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,657/1,666

tabulation:  Freq.  Numeric  Label
              1      1      male
              8      3      female
            1,657      .
    
```

---

**c1b\_bc\_gen\_I** **Gender code (person 3)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,661/1,666

tabulation:  Freq.  Numeric  Label
              4      1      male
              1      3      female
            1,661      .
    
```

---

**c2b\_code\_I** **I : Frequency Code (Saturday - Sunday)**

---

```

type: numeric (byte)
label: c1_code

range: [0,7]
unique values: 4
unique missing codes: 1

units: 1
missing .: 0/1,666
missing *: 1,308/1,666

tabulation:  Freq.  Numeric  Label
              340     0      never
              1      1      less than once a month
              2      5      at least once a week
              15     7      once a day
            1,308     .c
    
```

---

**c2b\_hr\_I** **I : Hours (Saturday - Sunday)**

---

```

type: numeric (float)

range: [0,10]
unique values: 7

units: 1
missing .: 1,649/1,666
    
```

```

tabulation:  Freq.  Value
              1    0
              6    2
              2    3
              1    4
              3    5
              2    8
              2   10
            1,649 .
    mean:    4.29412
    std. dev: 3.03654

percentiles:    10%    25%    50%    75%    90%
                2      2      3      5     10
    
```

**c2b\_min\_I** **I : Minutes (Saturday - Sunday)**

```

    type:  numeric (float)
    range: [0,40]
    unique values: 2
    units: 10
    missing .: 1,649/1,666

    tabulation:  Freq.  Value
                  16    0
                  1   40
            1,649 .
    mean:    2.35294
    std. dev: 9.70143

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

**c2b\_aa\_I** **I : Detail (activity frequency) How many times (Saturday - Sunday)**

```

    type:  string (str27), but longest is str1
    unique values: 2
    missing "": 1,649/1,666

    tabulation:  Freq.  Value
                  1,649 ""
                  16  "1"
                   1  "2"
    
```

**c2b\_ab\_I** **I : Detail (activity frequency) How many times per units (Saturday - Sunday)**

```

    type:  string (str21)
    unique values: 2
    missing "": 1,649/1,666

    tabulation:  Freq.  Value
                  1,649 ""
                   15  "รับ"
                    2  "ส่งกาแฟ"
    
```

**c2b\_ac\_I** **I : Detail (activity frequency) How many times per hours (Saturday - Sunday)**

```

    type:  numeric (double)
    range: [0,5]
    unique values: 7
    units: .1
    missing .: 1,649/1,666
    
```

```

tabulation:  Freq.  Value
              1    0
              6    1
              1   1.5
              4    2
              1   2.5
              2    4
              2    5
            1,649  .
    mean:     2.11765
    std. dev: 1.5055

percentiles:    10%    25%    50%    75%    90%
                1      1      2      2.5    5
    
```

**c2b\_ad\_I**  
**I : Detail (activity frequency) Monday-Friday How many times per minutes (Saturd**

```

type: numeric (double)
range: [0,30] units: 10
unique values: 3 missing .: 1,649/1,666

tabulation:  Freq.  Value
              13    0
              1   20
              3   30
            1,649  .
    mean:     6.47059
    std. dev: 12.2174

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0     30
    
```

**c2b\_ba\_I**  
**I : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba
range: [1,5] units: 1
unique values: 3 missing .: 1,648/1,666

tabulation:  Freq.  Numeric  Label
              11      1  Father
              4       3  Mother
              3       5  Grandparents
            1,648  .
    
```

**c2b\_bb\_I**  
**I : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba
range: [3,9] units: 1
unique values: 3 missing .: 1,651/1,666

tabulation:  Freq.  Numeric  Label
              11      3  Mother
              1       5  Grandparents
              3       9  Brother/Sister/cousin
            1,651  .
    
```

**c2b\_bc\_I**  
**I : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba

range: [5,9]
unique values: 3
units: 1
missing ..: 1,658/1,666

tabulation: Freq.  Numeric  Label
              1          5  Grandparents
              2          7  Uncle/Aunt
              5          9  Brother/Sister/cousin
            1,658          .
    
```

**c2b\_ba\_gen\_I** **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 1,645/1,666
missing *: 3/1,666

tabulation: Freq.  Numeric  Label
              12         1  male
              6         3  female
            1,645         .
              3         .b
    
```

**c2b\_bb\_gen\_I** **Gender code (person 2)**

```

type: numeric (byte)
label: c1_ba_gen

range: [3,3]
unique values: 1
units: 1
missing ..: 1,651/1,666

tabulation: Freq.  Numeric  Label
              15         3  female
            1,651         .
    
```

**c2b\_bc\_gen\_I** **Gender code (person 3)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,1]
unique values: 1
units: 1
missing ..: 1,658/1,666

tabulation: Freq.  Numeric  Label
              8         1  male
            1,658         .
    
```

**c3b\_code\_I**  
**I : Frequency [Monday-Sunday (in case of not able to separate detail by day)]**

```

type: numeric (byte)
label: c1_code

range: [1,5]
unique values: 3
unique missing codes: 1
units: 1
missing ..: 0/1,666
missing *: 355/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              370      1  less than once a month
              664      3  at least once a month
              277      5  at least once a week
              355      .b
    
```

---

**c3b\_hr\_I I : Hours [Monday-Sunday (in case of not able to separate detail by day)]**

---

```

type: numeric (float)
range: [0,24] units: 1
unique values: 18 missing .: 1,389/1,666

tabulation:  Freq.  Value
              21      0
              74      1
              67      2
              47      3
              19      4
              11      5
              13      6
               7      7
               4      8
               1      9
               2     10
               3     11
               1     12
               1     14
               2     15
               2     17
               1     21
               1     24
            1,389 .
mean: 3.01805
std. dev: 3.25093

percentiles:  10%    25%    50%    75%    90%
              1      1      2      3      6
    
```

---

**c3b\_min\_I I : Minutes [Monday-Sunday (in case of not able to separate detail by day)]**

---

```

type: numeric (float)
range: [0,45] units: 1
unique values: 10 missing .: 1,389/1,666

tabulation:  Freq.  Value
              172      0
               2      5
               1      8
               5     10
               7     15
               2     20
               1     21
              75     30
               1     40
              11     45
            1,389 .
mean: 10.8989
std. dev: 14.976

percentiles:  10%    25%    50%    75%    90%
              0      0      0      30      30
    
```

**c3b\_aa\_I**  
**I : Detail (activity frequency) How many times [Monday-Sunday (in case of not ab**

```

type: string (str5), but longest is str3

unique values: 10          missing "": 1,389/1,666
unique missing codes: 2    missing *: 1/1,666

tabulation: Freq. Value
             1,389 ""
             166 "1"
              11 "1-2"
              40 "2"
              17 "2-3"
              23 "3"
              10 "3-4"
               3 "4"
               1 "4-5"
               5 "5"
               1 "MI"
    
```

**c3b\_ab\_I**  
**I : Detail (activity frequency) How many times per units [Monday-Sunday (in case**

```

type: string (str24), but longest is str21

unique values: 5          missing "": 1,389/1,666
unique missing codes: 2    missing *: 3/1,666

tabulation: Freq. Value
             1,389 ""
               3 "MI"
               1 "วัน"
             234 "สัปดาห์"
               38 "อาทิตย์"
               1 "เดือน"
    
```

**c3b\_ac\_I**  
**I : Detail (activity frequency) How many times per hours [Monday-Sunday (in case**

```

type: numeric (double)

range: [0,10]          units: .1
unique values: 14      missing .: 1,389/1,666
unique missing codes: 3  missing *: 2/1,666

tabulation: Freq. Value
             35 0
             93 1
              7 1.5
             72 2
             10 2.5
             38 3
              5 3.5
              8 4
              1 4.5
              1 5
              1 5.5
              1 6
              2 7
              1 10
           1,389 .
              1 .b
              1 .d

mean: 1.74909
std. dev: 1.29385
    
```



tabulation:	Freq.	Numeric	Label
	58	1	Father
	566	3	Mother
	222	5	Grandparents
	54	7	Uncle/Aunt
	88	9	Brother/Sister/cousin
	51	11	Outside-household-person
	13	13	Other household member
	612	.	
	2	.b	

---

**c3b\_bc\_I** **I : People doing activity with (person 3)**

---

type: numeric (byte)  
 label: **c1\_ba**  
 range: [1,13] units: 1  
 unique values: 7 missing .: 1,203/1,666  
 unique missing codes: 2 missing \*: 2/1,666

tabulation:	Freq.	Numeric	Label
	10	1	Father
	32	3	Mother
	78	5	Grandparents
	33	7	Uncle/Aunt
	287	9	Brother/Sister/cousin
	16	11	Outside-household-person
	5	13	Other household member
	1,203	.	
	2	.b	

---

**c3b\_ba\_gen\_I** **Gender code (person 1)**

---

type: numeric (byte)  
 label: **c1\_ba\_gen**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 357/1,666  
 unique missing codes: 2 missing \*: 1/1,666

tabulation:	Freq.	Numeric	Label
	745	1	male
	563	3	female
	357	.	
	1	.b	

---

**c3b\_bb\_gen\_I** **Gender code (person 2)**

---

type: numeric (byte)  
 label: **c1\_ba\_gen**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 612/1,666  
 unique missing codes: 2 missing \*: 2/1,666

tabulation:	Freq.	Numeric	Label
	182	1	male
	870	3	female
	612	.	
	2	.b	

---

**c3b\_bc\_gen\_I** **Gender code (person 3)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,203/1,666
missing *: 2/1,666

```

```

tabulation: Freq. Numeric Label
             166         1 male
             295         3 female
             1,203       .
             2           .b

```

**activity\_J**

Go to work with the household members e.g. go to field, farm, sell goods (not di

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,666/1,666

```

```

tabulation: Freq. Value
             1,666 ""

```

**c1\_code\_J**

**J : Frequency Code (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 4
unique missing codes: 2

units: 1
missing .: 0/1,666
missing *: 739/1,666

```

```

tabulation: Freq. Numeric Label
             668         0 never
             6          5 at least once a week
             248         7 once a day
             5          9 more than once a day
             1           .b
             738         .c

```

**c1\_hr\_J**

**J : Hours (Monday - Friday)**

```

type: numeric (float)
range: [0,55]
unique values: 24

units: 1
missing .: 1,407/1,666

```

```

tabulation: Freq. Value
             12 0
             10 1
             33 2
              3 3
              1 4
             51 5
              4 6
             14 7
             36 10
              1 11
             11 12
             24 15
              5 17
             10 20
              4 22
              5 25
              4 30
              2 32

```

```

          7 35
          7 40
          2 42
          6 45
          6 50
          1 55
    1,407 .
    mean: 12.529
    std. dev: 12.7545

percentiles:    10%    25%    50%    75%    90%
                2      5      10     15     35
    
```

**c1\_min\_J** **J : Minutes (Monday - Friday)**

```

    type: numeric (float)
    range: [0,50]
    unique values: 13
    units: 1
    missing .: 1,407/1,666

    tabulation:
    Freq. Value
    158 0
    2 3
    1 5
    1 7
    5 15
    1 23
    2 25
    1 28
    70 30
    1 38
    7 40
    3 45
    7 50
    1,407 .
    mean: 11.9575
    std. dev: 15.9901

percentiles:    10%    25%    50%    75%    90%
                0      0      0     30     30
    
```

**c1\_aa\_J** **J :Detail (activity frequency) How many times (Monday - Friday)**

```

    type: string (str27), but longest is str3
    unique values: 4
    missing "": 1,407/1,666

    tabulation:
    Freq. Value
    1,407 ""
    247 "1"
    6 "2"
    5 "2-3"
    1 "3"
    
```

**c1\_ab\_J** **J :Detail (activity frequency) How many times per units (Monday - Friday)**

```

    type: string (str21)
    unique values: 2
    missing "": 1,407/1,666

    tabulation:
    Freq. Value
    1,407 ""
    253 "วัน"
    6 "สัปดาห์"
    
```



```

tabulation:  Freq.  Numeric  Label
              46      1  father
              44      3  mother
              157     5  grandparents
               3      7  uncle/aunt
               4     11  outsider
               5     13  other household member
            1,407      .
    
```

**c1\_bb\_J** **J : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_bb_J

range: [1,13]          units: 1
unique values: 7       missing .: 1,479/1,666
unique missing codes: 2 missing *: 1/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              4      1  father
              44     3  mother
              110     5  grandparents
               3      7  uncle/aunt
               19     9  brother/sister/cousin
               4     11  outsider
               2     13  other household member
            1,479      .
               1      .b
    
```

**c1\_bc\_J** **J : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_bc_J

range: [1,13]          units: 1
unique values: 7       missing .: 1,601/1,666
unique missing codes: 2 missing *: 1/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              1      1  father
               4      3  mother
              15     5  grandparents
               2      7  uncle/aunt
              38     9  brother/sister/cousin
               1     11  outsider
               3     13  other household member
            1,601      .
               1      .b
    
```

**c1\_ba\_gen\_J** **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]          units: 1
unique values: 2       missing .: 1,407/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              142     1  male
              117     3  female
            1,407      .
    
```

**c1\_bb\_gen\_J** **Gender code (person 2)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,479/1,666
missing *: 1/1,666
    
```

```

tabulation: Freq.  Numeric  Label
              47         1  male
              139         3  female
            1,479         .
              1         .b
    
```

**c1\_bc\_gen\_J**

**Gender code (person 3)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,601/1,666
missing *: 1/1,666
    
```

```

tabulation: Freq.  Numeric  Label
              34         1  male
              30         3  female
            1,601         .
              1         .b
    
```

**c2\_code\_J**

**J : Frequency Code (Saturday - Sunday)**

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 5
unique missing codes: 2

units: 1
missing .: 0/1,666
missing *: 738/1,666
    
```

```

tabulation: Freq.  Numeric  Label
              565         0  never
              4         3  at least once a month
              8         5  at least once a week
            346         7  once a day
              5         9  more than once a day
              1         .b
            737         .c
    
```

**c2\_hr\_J**

**J : Hours (Saturday - Sunday)**

```

type: numeric (float)

range: [0,35]
unique values: 24

units: 1
missing .: 1,307/1,666
    
```

```

tabulation: Freq.  Value
              24     0
              32     1
              46     2
              11     3
              23     4
              15     5
              19     6
               3     7
              10     8
              13     9
               9    10
               1    11
    
```

```

      11 12
      3 13
      13 14
      8 15
      43 16
      4 17
      34 18
      4 19
      26 20
      1 21
      5 22
      1 35
      1,307 .
    mean: 9.35933
  std. dev: 7.22825

percentiles:      10%      25%      50%      75%      90%
                  1         2         8        16        19

```

**c2\_min\_J** **J : Minutes (Saturday - Sunday)**

```

    type: numeric (float)
    range: [0,50]
unique values: 10
units: 1
missing ..: 1,307/1,666

tabulation: Freq. Value
             330 0
              1 9
              3 10
              1 11
              2 15
              9 20
              2 25
              6 30
              4 40
              1 50
             1,307 .
    mean: 1.94986
  std. dev: 7.23452

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

**c2\_aa\_J** **J : Detail (activity frequency) How many times (Saturday - Sunday)**

```

    type: string (str27), but longest is str3
unique values: 4
missing "": 1,307/1,666

tabulation: Freq. Value
             1,307 ""
             351 "1"
              2 "1-2"
              5 "2"
              1 "2-3"

```

**c2\_ab\_J** **J : Detail (activity frequency) How many times per units (Saturday - Sunday)**

```

    type: string (str24), but longest is str21
unique values: 2
missing "": 1,307/1,666

```

```

tabulation:  Freq.  Value
              1,307  ""
              353   "วัน"
              6     "สถาพร"
    
```

---

**c2\_ac\_J J : Detail (activity frequency) How many times per hours (Saturday - Sunday)**

---

```

type: numeric (double)
range: [0,11]
unique values: 16
units: .1
missing .: 1,307/1,666

tabulation:  Freq.  Value
              101   0
              43   1
               3  1.5
              27   2
               8  2.5
              20   3
              15   4
               1  4.5
               8   5
               1  5.5
              10   6
              17   7
              40   8
              32   9
              28  10
               5  11
            1,307 .
mean:       3.93733
std. dev:   3.76059

percentiles: 10%    25%    50%    75%    90%
              0      0      2.5    8      9
    
```

---

**c2\_ad\_J J : Detail (activity frequency) Monday-Friday How many times per minutes (Saturd**

---

```

type: numeric (double)
range: [0,45]
unique values: 14
unique missing codes: 2
units: .1
missing .: 1,307/1,666
missing *: 4/1,666

tabulation:  Freq.  Value
              249   0
               1   3
               1  4.5
               4   5
               1  5.5
               1  7.5
               8  10
               1 12.5
               2  15
               5  20
               1  25
              77  30
               1  35
               3  45
            1,307 .
              4  .b
mean:       7.79718
std. dev:   12.9388

percentiles: 10%    25%    50%    75%    90%
              0      0      0      15    30
    
```

---

**c2\_ba\_J** **J : People doing activity with (person 1)**

---

```

type: numeric (byte)
label: c2_ba_J

range: [1,13]                units: 1
unique values: 7              missing .. 1,303/1,666

tabulation: Freq.  Numeric  Label
              65         1  father
              47         3  mother
              230        5  grandparents
               7         7  uncle/aunt
               1         9  brother/sister/cousin
               5        11  outsider
               8        13  other household member
            1,303         .
    
```

---

**c2\_bb\_J** **J : People doing activity with (person 2)**

---

```

type: numeric (byte)
label: c2_bb_J

range: [1,13]                units: 1
unique values: 7              missing .. 1,392/1,666

tabulation: Freq.  Numeric  Label
              7         1  father
             62         3  mother
            165         5  grandparents
               6         7  uncle/aunt
              25         9  brother/sister/cousin
               5        11  outsider
               4        13  other household member
            1,392         .
    
```

---

**c2\_bc\_J** **J : People doing activity with (person 3)**

---

```

type: numeric (byte)
label: c2_bc_J

range: [1,13]                units: 1
unique values: 7              missing .. 1,567/1,666

tabulation: Freq.  Numeric  Label
              2         1  father
               7         3  mother
              26         5  grandparents
               6         7  uncle/aunt
              52         9  brother/sister/cousin
               3        11  outsider
               3        13  other household member
            1,567         .
    
```

---

**c2\_ba\_gen\_J** **Gender code (person 1)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]                units: 1
unique values: 2              missing .. 1,300/1,666
unique missing codes: 2      missing *: 3/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              211      1  male
              152      3  female
              1,300    .
              3        .b
    
```

---

**c2\_bb\_gen\_J** **Gender code (person 2)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,391/1,666
missing *: 1/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              63      1  male
              211      3  female
              1,391    .
              1        .b
    
```

---

**c2\_bc\_gen\_J** **Gender code (person 3)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,567/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              50      1  male
              49      3  female
              1,567    .
    
```

---

**c3\_code\_J** **J : Frequency [Monday-Sunday (in case of not able to separate detail by day)]**

---

```

type: numeric (byte)
label: c1_code

range: [1,5]
unique values: 3
unique missing codes: 1

units: 1
missing .: 0/1,666
missing *: 927/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              55      1  less than once a month
              207     3   at least once a month
              477     5   at least once a week
              927     .b
    
```

---

**c3\_hr\_J** **J : Hours [Monday-Sunday (in case of not able to separate detail by day)]**

---

```

type: numeric (float)

range: [0,50]
unique values: 32

units: 1
missing .: 1,189/1,666
    
```

```

tabulation:  Freq.  Value
              70    0
              92    1
              71    2
              47    3
              24    4
              10    5
              31    6
              14    7
              19    8
              13    9
              13   10
               2   11
              11   12
               2   13
               7   14
              10   15
               7   16
               1   17
               9   18
               1   19
               7   20
               4   22
               2   24
               1   26
               1   27
               2   28
               1   31
               1   32
               1   35
               1   36
               1   40
               1   50
              1,189 .
    mean:      5.34801
    std. dev:  6.76313
    
```

```

percentiles:    10%    25%    50%    75%    90%
                0      1      3      7     15
    
```

---

**c3\_min\_J**    **J : Minutes [Monday-Sunday (in case of not able to separate detail by day)]**

---

```

    type: numeric (float)
    range: [0,53]
    unique values: 19
    units: 1
    missing .: 1,189/1,666
    
```

```

tabulation:  Freq.  Value
              280    0
               2    1
               1    3
               1    4
               1    5
               1    8
               5   10
              24   15
               9   20
               1   23
               5   25
               1   26
              110   30
               1   31
               4   38
               3   40
              22   45
               4   50
               2   53
              1,189 .
    mean:      11.9182
    std. dev:  15.671
    
```

percentiles: 10% 25% 50% 75% 90%  
0 0 0 30 30

---

**c3\_aa\_J**  
**J : Detail (activity frequency) How many times [Monday-Sunday (in case of not ab**

---

type: string (**str13**), but longest is str3  
unique values: 10 missing "": 1,189/1,666

tabulation:

Freq.	Value
1,189	" "
163	"1"
37	"1-2"
113	"2"
52	"2-3"
57	"3"
21	"3-4"
11	"4"
5	"4-5"
17	"5"
1	"5-6"

---

**c3\_ab\_J**  
**J : Detail (activity frequency) How many times per units [Monday-Sunday (in case**

---

type: string (**str24**), but longest is str21  
unique values: 4 missing "": 1,189/1,666  
unique missing codes: 2 missing \*: 2/1,666

tabulation:

Freq.	Value
1,189	" "
2	"MI"
5	"วัน"
403	"สัปดาห์"
67	"อาทิตย์"

---

**c3\_ac\_J**  
**J : Detail (activity frequency) How many times per hours [Monday-Sunday (in case**

---

type: numeric (**double**)  
range: [0,15] units: .1  
unique values: 18 missing .: 1,189/1,666  
unique missing codes: 2 missing \*: 10/1,666

tabulation:

Freq.	Value
155	0
120	1
1	1.5
45	2
4	2.5
26	3
2	3.5
11	4
4	4.5
9	5
12	6
20	7
2	7.5
22	8
19	9
13	10
1	13

```

          1 15
        1,189 .
          10 .b
    mean:  2.45289
  std. dev: 3.08098

percentiles:    10%    25%    50%    75%    90%
                0      0      1      3      8
    
```

**c3\_ad\_J**  
**J : Detail (activity frequency) How many times per minutes [Monday-Sunday (in ca**

```

    type: numeric (double)
    range: [0,45]
  unique values: 15
unique missing codes: 2

    units: .1
  missing .: 1,189/1,666
  missing *: 8/1,666

  tabulation: Freq. Value
              303 0
              1  2.5
              1  4
              2  5
              1  6.5
              1  7.5
              11 10
              1 12.5
              8  15
              15 20
              4  25
             111 30
              1 35
              1 40
              8 45
             1,189 .
              8  .b
    mean:  9.46269
  std. dev: 13.7636

percentiles:    10%    25%    50%    75%    90%
                0      0      0      30      30
    
```

**c3\_ba\_J**  
**J : People doing activity with (person 1)**

```

    type: numeric (byte)
  label:  c3_ba_J

    range: [1,13]
  unique values: 7

    units: 1
  missing .: 927/1,666

  tabulation: Freq. Numeric Label
              167      1  father
              83      3  mother
              432      5  grandparents
              17      7  uncle/aunt
              10      9  brother/sister/cousin
              12     11  outsider
              18     13  other household member
              927      .
    
```

**c3\_bb\_J**  
**J : People doing activity with (person 2)**

```

    type: numeric (byte)
  label:  c3_bb_J
    
```

range: [1,13] units: 1  
 unique values: 7 missing .: 1,162/1,666

tabulation:	Freq.	Numeric	Label
	14	1	father
	153	3	mother
	262	5	grandparents
	13	7	uncle/aunt
	47	9	brother/sister/cousin
	8	11	outsider
	7	13	other household member
	1,162	.	

**c3\_bc\_J** **J : People doing activity with (person 3)**

type: numeric (byte)  
 label: c3\_bc\_J

range: [1,13] units: 1  
 unique values: 7 missing .: 1,529/1,666

tabulation:	Freq.	Numeric	Label
	7	1	father
	15	3	mother
	28	5	grandparents
	5	7	uncle/aunt
	75	9	brother/sister/cousin
	1	11	outsider
	6	13	other household member
	1,529	.	

**c3\_ba\_gen\_J** **Gender code (person 1)**

type: numeric (byte)  
 label: c1\_ba\_gen

range: [1,3] units: 1  
 unique values: 2 missing .: 927/1,666

tabulation:	Freq.	Numeric	Label
	428	1	male
	311	3	female
	927	.	

**c3\_bb\_gen\_J** **Gender code (person 2)**

type: numeric (byte)  
 label: c1\_ba\_gen

range: [1,3] units: 1  
 unique values: 2 missing .: 1,162/1,666

tabulation:	Freq.	Numeric	Label
	119	1	male
	385	3	female
	1,162	.	

**c3\_bc\_gen\_J** **Gender code (person 3)**

type: numeric (byte)  
 label: c1\_ba\_gen

range: [1,3] units: 1  
 unique values: 2 missing .: 1,528/1,666

tabulation:	Freq.	Numeric	Label
	54	1	male
	84	3	female
	1,528	.	

**activity\_K** **Do housework (not display)**

type: string (**str147**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
 1,666 ""

**c1\_code\_K** **K : Frequency Code (Monday - Friday)**

type: numeric (**byte**)  
 label: **c1\_code**  
 range: [0,9] units: 1  
 unique values: 3 missing .: 0/1,666  
 unique missing codes: 2 missing \*: 320/1,666  
 tabulation: Freq. Numeric Label  
 1,199 0 never  
 123 7 once a day  
 24 9 more than once a day  
 1 .b  
 319 .c

**c1\_hr\_K** **K : Hours (Monday - Friday)**

type: numeric (**float**)  
 range: [0,12] units: 1  
 unique values: 7 missing .: 1,519/1,666  
 unique missing codes: 2 missing \*: 1/1,666  
 tabulation: Freq. Value  
 111 0  
 16 1  
 10 2  
 3 3  
 4 5  
 1 10  
 1 12  
 1,519 .  
 1 .c  
 mean: .59589  
 std. dev: 1.60851  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 2

**c1\_min\_K** **K : Minutes (Monday - Friday)**

type: numeric (**float**)

range: [0,50] units: 1  
 unique values: 16 missing .: 1,519/1,666  
 unique missing codes: 2 missing \*: 1/1,666

tabulation: Freq. Value  
 6 0  
 2 3  
 3 5  
 3 8  
 9 10  
 8 13  
 13 15  
 1 18  
 1 19  
 3 20  
 7 23  
 32 25  
 13 30  
 10 38  
 9 40  
 26 50  
 1,519 .  
 1 .c  
 mean: 26.863  
 std. dev: 14.6766

percentiles: 10% 25% 50% 75% 90%  
 10 15 25 38 50

---

**c1\_aa\_K K :Detail (activity frequency) How many times (Monday - Friday)**

---

type: string (str27), but longest is str3  
 unique values: 5 missing "": 1,519/1,666

tabulation: Freq. Value  
 1,519 ""  
 122 "1"  
 17 "2"  
 3 "2-3"  
 3 "3"  
 2 "4"

---

**c1\_ab\_K K :Detail (activity frequency) How many times per units (Monday - Friday)**

---

type: string (str21), but longest is str9  
 unique values: 1 missing "": 1,519/1,666

tabulation: Freq. Value  
 1,519 ""  
 147 "ñ"

---

**c1\_ac\_K K :Detail (activity frequency) How many times per hours (Monday - Friday)**

---

type: numeric (double)

range: [0,2] units: 1  
 unique values: 3 missing .: 1,519/1,666  
 unique missing codes: 2 missing \*: 1/1,666

```

tabulation:  Freq.  Value
              142    0
              3     1
              1     2
            1,519    .
              1     .c
    mean:    .034247
    std. dev: .217014

percentiles:  10%    25%    50%    75%    90%
              0     0     0     0     0
    
```

**c1\_ad\_K      K :Detail (activity frequency) How many times per minutes (Monday - Friday)**

```

type:  numeric (double)

range:  [0,30]
unique values:  14
unique missing codes:  2

units:  .1
missing .:  1,519/1,666
missing *:  1/1,666

tabulation:  Freq.  Value
              4     0
              5     1
              6    1.5
              8     2
             12    2.5
              9     3
              1    3.5
              6    4.5
             38     5
              9    7.5
             24    10
              4    15
              8    20
             12    30
            1,519    .
              1     .c
    mean:    8.18493
    std. dev: 8.01529

percentiles:  10%    25%    50%    75%    90%
              1.5    3     5     10    20
    
```

**c1\_ba\_K      K : People doing activity with (person 1)**

```

type:  numeric (byte)
label:  c1_ba_K

range:  [1,13]
unique values:  7
unique missing codes:  3

units:  1
missing .:  1,519/1,666
missing *:  24/1,666

tabulation:  Freq.  Numeric  Label
              6         1  father
             43         3  mother
             58         5  grandparents
              3         7  uncle/aunt
              8         9  brother/sister/cousin
              2        11  outsider
              3        13  other household member
            1,519    .
             23     .b
              1     .d
    
```

**c1\_bb\_K      K : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_bb_K

range: [1,13]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,637/1,666
missing *: 1/1,666
    
```

tabulation:	Freq.	Numeric	Label
	2	1	father
	7	3	mother
	9	5	grandparents
	8	9	brother/sister/cousin
	1	11	outsider
	1	13	other household member
	1,637	.	
	1	.b	

---

**c1\_bc\_K** **K : People doing activity with (person 3)**

---

```

type: numeric (byte)
label: c1_bc_K

range: [1,9]
unique values: 3

units: 1
missing .: 1,657/1,666
    
```

tabulation:	Freq.	Numeric	Label
	1	1	father
	3	5	grandparents
	5	9	brother/sister/cousin
	1,657	.	

---

**c1\_ba\_gen\_K** **Gender code (person 1)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 3

units: 1
missing .: 1,519/1,666
missing *: 24/1,666
    
```

tabulation:	Freq.	Numeric	Label
	14	1	male
	109	3	female
	1,519	.	
	23	.b	
	1	.d	

---

**c1\_bb\_gen\_K** **Gender code (person 2)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,637/1,666
missing *: 1/1,666
    
```

tabulation:	Freq.	Numeric	Label
	8	1	male
	20	3	female
	1,637	.	
	1	.b	

---

**c1\_bc\_gen\_K** **Gender code (person 3)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,657/1,666

tabulation: Freq. Numeric Label
              4         1 male
              5         3 female
            1,657         .
    
```

**c2\_code\_K** **K : Frequency Code (Saturday - Sunday)**

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 4
unique missing codes: 2
units: 1
missing .: 0/1,666
missing *: 319/1,666

tabulation: Freq. Numeric Label
              1,195      0 never
                1         5 at least once a week
              127         7 once a day
                24         9 more than once a day
                 1         .b
              318         .c
    
```

**c2\_hr\_K** **K : Hours (Saturday - Sunday)**

```

type: numeric (float)

range: [0,5]
unique values: 5
unique missing codes: 2
units: 1
missing .: 1,514/1,666
missing *: 1/1,666

tabulation: Freq. Value
              129      0
               15      1
                 5      2
                  1      4
                  1      5
            1,514      .
                 1      .c
mean:         .225166
std. dev:     .675003

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

**c2\_min\_K** **K : Minutes (Saturday - Sunday)**

```

type: numeric (float)

range: [0,50]
unique values: 19
unique missing codes: 2
units: 1
missing .: 1,514/1,666
missing *: 1/1,666
    
```



```

tabulation:  Freq.  Value
              147    0
              3     1
              1     2
            1,514    .
              1    .c
    mean:     .033113
    std. dev: .213455

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

**c2\_ad\_K**  
**K : Detail (activity frequency) Monday-Friday How many times per minutes (Saturd**

```

type: numeric (double)
range: [0,30]
unique values: 16
unique missing codes: 3
units: .1
missing .: 1,514/1,666
missing *: 2/1,666
    
```

```

tabulation:  Freq.  Value
              4     0
              5     1
              6   1.5
              8     2
             12   2.5
              9     3
              1   3.5
              6   4.5
             37     5
              9   7.5
             25    10
              1  12.5
              4    15
              8    20
              1    25
             14    30
            1,514    .
              1    .b
              1    .c
    mean:     8.65
    std. dev: 8.40636

percentiles:    10%    25%    50%    75%    90%
                1.75    3      5      10    22.5
    
```

**c2\_ba\_K**  
**K : People doing activity with (person 1)**

```

type: numeric (byte)
label: c2_ba_K
range: [1,13]
unique values: 7
unique missing codes: 3
units: 1
missing .: 1,514/1,666
missing *: 25/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              6         1  father
             45         3  mother
             60         5  grandparents
              3         7  uncle/aunt
              8         9  brother/sister/cousin
              2        11  outsider
              3        13  other household member
            1,514         .
             24         .b
              1         .d
    
```

---

**c2\_bb\_K** **K : People doing activity with (person 2)**

---

```

type: numeric (byte)
label: c2_bb_K

range: [1,13]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,635/1,666
missing *: 2/1,666

tabulation: Freq.  Numeric  Label
              2          1  father
              7          3  mother
              9          5  grandparents
              9          9  brother/sister/cousin
              1         11  outsider
              1         13  other household member
1,635         .
              2          .b
    
```

---

**c2\_bc\_K** **K : People doing activity with (person 3)**

---

```

type: numeric (byte)
label: c2_bc_K

range: [1,9]
unique values: 3

units: 1
missing .: 1,657/1,666

tabulation: Freq.  Numeric  Label
              1          1  father
              3          5  grandparents
              5          9  brother/sister/cousin
1,657         .
              .
    
```

---

**c2\_ba\_gen\_K** **Gender code (person 1)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 3

units: 1
missing .: 1,513/1,666
missing *: 26/1,666

tabulation: Freq.  Numeric  Label
              14          1  male
              113         3  female
1,513         .
              25         .b
              1          .d
    
```

---

**c2\_bb\_gen\_K** **Gender code (person 2)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,636/1,666
missing *: 1/1,666

tabulation: Freq.  Numeric  Label
              9          1  male
              20         3  female
1,636         .
              1          .b
    
```

---

**c2\_bc\_gen\_K** **Gender code (person 3)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,657/1,666

tabulation: Freq.  Numeric  Label
              4          1  male
              5          3  female
            1,657          .
    
```

---

**c3\_code\_K** **K : Frequency [Monday-Sunday (in case of not able to separate detail by day)]**

---

```

type: numeric (byte)
label: c1_code

range: [1,5]
unique values: 3
unique missing codes: 2
units: 1
missing .. 0/1,666
missing *: 1,347/1,666

tabulation: Freq.  Numeric  Label
              3          1  less than once a month
              36         3  at least once a month
              280        5  at least once a week
            1,346        .b
              1          .c
    
```

---

**c3\_hr\_K** **K : Hours [Monday-Sunday (in case of not able to separate detail by day)]**

---

```

type: numeric (float)

range: [0,5]
unique values: 5
units: 1
missing .. 1,386/1,666

tabulation: Freq.  Value
              253    0
              24    1
               1    2
               1    4
               1    5
            1,386    .
mean:          .125
std. dev:      .48128

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

---

**c3\_min\_K** **K : Minutes [Monday-Sunday (in case of not able to separate detail by day)]**

---

```

type: numeric (float)

range: [0,50]
unique values: 29
units: 1
missing .. 1,386/1,666
    
```

```

tabulation:  Freq.  Value
              12    0
              5    1
              22    2
              16    3
              23    4
              22    5
              10    6
               2    7
              13    8
               2    9
              38   10
               7   11
               5   12
               4   13
               1   14
              23   15
               5   18
               2   19
              19   20
               3   23
               6   25
               1   28
              25   30
               1   35
               2   38
               3   40
               1   44
               6   45
               1   50
              1,386 .
    mean:     12.5821
    std. dev: 10.9995

```

```

percentiles:      10%      25%      50%      75%      90%
                  2         4         10       18.5     30

```

**c3\_aa\_K**

**K : Detail (activity frequency) How many times [Monday-Sunday (in case of not ab**

```

type: string (str13), but longest is str3
unique values: 11           missing "": 1,386/1,666
tabulation:  Freq.  Value
              1,386 ""
               87 "1"
               27 "1-2"
               63 "2"
               36 "2-3"
               43 "3"
               11 "3-4"
                5 "4"
                4 "4-5"
                1 "5"
                1 "5-6"
                2 "6"

```

**c3\_ab\_K**

**K : Detail (activity frequency) How many times per units [Monday-Sunday (in case**

```

type: string (str24), but longest is str21
unique values: 2           missing "": 1,386/1,666

```

```

tabulation:  Freq.  Value
              1,386  ""
              265   "ศัพท์"
              15   "อาทิตย์"
    
```

**c3\_ac\_K**  
**K : Detail (activity frequency) How many times per hours [Monday-Sunday (in case**

```

type: numeric (double)
range: [0,1]
unique values: 2
unique missing codes: 2
units: 1
missing .: 1,386/1,666
missing *: 9/1,666

tabulation:  Freq.  Value
              268  0
              3   1
            1,386  .
              9   .b
mean:       .01107
std. dev:   .104824

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

**c3\_ad\_K**  
**K : Detail (activity frequency) How many times per minutes [Monday-Sunday (in ca**

```

type: numeric (double)
range: [0,45]
unique values: 22
units: .1
missing .: 1,386/1,666

tabulation:  Freq.  Value
              3   0
             14   1
             10  1.5
             30   2
             23  2.5
             13   3
              2  3.5
              1   4
              7  4.5
             59   5
              2  5.5
              1   6
              1  6.5
             10  7.5
             57  10
              1 12.5
              8  15
             11  20
              1  25
             24  30
              1  35
              1  45
            1,386  .
mean:       8.46071
std. dev:   8.52228

percentiles:  10%    25%    50%    75%    90%
              2     2.5    5     10    20
    
```

**c3\_ba\_K** **K : People doing activity with (person 1)**

```

type: numeric (byte)
label: c3_ba_K

range: [1,13]
unique values: 6
unique missing codes: 3

units: 1
missing .: 1,347/1,666
missing *: 65/1,666

```

tabulation:	Freq.	Numeric	Label
	3	1	father
	104	3	mother
	114	5	grandparents
	7	7	uncle/aunt
	20	9	brother/sister/cousin
	6	13	other household member
	1,347	.	
	64	.b	
	1	.d	

**c3\_bb\_K** **K : People doing activity with (person 2)**

```

type: numeric (byte)
label: c3_bb_K

range: [3,11]
unique values: 5
unique missing codes: 2

units: 1
missing .: 1,614/1,666
missing *: 3/1,666

```

tabulation:	Freq.	Numeric	Label
	4	3	mother
	14	5	grandparents
	4	7	uncle/aunt
	26	9	brother/sister/cousin
	1	11	outsider
	1,614	.	
	3	.b	

**c3\_bc\_K** **K : People doing activity with (person 3)**

```

type: numeric (byte)
label: c3_bc_K

range: [5,9]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,660/1,666
missing *: 1/1,666

```

tabulation:	Freq.	Numeric	Label
	1	5	grandparents
	4	9	brother/sister/cousin
	1,660	.	
	1	.b	

**c3\_ba\_gen\_K** **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 3

units: 1
missing .: 1,347/1,666
missing *: 65/1,666

```

```

tabulation:  Freq.  Numeric  Label
              18      1  male
              236     3  female
            1,347     .
              64     .b
              1      .d
    
```

---

**c3\_bb\_gen\_K** **Gender code (person 2)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,614/1,666
missing *: 3/1,666

tabulation:  Freq.  Numeric  Label
              10      1  male
              39      3  female
            1,614     .
              3      .b
    
```

---

**c3\_bc\_gen\_K** **Gender code (person 3)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,660/1,666
missing *: 1/1,666

tabulation:  Freq.  Numeric  Label
              2      1  male
              3      3  female
            1,660     .
              1      .b
    
```

---

**activity\_N** **Others (not display)**

---

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation:  Freq.  Value
            1,666  ""
    
```

---

**detail\_N** **Identify frequent activities**

---

```

type: string (str170), but longest is str2
unique values: 1
unique missing codes: 2
missing "": 1,665/1,666
missing *: 1/1,666

tabulation:  Freq.  Value
            1,665  ""
              1  "DK"
    
```

---

**c1\_code\_N** **N : Frequency Code (Monday - Friday)**

---

```

type: numeric (byte)
label: c1_code
    
```

```

range: [0,7] units: 1
unique values: 2 missing .: 1,662/1,666
unique missing codes: 2 missing *: 2/1,666

tabulation: Freq. Numeric Label
             1         0 never
             1         7 once a day
            1,662      .
             2         .b
    
```

**cl\_hr\_N** **N : Hours (Monday - Friday)**

```

type: numeric (float)
range: [.,.] units: .
unique values: 1 missing .: 1,665/1,666

tabulation: Freq. Value
             1         0
            1,665      .
mean:      0
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

**cl\_min\_N** **N : Minutes (Monday - Friday)**

```

type: numeric (float)
range: [50,50] units: 10
unique values: 1 missing .: 1,665/1,666

tabulation: Freq. Value
             1         50
            1,665      .
mean:      50
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              50     50     50     50     50
    
```

**cl\_aa\_N** **N :Detail (activity frequency) How many times (Monday - Friday)**

```

type: string (str27), but longest is str1
unique values: 1 missing "": 1,665/1,666

tabulation: Freq. Value
            1,665 ""
             1  "1"
    
```

**cl\_ab\_N** **N :Detail (activity frequency) How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str9
unique values: 1 missing "": 1,665/1,666

tabulation: Freq. Value
            1,665 ""
             1  "ñu"
    
```



range: [.,.] units: .  
 unique values: 0 missing .: 1,666/1,666  
 tabulation: Freq. Numeric Label  
 1,666 .

**c1\_ba\_gen\_N** **Gender code (person 1)**

type: numeric (byte)  
 label: **c1\_ba\_gen**  
 range: [.,.] units: .  
 unique values: 0 missing .: 1,665/1,666  
 unique missing codes: 2 missing \*: 1/1,666  
 tabulation: Freq. Numeric Label  
 1,665 .  
 1 .b

**c1\_bb\_gen\_N** **Gender code (person 2)**

type: numeric (byte)  
 label: **c1\_ba\_gen**  
 range: [.,.] units: .  
 unique values: 0 missing .: 1,666/1,666  
 tabulation: Freq. Numeric Label  
 1,666 .

**c1\_bc\_gen\_N** **Gender code (person 3)**

type: numeric (byte)  
 label: **c1\_ba\_gen**  
 range: [.,.] units: .  
 unique values: 0 missing .: 1,666/1,666  
 tabulation: Freq. Numeric Label  
 1,666 .

**c2\_code\_N** **N : Frequency Code (Saturday - Sunday)**

type: numeric (byte)  
 label: **c1\_code**  
 range: [0,7] units: 1  
 unique values: 2 missing .: 1,662/1,666  
 unique missing codes: 2 missing \*: 2/1,666  
 tabulation: Freq. Numeric Label  
 1 0 never  
 1 7 once a day  
 1,662 .  
 2 .b

**c2\_hr\_N** **N : Hours (Saturday - Sunday)**

type: numeric (float)

```

range: [.,.]
unique values: 1
units: .
missing : 1,665/1,666

tabulation: Freq. Value
              1 0
              1,665 .
mean: 0
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

**c2\_min\_N N : Minutes (Saturday - Sunday)**

```

type: numeric (float)
range: [20,20]
unique values: 1
units: 10
missing : 1,665/1,666

tabulation: Freq. Value
              1 20
              1,665 .
mean: 20
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              20 20 20 20 20
    
```

**c2\_aa\_N N : Detail (activity frequency) How many times (Saturday - Sunday)**

```

type: string (str27), but longest is str1
unique values: 1
missing "": 1,665/1,666

tabulation: Freq. Value
              1,665 ""
              1 "1"
    
```

**c2\_ab\_N N : Detail (activity frequency) How many times per units (Saturday - Sunday)**

```

type: string (str24), but longest is str9
unique values: 1
missing "": 1,665/1,666

tabulation: Freq. Value
              1,665 ""
              1 "ñu"
    
```

**c2\_ac\_N N : Detail (activity frequency) How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [.,.]
unique values: 1
units: .
missing : 1,665/1,666

tabulation: Freq. Value
              1 0
              1,665 .
mean: 0
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

**c2\_ad\_N**  
**N : Detail (activity frequency) Monday-Friday How many times per minutes (Saturd**

```

type: numeric (double)
range: [10,10] units: 10
unique values: 1 missing ..: 1,665/1,666

tabulation: Freq. Value
              1 10
            1,665 .
mean: 10
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              10 10 10 10 10
    
```

**c2\_ba\_N**  
**N : People doing activity with (person 1)**

```

type: numeric (byte)
label: c2_ba_N
range: [.,.] units: .
unique values: 0 missing ..: 1,665/1,666
unique missing codes: 2 missing *: 1/1,666

tabulation: Freq. Numeric Label
              1,665 .
              1 .b
    
```

**c2\_bb\_N**  
**N : People doing activity with (person 2)**

```

type: numeric (byte)
label: c2_bb_N
range: [.,.] units: .
unique values: 0 missing ..: 1,666/1,666

tabulation: Freq. Numeric Label
              1,666 .
    
```

**c2\_bc\_N**  
**N : People doing activity with (person 3)**

```

type: numeric (byte)
label: c2_bc_N
range: [.,.] units: .
unique values: 0 missing ..: 1,666/1,666

tabulation: Freq. Numeric Label
              1,666 .
    
```

**c2\_ba\_gen\_N**  
**Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen
range: [.,.] units: .
unique values: 0 missing ..: 1,665/1,666
unique missing codes: 2 missing *: 1/1,666
    
```

```

tabulation: Freq.  Numeric  Label
             1,665      .
             1          .b
    
```

**c2\_bb\_gen\_N** Gender code (person 2)

```

type: numeric (byte)
label: c1_ba_gen

range: [..]          units: .
unique values: 0      missing ..: 1,666/1,666

tabulation: Freq.  Numeric  Label
             1,666      .
    
```

**c2\_bc\_gen\_N** Gender code (person 3)

```

type: numeric (byte)
label: c1_ba_gen

range: [..]          units: .
unique values: 0      missing ..: 1,666/1,666

tabulation: Freq.  Numeric  Label
             1,666      .
    
```

**c3\_code\_N** N : Frequency [Monday-Sunday (in case of not able to separate detail by day)]

```

type: numeric (byte)
label: c1_code

range: [..]          units: .
unique values: 0      missing ..: 1,661/1,666
unique missing codes: 2  missing *: 5/1,666

tabulation: Freq.  Numeric  Label
             1,661      .
             5          .b
    
```

**c3\_hr\_N** N : Hours [Monday-Sunday (in case of not able to separate detail by day)]

```

type: numeric (float)

range: [..]          units: .
unique values: 0      missing ..: 1,666/1,666

tabulation: Freq.  Value
             1,666      .
mean:      .
std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

**c3\_min\_N** N : Minutes [Monday-Sunday (in case of not able to separate detail by day)]

```

type: numeric (float)

range: [..]          units: .
unique values: 0      missing ..: 1,666/1,666
    
```

```

tabulation: Freq. Value
             1,666 .
      mean:   .
      std. dev: .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

**c3\_aa\_N**  
**N : Detail (activity frequency) How many times [Monday-Sunday (in case of not ab**

```

type: string (str13), but longest is str0
unique values: 0 missing "": 1,666/1,666

tabulation: Freq. Value
             1,666 ""
    
```

**c3\_ab\_N**  
**N : Detail (activity frequency) How many times per units [Monday-Sunday (in case**

```

type: string (str24), but longest is str0
unique values: 0 missing "": 1,666/1,666

tabulation: Freq. Value
             1,666 ""
    
```

**c3\_ac\_N**  
**N : Detail (activity frequency) How many times per hours [Monday-Sunday (in case**

```

type: numeric (double)
range: [.,.] units: .
unique values: 1 missing .: 1,665/1,666

tabulation: Freq. Value
             1 0
             1,665 .
      mean:   0
      std. dev: .

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

**c3\_ad\_N**  
**N : Detail (activity frequency) How many times per minutes [Monday-Sunday (in ca**

```

type: numeric (double)
range: [.,.] units: .
unique values: 0 missing .: 1,665/1,666
unique missing codes: 2 missing *: 1/1,666

tabulation: Freq. Value
             1,665 .
             1 .b
      mean:   .
      std. dev: .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

---

**c3\_ba\_N** **N : People doing activity with (person 1)**

---

```

      type: numeric (byte)
      label: c3_ba_N

      range: [.,.]
unique values: 0
                    units: .
                    missing .: 1,666/1,666

      tabulation: Freq.  Numeric  Label
                  1,666      .
    
```

---

**c3\_bb\_N** **N : People doing activity with (person 2)**

---

```

      type: numeric (byte)
      label: c3_bb_N

      range: [.,.]
unique values: 0
                    units: .
                    missing .: 1,666/1,666

      tabulation: Freq.  Numeric  Label
                  1,666      .
    
```

---

**c3\_bc\_N** **N : People doing activity with (person 3)**

---

```

      type: numeric (byte)
      label: c3_bc_N

      range: [.,.]
unique values: 0
                    units: .
                    missing .: 1,666/1,666

      tabulation: Freq.  Numeric  Label
                  1,666      .
    
```

---

**c3\_ba\_gen\_N** **Gender code (person 1)**

---

```

      type: numeric (byte)
      label: c1_ba_gen

      range: [.,.]
unique values: 0
                    units: .
                    missing .: 1,666/1,666

      tabulation: Freq.  Numeric  Label
                  1,666      .
    
```

---

**c3\_bb\_gen\_N** **Gender code (person 2)**

---

```

      type: numeric (byte)
      label: c1_ba_gen

      range: [.,.]
unique values: 0
                    units: .
                    missing .: 1,666/1,666

      tabulation: Freq.  Numeric  Label
                  1,666      .
    
```

---

**c3\_bc\_gen\_N** **Gender code (person 3)**

---

```

      type: numeric (byte)
      label: c1_ba_gen
    
```

```

range: [.,.]          units: .
unique values: 0      missing .: 1,666/1,666

tabulation: Freq.   Numeric Label
            1,666   .
    
```

**td4\_hr**                      **Monday-Friday The child watches TV on average per day :hours**

```

type: numeric (float)

range: [0,10]          units: 1
unique values: 10      missing .: 555/1,666
unique missing codes: 2 missing *: 117/1,666

tabulation: Freq.   Value
            498    0
            285    1
            135    2
             40    3
             21    4
             11    5
              1    6
              1    7
              1    8
              1   10
            555    .
            117    .c
mean:      .850101
std. dev:  1.15586

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2
    
```

**td4\_mi**                      **Monday-Friday The child watches TV on average per day: minutes**

```

type: numeric (float)

range: [0,50]          units: 1
unique values: 21      missing .: 555/1,666
unique missing codes: 2 missing *: 117/1,666

tabulation: Freq.   Value
            521    0
              1    1
             16    2
             11    3
              2    4
             42    5
              3    6
              2    7
              7    8
             46   10
              1   13
             17   15
              1   19
             30   20
              2   25
            283   30
              1   35
              1   38
              2   40
              4   45
              1   50
            555    .
            117    .c
mean:     10.7062
std. dev: 13.5136
    
```

percentiles:           10%           25%           50%           75%           90%  
                           0            0            0            30           30

**td5\_hr                                   Saturday-Sunday The child watches TV on average per day: hour**

          type: numeric (**float**)  
           range: [0,13]   units: 1  
           unique values: 12   missing .: 555/1,666  
           unique missing codes: 2   missing \*: 117/1,666

          tabulation:   Freq.   Value  
                           468    0  
                           252    1  
                           139    2  
                            57    3  
                            34    4  
                            26    5  
                             5    6  
                             5    7  
                             5    8  
                             1    9  
                             1  12  
                             1  13  
                           555   .  
                           117   .c  
           mean:        1.11268  
           std. dev:    1.5622

percentiles:           10%           25%           50%           75%           90%  
                           0            0            1            2            3

**td5\_mi                                   Saturday-Sunday The child watches TV on average per day: minutes**

          type: numeric (**float**)  
           range: [0,45]   units: 1  
           unique values: 17   missing .: 555/1,666  
           unique missing codes: 2   missing \*: 117/1,666

          tabulation:   Freq.   Value  
                           566    0  
                             1    1  
                            20    2  
                             9    3  
                             2    4  
                            35    5  
                             2    6  
                             1    7  
                             9    8  
                            36  10  
                            15  15  
                             1  19  
                            23  20  
                             1  25  
                           265  30  
                             2  40  
                             6  45  
                           555   .  
                           117   .c  
           mean:        9.78974  
           std. dev:   13.3703

percentiles:           10%           25%           50%           75%           90%  
                           0            0            0            30           30

---

**td6a\_hr Monday-Sunday The child watches TV on average per day: hours**

---

```

type: numeric (float)
range: [0,3]
unique values: 4
unique missing codes: 2
units: 1
missing .: 555/1,666
missing *: 1,007/1,666

tabulation: Freq. Value
             63  0
             26  1
             11  2
              4  3
             555 .
            1,007 .b
mean:       .576923
std. dev:   .832499

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      2
    
```

---

**td6a\_mi Monday-Sunday The child watches TV on average per day: minutes**

---

```

type: numeric (float)
range: [0,43]
unique values: 18
unique missing codes: 2
units: 1
missing .: 555/1,666
missing *: 1,007/1,666

tabulation: Freq. Value
             36  0
              2  1
              1  2
              5  3
              2  4
              8  5
              2  6
              1  8
              3  9
             11 10
              2 15
              3 20
              1 21
              1 25
              2 26
             22 30
              1 39
              1 43
             555 .
            1,007 .b
mean:       11.0962
std. dev:   12.5393

percentiles:    10%    25%    50%    75%    90%
                0      0      5    25.5    30
    
```

---

**td6c\_hr Monday-Friday The child uses computer, tablet, ipad or mobile phone on average p**

---

```

type: numeric (float)
range: [0,7]
unique values: 8
unique missing codes: 2
units: 1
missing .: 555/1,666
missing *: 159/1,666
    
```

```

tabulation:  Freq.  Value
              768  0
              117  1
              39  2
              16  3
               5  4
               5  5
               1  6
               1  7
              555  .
              159  .c
    mean:     .316176
    std. dev: .802094

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

**td6c\_mi**

**Monday-Friday The child uses computer, tablet, ipad or mobile phone on average p**

```

type: numeric (float)
range: [0,40]
unique values: 18
unique missing codes: 2
units: 1
missing .: 555/1,666
missing *: 159/1,666
    
```

```

tabulation:  Freq.  Value
              605  0
               7  1
              17  2
              19  3
               7  4
              40  5
               1  6
               8  8
              46 10
               1 12
               2 13
              19 15
               1 18
              24 20
               7 25
             144 30
               1 36
               3 40
              555  .
              159  .c
    mean:     6.64706
    std. dev: 11.1954

percentiles:    10%    25%    50%    75%    90%
                0      0      0     10     30
    
```

**td6d\_hr**

**Saturday-Sunday The child uses computer, tablet, ipad or mobile phone on average**

```

type: numeric (float)
range: [0,13]
unique values: 9
unique missing codes: 2
units: 1
missing .: 555/1,666
missing *: 159/1,666
    
```

```

tabulation:  Freq.  Value
              757  0
              113  1
              40  2
              29  3
               6  4
               3  5
               2  7
               1 10
               1 13
              555  .
              159  .c
    mean:    .37395
  std. dev: .993604

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

**td6d\_mi**  
**Saturday-Sunday The child uses computer, tablet, ipad or mobile phone on average**

```

type: numeric (float)

range: [0,40]          units: 1
unique values: 17      missing .: 555/1,666
unique missing codes: 2  missing *: 159/1,666
    
```

```

tabulation:  Freq.  Value
              620  0
               8  1
              17  2
              18  3
               6  4
              35  5
               1  6
               7  8
              48 10
               2 12
               2 13
              17 15
               1 18
              27 20
               5 25
             135 30
               3 40
              555  .
              159  .c
    mean:    6.29727
  std. dev: 10.9362

percentiles:    10%    25%    50%    75%    90%
                0      0      0     10     30
    
```

**td7\_hr**  
**Monday-Sunday The child uses computer, tablet, ipad or mobile phone on average**

```

type: numeric (float)

range: [0,3]          units: 1
unique values: 4      missing .: 555/1,666
unique missing codes: 2  missing *: 982/1,666
    
```

```

tabulation:  Freq.  Value
              107    0
              15    1
               5    2
               2    3
              555    .
              982    .b
    mean:     .24031
    std. dev: .596542

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      1
    
```

**td7\_mi** Monday-Sunday The child uses computer, tablet, ipad or mobile phone on average

```

type: numeric (float)
range: [0,45]
unique values: 24
unique missing codes: 2
units: 1
missing .: 555/1,666
missing *: 982/1,666
    
```

```

tabulation:  Freq.  Value
              19    0
               6    1
               8    2
              10    3
               3    4
              15    5
               1    6
               1    7
               1    9
              13   10
               1   11
               2   13
               4   15
               1   16
               2   17
               8   20
               2   21
               1   25
               4   26
              23   30
               1   34
               1   35
               1   44
               1   45
              555    .
              982    .b
    mean:     12.5349
    std. dev: 11.9877

percentiles:  10%    25%    50%    75%    90%
              0      2     10     21     30
    
```

**td5d** Does the child do other activities while watching TV?

```

type: numeric (byte)
label: td5d
range: [1,3]
unique values: 2
unique missing codes: 3
units: 1
missing .: 165/1,666
missing *: 2/1,666
    
```

```

tabulation: Freq.  Numeric  Label
             364      1      no
             1,135    3      yes, specify activity
             165      .
             1        .c
             1        .d
    
```

**td5d\_des** Does the child do other activities while watching TV? (not display)

```

type: string (str147), but longest is str0
unique values: 0 missing "": 1,666/1,666
tabulation: Freq.  Value
             1,666 ""
    
```

**activity\_L** Others (not display)

```

type: string (str147), but longest is str0
unique values: 0 missing "": 1,666/1,666
tabulation: Freq.  Value
             1,666 ""
    
```

**c1\_code\_L** L : Frequency Code (Monday - Friday)

```

type: numeric (byte)
label: c1_code
range: [0,9] units: 1
unique values: 4 missing .: 1,111/1,666
unique missing codes: 2 missing *: 125/1,666
tabulation: Freq.  Numeric  Label
             138      0      never
             3        5      at least once a week
             287      7      once a day
             2        9      more than once a day
             1,111    .
             125      .c
    
```

**c1\_hr\_L** L : Hours (Monday - Friday)

```

type: numeric (float)
range: [0,50] units: 1
unique values: 8 missing .: 1,374/1,666
unique missing codes: 2 missing *: 1/1,666
tabulation: Freq.  Value
             94      0
             57      1
             80      2
             2        3
             49      5
             6        7
             2       10
             1       50
             1,374  .
             1       .c
mean: 1.99313
std. dev: 3.45313
    
```



---

**c1\_ac\_L L :Detail (activity frequency) How many times per hours (Monday - Friday)**

---

```

type: numeric (double)
range: [0,2] units: 1
unique values: 3 missing .: 1,373/1,666
unique missing codes: 2 missing *: 1/1,666

tabulation: Freq. Value
             259 0
              32 1
               1 2
             1,373 .
               1 .d
mean: .116438
std. dev: .331824

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

---

**c1\_ad\_L L :Detail (activity frequency) How many times per minutes (Monday - Friday)**

---

```

type: numeric (double)
range: [0,40] units: .1
unique values: 21 missing .: 1,374/1,666
unique missing codes: 3 missing *: 2/1,666

tabulation: Freq. Value
             51 0
              2 1.5
              2 2
              8 2.5
              3 3
              3 3.5
              4 4
              3 4.5
             18 5
              1 5.5
              2 7.5
             48 10
              1 12.5
              2 13
             19 15
              1 17.5
             32 20
              2 25
             85 30
              1 35
              2 40
             1,374 .
               1 .b
               1 .d
mean: 15.0431
std. dev: 11.7748

percentiles: 10% 25% 50% 75% 90%
              0 4 11.25 30 30
    
```

---

**c1\_ba\_L L : People doing activity with (person 1)**

---

```

type: numeric (byte)
label: c1_ba_L
    
```

range: [1,13] units: 1  
 unique values: 7 missing .: 1,374/1,666  
 unique missing codes: 2 missing \*: 61/1,666

tabulation:	Freq.	Numeric	Label
	26	1	father
	82	3	mother
	96	5	grandparents
	7	7	uncle/aunt
	13	9	brother/sister/cousin
	3	11	outsider
	4	13	other household member
	1,374	.	.
	61	.b	.b

---

**c1\_bb\_L** **L : People doing activity with (person 2)**

---

type: numeric (byte)  
 label: **c1\_bb\_L**

range: [1,13] units: 1  
 unique values: 7 missing .: 1,583/1,666  
 unique missing codes: 2 missing \*: 3/1,666

tabulation:	Freq.	Numeric	Label
	6	1	father
	28	3	mother
	18	5	grandparents
	3	7	uncle/aunt
	20	9	brother/sister/cousin
	1	11	outsider
	4	13	other household member
	1,583	.	.
	3	.b	.b

---

**c1\_bc\_L** **L : People doing activity with (person 3)**

---

type: numeric (byte)  
 label: **c1\_bc\_L**

range: [1,9] units: 1  
 unique values: 5 missing .: 1,643/1,666  
 unique missing codes: 2 missing \*: 3/1,666

tabulation:	Freq.	Numeric	Label
	1	1	father
	3	3	mother
	5	5	grandparents
	1	7	uncle/aunt
	10	9	brother/sister/cousin
	1,643	.	.
	3	.b	.b

---

**c1\_ba\_gen\_L** **Gender code (person 1)**

---

type: numeric (byte)  
 label: **c1\_ba\_gen**

range: [1,3] units: 1  
 unique values: 2 missing .: 1,374/1,666  
 unique missing codes: 2 missing \*: 61/1,666

```

tabulation:  Freq.  Numeric  Label
              48      1  male
              183     3  female
            1,374     .
              61     .b
    
```

**c1\_bb\_gen\_L** **Gender code (person 2)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,583/1,666
missing *: 3/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              19      1  male
              61      3  female
            1,583     .
              3     .b
    
```

**c1\_bc\_gen\_L** **Gender code (person 3)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,643/1,666
missing *: 3/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              6      1  male
             14      3  female
            1,643     .
              3     .b
    
```

**c2\_code\_L** **L : Frequency Code (Saturday - Sunday)**

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 3
unique missing codes: 2

units: 1
missing .: 1,111/1,666
missing *: 127/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
             287      0  never
             137      7  once a day
              4      9  more than once a day
            1,111     .
             127     .c
    
```

**c2\_hr\_L** **L : Hours (Saturday - Sunday)**

```

type: numeric (float)

range: [0,20]
unique values: 6

units: 1
missing .: 1,525/1,666
    
```

```

tabulation:  Freq.  Value
              71    0
              40    1
              25    2
               3    3
               1    4
               1   20
            1,525  .
    mean:      .87234
    std. dev:  1.84333

percentiles:  10%    25%    50%    75%    90%
              0      0      0      1      2
    
```

**c2\_min\_L** **L : Minutes (Saturday - Sunday)**

```

    type:  numeric (float)
    range: [0,40]
unique values: 15
              units: 1
              missing.: 1,525/1,666

    tabulation:  Freq.  Value
                  67    0
                  2    3
                  1    4
                  6    5
                  1    6
                  1    7
                  2    9
                  9   10
                  1   15
                 23   20
                  1   25
                  1   26
                 14   30
                  1   35
                  11   40
            1,525  .
    mean:      11.2199
    std. dev:  13.5573

percentiles:  10%    25%    50%    75%    90%
              0      0      5     20     30
    
```

**c2\_aa\_L** **L : Detail (activity frequency) How many times (Saturday - Sunday)**

```

    type:  string (str27), but longest is str3
unique values: 4
              missing "": 1,525/1,666

    tabulation:  Freq.  Value
                  1,525  ""
                  137   "1"
                   2   "2"
                   1   "3"
                   1  "3-4"
    
```

**c2\_ab\_L** **L : Detail (activity frequency) How many times per units (Saturday - Sunday)**

```

    type:  string (str24), but longest is str9
unique values: 1
              missing "": 1,525/1,666
    
```

```

tabulation: Freq. Value
            1,525 ""
            141 "ñu"
    
```

---

**c2\_ac\_L L : Detail (activity frequency) How many times per hours (Saturday - Sunday)**

---

```

type: numeric (double)
range: [0,5] units: .1
unique values: 4 missing .: 1,525/1,666
    
```

```

tabulation: Freq. Value
            121 0
            18 1
             1 1.5
             1 5
            1,525 .
mean: .173759
std. dev: .541116
    
```

```

percentiles: 10% 25% 50% 75% 90%
              0   0   0   0   1
    
```

---

**c2\_ad\_L L : Detail (activity frequency) Monday-Friday How many times per minutes (Saturd**

---

```

type: numeric (double)
range: [0,40] units: .1
unique values: 17 missing .: 1,525/1,666
    
```

```

tabulation: Freq. Value
            27 0
             1 1.5
             1 2
             6 2.5
             1 3
             1 3.5
             2 4.5
             9 5
             1 7.5
            22 10
             1 12.5
             1 13
            13 15
             2 17.5
            11 20
            41 30
             1 40
            1,525 .
mean: 14.5532
std. dev: 11.7978
    
```

```

percentiles: 10% 25% 50% 75% 90%
              0   3  10  30  30
    
```

---

**c2\_ba\_L L : People doing activity with (person 1)**

---

```

type: numeric (byte)
label: c2_ba_L
range: [1,13] units: 1
unique values: 7 missing .: 1,525/1,666
unique missing codes: 2 missing *: 24/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              15      1  father
              40      3  mother
              51      5  grandparents
               2      7  uncle/aunt
               5      9  brother/sister/cousin
               2     11  outsider
               2     13  other household member
            1,525      .
              24      .b
    
```

---

**c2\_bb\_L** **L : People doing activity with (person 2)**

---

```

type: numeric (byte)
label: c2_bb_L

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,615/1,666
missing *: 1/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              6      1  father
             17      3  mother
               9      5  grandparents
               2      7  uncle/aunt
              12      9  brother/sister/cousin
               1     11  outsider
               3     13  other household member
            1,615      .
               1      .b
    
```

---

**c2\_bc\_L** **L : People doing activity with (person 3)**

---

```

type: numeric (byte)
label: c2_bc_L

range: [1,9]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,649/1,666
missing *: 1/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              1      1  father
               3      3  mother
               3      5  grandparents
               9      9  brother/sister/cousin
            1,649      .
               1      .b
    
```

---

**c2\_ba\_gen\_L** **Gender code (person 1)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,525/1,666
missing *: 24/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              26      1  male
              91      3  female
            1,525      .
               24      .b
    
```

---

**c2\_bb\_gen\_L** **Gender code (person 2)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,615/1,666
missing *: 1/1,666

tabulation: Freq.   Numeric   Label
              14           1   male
              36           3   female
            1,615           .
              1             .b
    
```

---

**c2\_bc\_gen\_L** **Gender code (person 3)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,649/1,666
missing *: 1/1,666

tabulation: Freq.   Numeric   Label
              6           1   male
              10          3   female
            1,649           .
              1             .b
    
```

---

**c3\_code\_L** **L : Frequency [Monday-Sunday (in case of not able to separate detail by day)]**

---

```

type: numeric (byte)
label: c1_code

range: [3,5]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,111/1,666
missing *: 428/1,666

tabulation: Freq.   Numeric   Label
              6           3   at least once a month
             121          5   at least once a week
            1,111           .
             428           .b
    
```

---

**c3\_hr\_L** **L : Hours [Monday-Sunday (in case of not able to separate detail by day)]**

---

```

type: numeric (float)

range: [0,6]
unique values: 7

units: 1
missing .: 1,545/1,666
    
```

```

tabulation:  Freq.  Value
              66  0
              33  1
               7  2
              11  3
               2  4
               1  5
               1  6
            1,545 .
      mean:   .818182
    std. dev: 1.19722

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      3
    
```

**c3\_min\_L L : Minutes [Monday-Sunday (in case of not able to separate detail by day)]**

```

      type:  numeric (float)
      range: [0,55]
unique values: 21
      units: 1
missing .: 1,545/1,666

tabulation:  Freq.  Value
              32  0
               2  5
               4  6
               1  8
               1  9
              11 10
               1 11
               1 12
               1 13
               2 14
              11 15
               2 18
              11 20
               2 23
               2 25
              26 30
               2 38
               3 40
               3 45
               2 50
               1 55
            1,545 .
      mean:   16.595
    std. dev: 14.1307

percentiles:    10%    25%    50%    75%    90%
                0      0      15     30     30
    
```

**c3\_aa\_L L : Detail (activity frequency) How many times [Monday-Sunday (in case of not ab**

```

      type:  string (str13), but longest is str3
unique values: 8
missing "": 1,545/1,666
    
```

```

tabulation: Freq. Value
             1,545 ""
              23 "1"
               3 "1-2"
              25 "2"
               9 "2-3"
              46 "3"
               6 "3-4"
               5 "4"
               4 "5"
    
```

**c3\_ab\_L**

**L : Detail (activity frequency) How many times per units [Monday-Sunday (in case**

```

type: string (str24), but longest is str21
unique values: 1 missing "": 1,545/1,666
tabulation: Freq. Value
             1,545 ""
              121 "ต้นคาฬ"
    
```

**c3\_ac\_L**

**L : Detail (activity frequency) How many times per hours [Monday-Sunday (in case**

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,545/1,666
tabulation: Freq. Value
             110 0
              11 1
             1,545 .
mean: .090909
std. dev: .288675
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

**c3\_ad\_L**

**L : Detail (activity frequency) How many times per minutes [Monday-Sunday (in ca**

```

type: numeric (double)
range: [0,35] units: .1
unique values: 16 missing .: 1,545/1,666
unique missing codes: 2 missing *: 1/1,666
tabulation: Freq. Value
             20 0
               2 2
               1 2.5
               3 3
               1 3.5
               1 4
               3 4.5
               7 5
               1 5.5
               1 7.5
              26 10
               3 12.5
               5 15
              13 20
              32 30
               1 35
    
```

1,545 .  
 1 .b  
 mean: 14.2667  
 std. dev: 11.3707

percentiles: 10% 25% 50% 75% 90%  
 0 4.5 10 30 30

**c3\_ba\_L** L : People doing activity with (person 1)

type: numeric (byte)  
 label: c3\_ba\_L  
 range: [1,13] units: 1  
 unique values: 7 missing .: 1,539/1,666  
 unique missing codes: 2 missing \*: 22/1,666

tabulation:	Freq.	Numeric	Label
	7	1	father
	29	3	mother
	52	5	grandparents
	1	7	uncle/aunt
	12	9	brother/sister/cousin
	1	11	outsider
	3	13	other household member
	1,539	.	.
	22	.b	.b

**c3\_bb\_L** L : People doing activity with (person 2)

type: numeric (byte)  
 label: c3\_bb\_L  
 range: [1,13] units: 1  
 unique values: 5 missing .: 1,636/1,666  
 unique missing codes: 2 missing \*: 4/1,666

tabulation:	Freq.	Numeric	Label
	5	1	father
	8	3	mother
	6	5	grandparents
	6	9	brother/sister/cousin
	1	13	other household member
	1,636	.	.
	4	.b	.b

**c3\_bc\_L** L : People doing activity with (person 3)

type: numeric (byte)  
 label: c3\_bc\_L  
 range: [3,9] units: 1  
 unique values: 3 missing .: 1,660/1,666

tabulation:	Freq.	Numeric	Label
	2	3	mother
	1	7	uncle/aunt
	3	9	brother/sister/cousin
	1,660	.	.

**c3\_ba\_gen\_L** Gender code (person 1)

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,539/1,666
missing *: 22/1,666

```

tabulation:	Freq.	Numeric	Label
	17	1	male
	88	3	female
	1,539	.	
	22	.b	

**c3\_bb\_gen\_L** **Gender code (person 2)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,636/1,666
missing *: 4/1,666

```

tabulation:	Freq.	Numeric	Label
	12	1	male
	14	3	female
	1,636	.	
	4	.b	

**c3\_bc\_gen\_L** **Gender code (person 3)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,660/1,666

```

tabulation:	Freq.	Numeric	Label
	1	1	male
	5	3	female
	1,660	.	

**activity\_M** **Reading books by themselves. (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,666/1,666

```

tabulation:	Freq.	Value
	1,666	" "

**c1\_code\_M** **M : Frequency Code (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 3
unique missing codes: 2

units: 1
missing .: 1,111/1,666
missing *: 26/1,666

```

```

tabulation:  Freq.  Numeric  Label
              517      0      never
              8        7      once a day
              4        9      more than once a day
            1,111      .
              26      .c
    
```

**c1\_hr\_M** **M : Hours (Monday - Friday)**

```

type: numeric (float)
range: [0,6] units: 1
unique values: 5 missing .. 1,654/1,666

tabulation:  Freq.  Value
              6      0
              3      1
              1      2
              1      3
              1      6
            1,654      .
mean: 1.16667
std. dev: 1.80067

percentiles: 10% 25% 50% 75% 90%
              0 0 .5 1.5 3
    
```

**c1\_min\_M** **M : Minutes (Monday - Friday)**

```

type: numeric (float)
range: [3,50] units: 1
unique values: 6 missing .. 1,654/1,666

tabulation:  Freq.  Value
              1      3
              1      8
              2     15
              1     30
              1     40
              6     50
            1,654      .
mean: 34.25
std. dev: 18.9407

percentiles: 10% 25% 50% 75% 90%
              8 15 45 50 50
    
```

**c1\_aa\_M** **M :Detail (activity frequency) How many times (Monday - Friday)**

```

type: string (str27), but longest is str3
unique values: 3 missing "": 1,654/1,666

tabulation:  Freq.  Value
            1,654  ""
              8  "1"
              2  "2"
              2  "2-3"
    
```

**c1\_ab\_M** **M :Detail (activity frequency) How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str9
    
```

unique values: 1 missing "": 1,654/1,666  
 tabulation: Freq. Value  
 1,654 ""  
 12 "၅၀"

---

**c1\_ac\_M M :Detail (activity frequency) How many times per hours (Monday - Friday)**

---

type: numeric (double)  
 range: [0,0] units: 1  
 unique values: 1 missing .: 1,654/1,666  
 tabulation: Freq. Value  
 12 0  
 1,654 .  
 mean: 0  
 std. dev: 0  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**c1\_ad\_M M :Detail (activity frequency) How many times per minutes (Monday - Friday)**

---

type: numeric (double)  
 range: [5,30] units: .1  
 unique values: 7 missing .: 1,654/1,666  
 tabulation: Freq. Value  
 1 5  
 1 7.5  
 5 10  
 1 12.5  
 1 15  
 1 20  
 2 30  
 1,654 .  
 mean: 14.1667  
 std. dev: 8.28013  
 percentiles: 10% 25% 50% 75% 90%  
 7.5 10 10 17.5 30

---

**c1\_ba\_M M : People doing activity with (person 1)**

---

type: numeric (byte)  
 label: c1\_ba\_M  
 range: [.,.] units: .  
 unique values: 0 missing .: 1,654/1,666  
 unique missing codes: 2 missing \*: 12/1,666  
 tabulation: Freq. Numeric Label  
 1,654 .  
 12 .b

---

**c1\_bb\_M M : People doing activity with (person 2)**

---

type: numeric (byte)  
 label: c1\_bb\_M

```

range: [.,.]
unique values: 0
units: .
missing .: 1,666/1,666

tabulation: Freq. Numeric Label
1,666 .
    
```

**c1\_bc\_M** **M : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_bc_M

range: [.,.]
unique values: 0
units: .
missing .: 1,666/1,666

tabulation: Freq. Numeric Label
1,666 .
    
```

**c1\_ba\_gen\_M** **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,654/1,666
missing *: 12/1,666

tabulation: Freq. Numeric Label
1,654 .
12 .b
    
```

**c1\_bb\_gen\_M** **Gender code (person 2)**

```

type: numeric (byte)
label: c1_ba_gen

range: [.,.]
unique values: 0
units: .
missing .: 1,666/1,666

tabulation: Freq. Numeric Label
1,666 .
    
```

**c1\_bc\_gen\_M** **Gender code (person 3)**

```

type: numeric (byte)
label: c1_ba_gen

range: [.,.]
unique values: 0
units: .
missing .: 1,666/1,666

tabulation: Freq. Numeric Label
1,666 .
    
```

**c2\_code\_M** **M : Frequency Code (Saturday - Sunday)**

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 3
unique missing codes: 2
units: 1
missing .: 1,111/1,666
missing *: 26/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              520      0      never
              6       7      once a day
              3       9      more than once a day
            1,111      .
              26      .c
    
```

**c2\_hr\_M** **M : Hours (Saturday - Sunday)**

```

type: numeric (float)
range: [0,2]
unique values: 3
units: 1
missing .: 1,657/1,666

tabulation:  Freq.  Value
              7      0
              1      1
              1      2
            1,657      .
mean: .333333
std. dev: .707107

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      2
    
```

**c2\_min\_M** **M : Minutes (Saturday - Sunday)**

```

type: numeric (float)
range: [15,30]
unique values: 4
units: 1
missing .: 1,657/1,666

tabulation:  Freq.  Value
              2      15
              5      20
              1      25
              1      30
            1,657      .
mean: 20.5556
std. dev: 4.6398

percentiles:  10%    25%    50%    75%    90%
              15     20     20     20     30
    
```

**c2\_aa\_M** **M : Detail (activity frequency) How many times (Saturday - Sunday)**

```

type: string (str27), but longest is str3
unique values: 3
missing "": 1,657/1,666

tabulation:  Freq.  Value
            1,657  ""
              6     "1"
              1     "2"
              2     "2-3"
    
```

**c2\_ab\_M** **M : Detail (activity frequency) How many times per units (Saturday - Sunday)**

```

type: string (str24), but longest is str9
unique values: 1
missing "": 1,657/1,666
    
```

```

tabulation: Freq. Value
            1,657 ""
            9  "ñu"
    
```

---

**c2\_ac\_M M : Detail (activity frequency) How many times per hours (Saturday - Sunday)**

---

```

type: numeric (double)
range: [0,0] units: 1
unique values: 1 missing .: 1,657/1,666

tabulation: Freq. Value
            9  0
            1,657 .
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0  0  0  0  0
    
```

---

**c2\_ad\_M M : Detail (activity frequency) Monday-Friday How many times per minutes (Saturd**

---

```

type: numeric (double)
range: [5,30] units: .1
unique values: 6 missing .: 1,657/1,666

tabulation: Freq. Value
            1  5
            1  7.5
            4  10
            1  12.5
            1  15
            1  30
            1,657 .
mean: 12.2222
std. dev: 7.2289

percentiles: 10% 25% 50% 75% 90%
              5  10  10  12.5  30
    
```

---

**c2\_ba\_M M : People doing activity with (person 1)**

---

```

type: numeric (byte)
label: c2_ba_M
range: [.,.] units: .
unique values: 0 missing .: 1,657/1,666
unique missing codes: 2 missing *: 9/1,666

tabulation: Freq. Numeric Label
            1,657 .
            9 .b
    
```

---

**c2\_bb\_M M : People doing activity with (person 2)**

---

```

type: numeric (byte)
label: c2_bb_M
range: [.,.] units: .
unique values: 0 missing .: 1,666/1,666
    
```

tabulation: Freq. Numeric Label  
 1,666 .

---

**c2\_bc\_M** **M : People doing activity with (person 3)**

---

type: numeric (byte)  
 label: **c2\_bc\_M**

range: [.,.] units: .  
 unique values: 0 missing .: 1,666/1,666

tabulation: Freq. Numeric Label  
 1,666 .

---

**c2\_ba\_gen\_M** **Gender code (person 1)**

---

type: numeric (byte)  
 label: **c1\_ba\_gen**

range: [.,.] units: .  
 unique values: 0 missing .: 1,657/1,666  
 unique missing codes: 2 missing \*: 9/1,666

tabulation: Freq. Numeric Label  
 1,657 .  
 9 .b

---

**c2\_bb\_gen\_M** **Gender code (person 2)**

---

type: numeric (byte)  
 label: **c1\_ba\_gen**

range: [.,.] units: .  
 unique values: 0 missing .: 1,666/1,666

tabulation: Freq. Numeric Label  
 1,666 .

---

**c2\_bc\_gen\_M** **Gender code (person 3)**

---

type: numeric (byte)  
 label: **c1\_ba\_gen**

range: [.,.] units: .  
 unique values: 0 missing .: 1,666/1,666

tabulation: Freq. Numeric Label  
 1,666 .

---

**c3\_code\_M** **M : Frequency [Monday-Sunday (in case of not able to separate detail by day)]**

---

type: numeric (byte)  
 label: **c1\_code**

range: [3,5] units: 1  
 unique values: 2 missing .: 1,111/1,666  
 unique missing codes: 2 missing \*: 529/1,666

```

tabulation:  Freq.  Numeric  Label
              1      3  at least once a month
              25      5  at least once a week
            1,111      .
              529      .b
    
```

---

**c3\_hr\_M M : Hours [Monday-Sunday (in case of not able to separate detail by day)]**

---

```

type: numeric (float)
range: [0,2] units: 1
unique values: 3 missing .: 1,641/1,666

tabulation:  Freq.  Value
              23  0
              1  1
              1  2
            1,641  .
mean: .12
std. dev: .439697

percentiles:  10%    25%    50%    75%    90%
               0      0      0      0      0
    
```

---

**c3\_min\_M M : Minutes [Monday-Sunday (in case of not able to separate detail by day)]**

---

```

type: numeric (float)
range: [2,45] units: 1
unique values: 15 missing .: 1,641/1,666

tabulation:  Freq.  Value
              1  2
              4  3
              1  4
              1  5
              1  8
              1  10
              1  15
              1  18
              1  20
              2  25
              4  30
              1  35
              1  38
              2  40
              3  45
            1,641  .
mean: 22.08
std. dev: 15.5454

percentiles:  10%    25%    50%    75%    90%
               3      5      25     35     45
    
```

---

**c3\_aa\_M M : Detail (activity frequency) How many times [Monday-Sunday (in case of not ab**

---

```

type: string (str13), but longest is str3
unique values: 8 missing "": 1,641/1,666
    
```

```

tabulation: Freq. Value
             1,641 ""
              5 "1"
              3 "1-2"
              4 "2"
              5 "2-3"
              4 "3"
              2 "3-4"
              1 "4"
              1 "5"
    
```

**c3\_ab\_M**  
**M : Detail (activity frequency) How many times per units [Monday-Sunday (in case**

```

type: string (str24), but longest is str21
unique values: 1 missing "": 1,641/1,666
tabulation: Freq. Value
             1,641 ""
              25 "ต้นคาฬ"
    
```

**c3\_ac\_M**  
**M : Detail (activity frequency) How many times per hours [Monday-Sunday (in case**

```

type: numeric (double)
range: [0,0] units: 1
unique values: 1 missing .: 1,641/1,666
tabulation: Freq. Value
             25 0
            1,641 .
mean: 0
std. dev: 0
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

**c3\_ad\_M**  
**M : Detail (activity frequency) How many times per minutes [Monday-Sunday (in ca**

```

type: numeric (double)
range: [1,30] units: .1
unique values: 11 missing .: 1,641/1,666
tabulation: Freq. Value
             1 1
              3 1.5
              1 2
              2 2.5
              1 4
              1 5
              7 10
              2 15
              1 20
              1 25
              5 30
            1,641 .
mean: 12.66
std. dev: 10.6719
percentiles: 10% 25% 50% 75% 90%
              1.5 2.5 10 20 30
    
```

---

**c3\_ba\_M** **M : People doing activity with (person 1)**

---

```

      type: numeric (byte)
      label: c3_ba_M

      range: [.,.]
      unique values: 0
      unique missing codes: 2

      units: .
      missing .: 1,650/1,666
      missing *: 16/1,666

      tabulation: Freq.  Numeric  Label
                  1,650      .
                  16         .b
    
```

---

**c3\_bb\_M** **M : People doing activity with (person 2)**

---

```

      type: numeric (byte)
      label: c3_bb_M

      range: [.,.]
      unique values: 0

      units: .
      missing .: 1,666/1,666

      tabulation: Freq.  Numeric  Label
                  1,666      .
    
```

---

**c3\_bc\_M** **M : People doing activity with (person 3)**

---

```

      type: numeric (byte)
      label: c3_bc_M

      range: [.,.]
      unique values: 0

      units: .
      missing .: 1,666/1,666

      tabulation: Freq.  Numeric  Label
                  1,666      .
    
```

---

**c3\_ba\_gen\_M** **Gender code (person 1)**

---

```

      type: numeric (byte)
      label: c1_ba_gen

      range: [.,.]
      unique values: 0
      unique missing codes: 2

      units: .
      missing .: 1,650/1,666
      missing *: 16/1,666

      tabulation: Freq.  Numeric  Label
                  1,650      .
                  16         .b
    
```

---

**c3\_bb\_gen\_M** **Gender code (person 2)**

---

```

      type: numeric (byte)
      label: c1_ba_gen

      range: [.,.]
      unique values: 0

      units: .
      missing .: 1,666/1,666

      tabulation: Freq.  Numeric  Label
                  1,666      .
    
```

---

**c3\_bc\_gen\_M** **Gender code (person 3)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [.,.]
unique values: 0
units: .
missing ..: 1,666/1,666

tabulation: Freq.  Numeric  Label
             1,666      .
    
```

---

**activity\_O** **Playing with computer ,tablet, ipad and smart phone. (not display)**

---

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation: Freq.  Value
             1,666  ""
    
```

---

**c1\_code\_O** **O : Frequency (Monday - Friday)**

---

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 3
unique missing codes: 3
units: 1
missing ..: 1,111/1,666
missing *: 157/1,666

tabulation: Freq.  Numeric  Label
             158      0  never
             159      7  once a day
             81       9  more than once a day
            1,111      .
             1        .b
             156      .c
    
```

---

**c1\_hr\_O** **O : Hours (Monday - Friday)**

---

```

type: numeric (float)
range: [0,60]
unique values: 19
units: 1
missing ..: 1,426/1,666

tabulation: Freq.  Value
             29      0
             16      1
             37      2
              8      3
              1      4
             76      5
              3      6
             14      7
              3      8
             14     10
              3     11
             11     12
             12     15
              3     17
              1     18
              6     20
              1     25
              1     26
              1     60
    
```

```

                1,426 .
    mean:       5.92917
    std. dev:   6.21774

    percentiles:    10%    25%    50%    75%    90%
                   0      2      5      7     15
    
```

---

**c1\_min\_O** **O : Minutes (Monday - Friday)**

---

```

    type: numeric (float)
    range: [0,53]
    unique values: 17
    units: 1
    missing .: 1,426/1,666

    tabulation:
    Freq. Value
    108 0
     1 3
     2 5
     1 8
     1 10
     2 13
    12 15
     4 20
     2 23
     5 25
    62 30
     1 34
     5 38
    11 40
     7 45
    15 50
     1 53
    mean: 17.2083
    std. dev: 17.6239

    percentiles:    10%    25%    50%    75%    90%
                   0      0     15     30     40
    
```

---

**c1\_aa\_O** **O :Detail (activity frequency) How many times (Monday - Friday)**

---

```

    type: string (str27)
    unique values: 11
    missing "": 1,426/1,666

    tabulation:
    Freq. Value
    1,426 ""
    158 "1"
    12 "1-2"
    37 "2"
    13 "2-3"
     4 "3"
     6 "3-4"
     1 "4"
     6 "4-5"
     1 "5"
     1 "มากกว่า1"
     1 "หลายครั้ง"
    
```

---

**c1\_ab\_O** **O :Detail (activity frequency) How many times per units (Monday - Friday)**

---

```

    type: string (str21), but longest is str9
    unique values: 1
    missing "": 1,426/1,666
    
```

```

tabulation: Freq. Value
             1,426 ""
             240 "၇၅"
    
```

---

**c1\_ac\_0**    0 :Detail (activity frequency) How many times per hours (Monday - Friday)

---

```

type: numeric (double)
range: [0,3.5]
unique values: 6
units: .1
missing .: 1,426/1,666

tabulation: Freq. Value
             160 0
             65 1
              1 1.5
             10 2
              2 3
              2 3.5
            1,426 .
mean: .414583
std. dev: .673773

percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 1
    
```

---

**c1\_ad\_0**    0 :Detail (activity frequency) How many times per minutes (Monday - Friday)

---

```

type: numeric (double)
range: [0,45]
unique values: 16
units: .1
missing .: 1,426/1,666

tabulation: Freq. Value
             110 0
              1 2
              6 2.5
              3 3
              1 4.5
              3 5
              3 7.5
             22 10
              1 12.5
              6 15
             13 20
              1 25
             67 30
              1 35
              1 40
              1 45
            1,426 .
mean: 11.6896
std. dev: 13.2909

percentiles: 10% 25% 50% 75% 90%
              0 0 3.75 30 30
    
```

---

**c1\_ba\_0**    0 : People doing activity with (person 1)

---

```

type: numeric (byte)
label: c1_ba_0
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing .: 1,426/1,666
missing *: 161/1,666
    
```

tabulation:	Freq.	Numeric	Label
	8	1	father
	8	3	mother
	4	5	grandparents
	5	7	uncle/aunt
	44	9	brother/sister/cousin
	9	11	outsider
	1	13	other household member
	1,426	.	
	161	.b	

---

**c1\_bb\_0** **O : People doing activity with (person 2)**

---

type: numeric (byte)  
 label: **c1\_bb\_0**  
 range: [3,11] units: 1  
 unique values: 3 missing .: 1,631/1,666  
 unique missing codes: 2 missing \*: 6/1,666

tabulation:	Freq.	Numeric	Label
	6	3	mother
	18	9	brother/sister/cousin
	5	11	outsider
	1,631	.	
	6	.b	

---

**c1\_bc\_0** **O : People doing activity with (person 3)**

---

type: numeric (byte)  
 label: **c1\_bc\_0**  
 range: [9,11] units: 1  
 unique values: 2 missing .: 1,664/1,666

tabulation:	Freq.	Numeric	Label
	1	9	brother/sister/cousin
	1	11	outsider
	1,664	.	

---

**c1\_ba\_gen\_0** **Gender code (person 1)**

---

type: numeric (byte)  
 label: **c1\_ba\_gen**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 1,426/1,666  
 unique missing codes: 2 missing \*: 161/1,666

tabulation:	Freq.	Numeric	Label
	48	1	male
	31	3	female
	1,426	.	
	161	.b	

---

**c1\_bb\_gen\_0** **Gender code (person 2)**

---

type: numeric (byte)  
 label: **c1\_ba\_gen**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 1,631/1,666  
 unique missing codes: 2 missing \*: 6/1,666

```

tabulation:  Freq.  Numeric  Label
              9       1      male
              20      3      female
            1,631      .
              6       .b
    
```

---

**c1\_bc\_gen\_0** **Gender code (person 3)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [3,3]                units: 1
unique values: 1            missing .: 1,664/1,666

tabulation:  Freq.  Numeric  Label
              2       3      female
            1,664      .
    
```

---

**c2\_code\_0** **0 : Frequency Code (Saturday - Sunday)**

---

```

type: numeric (byte)
label: c1_code

range: [0,9]                units: 1
unique values: 4            missing .: 1,111/1,666
unique missing codes: 3    missing *: 158/1,666

tabulation:  Freq.  Numeric  Label
              149     0      never
              1       5      at least once a week
              158     7      once a day
              89      9      more than once a day
            1,111     .
              1       .b
              157     .c
    
```

---

**c2\_hr\_0** **0 : Hours (Saturday - Sunday)**

---

```

type: numeric (float)

range: [0,26]                units: 1
unique values: 13           missing .: 1,418/1,666

tabulation:  Freq.  Value
              44     0
              43     1
              80     2
              18     3
              21     4
              15     5
              9      6
              5      7
              5      8
              2      9
              4     10
              1     12
              1     26
            1,418     .
mean:        2.58468
std. dev:    2.73693

percentiles:    10%    25%    50%    75%    90%
                0      1      2      4      6
    
```

---

**c2\_min\_O** **O : Minutes (Saturday - Sunday)**

---

```

type: numeric (float)
range: [0,50]
unique values: 15
units: 1
missing .: 1,418/1,666

tabulation:
  Freq. Value
    177  0
     1  4
     2  5
     2  6
     1  9
     6 10
     5 15
    19 20
     1 21
     1 28
    21 30
     1 38
     8 40
     1 45
     2 50
    1,418 .
mean: 6.98387
std. dev: 12.5401

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         10         30
    
```

---

**c2\_aa\_O** **O : Detail (activity frequency) How many times (Saturday - Sunday)**

---

```

type: string (str27)
unique values: 14
unique missing codes: 2
missing "": 1,418/1,666
missing *: 1/1,666

tabulation:
  Freq. Value
  1,418 ""
   157 "1"
    12 "1-2"
    35 "2"
    18 "2-3"
     6 "3"
     6 "3-4"
     1 "4"
     6 "4-5"
     1 "5"
     1 "5-6"
     1 "6-7"
     1 "DK"
     1 "มากกว่า1"
     2 "หลายครั้ง"
    
```

---

**c2\_ab\_O** **O : Detail (activity frequency) How many times per units (Saturday - Sunday)**

---

```

type: string (str24), but longest is str21
unique values: 2
missing "": 1,418/1,666

tabulation:
  Freq. Value
  1,418 ""
    247 "วัน"
     1 "สี่ปีค่า"
    
```

**c2\_ac\_0 0 : Detail (activity frequency) How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,5] units: .1
unique values: 7 missing .: 1,418/1,666

tabulation: Freq. Value
             161 0
             71 1
              1 1.5
              9 2
              3 3
              2 3.5
              1 5
             1,418 .
mean: .449597
std. dev: .740992

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      1
    
```

**c2\_ad\_0 0 : Detail (activity frequency) Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,45] units: .1
unique values: 14 missing .: 1,418/1,666
unique missing codes: 2 missing *: 2/1,666

tabulation: Freq. Value
             118 0
              1 2
              6 2.5
              3 3
              1 4.5
              3 5
              3 7.5
             22 10
              6 15
             14 20
             65 30
              2 35
              1 40
              1 45
             1,418 .
              2 .b
mean: 11.2317
std. dev: 13.2518

percentiles:    10%    25%    50%    75%    90%
                0      0      2.5    30     30
    
```

**c2\_ba\_0 0 : People doing activity with (person 1)**

```

type: numeric (byte)
label: c2_ba_0
range: [1,13] units: 1
unique values: 7 missing .: 1,418/1,666
unique missing codes: 3 missing *: 165/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              9       1  father
              8       3  mother
              4       5  grandparents
              5       7  uncle/aunt
             47       9  brother/sister/cousin
              9      11  outsider
              1      13  other household member
            1,418      .
             164     .b
              1      .d
    
```

**c2\_bb\_0** **O : People doing activity with (person 2)**

```

type: numeric (byte)
label: c2_bb_0

range: [3,11]          units: 1
unique values: 3       missing .: 1,627/1,666
unique missing codes: 2  missing *: 7/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              6       3  mother
             21       9  brother/sister/cousin
              5      11  outsider
            1,627      .
              7      .b
    
```

**c2\_bc\_0** **O : People doing activity with (person 3)**

```

type: numeric (byte)
label: c2_bc_0

range: [9,11]         units: 1
unique values: 2       missing .: 1,664/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              1       9  brother/sister/cousin
              1      11  outsider
            1,664      .
    
```

**c2\_ba\_gen\_0** **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]          units: 1
unique values: 2       missing .: 1,418/1,666
unique missing codes: 3  missing *: 165/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
             52       1  male
             31       3  female
            1,418      .
             164     .b
              1      .d
    
```

**c2\_bb\_gen\_0** **Gender code (person 2)**

```

type: numeric (byte)
label: c1_ba_gen
    
```

```

range: [1,3] units: 1
unique values: 2 missing .: 1,627/1,666
unique missing codes: 2 missing *: 7/1,666

tabulation: Freq. Numeric Label
             10      1 male
             22      3 female
            1,627    .
              7      .b
    
```

**c2\_bc\_gen\_0** **Gender code (person 3)**

```

type: numeric (byte)
label: c1_ba_gen

range: [3,3] units: 1
unique values: 1 missing .: 1,664/1,666

tabulation: Freq. Numeric Label
             2      3 female
            1,664    .
    
```

**c3\_code\_0** **0 : Frequency [Monday-Sunday (in case of not able to separate detail by day)]**

```

type: numeric (byte)
label: c1_code

range: [1,5] units: 1
unique values: 3 missing .: 1,111/1,666
unique missing codes: 3 missing *: 399/1,666

tabulation: Freq. Numeric Label
             3      1 less than once a month
             14     3 at least once a month
             139    5 at least once a week
            1,111    .
             398    .b
              1     .c
    
```

**c3\_hr\_0** **0 : Hours [Monday-Sunday (in case of not able to separate detail by day)]**

```

type: numeric (float)

range: [0,13] units: 1
unique values: 8 missing .: 1,527/1,666

tabulation: Freq. Value
             57  0
             43  1
             16  2
             12  3
              5  4
              3  5
              2  7
              1 13
            1,527 .
mean:      1.2446
std. dev:  1.74805

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        2        3
    
```

---

**c3\_min\_0 0 : Minutes [Monday-Sunday (in case of not able to separate detail by day)]**

---

type: numeric (float)  
 range: [0,50] units: 1  
 unique values: 21 missing .: 1,527/1,666

tabulation:

Freq.	Value
48	0
3	3
2	4
4	5
1	8
1	9
5	10
3	13
1	14
13	15
1	19
1	20
4	23
3	25
1	28
33	30
2	38
8	40
1	44
3	45
1	50
1,527	.
mean:	15.8345
std. dev:	14.9916

percentiles:           10%           25%           50%           75%           90%  
                           0            0            15            30            38

---

**c3\_aa\_0 0 : Detail (activity frequency) How many times [Monday-Sunday (in case of not ab**

---

type: string (str13), but longest is str3  
 unique values: 11 missing "": 1,527/1,666

tabulation:

Freq.	Value
1,527	" "
30	"1"
12	"1-2"
25	"2"
20	"2-3"
30	"3"
7	"3-4"
8	"4"
1	"4-5"
4	"5"
1	"6"
1	"8"

---

**c3\_ab\_0 0 : Detail (activity frequency) How many times per units [Monday-Sunday (in case**

---

type: string (str24), but longest is str21  
 unique values: 1 missing "": 1,527/1,666

```

tabulation:  Freq.  Value
              1,527  ""
              139   "ค้นภาพ"
    
```

**c3\_ac\_0**  
**0 : Detail (activity frequency) How many times per hours [Monday-Sunday (in case**

```

type:  numeric (double)

range:  [0,3]          units:  .1
unique values:  5      missing .:  1,527/1,666

tabulation:  Freq.  Value
              113   0
              21   1
               1  1.5
               2   2
               2   3
            1,527  .
mean:       .233813
std. dev:   .549381

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      1
    
```

**c3\_ad\_0**  
**0 : Detail (activity frequency) How many times per minutes [Monday-Sunday (in ca**

```

type:  numeric (double)

range:  [0,40]        units:  .1
unique values:  17    missing .:  1,527/1,666
unique missing codes:  2  missing *:  1/1,666

tabulation:  Freq.  Value
              42   0
               1   1
               3  2.5
               1   3
               1   4
               1  4.5
               9   5
               1  5.5
               4  7.5
              16  10
               1 12.5
               5  15
              12  20
               2  25
              37  30
               1  35
               1  40
            1,527  .
               1  .b
mean:       13.2101
std. dev:   12.533

percentiles:  10%    25%    50%    75%    90%
              0      0      10     30     30
    
```

**c3\_ba\_0** **0 : People doing activity with (person 1)**

```

type:  numeric (byte)
label:  c3_ba_0
    
```

range: [1,11] units: 1  
 unique values: 6 missing .: 1,510/1,666  
 unique missing codes: 2 missing \*: 78/1,666

tabulation:	Freq.	Numeric	Label
	7	1	father
	19	3	mother
	6	5	grandparents
	5	7	uncle/aunt
	39	9	brother/sister/cousin
	2	11	outsider
	1,510	.	.
	78	.b	.b

**c3\_bb\_0** O : People doing activity with (person 2)

type: numeric (byte)  
 label: c3\_bb\_0

range: [3,11] units: 1  
 unique values: 4 missing .: 1,644/1,666  
 unique missing codes: 2 missing \*: 2/1,666

tabulation:	Freq.	Numeric	Label
	4	3	mother
	2	5	grandparents
	12	9	brother/sister/cousin
	2	11	outsider
	1,644	.	.
	2	.b	.b

**c3\_bc\_0** O : People doing activity with (person 3)

type: numeric (byte)  
 label: c3\_bc\_0

range: [11,11] units: 1  
 unique values: 1 missing .: 1,665/1,666

tabulation:	Freq.	Numeric	Label
	1	11	outsider
	1,665	.	.

**c3\_ba\_gen\_0** Gender code (person 1)

type: numeric (byte)  
 label: c1\_ba\_gen

range: [1,3] units: 1  
 unique values: 2 missing .: 1,510/1,666  
 unique missing codes: 2 missing \*: 78/1,666

tabulation:	Freq.	Numeric	Label
	29	1	male
	49	3	female
	1,510	.	.
	78	.b	.b

**c3\_bb\_gen\_0** Gender code (person 2)

type: numeric (byte)  
 label: c1\_ba\_gen

```

        range: [1,3]
unique values: 2
unique missing codes: 2
        units: 1
        missing .: 1,644/1,666
        missing *: 2/1,666

tabulation: Freq.  Numeric  Label
              6         1  male
              14        3  female
            1,644         .
              2         .b
    
```

**c3\_bc\_gen\_0** **Gender code (person 3)**

```

        type: numeric (byte)
        label: c1_ba_gen

        range: [3,3]
unique values: 1
        units: 1
        missing .: 1,665/1,666

tabulation: Freq.  Numeric  Label
              1         3  female
            1,665         .
    
```

**activity\_P** **Watching television (not display)**

```

        type: string (str147), but longest is str0
unique values: 0
        missing "": 1,666/1,666

tabulation: Freq.  Value
            1,666  ""
    
```

**c1\_code\_P** **P : Frequency Code (Monday - Friday)**

```

        type: numeric (byte)
        label: c1_code

        range: [0,9]
unique values: 3
unique missing codes: 3
        units: 1
        missing .: 1,111/1,666
        missing *: 28/1,666

tabulation: Freq.  Numeric  Label
              43         0  never
             315         7  once a day
             169         9  more than once a day
            1,111         .
              1         .b
              27         .c
    
```

**c1\_hr\_P** **P : Hours (Monday - Friday)**

```

        type: numeric (float)

        range: [0,45]
unique values: 19
        units: 1
        missing .: 1,182/1,666
    
```

```

tabulation:  Freq.  Value
              21    0
              21    1
              50    2
               2    3
               2    4
             144    5
               7    6
             29    7
            107   10
             19   12
               1   14
             29   15
               4   17
             25   20
               5   22
               8   25
               7   30
               2   40
               1   45
            1,182  .
      mean:    8.38843
  std. dev:   6.70974

percentiles:      10%      25%      50%      75%      90%
                  2         5         6         10         17
  
```

---

**c1\_min\_P** **P : Minutes (Monday - Friday)**

---

```

      type:  numeric (float)
      range: [0,50]
unique values: 14
      units: 1
missing ..: 1,182/1,666

tabulation:  Freq.  Value
              321    0
               5    5
               1    8
               3   10
               1   13
               9   15
               1   18
               1   20
               3   25
            103   30
               2   38
              20   40
               2   45
              12   50
            1,182  .
      mean:   10.2893
  std. dev:  15.4759

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         30         30
  
```

---

**c1\_aa\_P** **P :Detail (activity frequency) How many times (Monday - Friday)**

---

```

      type:  string (str27)
unique values: 9
unique missing codes: 2
missing "": 1,182/1,666
missing *: 1/1,666
  
```

```

tabulation:  Freq.  Value
              1,182  ""
              315   "1"
              4     "1-2"
              138   "2"
              5     "2-3"
              17   "3"
              1    "4"
              1    "DK"
              1    "มากกว่า1"
              2    "หลายครั้ง"
    
```

---

**cl\_ab\_P      P :Detail (activity frequency) How many times per units (Monday - Friday)**

---

```

type:  string (str21), but longest is str9
unique values:  1                               missing "":  1,182/1,666
tabulation:  Freq.  Value
              1,182  ""
              484   "วัน"
    
```

---

**cl\_ac\_P      P :Detail (activity frequency) How many times per hours (Monday - Friday)**

---

```

type:  numeric (double)
range:  [0,6]                               units:  .1
unique values:  9                           missing .:  1,182/1,666
tabulation:  Freq.  Value
              275   0
              120   1
              3     1.5
              60    2
              4     2.5
              15    3
              5     4
              1     5
              1     6
              1,182 .
mean:  .682851
std. dev:  .956689
percentiles:  10%    25%    50%    75%    90%
              0      0      0      1      2
    
```

---

**cl\_ad\_P      P :Detail (activity frequency) How many times per minutes (Monday - Friday)**

---

```

type:  numeric (double)
range:  [0,50]                               units:  .1
unique values:  17                           missing .:  1,182/1,666
unique missing codes:  2                     missing *:  3/1,666
tabulation:  Freq.  Value
              287   0
              1    1.5
              3    2.5
              1    3
              1    3.5
              3    5
              1    6
              2    7.5
              1    8
              17   10
              8    15
    
```

```

          14 20
          7 25
        127 30
          3 40
          3 45
          2 50
        1,182 .
          3 .b
    mean:   10.3316
  std. dev: 13.8922

percentiles:    10%    25%    50%    75%    90%
                0      0      0      30     30
    
```

---

**c1\_ba\_P** **P : People doing activity with (person 1)**

---

```

    type: numeric (byte)
    label: c1_ba_P

    range: [1,13]
    unique values: 7
    unique missing codes: 3

                                units: 1
    missing .: 1,182/1,666
    missing *: 51/1,666
    
```

tabulation:	Freq.	Numeric	Label
	78	1	father
	49	3	mother
	183	5	grandparents
	8	7	uncle/aunt
	99	9	brother/sister/cousin
	5	11	outsider
	11	13	other household member
	1,182	.	
	48	.b	
	3	.d	

---

**c1\_bb\_P** **P : People doing activity with (person 2)**

---

```

    type: numeric (byte)
    label: c1_bb_P

    range: [1,13]
    unique values: 7
    unique missing codes: 2

                                units: 1
    missing .: 1,323/1,666
    missing *: 4/1,666
    
```

tabulation:	Freq.	Numeric	Label
	19	1	father
	87	3	mother
	152	5	grandparents
	9	7	uncle/aunt
	57	9	brother/sister/cousin
	6	11	outsider
	9	13	other household member
	1,323	.	
	4	.b	

---

**c1\_bc\_P** **P : People doing activity with (person 3)**

---

```

    type: numeric (byte)
    label: c1_bc_P

    range: [1,13]
    unique values: 7
    unique missing codes: 2

                                units: 1
    missing .: 1,501/1,666
    missing *: 4/1,666
    
```

tabulation:	Freq.	Numeric	Label
	8	1	father
	22	3	mother
	33	5	grandparents
	8	7	uncle/aunt
	80	9	brother/sister/cousin
	2	11	outsider
	8	13	other household member
	1,501	.	
	4	.b	

---

**c1\_ba\_gen\_P** **Gender code (person 1)**

---

type: numeric (byte)  
 label: **c1\_ba\_gen**

range: [1,3] units: 1  
 unique values: 2 missing .: 1,182/1,666  
 unique missing codes: 3 missing \*: 51/1,666

tabulation:	Freq.	Numeric	Label
	246	1	male
	187	3	female
	1,182	.	
	48	.b	
	3	.d	

---

**c1\_bb\_gen\_P** **Gender code (person 2)**

---

type: numeric (byte)  
 label: **c1\_ba\_gen**

range: [1,3] units: 1  
 unique values: 2 missing .: 1,323/1,666  
 unique missing codes: 2 missing \*: 4/1,666

tabulation:	Freq.	Numeric	Label
	92	1	male
	247	3	female
	1,323	.	
	4	.b	

---

**c1\_bc\_gen\_P** **Gender code (person 3)**

---

type: numeric (byte)  
 label: **c1\_ba\_gen**

range: [1,3] units: 1  
 unique values: 2 missing .: 1,501/1,666  
 unique missing codes: 2 missing \*: 4/1,666

tabulation:	Freq.	Numeric	Label
	58	1	male
	103	3	female
	1,501	.	
	4	.b	

---

**c2\_code\_P** **P : Frequency Code (Saturday - Sunday)**

---

type: numeric (byte)  
 label: **c1\_code**

range: [0,9] units: 1  
 unique values: 3 missing .: 1,111/1,666  
 unique missing codes: 3 missing \*: 28/1,666

tabulation:	Freq.	Numeric	Label
	36	0	never
	279	7	once a day
	212	9	more than once a day
	1,111	.	
	1	.b	
	27	.c	

**c2\_hr\_P**

**P : Hours (Saturday - Sunday)**

type: numeric (float)  
 range: [0,24] units: 1  
 unique values: 20 missing .: 1,175/1,666

tabulation:	Freq.	Value
	41	0
	42	1
	123	2
	31	3
	112	4
	18	5
	26	6
	6	7
	45	8
	8	9
	9	10
	4	11
	12	12
	1	13
	4	14
	3	16
	3	18
	1	21
	1	22
	1	24
	1,175	.
mean:		4.2057
std. dev:		3.62368

  

percentiles:	10%	25%	50%	75%	90%
	1	2	4	6	8

**c2\_min\_P**

**P : Minutes (Saturday - Sunday)**

type: numeric (float)  
 range: [0,50] units: 1  
 unique values: 12 missing .: 1,175/1,666

tabulation:	Freq.	Value
	439	0
	1	3
	2	5
	1	7
	1	9
	3	10
	4	15
	1	18
	10	20
	10	30
	17	40
	2	50
	1,175	.

mean: 2.88595  
 std. dev: 9.34854  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 5

**c2\_aa\_P P : Detail (activity frequency) How many times (Saturday - Sunday)**

type: string (str27)  
 unique values: 12 missing "": 1,175/1,666  
 unique missing codes: 2 missing \*: 2/1,666

tabulation:	Freq.	Value
	1,175	" "
	279	"1"
	5	"1-2"
	166	"2"
	8	"2-3"
	18	"3"
	2	"3-4"
	2	"4"
	1	"4-5"
	2	"5-6"
	2	"DK"
	1	"มากกว่า1"
	5	"หลายครั้ง"

**c2\_ab\_P P : Detail (activity frequency) How many times per units (Saturday - Sunday)**

type: string (str24), but longest is str9  
 unique values: 1 missing "": 1,175/1,666

tabulation:	Freq.	Value
	1,175	" "
	491	"วัน"

**c2\_ac\_P P : Detail (activity frequency) How many times per hours (Saturday - Sunday)**

type: numeric (double)  
 range: [0,7] units: .1  
 unique values: 11 missing .: 1,175/1,666

tabulation:	Freq.	Value
	265	0
	121	1
	3	1.5
	70	2
	5	2.5
	15	3
	1	3.5
	6	4
	2	5
	2	6
	1	7
	1,175	.

mean: .772912  
 std. dev: 1.06898

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 1 2

**c2\_ad\_P**  
**P : Detail (activity frequency) Monday-Friday How many times per minutes (Saturd**

type: numeric (double)  
 range: [0,50] units: .1  
 unique values: 16 missing .: 1,175/1,666  
 unique missing codes: 2 missing \*: 4/1,666

tabulation:

Freq.	Value
305	0
1	1.5
3	2.5
1	3
1	3.5
1	4.5
2	5
2	7.5
17	10
6	15
14	20
2	25
127	30
1	35
3	45
1	50
1,175	.
4	.b

mean: 9.57906  
 std. dev: 13.5734

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 30 30

**c2\_ba\_P** **P : People doing activity with (person 1)**

type: numeric (byte)  
 label: c2\_ba\_P  
 range: [1,13] units: 1  
 unique values: 7 missing .: 1,175/1,666  
 unique missing codes: 3 missing \*: 51/1,666

tabulation:

Freq.	Numeric	Label
77	1	father
50	3	mother
185	5	grandparents
9	7	uncle/aunt
103	9	brother/sister/cousin
5	11	outsider
11	13	other household member
1,175	.	
48	.b	
3	.d	

**c2\_bb\_P** **P : People doing activity with (person 2)**

type: numeric (byte)  
 label: c2\_bb\_P  
 range: [1,13] units: 1  
 unique values: 7 missing .: 1,324/1,666  
 unique missing codes: 2 missing \*: 4/1,666

tabulation:	Freq.	Numeric	Label
	19	1	father
	85	3	mother
	152	5	grandparents
	9	7	uncle/aunt
	58	9	brother/sister/cousin
	6	11	outsider
	9	13	other household member
	1,324	.	
	4	.b	

---

**c2\_bc\_P** **P : People doing activity with (person 3)**

---

type: numeric (byte)  
 label: **c2\_bc\_P**  
 range: [1,13] units: 1  
 unique values: 7 missing .: 1,503/1,666  
 unique missing codes: 2 missing \*: 4/1,666

tabulation:	Freq.	Numeric	Label
	8	1	father
	22	3	mother
	32	5	grandparents
	8	7	uncle/aunt
	79	9	brother/sister/cousin
	2	11	outsider
	8	13	other household member
	1,503	.	
	4	.b	

---

**c2\_ba\_gen\_P** **Gender code (person 1)**

---

type: numeric (byte)  
 label: **c1\_ba\_gen**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 1,175/1,666  
 unique missing codes: 3 missing \*: 51/1,666

tabulation:	Freq.	Numeric	Label
	251	1	male
	189	3	female
	1,175	.	
	48	.b	
	3	.d	

---

**c2\_bb\_gen\_P** **Gender code (person 2)**

---

type: numeric (byte)  
 label: **c1\_ba\_gen**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 1,324/1,666  
 unique missing codes: 2 missing \*: 4/1,666

tabulation:	Freq.	Numeric	Label
	92	1	male
	246	3	female
	1,324	.	
	4	.b	

---

**c2\_bc\_gen\_P** **Gender code (person 3)**

---

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing ..: 1,503/1,666
missing *: 4/1,666
    
```

tabulation:	Freq.	Numeric	Label
	57	1	male
	102	3	female
	1,503	.	
	4	.b	

**c3\_code\_P P : Frequency [Monday-Sunday (in case of not able to separate detail by day)]**

```

type: numeric (byte)
label: c1_code

range: [3,5]
unique values: 2
unique missing codes: 2

units: 1
missing ..: 1,111/1,666
missing *: 529/1,666
    
```

tabulation:	Freq.	Numeric	Label
	1	3	at least once a month
	25	5	at least once a week
	1,111	.	
	529	.b	

**c3\_hr\_P P : Hours [Monday-Sunday (in case of not able to separate detail by day)]**

```

type: numeric (float)

range: [0,7]
unique values: 6

units: 1
missing ..: 1,641/1,666
    
```

tabulation:	Freq.	Value
	9	0
	6	1
	5	2
	3	3
	1	5
	1	7
	1,641	.
mean:		1.48
std. dev:		1.73494

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	3

**c3\_min\_P P : Minutes [Monday-Sunday (in case of not able to separate detail by day)]**

```

type: numeric (float)

range: [0,40]
unique values: 8

units: 1
missing ..: 1,641/1,666
    
```

```

tabulation:  Freq.  Value
              9    0
              2   10
              1   12
              1   15
              1   20
              1   23
              9   30
              1   40
            1,641  .
      mean:    16
  std. dev:   14.1392

percentiles:    10%    25%    50%    75%    90%
                0      0      15     30     30
    
```

**c3\_aa\_P**  
**P : Detail (activity frequency) How many times [Monday-Sunday (in case of not ab**

```

type:  string (str13), but longest is str3
unique values:  8                missing "":  1,641/1,666

tabulation:  Freq.  Value
            1,641  ""
              3   "1"
              3  "1-2"
              8   "2"
              3  "2-3"
              5   "3"
              1  "3-4"
              1   "4"
              1   "5"
    
```

**c3\_ab\_P**  
**P : Detail (activity frequency) How many times per units [Monday-Sunday (in case**

```

type:  string (str24), but longest is str21
unique values:  1                missing "":  1,641/1,666

tabulation:  Freq.  Value
            1,641  ""
              25  "ห้าบาท"
    
```

**c3\_ac\_P**  
**P : Detail (activity frequency) How many times per hours [Monday-Sunday (in case**

```

type:  numeric (double)
range:  [0,2]                units:  1
unique values:  3                missing .:  1,641/1,666

tabulation:  Freq.  Value
              17    0
               7    1
               1    2
            1,641  .
      mean:    .36
  std. dev:   .568624

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      1
    
```

**c3\_ad\_P**  
**P : Detail (activity frequency) How many times per minutes [Monday-Sunday (in ca**

```

type: numeric (double)
range: [0,30] units: 1
unique values: 7 missing .. 1,641/1,666

tabulation: Freq. Value
             12  0
              1  4
              2  5
              1 10
              3 15
              2 20
              4 30
            1,641 .
mean:       9.16
std. dev:  11.4444

percentiles:    10%    25%    50%    75%    90%
                0      0      4      15     30
    
```

**c3\_ba\_P** **P : People doing activity with (person 1)**

```

type: numeric (byte)
label: c3_ba_P

range: [1,9] units: 1
unique values: 4 missing .. 1,640/1,666
unique missing codes: 2 missing *: 2/1,666

tabulation: Freq. Numeric Label
             4          1 father
             3          3 mother
            12          5 grandparents
             5          9 brother/sister/cousin
          1,640          .
             2          .b
    
```

**c3\_bb\_P** **P : People doing activity with (person 2)**

```

type: numeric (byte)
label: c3_bb_P

range: [3,9] units: 1
unique values: 3 missing .. 1,653/1,666

tabulation: Freq. Numeric Label
             4          3 mother
             4          5 grandparents
             5          9 brother/sister/cousin
          1,653          .
    
```

**c3\_bc\_P** **P : People doing activity with (person 3)**

```

type: numeric (byte)
label: c3_bc_P

range: [9,9] units: 1
unique values: 1 missing .. 1,664/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              2      9  brother/sister/cousin
            1,664      .
    
```

**c3\_ba\_gen\_P** **Gender code (person 1)**

```

type:  numeric (byte)
label:  c1_ba_gen

range:  [1,3]
unique values:  2
unique missing codes:  2

units:  1
missing ..:  1,640/1,666
missing *:  2/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              14      1  male
              10      3  female
            1,640      .
              2      .b
    
```

**c3\_bb\_gen\_P** **Gender code (person 2)**

```

type:  numeric (byte)
label:  c1_ba_gen

range:  [1,3]
unique values:  2

units:  1
missing ..:  1,653/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              2      1  male
              11     3  female
            1,653      .
    
```

**c3\_bc\_gen\_P** **Gender code (person 3)**

```

type:  numeric (byte)
label:  c1_ba_gen

range:  [3,3]
unique values:  1

units:  1
missing ..:  1,664/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              2      3  female
            1,664      .
    
```

**note** **Interviewer note (not display)**

```

type:  string (str295), but longest is str0
unique values:  0
missing "":  1,666/1,666

tabulation:  Freq.  Value
            1,666  ""
    
```

**year\_survey** **year survey**

```

type:  numeric (float)

range:  [2016,2016]
unique values:  1

units:  1
missing ..:  0/1,666
    
```

```

tabulation: Freq. Value
             1,666 2016
    mean:    2016
    std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                2016    2016    2016    2016    2016
    
```

**sleeptime\_perweek** **Hours per week of a child's nighttime sleep**

```

type: numeric (float)
range: [45.5,98]
unique values: 31
units: 1.000e-06
missing .: 0/1,666
    
```

```

tabulation: Freq. Value
             3 45.5
             13 49
             18 52.5
             58 56
             77 59.5
             1 60.083332
             2 60.666668
            286 63
             3 64.166664
             2 64.75
             1 65.333336
            249 66.5
             1 67.083336
             2 67.666664
             4 68.25
            506 70
             1 71.166664
             4 71.75
             2 72.333336
            195 73.5
             1 74.666664
             1 75.25
            154 77
             1 78.283333
             2 78.75
             38 80.5
             27 84
             4 87.5
             6 91
             1 94.5
             3 98

    mean:    68.595
    std. dev: 6.65301

percentiles:    10%    25%    50%    75%    90%
                59.5    63     70    73.5    77
    
```

**sleeptime\_perday** **Hours per day of a child's nighttime sleep**

```

type: numeric (float)
range: [6.5,14]
unique values: 31
units: 1.000e-06
missing .: 0/1,666
    
```

```

tabulation:  Freq.  Value
              3    6.5
             13    7
             18    7.5
             58    8
             77    8.5
              1  8.583333
              2  8.666667
            286    9
              3  9.166667
              2    9.25
              1  9.333333
            249    9.5
              1  9.583333
              2  9.666667
              4    9.75
            506   10
              1 10.166667
              4 10.25
              2 10.333333
            195  10.5
              1 10.666667
              1 10.75
            154   11
              1 11.183333
              2 11.25
             38  11.5
             27  12
              4 12.5
              6  13
              1 13.5
              3  14
    mean:      9.79928
  std. dev:   .95043
  
```

```

percentiles:      10%      25%      50%      75%      90%
                  8.5       9       10      10.5     11
  
```

---

**schooltime\_perweek** **Hours per week of a child's going to school**

---

```

type: numeric (float)
range: [0,60]
unique values: 47
units: 1.000e-06
missing .: 0/1,666
  
```

```

tabulation:  Freq.  Value
            498    0
              2    10
              1  12.5
              2    15
              3  17.5
              4    20
              6  22.5
             15    25
             31  27.5
              1  28.75
            131    30
              5 30.833334
              2  31.25
              4 31.666666
            201  32.5
              2 33.333332
              3  33.75
              9 34.166668
              2 34.583332
            265    35
             11 35.833332
              1 35.916668
              1    36
              6  36.25
  
```

```

      8 36.666668
    222 37.5
      2 38.333332
      6 38.75
      4 39.166668
    113 40
      3 40.833332
      3 41.25
     37 42.5
      2 43.333332
     24 45
      1 46.666668
     12 47.5
      2 48.333332
      4 50
      2 51.666668
      3 52.5
      1 53.333332
      1 53.75
      1 54.166668
      5 55
      3 57.5
      1 60
    mean: 24.8066
  std. dev: 16.7915

percentiles:      10%      25%      50%      75%      90%
                  0         0       32.5     37.5     40

```

---

**naptime\_athome\_perweek** **Hours per week of a child's nap time at home**

---

```

type: numeric (float)
range: [0,65.433334]          units: 1.000e-09
unique values: 42             missing .: 0/1,666

```

```

tabulation: Freq. Value
            272 0
             10 .01666667
            182 .03333334
               1 .04444445
               1 .04722222
              60 .05
               1 .05277778
            348 .06666667
               1 .06777778
              64 .08333334
            150 .1
              23 .11666667
              33 .13333334
               6 .15000001
               4 .16666667
               1 2.5666666
               1 2.5999999
               1 5.0166669
              26 5.0333333
              10 7.5500002
               1 7.5833335
               1 8.8083334
               1 10
            133 10.066667
               1 10.15
              39 12.583333
               1 12.65
               2 15
            126 15.1
               1 16.190556
               1 17.566668
              33 17.616667
               1 20.1

```

```

72 20.133333
19 22.65
17 25.166666
7 27.683332
11 30.200001
1 32.716667
1 40.266666
1 60.400002
1 65.433334
mean: 4.65629
std. dev: 7.80455
percentiles: 10% 25% 50% 75% 90%
0 .033333 .066667 10.0667 15.1

```

---

**activity\_tv\_dum** While a child watch TV, did the child participate in any activities

---

```

type: numeric (float)
label: atctivity_tv_dum
range: [0,1] units: 1
unique values: 2 missing .: 167/1,666
tabulation: Freq. Numeric Label
364 0 do not
1,135 1 do
167 .

```

---

**activity\_tv\_des** While a child watch TV, what activities did the child do (not display)

---

```

type: string (str147), but longest is str0
unique values: 0 missing "": 1,666/1,666
tabulation: Freq. Value
1,666 ""

```

---

**reading\_time** Hours per week of reading to children

---

```

type: numeric (float)
range: [0,14] units: 1.000e-09
unique values: 72 missing .: 0/1,666
tabulation: Freq. Value
902 0
1 .01666667
9 .03333334
15 .05
7 .06666667
32 .08333334
16 .1
7 .11666667
1 .11666667
18 .13333334
5 .15000001
47 .16666667
5 .18333334
2 .2
14 .21666667
1 .23333333
2 .23333335
33 .25
7 .30000001
1 .31666666
37 .33333334

```

```

      7 .34999999
     12 .38333333
     26 .41666666
      3 .41666669
      1 .44999999
      1 .46666667
      1 .46666667
     63 .5
      4 .53333333
     32 .58333331
      8 .63333333
     15 .66666669
      1 .69999999
      4 .73333335
     13 .75
     18 .83333331
     15 .88333333
      1 .91666663
     35 1
      1 1.1333333
     45 1.1666666
     25 1.25
      1 1.3166666
      2 1.3333334
      5 1.4666666
     18 1.5
      1 1.5166667
      1 1.6666666
     22 1.75
      1 1.8833333
     16 2
      2 2.05
      2 2.0833333
      2 2.25
      9 2.3333333
     12 2.5
      1 2.75
      3 2.9166665
      6 3
     47 3.5
      1 3.6499999
      2 3.8333335
      1 4.0833335
      2 4.5
      3 5
      1 5.25
      1 5.833333
      6 7
      1 8.75
      2 10.5
      2 14
    mean: .490976
  std. dev: 1.11132
percentiles:      10%      25%      50%      75%      90%
                  0         0         0         .5      1.46667

```

---

**storytelling\_time** **Hours per week of storytelling to children**

---

```

type: numeric (float)
range: [0,14]
unique values: 72
units: 1.000e-09
missing .: 0/1,666

```

```

tabulation:  Freq.  Value
              990    0
              13   .03333334
              15   .05
              13   .06666667
              42   .08333334
              20   .1
               9   .11666667
               3   .11666667
              24   .13333334
               6   .15000001
              58   .16666667
               8   .18333334
               5   .2
               8   .21666667
               2   .23333333
               2   .23333335
              31   .25
               3   .26666668
               1   .28333333
               4   .30000001
               4   .31666666
              42   .33333334
               9   .34999999
               1   .36666667
              10   .38333333
               3   .40000001
              13   .41666666
               6   .41666669
               2   .44999999
               2   .46666667
              45   .5
               2   .51666665
               3   .53333333
              38   .58333331
               4   .63333333
               7   .66666669
               1   .69999999
               2   .73333335
              17   .75
               2   .76666665
               8   .83333331
               2   .86666667
              12   .88333333
              31   1
               1   1.0166667
               3   1.05
               3   1.1333333
              31   1.1666666
               8   1.25
               1   1.3166666
               1   1.3333334
              12   1.5
              13   1.75
               7   2
               1   2.05
               2   2.0833333
              15   2.3333333
               2   2.5
               1   2.6333332
               2   2.9166665
               4   3
              18   3.5
               1   4
               1   4.5
               1   5.1166668
               1   5.833333
               9   7
               1   8.75
               1   10.5
               1   12
               1   13.133333
    
```

```

          1 14
    mean:  .344568
    std. dev: 1.00946

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      .266667    1
    
```

---

**outdoorplaying\_time** Hours per week of child's outdoor play

---

```

    type: numeric (float)

    range: [0,98]                units: 1.000e-09
    unique values: 185            missing .: 0/1,666

    mean: 9.27814
    std. dev: 9.60747

    percentiles:    10%    25%    50%    75%    90%
                   .216667    2.5    7    14    21
    
```

---

**sport\_time** Hours per week of child's playing sport, singing, dancing

---

```

    type: numeric (float)

    range: [0,36.666668]         units: 1.000e-09
    unique values: 142            missing .: 0/1,666

    mean: 2.17397
    std. dev: 3.8075

    percentiles:    10%    25%    50%    75%    90%
                   0      .15    .7    2.5    7
    
```

---

**roleplay\_time** Hours per week of child's role play, selling play, playing with robot or car

---

```

    type: numeric (float)

    range: [0,70]                units: 1.000e-09
    unique values: 182            missing .: 0/1,666

    mean: 5.07935
    std. dev: 6.39392

    percentiles:    10%    25%    50%    75%    90%
                   .066667    .883333    3.5    7    14
    
```

---

**learning\_time** Hours per week of child's practice reading, writing alphabet, counting numbers

---

```

    type: numeric (float)

    range: [0,70]                units: 1.000e-09
    unique values: 110            missing .: 0/1,666

    mean: 1.36416
    std. dev: 2.91709

    percentiles:    10%    25%    50%    75%    90%
                   0      0    .458333    1.66667    3.5
    
```

---

**drawing\_time**      **Hours per week of child's palying blocks, plasticine, drawing, coloring**

---

```

type: numeric (float)
range: [0,35]
unique values: 106
mean: 1.45302
std. dev: 2.73367
units: 1.000e-09
missing .: 0/1,666

percentiles:      10%      25%      50%      75%      90%
                  0        0      .416667  1.5      3.5
    
```

---

**fieldtrip\_time**      **Hours per week of child's going to temples, libraries, zoo, museums**

---

```

type: numeric (float)
range: [0,14]
unique values: 38
units: 1.000e-09
missing .: 0/1,666

tabulation: Freq. Value
1,299 0
1 .03333334
2 .08333334
2 .13333334
1 .15000001
2 .16666667
5 .33333334
35 .5
1 .58333331
1 .63333333
3 .66666669
4 .75
2 .83333331
1 .88333333
131 1
3 1.1666666
5 1.25
3 1.3333334
27 1.5
4 1.75
50 2
1 2.25
2 2.3333333
11 2.5
12 3
14 3.5
2 3.75
12 4
7 4.5
5 5
1 6
1 6.4166665
1 6.5
10 7
1 8
1 9
2 10.5
1 14
mean: .416246
std. dev: 1.14176

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0      1.33333
    
```

---

**shopping\_time** Hours per week of child's going to department store

---

type: numeric (float)  
 range: [0,24.5] units: 1.000e-09  
 unique values: 41 missing .: 0/1,666

tabulation: Freq. Value  
 1,371 0  
 2 .08333334  
 1 .13333334  
 5 .16666667  
 2 .33333334  
 1 .34999999  
 9 .5  
 1 .75  
 45 1  
 28 1.5  
 1 1.66666666  
 50 2  
 1 2.25  
 1 2.33333333  
 1 2.41666667  
 18 2.5  
 35 3  
 7 3.5  
 5 3.75  
 13 4  
 6 4.5  
 10 5  
 3 5.25  
 10 6  
 1 6.25  
 2 6.75  
 6 7  
 4 7.5  
 3 8  
 3 8.75  
 1 9  
 4 10  
 2 10.5  
 1 11  
 2 11.25  
 1 12  
 2 14  
 2 15  
 4 17.5  
 1 21  
 1 24.5

mean: .619488  
 std. dev: 2.00534

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 2

---

**working\_time** Hours per week of child's going to work with household members

---

type: numeric (float)  
 range: [0,77] units: 1.000e-09  
 unique values: 122 missing .: 0/1,666

mean: 5.59066  
 std. dev: 10.8422

percentiles: 10% 25% 50% 75% 90%  
 0 0 .333333 7 18

---

**housework\_time** **Hours per week of child's doing housework**

---

type: numeric (float)  
 range: [0,17.5] units: 1.000e-09  
 unique values: 57 missing .: 0/1,666

tabulation:

Freq.	Value
1,234	0
5	.01666667
22	.03333334
15	.05
23	.06666667
23	.08333334
10	.1
2	.11666667
3	.11666667
13	.13333334
2	.15000001
38	.16666667
10	.18333334
5	.2
4	.21666667
1	.23333333
9	.23333335
18	.25
13	.30000001
2	.31666666
18	.33333334
9	.34999999
3	.38333333
7	.41666666
1	.41666669
1	.44999999
1	.46666667
19	.5
7	.53333333
32	.58333331
2	.63333333
3	.66666669
1	.69999999
1	.71666667
1	.73333335
5	.75
2	.83333331
10	.88333333
14	1
25	1.16666666
5	1.25
1	1.3
1	1.33333333
1	1.33333334
2	1.46666666
5	1.5
5	1.75
1	2
1	2.05
9	2.33333333
10	3.5
1	4.5
3	4.6666665
1	5.1666665
4	7
1	14
1	17.5

mean: .187235  
 std. dev: .800911



```

          1 50
    mean:  .593467
    std. dev: 1.94258

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      2.08333
    
```

---

**selfreading\_time** **Hours per week of child's reading**

---

```

    type: numeric (float)
    range: [0,8.75]
    unique values: 24
    units: 1.000e-09
    missing .: 0/1,666
    
```

```

    tabulation: Freq. Value
                1,629 0
                 1 .03333334
                 4 .05
                 1 .06666667
                 1 .08333334
                 1 .13333334
                 1 .16666667
                 1 .30000001
                 1 .33333334
                 2 .41666666
                 3 .5
                 1 .58333331
                 1 .63333333
                 2 .66666669
                 3 .75
                 1 .83333331
                 5 1.16666666
                 1 1.25
                 1 1.46666666
                 1 1.5
                 1 1.66666666
                 2 2.5
                 1 4.38333332
                 1 8.75
    
```

```

    mean: .023489
    std. dev: .277573
    
```

```

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

---

**screen\_time** **Hours per week of child's playing computer ,tablet, ipad and smart phone**

---

```

    type: numeric(float)
    range: [0,86]
    unique values: 133
    units: 1.000e-09
    missing .: 0/1,666
    
```

```

    mean: 3.43409
    std. dev: 6.19297
    
```

```

    percentiles:    10%    25%    50%    75%    90%
                   0      0      .65    3.5    10.5
    
```

---

**tv\_time** **Hours per week of child's watching tv**

---

```

    type: numeric (float)
    range: [0,81]
    unique values: 158
    units: 1.000e-09
    missing .: 0/1,666
    
```

```

    mean: 12.1063
    std. dev: 12.6875

    percentiles:    10%    25%    50%    75%    90%
                   0      2.5    9      18    28.5
    
```

**other\_time** **Hours per week of child's doing other activity**

```

    type: numeric (float)
    range: [0,1.1666666]          units: 1.000e-07
    unique values: 2              missing .: 0/1,666

    tabulation:  Freq.  Value
                 1,665  0
                 1    1.1666666
    mean: .0007
    std. dev: .028583

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

**ch\_added** **children added**

```

    type: numeric (float)
    label: ch_add
    range: [0,1]                units: 1
    unique values: 2            missing .: 0/1,666

    tabulation:  Freq.  Numeric  Label
                 1,595  0      no
                 71    1      yes
    
```

**survey\_name** **survey round**

```

    type: string (str12)
    unique values: 2            missing "": 0/1,666

    tabulation:  Freq.  Value
                 1,040  "BASELINE2016"
                 626   "RESURVEY2016"
    
```

```

2 . log close
   name: <unnamed>
   log: R:\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codebook_sc\b11.sc
> ml
   log type: smcl
   closed on: 12 Feb 2026, 14:12:42
    
```