



```

name: <unnamed>
log: Z:\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codebook_sc\b12.sc
> ml
log type: smcl
opened on: 24 Dec 2025, 09:40:23

```

```
1 . codebookr _all,all
```

```

Dataset: \RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\stata\sc
> ramble/b12_run.dta
Last saved: 24 Dec 2025 09:39

```

```

Label: [none]
Number of variables: 33
Number of observations: 1,666
Size: 5,426,162 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or -6 or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or -7 or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or -8 or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or -9 or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a or -6      String Missing*: RF
                  .b or -7      NA
                  .c or -8      DK
                  .d or -9      MI

```

```
cid children id
```

```

type: string (str18)
unique values: 1,666      missing "": 0/1,666
examples: "201591160601205H1"
          "201691130216999H1"
          "201691160104180H1"
          "201691161706142H6"

```

```
iyear year
```

```

type: string (str4)
unique values: 2      missing "": 0/1,666
tabulation: Freq. Value
             626 "2015"
             1,040 "2016"

```

```
hhid household id
```

```
type: string (str15)
```

unique values: 1,413 missing "": 0/1,666
 examples: "201591160601205"
 "201691130216999"
 "201691160104180"
 "201691161706142"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,666
 tabulation: Freq. Value
 1,501 "91"
 165 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 7 missing "": 0/1,666
 tabulation: Freq. Value
 165 "12"
 308 "13"
 134 "14"
 164 "15"
 608 "16"
 45 "17"
 242 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,666
 tabulation: Freq. Value
 71 "01"
 259 "02"
 141 "04"
 65 "05"
 60 "06"
 69 "07"
 67 "08"
 109 "09"
 155 "10"
 96 "11"
 167 "13"
 52 "14"
 169 "15"
 116 "17"
 70 "19"

moo **moo**

type: string (**str2**)
 unique values: 21 missing "": 0/1,666

```

tabulation:  Freq.  Value
              168  "01"
              75  "02"
              166  "03"
              172  "04"
              151  "05"
              175  "06"
              86  "07"
              173  "08"
              108  "09"
              84  "10"
              61  "11"
              51  "12"
              46  "13"
              14  "14"
              12  "15"
              41  "16"
              10  "17"
              14  "18"
              31  "19"
              21  "22"
              7  "24"
    
```

strucid	structure ID
----------------	---------------------

```

type:  string (str3)
unique values:  182                missing "":  0/1,666
examples:  "011"
           "034"
           "071"
           "157"
    
```

tcdc_qn_57	Child development center/school (not display)
-------------------	--

```

type:  string (str10), but longest is str0
unique values:  0                missing "":  1,666/1,666
tabulation:  Freq.  Value
              1,666  ""
    
```

tcdc_qn_58	Child development center/school (not display)
-------------------	--

```

type:  string (str10), but longest is str0
unique values:  0                missing "":  1,666/1,666
tabulation:  Freq.  Value
              1,666  ""
    
```

tcdc_qn_59	Child development center/school (not display)
-------------------	--

```

type:  string (str28), but longest is str0
unique values:  0                missing "":  1,666/1,666
tabulation:  Freq.  Value
              1,666  ""
    
```

qn_57 **Child development center name/school name (unavailable)**

type: string (**str78**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

qn_58 **Child development center name/school name (unavailable)**

type: string (**str78**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

qn_59 **Child development center name/school name (unavailable)**

type: string (**str94**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

qn1 **Do you think whether the teaching at child development center/school this year**

type: numeric (**byte**)
 label: **qn1**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,109/1,666
 tabulation: Freq. Numeric Label
 433 1 yes
 124 3 no (skip to qn2)
 1,109 .

qn1a **How different? (not display)**

type: string (**str443**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

qn2 **Between teaching in the child development center/school this year (2016) and las**

type: numeric (**byte**)
 label: **qn2**
 range: [1,5] units: 1
 unique values: 3 missing .: 1,109/1,666

```

tabulation: Freq.  Numeric  Label
             366         1  teaching method of this year
             47         3  teaching method of last year
             144         5  equally (skip to qn3)
            1,109         .
    
```

qn2a **Because (not display)**

```

type: string (str270), but longest is str0
unique values: 0 missing "": 1,666/1,666
tabulation: Freq.  Value
             1,666  ""
    
```

qn3 **Compared to the previous year (2558), do you think the child would like to go to**

```

type: numeric (byte)
label: qn3
range: [1,5] units: 1
unique values: 3 missing .: 1,109/1,666
unique missing codes: 2 missing *: 1/1,666
    
```

```

tabulation: Freq.  Numeric  Label
             361         1  more
             160         3  equally
              35         5  less
            1,109         .
              1         .d
    
```

qn4 **What do you want the school to change to increase child's motivation (not displa**

```

type: string (str506), but longest is str0
unique values: 0 missing "": 1,666/1,666
tabulation: Freq.  Value
             1,666  ""
    
```

qn5 **Do you think whether the teaching at child development center/school last year (**

```

type: numeric (byte)
label: qn5
range: [1,5] units: 1
unique values: 3 missing .: 1,109/1,666
unique missing codes: 2 missing *: 1/1,666
    
```

```

tabulation: Freq.  Numeric  Label
             243         1  yes
             175         3  no (skip to qn6)
             138         5  not comparable (qn5b)
            1,109         .
              1         .d
    
```

qn5a **How different? (not display)**

```

type: string (str294), but longest is str0
unique values: 0 missing "": 1,666/1,666
    
```

tabulation: Freq. Value
 1,666 ""

qn5b Please give a reason (not display)

type: string (**str165**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

qn6 Between teaching of last year (2015) and of the year before (2014) which one do

type: numeric (**byte**)
 label: **qn6**
 range: [1,7] units: 1
 unique values: 4 missing .: 1,109/1,666
 unique missing codes: 2 missing *: 1/1,666

tabulation:	Freq.	Numeric	Label
	227	1	teaching of last year
	16	3	eaching of the year before
	178	5	equally (skip to qn7)
	135	7	not comparable (skip to qn6b)
	1,109	.	.
	1	.d	.d

qn6a Reason for your preference (not display)

type: string (**str300**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

qn6b Specify the reason (not display)

type: string (**str196**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

qn7 If the child development center that your child enrolled or is enrolling recruit

type: numeric (**byte**)
 label: **qn7**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,109/1,666
 unique missing codes: 2 missing *: 1/1,666

tabulation:	Freq.	Numeric	Label
	374	1	yes
	182	3	no
	1,109	.	.
	1	.d	.d

qn7a **Specify the reason (not display)**

type: string (**str419**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

note **Interviewer note (not display)**

type: string (**str88**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

note_cleaner **Data cleaner note (not display)**

type: string (**str204**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

year_survey **year survey**

type: numeric (**float**)
 range: [2016,2016] units: 1
 unique values: 1 missing .: 0/1,666
 tabulation: Freq. Value
 1,666 2016
 mean: 2016
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 2016 2016 2016 2016 2016

ch_added **children added**

type: numeric (**float**)
 label: **ch_added**
 range: [0,1] units: 1
 unique values: 2 missing .: 0/1,666
 tabulation: Freq. Numeric Label
 1,595 0 no
 71 1 yes

survey_name **survey round**

type: string (**str12**)
 unique values: 2 missing "": 0/1,666

```
tabulation:  Freq.  Value
              1,040  "BASELINE2016"
              626   "RESURVEY2016"
```

```
2 . log close
   name: <unnamed>
   log:  Z:\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codebook_sc/b12.sc
> ml
   log type: smcl
   closed on: 24 Dec 2025, 09:40:23
```
