



```

name: <unnamed>
log: R:\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codebook_sc/blal.s
> cml
log type: smcl
opened on: 12 Feb 2026, 13:55:59

```

```
1 . codebookr _all,all
```

```

Dataset: \RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\stata\sc
> ramble/blal_run.dta
Last saved: 12 Feb 2026 13:55

```

```

Label: [none]
Number of variables: 37
Number of observations: 5,952
Size: 4,333,056 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

```

.a or -6 or RF: The subject explicitly refused to answer the question
when he or she should have.
.b or -7 or NA: The subject was never asked the question
for one reason or another. Usually this results
from "skip patterns" that occur.
.c or -8 or DK: The subject was unable to answer the question
either because he or she had no opinion or because
the required information was not available.
.d or -9 or MI: Items should be filled out but have no data entry found.
This is enumerator's own mistake. The circumstances
can be interviewers failing to ask a question
or forgetting to record a response

```

```

Numeric Missing*: .a or -6          String Missing*: RF
                  .b or -7          NA
                  .c or -8          DK
                  .d or -9          MI

```

```

_dta:
1. score = N/A คือครัวเรือนสถาบัน

```

```
pid personal id
```

```

type: string (str18)
unique values: 4,872          missing "": 0/5,952
examples: "201691131504056H3"
           "201691150908999H1"
           "201691161011045H3"
           "201691180915059H1"

```

```
iyear year
```

```

type: string (str9), but longest is str4
unique values: 2          missing "": 0/5,952
tabulation: Freq. Value
             661 "2015"
             5,291 "2016"

```

hhid **household id**

type: string (**str15**)
 unique values: 1,067 missing "": 0/5,952
 examples: "201691131504056"
 "201691150908999"
 "201691161011045"
 "201691180915059"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/5,952
 tabulation:

Freq.	Value
5,460	"91"
492	"93"

amp **amphoe**

type: string (**str2**)
 unique values: 7 missing "": 0/5,952
 tabulation:

Freq.	Value
492	"12"
955	"13"
444	"14"
622	"15"
2,190	"16"
187	"17"
1,062	"18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/5,952
 tabulation:

Freq.	Value
306	"01"
834	"02"
473	"04"
261	"05"
208	"06"
183	"07"
257	"08"
445	"09"
571	"10"
449	"11"
619	"13"
209	"14"
501	"15"
405	"17"
231	"19"

moo **moo**

type: string (**str2**)
 unique values: 20 missing "": 0/5,952

tabulation:

Freq.	Value
548	"01"
181	"02"
578	"03"
696	"04"
640	"05"
613	"06"
200	"07"
700	"08"
453	"09"
267	"10"
239	"11"
195	"12"
188	"13"
53	"14"
35	"15"
170	"16"
60	"18"
14	"19"
100	"22"
22	"24"

strucid **structure ID**

type: string (**str3**)
 unique values: 179 missing "": 0/5,952

examples: "018"
 "042"
 "069"
 "103"

cid **children id**

type: string (**str18**)
 unique values: 1,256 missing "": 0/5,952

examples: "201691131504056H1"
 "201691150908999H1"
 "201691161011045H1"
 "201691180915059H1"

blaa **Member ID**

type: string (**str3**)
 unique values: 12 missing "": 0/5,952

tabulation:

Freq.	Value
1,111	"H1"
30	"H10"
9	"H11"
1	"H12"
1,122	"H2"
1,093	"H3"
964	"H4"
707	"H5"
464	"H6"
254	"H7"
131	"H8"

66 "H9"

no **order**

```

type: numeric (byte)
range: [1,12]           units: 1
unique values: 12       missing .: 0/5,952

tabulation: Freq. Value
            1,111  1
            1,122  2
            1,093  3
             963  4
             708  5
             464  6
             255  7
             130  8
              66  9
              30 10
               9 11
               1 12
mean:      3.46774
std. dev:  2.01105

percentiles:      10%      25%      50%      75%      90%
                  1         2         3         5         6
    
```

blab **Nickname (unavailable)**

```

type: string (str36), but longest is str0
unique values: 0           missing "": 5,952/5,952

tabulation: Freq. Value
            5,952  ""
    
```

blac **Date of birth (unavailable)**

```

type: numeric (byte)
range: [.,.]           units: .
unique values: 0       missing .: 5,952/5,952

tabulation: Freq. Value
            5,952  .
mean:      .
std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .         .         .         .         .
    
```

blad **Month of birth (unavailable)**

```

type: numeric (byte)
range: [.,.]           units: .
unique values: 0       missing .: 5,952/5,952

tabulation: Freq. Value
            5,952  .
mean:      .
std. dev:  .
    
```



```

type: numeric (byte)
label: blai
range: [1,3]
unique values: 2
units: 1
missing .. 0/5,952

tabulation: Freq. Numeric Label
5,926 1 alive
26 3 dead
    
```

blaja **Month of Death (unavailable)**

```

type: string (str11), but longest is str0
unique values: 0
missing "": 5,952/5,952

tabulation: Freq. Value
5,952 ""
    
```

blajb **Year of Death (unavailable)**

```

type: string (str4), but longest is str0
unique values: 0
missing "": 5,952/5,952

tabulation: Freq. Value
5,952 ""
    
```

blaj **Marital status**

```

type: numeric (byte)
label: blaj
range: [1,9]
unique values: 5
units: 1
missing .. 109/5,952

tabulation: Freq. Numeric Label
2,448 1 single
2,794 3 married (both registered and
non-registered)
128 5 divorced
249 7 widowed
224 9 separate (but keep the
relationship)
109 .
    
```

blaia **Month of moving in (unavailable)**

```

type: string (str11), but longest is str0
unique values: 0
missing "": 5,952/5,952

tabulation: Freq. Value
5,952 ""
    
```

blaib **Current address (unavailable)**

```

type: string (str8), but longest is str0
unique values: 0
missing "": 5,952/5,952
    
```

tabulation: Freq. Value
 5,952 ""

blaka **Month of moving out (unavailable)**

type: string (**str11**), but longest is str0
 unique values: 0 missing "": 5,952/5,952
 tabulation: Freq. Value
 5,952 ""

blakb **Year of moving out (unavailable)**

type: string (**str4**), but longest is str0
 unique values: 0 missing "": 5,952/5,952
 tabulation: Freq. Value
 5,952 ""

blal **Reason for moving out (unavailable)**

type: numeric (**byte**)
 label: **blal**
 range: [.,.] units: .
 unique values: 0 missing .: 5,952/5,952
 tabulation: Freq. Numeric Label
 5,952 .

blal_other **Others (specify) (unavailable)**

type: string (**str90**), but longest is str0
 unique values: 0 missing "": 5,952/5,952
 tabulation: Freq. Value
 5,952 ""

blam **Current address (unavailable)**

type: string (**str76**), but longest is str0
 unique values: 0 missing "": 5,952/5,952
 tabulation: Freq. Value
 5,952 ""

move_in **Move in**

type: numeric (**float**)
 label: **move_in**
 range: [0,1] units: 1
 unique values: 2 missing .: 0/5,952

```

tabulation:  Freq.  Numeric  Label
              5,808      0      no
              144       1      yes
    
```

move_out **Move out**

```

type:  numeric (float)
label:  move_out

range:  [0,1]
unique values:  2
units:  1
missing .:  0/5,952

tabulation:  Freq.  Numeric  Label
              5,837      0      no
              115       1      yes
    
```

year_survey **year survey**

```

type:  numeric (float)

range:  [2016,2016]
unique values:  1
units:  1
missing .:  0/5,952

tabulation:  Freq.  Value
              5,952  2016
mean:        2016
std. dev:    0

percentiles:  10%    25%    50%    75%    90%
              2016  2016  2016  2016  2016
    
```

note_cleaner **Data cleaner note (not display)**

```

type:  string (str259), but longest is str0

unique values:  0
missing "":  5,952/5,952

tabulation:  Freq.  Value
              5,952  ""
    
```

survey_name **survey round**

```

type:  string (str12)

unique values:  2
missing "":  0/5,952

tabulation:  Freq.  Value
              5,291  "BASELINE2016"
              661   "RESURVEY2016"
    
```

```

2 . log close
   name: <unnamed>
   log:  R:\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codebook_sc\b1a1.s
> cml
   log type:  smcl
   closed on: 12 Feb 2026, 13:56:00
    
```